



**Industrial
Auctions**

**1840: Online auction cheese processing, ripening,
packaging and other inventory due to company
closure FrieslandCampina in Born (NL)**

END DATE
08 July 2025 12:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	08 July 2025 from 12:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	Pick up in consultation with Industrial Auctions BV.
Pick up address	Leonard Langweg 2 6121 PA Born Netherlands
Pick up instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN raw milk unloading station	Raw milk unloading station, dimensions: 900 mm x 4700 mm x 1950 mm.	650
2	NN raw milk unloading station	Raw milk unloading station, dimensions: 900 mm x 4700 mm x 1950 mm.	650
3	NN raw milk unloading station	Raw milk unloading station, dimensions: 900 mm x 4700 mm x 1950 mm.	650
4	NN raw milk unloading station	Raw milk unloading station, dimensions: 900 mm x 4700 mm x 1950 mm.	650
5	NN waste bin	S/s waste bin, dimensions: 400 mm x 460 mm x 950 mm.	100
6	Elpress	Elpress soap mixing station with foam regulator, dimensions: 360 mm x 520 mm x 600 mm, 200 mm x 460 mm x 500 mm, 100 mm x 160 mm x 400 mm.	250
7	NN submersible pump	Submersible pump.	100
8	KSB	KSB Horizontal self-priming volute casing pump, type: ETPB040-040-110, machine number: 01529956, year of construction: 2019, Q: 16.00 m³/h, H: 8.77 m, dimensions: 550 mm x 200 mm x 450 mm.	150
9	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, serial number: 47 2021, dimensions: 550 mm x 320 mm x 600 mm.	150
14	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: NA177119000, year of construction: 2018, DN125, dimensions: 270 mm x 200 mm x 250 mm, 130 mm x 200 mm x 240 mm.	200
16	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: NA177019000, year of construction: 2018, DN125, dimensions: 270 mm x 200 mm x 250 mm, 130 mm x 200 mm x 240 mm.	200
18	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: NA176C19000, year of construction: 2018, DN125, dimensions: 270 mm x 200 mm x 250 mm, 130 mm x 200 mm x 240 mm.	200
21	NN hose reel	S/s hose reel, dimensions: 120 mm x 270 mm x 140 mm.	25
22	GEA TDS GmbH	GEA TDS GmbH pasteurizer, type: VT 40 BC-16, fabrication number: 171/7517, year of construction: 2011, capacity: 30 tons per hour, weight: 3140 kg, dimensions: 4000 mm x 600 mm x 2000 mm.	3500
23	GEA	GEA centrifugal pump, dimensions: 650 mm x 320 mm x 450 mm.	150
24	Alfa Laval	Alfa Laval centrifugal pump, dimensions: 650 mm x 300 mm x 450 mm.	150
25	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: H90A4819000.	200



Nr	Title	Description	Start €
26	GEA Tuchenhagen GmbH	Manifold with 7 GEA Tuchenhagen GmbH valves, dimensions: 1100 mm x 1050 mm x 900 mm.	750
27	Samson	Samson valve, type: 3277, dimensions: 300 mm x 300 mm x 500 mm.	150
28	GEA TDS GmbH	Steam valve with GEA TDS GmbH tube heat exchanger, type: VTE 39-2.0, dimensions: 600 mm x 500 mm x 2060 mm.	250
29	NN tank	S/s tank, inside dimensions: ø 1300 mm x 1450 mm, total dimensions: ø 1400 mm x 2400 mm.	500
30	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-10, serial number: 296330, year of construction: 2023, 50 Hz, 4 kW, dimensions: 550 mm x 350 mm x 500 mm.	150
31	Jansen Quadraat NV	Jansen Quadraat NV s/s platform with stairs, dimensions: 1800 mm x 700 mm x 2100 mm.	200
32	Samson	Samson valve, type: 3277, dimensions: ø 270 mm x 570 mm.	150
33	GEA Tuchenhagen GmbH	2 GEA Tuchenhagen GmbH valves, type: XW-OD2½"/OD2½-SZ-DD-L0-12N/52+TM1.P2BAM, dimensions: (2x) ø 170 mm x 720 mm.	300
34	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, DN100, dimensions: 340 mm x 220 mm x 190 mm.	200
35	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, DN100, dimensions: 340 mm x 220 mm x 190 mm.	200
36	NN drain tank	S/s drain tank, inside dimensions: ø 400 mm x 600 mm, total dimensions: 500 mm x 400 mm x 750 mm.	150
37	Alfa Laval	Alfa Laval separator used as skimmer, serial number: 4024766, dimensions: 1800 mm x 2000 mm x 1850 mm.	12500
38	Alfa Laval	Alfa Laval bactofuge, dimensions: 1800 mm x 2000 mm x 1850 mm.	12500
39	Alfa Laval	Alfa Laval bactofuge, type: BMRPX 618HCV-14C-50, serial number: 4034013, dimensions: 1800 mm x 2000 mm x 1850 mm. Without bowl.	6500
40	GEA Tuchenhagen GmbH	3 GEA Tuchenhagen GmbH valves, dimensions: 400 mm x 500 mm x 600 mm.	300
41	GEA Tuchenhagen GmbH	3 GEA Tuchenhagen GmbH valves, dimensions: 400 mm x 500 mm x 600 mm.	300
42	Endress+Hauser	Endress+Hauser mass flowmeter with transmitter, type: PROMASS F, DN25, dimensions: 350 mm x 220 mm x 320 mm, 130 mm x 220 mm x 250 mm.	250
43	Samson	Samson valve, dimensions: ø 200 mm x 400 mm.	150
44	GEA Tuchenhagen GmbH	3 GEA Tuchenhagen GmbH valves, dimensions: 400 mm x 500 mm x 600 mm.	350
45	Demag	2 Demag electric chain hoists with steel transport beam, capacity: (2x) 1.6t, length transport beam: 27000 mm.	1750



Nr	Title	Description	Start €
46	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 25, serial number: 037228, year of construction: 2022, dimensions: 550 mm x 320 mm x 600 mm.	150
47	Tetra Pak	Tetra Pak pasteurizer, type: C10-KSM, serial number: 30109-17827, year of construction: 2018, capacity: 60 tons per hour, dimensions: 5800 mm x 1000 mm x 2150 mm.	4000
48	GEA	GEA centrifugal pump, dimensions: 800 mm x 400 mm x 600 mm.	150
49	APV	APV centrifugal pump, type: W+80/80 245, serial number: 3019039, dimensions: 1000 mm x 500 mm x 600 mm.	150
50	APV	APV valve, dimensions: 500 mm x 300 mm x 550 mm.	150
51	GEA Tuchenhagen GmbH	GEA Tuchenhagen GmbH valve, dimensions: 150 mm x 150 mm x 530 mm.	150
52	Grundfos	Grundfos circulation pump on s/s frame, dimensions: 350 mm x 250 mm x 700 mm.	150
53	Jansen Quadraat NV	Jansen Quadraat NV s/s platform with stairs, dimensions: 1800 mm x 700 mm x 2100 mm.	200
54	NN tank	S/s tank, inside dimensions: ø 1300 mm x 1450 mm, total dimensions: ø 1400 mm x 2400 mm.	500
55	Samson	Samson valve, type: 3277, dimensions: ø 400 mm x 700 mm.	150
56	GEA Tuchenhagen GmbH	GEA Tuchenhagen GmbH valve, dimensions: ø 200 mm x 450 mm.	150
57	APV	APV valve, dimensions: ø 200 mm x 600 mm.	150
58	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: K707E119000, DN50, dimensions: 200 mm x 120 mm x 170 mm, 130 mm x 220 mm x 250 mm.	200
61	Endress+Hauser	Endress+Hauser pressure transmitter, type: Cerabar S, serial number: 312110103C, dimensions: 220 mm x 90 mm x 110 mm.	100
62	Samson/GEA Tuchenhagen GmbH	Samson valve and 3 GEA Tuchenhagen GmbH valves.	450
63	Endress+Hauser	Endress+Hauser flowmeter, dimensions: 250 mm x 200 mm x 220 mm.	200
64	Endress+Hauser	Endress+Hauser pressure transmitter, type: Cerabar S, dimensions: 220 mm x 90 mm x 110 mm.	100
65	Samson/GEA Tuchenhagen GmbH	Samson valve and 3 GEA Tuchenhagen GmbH valves.	400
66	Endress+Hauser	Endress+Hauser flowmeter, dimensions: 250 mm x 200 mm x 220 mm.	200



Nr	Title	Description	Start €
67	Endress+Hauser	Endress+Hauser mass flowmeter with transmitter, type: Promass F, serial number: S3113202000, DN15, dimensions: 420 mm x 250 mm x 130 mm, 90 mm x 70 mm x 190 mm.	250
69	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 33H, serial number: 4R 592034, dimensions: 250 mm x 130 mm x 310 mm.	200
71	Samson	Samson valve.	150
72	Alfa Laval	Alfa Laval centrifuge used as whey skimmer, machine number: 31829-02912, dimensions: 1700 mm x 1850 mm x 1830 mm.	12500
73	APV	APV centrifugal pump, type: 760 mm x 350 mm x 560 mm.	150
74	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, dimensions: 160 mm x 250 mm x 180 mm.	200
75	APV	3 APV valves.	300
76	Jongia	Jongia s/s balance tank with Endress+Hauser volume meter, year of construction: 2006, weight: 185 kg, volume: 950 litres, dimensions: ø 1100 mm x 1700 mm.	1500
77	Reflex	Reflex steel pressure vessel on s/s frame, dimensions tank: ø 600 mm x 1050 mm, total dimensions: 700 mm x 700 mm x 2030 mm.	200
78	Endress+Hauser	Endress+Hauser transmitter, type: PROMAG 50, dimensions: 130 mm x 210 mm x 240 mm.	150
79	Jongia	Jongia s/s balance tank with Endress+Hauser volume meter, year of construction: 2006, weight: 185 kg, volume: 950 litres, dimensions: ø 1100 mm x 1700 mm.	1500
80	APV	APV centrifugal pump, type: 650 mm x 250 mm x 450 mm.	150
81	Hovap	Hovap centrifugal pump, type: HR 2532/125, year of construction: 2011, 230/400 V, 1.5 kW, dimensions: 420 mm x 200 mm x 400 mm.	150
82	Hovap	Hovap centrifugal pump, type: HP 2532/170, year of construction: 2008, 230/400 V, 2.2 kW, dimensions: 420 mm x 200 mm x 400 mm.	150
83	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 235470, year of construction: 2019, 50 Hz, 15.0 kW, dimensions: 900 mm x 450 mm x 600 mm.	150
84	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, dimensions: 250 mm x 150 mm x 170 mm.	200
85	APV	3 APV valves.	300
86	Hovap	Hovap centrifugal pump, type: HP 2532/170, year of construction: 2008, 230/400 V, 2.2 kW, dimensions: 420 mm x 200 mm x 400 mm.	150



Nr	Title	Description	Start €
87	Hovap	Hovap centrifugal pump, type: HP 2532/170, year of construction: 2008, 230/400 V, 2.2 kW, dimensions: 420 mm x 200 mm x 400 mm.	150
88	NN stairs	S/s stairs, dimensions: 400 mm x 500 mm x 530 mm.	50
89	Holvrieka	Holvrieka s/s tank with Jongia agitator, fabrication number: 041.012, year of construction: 2004, weight: 130 kg, volume: 500 litres, type agitator: LE (A) 35, dimensions: 900 mm x 900 mm x 2100 mm.	1500
90	NN switch cabinet	S/s switch cabinet, dimensions: 340 mm x 1000 mm x 1000 mm.	300
93	APV	4 APV valves.	300
94	Hovap	Hovap centrifugal pump, type: HP 2532/170, year of construction: 2003, 230/400 V, 1.5 kW, dimensions: 420 mm x 200 mm x 400 mm.	150
95	Hovap	Hovap centrifugal pump, type: HPI 232, year of construction: 2014, 230/400 V, 1.5 kW, dimensions: 420 mm x 200 mm x 400 mm.	150
96	GEA Tuchenhausen GmbH	5 GEA Tuchenhausen GmbH valves.	250
97	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 53, dimensions: 220 mm x 200 mm x 330 mm.	200
98	Alfa Laval	Alfa Laval centrifugal pump, type: LKH 10/163 SSS, serial number: 045557, year of construction: 2002, 50 Hz, 3.0 kW, dimensions: 900 mm x 450 mm x 600 mm.	150
99	Holvrieka	Holvrieka s/s tank, fabrication number: 041.013, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	1500
100	NN stairs	S/s stairs dimensions: 400 mm x 500 mm x 530 mm.	50
101	Elpress	Elpress soap mixing station, type: 83801010, serial number: 19004358-002, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
102	Endress+Hauser	Endress+Hauser transmitter, dimensions: 120 mm x 215 mm x 250 mm.	150
103	Holvrieka	Holvrieka s/s tank, fabrication number: 041.014, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	1500
104	APV	APV centrifugal pump, dimensions: 700 mm x 300 mm x 500 mm.	150
105	Ibex Pumps	Ibex Pumos rotary lobe pump, type: SRU4/055/LS, serial number: 382459, dimensions: 1200 mm x 400 mm x 550 mm.	250
106	APV	APV cream pasteurizer, type: H17, serial number: 39343, year of construction: 1995, capacity: 3.5 m ³ /h, dimensions: 1500 mm x 700 mm x 1400 mm.	350



Nr	Title	Description	Start €
108	Holvrieka	Holvrieka s/s tank with Jongia agitator, fabrication number: 971.002, year of construction: 1997, weight: 2050 kg, volume: 40000 litres, type agitator: JDRW 2/46, dimensions: ø 3300 mm x 5750 mm.	5000
109	GPI	GPI s/s isolated ice water cooled tank, fabrication number: 314133-20, year of construction: 2014, weight: 4500 kg, volume: 51.3 m ³ , dimensions: ø 3900 mm x 5750 mm.	6500
110	Holvrieka	Holvrieka s/s tank with Jongia agitator, fabrication number: 971.001, year of construction: 1997, weight: 2050 kg, volume: 40000 litres, type agitator: JDRW 2/4B, dimensions: ø 3300 mm x 5750 mm.	5000
111	Holvrieka	Holvrieka s/s isolated ice water cooled tank, year of construction: 1982, volume: 20000 litres, dimensions: ø 2600 mm x 6750 mm.	4000
112	GPI	GPI s/s isolated ice water cooled tank, fabrication number: 314133-10, year of construction: 2014, weight: 4500 kg, volume: 51.3 m ³ , dimensions: ø 3900 mm x 5750 mm.	6500
113	Holvrieka	Holvrieka s/s tank, fabrication number: 212.056, year of construction: 1982, volume: 40000 litres, dimensions: ø 3300 mm x 5750 mm.	5000
114	Holvrieka	Holvrieka s/s tank, fabrication number: 212.056, year of construction: 1982, volume: 40000 litres, dimensions: ø 3300 mm x 5750 mm.	5000
115	Holvrieka	Holvrieka s/s isolated ice water cooled tank, fabrication number: 212.053, year of construction: 1982, volume: 20000 litres, dimensions: ø 2600 mm x 6750 mm.	4000
116	Lavrids Knudsen Maskinfabrik A/S	Lavrids Knudsen Maskinfabrik A/S centrifugal pump, type: KPM-185, machine number: 31438-13795, Q: 25 m ³ /h, dimensions: 650 mm x 250 mm x 500 mm.	150
117	APV	Manifold with approximately 15 APV valves.	1500
118	Alfa Laval	Alfa Laval rotary lobe pump, type: SRU5/116/LS, serial number: 441868, year of construction: 2009, dimensions: 1180 mm x 400 mm x 520 mm.	200
119	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 53, dimensions: 220 mm x 200 mm x 380 mm.	200
120	Lavrids Knudsen Maskinfabrik A/S	Lavrids Knudsen Maskinfabrik A/S centrifugal pump, type: KPM-185, machine number: 31438-13794, Q: 25 m ³ /h, dimensions: 650 mm x 250 mm x 500 mm.	150
121	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 238231, year of construction: 2019, 50 Hz, 11 kW, dimensions: 850 mm x 500 mm x 600 mm.	150
122	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: NA176F19000, DN65, dimensions: 250 mm x 150 mm x 180 mm, 150 mm x 215 mm x 250 mm.	200



Nr	Title	Description	Start €
123	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: NA1F6519000, DN80, dimensions: 250 mm x 150 mm x 180 mm, 150 mm x 215 mm x 250 mm.	200
125	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG W, serial number: A418EF19000, DN80, dimensions: 200 mm x 200 mm x 400 mm.	200
126	APV	S/s tub with 8 APV valves, dimensions tub: 500 mm x 1670 mm x 1100 mm.	800
127	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-PRIME 20, serial number: 244315, year of construction: 2019, 50 Hz, 5.5 kW, dimensions: 670 mm x 380 mm x 700 mm.	150
128	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-PRIME 20, serial number: 230904, year of construction: 2018, 50 Hz, 5.5 kW, dimensions: 670 mm x 380 mm x 700 mm.	150
129	APV/ROS/SPX/GEA	Manifold with approximately 13 valves of which APV, ROS, SPX, GEA.	1000
130	APV	APV centrifugal pump, type: W+ 35/55-380 180, serial number: 18137050501185553, year of construction: 1997, dimensions: 670 mm x 380 mm x 700 mm.	150
131	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 25, serial number: 087260, year of construction: 2010, dimensions: 550 mm x 320 mm x 600 mm.	150
132	Elpress	Elpress soap mixing station, type: 83801010, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
133	Holvrieka	Holvrieka s/s tank, fabrication number: 212.049, year of construction: 1982, volume: 300.000 litres, inside dimensions: ø 5600 mm x 12700 mm, total dimensions: ø 5750 mm x 13365 mm.	17500
134	NN platform	S/s platform with stairs, dimensions: 1550 mm x 580 mm x 1740 mm.	200
135	Holvrieka	Holvrieka s/s tank, fabrication number: 212.049, year of construction: 1982, volume: 300.000 litres, inside dimensions: ø 5600 mm x 12700 mm, total dimensions: ø 5750 mm x 13365 mm.	17500
136	NN platform	S/s platform with stairs, dimensions: 2200 mm x 550 mm x 1850 mm.	200
137	Holvrieka	Holvrieka s/s tank, volume: 300.000 litres, inside dimensions: ø 5600 mm x 12700 mm, total dimensions: ø 5750 mm x 13365 mm.	17500
138	NN platform	S/s platform with stairs, dimensions: 2000 mm x 550 mm x 1850 mm.	200



Nr	Title	Description	Start €
139	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: NA176D19000, DN80, dimensions: 250 mm x 150 mm x 180 mm, 150 mm x 215 mm x 250 mm.	200
140	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: NA176E19000, DN50, dimensions: 250 mm x 150 mm x 180 mm, 150 mm x 215 mm x 250 mm.	200
141	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45/160 SSS, serial number: 170263, year of construction: 2014, 11.0 kW, dimensions: 1050 mm x 470 mm x 820 mm.	150
142	Holvrieka	Holvrieka s/s tank, inside dimensions: $\varnothing$ 6040 mm x 13200 mm, total dimensions: $\varnothing$ 6150 mm x 13415 mm.	17500
143	NN platform	S/s platform with stairs, dimensions: 1750 mm x 550 mm x 1950 mm.	200
144	Holvrieka	Holvrieka s/s tank, inside dimensions: $\varnothing$ 6040 mm x 13200 mm, total dimensions: $\varnothing$ 6150 mm x 13415 mm.	17500
145	NN platform	S/s platform with stairs, dimensions: 1700 mm x 1500 mm x 1970 mm.	200
146	Holvrieka	Holvrieka s/s tank with Stelzer agitator, inside dimensions: $\varnothing$ 6040 mm x 12600 mm, type agitator: SM-660.D2, total dimensions: $\varnothing$ 6150 mm x 13415 mm.	17500
147	NN platform	S/s platform with stairs, dimensions: 1550 mm x 580 mm x 1950 mm.	200
148	Altrex	Altrex mobile aluminium stairs, type: BT 45, working height: 640 mm, total dimensions: 1500 mm x 750 mm x 1740 mm.	50
149	APV	Approximately 12 APV valves.	750
150	Grundfos	Grundfos hydrophore pump, dimensions: 330 mm x 160 mm x 420 mm.	150
151	Holvrieka	Holvrieka s/s isolated tank, fabrication number: 212.059, year of construction: 1982, volume: 5000 litres, dimensions: $\varnothing$ 1800 mm x 3800 mm.	4000
152	Holvrieka	Holvrieka s/s isolated tank, fabrication number: 212.059, year of construction: 1982, volume: 5000 litres, dimensions: $\varnothing$ 1800 mm x 3800 mm.	4000
153	Hovap	Hovap centrifugal pump, type: HP-5050/190, serial number: 34486, year of construction: 2004, 400/690 V, 19.8/11.5 A, 11 kW, Q: 45 m ³ /h, H: 40 m, dimensions: 900 mm x 350 mm x 550 mm.	150
154	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-PRIME 20, serial number: 231990, year of construction: 2018, 50 Hz, 2.2 kW, dimensions: 600 mm x 290 mm x 500 mm.	150



Nr	Title	Description	Start €
155	Elpress	Elpress soap mixing station, type: 83801010, serial number: 19001318-009, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
156	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHR25/35, serial number: 15 2015, dimensions: 550 mm x 320 mm x 600 mm.	150
157	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45/160, serial number: 170238, year of construction: 2014, 7.5 kW, dimensions: 750 mm x 420 mm x 600 mm.	150
158	Spirax Sarco	Spirax Sarco steam valve with tube heat exchanger, dimensions: 950 mm x 400 mm x 2000 mm.	250
159	Alfa Laval	Alfa Laval centrifugal pump with 2 GEA Tuchenhausen GmbH on s/s frame, year of construction: 2014, 30.0 kW, dimensions: 2300 mm x 950 mm x 1700 mm.	500
160	Lascon	Lascon s/s balance tank, serial number: 14557/103, year of construction: 2014, volume: 2050 litres, dimensions: 1500 mm x 1500 mm x 2600 mm.	1500
161	Alfa Laval	Alfa Laval centrifugal pump, type: LKH 40/235 SSS, serial number: 170074, year of construction: 2014, 22.0 kW, dimensions: 1000 mm x 500 mm x 650 mm.	150
162	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: Promag H, serial number: T82A4019000, DN100, dimensions: 300 mm x 170 mm x 170 mm, 90 mm x 170 mm x 180 mm.	200
163	Alfa Laval	Alfa Laval cheese milk pasteurizer, type: C15-SM, serial number: 30108-43373, year of construction: 2014, capacity: 72 ton per hour, dimensions: 6100 mm x 1100 mm x 2600 mm.	4000
164	Samson	Samson valve, dimensions: Ø 400 mm x 600 mm.	150
165	Alfa Laval	Alfa Laval centrifugal pump, type: LKH PRIME 20, serial number: 235482, year of construction: 2019, 50 Hz, 7.5 kW, dimensions: 700 mm x 380 mm x 500 mm.	150
166	Spirax Sarco	Spirax Sarco steam valve with tube heat exchanger, dimensions: 950 mm x 400 mm x 2000 mm.	250
167	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-60/210 SSS, serial number: 170222, year of construction: 2014, 22.0 kW, dimensions: 960 mm x 550 mm x 620 mm.	250
168	GEA Tuchenhausen GmbH	Manifold with approximately 25 GEA Tuchenhausen GmbH valves and 2 Samson valves, dimensions: 2300 mm x 1300 mm x 3400 mm, 900 mm x 1050 mm x 1700 mm.	2500
169	Lascon	Lascon s/s balance tank, serial number: 14557/105, year of construction: 2014, volume: 2050 litres, dimensions: 1500 mm x 1500 mm x 2600 mm.	1500



Nr	Title	Description	Start €
170	Alfa Laval	Alfa Laval centrifugal pump, type: LKH 40, serial number: 173177, year of construction: 2014, 22.0 kW, dimensions: 1000 mm x 500 mm x 650 mm.	250
171	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: Promag H, serial number: J509E419000, DN100, dimensions: 300 mm x 170 mm x 170 mm, 90 mm x 170 mm x 180 mm.	200
172	NN platform	S/s platform with stairs, working height: 1100 mm, total dimensions: 1900 mm x 2100 mm x 2150 mm.	200
173	Alfa Laval	Alfa Laval cheese milk pasteurizer, type: C15-SM, serial number: 30108-43510, year of construction: 2014, capacity: 72 ton per hour, dimensions: 6100 mm x 1100 mm x 2600 mm.	4000
174	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45/160 SSS, serial number: 170236, year of construction: 2014, 50 Hz, 7.5 kW, dimensions: 700 mm x 380 mm x 500 mm.	250
175	Spirax Sarco	Spirax Sarco steam valve with tube heat exchanger, dimensions: 950 mm x 400 mm x 2000 mm.	250
176	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45, serial number: 173065, year of construction: 2014, 50 Hz, 7.5 kW, dimensions: 700 mm x 380 mm x 500 mm.	250
177	Samson	Samson valve, dimensions: Ø 400 mm x 600 mm.	150
178	Spirax Sarco	Spirax Sarco steam valve with tube heat exchanger, dimensions: 200 mm x 150 mm x 2000 mm, 400 mm x 230 mm x 230 mm.	250
179	Alfa Laval	Alfa Laval centrifugal pump with 2 GEA Tuchenhausen GmbH on s/s frame, type: LKH-70, serial number: 173194, year of construction: 2014, 30.0 kW, dimensions: 2300 mm x 950 mm x 1700 mm.	500
180	Samson	Samson valve, dimensions: Ø 280 mm x 500 mm.	150
181	GEA Tuchenhausen GmbH	GEA Tuchenhausen GmbH valve, dimensions: 200 mm x 130 mm x 430 mm.	100
182	NN drain tank	S/s drain tank, dimensions: Ø 400 mm x 1000 mm.	200
183	Samson	3 Samson valves.	450
184	GEA TDS GmbH	GEA TDS GmbH plate heat exchanger, type: NT 50 M COL, serial number: 111/115, year of construction: 2011, dimensions: 1350 mm x 500 mm x 1300 mm.	750
185	NN tank	S/s tank, inside dimensions: Ø 900 mm x 940 mm, total dimensions: 950 mm x 950 mm x 1900 mm.	1500
186	NN platform	S/s platform, dimensions: 300 mm x 650 mm x 300 mm.	50
187	GEA	GEA centrifugal pump, dimensions: 670 mm x 330 mm x 550 mm.	150
188	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 53, serial number: E4086C19000, dimensions: 300 mm x 210 mm x 180 mm.	200



Nr	Title	Description	Start €
189	NN tube sterilizer	Tube sterilizer, capacity: 5 tons per hour, dimensions: 3000 mm x 1500 mm x 3100 mm.	2000
190	GEA	GEA centrifugal pump, dimensions: 670 mm x 330 mm x 550 mm.	150
191	GEA	GEA centrifugal pump, dimensions: 600 mm x 200 mm x 500 mm.	150
192	Samson	4 Samson valves.	600
193	GEA-TDS GmbH	GEA-TDS GmbH tube heat exchanger, fabrication number: 45021, year of construction: 2010, dimensions: 300 mm x 150 mm x 1500 mm.	250
194	NN tank	S/s double jacketed heated tank with agitator, inside dimensions: ø 1700 mm x 2850 mm, total dimensions: ø 1850 mm x 4350 mm.	4000
195	NN tank	S/s double jacketed heated tank with Jongia agitator, inside dimensions: ø 1700 mm x 2850 mm, type agitator: LD 40, total dimensions: ø 1850 mm x 4350 mm.	4000
196	NN expansion vessel	Expansion vessel, dimensions: ø 250 mm x 300 mm.	100
197	Grundfos	Grundfos circulation pump, dimensions: 250 mm x 160 mm x 300 mm.	150
198	GEA Tuchenhagen GmbH	Manifold with approximately 28 GEA Tuchenhagen GmbH valves, dimensions: 1450 mm x 1300 mm x 900 mm. Including s/s control cabinet, dimensions: 300 mm x 1100 mm x 950 mm.	1750
199	GEA	GEA centrifugal pump, dimensions: 670 mm x 330 mm x 550 mm.	150
200	Alfa Laval	Alfa Laval centrifugal pump, type: LKH PRIME 20, year of construction: 2023, 50 Hz, 2.2 kW, dimensions: 550 mm x 280 mm x 400 mm.	150
201	NN platform	S/s platform with stairs, working height: 2600 mm, total dimensions: 3000 mm x 4800 mm x 3600 mm.	750
202	Goavec S.A.	Goavec S.A. s/s isolated tank used for whey cream and bactofugate, type: FERMENTATION-YAOURT, serial number: 86-AM-54, year of construction: 1986, volume: 12000 litres, dimensions: ø 2600 mm x 5250 mm.	4000
203	Goavec S.A.	Goavec S.A. s/s isolated tank used for whey cream and bactofugate, type: FERMENTATION-YAOURT, serial number: 86-AM-55, year of construction: 1986, volume: 12000 litres, dimensions: ø 2600 mm x 5250 mm.	4000
204	Lavrids Knudsen Maskinfabrik A/S	Lavrids Knudsen Maskinfabrik A/S centrifugal pump, type: KPM-185, serial number: 31438-13788, Q: 25 m³/h, dimensions: 650 mm x 250 mm x 450 mm.	150
205	ROS/APV	Manifold with approximately 15 valves, brands: APV, ROS. Including s/s control cabinet, dimensions: 300 mm x 1030 mm x 1000 mm.	1500



Nr	Title	Description	Start €
206	Endress+Hauser	Endress+Hauser mass flow meter with transmitter, type: Promass F, serial number: P011E002000, DN50, dimensions: 730 mm x 130 mm x 330 mm, 90 mm x 170 mm x 200 mm.	250
207	Endress+Hauser	Endress+Hauser analogue conductivity sensor with Endress+Hauser conductivity transmitter, model: Liquisys M, dimensions: 110 mm x 170 mm x 250 mm.	150
209	APV Products	APV Products whey cream pasteurizer, type: N 35, serial number: 61141, year of construction: 2004, nominal capacity: 2.78 m ³ /s, transfer surface: 59.5 m ² , working pressure: 10.0 bar, dimensions: 1600 mm x 900 mm x 1700 mm.	1250
210	VAREM	VAREM s/s expansion vessel, year of construction: 2009, volume: 20 litres, dimensions: ø 250 mm x 400 mm.	100
211	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 33, serial number: 6D 664359, dimensions: 320 mm x 220 mm x 210 mm.	200
212	APV Products	APV Products plate heat exchanger, type: H 17, serial number: 61140, year of construction: 2004, nominal capacity: 0.33 kg/s, heat transfer surface: 4.1 m ² , working pressure: 6.0 bar, dimensions: 550 mm x 450 mm x 1380 mm.	350
213	APV	APV centrifugal pump, serial number: A8782MT, dimensions: 600 mm x 200 mm x 300 mm.	150
214	Georg Fischer	3 Georg Fischer chemical valves.	150
215	Endress+Hauser	2 Endress+Hauser pressure transmitters, type: (2x) Cerabar M.	150
216	Endress+Hauser	Endress+Hauser flowmeter.	200
217	Samson	Approximately 18 Samson valves.	1500
219	NN hose reel	S/s hose reel with plastic hose, dimensions: 220 mm x 300 mm x 270 mm.	25
220	NN natural colouring mixing installation	Natural colouring mixing installation consisting of 2 s/s tanks with agitator, inside dimensions: (2x) ø 590 mm x 850 mm, dimensions tanks: (2x) ø 600 mm x 1650 mm, manifold with 7 GEA Tuchenhausen GmbH valves, Sera GmbH dosing pump, Endress+Hauser flowmeter, type: PROMAG A and APV s/s control cabinet.	750
223	NN hose reel	S/s hose reel with plastic hose, dimensions: 180 mm x 260 mm x 180 mm.	25
224	NN safety equipment	Wooden frame with safety equipment, dimensions: 1250 mm x 2100 mm.	100
225	Endress+Hauser	2 Endress+Hauser flowmeter transmitters, type: PROMAG 53, dimensions: (2x) 130 mm x 215 mm x 250 mm.	200



Nr	Title	Description	Start €
226	Vikan	Wooden frame with Vikan hygiene equipment, dimensions: 1250 mm x 2100 mm..	100
227	Mohn	S/s frame with Mohn s/s sink sensor control, CWS plastic soap dispenser, sensor control, Initial Hokatex s/s paper dispenser and s/s waste bin, dimensions: 2500 mm x 1820 mm.	350
228	GEA Wiegand	GEA Wiegand mechanical vapor recompression evaporator with Piller GmbH ventilator, manufacturer: WERK BECKUM, fabrication number evaporator: 9158, year of construction: 1995, type ventilator: 5257 KKXGAE 80800, 256.8 kW, total dimensions: ø 3200 mm x 21000 mm, 400 mm x 2800 mm x 3250 mm.	75000
229	Dryfast	Dryfast ventilator, dimensions: 400 mm x 500 mm x 600 mm.	50
230	Norde Boers	Norde Boers thermal vapor recompression evaporator, dimensions: (5x) ø 2000 mm x 19000 mm, (3x) 2000 mm x 13500 mm.	175000
231	Fristam	Fristam centrifugal pump, type: FP 1232 VB, number: 0474520033, dimensions: 900 mm x 350 mm x 400 mm.	200
232	Fristam	Fristam centrifugal pump, type: FP 3542/195 KF D, serial number: 0448590075, year of construction: 2016, dimensions: 1050 mm x 500 mm x 700 mm.	200
233	Samson	Steam control system with 5 Samson valves, dimensions: 2400 mm x 900 mm x 3600 mm.	500
234	Flowserve SIHI Germany GmbH	Flowserve SIHI Germany GmbH liquid ring vacuum pump, type: LPHX 45316 AB, year of construction: 2023, dimensions: 1150 mm x 350 mm x 500 mm.	500
235	Flowserve SIHI Germany GmbH	Flowserve SIHI Germany GmbH liquid ring vacuum pump, type: LPHX 45316, year of construction: 2015, dimensions: 1150 mm x 350 mm x 500 mm.	500
236	Flowserve SIHI Germany GmbH	Flowserve SIHI Germany GmbH liquid ring vacuum pump, type: LPHX 45316 AB, year of construction: 2021, dimensions: 1150 mm x 350 mm x 500 mm.	500
237	Fristam	Fristam centrifugal pump, type: FP 712/110 KF D, year of construction: 2016, capacity: 5.6 m³ per hour, dimensions: 620 mm x 300 mm x 500 mm.	200
238	Fristam	Fristam centrifugal pump, type: FP 742 KF, number: 0444480085, dimensions: 700 mm x 350 mm x 500 mm.	200
239	Fristam	Fristam centrifugal pump, type: FP 1232/185 VA, year of construction: 2016, 22.0 kW, capacity: 70 m³ per hour, dimensions: 620 mm x 300 mm x 500 mm.	200
240	Fristam	Fristam centrifugal pump, type: FP 742 KF, number: 0444480088, dimensions: 700 mm x 350 mm x 500 mm.	200



Nr	Title	Description	Start €
241	Fristam	Fristam centrifugal pump, type: FP 742 KF, number: 0444480087, dimensions: 700 mm x 350 mm x 500 mm.	200
242	Fristam	Fristam centrifugal pump, type: FP3522 KF, number: 0428480053, dimensions: 700 mm x 350 mm x 500 mm.	150
243	Fristam	Fristam centrifugal pump, type: FP 742/160 KF D, year of construction: 2016, 5.5 kW, capacity: 20 m ³ per hour, dimensions: 620 mm x 300 mm x 500 mm.	150
244	Fristam	Fristam centrifugal pump, type: FP 742 KF, number: 0444480086, dimensions: 700 mm x 350 mm x 500 mm.	150
245	Fristam	Fristam centrifugal pump, type: FP 3522/145 KF D, year of construction: 2016, 7.5 kW, capacity: 32 m ³ per hour, dimensions: 620 mm x 300 mm x 500 mm.	150
246	Fristam	Fristam centrifugal pump, type: FP 3551 KF, number: 0458480034, dimensions: 700 mm x 350 mm x 500 mm.	150
247	Fristam	Fristam centrifugal pump, type: FP 3522 KF, number: 0428490080, dimensions: 620 mm x 300 mm x 500 mm.	150
248	APV	APV centrifugal pump, type: W 55/60, year of construction: 2005, dimensions: 800 mm x 450 mm x 500 mm.	150
249	NN tub	S/s tub, dimensions: ø 480 mm x 1030 mm.	100
250	Holvrieka	Holvrieka s/s tank used for warm condensate, fabrication number: 981.255, year of construction: 1998, weight: 6500 kg, volume: 140000 litres, dimensions: 3450 mm x 20060 mm.	15000
251	Anema	Anema centrifugal pump, dimensions: 600 mm x 250 mm x 500 mm.	150
252	Holvrieka	Holvrieka s/s tank, fabrication number: 931.370, year of construction: 1994, weight: 4600 kg, volume: 100000 litres, dimensions: ø 3300 mm x 15700 mm.	10000
253	APV	APV centrifugal pump, dimensions: 850 mm x 450 mm x 700 mm.	150
254	Holvrieka	Holvrieka s/s tank, fabrication number: 212.128, year of construction: 1982, volume: 70000 litres, dimensions: 3100 mm x 14300 mm.	10000
255	APV	APV centrifugal pump, serial number: 85369, dimensions: 800 mm x 400 mm x 600 mm.	150
256	APV BAKER AS	APV BAKER AS plate heat exchanger, type: N 35, serial number: 34753, year of construction: 1993, dimensions: 650 mm x 500 mm x 1600 mm.	350
257	Samson	Samson valve, dimensions: 200 mm x 200 mm x 300 mm.	150



Nr	Title	Description	Start €
258	Endress+Hauser	Endress+Hauser flowmeter, dimensions: 1220 mm x 200 mm x 320 mm.	200
259	APV	APV valve.	100
260	Grundfos	Grundfos pump installation consisting of s/s frame with 4 centrifugal pumps, type: (4x) CRN32-2 A-F-G-V-HQQV, dimensions: 800 mm x 1400 mm x 1200 mm.	500
261	Reflex	Reflex steel pressure vessel, type: reflex DT5, volume: 200 litres, dimensions: ø 600 mm x 1050 mm.	150
262	Holvrieka	Holvrieka s/s isolated tank, fabrication number: 001.093, year of construction: 2000, weight: 10500 kg, volume: 140000 litres, dimensions: 3450 mm x 20060 mm.	15000
263	Endress+Hauser	Endress+Hauser mass flowmeter, type: PROMASS F, serial number: 6C046D02000, DN80, dimensions: 200 mm x 850 mm x 350 mm.	250
264	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45, serial number: 181596, year of construction: 2015, 11.0 kW, dimensions: 850 mm x 500 mm x 600 mm.	150
265	Anema	Anema centrifugal pump, capacity: 55 m ³ per hour, dimensions: 760 mm x 500 mm x 600 mm.	150
266	Hovap	Hovap centrifugal pump, type: HP 12.51, year of construction: 2013, 7.5 kW, dimensions: 750 mm x 320 mm x 500 mm.	150
267	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, DN100, dimensions: 340 mm x 220 mm x 190 mm.	200
268	NN filter	S/s filter, dimensions: ø 300 mm x 350 mm.	100
269	NN tank	S/s tank, inside dimensions: ø 1250 mm x 2150 mm, total dimensions: 1250 mm x 1300 mm x 4000 mm.	5000
270	Eckardt	Eckardt valve, model: SRI986, dimensions: ø 300 mm x 350 mm.	100
271	Alfa Laval	Alfa Laval plate heat exchanger, type: C8-KSM, serial number: 30109-17944, year of construction: 2018, dimensions: 2600 mm x 800 mm x 1860 mm.	750
272	Samson	2 Samson valves.	300
273	NN acid pump	Acid membrane pump, dimensions: 250 mm x 200 mm x 250 mm.	150
274	Samson	Samson valve, dimensions: 200 mm x 200 mm x 300 mm.	150
275	APV/SPX	Manifold with 10 valves, brands: APV, SPX.	500
276	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 33H, serial number: 4R 592036, dimensions: 250 mm x 170 mm x 300 mm.	200
277	NN control cabinets	3 s/s control cabinets, dimensions: 220 mm x 750 mm x 750 mm, 300 mm x 755 mm x 755 mm, 200 mm x 370 mm x 370 mm.	250
278	Endress+Hauser	Endress+Hauser mass flow meter, type: PROMASS F, serial number: 6B0A5002000, DN80.	250



Nr	Title	Description	Start €
279	FSI	Whey concentrate filtration system consisting of 2 FSI filters, type: SAN12-8-316LDIN-DN50, 4 APV valves, dimensions: 600 mm x 1000 mm x 1800 mm.	500
280	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 53, serial number: A21A7219000, dimensions: 350 mm x 200 mm x 250 mm.	200
281	NN hose	Plastic hose.	25
282	NN safety equipment	Wooden frame with safety equipment, dimensions: 600 mm x 2080 mm.	100
283	APV	Approximately 32 APV valves.	1500
284	NN platform	S/s platform, dimensions: 1000 mm x 600 mm x 1530 mm.	100
285	NN platform	S/s platform, dimensions: 1150 mm x 680 mm x 1780 mm.	100
286	APV/Endress+Hauser	APV centrifugal pump with Endress+Hauser flowmeter, model: PROMAG 33H, dimensions: 670 mm x 300 mm x 450 mm.	150
287	MDM	MDM centrifugal pump with filter, type: MDM-80H190AS/9.2, dimensions: 950 mm x 300 mm x 700 mm.	250
288	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-PRIME 20, serial number: 230866, year of construction: 2018, 5.5 kW, dimensions: 750 mm x 380 mm x 400 mm.	150
289	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 33H, serial number: 43 608771, dimensions: 200 mm x 200 mm x 350 mm.	200
290	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, DN80 dimensions: 400 mm x 200 mm x 300 mm.	200
291	NN platform	S/s platform, dimensions: 1600 mm x 950 mm x 1740 mm.	100
292	Endress+Hauser	Endress+Hauser flowmeter, type: Promag H, serial number: T43C0E19000, DN100, dimensions: 250 mm x 200 mm x 350 mm.	200
293	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 208773, year of construction: 2017, 7.5 kW, dimensions: 730 mm x 380 mm x 550 mm.	150
294	NN platform	S/s platform, dimensions: 700 mm x 600 mm x 250 mm.	100
295	NN hose reel	S/s hose reel with plastic hose, dimensions: 120 mm x 280 mm x 280 mm.	25
296	NN bottles	S/s wall rack with 10 plastic bottles, dimensions rack: 230 mm x 560 mm x 160 mm, dimensions bottles: (12x) ø 80 mm x 200 mm.	25



Nr	Title	Description	Start €
297	Holvrieka	Holvrieka s/s isolated tank, fabrication number: 212.050, year of construction: 1982, volume: 130000 litres, inside dimensions: ø 4000 mm x 10800 mm, Stelzer Rührtechnik GmbH agitator, type: SG 75 B2, total dimensions: ø 4150 mm x 11170 mm.	12500
298	Holvrieka	Holvrieka s/s isolated tank, fabrication number: 212.050, year of construction: 1982, volume: 130000 litres, inside dimensions: ø 4000 mm x 10800 mm, Stelzer Rührtechnik GmbH agitator, type: SG 75K D2, total dimensions: ø 4150 mm x 11170 mm.	12500
299	Holvrieka	Holvrieka s/s isolated tank, fabrication number: 212.052, year of construction: 1982, volume: 30000 litres, inside dimensions: ø 2750 mm x 10800 mm, Jongia agitator, type: JDRW-2/4B, total dimensions: ø 2800 mm x 11170 mm.	7500
300	Holvrieka	Holvrieka s/s isolated tank, fabrication number: 212.052, year of construction: 1982, volume: 30000 litres, inside dimensions: ø 2750 mm x 10800 mm, Jongia agitator, type: JDRW-2/4B, total dimensions: ø 2800 mm x 11170 mm.	7500
301	NN unloading station	Unloading station, dimensions: 700 mm x 8100 mm x 2450 mm.	300
302	Elpress	Elpress s/s hose reel with plastic hose, dimensions: 460 mm x 250 mm x 500 mm.	150
303	Günzburger Steigtechnik	Günzburger Steigtechnik aluminium platform, working height: 2200 mm, total dimensions: 2300 mm x 900 mm x 4000 mm.	500
304	A-SAFE	3 A-SAFE plastic protection frames, dimensions: (3) 110 mm x 1500 mm x 1000 mm.	50
305	Vikan	Wooden frame with Vikan hygiene equipment, dimensions: 1250 mm x 2100 mm..	100
306	NN safety equipment	Wooden frame with safety equipment, dimensions: 1250 mm x 2100 mm.	100
307	NN drip trays	2 plastic drip trays, dimensions: (2x) 1200 mm x 800 mm x 320 mm.	100
308	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, dimensions: 460 mm x 250 mm x 500 mm.	150
309	NN switch cabinet	S/s switch cabinet, dimensions: 230 mm x 610 mm x 780 mm.	150
310	RLM	RLM calcium chloride dosing system, dimensions: 600 mm x 1600 mm x 1250 mm.	450
311	RLM	RLM formic acid dosing system, dimensions: 440 mm x 600 mm x 900 mm.	250
312	Elpress	Elpress s/s mobile hygiene trolley, year of construction: 2015, dimensions: 1150 mm x 600 mm x 1100 mm.	150



Nr	Title	Description	Start €
313	NN table	Mobile s/s table with plastic top and Heuer Front bench vice, width: 140 mm, dimensions: 2100 mm x 800 mm x 1230 mm.	150
314	NN table	Mobile s/s table with plastic top, dimensions: 2100 mm x 800 mm x 1230 mm.	150
315	NN protection frame	S/s protection frame, dimensions: 1300 mm x 2000 mm x 250 mm.	50
316	RLM	RLM Nonstick/Sodium hydroxide dosing system, dimensions: 600 mm x 2000 mm x 1200 mm.	450
317	RLM	RLM hydrochloric acid dosing system, dimensions: 600 mm x 1200 mm x 1000 mm.	450
318	RLM	RLM Bruspray Acid/Divosan TC86 dosing system, dimensions: 600 mm x 2000 mm x 1000 mm.	450
325	NN safety equipment	Wooden frame with safety equipment, dimensions: 1250 mm x 2100 mm.	100
326	Trelleborg	S/s wall rack with 2 Trelleborg plastic hoses, dimensions rack: 550 mm x 600 mm x 950 mm.	50
327	Veenbrink	Veenbrink s/s isolated heated tank, direct steam injection, serial number: 200414-10-01, year of construction: 2021, volume: 5345 litres, dimensions: ø 1700 mm x 3550 mm. Including s/s switch cabinet with Endres + Hausser frequency convertor.	4500
328	APV	APV centrifugal pump, serial number: B 4298 MT, dimensions: 700 mm x 300 mm x 400 mm.	250
329	Elpress	Elpress high-pressure cleaning system, type: 83303004-A, serial number: 32184, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 11 kW, maximum temperature: 70 °C, weight: 220 kg, Grundfos circulation pump, type: CRIE10-9 JN-P-A-E-HQQE, 11.0 kW, 9.0 m³ per hour, dimensions: 500 mm x 1200 mm x 1500 mm.	500
330	Elpress	Elpress booster unit, type: 83301031-A, serial number: 40845, year of construction: 2022, 400 V, 50 Hz, 4.0 kW, 16 A, maximum temperature: 70 °C, weight: 140 kg, Grundfos circulation pump, type: CRIE 3-9 JN-P-A-E-HQQE, 4.0 kW, capacity: 3.5 m³ per hour, dimensions: 600 mm x 730 mm x 1500 mm.	500
331	DEMA	DEMA plastic acid trolley, dimensions: 500 mm x 400 mm x 1100 mm.	25
332	DEMA	DEMA plastic acid trolley, dimensions: 600 mm x 500 mm x 900 mm.	25
333	RLM	RLM Sodium hypochlorite dosing system, volume tank: 1500 litres, dimensions: 1600 mm x 1500 mm x 2300 mm, switch cabinet, dimensions: 460 mm x 1000 mm x 1000 mm.	500
334	Engels	Engels plastic waste container, dimensions: 550 mm x 480 mm x 930 mm.	25



Nr	Title	Description	Start €
335	Aquacare Europe B.V.	Aquacare Europe B.V. water softener, dimensions: 500 mm x 400 mm x 1500 mm.	150
336	Denios	Denios acid chamber, dimensions: 1250 mm x 1970 mm x 2500 mm.	500
338	Denios	Denios acid chamber, dimensions: 1250 mm x 1970 mm x 2500 mm.	500
339	NN rinsing tub	S/s rinsing tub with s/s hose reel, dimensions: 700 mm x 760 mm x 1430 mm.	100
340	Elpress	Elpress s/s cleaning tub with 2 brushes, type: Reinigingsbak 78002407, serial number: 45773, year of construction: 2024, weight: 115 kg, dimensions: 580 mm x 1250 mm x 980 mm.	100
341	NN drip tray	Plastic drip tray, dimensions: 1200 mm x 990 mm x 400 mm.	100
342	NN hoses	Plastic hoses.	25
343	NN rack	Mobile s/s rack, dimensions: 950 mm x 1890 mm x 1730 mm.	200
344	NN rack	Mobile s/s rack, dimensions: 950 mm x 1890 mm x 1730 mm.	200
345	NN pallet boxes	2 plastic pallet boxes, dimensions: (2x) 1200 mm x 1000 mm x 740 mm.	50
346	NN CIP tank	S/s CIP tank, volume: 10 m ³ , inside dimensions: ø 2150 mm x 3600 mm, total dimensions: ø 2200 mm x 4350 mm.	3500
347	NN CIP tank	S/s CIP tank, volume: 10 m ³ , inside dimensions: ø 2150 mm x 3600 mm, total dimensions: ø 2200 mm x 4350 mm.	3500
348	NN CIP tank	S/s CIP tank, volume: 10 m ³ , inside dimensions: ø 2150 mm x 3600 mm, total dimensions: ø 2200 mm x 4350 mm.	3500
349	NN CIP tank	S/s isolated CIP tank, volume: 15 m ³ , inside dimensions: ø 2150 mm x 3600 mm, total dimensions: ø 2200 mm x 4350 mm.	3500
350	NN CIP tank	S/s isolated CIP tank, volume: 15 m ³ , inside dimensions: ø 2150 mm x 3600 mm, total dimensions: ø 2200 mm x 4350 mm.	3500
351	NN control cabinet	S/s control cabinet, dimensions: 300 mm x 900 mm x 2050 mm.	300
352	Hovap	Hovap centrifugal pump, type: HP-5050/190, serial number: 38549, year of construction: 2007, dimensions: 870 mm x 350 mm x 600 mm.	150
353	APV	APV plate heat exchanger, type: SR30, serial number: 118, dimensions: 1300 mm x 800 mm x 1750 mm.	500
354	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 270672, year of construction: 2021, 2.2 kW, dimensions: 600 mm x 350 mm x 500 mm.	150



Nr	Title	Description	Start €
355	APV	APV plate heat exchanger, type: SR30, dimensions: 1300 mm x 800 mm x 1750 mm.	500
356	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 225349, year of construction: 2018, 2.2 kW, dimensions: 600 mm x 350 mm x 500 mm.	150
357	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 237634, year of construction: 2019, 2.2 kW, dimensions: 600 mm x 350 mm x 500 mm.	150
358	Hovap	Hovap centrifugal pump, type: HP-5050/190, year of construction: 2008, capacity: 45 m ³ per hour, dimensions: 900 mm x 360 mm x 600 mm.	150
359	Hovap	Hovap centrifugal pump, type: HP-5050/200, year of construction: 2011, capacity: 60 m ³ per hour, dimensions: 900 mm x 360 mm x 600 mm.	150
360	Hovap	Hovap centrifugal pump, dimensions: 900 mm x 360 mm x 600 mm.	150
361	Hovap	Hovap centrifugal pump, type: HP-5050/200, year of construction: 2010, capacity: 60 m ³ per hour, dimensions: 900 mm x 360 mm x 600 mm.	150
362	Hovap	Hovap centrifugal pump, dimensions: 900 mm x 360 mm x 600 mm.	150
363	Hovap	Hovap centrifugal pump, type: HP-5050, year of construction: 2012, capacity: 61 m ³ per hour, dimensions: 900 mm x 360 mm x 600 mm.	150
364	APV	Large amount of APV valves.	100
365	NN platform	S/s platform with stairs, dimensions: 15300 mm x 3500 mm x 3700 mm.	600
366	Samson	2 Samson valves, dimensions: (2x) 300 mm x 250 mm x 500 mm.	300
367	Endress+Hauser	7 Endress+Hauser flowmeters with analogue conductivity sensor and transmitter, type: PROMAG H, DN80, dimensions: (7x) 250 mm x 150 mm x 180 mm, (7x) 130 mm x 220 mm x 240 mm.	1400
368	Optek	Optek conductivity sensor with transmitter, model: AS56-05, serial number: 75253, dimensions: 300 mm x 320 mm x 240 mm.	250
369	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, serial number: JB20BA19000, DN100, dimensions: 250 mm x 150 mm x 170 mm.	200
370	NN tank	S/s tank, inside dimensions: ø 1100 mm x 1200 mm, total dimensions: ø 1100 mm x 2000 mm.	1250
371	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-10, serial number: 251980, year of construction: 2020, 3 kW, dimensions: 550 mm x 300 mm x 440 mm.	150
372	NN table	S/s table with plastic top, dimensions: 640 mm x 2050 mm x 900 mm.	150



Nr	Title	Description	Start €
373	Voets & Donkers	Voets & Donkers ventilation system, dimensions: 13000 mm x 2700 mm x 2300 mm.	4750
374	LSC	LSC aluminium stairs, working height: 1730 mm, total dimensions: 1400 mm x 500 mm x 2320 mm.	50
375	Hovap	Hovap centrifugal pump, type: HP-5050, number: 39026, year of construction: 2011, capacity: 60 m ³ per hour, dimensions: 750 mm x 300 mm x 450 mm.	150
376	Hovap	Hovap centrifugal pump, dimensions: 850 mm x 350 mm x 500 mm.	150
377	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 272677, year of construction: 2021, 2.2 kW, dimensions: 650 mm x 320 mm x 470 mm.	150
378	Hovap	S/s cover for Hovap centrifugal pump, dimensions: 870 mm x 400 mm x 570 mm.	150
379	NN safety equipment	Wooden frame with safety equipment, dimensions: 1250 mm x 1100 mm.	100
380	NN tool board	S/s tool board, dimensions: 1000 mm x 1300 mm.	50
381	Staples	Staples whiteboard, dimensions: 750 mm x 1550 mm.	50
382	NN desk	Desk with chair, dimensions: 800 mm x 1600 mm x 730 mm.	100
383	NN desks	2 desks, dimensions: 2000 mm x 600 mm, 2650 mm x 600 mm, 1600 mm x 800 mm x 800 mm.	250
384	NN server cabinets	Server cabinets, dimensions: 6700 mm x 3050 mm x 2150 mm.	500
385	Dymo	Dymo label printer, dimensions: 180 mm x 160 mm x 100 mm.	100
386	NN control room inventory	Control room inventory consisting of desk and 4 chairs, dimensions desk: 2300 mm x 3900 mm x 1800 mm.	150
388	BenQ/Samsung	3 tv's, brands: (2x) BenQ, Samsung, dimensions: (2x) 1460 mm x 850 mm, 1220 mm x 700 mm.	300
389	Nilfisk	Nilfisk vacuum cleaner, type: GM 80, dimensions: ø 250 mm x 500 mm.	25
390	Initial Hokatex	S/s waste bin with Initial Hokatex s/s paper dispenser, dimensions: 400 mm x 460 mm x 950 mm, 220 mm x 200 mm x 360 mm.	100
391	Liebherr	Liebherr refrigerator, type: T 1710 Index 20/001, dimensions: 650 mm x 550 mm x 850 mm.	100
392	NN emergency response kits	3 emergency response kits.	50
393	PowerHeartAED	PowerHeartAED automated external defibrillator, dimensions: 200 mm x 400 mm x 340 mm.	150
395	NN protection frame	S/s protection frame, dimensions: 850 mm x 1470 mm x 400 mm.	50
396	Endress+Hauser/Sera GmbH	Dosing system with 2 Endress+Hauser flowmeters, Sera GmbH dosing pump and APV valves, dimensions: 900 mm x 1200 mm x 700 mm.	150



Nr	Title	Description	Start €
397	Diversey	Steel frame with Diversey soap dispenser, dimensions: 400 mm x 400 mm x 1560 mm.	50
398	GEA Küba	GEA Küba evaporator, 1 fan, dimensions: 560 mm x 800 mm x 520 mm.	250
399	ECO Refrigerazione	ECO Refrigerazione evaporator, 3 fans, dimensions: 1650 mm x 350 mm x 350 mm.	500
400	NN fence	S/s fence with 2 doors, dimensions: 2750 mm x 2720 mm, 2200 mm x 1100 mm x 2720 mm.	100
401	Hoshizaki Europe Limited.	Hoshizaki Europe Limited. ice machine, model: IM-240DM, serial number: G11688, 220-240 V, 50 Hz, refrigerant: R404a/0.700 kg, dimensions: 900 mm x 1150 mm x 1180 mm.	250
402	NN cabinet	S/s cabinet, dimensions: 350 mm x 400 mm x 610 mm.	100
403	NN wall cabinet	S/s wall mounted cabinet, dimensions: 450 mm x 750 mm x 800 mm.	50
404	NN sink	S/s sink with Seko ProMax soap mix unit, dimensions: 400 mm x 800 mm x 500 mm, 100 mm x 110 mm x 240 mm.	75
405	Thermo Scientific	Thermo Scientific incubator, type: HERATHERM IMC 18, serial number: IMC40476044, year of construction: 2015, 100-240 V, 1 Ph, 50/60 Hz, 0.45 A, temperature range: 17-40 °C, dimensions: 470 mm x 260 mm x 410 mm.	250
406	Liebherr	Liebherr refrigerator, type: Tpesf 1710 Index 22A/001, dimensions: 650 mm x 600 mm x 850 mm.	100
407	Thermo Scientific	Thermo Scientific incubator, type: HERATHERM IGS100, serial number: 41703633, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, 2.3 A, maximum temperature: 75 °C, dimensions: 650 mm x 640 mm x 830 mm.	250
408	Thermo Scientific	Thermo Scientific incubator, type: HERATHERM IGS100, serial number: 41505661, year of construction: 2013, 230 V, 1 Ph, 50/60 Hz, 2.3 A, maximum temperature: 75 °C, dimensions: 650 mm x 640 mm x 830 mm.	250
409	Liebherr	Liebherr freezer, type: GP 1476 Index 20P/001, dimensions: 700 mm x 600 mm x 860 mm.	100
410	Liebherr	Liebherr freezer, type: GP 1476 Index 20A/001, dimensions: 700 mm x 600 mm x 860 mm.	100
411	NN trolley	Steel trolley with plastic crate, dimensions: 750 mm x 400 mm x 950 mm.	50
412	Julabo	Julabo water bath, type: TW20, 230 V, 50-60 Hz, 9 A, dimensions: 350 mm x 640 mm x 340 mm.	100
413	Julabo	Julabo water bath, type: TW8, 230 V, 50-60 Hz, 8 A, dimensions: 320 mm x 350 mm x 300 mm, 300 mm x 200 mm x 240 mm.	100



Nr	Title	Description	Start €
414	Mettler-Toledo GmbH	Mettler-Toledo GmbH internal calibration analytical balance, model: MS204TS/00, serial number: C116604477, year of construction: 2021, maximum weight: 220 g, d=0.1 mg, dimensions: 350 mm x 200 mm x 350 mm.	150
415	NN hygiene equipment	Wooden frame with hygiene equipment, dimensions: 1600 mm x 1000 mm.	100
416	Janke & Kunkel KG	Janke & Kunkel KG shaker, type: VIBRO, number: 1422, 220 V, 50/60 Hz, dimensions: 220 mm x 150 mm x 150 mm.	100
417	Thermo Scientific	Thermo Scientific vacuum heating and drying oven, type: T 6060, fabrication number: 412433816, 230 V, 1 Ph, 50/60 Hz, 6.8 A, 1.6 kW, maximum temperature: 300 °C, dimensions: 600 mm x 750 mm x 580 mm.	250
418	Systec GmbH	Systec GmbH horizontal bench-top autoclave, type: DE-65, serial number: D 3100, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 15.5 A, temperature range: -10/150 °C, pressure range: -1/+4 bar, volume: 70 litres, inside dimensions: ø 400 mm x 500 mm, total dimensions: 750 mm x 750 mm x 650 mm.	300
420	SI Analytics GmbH	SI Analytics GmbH titrator, type: TITRONIC basic, number: 00679487, year of construction: 2011, 230 V, 50/60 Hz, 18 VA, dimensions: 200 mm x 130 mm x 300 mm.	100
421	Thermo Scientific	Thermo Scientific advanced protocol security oven, type: Heratherm OMH60, serial number: 41330038, year of construction: 2012, 230 V, 1 Ph, 50/60 Hz, 6.1 A, 1.40 kW, maximum temperature: 330 °C, dimensions: 630 mm x 520 mm x 760 mm.	250
422	Metrohm	Metrohm dosing and titration system consisting of titrator, type: 888 Titrando, magnetic stirrer, type: 801 Stirrer and liquid handling station, type: 805 Dosimat, dimensions: (2x) 250 mm x 145 mm x 500 mm, 140 mm x 90 mm x 460 mm.	100
423	Ebro	Ebro thermometer, type: TFX 410 Pt 1000, serial number: 15308745, temperature range: -50-300°C.	25
424	WTW	WTW conductivity meter, type: Cond 315i.	100
425	Metrohm	Metrohm pH meter.	100
426	Metrohm	Metrohm pH meter.	100
427	Metrohm	Metrohm pH meter.	100
428	Liebherr	Liebherr freezer, type: GP 1476 Index 20M/001, dimensions: 700 mm x 600 mm x 860 mm.	100
429	Liebherr	Liebherr freezer, dimensions: 700 mm x 600 mm x 860 mm.	100
430	Hach Lange GmbH	Hach Lange GmbH dry thermostat, model: LT200, serial number: 18110C0077, 115/230 V, 50/60 Hz, 300/450 VA, dimensions: 300 mm x 230 mm x 200 mm.	50

Nr	Title	Description	Start €
431	Köttermann	Köttermann fume cup board, type: 2-452-DANN, serial number: 2-453-013929, year of construction: 2013, 400 V, 50 Hz, 16 A, 80 W, dimensions: 910 mm x 1200 mm x 2600 mm.	1500
434	Hällde	Hällde vegetable slicer, type: RG-350, serial number: 1200730, year of construction: 2012, 380-415 V, 3 Ph, 50/60 Hz, 2.2 A, 0.75 kW, dimensions: 530 mm x 340 mm x 760 mm.	150
436	Köttermann	Köttermann laboratory inventory consisting of desks, sinks and cabinets, dimensions: 4000 mm x 4500 mm x 740 mm, 3130 mm x 800 mm x 880 mm, (2x) 3600 mm x 1335 mm x 900 mm, 800 mm x 1350 mm x 1400 mm, 3550 mm x 750 mm x 830 mm, 5250 mm x 1950 mm x 830 mm.	3500
437	NN whiteboard	Whiteboard, dimensions: 2000 mm x 1010 mm.	50
438	Vikan	Wooden board with Vikan hygiene equipment, dimensions: 845 mm x 2100 mm.	100
439	NN racks	8 steel racks with content, dimensions: (4x) 1950 mm x 520 mm x 2110 mm, (2x) 1040 mm x 330 mm x 2110 mm, 930 mm x 520 mm x 2110 mm.	800
440	Vikan	2 steel racks and 1 s/s rack with Vikan hygiene equipment, dimensions: 530 mm x 1300 mm x 2130 mm, 520 mm x 2550 mm x 2130 mm.	200
441	NN safety equipment	Steel rack with safety equipment, dimensions: 530 mm x 2080 mm x 2130 mm.	100
442	NN hygiene equipment	Steel rack with hygiene equipment, dimensions: 510 mm x 4150 mm x 2280 mm.	150
443	NN cabinets	2 steel cabinets, dimensions: (2x) 430 mm x 930 mm x 1950 mm.	150
444	Memmert	Memmert heating and drying oven, type: ULE 400, 230 V, 50/60 Hz, 6.1 A, dimensions: 550 mm x 550 mm x 670 mm.	200
445	Memmert	Memmert universal heating and drying oven, type: U 30, fabrication number: 871 947, 220 V, 50/60 Hz, 1400 W, working temperature: 300 °C, dimensions: 550 mm x 510 mm x 680 mm.	200
447	Asecos	Asecos chemical storage cabinet, model: C Line, dimensions: 520 mm x 1050 mm x 1110 mm.	200
448	NN roll containers	2 steel roll containers, dimensions: (2x) 600 mm x 720 mm x 1710 mm.	50
449	NN rack	Steel rack with content, dimensions: 500 mm x 2070 mm x 2280 mm.	150
450	NN laboratory	5 pallets with laboratory equipment, volume cups: 125 ml, 60 ml.	250
451	Rotor Lips AG	Rotor Lips AG vegetable slicer, type: RGS, 230 V, 50-60 Hz, 400 W, dimensions: 550 mm x 220 mm x 600 mm.	150
452	Overtoom	2 Overtoom aluminium wall racks.	100



Nr	Title	Description	Start €
453	NTF	NTF s/s boot rack, 16 pair of boots, dimensions: 260 mm x 1170 mm x 1550 mm.	100
454	NN bench	S/s bench with wooden top, dimensions: 330 mm x 1210 mm x 420 mm.	50
455	Mohn	Wooden frame with Mohn s/s sink, sensor control, CWS plastic soap dispenser, sensor control, CWS plastic paper dispenser, s/s hair net dispenser, 2 s/s cabinets, Daalderop boiler, s/s waste bin, total dimensions: 2250 mm x 500 mm x 1800 mm.	350
457	Samsung	Samsung tv, dimensions: 1230 mm x 700 mm.	150
459	NN wall cabinet	S/s wall cabinet, dimensions: 300 mm x 305 mm x 280 mm.	50
460	NN safety equipment	Wooden board with safety equipment, dimensions: 600 mm x 2100 mm.	100
461	NN tank	S/s isolated tank with Erwin Stelzer agitator, inside dimensions: ø 1600 mm x 2850 mm, type agitator: DROFG, total dimensions: ø 1700 mm x 5200 mm.	4500
462	NN tank	S/s isolated tank with Erwin Stelzer agitator, inside dimensions: ø 1600 mm x 2850 mm, type agitator: DRGF5, total dimensions: ø 1700 mm x 5200 mm.	4500
463	NN tank	S/s isolated tank with Erwin Stelzer agitator, inside dimensions: ø 1600 mm x 2850 mm, type agitator: DRGF5, total dimensions: ø 1700 mm x 5200 mm.	4500
464	NN tank	S/s isolated tank with agitator, inside dimensions: ø 1130 mm x 1250 mm, total dimensions: ø 1300 mm x 1600 mm.	4500
465	APV	4 APV valves.	200
466	APV	2 APV valves.	100
467	APV	4 APV valves.	200
468	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 53, DN25, dimensions: 350 mm x 200 mm x 200 mm.	200
469	Gardner Denver Nederland BV	Gardner Denver Nederland BV lobe pump, type: S1-0008-H05, serial number: E244652, year of construction: 2021, dimensions: 750 mm x 150 mm x 500 mm.	400
470	Lavrids Knudsen Maskinfabrik A/S	Lavrids Knudsen Maskinfabrik A/S centrifugal pump, type: KPM-185, machine number: 31438-13787, capacity: 25 m³ per hour, dimensions: 700 mm x 250 mm x 400 mm.	150
471	NN switch cabinet	S/s switch cabinet, dimensions: 300 mm x 760 mm x 750 mm.	150
472	APV	3 APV valves.	150
473	NN control cabinet	S/s pneumatic control cabinet, dimensions: 150 mm x 480 mm x 480 mm.	150



Nr	Title	Description	Start €
474	Alfa Laval	Alfa Laval plate heat exchanger, type: C10-KSM, serial number: 30107-33725, year of construction: 2011, volume: 1080 liter, dimensions: 2400 mm x 1100 mm x 2350 mm.	750
475	Grundfos	Grundfos booster pump, type: CM5-4 A-R-G-E-AQQE F-A-A-N, dimensions: 540 mm x 200 mm x 300 mm.	150
476	APV	APV centrifugal pump, dimensions: 680 mm x 300 mm x 400 mm.	150
477	APV	APV centrifugal pump, dimensions: 680 mm x 300 mm x 400 mm.	150
478	APV	APV centrifugal pump, dimensions: 680 mm x 300 mm x 400 mm.	150
479	APV	30 APV valves with s/s pressure vessel.	2000
480	NN platform	Steel platform with stairs and s/s top, dimensions: 10200 mm x 3700 mm x 4800 mm.	750
481	Gielissen Technische Bedrijven	Gielissen Technische Bedrijven steam vessel, serial number: CAMB1301/1101, year of construction: 2013, volume: 6400 litres, design temperature: 0-100°C, dimensions: 850 mm x 1420 mm x 2200 mm, 250 mm x 370 mm x 600 mm.	650
482	NN hose reel	S/s hose reel with plastic hose, dimensions: 130 mm x 230 mm x 120 mm.	25
483	Vikan	Wooden board with Vikan hygiene equipment, dimensions: 1250 mm x 2100 mm.	75
484	Elcold	Elcold freezer on s/s frame, type: PRO 60, number: 55480040, 220-240 V, 50 Hz, 4.2 A, 610 W, inside dimensions: 490 mm x 1540 mm x 690 mm, total dimensions: 700 mm x 1700 mm x 1050 mm.	100
485	Liebherr	Liebherr freezer on s/s frame, type: LGT 4725 Index 40/001, serial number: 81.698.307.8, volume: 459 litres, inside dimensions: 490 mm x 1430 mm x 690 mm, total dimensions: 760 mm x 1650 mm x 1100 mm.	100
486	Honeywell	Honeywell valve.	150
487	APV	APV valve.	150
488	Samson	Samson valve, type: 3277.	150
489	Samson	Samson valve, type: 3277.	150
490	NN tubs	2 s/s tubs, dimensions: 300 mm x 860 mm x 400 mm, 300 mm x 600 mm x 400 mm.	150
491	APV	Filtration installation consisting of APV pre-filter, pump and bacteriophages filter, dimensions: 700 mm x 1400 mm x 1500 mm.	350
492	J.E. Stork ventilatoren b.v.	J.E. Stork ventilatoren b.v. air handling unit.	1300



Nr	Title	Description	Start €
493	NN curd buffer tank	S/s double-jacketed cooled curd buffer tank with Jongia agitator, inside dimensions: ø 2450 mm x 2900 mm, type agitator: L(A) 70, total dimensions: ø 2800 mm x 4450 mm. Camera for curd size is removed.	7500
494	NN curd buffer tank	S/s double-jacketed cooled curd buffer tank with Jongia agitator, inside dimensions: ø 2450 mm x 2900 mm, type agitator: L(A) 70, total dimensions: ø 2800 mm x 4450 mm. Camera for curd size is removed.	7500
495	Alfa Laval	Alfa Laval circumferential piston pump, type: SCPP2/130, serial number: 150071, year of construction: 2011, dimensions: 1100 mm x 280 mm x 480 mm.	350
496	Alfa Laval	Alfa Laval circumferential piston pump, type: SCPP2/130, serial number: 150067, year of construction: 2011, dimensions: 1100 mm x 280 mm x 480 mm.	350
497	Alfa Laval	Alfa Laval circumferential piston pump, type: SCPP2/130, serial number: 150070, year of construction: 2011, dimensions: 1100 mm x 280 mm x 480 mm.	350
498	Alfa Laval	Alfa Laval centrifugal pump, type: MR-200A, serial number: 31438-13696, capacity: 35 m ³ per hour, dimensions: 700 mm x 250 mm x 400 mm.	150
499	APV	APV centrifugal pump, dimensions: 750 mm x 300 mm x 550 mm.	150
500	NN receiving vessel	S/s receiving vessel, dimensions: ø 200 mm x 1150 mm.	150
501	NN receiving vessel	S/s receiving vessel, inside dimensions: ø 700 mm x 1350 mm, total dimensions: ø 840 mm x 1700 mm.	750
502	NN receiving vessel	S/s receiving vessel, inside dimensions: ø 700 mm x 1350 mm, total dimensions: ø 840 mm x 1700 mm.	750
503	APV	APV centrifugal pump, dimensions: 750 mm x 300 mm x 550 mm.	150
504	Hovap	Hovap centrifugal pump, type: HP-5050/190, year of construction: 2005, capacity: 45 m ³ per hour dimensions: 900 mm x 370 mm x 500 mm.	150
505	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-10, serial number: 185548, year of construction: 2015, 5 kW, dimensions: 580 mm x 350 mm x 900 mm.	200
506	NN tank	S/s tank, inside dimensions: ø 600 mm x 800 mm, total dimensions: ø 700 mm x 1200 mm.	450
507	Alfa Laval	Alfa Laval circumferential piston pump, type: SCPP2/130, serial number: 150068, year of construction: 2011, dimensions: 1100 mm x 280 mm x 480 mm.	350



Nr	Title	Description	Start €
508	Alfa Laval	Alfa Laval circumferential piston pump, type: SCPP2/130, serial number: 150016, year of construction: 2010, dimensions: 1100 mm x 280 mm x 480 mm.	350
509	Alfa Laval	Alfa Laval circumferential piston pump, type: SCPP2/018, serial number: 150017, year of construction: 2010, dimensions: 1100 mm x 280 mm x 480 mm.	350
510	Alfa Laval	Alfa Laval circumferential piston pump, type: SCPP2/130, serial number: 150069, year of construction: 2011, dimensions: 1100 mm x 280 mm x 480 mm.	350
511	NN switch cabinets	2 s/s switch cabinets and 2 s/s pneumatic control cabinets, dimensions: 250 mm x 610 mm x 760 mm, (2x) 220 mm x 500 mm x 500 mm, 200 mm x 400 mm x 600 mm.	300
512	Zarges	Zarges aluminium stairs.	50
513	NN hose reel	S/s hose reel with plastic hose, dimensions: 170 mm x 270 mm x 260 mm.	25
514	RLM	RLM sodium hypochlorite dosing system, dimensions: 340 mm x 1000 mm x 1000 mm.	450
515	NN control cabinet	S/s pneumatic control cabinet, dimensions: 300 mm x 800 mm x 1200 mm.	150
516	Kuipers Woudsend B.V.	Kuipers Woudsend B.V. s/s tank, serial number: K134841, year of construction: 2013, volume: 750 litres, dimensions: ø 850 mm x 2400 mm.	750
517	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45/142, serial number: 165156, year of construction: 2013, 5.5 kW, dimensions: 700 mm x 370 mm x 500 mm.	150
518	NN switch cabinet	S/s switch cabinet, dimensions: 320 mm x 610 mm x 600 mm.	200
519	MDM	MDM centrifugal pump with filter, type: 80H190/AS15K, dimensions: 930 mm x 440 mm x 800 mm.	300
520	NN tank	S/s tank, dimensions: ø 450 mm x 2400 mm.	250
521	MDM	MDM centrifugal pump with filter, type: 80H190/AS15K, year of construction: 2023, dimensions: 930 mm x 440 mm x 800 mm.	300
522	NN tank	S/s tank, dimensions: ø 450 mm x 2400 mm.	250
523	Alfa Laval	Alfa Laval centrifugal pump, type: LKH PRIME 20, serial number: 199212, year of construction: 2016, 11 kW, dimensions: 1000 mm x 500 mm x 500 mm.	200
524	Stork	Stork centrifugal pump, dimensions: 1000 mm x 400 mm x 900 mm.	100
525	Gardner Denver Nederland BV	Gardner Denver Nederland BV lobe pump, type: S6-0353-H07, serial number: E226274B, year of construction: 2020, dimensions: 750 mm x 150 mm x 500 mm.	750



Nr	Title	Description	Start €
526	Gardner Denver Nederland BV	Gardner Denver Nederland BV lobe pump, type: S6-0353-H07, serial number: E226274C, year of construction: 2020, dimensions: 750 mm x 150 mm x 500 mm.	750
528	Samson	Samson valve, type: 3277.	150
529	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, dimensions: 300 mm x 200 mm x 250 mm.	200
530	Dometic	Dometic plastic thermobox, dimensions: 350 mm x 500 mm x 370 mm.	50
531	NN safety fence	S/s safety fence, dimensions: 5400 mm x 1100 mm x 1550 mm.	100
532	de Klokslag Engineering B.V.	de Klokslag Engineering B.V. complete buffer, infeed and washing line for cheese moulds, buffer suitable for approximately 1350 dyes, dimensions each dye: ø 450 mm x 250 mm, plastic chain conveyor, belt width: 450 mm, washing machine for moulds, clearance: 515 mm x 230 mm, total dimensions: 27000 mm x 16500 mm x 6000 mm.	25000
533	APV	APV centrifugal pump, dimensions: 600 mm x 300 mm x 500 mm.	150
534	NN rinsing tank	S/s rinsing tank, inside dimensions: ø 1000 mm x 680 mm, total dimensions: ø 1250 mm x 1250 mm.	300
535	APV	APV centrifugal pump, dimensions: 600 mm x 300 mm x 500 mm.	150
536	APV	APV centrifugal pump, dimensions: 650 mm x 380 mm x 550 mm.	150
537	NN rinsing tank	S/s rinsing tank, inside dimensions: ø 1000 mm x 680 mm, total dimensions: ø 1250 mm x 1250 mm.	300
538	NN protection fence	S/s protection fence, dimensions: 16575 mm x 6600 mm x 1600 mm.	150
539	Vikan	Wooden board with Vikan hygiene equipment, dimensions: 1250 mm x 2100 mm.	100
540	NN safety equipment	Wooden board with safety equipment, dimensions: 1250 mm x 2100 mm.	100
541	NN safety equipment	Wooden board with safety equipment, dimensions: 900 mm x 2100 mm.	100
542	NN platform	S/s platform with double stairs, dimensions: 4600 mm x 8150 mm x 3100 mm.	650
543	Vikan	Wooden board with Vikan hygiene equipment, dimensions: 1250 mm x 2100 mm.	100
544	NN tank	S/s tank, inside dimensions: ø 900 mm x 850 mm, total dimensions: ø 900 mm x 1450 mm.	750
545	Alfa Laval	2 Alfa Laval centrifugal pumps, type: LKH-50/190 15.0 kW, LKH 10/140 2.2 kW, dimensions: 870 mm x 450 mm x 750 mm, 500 mm x 270 mm x 400 mm.	300



Nr	Title	Description	Start €
546	Elpress	Elpress soap mixing station, type: 83801010, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
547	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, dimensions: 550 mm x 320 mm x 600 mm.	150
548	NN hose reel	S/s hose reel with plastic hose, dimensions: 160 mm x 440 mm x 170 mm.	25
549	NN safety fence	S/s safety fence, dimensions: 25000 mm x 4000 mm x 1400 mm.	250
551	Mettler Toledo	Mettler Toledo weighing scale, model: CombiBenchScale, type: ICS689g-B60/t, serial number: B531243326, 100-240 V, 50/60 Hz, 300mA, dimensions: 560 mm x 500 mm x 1250 mm.	150
552	de Klokslag Engineering B.V.	de Klokslag Engineering B.V. transport system with lid applicator, plastic chain belt, belt width: 450 mm, total dimensions: 900 mm x 5500 mm x 3850 mm.	1750
553	NN platform	S/s platform, dimensions: 460 mm x 1200 mm x 1800 mm.	50
554	NN safety fence	S/s safety fence, dimensions: 5650 mm x 1200 mm x 1500 mm.	100
555	NN trolley	S/s trolley, dimensions: 540 mm x 850 mm x 950 mm.	100
557	NN platform	S/s platform with double stairs, dimensions: 4050 mm x 2000 mm x 2550 mm.	500
558	NN transport system	Transport system, plastic chain belt, belt width: 450 mm, total dimensions: 6500 mm x 9200 mm x 1600 mm.	750
559	NN transport belt	Transport belt with rejectors, walking beam, belt width: 450 mm, total dimensions: 18500 mm x 900 mm x 1250 mm.	2000
560	Tebel Alfa-Laval	Tebel Alfa-Laval cheese press, 43 rows with 4 presses each row, diameter press surface: (172x) ø 350 mm, distance between dividers: 455 mm, total row width: 1830 mm, total dimensions: 22400 mm x 2450 mm x 1800 mm.	4750
561	Tebel Alfa-Laval	Tebel Alfa-Laval cheese press, 43 rows with 4 presses each row, diameter press surface: (172x) ø 350 mm, distance between dividers: 455 mm, total row width: 1830 mm, total dimensions: 22400 mm x 2450 mm x 1800 mm.	4750
562	Tebel Alfa-Laval	Tebel Alfa-Laval cheese press, 43 rows with 4 presses each row, diameter press surface: (172x) ø 350 mm, distance between dividers: 455 mm, total row width: 1830 mm, total dimensions: 22400 mm x 2450 mm x 1800 mm.	4750



Nr	Title	Description	Start €
563	Tebel Alfa-Laval	Tebel Alfa-Laval cheese press, 43 rows with 4 presses each row, diameter press surface: (172x) ø 350 mm, distance between dividers: 455 mm, total row width: 1830 mm, total dimensions: 22400 mm x 2450 mm x 1800 mm.	4750
564	Tebel Alfa-Laval	Tebel Alfa-Laval cheese press, 43 rows with 4 presses each row, diameter press surface: (172x) ø 350 mm, distance between dividers: 455 mm, total row width: 1830 mm, total dimensions: 22400 mm x 2450 mm x 1800 mm.	4750
565	Tebel Alfa-Laval	Tebel Alfa-Laval cheese press, 43 rows with 4 presses each row, diameter press surface: (172x) ø 350 mm, distance between dividers: 455 mm, total row width: 1830 mm, total dimensions: 22400 mm x 2450 mm x 1800 mm.	4750
567	NN transport belt	Transport belt, plastic chain belt, belt width: 400 mm, total dimensions: 18500 mm x 650 mm x 1200 mm.	2000
568	NN transport belt	Transport belt with plastic chain belt and rollers, belt width: 410 mm, 340 mm, total dimensions: 31500 mm x 800 mm x 1900 mm.	3000
569	de Klokslag Engineering B.V.	de Klokslag Engineering B.V. cheese turning and repacking installation, plastic belt, belt width: 450 mm, total dimensions: 13000 mm x 3850 mm x 3000 mm.	5500
570	NN outfeed conveyor	Outfeed conveyor for cheese moulds with transport beams, beam width: 2300 mm, distance between beams: 450 mm, total dimensions: 27000 mm x 3000 mm x 1600 mm.	2500
571	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-10, serial number: 311649, year of construction: 2024, 2.2 kW, dimensions: 650 mm x 320 mm x 350 mm.	350
572	NN whey collection tank	S/s whey collection tank, inside dimensions: ø 1020 mm x 230 mm, total dimensions: 1150 mm x 1020 mm x 450 mm.	300
573	NN protection fence	S/s protection fence, dimensions: 6500 mm x 1400 mm x 1550 mm.	100
574	NN platform	S/s platform, dimensions: 1200 mm x 460 mm x 170 mm.	50
575	LSC	LSC aluminium stairs, working height: 1430 mm, total dimensions: 1150 mm x 1020 mm x 450 mm.	50
577	Elpress	Elpress soap mixing station, type: 83801010, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
578	Vikan	Wooden board with Vikan hygiene equipment, dimensions: 1250 mm x 2100 mm.	100
579	NN safety equipment	Wooden board with safety equipment, dimensions: 900 mm x 2100 mm.	100



Nr	Title	Description	Start €
580	NN protection fence	S/s protection fence, dimensions: 17700 mm x 1300 mm x 1550 mm.	400
581	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 25, serial number: 037226, year of construction: 2002, dimensions: 550 mm x 320 mm x 600 mm.	150
582	NN table	S/s table, dimensions: 400 mm x 800 mm x 1020 mm.	100
583	Metrohm	S/s cabinet with Metrohm pH meter, dimensions cabinet: 220 mm x 610 mm x 770 mm.	150
584	Elpress	Elpress soap mixing station, type: 83801010, serial number: 19004358-005, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
585	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 25, serial number: 108202, year of construction: 2013, dimensions: 550 mm x 320 mm x 600 mm.	300
586	liyama	liyama tv, size: 50".	150
587	liyama	liyama tv, size: 50".	150
588	liyama	liyama tv, size: 50".	150
589	liyama	liyama tv, size: 50".	150
590	liyama	liyama tv, size: 50".	150
591	liyama	liyama tv, size: 50".	150
592	liyama	liyama tv, size: 50".	150
593	Elpress	Elpress soap mixing station, type: 83801010, serial number: 19004358-004, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
594	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 25, serial number: 146901, year of construction: 2018, dimensions: 550 mm x 320 mm x 600 mm.	150
598	Philips	Philips tv.	150
603	Mohn	Wooden frame with Mohn s/s sink, sensor control, CWS plastic soap dispenser, sensor control, CWS plastic paper dispenser and eye wash, total dimensions: 540 mm x 1350 mm.	250
604	Elpress	Elpress soap mixing station, type: 83801010, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
605	NN waste bin	S/s waste bin, dimensions: 380 mm x 470 mm x 960 mm.	100
606	NN hose reel	S/s hose reel with plastic hose, dimensions: 260 mm x 420 mm x 160 mm.	25



Nr	Title	Description	Start €
607	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 25, serial number: 081877, year of construction: 2009, dimensions: 550 mm x 320 mm x 600 mm.	150
608	NN control system	Control system, 9 control screens, dimensions: 4400 mm x 2600 mm x 1550 mm.	500
609	NN air socks	2 air socks, length: (2x) 12000 mm.	200
610	Elpress	Elpress soap mixing station, type: 83801010, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
611	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 25, serial number: 087259, year of construction: 2010, dimensions: 550 mm x 320 mm x 600 mm.	150
612	RLM	RLM calcium chloride dosing system, dimensions: 500 mm x 1500 mm x 1700 mm.	450
613	Formoplast	Formoplast double jacketed HDPE tank used for calcium chloride, year of construction: 2015, volume: 35000 litres, dimensions: ø 3400 mm x 5300 mm.	5000
618	NN elevating belt	Elevating belt, plastic belt, belt width: 420 mm, elevating height: 2800 mm, total dimensions: 6700 mm x 1100 mm x 2800 mm. Without s/s frame.	700
619	NN transport belt	Transport belt, plastic belt, belt width: 450 mm, total dimensions: 4400 mm x 700 mm x 300 mm.	500
620	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: C 2351, fabrication number: 1456891930010, year of construction: 2023, 230 V, 1 Ph, 50-60 Hz, 4.3 A, temperature range: 0-40 °C, weighing range: 0-15 kg, plastic belt, belt width: 450 mm, total dimensions: 850 mm x 700 mm x 1700 mm.	2000
621	NN transport belt	Transport belt with outfeed roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 9500 mm x 750 mm x 350 mm. Missing belt. Without s/s frame.	1000
622	NN brine treatment installation	Brine treatment installation consisting of 12 s/s storage cages, 12 floors, distance between floors: (12x) 210 mm, dimensions: (12x) 11000 mm x 2200 mm x 3000 mm and 24 pneumatic gates, total dimensions: 33000 mm x 14500 mm x 3000 mm.	2750
623	Demag	Demag overhead crane, capacity: (2x) 2000 kg, 4 Demag electric chain hoists, dimensions: 40000 mm x 16500 mm.	4500



Nr	Title	Description	Start €
624	NN brine treatment installation	Brine treatment installation consisting of 12 s/s storage cages, 12 floors, distance between floors: (12x) 210 mm, dimensions: (12x) 11000 mm x 2200 mm x 3000 mm and 24 pneumatic gates, total dimensions: 33000 mm x 14500 mm x 3000 mm.	2750
625	Demag	Demag overhead crane, capacity: (2x) 2000 kg, 4 Demag electric chain hoists, dimensions: 40000 mm x 16500 mm.	4500
627	LSC	LSC aluminium stairs, working height: 1220 mm, total dimensions: 1650 mm x 900 mm x 2240 mm.	50
628	Elpress	Elpress soap mixing station, type: 83801010, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
629	Mohn	Wooden board with Mohn s/s sink, sensor control, CWS plastic paper dispenser, CWS plastic soap dispenser, s/s waste bin and s/s hose reel with plastic hose, dimensions: 540 mm x 500 mm x 1360 mm, 400 mm x 470 mm x 900 mm, 180 mm x 300 mm x 520 mm.	300
630	NN stool	Mobile stool.	25
635	NN switch cabinet	S/s switch cabinet, dimensions: 270 mm x 600 mm x 730 mm.	150
637	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, DN08, dimensions: 220 mm x 180 mm x 100 mm, 130 mm x 210 mm x 250 mm.	200
638	Alfa Laval	Alfa Laval centrifugal pump, year of construction: 2018, 7.5 kW, dimensions: 670 mm x 370 mm x 500 mm.	150
640	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45, year of construction: 2018, 11.0 kW, dimensions: 900 mm x 450 mm x 500 mm.	150
641	GEA Tuchenhausen GmbH	8 valves, brands: (6x) GEA Tuchenhausen GmbH, (2x) AWH, dimensions: (6x) ø 150 mm x 550 mm, (2x) 330 mm x 120 mm x 700 mm.	400
642	Janssen Quadraat nv	Janssen Quadraat nv s/s platform with double stairs, dimensions: 1600 mm x 2200 mm x 2120 mm.	500
643	NN office inventory	Office inventory consisting of 6 desks, dimensions: (6x) 1600 mm x 800 mm x 760 mm, 1 cabinet, dimensions: 460 mm x 2010 mm x 1210 mm and 5 chairs.	400
645	BenQ	BenQ tv, dimensions: 1450 mm x 830 mm.	150
646	NN protection frame	S/s protection frame, dimensions: 4330 mm x 2150 mm x 850 mm and 2300 mm x 850 mm.	50
647	NN slide door	S/s electric slide door, length rail: 3500 mm, dimensions door: 3120 mm x 2130 mm.	400



Nr	Title	Description	Start €
649	NN chemical rack	Plastic chemical rack, dimensions: 600 mm x 1200 mm x 1800 mm.	75
650	NN trolley	S/s trolley, dimensions: 600 mm x 450 mm x 1100 mm.	50
651	NN brine boards	Wooden boards with brine boards, dimensions: 4250 mm x 1000 mm.	50
652	Mohn	Wooden board with Mohn s/s sink, sensor control, CWS plastic paper dispenser, CWS plastic soap dispenser and s/s waste bin, dimensions: 540 mm x 500 mm x 1360 mm.	300
654	NN cheese floating gutter	S/s cheese floating gutter, gutter width: 430 mm, total dimensions: 30000 mm x 1700 mm x 960 mm.	350
655	de Klokslag Engineering B.V.	de Klokslag Engineering B.V. drying tunnel with Sonic Air Systems blower, plastic mesh belt, belt width: 330 mm, clearance: 405 mm x 160 mm, total dimensions: 5600 mm x 800 mm x 1850 mm, 850 mm x 700 mm x 550 mm.	1250
656	Elpress	Elpress soap mixing station, type: 83801010, serial number: 19004358-010, year of construction: 2019, pressure: 80 bar, maximum temperature: 70°C, dimensions: 100 mm x 400 mm x 450 mm, 430 mm x 520 mm x 600 mm.	250
657	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 25, serial number: 037229, year of construction: 2002, dimensions: 550 mm x 320 mm x 600 mm.	150
658	Vikan	Wooden board with Vikan hygiene equipment, dimensions: 1250 mm x 2100 mm.	100
659	NN safety equipment	Wooden board with safety equipment, dimensions: 900 mm x 2100 mm.	100
660	RoGroep	RoGroep 90° curve conveyor, type: 2, year of construction: 2010, plastic mesh belt, belt width: 420 mm, total dimensions: 1450 mm x 2050 mm x 1150 mm.	500
661	RO Groep	RO Groep curve conveyor with 90 ° curve, s/s frame, plastic mesh belt, year of construction: 2010, belt width: 450 mm, total dimensions: 2700 mm x 2200 mm x 1400 mm.	500
662	Janssen Quadraat nv	Janssen Quadraat nv transport belt with rollers, s/s frame, plastic mesh belt with rollers, belt width: 455 mm, total dimensions: 5200 mm x 800 mm x 1600 mm.	1500
663	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 375 mm, total dimensions: 2500 mm x 750 mm x 1200 mm.	500



Nr	Title	Description	Start €
664	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: C 2351, fabrication number: 1433048950010, year of construction: 2019, 230 V, 50-60 Hz, max: 15 kg, min: 9.5 kg, e- 0.01 kg, belt width: 395 mm and 440 mm, total dimensions: 2300 mm x 1200 mm x 1970 mm.	2000
666	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 455 mm, total dimensions: 6000 mm x 750 mm x 300 mm.	750
667	Van Meeuwen	Van Meeuwen S-shaped curve conveyor with belt washing unit, s/s frame, plastic mesh belt, belt width: 455 mm, total dimensions: 9000 mm x 2000 mm x 400 mm.	650
668	Van Meeuwen	Van Meeuwen transport belt with belt washing unit, s/s frame, plastic mesh belt, belt width: 455 mm, total dimensions: 7100 mm x 850 mm x 400 mm.	750
669	Van Meeuwen	Van Meeuwen curve conveyor with 90° curve and belt washing unit, s/s frame, plastic mesh belt, belt width: 360 mm, total dimensions: 6000 mm x 1400 mm x 600 mm.	650
670	Van Meeuwen	Van Meeuwen double lane curve conveyor with 90° curve, s/s frame, plastic mesh belt, belt width: 360 mm, total dimensions: 5500 mm x 2200 mm x 350 mm.	500
671	NN cheese board unloader	S/s cheese board unloader, dimensions each floor: 1760 mm x 360 mm, distance between floors: 260 mm, total dimensions: 2250 mm x 2100 mm x 2200 mm, including chain conveyor, distance between chains: 1200 mm, total dimensions 5000 mm x 1620 mm x 750 mm.	750
672	NN cheese board loader	S/s cheese board loader, dimensions each floor: 1760 mm x 360 mm, distance between floors: 260 mm, total dimensions: 2250 mm x 2100 mm x 2200 mm, including chain conveyor, distance between chains: 1200 mm, total dimensions 5000 mm x 1620 mm x 750 mm and Elten Systems cheese loading conveyor, belt width: 400 mm, total dimensions: 3700 mm x 1100 mm x 2600 mm.	1250
673	NN platform with stairs	S/s platform with 2 stairs, aluminium top, working height: 1040 mm, total dimensions: 11250 mm x 700 mm x 2400 mm.	350
674	NN platform with stairs	S/s platform with 2 stairs, aluminium top, working height: 1200 mm, total dimensions: 4500 mm x 700 mm x 2300 mm.	350



Nr	Title	Description	Start €
675	Elten Systems	Elten Systems cheese unloading and turning installation, dimensions cheese boards: 1700 mm x 420 mm, total dimensions: 6700 mm x 3800 mm x 2500 mm, including chain conveyor, distance between chains: 1050 mm, total dimensions 3400 mm x 1600 mm x 800 mm.	2750
676	NN transport belt	Transport belt, s/s frame, plastic mesh belt with rollers, year of construction: 2009, belt width: 455 mm, total dimensions: 1550 mm x 800 mm x 950 mm.	350
677	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: IND 439 40, fabrication number: 14003144, year of construction: 2008, 230 V, 50 Hz, maximum: 20000 gram, minimum: 200 gram, e- 10 gram, belt width: 500 mm, total dimensions: 2300 mm x 1100 mm x 1900 mm.	1250
678	NN transport belt	Transport belt with rollers, s/s frame, plastic mesh belt with rollers, belt width: 405 mm, total dimensions: 700 mm x 700 mm x 1100 mm.	350
679	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 4100 mm x 900 mm x 950 mm.	500
681	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 4000 mm x 900 mm x 1250 mm.	500
682	NN cheese loading conveyor	Cheese loading conveyor with cheese board return roller conveyor, belt width: 480 mm, total dimensions: 6000 mm x 3300 mm x 1500 mm.	750
683	NN roller conveyor for cheese boards	Electrical roller conveyor for cheese boards, roller width: 500 mm, total dimensions: 3600 mm x 900 mm x 1000 mm, including chain conveyor for cheese boards, distance between chains: 1300 mm, total dimensions: 5500 mm x 1800 mm x 900 mm.	450
684	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 9000 mm x 900 mm x 300 mm.	750
685	NN cheese board washing machine	Washing machine for wooden cheese boards, maximum dimensions cheese boards: 1700 mm x 415 mm, total dimensions: 2300 mm x 800 mm x 1300 mm, including s/s water tub, dimensions: 700 mm x 600 mm x 550 mm and pump, dimensions: 250 mm x 350 mm x 400 mm.	750
686	NN chain conveyor	Chain conveyor for wooden cheese boards, dimensions cheese boards: 1700 mm x 415 mm, distance between chains: 250 mm, clearance: 425 mm, total dimensions: 9500 mm x 650 mm x 1400 mm.	400



Nr	Title	Description	Start €
687	NN cheese board washing machine	Washing machine for wooden cheese boards, maximum dimensions cheese boards: 1700 mm x 415 mm, total dimensions: 1600 mm x 800 mm x 1100 mm, including s/s water tub, dimensions: 700 mm x 600 mm x 550 mm and pump, dimensions: 250 mm x 350 mm x 400 mm.	750
689	Janssen Quadraat nv	Janssen Quadraat nv s/s wall mounted film reel holder, dimensions: 1400 mm x 250 mm x 250 mm.	50
690	NN table	Mobile s/s table, dimensions: 1800 mm x 800 mm x 800 mm.	150
691	NN rack for cheese boards	Mobile s/s rack for cheese boards, 8 floors, distance between floors: 1700 mm x 830 mm, total dimensions: 1800 mm x 840 mm x 1900 mm.	200
692	Elpress	Elpress foam mixing station, type: 83801020, serial number: 20003487-006, year of construction: 2020-6, dimensions: 450 mm x 150 mm x 500 mm, including s/s dispenser for foam, dimensions: 520 mm x 400 mm x 700 mm.	250
693	Elpress	Elpress s/s hose reel with hose and pistol, dimensions: 500 mm x 250 mm x 500 mm.	150
694	Vikan	Vikan wall plate with cleaning equipment, dimensions: 1400 mm x 2100 mm.	100
695	NN cabinet for chemicals	Plastic cabinet for chemicals, dimensions: 1200 mm x 600 mm x 1800 mm.	100
696	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, year of construction: 2020, maximum: 50 kg, minimum: 0 kg, dimensions scale: 300 mm x 400 mm, total dimensions: 300 mm x 550 mm x 1200 mm.	150
697	NN tub	Mobile s/s tub, dimensions: 1000 mm x 800 mm x 1000 mm.	100
698	NN waste bin	S/s waste bin, dimensions: 470 mm x 410 mm x 950 mm.	100
699	Elpress	Elpress foam mixing station, type: 88801020, serial number: 20003487-005, year of construction: 2020-6, dimensions: 450 mm x 150 mm x 500 mm, including s/s dispenser for foam, dimensions: 520 mm x 400 mm x 700 mm.	250
700	Elpress	Elpress s/s hose reel with hose and spray pistol, model: EHT25, serial number: 193669, year of construction: 2022, dimensions: 500 mm x 500 mm x 500 mm.	150
701	NN hose reel with hose	S/s hose reel with hose, dimensions: 300 mm x 200 mm x 300 mm.	25
702	NN cheese cutter	Mobile s/s cheese cutter, max diameter cheese: 370 mm, total dimensions: 1000 mm x 1000 mm x 1400 mm.	100
703	NN table	Mobile s/s table, dimensions: 1800 mm x 800 mm x 820 mm.	150



Nr	Title	Description	Start €
704	NN platform	S/s platform, dimensions: 950 mm x 750 mm x 1160 mm.	50
705	Rittal	Rittal switch cabinet for cheese warehouse and loading/unloading line, dimensions: 5600 mm x 400 mm x 1800 mm.	250
706	NN platform	S/s platform, dimensions: 950 mm x 950 mm x 1160 mm.	50
707	NN trolley	S/s trolley, dimensions: 2000 mm x 900 mm x 1000 mm.	50
708	NN trolley	S/s trolley, dimensions: 1880 mm x 900 mm x 1360 mm.	100
709	NN whiteboard	Whiteboard dimensions: 1300 mm x 1100 mm.	50
710	NN wooden board with safety equipment	Wooden board with safety equipment, dimensions: 1600 mm x 1250 mm.	100
711	Promatec b.v.	Promatec b.v. transport belt, s/s frame, plastic belt, type: Conveyor 1, number: 150205 006 01, year of construction: 2016, belt width: 520 mm, 3x400 V, 50 Hz, 1.5 kW, weight: 510 kg, total dimensions: 14000 mm x 900 mm x 500 mm, including RO-Groep electrical curve roller conveyor.	1500
712	Promatec b.v.	Promatec b.v. transport belt, s/s frame, plastic belt, type: Conveyor 2, number: 150205 016 01, year of construction: 2016, belt width: 520 mm, 3x400 V, 50 Hz, 1.5 kW, weight: 510 kg, total dimensions: 14000 mm x 900 mm x 500 mm.	1500
713	Promatec b.v.	Promatec b.v. transport belt, s/s frame, plastic belt, type: Conveyor 3, number: 150205 009 01, year of construction: 2016, belt width: 520 mm, 3x400 V, 50 Hz, 1.5 kW, weight: 405 kg, total dimensions: 10000 mm x 900 mm x 500 mm.	1000
714	Ammeraal	Ammeraal transport belt, steel frame, plastic belt, belt width: 500 mm, total dimensions: 40000 mm x 900 mm x 700 mm, including 2 curve conveyors with 90 ° curve.	3500
715	Machinefabriek Ledoux bv	Machinefabriek Ledoux bv cheese storage warehouse, consisting of: 17 sections with steel racks for wooden cheese boards, 26 floors each, floor width: 1750 mm, distance between floors: 210 mm, Machinefabriek Ledoux bv loading and unloading robot for wooden cheese boards, type robot: AF-01, total dimensions storage warehouse: 40000 mm x 40000 mm x 6200 mm. Please notice: wooden cheese boards are not included.	125000
716	NN wall plate with safety equipment	Wall plate with safety equipment, dimensions: 1260 mm x 1050 mm.	100
717	Step 2	Step 2 plastic safety sign, dimensions: 500 mm x 400 mm x 850 mm.	15



Nr	Title	Description	Start €
718	NN table	Mobile s/s table, dimensions: 1000 mm x 500 mm x 880 mm.	100
719	Vikan	Vikan wall plate with cleaning equipment, dimensions: 1400 mm x 2100 mm.	100
720	Mohn GmbH	Wall plate with Mohn GmbH s/s sink and various dispensers, dimensions: 2500 mm x 1300 mm x 450 mm, including Bosgraaf s/s waste bin, dimensions: 450 mm x 470 mm x 1050 mm, 2 wall plates with s/s boot racks, dimensions: (2x) 1150 mm x 240 mm x 2000 mm, 4 Overtoom aluminium pegs, length: (4x) 1250 mm, bench, dimensions: 1210 mm x 330 mm x 420 mm.	350
721	Janssen Quadraat nv	Janssen Quadraat nv s/s platform with stairs, working height: 2100 mm, total dimensions: 4450 mm x 1000 mm x 2570 mm.	350
722	Janssen Quadraat nv	Janssen Quadraat nv s/s platform with stairs, working height: 1700 mm, total dimensions: 4520 mm x 740 mm x 2130 mm.	350
723	Rittal	Rittal s/s switch cabinet, dimensions: 600 mm x 290 mm x 1400 mm.	150
724	Petzl	Wall mounted cabinet with Petzl safety harness, dimensions: 830 mm x 300 mm x 1030 mm.	50
725	Rittal	Rittal switch cabinet with MCC for cheese storage warehouse and cheese transport line, dimensions: 2400 mm x 500 mm x 2050 mm and 1000 mm x 300 mm x 760 mm.	350
726	NN fans	10 fans, dimensions: (10x) 1000 mm x 2000 mm x 1150 mm.	5000
727	NN fan	Fan, dimensions: 1000 mm x 2000 mm x 1150 mm.	500
728	Helpman	Helpman air chilling unit, dimensions: 5500 mm x 2200 mm x 2200 mm.	3750
729	Voets & Don	Voets & Don air treatment cabinet, dimensions: 4000 mm x 1600 mm x 1200 mm.	2500
730	NN fan	Fan, dimensions: 1000 mm x 1200 mm x 1200 mm.	500
731	Bitzer Kühlmaschinenbau GmbH	Air chilling unit, dimensions: 2000 mm x 1500 mm x 2300 mm, including Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6J-22.2Y-40P, serial number: 1667004710, 95.3/115.0 m/h ³ , refrigerant: R134a, dimensions: 650 mm x 900 mm x 1500 mm.	2500
732	Rittal	Rittal switch cabinet for cooling installation, dimensions: 1000 mm x 400 mm x 2000 mm.	250
733	NN fans	7 fans, dimensions: (7x) 1000 mm x 2000 mm x 1150 mm.	3500
734	Helpman	Helpman air chilling unit, dimensions: 5500 mm x 2200 mm x 2200 mm.	3750



Nr	Title	Description	Start €
735	Rittal	2 Rittal MCC switch cabinets, dimensions: 1200 mm x 400 mm x 2000 mm and 2000 mm x 400 mm x 2000 mm.	500
736	Altrex	Altrex aluminium ladder, height: 1420 mm.	50
737	Ammeraal	Ammeraal transport belt, steel frame, plastic belt, belt width: 500 mm, total dimensions: 40000 mm x 900 mm x 700 mm.	3500
738	Ammeraal/RO-Groep	Ammeraal transport belt, steel frame, plastic belt, belt width: 500 mm, total dimensions: 20000 mm x 900 mm x 700 mm, including RO-Groep transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 2500 mm x 900 mm x 700 mm and s/s frame for curve conveyor, total length: 25000 mm.	2000
739	BA Systemes	BA Systemes automated guided vehicle, type: GF16.6, serial number: 2F1225, year of construction: 2016, capacity: 3750 kg, dimensions charge: 670 mm, unladen mass: 7087 kg, battery mass: 1357 kg, battery voltage: 72 V, rated power: 8 kW, slope: <4 %, fork length: 1240 mm, fork width: 2045 mm, lifting height: min 5700 mm, total dimensions: 3800 mm x 2300 mm x 4850 mm, including battery loading station with extra battery, dimensions: 1200 mm x 1800 mm x 1530 mm.	15000
740	BA Systemes	BA Systemes automated guided vehicle, type: GF16.6, serial number: 2F1226, year of construction: 2016, capacity: 3750 kg, dimensions charge: 670 mm, unladen mass: 7087 kg, battery mass: 1357 kg, battery voltage: 72 V, rated power: 8 kW, slope: <4 %, fork length: 1240 mm, fork width: 2045 mm, lifting height: min 5700 mm, total dimensions: 3800 mm x 2300 mm x 4850 mm, including battery loading station with extra battery, dimensions: 1200 mm x 1800 mm x 1530 mm.	15000
741	BA Systemes	BA Systemes automated guided vehicle, type: GF16.6, serial number: 2F1227, year of construction: 2016, capacity: 3750 kg, dimensions charge: 670 mm, unladen mass: 7087 kg, battery mass: 1357 kg, battery voltage: 72 V, rated power: 8 kW, slope: <4 %, fork length: 1240 mm, fork width: 2045 mm, lifting height: min 5700 mm, total dimensions: 3800 mm x 2300 mm x 4850 mm, including battery loading station with extra battery, dimensions: 1200 mm x 1800 mm x 1530 mm.	15000



Nr	Title	Description	Start €
742	BA Systemes	BA Systemes automated guided vehicle, type: GF16.6, serial number: 2F1229, year of construction: 2016, capacity: 3750 kg, dimensions charge: 670 mm, unladen mass: 7087 kg, battery mass: 1357 kg, battery voltage: 72 V, rated power: 8 kW, slope: <4 %, fork length: 1240 mm, fork width: 2045 mm, lifting height: min 5700 mm, total dimensions: 3800 mm x 2300 mm x 4850 mm, including battery loading station with extra battery, dimensions: 1200 mm x 1800 mm x 1530 mm.	15000
743	BA Systemes	BA Systemes automated guided vehicle, type: GF16.6, serial number: 2F1228, year of construction: 2016, capacity: 3750 kg, dimensions charge: 670 mm, unladen mass: 7087 kg, battery mass: 1357 kg, battery voltage: 72 V, rated power: 8 kW, slope: <4 %, fork length: 1240 mm, fork width: 2045 mm, lifting height: min 5700 mm, total dimensions: 3800 mm x 2300 mm x 4850 mm, including battery loading station with extra battery, dimensions: 1200 mm x 1800 mm x 1530 mm.	15000
744	NN guidance poles for automated guided vehicles	36 steel guidance poles for automated guided vehicles, dimensions: (36x) 300 mm x 300 mm x 2750 mm.	360
745	BA Systemes	3 steel frames with BA Systemes rotation axles, dimensions: (3x) 800 mm x 500 mm x 1410 mm, including 2 wheels.	450
792	NN pylons	14 plastic pylons, dimensions: (14x) 380 mm x 380 mm x 700 mm.	15
793	Engels	Engels plastic waste container, dimensions: 470 mm x 550 mm x 900 mm	25
794	Novoferm Nederland BV	Novoferm Nederland BV electrical high speed shutter door, serial number: 3767681-21-11345, door dimensions: 4000 mm x 6000 mm.	500
795	NN protection railing	S/s protection railing with gate, dimensions: 5250 mm x 2700 mm x 1000 mm.	150
796	NN pylons	6 plastic pylons, dimensions: (6x) 380 mm x 380 mm x 700 mm.	15
797	NN protection railing	S/s protection railing, dimensions: 2700 mm x 970 mm.	100
798	Altrex	Altrex mobile aluminium stairs, working height: 3000 mm, total dimensions: 2400 mm x 850 mm x 4100 mm.	100
799	NN trolley	Aluminium trolley, dimensions: 550 mm x 500 mm x 1150 mm.	100
800	NN protection railing	S/s protection railing, dimensions: 1170 mm x 970 mm.	100
801	NN pylons	8 plastic pylons, dimensions: (8x) 380 mm x 380 mm x 700 mm.	15



Nr	Title	Description	Start €
802	NN wall plate with safety equipment	Wall plate with safety equipment, dimensions: 1260 mm x 1050 mm.	100
803	NN protection railing	S/s protection railing, dimensions: 1400 mm x 970 mm.	100
804	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 9500 mm x 850 mm x 1350 mm.	950
805	NN unloading and loading line for racks	Unloading and loading line for racks with cheese boards, consisting of: Transport system for racks with 3 carts, dimensions carts: (2x) 2000 mm x 1300 mm x 300 mm and (1x) 4800 mm x 1000 mm x 300 mm, total dimensions: 4800 mm x 1000 mm x 300 mm, cheese board rack unloading machine, plastic chain conveyor, belt width: 1460 mm, total dimensions: 6400 mm x 3300 mm x 3450 mm and cheese board rack loading machine, plastic chain conveyor, belt width: 1460 mm, total dimensions: 3600 mm x 3300 mm x 3450 mm.	5500
806	NN cheese wheel tilting line	Cheese wheel tilting line, consisting of: Tilting device for cheese wheels with outfeed belt for wooden cheese boards, dimensions: 4200 mm x 3100 mm x 2050 mm, infeed belt for separate cheese wheels, 90° curve conveyor, plastic belt, belt width: 600 mm, electric driven roller conveyor, roller width: 500 mm, total dimensions: 3500 mm x 1300 mm x 1400 mm, scanning and weighing machine, plastic belt, belt width: 500 mm, total dimensions: 3300 mm x 1200 mm x 1900 mm, lane dividing belt, plastic belt, belt width: 500 mm, total dimensions: 2400 mm x 950 mm x 1700 mm, electric driven roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 2900 mm x 950 mm x 1150 mm, elevating belt, plastic belt, belt width: 500 mm, elevating height: 1300 mm, total dimensions: 5000 mm x 1000 mm x 1600 mm, roller conveyor for cheese boards, plastic rollers, roller width: 460 mm, total dimensions: 5800 mm x 800 mm x 800 mm, de-elevating belt for cheese boards, plastic chain conveyor with dividers, belt width: 1690 mm, distance between dividers: 420 mm, divider height: 100 mm, de-elevation: 1400 mm to 1100 mm, total dimensions: 3600 mm x 2200 mm x 1700 mm, roller conveyor for cheese boards, plastic rollers, roller width: 450 mm, total dimensions: 3400 mm x 900 mm x 1250 mm, outfeed belt, plastic belt, belt width: 500 mm, total dimensions: 4500 mm x 700 mm x 850 mm, and with various safety fences.	6500



Nr	Title	Description	Start €
807	Ammeraal	Ammeraal 90° curve conveyor, type: 90°, number: 61.0727, plastic belt, belt width: 600 mm, total dimensions: 1500 mm x 1200 mm x 1700 mm.	500
809	NN curve conveyor	90° curve conveyor, type: 90°, number: 61.0727, plastic belt, belt width: 600 mm, total dimensions: 1500 mm x 1200 mm x 1700 mm.	500
810	NN cheese board loading line	Loading line for wooden cheese boards, consisting of: shuttle conveyor, plastic belt, belt width: 500 mm, total dimensions: 5350 mm x 1000 mm x 1700 mm, plastic chain conveyor with dividers, belt width: 1690 mm, distance between dividers: 540 mm, divider height: 100 mm, total dimensions: 2300 mm x 2200 mm x 1300 mm, electric driven roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 9500 mm x 900 mm x 1100 mm.	1500
811	NN brushing machine	Brushing machine for wooden cheese boards, clearance: 450 mm x 50 mm, total dimensions: 2800 mm x 1000 mm x 1550 mm. With s/s tub with Grundfos pump, dimensions tub: 660 mm x 570 mm x 630 mm.	1750
812	NN table	Mobile table, s/s frame, plastic top, dimensions: 1200 mm x 700 mm x 880 mm.	150
813	Altrex	Altrex mobile aluminium stairs, year of construction: 2018/51, capacity: 500 kg, platform height: 1850 mm, total dimensions: 1700 mm x 670 mm x 2950 mm.	100
814	NN platform	S/s platform with 3 stairs, platform height: 1220 mm, total dimensions: 8700 mm x 3100 mm x 2220 mm.	750
815	NN calibration weights	S/s trolley with 6 calibration weights, 10 kg each, dimensions: 660 mm x 450 mm x 900 mm.	100
816	Elpress	Elpress hose reel with hose and pistol, type: EHT25, serial number: 144020, year of construction: 12/2017, dimensions: 500 mm x 350 mm x 400 mm.	150
817	Vikan	Wall plate with Vikan cleaning equipment, dimensions: 1250 mm x 2150 mm.	100
818	Vikan	4 Vikan plastic buckets, 12 litre.	25
819	Maestro	Maestro eye wash station with shower, sink with eye shower and eye shower bottle.	50
820	Mohn	Mohn s/s sink with faucet, sensor operated, s/s waste bin, 2 soap dispensers and 1 paper dispenser, dimensions sink: 550 mm x 450 mm x 670 mm and dimensions waste bag holder: 450 mm x 450 mm x 900 mm.	350
821	Mettler Toledo	Mettler Toledo weighing scale, type: ID1 Plus, serial number: 2010034, 100-120/200-240 V, 50/60 Hz, last calibrated: November 2024, dimensions scale: 500 mm x 400 mm, total dimensions: 600 mm x 400 mm x 1250 mm.	150



Nr	Title	Description	Start €
822	Elpress	Elpress soap mixing station with s/s cabinet for chemicals, type: 83801020, year of construction: 2022-2, dimensions: 530 mm x 390 mm x 600 mm.	250
823	Elpress	Elpress hose reel with hose and pistol, type: EHT25, serial number: 144027, year of construction: 12/2017, dimensions: 500 mm x 350 mm x 400 mm.	150
824	NN safety equipment	Wall plate with safety equipment, dimensions: 1250 mm x 1100 mm.	100
825	NN table	Mobile table, s/s frame, plastic top, dimensions: 1200 mm x 700 mm x 880 mm.	150
826	Elpress	Elpress hose reel with hose and pistol, type: EHT25, serial number: 144029, year of construction: 12/2017, dimensions: 500 mm x 350 mm x 400 mm.	150
827	NN cabinet	Plastic cabinet for chemicals, 8 floors, dimensions: 1250 mm x 600 mm x 1900 mm.	75
828	Altrex	Altrex mobile aluminium stairs, year of construction: 2017/27, capacity: 500 kg, platform height: 770 mm, total dimensions: 1350 mm x 650 mm x 1950 mm.	100
829	NN platform	S/s platform with double stairs, platform height: 1250 mm, total dimensions: 4800 mm x 700 mm x 2300 mm.	650
830	NN unloading and loading line for racks	Unloading and loading line for racks with cheese boards, consisting of: Transport system for racks with 3 carts, dimensions carts: (2x) 2000 mm x 1300 mm x 300 mm and (1x) 4800 mm x 1000 mm x 300 mm, total dimensions: 4800 mm x 1000 mm x 300 mm, cheese board rack unloading machine, plastic chain conveyor, belt width: 1460 mm, total dimensions: 6400 mm x 3300 mm x 3450 mm and cheese board rack loading machine, plastic chain conveyor, belt width: 1460 mm, total dimensions: 3600 mm x 3300 mm x 3450 mm.	5500
832	Janssen Quadraat	Janssen Quadraat mobile plastic screen, s/s frame, dimensions: 2080 mm x 600 mm x 2030 mm.	100
833	Altrex	Altrex mobile aluminium stairs, year of construction: 2017/44, capacity: 500 kg, platform height: 1850 mm, total dimensions: 1700 mm x 670 mm x 2950 mm.	100



Nr	Title	Description	Start €
834	NN cheese wheel tilting line	Cheese wheel tilting line, consisting of: Tilting device for cheese wheels with outfeed belt for wooden cheese boards, dimensions: 4200 mm x 3100 mm x 2050 mm, scanning and weighing machine, plastic belt, belt width: 500 mm, total dimensions: 3300 mm x 1200 mm x 1900 mm, lane dividing belt, plastic belt, belt width: 500 mm, total dimensions: 2400 mm x 950 mm x 1700 mm, electric driven roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 2900 mm x 950 mm x 1150 mm, elevating belt, plastic belt, belt width: 500 mm, elevating height: 1300 mm, total dimensions: 5000 mm x 1000 mm x 1600 mm, roller conveyor for cheese boards, plastic rollers, roller width: 460 mm, total dimensions: 5800 mm x 800 mm x 800 mm, de-elevating belt for cheese boards, plastic chain conveyor with dividers, belt width: 1690 mm, distance between dividers: 420 mm, divider height: 100 mm, de-elevation: 1400 mm to 1100 mm, total dimensions: 3600 mm x 2200 mm x 1700 mm, roller conveyor for cheese boards, plastic rollers, roller width: 450 mm, total dimensions: 3400 mm x 900 mm x 1250 mm, outfeed belt, plastic belt, belt width: 500 mm, total dimensions: 4500 mm x 700 mm x 850 mm, and with various safety fences.	6500
835	Ammeraal	Ammeraal 90° curve conveyor, type: 90°, number: 61.0727, plastic belt, belt width: 600 mm, total dimensions: 1500 mm x 1200 mm x 1700 mm.	500
837	NN curve conveyor	90° curve conveyor, type: 90°, number: 61.0727, plastic belt, belt width: 600 mm, total dimensions: 1500 mm x 1200 mm x 1700 mm.	500
838	NN cheese board loading line	Loading line for wooden cheese boards, consisting of: shuttle conveyor, plastic belt, belt width: 500 mm, total dimensions: 5350 mm x 1000 mm x 1700 mm, plastic chain conveyor with dividers, belt width: 1690 mm, distance between dividers: 540 mm, divider height: 100 mm, total dimensions: 2300 mm x 2200 mm x 1300 mm, electric driven roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 9500 mm x 900 mm x 1100 mm.	1500
839	NN brushing machine	Brushing machine for wooden cheese boards, clearance: 450 mm x 50 mm, total dimensions: 2800 mm x 1000 mm x 1550 mm. With s/s tub with Grundfos pump, dimensions tub: 660 mm x 570 mm x 630 mm.	1750
840	NN table	Mobile table, s/s frame, plastic top, dimensions: 1200 mm x 700 mm x 880 mm.	150



Nr	Title	Description	Start €
841	Altrex	Altrex mobile aluminium stairs, type: BT 45, platform height: 620 mm, total dimensions: 1600 mm x 720 mm x 1730 mm.	100
842	NN hose reels	2 s/s wall mounted hose reels with hose, dimensions: (2x) 380 mm x 120 mm x 160 mm.	50
843	Prevost	Prevost air hose reel, type: DRF 0815IS, length: 15 meter, dimensions: 250 mm x 150 mm x 300 mm.	100
844	NN control room inventory	Control room inventory, consisting of: 4 desks, dimensions: (2x) 2000 mm x 1000 mm x 1040 mm, (1x) 1650 mm x 800 mm x 750 mm and (1x) 2800 mm x 1600 mm x 750 mm, 3 desk chairs, 1 table, dimensions: 500 mm x 400 mm x 900 mm and 2 cabinets, dimensions: 780 mm x 420 mm x 550 mm and 1000 mm x 400 mm x 1950 mm. IT equipment not included.	250
845	Rema	Rema shop crane, type: GWK 2000, serial number: CY1703755, year of construction: 2017, capacity: 2000 kg, maximum hook height: 2490 mm, leg height: 208 mm.	150
846	NN tools	Wall plate with tools, dimensions: 1000 mm x 1150 mm.	50
847	Rittal	Rittal switch cabinets, dimensions: (4x) 1200 mm x 1200 mm x 2100 mm.	400
848	NN safety equipment	Safety equipment, consisting of: 3 helmets, 2 first aid kits and 2 emergency response kits.	25
849	Nilfisk	Nilfisk high pressure cleaner, model: MC 7P-195/1280 FFA, number: 107146802, 400 V, 3 Ph, 50 Hz, 14 A, 8 kW, dimensions: 600 mm x 500 mm x 960 mm.	100
850	Ecolab	Ecolab mobile plastic pressure vessel, dimensions: 400 mm x 400 mm x 1030 mm.	100
851	AED-kit	AED-kit, dimensions: 200 mm x 150 mm x 330 mm.	150
852	Kemppi	S/s trolley with Kemppi welding machine, type: MinarcTig 180.	250
853	Grenco	Grenco blower, dimensions: 2100 mm x 1250 mm x 1500 mm.	450
854	Navep	Navep air chilling unit, dimensions: 5500 mm x 3000 mm x 1200 mm.	2750
855	Grenco	2 Grenco blowers, dimensions: (2x) 2100 mm x 1250 mm x 1500 mm.	900
856	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4VCS-10.2Y-40P, serial number: 1672614491 and 1672406707, dimensions: 1500 mm x 1000 mm x 1100 mm.	750
857	Navep	Navep air chilling unit, dimensions: 5500 mm x 3000 mm x 1200 mm.	2750
858	Grenco	2 Grenco blowers, dimensions: (2x) 2100 mm x 1250 mm x 1500 mm.	900



Nr	Title	Description	Start €
859	Grenco	2 Grenco blowers, dimensions: (2x) 2100 mm x 1250 mm x 1500 mm.	900
860	Navep	Navep air chilling unit, dimensions: 5500 mm x 3000 mm x 1200 mm.	2750
861	Grenco	2 Grenco blowers, dimensions: (2x) 2100 mm x 1250 mm x 1500 mm.	900
862	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4VCS-10.2Y-40P, serial number: 1672614493 and 1672406706, dimensions: 1500 mm x 1000 mm x 1100 mm.	750
863	Navep	Navep air chilling unit, dimensions: 5500 mm x 3000 mm x 1200 mm.	2750
864	Grenco	Grenco blower, dimensions: 2100 mm x 1250 mm x 1500 mm.	350
865	Voets & Donkers	Voets & Donkers air treatment cabinet, type: Installatie zonder freon, number: V0349-139457.15, dimensions: 5150 mm x 1700 mm x 2100 mm. With outfeed funnel.	3750
866	Speck	Speck high pressure plunger pump, type: NP25/50-150, serial number: 618563/008, year of construction: 02/18, capacity: 48.4 litre per minute, dimensions: 1200 mm x 700 mm x 1100 mm.	950
867	Grundfos	Grundfos hydrophore pump, type: CMBE 3-62 I-U-C-C-N-A, capacity: 4.2 m³ per hour, dimensions: 550 mm x 300 mm x 750 mm.	150
868	AO Smith	AO Smith/Enevator Store storage air/water heat pump boiler, model: CAWH 8-455-12, serial number: 234707695301001, refrigerant: R134a, 1850 gram, dimensions: 1000 mm x 600 mm x 1820 mm.	1250
869	NN boiler	Boiler in isolated jacket with Reichenpfader heating element, type: ARD 7500 W, dimensions: Ø 1100 mm x 2250 mm.	350
870	Reflex	Reflex steel pressure vessel, type: Refix DE 100, serial number: 1820955 00322, year of construction: 02.2023, volume: 100 litre, dimensions: Ø 500 mm x 800 mm.	150
871	Rittal	Rittal switch cabinet, dimensions: 800 mm x 300 mm x 1000 mm.	150
872	Alfa Laval/Grundfos	Alfa Laval heat exchanger, type: CB60-40H, serial number: AAD001892968, year of construction: 04-02-2023 and Grundfos circulation pump, type: UPS 32-80 180, dimensions: 110 mm x 110 mm x 550 mm.	200
873	Grundfos	Grundfos single-stage, close-coupled in-line centrifugal pump, type: TP 32-380/2 A-F-A-BAQE, capacity: 18.6 m³ per hour, dimensions: 400 mm x 250 mm x 900 mm.	150



Nr	Title	Description	Start €
874	KSB	KSB centrifugal pump, dimensions: 1250 mm x 300 mm x 480 mm.	150
875	KSB	KSB centrifugal pump, type: Etanorm G 080 160 G10, year of construction: 2007, capacity: 2940 litre per minute, dimensions: 1250 mm x 300 mm x 480 mm.	150
876	Alfa Laval	Alfa Laval plate heat exchanger, type: M6-MFM, manufacturing number: 30101-95438, year of construction: 1995, volume: 7 litre, dimensions: 500 mm x 330 mm x 920 mm.	200
877	Grundfos	Grundfos circulation pump, model: Magna3 50-180 F280, serial number: 10002784, 230 V, 1 Ph, 50/60 Hz, dimensions: 400 mm x 300 mm x 250 mm.	150
878	KSB	KSB centrifugal pump, type: Etanorm-G 50-160 G1, number: 7-106-564 812/2, year of construction: 1986, capacity: 70 m ³ per hour, dimensions: 1000 mm x 300 mm x 400 mm.	150
879	KSB	KSB centrifugal pump, dimensions: 1000 mm x 300 mm x 400 mm.	150
881	NN hose reel	Wall mounted s/s hose reel with hose, dimensions: 440 mm x 120 mm x 200 mm.	25
882	Rittal	16 Rittal switch cabinets, dimensions: (16x) 1200 mm x 600 mm x 2100 mm.	4000
883	Ajax	Ajax fire extinguishing installation with Argon gas, dimensions: 1800 mm x 1000 mm x 1200 mm.	750
884	NN safety equipment	Wall plate with safety equipment, dimensions: 700 mm x 700 mm.	100
885	APC / Schneider Electric	APC / Schneider Electric battery pack, dimensions: 1050 mm x 900 mm x 1500 mm.	650
886	NN cabinets	7 steel cabinets and 1 steel rack, dimensions: (7x) 1000 mm x 420 mm x 1950 mm and (1x) 2050 mm x 420 mm x 2300 mm.	700
887	NN cabinets	7 steel cabinets and 1 steel rack, dimensions: (7x) 1000 mm x 420 mm x 1950 mm and (1x) 2050 mm x 420 mm x 2300 mm. Including floors for rack.	700
888	Saval	Saval fire extinguishing installation, model: IG-55, dimensions: 700 mm x 400 mm x 1950 mm.	200
889	Alga Products	Alga Products aluminium ladder, height: 1700 mm.	50
890	NN boot rack	S/s wall mounted boot rack for 20 pairs of boots, dimensions: 1150 mm x 250 mm x 2000 mm. With wall mounted foldable chair.	100
891	NN boot racks	2 s/s wall mounted boot racks for 4 pairs of boots each, dimensions: (2x) 1150 mm x 180 mm x 250 mm. Including bench, dimensions: 1000 mm x 340 mm x 420 mm.	100
892	NN coat rack	Coat rack, dimensions: Ø 500 mm x 1740 mm.	50
893	Zarges	Zarges aluminium ladder, capacity: 150 kg, height: 1400 mm.	50



Nr	Title	Description	Start €
894	NN canteen inventory	Canteen inventory consisting of: 5 tables, dimensions: (3x) 900 mm x 600 mm x 750 mm, (1x) 1200 mm x 600 mm x 750 mm and (1x) 2000 mm x 1000 mm x 750 mm, 11 chairs, cup holder, dimensions: 900 mm x 660 mm x 850 mm and 5 announcement boards.	250
895	Severin	Severin microwave, model: MW 7803, dimensions: 520 mm x 400 mm x 330 mm.	25
896	Samsung	Samsung refrigerator, model: RR82FHSW, serial number: I66243ECB00129K, volume: 355 litre, dimensions: 670 mm x 600 mm x 1700 mm.	100
897	Exquisit	Exquisit freezer, dimensions: 570 mm x 550 mm x 850 mm.	100
899	NN hygiene equipment	Storage unit with disposable hygiene equipment, among others: hairnets, beard nets, shoe covers and earplugs, dimensions: 2000 mm x 300 mm x 2080 mm.	50
900	NN cabinet	Wooden cabinet for caps and shoe covers, dimensions: 1000 mm x 300 mm x 900 mm.	25
902	NN temperature checker	S/s stand with temperature checker, dimensions: 450 mm x 450 mm x 1670 mm.	150
903	Altrex	Altrex aluminium ladder, capacity: 150 kg, height: 1500 mm.	50
904	NN office inventory	Office inventory, consisting of: 3 desks, dimensions: (2x) 1800 mm x 1600 mm x 770 mm and (1x) 1800 mm x 900 mm x 770 mm, 6 chairs, 1 meeting table, dimensions: 2000 mm x 1200 mm x 1100 mm, 1 whiteboard, 1 tv and 4 cabinets, dimensions: (3x) 750 mm x 430 mm x 530 mm and (1x) 1200 mm x 430 mm x 780 mm.	250
905	NN cheese slicer	Cheese slicer, plastic board, dimensions: 700 mm x 400 mm x 250 mm.	50
906	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: 1300 mm x 1000 mm x 300 mm.	300
907	NN transport belt	Transport belt, steel frame, plastic belt, belt width: 500 mm, total dimensions: 8800 mm x 1000 mm x 300 mm.	850
908	NN transport belt	Transport belt, s/s frame, plastic mesh belt with rollers, belt width: 1300 mm, total dimensions: 1600 mm x 1600 mm x 700 mm.	500
909	NN transport belt	Transport belt with 2 90° curve conveyors, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: 9000 mm x 8000 mm x 450 mm.	650
910	RO Group	RO Group de-elevating 90° curve conveyor, s/s frame, plastic mesh belt, belt width: 450 mm, de-elevation: 2650 mm to 1750 mm, total dimensions: 6800 mm x 1400 mm x 2650 mm.	500



Nr	Title	Description	Start €
911	Datalogic	Transport belt with Datalogic scanner, plastic belt, belt width: 500 mm, de-elevation: from 1750 mm to 1300 mm, total dimensions: 1700 mm x 800 mm x 1950 mm.	750
912	NN lane dividing belt	Lane dividing belt with 90° curve conveyor, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: 3600 mm x 2350 mm x 1350 mm. With 90° outfeed roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 5000 mm x 1000 mm x 1650 mm.	500
914	NN roller conveyor	Electric driven roller conveyor, s/s frame, plastic rollers, roller width: 450 mm, total dimensions: 4750 mm x 700 mm x 900 mm.	350
915	RO Group	RO Group buffer belt for cheese wheels, plastic belt, belt width: 150 mm, total dimensions: 3700 mm x 1200 mm x 2100 mm.	500
916	NN transport system	Transport system for cheese wheels and empty boxes, s/s frame, plastic rollers, roller width: 450 mm, plastic belts, belt width: 400 mm, total dimensions: 5000 mm x 1400 mm x 1200 mm.	500
917	NN platform	S/s platform, dimensions: 1800 mm x 1000 mm x 150 mm.	100
918	Avercon	Avercon box folding machine, type: AVC-TE, number: 431, year of construction: 05/2000, 400 V, 3 Ph, 50 Hz, 17 A, Nordson glue unit, model: Problue Flex, serial number: SA23L24336, year of construction: 2023, plastic string infeed belt, belt width: 640 mm, plastic outfeed belt, belt width: 400 mm, total dimensions: 6400 mm x 1800 mm x 2300 mm.	2500
919	Mettler Toledo Safeline	Mettler Toledo Safeline metal detector, last calibrated: November 2024, plastic belt, belt width: 440 mm, clearance: 500 mm x 170 mm, total dimensions: 1600 mm x 1000 mm x 1200 mm.	1500
920	Mettler Toledo	Mettler Toledo checkweigher, type: C2330, fabrication number: 73000003, year of construction: 2017, 100-240 V, 50-60 Hz, maximum weight: 17 kg, minimum weight: 8 kg, e=d=: 0.01 kg, T=- 15.3 kg, maximum belt speed: 40 meter per minute, capacity: 59 pieces per minute, plastic belt, belt width: 400 mm, total dimensions: 2000 mm x 1400 mm x 1700 mm.	1500
921	RO Group	RO Group box packaging machine for cheese wheels, electric driven roller conveyor, plastic rollers, roller width: 450 mm, plastic belts, belt width: 450 mm and 400 mm, plastic rollers, roller width: 350 mm, total dimensions: 3900 mm x 1000 mm x 1700 mm.	1950



Nr	Title	Description	Start €
922	Good Tech	Good Tech mobile labelling machine, model: IPA-1001-TBO-LH, serial number: A391Q003-1, 230 V, 50/60 Hz, 6 A, label width: 100 mm, total dimensions: 770 mm x 600 mm x 1530 mm.	150
923	NN transport belt	Transport belt, s/s frame, plastic belt with rollers, belt width: 460 mm, total dimensions: 3600 mm x 900 mm x 830 mm.	500
924	NN platform	S/s platform with double stairs, platform height: 1070 mm, total dimensions: 3150 mm x 900 mm x 2180 mm.	650
925	Fanuc	Fanuc palletizing line, consisting of: Fanuc palletizing robot, type: A05B-1337-B201, number: R213201C3, year of construction: 2021.03, 1320 kg, dimensions: 3400 mm x 1500 mm x 3200 mm, transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 1800 mm x 800 mm x 800 mm, 90° curve conveyor, plastic belt, belt width: 600 mm, total dimensions: 1150 mm x 1100 mm x 850 mm, electric driven roller conveyor, s/s rollers, roller width: 400 mm, total dimensions: 2850 mm x 500 mm x 850 mm, chain conveyor for pallets, s/s chains, belt width: 850 mm, total dimensions: 16000 mm x 1100 mm x 700 mm, switch cabinet, dimensions: 2400 mm x 500 mm x 1300 mm, fence, table and pallet with spacers, dimensions: 1200 mm x 800 mm x 1300 mm.	12500
926	Strema	Strema pallet wrapper, type: SAD 16, serial number: 5686, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 5 kW, s/s chain conveyor for pallets, belt width: 730 mm, total dimensions: 2400 mm x 1900 mm x 3200 mm.	3500
927	NN mirror	Mirror, dimensions: 800 mm x 400 mm x 400 mm.	25
928	NN safety equipment	Wooden board with safety equipment, dimensions: 1250 mm x 2100 mm.	100
929	NN cabinet	Plastic cabinet for chemicals, 4 floors, dimensions: 880 mm x 600 mm x 1830 mm.	75
930	NN frame	S/s wall mounted frame, dimensions: 350 mm x 300 mm x 580 mm.	50
931	NN hose reel	S/s wall mounted hose reel with hose, dimensions: 430 mm x 130 mm x 140 mm.	25
932	Novoferm	Novoferm high speed shutter door, model: NS Basic, serial number: 1944, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 6.2/3.6 A, dimensions: 2500 mm x 3000 mm.	500
933	NN sheets	Box with plastic sheets, dimensions: 1300 mm x 900 mm x 820 mm.	50
934	NN waste container	Mobile plastic waste container, dimensions: 700 mm x 550 mm x 1030 mm.	25



Nr	Title	Description	Start €
935	Score	Score chair, s/s frame, plastic seat, dimensions: 600 mm x 530 mm x 1200 mm.	25
936	NN control station	Control station for packaging area, dimensions: 2100 mm x 2100 mm x 2200 mm.	500
937	NN table	Table, steel frame, wooden top, dimensions: 900 mm x 600 mm x 750 mm.	50
938	NN protection frame	S/s protection frame, dimensions: 3200 mm x 1080 mm x 1200 mm.	100
939	Step2	2 Step2 plastic safety signs, dimensions: (2x) 500 mm x 400 mm x 780 mm.	25
940	Janssen Quadraat	Janssen Quadraat mobile plastic screen, s/s frame, dimensions: 2080 mm x 600 mm x 2030 mm.	150
941	NN table	Mobile table, s/s frame, plastic top, dimensions: 1200 mm x 700 mm x 880 mm.	150
942	NN frame	Mobile steel frame, dimensions: 1050 mm x 940 mm x 970 mm.	100
943	Vikan	Wooden board with Vikan cleaning equipment, dimensions: 1250 mm x 2150 mm.	100
945	NN whiteboard	Whiteboard, dimensions: 900 mm x 600 mm.	50
947	Pfaff	Pfaff jack, type: 030002003, fabrication number: 01003414-0026, year of construction: 2003, capacity: 3 ton, lifting height: 0.35 meter.	50
948	Altrex	Altrex mobile aluminium stairs, platform height: 1200 mm, total dimensions: 1350 mm x 750 mm x 2300 mm.	100
949	Novoform	Novoform high speed shutter door, model: Speedroller, serial number: 741232-08, dimensions: 2500 mm x 3150 mm.	500
950	Vikan	Wooden board with Vikan cleaning equipment, dimensions: 1250 mm x 2150 mm.	100
951	NN protection frames	S/s protection frames, dimensions: 690 mm x 320 mm x 880 mm and 2000 mm x 700 mm x 880 mm.	100
952	NN mirror	Mirror, diameter: Ø 400 mm.	25
953	NN protection frame	S/s protection frame, dimensions: 2500 mm x 1250 mm x 3000 mm.	150
954	NN waste container	Mobile plastic waste container, dimensions: 700 mm x 570 mm x 1000 mm.	25
955	Testo	Testo temperature measuring device, dimensions: 200 mm x 70 mm x 50 mm.	100
956	Bvit	Bvit steel cabinet, dimensions: 1000 mm x 550 mm x 1250 mm.	100
957	NN table	S/s table, dimensions: 750 mm x 500 mm x 930 mm.	50
958	NN mirrors	2 mirrors, diameter: Ø 750 mm.	25
959	NN bags	Pallet with LDPE bags, 44 rolls, 50 pieces per roll, dimensions bags: 1300 + 2x500 x 2100mm - 35my, total dimensions: 1300 mm x 800 mm x 1500 mm.	250



Nr	Title	Description	Start €
960	NN parts	Pallet with large amount of parts, among others: pump, cables and piping's, dimensions: 1200 mm x 800 mm x 350 mm.	100
961	NN bags	Pallet with LDPE bags, 31 rolls, 50 pieces per roll, dimensions bags: 1300 + 2x500 x 2100mm - 35my, total dimensions: 1300 mm x 800 mm x 1500 mm.	250
962	NN wheel chock brackets	Pallet with 5 wheel chock brackets, dimensions: 1200 mm x 800 mm x 450 mm.	150
963	NN sheets	2 pallets with plastic sheets, dimensions: 1350 mm x 1100 mm x 1100 mm.	150
964	NN CMR	2 boxes with CMR documents, dimensions: (2x) 460 mm x 340 mm x 250 mm.	50
965	Altrex	Pallet with Altrex mobile aluminium stairs, dimensions: 1200 mm x 1200 mm x 620 mm.	50
966	Rossignol	Pallet with Rossignol waste bin for cups, dimensions: 1200 mm x 800 mm x 400 mm.	25
967	Indubat	Pallet with 2 Indubatt battery chargers, dimensions: 800 mm x 400 mm x 750 mm.	400
968	Nordson	Pallet with Nordson glue unit, serial number: 230880A, 400/230 V, 3 Ph, 50/60 Hz, 16A, dimensions: 760 mm x 470 mm x 750 mm.	150
969	Still	Still forklift attachment for changing batteries, type: 705319, capacity: 1300 kg, dimensions: 1600 mm x 800 mm x 450 mm.	500
970	NN table	Table, steel frame, wooden top, dimensions: 1100 mm x 600 mm x 730 mm.	50
971	Paramelt	Pallet with 30 bags of Paramelt adhesive, 20kg per bag, dimensions: 1200 mm x 800 mm x 1350 mm.	300
972	NN labels	2 pallet with boxes of labels, dimensions: (2x) 1200 mm x 800 mm x 400 mm.	100
973	NN film	Pallet with 4 rolls of film for pallet wrapper, dimensions: 1200 mm x 800 mm x 700 mm.	40
974	NN labels	Pallet with boxes of labels, dimensions: 1200 mm x 800 mm x 1300 mm.	150
975	NN bags	Pallet with 2 rolls of LDPE bags, dimensions bags: 1300 + 2x500x2100 mm, 35my, dimensions: 1300 mm x 800 mm x 250 mm.	50
976	NN cabinet	S/s cabinet, dimensions: 1600 mm x 400 mm x 500 mm.	50
977	Eriks	Eriks steel pallet rack, consisting of: 16 beams and 3 uprights, beam width: 2700 mm, dimensions uprights: 1100 mm x 6000 mm.	350
978	Alpha Deuren International B.V.	Alpha Deuren International B.V. high speed shutter door, dimensions: 2500 mm x 2800 mm.	500



Nr	Title	Description	Start €
979	Smurfit Westrock	3 pallets with Smurfit Westrock boxes, dimensions each box: 391 mm x 381 mm x 125 mm, total dimensions: (2x) 1200 mm x 800 mm x 1950 mm and (1x) 1200 mm x 800 mm x 400 mm.	100
982	A-Safe	Large amount of A-Safe plastic protection frames, total length: approximately 40 meters.	350
983	Altrex	Altrex mobile aluminium stairs, year of construction: 2019/26, capacity: 500 kg, platform height: 1850 mm, total dimensions: 1700 mm x 700 mm x 2950 mm.	100
984	Janssen Quadraat	Janssen Quadraat s/s film roll holder, dimensions: 1400 mm x 250 mm x 300 mm.	50
985	NN cones	5 plastic cones, dimensions: 280 mm x 280 mm x 680 mm.	15
986	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 8500 mm x 900 mm x 500 mm. Belt missing.	850
987	Zanardo	Zanardo switch cabinet used for transport belts, dimensions: 1200 mm x 300 mm x 800 mm.	350
988	EMS Isosystems	EMS Isosystems electric refrigeration sliding doors, dimensions door: 2600 mm x 3150 mm, length rail: 5300 mm.	500
989	EMS Isosystems	EMS Isosystems electric refrigeration sliding doors, dimensions door: 2600 mm x 3150 mm, length rail: 5300 mm.	500
990	Novoferm	Novoferm shutter door, dimensions: 2500 mm x 2800 mm.	500
991	Holland Heating	Holland Heating heater, type: HHWBC 16500, capacity: 4.17 m ³ per second, dimensions: 3500 mm x 1800 mm x 1500 mm.	400
992	Altrex	Altrex mobile aluminium stairs, year of construction: 2020/31, capacity: 500 kg, platform height: 450 mm, total dimensions: 1000 mm x 1300 mm x 1600 mm.	100
993	NN table	Table, steel frame, wooden top, dimensions: 700 mm x 600 mm x 730 mm.	50
994	Diversey	IBC tank with Diversey detergent and cabinet with dosing pump, dimensions: 1200 mm x 1000 mm x 1440 mm and 460 mm x 440 mm x 440 mm.	150
995	Novoferm	Novoferm shutter door, dimensions: 2800 mm x 2800 mm.	500
996	NN emergency shower	Emergency shower, dimensions: 650 mm x 200 mm x 750 mm.	100
997	NN safety equipment	Wall plate with safety equipment, dimensions: 1250 mm x 1100 mm.	100
998	NN writing desk	Steel writing desk, dimensions: 920 mm x 460 mm x 1200 mm.	50



Nr	Title	Description	Start €
999	Mohn	Mohn s/s sink with faucet, sensor operated, 1 soap dispenser, 1 paper dispenser, 1 waste container, 3 cabinets and 1 bench, dimensions: 2300 mm x 500 mm x 1300 mm.	350
1000	NN disinfection dispenser	S/s frame with disinfection dispenser, dimensions: 300 mm x 300 mm x 1500 mm.	100
1001	NN table	Wooden park table, dimensions: 3000 mm x 1700 mm x 750 mm.	100
1002	NN tank	S/s tank used for nitric acid (HNO ₃), volume: 12000 litre, dimensions tank: Ø2150 mm x 5200 mm	3500
1003	NN tank	S/s tank used for sodium hydroxide (NaOH), volume: 15000 litre, dimensions tank: Ø2800 mm x 5200 mm.	3500
1005	NN shed	Shed, galvanised steel frame, plastic plates, dimensions: 1550 mm x 1550 mm x 2240 mm.	250
1006	A-Safe	A-Safe protection pole, dimensions: Ø 220 mm x 1200 mm.	100
1007	A-Safe	A-Safe protection frame with door, dimensions: 12500 mm x 150 mm x 1150 mm.	250
1009	NN safety equipment	Wooden board with safety equipment, dimensions: 1400 mm x 1100 mm.	100
1010	SEW-Eurodrive	Pallet with SEW-Eurodrive motor, dimensions: 450 mm x 200 mm x 170 mm.	500
1012	Danfoss	Danfoss frequency converter, model: VLY5042PT5C20STR3DLF00A00C0, serial number: 023219G470, dimensions: 400 mm x 400 mm x 950 mm.	500
1013	VEM / Demag	Pallet with 3 VEM / Demag motors, dimensions: 1200 mm x 800 mm x 450 mm.	300
1014	NN plates for heat exchangers	Pallet with plates for heat exchanger, dimensions 1 plate: 1150 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	150
1015	ABB	Pallet with ABB motor and parts for pump, dimensions: 800 mm x 600 mm x 400 mm. Technical condition unknown.	250
1016	VEM / WEG	Pallet with 4 VEM / WEG motors, dimensions: 1200 mm x 800 mm x 500 mm.	400
1017	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-20, serial number: 235478, dimensions: 700 mm x 350 mm x 500 mm.	150
1018	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-40, serial number: 262828, year of construction: 2020, dimensions: 900 mm x 500 mm x 600 mm.	150
1019	NN rollers	Pallet with rollers, roller width: 450 mm and 540 mm, total dimensions: 1200 mm x 800 mm x 270 mm.	100
1020	Interroll	Pallet with 6 Interroll drum motors, roller width: 600 mm, 500 mm and 450 mm, total dimensions: 1200 mm x 800 mm x 270 mm.	1200



Nr	Title	Description	Start €
1021	Grundfos	Pallet with Grundfos pump, mixer for tanks and 2 motors, dimensions: 1200 mm x 800 mm x 500 mm.	500
1022	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45, year of construction: 2018, dimensions: 750 mm x 400 mm x 450 mm.	150
1023	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-20, serial number: 023909, dimensions: 630 mm x 380 mm x 450 mm.	150
1024	KTN	Pallet with KTN s/s chains, various sizes, total dimensions: 1200 mm x 800 mm x 400 mm.	200
1025	NN motors	Pallet with 7 motors, dimensions: 1200 mm x 800 mm x 450 mm.	350
1026	Alfa Laval	Pallet with 3 Alfa Laval centrifugal pumps, dimensions: 1200 mm x 800 mm x 550 mm. Technical condition unknown.	300
1027	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-10, serial number: 267228, year of construction: 2021, dimensions: 770 mm x 400 mm x 450 m.	150
1028	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45, serial number: 173066, year of construction: 2014, dimensions: 670 mm x 400 mm x 500 mm. Incomplete.	150
1029	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 213685, year of construction: 2014, dimensions: 770 mm x 400 mm x 450 mm.	150
1030	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 291665, year of construction: 2022, dimensions: 630 mm x 500 mm x 450 mm. Incomplete.	150
1031	Grundfos	Grundfos centrifugal pump, type: MGE112MC 1 FT130-JA-400, dimensions: 400 mm x 300 mm x 300 mm.	150
1032	Grundfos	Pallet with 5 motors and 1 Grundfos pump, dimensions: 1200 mm x 800 mm x 400 mm.	300
1033	Alfa Laval	Alfa Laval centrifugal pump, type: LKH Prime 20, serial number: 292444, year of construction: 2023, dimensions: 800 mm x 370 mm x 500 mm.	150
1034	Exide Technologies	Exide Technologies battery for electric pallet lifter, type: 02 EPZS 0250 SC, serial number: 0302636454, year of construction: 02/2025, capacity: 250 Ah, 212 kg, dimensions: 620 mm x 220 mm x 620 mm.	250
1035	Alfa Laval	Alfa Laval centrifugal pump, type: LKH Prime 20, serial number: 292443, year of construction: 2023, dimensions: 800 mm x 370 mm x 500 mm.	150
1036	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-45, serial number: 235748, year of construction: 2019, dimensions: 1000 mm x 500 mm x 470 mm.	150



Nr	Title	Description	Start €
1037	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-20, serial number: 235478, year of construction: 2019, dimensions: 630 mm x 380 mm x 450 mm.	150
1038	VEM / Flowserve SIHI Germany GmbH	Pallet with 2 Flowserve SIHI Germany GmbH parts for liquid ring vacuum pumps, type: LPHX 45316 AB, year of construction: 2024 and 2 VEM motors, dimensions: 1200 mm x 800 mm x 400 mm.	1500
1039	Ebara / Flygt	Pallet with Ebara and Flygt submersible pump, type: Best/A 4-M A, year of construction: 09.2019, dimensions: 1200 mm x 800 mm x 650 mm.	300
1040	APV	Pallet with 2 APV centrifugal pumps, type: W-25/75-380N and W-50/50-380N, serial number: -1226260609091110 and -1128280707180026, dimensions: 1200 mm x 800 mm x 650 mm.	100
1041	Sera	Pallet with 5 Sera dosing pumps, dimensions: 1200 mm x 800 mm x 400 mm.	500
1042	KSB	Pallet with KSB pump and 2 motors, dimensions: 1200 mm x 800 mm x 650 mm.	150
1043	Fristam	Pallet with 2 Fristam centrifugal pumps, type: FP 3551/240 KE and FP 742 KF, serial number: 0458750036 and 0444480089, year of construction: 2023, dimensions: 1200 mm x 800 mm x 600 mm.	500
1044	Nicotra	Pallet with Nicotra blower, model: ADH E2-0500+P1, dimensions: 800 mm x 800 mm x 1100 mm.	400
1045	APV	Pallet with 3 APV centrifugal pumps, dimensions: 1200 mm x 800 mm x 500 mm.	300
1046	APV	Pallet with 2 APV centrifugal pumps, dimensions: 1200 mm x 800 mm x 500 mm.	200
1047	Hovap	Pallet with 3 Hovap centrifugal pumps, dimensions: 1200 mm x 800 mm x 550 mm.	500
1048	Alfa Laval	Alfa Laval circumferential piston pump, type: SCPP2/130, serial number: 150072, year of construction: 2011, dimensions: 1100 mm x 300 mm x 450 mm.	350
1049	NN motors	Pallet with 9 motors, dimensions: 1200 mm x 800 mm x 600 mm.	900
1050	Grundfos	Box with Grundfos centrifugal pump, type: CRN3-6 A-FGJ-A-E-HQQE, serial number: 0002, dimensions: 800 mm x 300 mm x 300 mm.	500
1051	Duijvelaar Pompen	Duijvelaar Pompen vertical multi stage centrifugal pump, type: DPVCF 10/3 -L B, serial number: 51/2023 1896702-1, dimensions: 300 mm x 250 mm x 630 mm.	500
1052	Bytech	2 Bytech membrane pumps, type: AD 32 STT-R, serial number: 525334, dimensions: 300 mm x 270 mm x 300 mm and 200 mm x 200 mm x 330 mm.	100



Nr	Title	Description	Start €
1053	APV	Pallet with 3 APV centrifugal pumps, dimensions: 1200 mm x 800 mm x 600 mm. Technical condition unknown.	450
1054	APV	Pallet with 3 APV centrifugal pumps, dimensions: 1200 mm x 800 mm x 650 mm.	450
1055	Fristam	Pallet with 2 Fristam centrifugal pumps, type: FP 742/175 KF, serial number: 0444740145, year of construction: 2022, dimensions: 1200 mm x 800 mm x 600 mm.	500
1056	Gardner Denver	Gardner Denver lobe pump, type: S1-0005-08, serial number: E 199109, year of construction: 5-2019, dimensions: 690 mm x 380 mm x 400 mm.	650
1057	NN parts	Pallet with various spare parts, dimensions: 1200 mm x 800 mm x 450 mm.	300
1058	Grundfos	Grundfos centrifugal pump, type: CM5-4-A-R-G-E-A-AQQE-F-A-A-N, dimensions: 240 mm x 200 mm x 500 mm.	500
1060	Avery Berkel	Avery Berkel pallet weighing scale, number: 69 034382, maximum weight: 1500/2000 kg, minimum weight: 10/20 kg, e=: 0.5/1 kg, dimensions: 1300 mm x 850 mm x 800 mm.	250
1061	NN transport belts	2 plastic transport belts, belt width: 450 mm.	50
1062	APV	Pallet with 3 APV centrifugal pumps, serial numbers: 6108, D6910MT and D7288MT, dimensions: 1200 mm x 800 mm x 500 mm.	450
1063	ABB	Pallet with 5 ABB motors, dimensions: 1200 mm x 800 mm x 500 mm.	500
1064	APV	Pallet with 2 APV pumps, dimensions: 1200 mm x 800 mm x 600 mm. Technical condition unknown.	100
1065	NN netting	Pallet with netting for brine racks, width: 800 mm.	50
1066	NN writing desk	Mobile s/s writing desk, dimensions: 650 mm x 600 mm x 1550 mm.	50
1067	NN cooling cell	Cooling cell with Market Plus evaporator, cooled with ice water, inside dimensions: 3900 mm x 5700 mm x 3000 mm, dimensions door: 2150 mm x 2200 mm, total dimensions: 6000 mm x 4200 mm x 3100 mm.	2000
1068	Holvrieka	Holvrieka s/s tank used for plastic coating, fabrication number: 991.230, year of construction: 1999, 1000 kg, volume: 12400 litre, dimensions: Ø 1950 mm x 4850 mm.	3500
1069	Holvrieka	Holvrieka s/s tank used for plastic coating, fabrication number: 991.229, year of construction: 1999, 1000 kg, volume: 12400 litre, dimensions: Ø 1950 mm x 4850 mm.	3500
1070	Roossien Hoogwerktechniek	Roossien Hoogwerktechniek aluminium platform, platform height: 2800 mm, total dimensions: 3000 mm x 600 mm x 3900 mm.	450



Nr	Title	Description	Start €
1071	Bytech	2 Bytech membrane pumps, type: AD 32 STT-R, serial number: 525335, dimensions: (2x) 300 mm x 200 mm x 300 mm.	100
1072	NN switch cabinet	S/s switch cabinet used for Holvrieka plastic coating tanks, dimensions: 750 mm x 400 mm x 750 mm.	200
1073	NN hose reel	S/s hose reel with plastic hose, dimensions: 300 mm x 130 mm x 130 mm.	25
1074	Endress + Hauser	S/s switch cabinet with 4 Endress + Hauser displays for flowmeters, used for the nitric acid and sodium hydroxide tanks, dimensions: 1000 mm x 300 mm x 1200 mm. With fume cabinet with 2 Sera pumps.	500
1075	Voskamp Deurtechniek	Voskamp Deurtechniek, type: ST9V, dimensions door: 2210 mm x 2910 mm.	500
1076	NN pallet boxes	2 plastic pallet boxes, dimensions: (2x) 1200 mm x 1000 mm x 750 mm.	50
1077	Bos	Bos steel container with rack, wooden floor, dimensions: 2050 mm x 2050 mm x 2150 mm.	500
1079	Dolav	Dolav plastic pallet box, dimensions: 1200 mm x 1000 mm x 750 mm. Including content.	50
1080	NN curtain	Plastic workshop curtain, dimensions: 1050 mm x 1800 mm.	50
1081	NN workbench	Steel workbench with vise, dimensions: 2600 mm x 1400 mm x 1050 mm. With Kemppi welding machine.	250
1082	NN air extraction hose	Air extraction hose with blower.	100
1083	NN platform	Steel galvanized platform, dimensions: 12700 mm x 6500 mm x 4500 mm. Built in 2024.	9500
1084	Compac	Compac hydraulic press, type: HP25 G6, year of construction: 2012.05, weight: 148 kg, capacity: 25000 kg, stroke: 240 mm, total dimensions: 1000 mm x 500 mm x 2050 mm.	500
1085	NN tools	Wooden board with tools, dimensions: 500 mm x 1100 mm.	50
1086	NN trolley	Steel trolley for gas bottles, dimensions: 500 mm x 400 mm x 1000 mm.	100
1087	Optimum	Optimum column drill, model: DH 40CT, number: 3034349, year of construction: 03-2022, 400 V, 50 Hz, 1.1/1.5 kW, 340 kg, dimensions: 1100 mm x 750 mm x 2100 mm.	450
1088	Nederman	Nederman air hose reel with hose and pistol, dimensions: 300 mm x 150 mm x 230 mm.	150
1089	NN tool cabinet	Steel tool cabinet, 24 drawers, dimensions: 1500 mm x 500 mm x 1100 mm. Including content.	150



Nr	Title	Description	Start €
1090	STAPRO Liften B.V.	STAPRO Liften B.V. goods elevator, serial number: NQ000-1, year of construction: 2024, capacity: 1000 kg, lifting height: 3500 mm, total dimensions: 3100 mm x 1450 mm x 5200 mm.	3500
1091	Huvema	Huvema drill bit grinder, type: HU 13 D-2, serial number: 23123337728, 230 V, 50 Hz, 120 W, dimensions: 280 mm x 150 mm x 120 mm.	100
1092	HBM Machines	HBM Machines belt grinder, working width: 70 mm, total dimensions: 1000 mm x 500 mm x 1000 mm.	250
1093	HBM Machines	HBM Machines lathe, type: HBM-330x1000, serial number: 111538, 230 V, 50 Hz, 9.7 A, 1.5 kW, 750 kg, dimensions: 1750 mm x 700 mm x 1500 mm. Including tool trolley, dimensions: 650 mm x 570 mm x 900 mm.	750
1094	NN trolley	S/s trolley, dimensions: 750 mm x 400 mm x 950 mm.	100
1095	Huvema	Huvema bandsaw, type: HU 300 ACV_4 Topline, serial number: 16315-1003, working width: 300 mm, total dimensions: 2500 mm x 1700 mm x 1500 mm.	400
1096	NN waste bag holder	Steel waste bag holder, dimensions: 520 mm x 520 mm x 1300 mm.	50
1097	NN bending device	Metal bending device, dimensions: 900 mm x 200 mm x 1300 mm.	150
1098	NN protection frame	S/s protection frame with gate, dimensions: 5800 mm x 2550 mm x 1000 mm.	100
1099	NN cones	8 plastic cones.	25
1100	Hovap	Pallet with Hovap pump and 2 covers, type: HP-25327, number: 38621.01, year of construction: 2008, capacity: 5 m³ per hour, dimensions: 1200 mm x 800 mm x 400 mm.	150
1101	NN drive shaft	S/s drive shaft, length: 1400 mm.	150
1102	Gardner Denver / SSP Pumps	Wooden crate with Gardner Denver / SSP Pumps rotary lobe pump, type: S6-0353-H07, serial number: E226274A, year of construction: 2020, dimensions: 2200 mm x 850 mm x 1000 mm.	1000
1103	Quadraat Janssen	Pallet with Quadraat Janssen chain, dimensions: 1200 mm x 800 mm x 1100 mm.	500
1104	NN parts	Pallet with pump cover and hose, dimensions: 1200 mm x 800 mm x 500 mm.	100
1105	NN protection frame	S/s protection frame, dimensions: 1900 mm x 1000 mm.	100
1106	Menzel Elektromotoren GmbH	Menzel Elektromotoren GmbH motor for Piller GmbH ventilator, type: MEBKGR 355X-02-190, number: 144160-0006-2019-35366, 400 V, 50 Hz, 680 A, 400 kW, 2310 kg, dimensions: 1800 mm x 800 mm x 1150 mm.	2500



Nr	Title	Description	Start €
1107	NN rollers	Pallet with rollers, roller width: 450 mm, 500 mm and 550 mm, total dimensions: 1200 mm x 800 mm x 270 mm.	100
1108	NN pallet rack	Steel pallet rack, consisting of: 2 uprights and 6 beams, dimensions uprights: (2x) 1100 mm x 3800 mm, beam width: (6x) 3300 mm.	350
1109	NN pallet rack	Steel pallet rack, consisting of: 3 uprights and 16 beams, dimensions uprights: (3x) 1100 mm x 4500 mm, beam width: (16x) 3300 mm.	250
1110	Overtoom	Overtoom steel cabinet with protective gear, dimensions: 1000 mm x 420 mm x 1950 mm.	100
1111	Diversey	Diversey disinfection dispenser, sensor operated, dimensions: 350 mm x 350 mm x 1400 mm.	100
1112	NN lubricants	Steel cabinet with lubricants, dimensions :1000 mm x 420 mm x 1950 mm.	50
1113	Altrex	Altrex aluminium ladder, height: approximately 7500 mm.	100
1115	NN protective gear	Steel cabinet with protective gear, dimensions: 1000 mm x 420 mm x 1950 mm.	100
1116	NN tools	Metal board with tools, dimensions: 3000 mm x 900 mm.	100
1117	NN trolley	Steel trolley for gas bottles, dimensions: 500 mm x 300 mm x 1250 mm.	50
1118	NN trolley	S/s trolley, dimensions: 1000 mm x 530 mm x 1000 mm.	100
1119	NN piping's and frames	3 racks with large amount of s/s piping's and frames, various shapes and sizes.	750
1120	NN piping's	Large amount of s/s piping's, various sizes.	400
1121	Trelleborg	Large amount of Trelleborg hoses, various sizes.	300
1122	Cemo	Cemo trolley for salt spreading, dimensions: 1100 mm x 500 mm x 600 mm.	50
1123	Rema	Rema mobile shop crane, type: GWK 2000, serial number: CY1703753, year of construction: 2017, capacity: 2000 kg, dimensions: 600 mm x 420 mm x 1900 mm.	250
1124	NN air extraction hose	Pallet with parts, dimensions: 1200 mm x 800 mm x 400 mm.	75
1125	GEA	GEA centrifugal pump, dimensions: 700 mm x 240 mm x 400 mm.	300
1126	Lenze / SEW Eurodrive	Pallet with 3 Lenze / SEW Eurodrive motors, dimensions: 1200 mm x 800 mm x 750 mm.	600
1127	Lenze / Demag	Pallet with 2 Lenze / Demag motors, dimensions: 1200 mm x 800 mm x 600 mm.	250
1128	Hovap	Hovap centrifugal pump, type: HR-65-250/230, number: 11972, year of construction: 1999, capacity: 60 m ³ per hour, dimensions: 1000 mm x 400 mm x 800 mm.	150



Nr	Title	Description	Start €
1129	APV	Pallet with large amount of APV valves, dimensions: 1200 mm x 800 mm x 350 mm. Technical condition unknown.	100
1130	ABB / Nidec	Pallet with 2 ABB / Nidec motors, dimensions: 1200 mm x 800 mm x 450 mm.	200
1131	NN motor	Motor, dimensions: 950 mm x 600 mm x 400 mm.	150
1132	APV	2 APV centrifugal pumps, type: W+55/60, serial number: 3024217, year of construction: 2006, dimensions: 800 mm x 400 mm x 520 mm and 800 mm x 450 mm x 500 mm.	300
1135	Sera	Pallet with 2 Sera pumps, type: MK410.2-500 ML, number: WP405369, year of construction: 2024, dimensions: 1200 mm x 800 mm x 930 mm.	500
1136	Haemmerlin	Haemmerlin wheelbarrow, steel frame, plastic tub, dimensions: 1400 mm x 600 mm x 630 mm.	50
1137	NN chair	Chair, s/s frame, plastic top, dimensions: 520 mm x 480 mm x 950 mm.	25
1138	NN desk	Desk, steel frame, plastic top, dimensions: 1800 mm x 800 mm x 1100 mm.	50
1139	NN planning board	S/s planning board, 7 x 10 floors, dimensions: 2600 mm x 1250 mm.	50
1140	Samsung	Samsung tv, dimensions: 1300 mm x 760 mm.	150
1141	NN trolleys	s/s trolley, dimensions: 630 mm x 420 mm x 900 mm.	50
1142	NN film roll holders	2 s/s film roll holders, dimensions: (2x) 630 mm x 420 mm x 900 mm.	50
1143	Bosch / Metabo / Hitachi	Wall plate with large amount of Bosch / Metabo / Hitachi power tools, dimensions: 1500 mm x 1200 mm.	350
1147	Vikan	Wall plate with Vikan cleaning equipment, dimensions: 1400 mm x 2100 mm.	100
1148	Ripack	Case with Ripack hand-held propane-fired heat-appliance intended for plastic film shrinking, dimensions: 500 mm x 350 mm x 120 mm.	50
1149	Bosch	Case with Bosch drill, model: GBH 2-24 D, dimensions: 440 mm x 350 mm x 120 mm.	50
1150	Bosch	Case with Bosch angle grinder, model: GWS 850 C, serial number: 802031522, year of construction: 02/2018, 230 V, 50/60 Hz, 3.9 A, 850 W, dimensions: 440 mm x 320 mm x 120 mm.	50
1151	Stumpf	Stumpf steel cabinet with parts, dimensions: 1000 mm x 500 mm x 1100 mm.	100
1152	Rocol	Case with Rocol paint sprayer, model: Easyline Edge, dimensions: 680 mm x 220 mm x 300 mm.	50
1153	NN parts	2 workbenches with 1 vise, steel frame, wooden top, 15 drawers each, dimensions: 2000 mm x 930 mm x 1150 mm and 2000 mm x 750 mm x 920 mm. With wall mounted frame with parts, including content.	450



Nr	Title	Description	Start €
1154	J&M	J&M; degreasing table, type: Econoom, serial number: 17624, year of construction: 2017, 230 V, 50 Hz, 70 W, dimensions: 1170 mm x 670 mm x 1500 mm.	250
1160	NN platform	Mobile aluminium platform, s/s steps, platform height: 800 mm, total dimensions: 1300 mm x 690 mm x 1900 mm.	200
1163	NN sink	S/s sink with 2 soap dispensers, 1 paper dispenser and 1 waste bin, dimensions: 1330 mm x 400 mm x 850 mm and 470 mm x 400 mm x 950 mm. Without faucet.	350
1164	NN protection frames	2 s/s protection frames, dimensions: 3800 mm x 1050 mm and 700 mm x 1050 mm.	100
1165	Nilfisk	Nilfisk mobile high pressure cleaner, model: C120.7, serial number: 00120887, capacity: 7.3 litre per minute, dimensions: 250 mm x 250 mm x 700 mm.	150
1166	Makita	Makita mobile high pressure cleaner, model: HW1300, number: 0027803, year of construction: 2022.2, 230-240 V, 50-60 Hz, 7.9 A, 1800 W, dimensions: 350 mm x 300 mm x 800 mm.	150
1167	Kärcher / Hikoki / Nilfisk	3 vacuum cleaners, dimensions: 450 mm x 400 mm x 550 mm, 300 mm x 320 mm x 450 mm and Ø 350 mm x 500 mm.	100
1168	NN safety equipment	Safety equipment, consisting of: 3 helmets and 2 emergency response kits.	25
1200	NN office inventory	Office inventory consisting of 5 desks, dimensions: (4x) 800 mm x 1800 mm x 800 mm, 2300 mm x 1600 mm x 750 mm, 3 steel cabinets, dimensions: (2x) 420 mm x 1200 mm x 1230 mm, 420 mm x 940 mm x 1030 mm, 4 chairs.	350
1203	NN whiteboard	Whiteboard, dimensions: 2400 mm x 1200 mm.	50
1221	NN office inventory	Office inventory consisting of 2 tables, dimensions: (2x) 600 mm x 2000 mm x 1110 mm, whiteboard, dimensions: 3010 mm x 1210 mm, desk, dimensions: 800 mm x 2000 mm x 830 mm, 2 chairs and cabinet, dimensions: 420 mm x 1200 mm x 1480 mm.	175
1222	BenQ	BenQ tv, dimensions: 1460 mm x 850 mm.	150
1224	Lips	Lips safe, dimensions: 700 mm x 630 mm x 800 mm.	200
1225	NN workshop inventory	Workshop inventory consisting of table, dimensions: 600 mm x 2000 mm x 1100 mm, 2 steel cabinets, dimensions: (2x) 420 mm x 1200 mm x 1000 mm, 2 office cabinets, 450 mm x 1000 mm x 1000 mm, 450 mm x 1200 mm x 1050 mm, 2 desks, dimensions: (2x) 800 mm x 2000 mm x 830 mm, 2 steel cabinets with drawers, dimensions: (2x) 780 mm x 430 mm x 540 mm, 2 chairs, 4 whiteboards, dimensions: (4x) 1215 mm x 910 mm.	350
1228	NN emergency response kit	Emergency response kit.	25



Nr	Title	Description	Start €
1230	Liebherr	Liebherr refrigerator, type: TP 1760 Index 22B/001, serial number: 46.351.944.6, dimensions: 670 mm x 600 mm x 870 mm.	100
1233	NN changing room inventory	Changing room inventory consisting of 9 steel lockers, dimensions: 450 mm x 380 mm x 2000 mm, 470 mm x 380 mm x 2100 mm, (7x) 450 mm x 900 mm x 1720 mm, 2 wooden benches, dimensions: 1950 mm x 360 mm x 420 mm, 400 mm x 2000 mm x 1720 mm, steel cabinet, dimensions: 350 mm x 800 mm x 1810 mm.	500
1234	NN whiteboard	Whiteboard, dimensions: 1200 mm x 900 mm.	50
1235	NN temperature checks	2 s/s frames with soap dispensers and temperature checks, type: (2x) TCLD6792, dimensions: (2x) 450 mm x 450 mm x 1670 mm.	200
1236	NN cabinet	Steel cabinet, dimensions: 500 mm x 910 mm x 1220 mm.	100
1237	Grasso	Grasso cooling compressor, type: RC 411, serial number: 89011018, year of construction: 1989, refrigerant: NH3, dimensions: 1400 mm x 2300 mm x 1500 mm.	1750
1238	Grasso	Grasso cooling compressor, type: RC 411, serial number: 82015161, year of construction: 1982, refrigerant: NH3, dimensions: 1400 mm x 2300 mm x 1500 mm.	1750
1239	Grasso	Grasso cooling compressor, type: RC 411, serial number: 82035319, year of construction: 1982, refrigerant: NH3, dimensions: 1400 mm x 2300 mm x 1500 mm.	1750
1240	Grasso	Grasso cooling compressor, type: RC 411, serial number: 82015162, year of construction: 1982, refrigerant: NH3, dimensions: 1400 mm x 2300 mm x 1500 mm.	1750
1241	TH. WITT Kältemaschinenfabrik GmbH	TH. WITT Kältemaschinenfabrik GmbH ammonia tank with 2 refrigerant pumps, type pumps: (2x) GP-51, dimensions: 3000 mm x 2000 mm x 3700 mm.	2500
1242	Grundfos	Grundfos centrifugal pump, type: NB150-200/218-208 A-F-A-BAQE, dimensions: 950 mm x 600 mm x 800 mm.	150
1243	KSB	KSB centrifugal pump, type: ETANORM, dimensions: 1000 mm x 250 mm x 1000 mm.	150
1244	KSB	KSB centrifugal pump, type: ETANORM, dimensions: 1000 mm x 250 mm x 1000 mm.	150
1245	KSB	KSB centrifugal pump, type: ETANORM, dimensions: 1000 mm x 250 mm x 1000 mm.	150
1246	KSB	KSB centrifugal pump, type: ETANORM, dimensions: 1000 mm x 250 mm x 1000 mm.	150
1247	KSB	KSB centrifugal pump, type: ETANORM, dimensions: 1000 mm x 250 mm x 1000 mm.	150



Nr	Title	Description	Start €
1248	NN platform	S/s platform, working height: 1060 mm, total dimensions: 6100 mm x 600 mm x 1920 mm.	500
1249	Grundfos	Grundfos circulation pump, 600 mm x 300 mm x 1080 mm.	150
1250	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG 50, dimensions: 400 mm x 220 mm x 200 mm.	200
1251	Grundfos	Grundfos circulation pump, dimensions: 600 mm x 300 mm x 1080 mm.	150
1252	Grenco	Grenco ice water tank, dimensions: 9200 mm x 2550 mm x 2350 mm.	4500
1255	GEA Refrigeration Netherlands N.V.	GEA Refrigeration Netherlands N.V. ammonia installation consisting of Ammonia tank, Kelvion heat exchanger, type: LWC150S B-16, dimensions: 4000 mm x 1700 mm x 3000 mm.	2500
1256	Sondex	Sondex heat exchanger, type: S9A-IG10-18-TK, machine number: 90180898, year of construction: 2018, dimensions: 550 mm x 400 mm x 620 mm.	250
1257	Grenco	Grenco hot water tank with 4 KSB centrifugal pumps, type: (4x) ETANORM, total dimensions: 3500 mm x 1200 mm x 2800 mm.	500
1262	NN protection frame	S/s protection frame, dimensions: 1000 mm x 3200 mm x 1420 mm.	100
1265	Zarges	Zarges aluminium stairs, dimensions: 3600 mm x 1100 mm.	50
1266	NN racks	2 steel racks, dimensions: 830 mm x 2750 mm x 2000 mm, 600 mm x 1700 mm x 1970 mm.	150
1267	Grundfos	Grundfos circulation pump, dimensions: 540 mm x 350 mm x 660 mm.	150
1268	TH. WITT Kältemaschinenfabrik GmbH	TH. WITT Kältemaschinenfabrik GmbH part for refrigerant pump, type: GP 51, dimensions: 500 mm x 250 mm x 500 mm.	200
1269	NN motors	Pallet with 2 motors, dimensions: 570 mm x 330 mm x 550 mm, 600 mm x 200 mm x 550 mm.	300
1270	Grundfos	Grundfos circulation pump on s/s frame, dimensions: 380 mm x 970 mm x 1200 mm.	150
1271	Tetra Pak	Wooden crate with s/s discs for Tetra Pak separator, dimensions crate: 600 mm x 800 mm x 730 mm.	300
1272	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 500 mm x 920 mm x 350 mm.	500
1273	Flamco	Flamco expansion vessel, type: Flexcon Premium 80, dimensions: ø 450 mm x 500 mm.	100
1274	NN pump	Pallet with centrifugal pump with filter, dimensions: 1000 mm x 300 mm x 750 mm.	250
1275	L&P	Pallet with L&P; drive wheel, dimensions pallet: 800 mm x 600 mm.	150
1276	L&P	Pallet with L&P; s/s drive ax, dimensions: 2350 mm x 360 mm.	150



Nr	Title	Description	Start €
1277	NN rack	Steel rack, dimensions: 600 mm x 1700 mm x 1970 mm.	150
1278	Reflex Winkelmann GmbH	Reflex Winkelmann GmbH steel pressure vessel, type: Refix DT 200, serial number: 20V041660018, dimensions: ø 620 mm x 1050 mm.	150
1279	NN rack	Steel rack, dimensions: 610 mm x 3050 mm x 2100 mm.	150
1280	NN cabinets	2 steel cabinets, dimensions: (2x) 420 mm x 930 mm x 1950 mm.	150
1281	NN parts	10 plastic crates with parts.	100
1282	BA Systemes	Wooden crate with tilting chain for BA Systemes automated guided vehicle, dimensions crate: 550 mm x 550 mm x 400 mm.	250
1283	NN cabinets with parts	2 steel cabinets with parts, dimensions: 450 mm x 1000 mm x 1960 mm, 600 mm x 1000 mm x 1960 mm.	300
1284	NN tub	Mobile s/s tub, inside dimensions: 545 mm x 325 mm x 220 mm, total dimensions: 800 mm x 380 mm x 1000 mm.	75
1285	NN motor	Motor, dimensions: 500 mm x 300 mm x 310 mm.	100
1286	Mohn	4 Mohn s/s wall cabinets, dimensions: (4x) 300 mm x 300 mm x 260 mm.	200
1287	Biffi Italia	Biffi Italia pneumatic actuator, model: 063, serial number: 224147T004004, year of construction: 2022.	100
1288	Endress+Hauser	Endress+Hauser flowmeter with transmitter, type: PROMAG H, serial number: P4295B19000, DN125, dimensions: 300 mm x 250 mm x 220 mm.	200
1290	Endress+Hauser	Endress+Hauser level "Time of Flight" sensor, type: Micropilot FMR52-KFU5/0, serial number: VA012A01135, year of construction: 2023.	350
1292	Zebra	Zebra label printer, type: ZE500, dimensions: 400 mm x 250 mm x 250 mm.	100
1293	Elpress	Elpress s/s hose reel.	100
1294	NN parts	Different kind of parts.	100
1295	Regenit	Pallet with approximately 27 bags of Regenit salt bricks, volume: (27x) 25 kg.	50
1296	NN drip tray	Plastic drip tray, dimensions: 1300 mm x 1300 mm x 900 mm.	150
1297	NN cabinet	Steel cabinet, dimensions: 480 mm x 920 mm x 1200 mm.	100
1298	NN stairs	Aluminium stairs, dimensions: 350 mm x 3550 mm.	50
1299	Grundfos	Grundfos centrifugal pump, type: NB150-200/218-208 A-F-A-BAQE, dimensions: 950 mm x 600 mm x 800 mm.	150



Nr	Title	Description	Start €
1300	Walchem	Walchem water softener installation consisting of 2 Polyethylene cylinders, dimensions: ø 450 mm x 1900 mm, 2 chemical dosing installation with Iwaki metering pumps, dimensions: (2x) 500 mm x 500 mm x 1350 mm and 2 plastic tubs for salt bricks, dimensions: (2x) ø 700 mm x 950 mm.	450
1301	Grundfos	Grundfos circulation pump, type: TP 100-110/4 A-F-A-BAQE, dimensions: 550 mm x 350 mm x 680 mm.	150
1302	H.K.B.	H.K.B. steam boiler, type: ECO, serial number: 2531, year of construction: 2005, maximum steam production: 8000 kg/hr, Puripher burner, type: R 5.0, year of construction: 2005, dimensions: 9100 mm x 3300 mm x 4600 mm.	15000
1303	K. Hagoort & Zonen B.V.	K. Hagoort & Zonen B.V. steam boiler, serial number: 169363, year of construction: 1982, Puripher burner, type: R 3.5, year of construction: 2005, dimensions: 8850 mm x 3300 mm x 4600 mm.	15000
1304	Gielissen	Gielissen degassing installation, year of construction: 2023, consisting of tank, dimensions: ø 1650 mm x 4300 mm, 2 Duijvelaar Pompen B.V. centrifugal pumps, type: DPVCF 10/21 B, 2 KSB refrigerant pumps, total dimensions: 4300 mm x 2500 mm x 5500 mm.	4500
1305	Altrex	Altrex aluminium ladder, dimensions: 2500 mm x 850 mm x 1900 mm, 3300 mm x 1080 mm x 2100 mm.	200
1309	KSB	3 KSB centrifugal pumps, type: ETANORM, dimensions: (3x) 1000 mm x 400 mm x 750 mm.	450
1311	NN circulation pump	Circulation pump.	100
1312	BA Systemes	BA Systemes rotation axle, dimensions: 935 mm x 935 mm x 1230 mm.	150
1313	Flamco	Flamco expansion vessel, type: Flexcon 600/1.5, volume: 600 litres.	150
1314	Remeha	Remeha central heating boiler, type: GAS 310 ECO PRO, dimensions: 710 mm x 1820 mm x 1800 mm.	750
1315	NN memo board	Mobile s/s memo board, dimensions: 600 mm x 2100 mm x 2050 mm.	50
1316	NN condensate tank	S/s isolated tank, dimensions: ø 3200 mm x 6200 mm.	4500
1319	NN floors	3 wooden floors for pallet rack, dimensions: (3x) 2680 mm x 1100 mm.	75
1320	NN parts for pallet rack	Aluminium upright, dimensions: 3800 mm x 1100 mm, 5 beams, length: (5x) 2700 mm.	75
1321	Grundfos	Grundfos centrifugal pump, type: CRN3-7 A-P-G-V-HQQV, dimensions: 250 mm x 170 mm x 530 mm.	250
1322	KSB	2 KSB centrifugal pumps, type: ETANORM, dimensions: (2x) 1000 mm x 400 mm x 750 mm.	400



Nr	Title	Description	Start €
1323	Jotem	Jotem water softener installation consisting 2 HST polyethylene cylinders, dimensions: (2x) 400 mm x 1850 mm and plastic tub for salt bricks, dimensions: ø 700 mm x 975 mm.	450
1324	Grundfos	Grundfos hydrophore pump, type: CMBE 3-62 I-U-C-C-N-A, model: A-98591329P11747, dimensions: 400 mm x 200 mm x 500 mm.	250
1325	NN iron removal tank	Steel iron removal tank with Bürkert control system, dimensions: 1700 mm x 1800 mm x 3750 mm, 260 mm x 600 mm x 600 mm.	2500
1326	FPZ	FPZ side channel blower, type: SCL 34/22, machine number: 17085, 220/380 V, 3 Ph, 50 Hz, 5.5 kW, 19.3-11.2 A, dimensions: 600 mm x 400 mm x 500 mm.	200
1327	NN safety poles	8 safety poles, dimensions: (8x) ø 300 mm x 1100 mm.	25
1328	NN hose reel	S/s hose reel with plastic hose, dimensions: 150 mm x 380 mm.	25
1329	Altrex	Altrex aluminium ladder, dimensions: 720 mm x 400 mm x 1370 mm.	50
1330	NN blower	Mobile blower, dimensions: 900 mm x 500 mm x 700 mm.	100
1331	Kemppi	Kemppi welding machine on steel welding trolley, type: 1500 TIG S, dimensions: 600 mm x 500 mm x 1270 mm.	250
1332	NN safety poles	S/s wall rack with s/s safety poles, dimensions rack: 270 mm x 1600 mm x 100 mm, dimensions poles: (5x) ø 340 mm x 1000 mm.	25
1333	Diversey	Steel pole with Diversey soap dispenser, dimensions: 400 mm x 400 mm x 1500 mm.	100
1334	NN benches	2 mobile steel benches, dimensions: (2x) 2000 mm x 400 mm x 1760 mm.	50
1335	Zarges	Zarges aluminium stairs, dimensions: 1100 mm x 4600 mm.	50
1336	Ecolab	Ecolab mobile plastic pressure vessel, dimensions: 400 mm x 400 mm x 1030 mm. Missing wheel.	50
1337	Elpress	Elpress s/s hygiene trolley, type: 84001035, serial number: 32185, year of construction: 2019, weight: 40 kg, maximum temperature: 70 °C, dimensions: 1170 mm x 600 mm x 1150 mm.	150
1338	NN cabinet	Steel cabinet, dimensions: 550 mm x 530 mm x 1150 mm.	100
1339	NN gas mask	Plastic wall cabinet with gas mask with Honeywell Rd40 filter, dimensions: 200 mm x 300 mm x 270 mm.	50
1340	NN safety shower	Safety shower, dimensions: 700 mm x 270 mm x 1400 mm.	505



Nr	Title	Description	Start €
1341	Food Care/Bel Ray/ Lubcon	Steel cabinet with large amount of Food Care, Bel Ray and Lubcon lubricants, dimensions cabinet: 520 mm x 510 mm x 1800 mm.	500
1342	GEA	2 barrels with GEA premium mineral oil for ammonia refrigeration systems, volume barrel: (2x) 208 litres. 1 barrel is empty.	150
1343	UNIL OPAL/IGOL	Plastic drip tray with UNIL OPAL abd IGOL lubricants, dimensions drip tray: 1200 mm x 800 mm x 400 mm.	100
1344	ALLWIK	Plastic trolley with ALLWIK absorption blankets and pillows, dimensions trolley: 400 mm x 450 mm x 1000 mm.	150
1345	Mobil/Bel Ray	2 steel racks and 2 steel drip trays with Mobil and Bel Ray lubricants and oils, dimensions: (2x) 800 mm x 1540 mm x 2010 mm, (2x) 1270 mm x 1350 mm x 270 mm.	500
1346	NN trolley	Steel trolley with 4 grease guns, dimensions trolley: 1150 mm x 600 mm x 1100 mm.	150
1347	Mobil/Bel Ray	2 steel drip trays with Mobile and Bel Ray oils, dimensions drip trays: (2x) 810 mm x 1210 mm x 350 mm.	250
1348	NN water tank	S/s water tank, volume: 150 m ³ , dimensions: ø 4300 mm x 11000 mm.	5000
1349	Precia Molen	Precia Molen weighbridge, year of construction: 2021, weighing range: 400-60000 kg, e=d 20 kg, dimensions: 18000 mm x 3000 mm, 330 mm x 800 mm x 800 mm. Available from the end of November.	5000
1357	A-SAFE	A-SAFE plastic protection rail, dimensions: 11200 mm x 19000 mm.	400
1358	NN salt container	Plastic salt container, dimensions: 650 mm x 1150 mm x 1050 mm.	100
1359	Diversey	Steel pole with Diversey soap dispenser, dimensions: 400 mm x 400 mm x 1500 mm.	100
1360	NN canteen inventory	Canteen inventory consisting of 3 tables, dimensions: (2x) 1800 mm x 900 mm x 700 mm, 600 mm x 1200 mm x 750 mm, cabinet, dimensions: 450 mm x 600 mm x 1980 mm, water dispenser, dimensions: 350 mm x 400 mm x 1420 mm, DeLonghi microwave and 7 chairs.	200
1361	Kuhlturm Karlsruhe	Kuhlturm Karlsruhe cooling tower, type: K15-21-1W40S, year of construction: 1983, dimensions: 4600 mm x 1600 mm x 3400 mm.	750
1362	Rivacold/LU-VE	Rivacold roof condenser with 2 LU-VE evaporators, serial number: 102402000816, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 7020 W, 12,990 A, refrigerant: R513A, dimensions roof condenser: 2250 mm x 1300 mm x 1700 mm.	2500



Nr	Title	Description	Start €
1363	Ambitec BV	Ambitec BV air handling unit, type: FTP 240, serial number: 120713 066813, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 921 kg, air flow: 20000 m³/h, dimensions: 4000 mm x 1800 mm x 1700 mm.	750
1364	Ambitec BV	Ambitec BV air handling unit, type: FTP 240, serial number: 120813 066813, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 921 kg, air flow: 20000 m³/h, dimensions: 4000 mm x 1800 mm x 1700 mm.	750
1365	Clivet	Clivet water chiller, type: WSA-XEE 432, year of construction: 2013, 400 V, 3 Ph, 50 Hz, dimensions: 3600 mm x 1100 mm x 1900 mm.	1000
1366	Ambitec BV	Ambitec BV air handling unit, type: FTP 240, serial number: 072213 036513, 400 V, 3 Ph, 50 Hz, 11 kW, weight: 1255 kg, air flow: 20000 m³/h, dimensions: 4600 mm x 2100 mm x 1800 mm.	750
1367	Voets&Donkers	Voets&Donkers; air handling unit with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 4NDC-20Y-40P, dimensions: 5600 mm x 3400 mm x 2950 mm.	1500
1368	Voets&Donkers	Voets&Donkers; roof condenser, year of construction: 2013, dimensions: 600 mm x 2100 mm x 950 mm.	950
1369	Cabero	Cabero roof condenser, type: ACDAD107KB-2X5-72-S D (ZA) EC G, serial number: 14-NL-3100-L, year of construction: 2014, refrigerant: R717, dimensions: 7800 mm x 2400 mm x 2400 mm.	2500
1370	Cabero	Cabero roof condenser, type: ACHAD109GB/4S-26 D (ZA) EC G, year of construction: 2018, refrigerant: R717, dimensions: 8600 mm x 1700 mm x 2250 mm.	2500
1371	GEA Refrigeration Netherlands N.V.	GEA Refrigeration Netherlands N.V. automatic self limiting NC purger, type: GEA Grasso Purger, serial number: 23039064, year of construction: 2023, 220-240 V, 50 Hz, 400 W, weight: 50 kg, dimensions: 700 mm x 330 mm x 450 mm.	750
1372	Baltimore Aircoil International nv	Baltimore Aircoil International nv cooling tower, model: CXVE_504-1218-301, serial number: H180367101, dimensions: 5350 mm x 3600 mm x 6200 mm.	7500
1373	Helpman	Helpman roof condenser, type: HTC 091.114-V-860-ALUM-400VOLT, serial number: 542379-350099-54044, year of construction: 2005, weight: 307 kg, dimensions: 2200 mm x 1200 mm x 1300 mm.	750
1374	Helpman	Helpman roof condenser, type: BCML-801-AD-V, serial number: 590342-3100380-124314, year of construction: 2010, weight: 175 kg, dimensions: 2200 mm x 1450 mm x 1400 mm.	750



Nr	Title	Description	Start €
1375	Helpman	Helpman roof condenser, type: BCML-801-AD-V, serial number: 590345-3100380-124314, year of construction: 2010, weight: 175 kg, dimensions: 2200 mm x 1450 mm x 1400 mm.	750
1376	Helpman	Helpman roof condenser, type: BCML-801-AD-V, serial number: 590343-3100380-124314, year of construction: 2010, weight: 175 kg, dimensions: 2200 mm x 1450 mm x 1400 mm.	750
1377	Helpman	Helpman roof condenser, type: BCML-801-AD-V, serial number: 590344-3100380-124314, year of construction: 2010, weight: 175 kg, dimensions: 2200 mm x 1450 mm x 1400 mm.	750
1379	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: FBB30s, serial number: 1970221, weighing range: 0.04-30 kg, dimensions scale: 300 mm x 400 mm, total dimensions: 420 mm x 400 mm x 470 mm.	150
1381	NN table	S/s table with composite top, dimensions: 700 mm x 1750 mm x 940 mm.	150
1382	NN trolley	S/s trolley, dimensions: 830 mm x 530 mm x 950 mm.	100
1383	NN rack	Steel rack, dimensions: 350 mm x 1600 mm x 1820 mm. Without content.	150
1384	NN hand truck	S/s hand truck, dimensions: 600 mm x 550 mm x 1320 mm.	50
1385	Liebherr	Liebherr refrigerator, type: Tpesf 1710 Index 22A/001, dimensions: 650 mm x 600 mm x 850 mm.	100
1386	Samsung	Samsung refrigerator, model: RR82FHSW, serial number: I66243ECA00051V, dimensions: 700 mm x 600 mm x 1800 mm.	100
1387	Samsung	Samsung refrigerator, model: RR82FHSW, serial number: I66243ECA00042P, dimensions: 700 mm x 600 mm x 1800 mm.	100
1388	Tefcold	Tefcold freezer, model: UF400S, dimensions: 700 mm x 600 mm x 1860 mm.	100
1389	Amitek	Amitek refrigerator, model: AK1414TN, year of construction: 2018, dimensions: 850 mm x 1470 mm x 2000 mm.	100
1390	GPE Vendors	GPE Vendors vending machine, model: GPE-30, machine number: V1050/2019, 230 V, 50/60 Hz, 0.3 kW, dimensions: 850 mm x 720 mm x 1830 mm.	500
1392	Samsung	Samsung tv, dimensions: 1100 mm x 630 mm.	150
1394	NN canteen inventory	Canteen inventory consisting of 10 tables, dimensions: (2x) 2000 mm x 600 mm x 1110 mm, (2x) 2000 mm x 1000 mm x 750 mm, (6x) 1550 mm x 745 mm x 740 mm, 21 chairs, whiteboard, s/s waste bin, dimensions: 400 mm x 470 mm x 950 mm. Available from December 2025.	550



Nr	Title	Description	Start €
1395	NN whiteboards	8 whiteboards, dimensions: (2x) 1800 mm x 1200 mm, (2x) 1780 mm x 900 mm, (2x) 2400 mm x 1200 mm, (2x) 3000 mm x 1200 mm.	300
1396	NN cabinet	Steel cabinet, dimensions: 420 mm x 920 mm x 1950 mm.	100
1397	NN office inventory	Office inventory consisting of desk, dimensions: 900 mm x 1800 mm x 750 mm, 2 steel cabinets, dimensions: 430 mm x 920 mm x 1950 mm x 500 mm x 1160 mm x 1800 mm, 2 whiteboards, dimensions: (2x) 1200 mm x 910 mm, 2 drawer cabinets, dimensions: (2x) 770 mm x 420 mm x 560 mm, chairs.	200
1399	Diversey	Steel pole with Diversey soap dispenser, dimensions: 400 mm x 400 mm x 1500 mm.	100
1401	NN shoe rack	S/s shoe rack for 24 pairs of shoes, dimensions: 250 mm x 1000 mm x 2050 mm.	100
1402	NN bench	Bench, dimensions: 1600 mm x 400 mm x 500 mm.	50
1403	NN boot racks	5 s/s boot racks, (4x) 20 pairs of boots, 12 pair of boots, dimensions racks: (3x) 250 mm x 1180 mm x 1920 mm, 300 mm x 1000 mm x 1600 mm, 1000 mm x 1500 mm x 1500 mm and 1 steel shoe rack, 30 pair of boots, dimensions: 500 mm x 860 mm x 1200 mm.	150
1404	Initial Hokatex	6 steel Initial Hokatex lockers, (5x) 4-doors, 8-doors, dimensions: (5x) 500 mm x 420 mm x 1900 mm, 500 mm x 420 mm x 1900 mm. Without keys.	300
1405	Diversey	Steel pole with Diversey soap dispenser, dimensions: 400 mm x 400 mm x 1500 mm and s/s frame with soap dispenser and temperature check, type: TCLD6792, dimensions: 450 mm x 450 mm x 1670 mm.	150
1406	Zarges	Zarges aluminium stairs, dimensions: 300 mm x 350 mm x 1600 mm.	50
1407	NN office inventory	Office inventory consisting of 2 desks, dimensions: 1400 mm x 2000 mm x 800 mm, 800 mm x 2000 mm x 800 mm, table, dimensions: 2000 mm x 1000 mm x 650 mm, steel cabinet, dimensions: 460 mm x 1200 mm x 1450 mm, 6 chairs. Available from December 2025.	150
1408	LG	LG tv, dimensions: 1000 mm x 610 mm.	150
1409	NN office inventory	Office inventory consisting of desk, dimensions: 800 mm x 2000 mm x 1150 mm, table, dimensions: 2200 mm x 1150 mm x 740 mm, 9 chairs, 5 whiteboards.	150
1410	NN office inventory	Office inventory consisting of 6 desks, dimensions: (5x) 800 mm x 1600 mm x 750 mm, 570 mm x 1130 mm x 730 mm, table, dimensions: 750 mm x 1500 mm x 740 mm, 3 Ahrend steel cabinets, dimensions: (2x) 450 mm x 1200 mm x 1650 mm, 450 mm x 1200 mm x 1950 mm, 1 whiteboard, dimensions: 2400 mm x 1200 mm, 10 chairs. Available from December 2025.	450



Nr	Title	Description	Start €
1411	NN memo board	5 memo boards, dimensions: (5x) 620 mm x 870 mm.	200
1412	NN whiteboard	2 whiteboards, dimensions: (2x) 1820 mm x 880 mm.	100
1413	NN racks	2 steel racks, dimensions: 420 mm x 1010 mm x 2000 mm, 410 mm x 900 mm x 1800 mm.	75
1414	GBC/Leitz/Sistem	4 office tools, GBC laminator, Leitz perforator, Sistem paper cutter and GBC multibinder.	75
1415	NN cabinet	Steel cabinet, dimensions: 480 mm x 1950 mm x 1000 mm.	100
1416	NN office inventory	Office inventory consisting of 4 tables, dimensions: (4x) 800 mm x 1600 mm x 770 mm, steel cabinet, dimensions: 460 mm x 1200 mm x 730 mm, whiteboard, dimensions: 700 mm x 760 mm x 1750 mm, Samsung tv, dimensions: 1250 mm x 720 mm, NEC projector.	275
1417	NN office inventory	Office inventory consisting of table, dimensions: 2600 mm x 1300 mm x 740 mm, cabinet, dimensions: 460 mm x 1200 mm x 750 mm, NEC projector, 10 chairs.	125
1419	NN office inventory	Office inventory consisting of 2 tables, dimensions: (2x) 900 mm x 1800 mm x 730 mm, 2 chairs.	150
1420	TFT Solutions	7 s/s control cabinets with TFT Solutions control screens.	700
1421	NN wooden boards	Approximately 84 pallets with wooden boards, approximately 108 wooden boards on each pallet, weight each pallet: 1150 kg, northern european whitewood. May not be used for cheese purposes.	28125
1422	NN wooden boards	Approximately 42 pallets with wooden boards, approximately 108 wooden boards on each pallet, weight each pallet: 1150 kg, northern european whitewood. May not be used for cheese purposes.	14315
1423	NN wooden boards	Approximately 17 pallets with wooden boards, approximately 108 wooden boards on each pallet, weight each pallet: 680 kg, northern european whitewood. May not be used for cheese purposes.	3860
1424	NN wooden boards	Approximately 105 pallets with wooden boards, approximately 108 wooden boards on each pallet, weight each pallet: 680 kg, northern european whitewood. May not be used for cheese purposes.	23815
1425	NN wooden boards	Approximately 26 pallets with wooden boards, approximately 102 wooden boards on each pallet, weight each pallet: 680 kg, northern european whitewood. New. May not be used for cheese purposes.	13525
1426	NN wooden boards	Approximately 232 pallets with wooden boards, approximately 108 wooden boards on each pallet, weight each pallet: 680 kg, northern european whitewood. May not be used for cheese purposes.	52620

Nr	Title	Description	Start €
1427	NN wooden boards	Approximately 45 pallets with wooden boards, approximately 108 wooden boards on each pallet, weight each pallet: 1150 kg, northern european whitewood. May not be used for cheese purposes.	15070
1428	NN wooden boards	3 pallets with wooden boards, approximately 102 wooden boards on each pallet, weight each pallet: 1150 kg, northern european whitewood. New. May not be used for cheese purposes.	2175

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on its right side, suggesting it's resting on a surface.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

