

1939: Online auction machinery for the food
industry in Hassfurt (DE)

END DATE

08 October 2025 14:00

General terms and conditions of the online auction

End date	08 October 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	15 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Industriestraße 26 97437 Hassfurt Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	GEA	GEA cutter with lifter for 200 liter meat bins and ejector, type: CutMaster V 500 I, serial number: 288/0694, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 465 A, 195 kW, weight: 7300 kg, volume: 500 liter, dimensions: 5500 mm x 4200 mm x 2210 mm. Including pallet with parts.	120000
2	GEA	GEA cutter with lifter for 200 liter meat bins and ejector, type: CutMaster V 325 I, serial number: 302/0132, year of construction: 2001, 400 V, 50 Hz, 137 kW, weight: 4900 kg, volume: 325 liter, dimensions: 3800 mm x 2650 mm x 1900 mm. Including pallet with parts.	25000
3	CFS	CFS cutter with lifter for 200 liter meat bins and ejector, type: Cutmaster SM 325, machine number: 302/0248, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 340 A, 134 kW, volume: 325 liter, dimensions: 2300 mm x 2100 mm x 1900 mm.	65000
4	Seydelmann	Seydelmann cutter with lifter for 200 liter meat bins and ejector, type: K 204 DC 8 year of construction: 2001, weight: 4900 kg, volume: 200 liter, dimensions: 3050 mm x 2500 mm x 1900 mm. Including switch cabinet dimensions: 1000 mm x 520 mm x 2200 mm.	17000
5	Seydelmann	Seydelmann cutter with lifter for 200 liter meat bins and ejector, type: AC-Kutter K206, year of construction: 2001, 400 V, 107 kW, volume: 200 liter, dimensions: 3050 mm x 2500 mm x 2000 mm. Including s/s switch cabinet, dimensions: 1550 mm x 600 mm x 1900 mm.	19000
6	Seydelmann	Seydelmann cutter with ejector, type: K 120 U, machine number: 09119-1, year of construction: 2009, 400 V, 50 Hz, 67 A, 36 kW, volume: 120 liter, dimensions: 1900 mm x 1400 mm x 1700 mm. Including s/s switch cabinet.	12000
7	Seydelmann	Seydelmann cutter, type: K 90 Ultra, machine number: 04 341-1, year of construction: 2004, 26 kW, weight: 1400 kg, volume: 90 liter, dimensions: 1400 mm x 1250 mm x 1400 mm. Including s/s switch cabinet, dimensions: 1000 mm x 800 mm x 1400 mm and crate with display.	7000
8	K+G Wetter	K+G Wetter cutter with lifter for 200 liter meat bins and ejector, type: CM 200 STL, machine number: 410/1120, year of construction: 2014, 400 V, 3 Ph 50 Hz, 90 kW, volume: 200 liter, dimensions: 3500 mm x 3100 mm x 1900 mm. Including crate with parts.	29000
9	K+G Wetter	K+G Wetter cutter with lifter for 200 liter meat bins and ejector, type: CM 200 STL, machine number: 410/1092, year of construction: 2007, 400 V, 3 Ph 50 Hz, 90 kW, volume: 200 liter, dimensions: 3500 mm x 3100 mm x 1900 mm. Including crate with parts.	25000

Nr	Title	Description	Start €
10	Laska	Laska cutter with lifter for 200 liter meat bins and ejector, type: KR 330 AC2, number: 11605, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 231 A, 129 kW, 4900 kg, volume: 330 liter, dimensions: 5300 mm x 2975 mm x 1750 mm.	25000
11	Laska	Laska cutter with lifter for 200 liter meat bins and ejector, type: KR 500 2, number: 12278, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 231 A, 129 kW, weight: 5400 kg, volume: 500 liter, dimensions: 4120 mm x 3145 mm x 2715 mm.	25000
12	K+G Wetter	K+G Wetter vacuum cutter with lifter for 200 liter meat bins, type: VCM 200 STL, machine number: 510/1073, year of construction: 2015, 230/400 V, 3 Ph, 50 Hz, 97 kW, weight: 5000 kg, volume: 200 liter, dimensions: 3000 mm x 2100 mm x 1900 mm. Including palletbox with parts.	75000
13	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP10E, number: 1610584, year of construction: 2013, 400/460 V, 3 Ph, 50/60 Hz, 21 A, 14 kW, dimensions: 2250 mm x 1500 mm x 2300 mm.	7000
14	Vemag	Vemag mobile flexible sausage line, type: FSL210, model: FSL210, number: 2100153, year of construction: 2020, 400/460 V, 3 Ph, 50/60 Hz, 10 A, 7 kW, weight: 548 kg, dimensions: 2050 mm x 850 mm x 1400 mm.	7000
15	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: Robby 2, number: 137 0332, year of construction: 2008, 400/460 V, 3 Ph, 50/60 Hz, 11 A, 7.6 kW, dimensions: 2700 mm x 1200 mm x 2050 mm. Including filling attachment and crate with filling pipes.	4000
16	Handtmann	Handtmann mobile portioning- and linking machine, type: PVLS 125, number: 41919, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 8.3 A, 5.5 kW, weight: 680 kg, dimensions: 1900 mm x 950 mm x 1350 mm.	9000
17	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 620, serial number: 34464, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 11.5 A, 8 kW, dimensions: 2600 mm x 1400 mm x 2150 mm. Including linking gearbox, case holding device and various filling pipes.	19000
18	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile double clipper, model: SVF 1800, serial number: 4900.073.170, year of construction: 2020, 400/480 V, 3 Ph, 50/60 Hz, 12/25 A, 5.5 kW, 450 kg, capacity: 130/min, caliber: 35 - 140 mm, 1997 clip cycles, plastic belt, belt width: (2x) 75 mm, total dimensions: 1750 mm x 1250 mm x 2000. New.	22500
19	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: V620, number: 33926, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 11.5 A, 8 kW, dimensions: 2300 mm x 1400 mm x 2000 mm.	15000

Nr	Title	Description	Start €
20	Poly-clip System GmbH & Co.	Poly-clip System GmbH & Co. KG mobile double clipper, type: FCA 3430, number: 109, year of construction: 2004, 400 V, 3 Ph, 50/60 Hz, 6 A, 40 kW, plastic belt, belt width: (2x) 75, total dimensions: 1750 mm x 1200 mm x 2000 mm. Including crate with parts.	5000
21	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP 6, number: 152 0016, year of construction: 2013, 400/460 V, 3 Ph, 50/60 Hz, 13 A, 9 kW, with casing applier, model: DA 804, serial number: 8040383, year of construction: 2020, 0.38 kW, weight: 14 kg, total dimensions: 2300 mm x 1350 mm x 2000 mm.	8000
22	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP20, number: 1631401, year of construction: 2020, 400/460 V, 3 Ph, 50/60 Hz, 38 A, 23 kW, dimensions: 2350 mm x 1500 mm x 2050 mm. Including grinding head, plate diameter: 220 mm and tool trolley with parts, dimensions trolley: 1200 mm x 950 mm x 1050 mm.	30000
23	Vemag	Vemag mobile portioner, model: MMP220, number: 2200732, year of construction: 2020, 400/460 V, 3 Ph, 50/60 Hz, 2 A, 1.5 kW, 335 kg, plastic belt, belt width: 250 mm, total dimensions: 1600 mm x 750 mm x 1400 mm.	12500
24	Weber Marking Systems GmbH	Weber Marking Systems GmbH labelling machine with side and top labeller, type: Geset 700, model: 8, serial number: 50037872, year of construction: 11/2019, 230 V, 50/60 Hz, 1.5 kW, plastic belt, belt width: 80 mm, total dimensions: 2750 mm x 1200 mm x 2000 mm. Including pallet with parts.	7500
25	Itec	Itec mobile sausage cutter, type: SB-Cut, series: 0130, year of construction: 11/2013, 400 V, 3 Ph, 50/60 Hz, 1 kW, 285 kg, cutting width: 35-65 mm, cutting hieght: 35-65 mm, min/max lenght product: 180 - 400 mm, clearance: 80 mm x 75 mm, plastic belt, belt width: 25 mm, plastic string belt, belt width: 25 mm, total dimensions: 2000 mm x 1200 mm x 1500 mm. Including crate with parts.	3500
26	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 830, number: 44613, year of construction: 2020, 200/575 V, 50/60 Hz, 7.2/17.3 A, 6 kW, dimensions: 2300 mm x 1500 mm x 2150 mm.	29000
27	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 1300 mm.	2000
28	Verbufa/ Handtmann	Verbufa mobile dosing / filling machine for cans / pots, type: 52088-A-0084, serial number: 261960, year of construction: 2020, 230 V, 50 Hz, 10 A, 1.6 kW, weight: 400 kg, 2 heads, head dimensions: (2x) Ø 35 mm, total dimensions: 1200 mm x 950 mm x 1900 mm. With Handtmann flow divider, type: FST546, number: 1820494, year of construction: 05-2020, and 2 crates with parts.	15000

Nr	Title	Description	Start €
29	NN filling station	Filling station, plastic belt, belt width: (1x) 100 mm (1x) 150 mm, total dimensions: 3200 mm x 2000 mm x 2200 mm. Including crate with parts.	1000
30	Stiller	Stiller can sealer, type: STA 2000, serial number: 20012, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 5.16/32 A, 3.56 kW, capacity: 2000/h plastic mesh belt, belt width: 150 mm, clearance: 310 mm x 105 mm, Ø cans: 52 - 99 mm, height cans: 30 - 300 mm, total dimensions: 2600 mm x 1050 mm x 2000 mm.	15000
31	NN transport belt	Transport belts, plastic belt, belt width: (2x) 140 mm, total dimensions: 2200 mm x 1270 mm x 1250 mm.	800
32	NN curve conveyor	90° curve conveyor, plastic mesh and rubber belt, belt width: (2x) 100 mm, total dimensions: 4300 mm x 1150 mm x 1200 mm.	800
33	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 1200 mm.	500
34	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type VF620, number: 36444, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 11.5 A, 8 kW, dimensions: 2000 mm x 1350 mm x 2100 mm. Including crate with parts.	19000
35	Handtmann	Handtmann mobile linking machine, type: 228-01, number: 16800981, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 8.3 A, 5.5 kW, weight: 655 kg, dimensions: 1800 mm x 1100 mm x 1500 mm.	15000
36	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 10903414, year of construction: 2017, weight: 210 kg, dimensions: 2650 mm x 700 mm x 1500 mm.	2000
37	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bin, type: VF 830, number: 38725, year of construction: 2016, 200/575 V, 50/60 Hz, 7.2/17.3 A, 6 kW, dimensions: 2200 mm x 1500 mm x 2150 mm. Including crate with parts.	29000
38	Handtmann	Handtmann mobile linking machine, type: 228-01, number: 16800980, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 8.3 A, 5.5 kW, weight: 655 kg, dimensions: 1800 mm x 900 mm x 1500 mm.	15000
39	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 10903245, year of construction: 2016, weight: 210 kg, dimensions: 2600 mm x 700 mm x 1500 mm.	2000
40	K+G Wetter	K+G Wetter grinder with lifter for 200 liter meat bins, type: WW E130-442, machine number: 442/1035, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 40/50 A, 19 kW, plate diameter: 130 mm, total dimensions: 2600 mm x 1750 mm x 2200 mm. Including s/s tool trolley, dimensions: 850 mm x 800 mm x 1000 mm.	25000
41	Zentjes Food BV	Zentjes Food BV mobile flattener, type: RMP600, plastic belt, belt width: 600 mm, total dimensions: 2000 mm x 800 mm x 1900 mm.	2500

Nr	Title	Description	Start €
42	Alco food machines GmbH	Alco food machines GmbH mobile tenderiser, type: ASC 400 N, serial number: 01881225, year of construction: 2014, 400 V, 1.1 kW, weight: 250 kg, s/s mesh belt, belt width: 250 mm, total dimensions: 1900 mm x 750 mm x 1900 mm.	3500
43	Inotec	Inotec mobile sausage cutter, type: WT99-iT, number: 1 000 000 075, year of construction: 2017, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 1.6 kW, weight: 290 kg, plastic belt, belt width: 30 mm, total dimensions: 1000 mm x 800 mm x 1700 mm.	12500
44	Inotec	Inotec mobile sausage cutter, type: WT97-SH, number: 060-127, year of construction: 2015, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 2 kW, weight: 490 kg, plastic belt, belt width: 120 mm, total dimensions: 1850 mm x 750 mm x 1550 mm.	4000
45	General System Pack	General System Pack flowpacker, type: GSP 45 S, serial number: G3407, year of construction: 2021, 400 V, 3 Ph, 50/60 Hz, 6 A, 3,7 kW, film width: 160 mm, weight: 550 kg, plastic belt, belt width: 200 mm, seal width: 245 mm, clearance: 200 mm x 155 mm, total dimensions: 3300 mm x 1050 mm x 1950 mm.	7000
46	Bizerba	Bizerba weighing- and labelling machine, consisting of: Bizerba checkweigher, model: GLM-I, number: 10452803, 230 V, 50 Hz, 2.4 A, minimum weighing weight: 150 g, maximum belt speed: 70 m/min, plastic belts, belt width: (4x) 140 mm and (1x) 290 mm, Bizerba metal detector, clearance: 350 mm x 155 mm, 2 Bizerba labelling units, model: GLM, number: 10452802 / 10452803, 230/240 V, 50 Hz, 2.4 A, total dimensions: 5100 mm x 1300 mm x 1900 mm.	4500
47	NN denester	Denester, plastic belt, belt width: 30 mm, distance between dividers: 120 mm, divider height: 10 mm, dimensions: Ø 185 mm x 115 mm, clearance: 200 mm x 180 mm, total dimensions: 2100 mm x 600 mm x 1700 mm.	3500
48	NN transport belt	Transport belt, s/s frame, s/s chain conveyor with dividers, dimensions: 11300 mm x 1300 mm x 1500 mm. Including crate with chain conveyor.	3000
49	Selo	Selo slicer with Franz slicing unit, type: AE0178665, serial number: 046, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 5.5 kW, 6 bar, 140 l/min, empty weight: 1150 kg, clearance infeed: (2x) Ø 105 mm, clearance output: (4x) 120 mm x 80 mm, Franz slicing unit type: MST 64/580 OS, machine number: 1160/1, year of construction: 2019, 400 V, 0.75 kW, 4 knife sets, 28 knives per set, distance between knives: 0,5 mm, total dimensions: 2400 mm x 1800 mm x 3000 mm. Including 2 trolleys for knives, dimensions trolley: (2x) 800 mm x 700 mm x 1000 mm.	7500

Nr	Title	Description	Start €
50	NN platform	S/s platform, working height: 500 mm, total dimensions: 1150 mm x 950 mm x 1450 mm.	100
51	Würschum	Würschum depositor, type: TOUCHFILL 1000-UA-MV, number: 13 03-7567, year of construction: 2013, dimensions: 1150 mm x 950 mm x 1450 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 400 mm.	2000
52	Ulma	Ulma traysealer, type: Scorpioius-1000, serial number: 7700004, year of construction: 2009, 400 V, 50 Hz, 27 A, 14 kW, dye: (6x) 190 mm x 140 mm, plastic belt, belt width: (2x) 115 mm and (1x) 300 mm, plastic string belt, belt width: 200 mm, total dimensions: 4335 mm x 1140 mm x 2166 mm. Including Becker pump vacuum pump, model: U 4.250SA7K-54, number: F 2567251, year of construction: 2011, 244/276 m³/h, dimensions: 1100 mm x 550 mm x 450 mm, trolley with parts, dimensions trolley: 1650 mm x 950 mm x 1350 mm and rack for dyes, dye: (7x) 160 mm x 100 mm, dimensions rack: 2750 mm x 750 mm x 1400 mm.	5000
53	Pulsotronic	Pulsotronic metal detector with rejector, type: M-Pulse 2 BD-HD 350x150 LPW MFT, serial number: 90007273, year of construction: 2018, 115/230 VAC, 50-60 Hz, plastic mesh belt, belt width: 240 mm, clearance: 350 mm x 115 mm, total dimensions: 3500 mm x 1000 mm x 1440 mm.	1500
54	Multivac	Multivac thermoformer, type: R085, serial number: 225973, year of construction: 2016, 400/230 V, 3 Ph, 50 Hz, 24/50 A, 8 kW, dye: 375 mm x 280 mm, total dimensions: 3300 mm x 1250 mm x 1500 mm. Including pallet with dyes, dimensions: (2x) 380 mm x 130 mm x 85 mm, (6x) 130 mm x 115 mm x 85 mm.	7500
55	Bizerba	Bizerba weighing- and labelling machine, model: GLM-I, serial number: 10078883, 230 V, 50 H, 2.4 A, maximum: 6 kg, minimum: 40 gram, e = 2 gram, T = - max, number labeller: 1007885, plastic belt, belt width: 295 mm and (3x) 140 mm, total dimensions: 3000 mm x 950 mm x 1050 mm.	6500
56	Multivac	Multivac thermoformer capable for soft / hard film and vacuum gas skin packaging, type: R260, number: 1965, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 52 A, 19 kW, film width: 420 mm, plastic belt, belt width: 350 mm, index: 254 mm, cutting width: 381 mm, dimensions dye: Ø (6x) 112 mm, total dimensions: 6000 mm x 1200 mm x 2200 mm. Including Busch vacuum pump: RA 0302 D 5H3, year of construction: 2017, capacity: 300 m³ per hour and crate with dye, dimensions dye's: (6x) 112 mm x 109 mm.	12000

Nr	Title	Description	Start €
57	ELS	ELS mobile bottom labeller, type: ELS300, machine number: 16277, year of construction: 2023, 230 V, 50/60 Hz, plastic belt, belt width: 190 mm, total dimensions: 1400 mm x 700 mm x 1400 mm.	7500
58	Webomatic	Webomatic traysealer, type: TL 300, serial number: E9021XE408, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 3.0 kW, dye: (4x) 175 mm x 130 mm, Busch vacuum pump, type: RA 0063 F 5K3, serial number: D14450536, year of construction: 2014, capacity: 63 m³/h, total dimensions: 1000 mm x 800 mm x 1630 mm.	4500
59	Webomatic	Webomatic traysealer with gas flush, type: TL 300 Skin, serial number: E9021-Z3G-454, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 3.7 kW, weight: 400 kg, dye: (4x) 175 mm x 130 mm, Busch vacuum pump, type: RA 0100 F 503, serial number: DEM120091433, year of construction: 2020, capacity: 100 m³/h, total dimensions: 1000 mm x 800 mm x 1630 mm.	7500
60	Multivac	Multivac mobile traysealer, type: T250, serial number: 166980, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 27/32 A, 5.2 kW, Busch vacuum pump, type: RA 100 F 503, year of construction: 2012, 100 m³/h, dimensions: 1300 mm x 800 mm x 1650 mm.	3500
61	Bizerba	Bizerba weighing- and labelling machine, type: GLM-I, number: 10461708, 230 V, 50 Hz, 2.4 A, with 2 Bizerba labellers, type: GLM, number labeller: 10461712 and 10461714, 230/240 V, 50 Hz, 2.4 A, plastic belt, belt: (2x) 300 mm, (3x) 140 mm, total dimensions: 3000 mm x 1000 mm x 1900 mm.	2900
62	Bizerba	Bizerba weighing- and labelling machine, type: GLM-I, number: 10671088, 230 V, 50 Hz, 2.4 A, with 2 Bizerba labellers, number labeller: 10671095 and 10671096, 230/240 V, 50 Hz, 2.4 A, plastic belt, belt width: (1x) 300 mm, (1x) 95 mm, (3x) 140 mm, total dimensions: 4000 mm x 1000 mm x 1900 mm.	2900
63	Webomatic	Webomatic thermoformer, type: ML-C 3600, serial number: H 6513-Z3A-166, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 13.2 kW, weight: +/- 2200 kg, 218 working hours, dye: (20x) 175 mm x 20 mm, film width: 420 mm, plastic mesh belt, belt width: 365 mm, total dimensions: 5750 mm x 1200 mm x 2250 mm. With Busch vacuum pump, type: RA 0302 D 503, serial number: C1938000538, year of construction: 2019 capacity: 300 m³/h and pallet with various parts.	45000
64	Schröter Technologie GmbH	Schröter Technologie GmbH steam heated cooking vessel, type: Thermicjet KK-500, serial number: 1125026, year of construction: 2010, 200 V, 50 Hz, dimensions: 1750 mm x 1400 mm x 1050 mm.	1500

Nr	Title	Description	Start €
65	Webomatic	Webomatic thermoformer, type: ML 7100, serial number: C6513WL651, 400 V, 3 Ph, 50 Hz, film width: 430 mm, dye: (3x) 674 mm x 103 mm, total dimensions: 7550 mm x 1050 mm x 2100 mm. Including extra parts and suction device for rest film, dimensions: Ø 500 mm x 1100 mm. Without vacuum pump.	7500
66	Kessen	Kessen mobile denester, type: Entstapler EST, serial number: 41005-202, year of construction: 12/2013, dye: 185 mm x 135 mm, total dimensions: 1100 mm x 550 mm x 1950 mm.	2000
67	Webomatic	Webomatic traysealer, type: TL 500, serial number: F 9015VL160, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 6.0 kW, plastic mesh belt, belt width: (2x) 150 mm, dye: (3x) 170 mm x 120 mm, film width: 280 mm, plastic outfeed belt, belt width: 310 mm, with Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m³/h, total dimensions: 4000 mm x 1000 mm x 1600 mm. Including pallet with parts and extra dye: (4x) Ø 95 mm.	12500
68	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: AU 200 B, serial number: S9-20200-1367-20, year of construction: 2020, 400 V, 50 Hz, 107 A, 57 kW, weight: 1900 kg, plate diameter: 200 mm, total dimensions: 2900 mm x 2100 mm x 2600 mm. Including s/s tool trolley with auger, knives and plates, dimensions trolley: 950 mm x 600 mm x 900 mm.	19000
69	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF628, number: 25580, year of construction: 2008, 420 V, 3 Ph, 50/60 Hz, 18.6 A, 13.5 kW, dimensions: 2200 mm x 1350 mm x 2100 mm. Including linking gearbox.	19000
70	Schälomat GmbH & CO.	Schälomat GmbH & CO, mobile automatic sausage peeler, type: COMPACT, serial number: 1607202423, year of construction: 2024, 400 V, 50 Hz, 2.75 kW, clearance: Ø 25 mm, total dimensions: 1400 mm x 700 mm x 1350 mm.	9000
71	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer with lifter for 200 liter meat bins, type: Twister AT, serial number: 418102.183054.122365, year of construction: 2014, 380/480 V, 3 Ph, 50/60 Hz, 15/25 A, 7 kW, weight: 950 kg, chamber dimensions: 550 mm x 120 mm x 120 mm, plastic belt width: 245 mm, total dimensions: 2400 mm x 1900 mm x 2000 mm. Including Nimo KG lifter for meat bins, type: SKV 300 C3, serial number: 11924, year of construction: 2013, weight: 350 kg, 3x400 V, 3 Ph, 50 Hz, 4 A. Including trolley with knife sets, dimensions trolley: 1400 mm x 500 mm x 1200 mm.	9000

Nr	Title	Description	Start €
72	Rühle	Rühle injector/tenderizer, type: IR 29, serial number: 30060199, year of construction: 2020, 400 V, 3 Ph, 50/60 Hz, 12.6 A, 6.1 kW, s/s mesh belt, belt width: 340 mm, clearance: 350 mm x 275 mm, total dimensions: 1200 mm x 900 mm x 1900 mm.	3500
73	Bizerba	Bizerba weighing- and labelling machine type: GLM-I, number: 10671074, 230 V, 50 Hz, 2.4 A, with 2 labellers, number labeller: 10671086 / 10671082, 230/240 V, 50 Hz, 2.4 A, plastic belt, belt width: (1x) 300 mm, (1x) 90 mm, (2x) 140 mm, total dimensions: 4000 mm x 1000 mm x 1900 mm.	3500
74	Storm	Storm s/s lifter for 200 liter meat bins, serial number: 3100132000 16, year of construction: 2016, 400 V, 50 Hz, 0.8 kW, weight: 400 kg, lifting height: 1200 mm, total dimensions: 1200 mm x 1100 mm x 2000 mm.	3500
75	Handtmann	Handtmann vacuum filling machine, type: VF612K, serial number: 26223, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 6.5 A, 4.5 kW, dimensions: 1300 mm x 950 mm x 1820 mm. Including linking gearbox and crate with parts.	9000
76	Quiel	Quiel mobile tray filling machine with denester, type: FKFA2, serial number: 19784, year of construction: 2020, 400 V, 50 Hz, 0.4 kW, plastic belt with dividers, belt width: 115 mm, distance between dividers: 280 mm, divider height: 15 mm, s/s out feed rollers, roller width: 170 mm, total dimensions: 2200 mm x 750 mm x 1900 mm. Used for leber kase with trays for: 2000 g, 1000 g, 500 g, 250 g. With trolley, total dimensions: 1400 mm x 800 mm x 1200 mm.	12000
77	Komet Maschinenfabrik GmbH	Komet Maschinenfabrik GmbH mobile double chamber vacuum machine, type: PowerVac 210, machine number: 405 00035 18, 400 V, 3 Ph, 50 Hz, 10.879 A, 4.9093 kW, seal length: (4x) 640 mm, chamber: (2x) 625 mm x 470 mm, built-in vacuum pump, total dimensions: 1750 mm x 970 mm x 1200 mm.	3000
78	Intervac vacuumtechnik GmbH	Intervac vacuumtechnik GmbH mobile double chamber vacuum machine with gas flush, type: INV 30/30, serial number: 1764, year of construction: 2004, 230/400 V, 50 Hz, 7.5 kW, weight: 570 kg, chamber dimensions: (2x) 870 mm x 820 mm, seal width: (4x) 815 mm, Gardner Denver vacuum pump, type: V-VC 303 (20), capacity: 300.0/360.0 m³/h, total dimensions: 2000 mm x 1200 mm x 1150 mm.	3000
79	Marel	Marel optical portion cutter, type: IPM3 X300, serial number: A032977, year of construction: 2005, 380–480 V, 3 Ph, 50 Hz, 4 kW, 10 A, plastic belt, belt width: 280 mm, clearance: 255 mm x 140 mm, total dimensions: 3300 mm x 950 mm x 1600 mm. Including crate with parts.	9000

Nr	Title	Description	Start €
80	Marel	Marel grader and sorting belt with 6 stations, type: gra-pa32-cq60, serial number: A033781, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 6 A, max weight: 3/5 kg, min weight: 100/200 g, max rate: 80/min, plastic belt, belt width: 300 mm, total dimensions: 2900 mm x 560 mm x 1300 mm.	7000
81	Alco food machines GmbH	Alco food machines GmbH s/s lifter for meat bins, type: AHK 350, model: M1604, maximum lifting height: 2400 mm, total dimensions: 1200 mm x 1000 mm x 3200 mm.	2000
82	Alco food machines GmbH	Alco food machines GmbH double shaft paddle mixer on weighing cells, type: AMP 1000N, 01602224, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 50 A, 11 kW, volume: 1000 liter, weight: 1600 kg, total dimensions: 3500 mm x 1200 mm x 2400 mm.	15000
83	NN meat bin	S/s meat bin, volume: 200 liter.	50
84	NN platform	S/s platform with stairs, working height: 800 mm, total dimensions: 2320 mm x 2000 mm x 2100 mm.	2000
85	Komet Maschinenfabrik GmbH	Komet Maschinenfabrik GmbH mobile double chamber vacuum machine, seal length: (2x) 480 mm, dimensions chamber: (2x) 600 mm x 480 mm, Busch vacuum pump, type: RA 0100 E 5Z1, number: 99012428, capacity: 100 m ³ per hour, total dimensions: 1300 mm x 900 mm x 1100 mm.	1500
86	Voran / MAS-Germany GmbH	Voran / MAS-Germany GmbH sausage cutter, type: SB Cut, series: 203, order number: 2140004, year of construction: 2022, 400 V, 3 Ph, 50-60 Hz, 1.5 kW, dimensions: 1655 mm x 750 mm x 1440 mm.	15000
87	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer with lifter for 200 liter meat bins, type: Raptor 150 C, serial number: 415003.77261.104392, year of construction: 2008, 380-480 V, 3 Ph, 50/60 Hz, 10-13 A, 8.0 kW, weight: 1850 kg, chamber dimensions: 700 mm x 150 mm x 150 mm, total dimensions: 3400 mm x 1300 mm x 2400 mm. Including trolley with knife grids, distance between knives: 25 mm, 10 mm, 6 mm, total dimensions: 1050 mm x 660 mm x 950 mm.	9000
88	NN meat bin	S/s meat bin, volume: 200 liter.	50
89	Rühle	Rühle dicer with lifter for 200 liter meat bins, type: SR 3, serial number: 0081, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 32 A, 17 kW, chamber dimensions: 540 mm x 125 mm x 125 mm, total dimensions: 3100 mm x 1450 mm x 2300 mm. Including large amount of knife grids, dimensions among others: 5x5 mm, 15x15 mm, 20x20 mm and 25x25 mm.	9000

Nr	Title	Description	Start €
90	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 200, 400 V, 50 Hz, 17 A, 6.5 A, with Becker pump, type: U1.16 SA-31, year of construction: 1993, dimensions: 2050 mm x 1400 mm x 2400 mm. Including linking gearbox and case holding device.	2500
91	Handtmann	Handtmann mobile linking device, dimensions: 1600 mm x 750 mm x 1250 mm.	2000
92	Handtmann	Handtmann mobile hanging line, model: 220-16, number: 216/520, year of construction: 1998, dimensions: 2650 mm x 600 mm x 1500 mm.	1000
93	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Falcon, serial number: 460000.61720, year of construction: 2002, 400/480 V, 3 Ph, 50/60 Hz, 9.6/11.5 A, 8 kW, weight: 600 kg, plastic belt, belt width: 255 mm, clearance: 1950 mm x 150 mm, total dimensions: 1200 mm x 800 mm x 1000 mm. Including pallet with parts.	7000
94	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH checkweigher with sorting belt, model: Waage mit Sortiereinrichtung, machine number: 480000.61722.3334, year of construction: 2002, 50/60 Hz, 1.5/2 A, plastic string belt, belt width: 300 mm, plastic belt: 350 mm, total dimensions: 1400 mm x 1300 mm x 1270 mm.	800
95	Fabri Group	Fabri Group packaging machine, model: Elix21-B.283.XS, serial number: 1\604, year of construction: 2016, 230 V, 1 Ph, 50/60 Hz, 8.7+1.3 A, weight: 170 kg, plastic string belt, belt width: 300 mm, plastic belt, belt width: 335 mm, minimum tray size: 120 mm x 100 mm x 10 mm, maximum tray size: 350 mm x 230 mm x 130 mm, total dimensions: 1400 mm x 1300 mm x 1300 mm.	900
96	Hendi	Hendi au-bain Marie type: Ecoline, serial number: 002256-000567, year of construction: 12/2010, 230V, 50 Hz, 1300W, inside dimensions: 510 mm x 305 mm x 155 mm, total dimensions: 570 mm x 340 mm x 240 mm.	50
97	Gilde	Gilde dishwasher, model: H750/CV/GILDE-3HP, serial number: 40011530-1536, 380/415V, 3 Ph, 50 Hz, 13 A, 6.84 kW, inside dimensions: 530 mm x 500 mm x 365 mm, total dimensions: 610 mm x 550 mm x 825 mm.	200
98	Krumbein	Krumbein bread slicer, plastic belt, belt width: 140 mm, total dimensions: 1200 mm x 500 mm x 1700 mm.	200
99	NN working station	Work station with s/s top and frame, top dimensions: 1000 mm x 600 mm, total dimensions: 1000 mm x 650 mm x 1700 mm.	100
100	Mado	Mado mobile bandsaw, type: MKB 749, number 20167205, year of construction: 2020, 400 V, 3 Ph, 50 Hz, dimensions table: 880 mm x 750 mm, total dimensions: 700 mm x 600 mm x 1600 mm.	500

Nr	Title	Description	Start €
101	S.A.M. Kuchler Electronics GmbH	S.A.M. Kuchler Electronics GmbH slicing- and packaging line, consisting of: S.A.M. interleaver, model: IL-4-220, serial number: 101111, year of construction: 2018, 230 V, 50 Hz, 0.43 A, dimensions: 780 mm x 405 mm x 380 mm. S.A.M. slicer, model: S.A.M. PX3, serial number: 501229, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 3.80 A, dimensions: 670 mm x 880 mm x 770 mm. S.A.M. fully automatic packaging device, model: KP 21 Airless, serial number: 403220, year of construction: 2018, 230 V, 50 Hz, 1.34 A, dimensions: 670 mm x 360 mm x 310 mm. S.A.M. fully automated weighing and price labelling machine, type: PAZ UC-GTT-M, serial number: B834291967, year of construction: 2018, 230 V, 50 Hz, 5 A, maximum load: 3/6 kg, minimum load: 20 g, e= 1/2 g, dimensions: 460 mm x 450 mm x 570 mm.	800
102	NN pate moulds	Approximately 167 pate moulds, dimensions: 255 mm x 115 mm x 50 mm.	500
103	NN pate moulds	Approximately 130 pate moulds, dimensions: 255 mm x 115 mm x 50 mm.	400
104	NN pate moulds	Approximately 120 pate moulds, dimensions: 255 mm x 115 mm x 50 mm.	350
105	Holzapfel	6 s/s Holzapfel cutter knives, number: 13 15.	50
106	NN cutter knives	6 s/s cutter knives, type: DSX0707.	50
107	NN cutter knives	6 s/s cutter knives.	50
108	Holzapfel	6 s/s Holzapfel cutter knives, model: 48 09.	50
109	Kolbe	Kolbe bandsaw, model: K 330, serial number: 94 1362, year of construction: 2000, 400 V, 50 Hz, 1,5 kW, dimensions saw table: 760 mm x 580 mm, total dimensions: 800 mm x 750 mm x 1600 mm.	800
110	NN table	S/s table, dimensions: 1400 mm x 700 mm x 850 mm.	150
111	Kolbe	Kolbe bandsaw, type: K 330, serial number: 98 0811, 400 V, 4 Ph, 50 Hz, 3.4 A, 1,5 kW, weight: 150/155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 800 mm x 750 mm x 1600 mm.	500
112	Wiesheu	Wiesheu oven on s/s trolley, 3 floors, floor dimensions: (3x) 635 mm x 400 mm, total dimensions: 950 mm x 850 mm x 1200 mm.	300
113	NN sink	S/s sink with 5 faucets, sensor controlled, 230 V, dimensions: 3000 mm x 600 mm x 450 mm.	200
114	Aichinger GmbH	Aichinger GmbH refrigerated showcase, type: 1 HTN 31, serial number: 22112597 12 , 400 V, 3 Ph, 16 A, 1500 W, 3 plates, plate dimensions: 530 mm x 325 mm, total dimensions: 1400 mm x 1200 mm x 1000 mm. Including gastronom bins (8x) GN 1/6.	200

Nr	Title	Description	Start €
115	Maja-Maschinenfabrik GmbH	Maja-Maschinenfabrik GmbH mobile skinning and deriding machine, type: ESB 4434/1, serial number: M-49021, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.05 A, 0.88 kW, weight 250 kg, plastic belt, belt width: 430 mm, working width: 360 mm, total dimensions: 1700 mm x 850 mm x 1250 mm. Including extra parts.	500
116	Blickle Germany	Steel gitter box with Blickle wheels for meat bins, total dimensions: 1200 mm x 800 mm 1100 mm.	150
117	Blickle Germany	Steel gitter box with Blickle wheels for meat bins, total dimensions: 1200 mm x 800 mm 1100 mm.	150
118	NN mixer/grinder arm	Mixer/grinder arm.	150
119	NN mixer/grinder arm	Mixer/grinder arm.	150
120	S.A.M. Kuchler Electronics GmbH	S.A.M. Kuchler Electronics GmbH slicing- and packaging line, consisting of: S.A.M. interleaver, model: IL-4-220 Airless, serial number: 101041, year of construction: 2016, 230 V, 50 Hz, 0.43 A, dimensions: 780 mm x 405 mm x 380 mm, S.A.M. slicer, model: S.A.M. PX3, serial number: 501158, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 3.80 A, dimensions: 670 mm x 880 mm x 770 mm, S.A.M fully automatic packaging device, model: KP 21 Airless, serial number: 403127, year of construction: 2016, 230 V, 50 Hz, 1.38 A, dimensions: 670 mm x 360 mm x 310 mm, S.A.M fully automated weighing and price labelling machine, model: PAZ S.A.M. - Mettler UC3, serial number: 600165, year of construction: 2014, 230 V, 50 Hz, 2.53 A, maximum load: 3/6 kg, minimum load: 20 g, e= 1/2 g, T= 6 kg, dimensions: 460 mm x 450 mm x 570 mm.	600
121	NN pate moulds	Approximately 120 pate moulds, dimensions: 255 mm x 115 mm x 50 mm.	350
122	NN pate moulds	Approximately 120 pate moulds, dimensions: 255 mm x 115 mm x 50 mm.	350
123	NN pate moulds	Approximately 120 pate moulds, dimensions: 255 mm x 115 mm x 50 mm.	350
124	Lanico	Lanico mobile can seamer, type: V110 PD, serial number: 110441, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 1.8 A, air pressure: 6 bar, can diameter: 118 mm, total dimensions: 900 mm x 700 mm x 660 mm.	800
125	Lanico	Lanico can seamer, type: V 10 A, number: 41/9687, diameter top plate: 95 mm, diameter bottom plate: 120 mm, total dimensions: 720 mm x 500 mm x 150 mm.	300
126	NN table	S/s table, dimensions: 2000 mm x 900 mm x 850 mm.	200
127	NN pate moulds	Approximately 220 pate moulds, dimensions: 255 mm x 115 mm x 50 mm.	650
128	Frey	Frey piston filler, type: MF-30/4, 400 V, 50 Hz, 1.1 kW, dimensions: 1100 mm x 700 mm x 1300 mm. Including various filling pipes.	2000

Nr	Title	Description	Start €
129	MKN	MKN fryer, braising pan, inside dimensions: 720 mm x 535 mm x 180 mm, total dimensions: 1000 mm x 800 mm x 900 mm.	300
130	Maico Elektroapparate-Fabrik GmbH,	Maico Elektroapparate-Fabrik GmbH extraction hood, model: UV 61/101 E, serial number: 660920710-07165, 200/240 V, 50/60 Hz, dimensions: 1200 mm x 850 mm x 410 mm.	200
131	Maico Elektroapparate-Fabrik GmbH,	Maico Elektroapparate-Fabrik GmbH s/s frame for oven, type: UG2, year of construction: 2009, serial number: 60.30.115, 14 floors, floor dimensions: (14x) 520 mm x 325 mm, total dimensions: 850 mm x 750 mm x 700 mm.	100
132	Cino	Cino coffee machine, type: XS GRANDE, serial number: 20170807292, 230 V, 50/60 Hz, 1200W, dimensions: 600 mm x 410 mm x 600 mm, with Vitrifrigo milk cooler, model: FG10I, serial number: 201912002147, 220/240 V, 50/60 Hz, refrigerant: R134a, dimensions milk cooler: 460 mm x 230 mm x 360 mm.	200
133	GAM international S.R.L.	GAM pizza oven, model: SMALL 3T 2 CAMERE, serial number: 0648/05324, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6 kW, weight: 85 kg, inside dimensions: (2x) 520 mm x 500 mm x 100 mm, total dimensions: 750 mm x 700 mm x 500 mm.	100
134	NN counter	Mobile counter with s/s top, dimensions: 1950 mm x 750 mm x 2200 mm.	200
135	DEBAG	DEBAG mobile oven, type: DiLa 5, serial number: D 322991, year of construction: 1/2013, 400 V, 50 Hz, 16 A, 9.5 kW, 5 floors, floor dimensions : (5x) 615 mm x 400 mm, including 2 s/s racks for plates, dimensions floors: (10x) 600 mm x 400 mm and (16x) 650 mm x 400 mm, total dimensions: 1150 mm x 1100 mm x 2100 mm.	800
136	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH rotisserie grill on s/s cabinet, 400 V, 3 Ph, 32 A, 12.3 kW, 8 basket, basket dimensions: (8x) 650 mm x 145 mm x 50 mm, dimensions grill: 1000 mm x 900 mm x 1020 mm, dimensions cabinet: 700 mm x 780 mm x 1020 mm, total dimensions: 1700 mm x 800 mm x 2100 mm.	400
137	ITEC	Itec hand disinfection unit, type: 23704, serial number: 250, year of construction: 02/2017, 230 V, 50/60 Hz, 0.1 kW, dimensions: 800 mm x 280 mm x 250 mm.	100
138	NN cabinet	S/s fire hose cabinet, inside dimensions: 335 mmx 195 mm x 670 mm, total dimensions: 350 mm x 220 mm x 920 mm.	50
139	Poly-clip	Poly-clip table model double clipper, type: DGD 6020, number: 0151, dimensions: 530 mm x 250 mm x 920 mm.	50
140	NN paper dispensers	6 s/s paper dispensers, dimensions: (6x) 350 mm x 350 mm x 450 mm.	120
141	NN autoclave baskets	20 autoclave baskets, dimensions: (20x) Ø 600 mm, dimensions pallets: 1300 mm x 800 mm x 2050 mm and 1500 mm x 1400 mm x 2400 mm.	2000

Nr	Title	Description	Start €
142	NN trolley	S/s trolley, dimensions: 920 mm x 660 mm x 750 mm.	50
143	NN trolley	S/s trolley, dimensions: 700 mm x 600 mm x 1130 mm.	50
144	NN trolley	S/s trolley, dimensions: 700 mm x 600 mm x 1130 mm.	50
145	Multivac	Multivac thermoformer, type: R535, serial number: 122435, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 38 A, 14 kW, film width: 425 mm, dye: (8x) 170 mm x 60 mm x 55 mm, with MR Etikettiertechnik GmbH & Co. KG labeller, type: MR635, year of construction: 2009, dimensions: 9000 mm x 1950 mm x 2150 mm. Including pallet with parts, dye: (12x) 145 mm x 50 mm and suction device for rest film, dimensions suction device: 750 mm x 600 mm x 1250 mm.	17000
146	Amboss + Langbein	Amboss + Langbein mobile transport belt, type: Stendförderband, serial number: 2.20058478, year of construction: 5/2020, 400 V, 3 Ph, 50 Hz, 0.12 kW, plastic belt, belt width: 220 mm, total dimensions: 1650 mm x 530 mm x 1150 mm.	500
147	NN trolley	S/s trolley, dimensions: 850 mm x 600 mm x 750 mm.	100
148	NN lifter	S/s lifter for meat bins, lifting height: 2600 mm, total dimensions: 1100 mm x 1100 mm x 3500 mm.	2000
149	Sepamatic	Sepamatic separator with infeed bunker, type: SEPA 1200ST, serial number: 195943, 400 V, 50 Hz, 14 A, 7 kW, diameter drum: Ø 300, diameter perforations: 3 mm, dimensions separator: 1350 mm x 1300 mm x 1700 mm, dimensions infeed bunker: 1900 mm x 1700 mm x 3200 mm. Including s/s tool trolley with drum, dimensions: 1050 mm x 800 mm x 1150 mm.	8000
150	NN meat bin	S/s meat bin, volume: 300 liter.	100
151	NN meat bin	S/s meat bin, volume: 200 liter.	100
152	GEA	GEA grinder with lifter for meat bins, type: Autogrind-280, machine number: 1118, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 245 A, 120 kW, weight: 3130 kg, plate diameter: 280 mm, dimensions: 3000 mm x 1600 mm x 1900 mm, lifter dimensions: 1200 mm x 1100 mm x 3100 mm. Including s/s mobile platform, working height: 1000 mm, total dimensions: 1650 mm x 850 mm x 2150 mm and s/s tool trolley with auger, knives and plates, dimensions trolley: 1100 mm x 700 mm x 1100 mm.	39000
153	NN meat bin	S/s meat bin, volume: 300 liter.	100
154	K+G Wetter	K+G Wetter paddle mixer-grinder with lifter for 200 liter meat bins, machine number: 419/1084, year of construction: 2006, 230/400 V, 3 Ph, 50 Hz, 45/50 A, 21 kW, plate diameter: 130 mm, total dimensions: 2350 mm x 1500 mm x 2200 mm. Including crate with plates.	12000
155	NN meat bin	S/s meat bin, volume: 200 liter.	100

Nr	Title	Description	Start €
156	Ten Brink	Ten Brink pasteuriser, serial number: 182 NE, year of construction: 2010, 230/400 V, s/s mesh belt, belt width: 600 mm, total dimensions: 3300 mm x 1550 mm x 2000 mm.	3500
157	N&N Nadratowski	N&N Nadratowski double shaft paddle mixer with lifter for 200 liter meat bins, type: MIX-900F, serial number: 788, 400 V, 50 Hz, 15 kW, weight: 1100 kg, capacity: 900 liter, dimensions mixer: 2250 mm x 1200 mm x 1950 mm, capacity lifter: 250 kg, weight lifter: 284 kg, lifting height: 2100 mm, dimensions lifter: 2200 mm x 1200 mm x 2700 mm.	22000
158	NN smoke trolley	S/s smoke trolley, 5 floors, floor dimensions: (5x) 910 mm x 810 mm, total dimensions: 960 mm x 810 mm x 1550 mm.	150
159	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: (6x) 1000 mm x 990 mm, basket dimensions: (6x) 1000 mm x 165 mm x 140 mm, total dimensions: 1050 mm x 1000 mm x 2000 mm.	150
160	NN smoke trolley	S/s smoke trolley, 10 floors, floor dimensions: (10x) 980 mm x 900 mm, total dimensions: 1120 mm x 1000 mm x 1800 mm.	200
161	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: (6x) 900 mm x 850 mm, total dimensions: 950 mm x 900 mm x 1750 mm.	150
162	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: (6x) 900 mm x 850 mm, total dimensions: 950 mm x 900 mm x 1750 mm.	150
163	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: AU 200U AC6, serial number: S9-60200-0238-18, year of construction: 2018, 400 V, 50 Hz, 235 A, 119 kW, weight: 4350 kg, plate diameter: 200 mm, dimensions: 3500 mm x 2600 mm x 2900 mm. With s/s switch cabinet dimensions: 1450 mm x 500 mm x 2100 mm, pallet with power cable, dimensions: 1200 mm x 800 mm and s/s tool trolley with auger, knives and plates, dimensions: 1200 mm x 950 mm x 1200 mm.	45000
164	Seydelmann	Seydelmann lifter for pallet boxes and meat bins, type: BS 800, serial number: S5-70800-0089-18, year of construction: 2018, 400 V, 7.6 A, 3 kW, maximum lifting height: 2500 mm, maximum load: 1000 kg, total dimensions: 2200 mm x 1700 mm x 4200 mm.	5000
165	Seydelmann	Seydelmann double shaft ribbon mixer, type: MR 2500, serial number: S6-02500-0739-18, year of construction: 2018, 400 V, 50 Hz, 72 A, 37 kW, weight: 3500 kg, volume: 2500 liter, dimensions: 3400 mm x 2100 mm x 2600 mm.	29000
166	NN platform	S/s platform with stairs, working height: 1040 mm, total dimensions: 2200 mm x 1000 mm x 2100 mm.	1000
167	NN smokes trolley	S/s smoke trolley, 20 floors, floor dimensions: (20x) 1000 mm x 950 mm, total dimensions: 1100 mm x 1050 mm x 2050 mm.	200

Nr	Title	Description	Start €
168	NN smoke trolley	11 s/s smoke trolleys, 9x 10 floors and 2x 20 floors, floor dimensions: (10x) 1000 mm x 920 mm and (20x) 1000 mm x 950 mm , total dimensions: (9x) 1150 mm x 1000 mm x 1850 mm and (2x) 1100 mm x 1050 mm x 2050 mm.	2000
169	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Twister, machine number: 412350.121001.5946, year of construction: 2004, 380/480 V, 3 Ph, 50/60 Hz, 11/9 A, 4.5 kW, weight: 670 kg, chamber dimensions: 620 mm x 120 mm x 130 mm, total dimensions: 2300 mm x 1150 mm x 2150 mm. Including trolley with various knives and grids, trolley dimensions: 1600 mm x 1000 mm x 1800 mm.	7500
170	NN platform	S/s platform with stairs, working height: 1000 mm, total dimensions: 3650 mm x 3100 mm x 2000 mm.	800
171	NN meat bin	S/s meat bin, volume: 300 liter.	100
172	Höfelmeyer Waagen GmbH	Höfelmeyer Waagen GmbH floor weighing scale with indicator, model: HDWB600Li-EC39K-F2, serial number: 6112455, max weight: 300/600 kg, min weight: 2/4 kg, dimensions: 1500 mm x 1250 mm x 110 mm, indicator type: HTF-60E, serial number: 1611559, 110/240 V, 50/60 Hz, 0.4/0.2 A, dimensions indicator: 310 mm x 170 mm x 210 mm.	1000
173	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Twister, machine number: 412350.121000.5945, year of construction: 2004, 380/480 V, 3 Ph, 50/60 Hz, 11/9 A, 4.5 kW, weight: 670 kg, chamber dimensions: 620 mm x 120 mm x 130 mm, plastic belt, belt width: 250 mm, total dimensions: 1950 mm x 2000 mm x 1850 mm. Including s/s trolley with various knives and grids, trolley dimensions: 1600 mm x 1000 mm x 1800 mm.	7500
174	NN platform	S/s platform with stairs, working height: 740 mm, total dimensions: 2100 mm x 950 mm x 1700 mm.	800
175	NN meat bin	S/s meat bin, volume: 200 liter.	100
176	Systec GmbH	Systec GmbH floor weighing scale with indicator, type: IT6000A/2006, serial number: 105159, 110/240 V, 50/60 Hz, 0.5 A, scale dimensions: 1200 mm x 1000 mm x 90 mm, indicator dimensions: 230 mm x 140 mm x 210 mm.	1000
177	Lachnit	Lachnit s/s lifter for meat bins, type: 300, serial number: 5149, year of construction: 2022, 400 V, 50 Hz, 2.5 A, 1.1 kW, weight: 800 kg, loading capacity: 350 kg, maximum lifting height: 2400 mm, total dimensions: 1200 mm x 900 mm x 3000 mm.	3500
178	Seydelmann	Seydelmann grinder, type: AU 200, serial number: S9-20200, year of construction: 2022, 400 V, 100 A, plate diameter: 200 mm, total dimensions: 1800 mm x 1850 mm x 2900 mm. Including s/s tool trolley, dimensions trolley: 800 mm x 500 mm x 800 mm.	19000
179	NN platform	S/s platform, working height: 1180 mm, total dimensions: 1150 mm x 850 mm x 2300 mm.	800

Nr	Title	Description	Start €
180	NN meat bin	3 s/s meat bins, volume: 300 liter.	150
181	Maja-Maschinenfabrik GmbH	Maja-Maschinenfabrik GmbH flake ice machine with bunker, type: RVH 3000 L, machine number: 1-45147, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 1.16 A, 0.34 kW, refrigerant: R 404A, dimensions ice machine: 1800 mm x 950 mm x 550 mm, dimensions bunker: 1700 mm x 1250 mm x 2500 mm. Including Maja-Maschinenfabrik cooling unit, dimensions unit: 1800 mm x 1000 mm x 1500 mm.	5000
182	NN apron washer	S/s apron washer, dimensions: 2000 mm x 1500 mm x 350 mm.	2000
183	NN table	S/s table, dimensions: 2700 mm x 1350 mm x 850 mm. Missing plastic worktops.	200
184	GEA	GEA smoked sausage filling machine, type: RWF, serial number: 245/0173, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 25 A, 32.5 kW. Lot is professionally dismantled.	25000
185	NN rollies	Pallet with 39 s/s rollies, dimensions rollies: 650 mm x 410 mm x 170 mm.	800
186	NN rollies	Pallet with 39 s/s rollies, dimensions rollies : 650 mm x 410 mm x 170 mm.	800
187	NN rollies	3 pallets with 117 s/s rollies, dimensions rollies: 650 mm x 410 mm x 170 mm.	2400
188	Rex	Rex vacuum filling machine with case holding device, type: RVF 220, machine number: 22002750522, year of construction: 2022, 400 V, 50/60 Hz, 4 kW, dimensions: 965 mm x 750 mm x 1720 mm.	5000
189	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, model: FCA100, serial number: 0157, year of construction: 2019, weight: 550 kg, with automatic looper, model: GSA 20, dimensions: 1620 mm x 1135 mm x 2130 mm.	12500
190	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: PDC 700, year of construction: 2011, caliber: up to 105 mm, total dimensions: 1460 mm x 780 mm x 1795 mm.	4000
191	Ishida	Ishida traysealer, model: QX1100 FLEX, serial number: 561560, year of construction: 11/2012, 380-415 v, 3 Ph, 50-60 Hz, weight: 3000 kg, dimensions: 4500 mm x 1100 mm x 2100 mm. Including 3 pallets with dye sets.	7500
192	Ishida	Ishida traysealer, model: QX1100 FLEX, year of construction: 11-2012, 380-415 V, 3 Ph, 50-60 Hz, weight: 3000 kg, dimensions: 4500 mm x 1600 mm x 2100 mm. Including 2 pallets with dye set, dimensions dye: (6x) 170 mm x 120 mm.	7500
193	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF620, number: 26030, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 26 A, 18.0 kW, dimensions: 2200 mm x 1400 mm x 1900 mm. Including grinding head, type: GD 93/3 and crate with filling pipes.	12500

Nr	Title	Description	Start €
194	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: FCA160, serial number: 938/15, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 4 kW, caliber collagen/fibrous/plastic casings: up to 90/120/160 mm, with automatic looper and thread dispenser.	19000
195	Busch	Busch vacuum system, type: COMBI BA 2000, year of construction: 2016, consisting of: 2 Busch vacuum pumps, type: WV 2000 C 001 / RA 0630 C 401, serial number: C1629000371 / C1629000096, year of construction: 2016, capacity: 2400 m³ per hour / 760 m³ per hourWytownia Zbiornikow steel pressure vessel, type: Behaelter, number: 343/16, year of construction: 2016, volume: 1000 litertotal dimensions: 2000 mm x 2000 mm x 2100 mm.	2500
196	Tipper Tie Alpina	Tipper Tie Alpina cutter with ejecter, type: SW 80-S, machine number: 804.043, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 75 A, 38 kW, capacity: 80 liter, weight: 1050 kg, dimensions: 2150 mm x 1210 mm x 1745 mm.	9000
197	Consel Converging Solutions Ltd	Consel Converging Solutions Ltd converging conveyor, machine type: C80 HD, serial number: CS7419, year of construction: 2023, 240 VAC, 50/60 Hz, 16 A, 1.0 kW, dimensions: 1100 mm x 2300 mm x 1200 mm.	750
198	Espera	Espera weighing and labelling machine, type: ESG 154, serial number: 1760000176, 230 V, 50-60 Hz, 10 A, weight: 200 kg, dimensions: 2000 mm x 600 mm x 1900 mm.	1000
199	Wolfking	Wolfking elevating screw, year of construction: 2005, elevating height: from 1500 mm x till 3000 mm, total dimensions: 6000 mm x 1200 mm x 2000 mm.	1500
200	Bizerba	Bizerba weighing and labelling machine, model: GLM I Levo, year of construction: 2015, dimensions: 3200 mm x 1000 mm x 1700 mm and 3200 mm x 1000 mm x 1700 mm. Technical condition unknown.	1500
201	ECOMA	ECOMA mobile inlay conveyor, s/s frame, plastic mesh belt, type: Einlegeband, machine number: 203970, year of construction: 2021, 400 V, 50 Hz, 2.5 A, 1 kW, dimensions: 7200 mm x 900 mm x 1500 mm.	750

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
 - To consolidate articles into lots, to split lots and take lots from the auction;
 - To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
 - Lots whether or not to allocate;
 - To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;
- 8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
- 8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal black lines across its entire width, typical of notebook or legal stationery. The background is a solid off-white color, and there are no margins, text, or other markings present.

Notes

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal black lines across its entire width, typical of notebook or legal stationery. The background is a solid off-white color, and there are no margins, text, or other markings present.

Notes

[illegible]

