



**Industrial
Auctions**

**1946: Online auction machinery for the food
industry in Daugavpils (LV)**

END DATE
15 October 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	15 October 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	22 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Višķu 17B LV-5410 Daugavpils Latvia
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Möhchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Hermann Waldner GmbH & Co.KG	Hermann Waldner GmbH & Co. KG mobile depositor, type: MultiDos, machine number: 2371, year of construction: 2010, 230/400 V, 50 Hz, 32 A, 18 kW, weight: 750 kg, fillings: 3240 per hour, dimensions: 3080 mm x 1420 mm x 2270 mm.	5000
2	AB GAROS	AB GAROS injector with mobile filter tub, type: GSI-F420 SBP, machine number: 11143403.02003, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 15/25 A, 7 kW, 6 bar, weight: 1240 kg, 864 needles, plastic mesh belt, belt width: 410 mm, dimensions: 3450 mm x 1910 mm x 2250 mm.	3500
3	Carnitech	Carnitech mobile dual pin bone remover, type: CT 2615.20, number: 05-0058, year of construction: 2005, plastic belts, belt width: (2x) 270 mm, total dimensions: 1300 mm x 900 mm x 1270 mm.	650
4	Kuopio Metalpoint Oy	Kuopio Metalpoint Oy meat bin washer, type: LADL/3, machine number: 002, year of construction: 2001, dimensions: 1850 mm x 1570 mm x 2160 mm.	1500
5	Metos	Metos combi steamer, model: CVP 21E-CE, serial number: 2019828, 400 V, 3 Ph, 50 Hz, 31.1 kW, 20 floors, floor dimensions: (20x) 550 mm x 330 mm, total dimensions: 950 mm x 850 mm x 1960 mm.	1000
6	Electrolux	Electrolux dishwasher with infeed- and outfeed table, model: DW Driven Turntable 90, Kurva 90, serial number: 221 70 1, clearance: 550 mm x 400 mm, total dimensions: 1720 mm. x 850 mm x 1950 mm. Infeed table dimensions: 1300 mm x 650 mm x 880 mm and 2200 mm x 1430 mm x 1790 mm outfeed table dimensions: 1470 mm x 850 mm x 880 mm.	950
7	PFM S.P.A.	PFM S.P.A. vertical bag form-, fill-, seal machine with barcode printer, model: ZENITH EW INOX POLY, serial number: C.7765, year of construction: 2005, 380 V, 18.4 A, 10.3 kW, weight: 950 kg, bag length: 350 mm, printer model: LINX TT10, total dimensions: 2050 mm x 1430 mm x 2000 mm.	750
8	Koneteollisuus OY	Koneteollisuus OY grinder, model: LM-160, number: 75640, plate diameter: 160 mm, dimensions: 1850 mm x 1180 mm x 2000 mm.	1000
9	NN depositor / checkweigher	Depositor with checkweigher and vibrating elevating screw, total dimensions: 3640 mm x 810 mm x 2470 mm.	1000
10	Pökomat	Pökomat mobile injector, type: P16/320, serial number: 4115, year of construction: 1998, 400 V, 3.5 A, 1500 W, weight: 210 kg, 16 needles, plastic mesh belt, belt width: 300 mm, total dimensions: 1580 mm x 620 mm x 2050 mm.	1750
11	Robot Coupe		350



Nr	Title	Description	Start €
		Robot Coupe mobile cutter, model: R 60 11000 W, serial number: Z3340113011, 400 V, 3 Ph, 50 Hz, 26 A, 7600/11000 W, volume: 60 liter, dimensions: 820 mm x 905 mm x 1380 mm.	
12	Doleschal	Doleschal cooking chamber, type: UM1-1500 K, number: 19000601, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 4 floors, dimensions floors: (4x) 930 mm x 680 mm, total dimensions: 1800 mm x 1150 mm x 2800 mm.	2500
13	Marel Iceland ehf.	Marel Iceland ehf. checkweigher, dual lane, dual platform, model: mwu-dldp-3001450, type: 0007-007, serial number: A126367, year of construction: 2015, total dimensions: 1850 mm x 1000 mm x 1630 mm. Incomplete, without belts.	1500
14	Shijiazhuang Jiayue Machinery Manufacturing Co.Ltd	Shijiazhuang Jiayue Machinery Manufacturing Co.Ltd continuous fryer, model: JYWZ-1200/200, serial number: 2020507, year of construction: 08/2020, 380 V, 50 Hz, 30 kW, weight: 530 kg, capacity 150 kg per hour, s/s mesh belt, belt width: 300 mm, total dimensions: 2860 mm x 1010 mm x 1920 mm. Including dynamic oil filter, model: JYLY-DT1200, serial number: 2020507, year of construction: 08/2020, 380 V, 50 Hz, 3 kW, capacity 30 liter per minute, oil capacity 60 liter, weight: 150 kg, dimensions oil filter: 1000 mm x 1120 mm x 775 mm.	2500
15	NN rotating oven	Rotating electric hot air oven with 4 s/s trolleys, 16 floors, 30 baking tray each trolley, floor dimensions: (16x) 610 mm x 815 mm, baking tray dimensions: (30x) 595 mm x 395 mm, trolley dimensions: (4x) 690 mm x 710 mm x 1750 mm, total dimensions oven: 1900 mm x 2500 mm x 2430 mm.	2000
16	Varlet	Varlet skinning machine for fish, type: V778, machine number: 870, year of construction: 1991, 415 V, 2/7 A, plastic belt, belt width: 440 mm, working width: (2x) 200 mm, total dimensions: 800 mm x 2100 mm x 1240 mm.	2000
17	Dixie Union	Dixie Union thermoformer, type: DV 2000, number: 357 1050, year of construction: 1986, 380 V, 50 Hz, 20 A, bottom film width: 322 mm, top film width: 305 mm, dye: (6x) 200 mm x 83 mm x 120 mm, 2 Busch vacuum pumps, type: RA 0040 E / RA 0100 F 5R3, capacity: 40 / 100 m ³ per hour, total dimensions: 3500 mm x 800 mm x 1725 mm. Including suction device for rest film and pallet with plastic film, pallet dimensions: 1200 mm x 800 mm x 470 mm.	2000
18	ADA	ADA mobile depositor, 6 heads, dimensions each head: 6 mm, total dimensions: 2560 mm x 560 mm x 1950 mm. Technical condition unknown.	500



Nr	Title	Description	Start €
19	Redsail Laser	Redsail Laser laser cutter, model: M900, serial number: LEBT3367, year of construction: 15-2017, 220 V, 1 Ph, 50 Hz, 10 A, dimensions: 1500 mm x 1100 mm x 1020 mm. Technical condition unknown.	500
20	Redsail Laser	Redsail Laser laser cutter, model: c, serial number: LEBJ 4490, year of construction: 12-2018, 220 V, 1 Ph, 50 Hz, 10 A, dimensions: 1500 mm x 1100 mm x 1020 mm.	750
21	Rhoss	Rhoss chiller, model: A3300407020, serial number: 4010302236, 400 V, 50 Hz, 11.9 kW, refrigerant: R 407C, 4.15 kg, dimensions: 1800 mm x 700 mm x 1700 mm.	600
22	Mekorak Engineering Oy	Mekorak Engineering Oy mobile rotary tray closing machine, type: OK 1, serial number: 16092019, year of construction: 2019, 400 V, 50 Hz, 10 A, 2 kW, dimensions: 2860 mm x 1670 mm x 1730 mm.	1000
23	Korkmaz	Korkmaz kebab grill, model: KM 80, serial number: 1678, year of construction: 2023/12, 220 - 240 V, 50 - 60 Hz, 10 A, dimensions: 820 mm x 920 mm x 1200 mm.	500
24	Satmec Oy	Satmec Oy tray denester, model:ALUKA-700, serial number: 0702-07, year of construction: 2002, plastic belt, belt width: 160 mm, total dimensions: 2570 mm x 780 mm x 1850 mm.	250
25	Belam B.V.	Belam B.V. injector, type: MI-401-9/93, machine number: 9007-00323, 380 V, 50 Hz, s/s walking beam, beam width: 400 mm, 93 needles, total dimensions: 1800 mm x 900 mm x 1850 mm. Including filter tub, dimensions: 1450 mm x 550 mm x 630 mm.	1250
26	OMP Possenti	OMP Possenti ham press with netting machine, type ham press: F PFT5, serial number: 0017, ø mould: 140 mm, total dimensions: 2750 mm x 460 mm x 1770 mm, type netting machine: F CRAT, serial number: 042, dimensions: 640 mm x 480 mm x 2050 mm.	750
27	Redsail Laser	Redsail Laser laser cutter, model: X700, serial number: REDSAIL2992, year of construction: 12-2016, 220 V, 1 Ph, 50 Hz, 10 A, dimensions: 1360 mm x 900 mm x 950 mm.	750
28	Formax	Formax SNS scanner, model: SNS Scanner, serial number: KIKT60, 230 V, 1 Ph, 50/60 Hz, 7 A, clearance: 240 mm x 190 mm, total dimensions: 2600 mm x 850 mm x 1900 mm.	2000
29	Ceia	Ceia metal detector, model: THS/SL, serial number: 20400239001, 115-230 V, 50/60 Hz, 60 W, plastic string belt, belt width: 150 mm, clearance: 250 mm x 200 mm, total dimensions: 1950 mm x 1240 mm x 1510 mm.	450
30	Electrolux	Electrolux mobile turbo mixer, type: TBX, model: TBX130F2V, number: 9FRJ 60329223 9461 0001, year of	1000



Nr	Title	Description	Start €
		construction: 2019, 380-415 V, 3 Ph, 50 Hz, 2.2 kW, dimensions: 1640 mm x 630 mm x 1080 mm.	
31	La Parmentiere	La Parmentiere organ washer, dimensions: 1400 mm x 1000 mm x 1450 mm.	700
32	NN turning table	S/s turning table, diameter top: 1150 mm, total dimensions: ø 1150 mm x 790 mm.	750
33	Schutten Machines BV	Schutten Machines BV gas injection and labelling machine, model: GLM-500-2, serial number: 15008, year of construction: 2015, dimensions: 1850 mm x 1870 mm x 1860 mm, dimensions switch cabinet: 2000 mm x 700 mm x 430 mm.	3500
34	Garos	Garos tenderizer, type: GNP 336, serial number: 569026, plastic mesh belt, belt width: 320 mm, clearance: 340 mm x 200 mm, total dimensions: 1300 mm x 600 mm x 1940 mm.	750
35	Garos	Garos meat press, type: GHL 222, serial number: 92012, dimensions chamber: ø 120 mm x 360 mm, total dimensions: 2250 mm x 710 mm x 1155 mm.	650
36	Garos	Garos s/s brine tub with centrifugal pump, type: GH 108, serial number: 61001, dimensions: 1300 mm x 1100 mm x 1100 mm. Technical condition unknown.	500
37	C. Hoegger	C. Hoegger meat press, dimensions: 2050 mm x 800 mm x 1650 mm. Incomplete.	500
38	Ilpra S.p.A.	Ilpra S.p.A. traysealer, model: FP Speedy 2 EMEC, serial number: FP10175, year of construction: 20018, 400 V, Busch vacuum pump, type: RA 0100 F 5R3, capacity: 100 m³ per hour, dimensions: 4130 mm x 1280 mm x 1660 mm.	3500
39	Scanio	Scanio fat analyser, type: Scanalyser, machine number: 24, year of construction: 1987, 3x380 V, 50 Hz, 3.5 A, 1.6 kW, dimensions: 720 mm x 800 mm x 1850 mm.	500
40	Key Technology	Key Technology mobile vibrating gutter, model: SH01-045461, number: W2008124-020816, year of construction: 2017, s/s gutter, dimensions: 2640 mm x 1200 mm x 1300 mm.	450
41	Cryovac	Cryovac dip tank, type: C 106 E, serial number: 04 387, year of construction: 1986, 380 V, 50 Hz, clearance: 440 mm x 250 mm, total dimensions: 1000 mm x 2200 mm x 2900 mm.	450
42	Busch	Busch vacuum pump, year of construction: 1974, capacity: 400 m³ per hour, dimensions: 1400 mm x 700 mm x 1000 mm.	350
43	Stäubli	Stäubli robot, type: RX90B L, machine number: F99/5A81A1/A/01, year of construction: 01-2000, capacity: 3.5 kg, weight: 109 kg, dimensions: 1200 mm x 800 mm x 2050 mm.	2500
44	TVM	TVM mobile portioning machine, type: TVM Portio 4000, serial number: 03-01.26983 231, year of	950



Nr	Title	Description	Start €
		construction: 2001, 400 V, 3 Ph, 50 Hz, 2.5 A, 4-8 bar, 380 kg, dimensions: 1660 mm x 1070 mm x 2510 mm. Incomplete, missing mould and outfeed belt.	
45	Holac	Holac dicer, type: HA 120, machine number: 12 001 01, year of construction: 1980, 4.5 kW, dimensions chamber: 115 mm x 115 mm, total dimensions: 1800 mm x 850 mm x 1650 mm.	500
46	NN weighing scales	Pallet with 5 s/s weighing scales, dimensions: 1500 mm x 1400 mm x 130 mm; 920 mm x 800 mm x 100 mm; 890 mm x 1000 mm x 120 mm; 500 mm x 400 mm x 100 mm; 340 mm x 260 mm x 90 mm, total dimensions: 1500 mm x 1400 mm x 380 mm. Incomplete, technical condition unknown.	300
47	Polimoon	Polimoon traysealer, model: 1711VG, serial number: 0403036, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 21 A, clearance: 360 mm x 130 mm, dimensions dye: 300 mm x 250 mm, Busch vacuum pump, type pump: 100-132, serial number: 141533, capacity: 100 m³ per hour, total dimensions: 2050 mm x 880 mm x 1790 mm.	2000
48	Electrolux	Electrolux refrigerator, model: RS06FX1F, serial number: 10507012, 230 V, 1 Ph, 50 Hz, 3.6 A, 0.46 kW, refrigerant: R404a, inside dimensions: 620 mm x 530 mm x 1470 mm, 0.27 kg, dimensions: 780 mm x 730 mm x 1990 mm.	250
49	Weiler Beehive Europe, Ltd	Weiler Beehive Europe, Ltd grinder, type: SH 11, serial number: 12304, year of construction: 2012, 280 V, 22 kW, 42.3 A, plate diameter : 280 mm, dimensions grinder: 920 mm x 1000 mm x 1500 mm, dimensions switch cabinet: 800 mm x 310 mm x 1000 mm. Incomplete.	2500
50	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: ASE 453, number: 369, 400 V, 50 Hz, 0.4 kW, working width: 395 mm, total dimensions: 700 mm x 600 mm x 1030 mm.	400
51	Annala Foodtech	Annala Foodtech mobile butter cutter, dimensions: 1100 mm x 650 mm x 1440 mm.	500
52	Formax	Formax slicer line, consisting of: Formax slicer, model: S 180, serial number: 007, year of construction: 1995, 380 V, 50 Hz, 7.2 Kva, dimensions slicer: 1050 mm x 2600 mm x 1500 mm, Formax autoloader, plastic string belt, belt width: 380 mm, total dimensions autoloader: 3450 mm x 2300 mm x 1600 mm, Formax knife sharpener, model: D.H.S., serial number: 001, 220 V, 50 Hz, total dimensions: 1010 mm x 910 mm x 1910 mm, infed for slicer, dimensions: 2150 mm x 830 mm x 1900 mm, 2 boxes with various parts.	2000
53	CFS Germany GmbH	CFS Germany GmbH thermoformer, type: Juniorpak 320, machine number: 905/1004, year of construction:	3500



Nr	Title	Description	Start €
		2007, 400 V, 3 Pg, 50 Hz, 26 A, 17 kW, bottom film width: 320 mm, top film width: 316 mm, dye: 275 mm x 285 mm x 100 mm, plastic outfeed belt, belt width: 255 mm, total dimensions: 4760 mm x 1100 mm x 1920 mm.	
54	Bizerba	Bizerba checkweigher, model: CWD maxx, number: 11140940, 220/240 V, 50 Hz, 3 A, maximum capacity: 600/1500 g, minimum capacity: 20 g, e=0.2/0.5 g, plastic belts, belt width: 150 mm, total dimensions: 900 mm x 950 mm x 1725 mm.	750
55	Garos	Garos injector and tenderizer, type: GNP 88/576, serial number: 93007, s/s mesh belt, belt width: 520 mm, 88 needles, dimensions: 2500 mm x 950 mm x 2100 mm. Technical condition unknown.	1250
56	ISA	ISA refrigerated showcase, model: SLIM, type: Market Murali, serial number: 3110749296, year of construction: 06.07.2011, 230 V, 50 Hz, 17.2 A, 3500 W, refrigerant: R404a, 0.950 kg, 4 floors, dimensions each floor: 1840 mm x 300 mm, total dimensions: 1900 mm x 640 mm x 2200 mm.	200
57	Giga Firenze	Giga Firenze combi steamer, model: G 5 EL, serial number: 0685190, 5 floors, dimensions each floor: 530 mm x 320 mm, inside dimensions: 630 mm x 360 mm x 340 mm, 5.4 kW, total dimensions: 800 mm x 680 mm x 510 mm.	250
58	Inject Star	Inject Star vibrating hopper, dimensions: 1200 mm x 1000 mm x 1560 mm.	400
59	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and linking attachment, model: VF20-300, number: 2644-1, model linking attachment: 34-2, number: 3869, dimensions: 1600 mm x 1300 mm x 1970 mm. Technical condition unknown.	950
60	NN curve conveyor	45° Curve conveyor, s/s frame, plastic mesh belt, belt width: 150 mm, total dimensions: 3400 mm x 1100 mm x 1000 mm.	150
61	Pulstrotronic	Pulsotronic metal detector, type: M-Pulse 2 BD-HD 350 x 150, serial number: 90006199, year of construction: 2016, 115/230 V, 1 Ph, 50/60 Hz, max 16 A, plastic mesh belt, belt width: 300 mm, clearance: 340 mm x 120 mm, total dimensions: 1200 mm x 820 mm x 1365 mm.	750
62	Cassel Messtechnik GmbH	Cassel Messtechnik GmbH metal detector, model: BD 450 x 150, plastic belt, belt width: 350 mm, clearance: 440 mm x 90 mm, total dimensions: 1200 mm x 830 mm x 1455 mm.	500
63	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: ASE 553, number: 680, 380 V, 50 Hz, 0.4 kW,	500



Nr	Title	Description	Start €
		working width: 495 mm, total dimensions: 800 mm x 630 mm x 1030 mm.	
64	NN smoke sticks	Plastic pallet box with large amount of aluminium smoke sticks, Y-profile, length: 940 mm, dimensions pallet box: 1200 mm x 1000 mm x 700 mm.	500
65	NN smoke sticks	Plastic pallet box with large amount of aluminium smoke sticks, Y-profile, length: 940 mm, dimensions pallet box: 1200 mm x 1000 mm x 700 mm.	400
66	Bizerba	Bizerba checkweigher, model: CWD maxx, number: 11140941, 220-240 V, 50 Hz, 3 A, maximum capacity: 600/1500 g, minimum capacity: 20 g, plastic belts, belt width: 150 mm, total dimensions: 900 mm x 950 mm x 1725 mm.	750
67	Marel A/S	Marel A/S mobile splitting machine, type: Splitter 200/200, serial number: A040210, year of construction: 2006, 230-400 V, 3 Ph, 0.75 kW, plastic mesh belt, belt width: (2x) 200 mm , $\varnothing$ saw blade: 400 mm, total dimensions: 2325 mm x 900 mm x 1700 mm.	1500
68	Knecht	Knecht knife sharpener, dimensions: 1200 mm x 800 mm x 1550 mm, DGS filter, dimensions: 1300 mm x 600 mm x 700 mm. Incomplete, technical condition unknown.	500
69	Venpak	Venpak carton press, type: 7000S, number: 80 25 12, 220 V, 50 Hz, 7.3 A, Fmax= 70 kN, dimensions: 710 mm x 760 mm x 2040 mm.	500
70	NN cooking vessel	Tiltable cooking vessel, inside dimensions: $\varnothing$ 1170 mm x 650 mm, total dimensions: 1550 mm x 1450 mm x 1100 mm.	250
71	Bankeryds Maskin AB	Bankeryds Maskin AB bandsaw, type BM 6, number: 7281, 380 V, 3 Ph, 50 Hz, 4 kW, 1420 rpm.	1000
72	Fatosa s.a.	Fatosa s.a. tiltable paddle mixer, type: A-150, number: 3094, year of construction: 11.2007, 400 V, 3 Ph, 50 Hz, 3.68 A, 1.5 kW, dimensions: 1000 mm x 600 mm x 1330 mm.	500
73	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: ASE 570, number: 1512, 400 V, 50 Hz, 0.37 kW, working width: 515 mm, total dimensions: 900 mm x 600 mm x 980 mm.	500
74	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07 DK, machine number: 0787827, 380 V, 3 Ph, 50 Hz, 25 A, 10 kW, seal length: (2x) 440 mm and (1x) 950 mm, dimensions chamber: 950 mm x 440 mm, s/s rollers, roller width: 470 mm, Rietschle vacuum pump, total dimensions: 1300 mm x 920 mm x 1070 mm.	450
75	NN drain table	Mobile s/s drain table, dimensions: 1370 mm x 1030 mm x 1210 mm.	75
76	Denios	Denios mobile lifter for tubs, type: Fasslifter FL 16-SK F, serial number: 111049889-000100-001, year of	350



Nr	Title	Description	Start €
		construction: 2016, lifting height: 2000 mm, lifting capacity: 300 kg, total dimensions: 1200 mm x 1100 mm x 2135 mm.	
77	ABB Industry Oy	ABB Industry Oy low voltage AC drive, type: ACS607-0210-3, number: 999999338/2, year of construction: 10/1999, 380/415 V, 3 Ph, 48/63 Hz, 318/378 A, dimensions: 1640 mm x 680 mm x 2060 mm.	1250
78	NN tilting device	S/s tilting device for drums, dimensions: 1430 mm x 930 mm x 1250 mm.	250
79	NN chain conveyor	Chain conveyor, s/s frame, distance between chains: 130 mm, total dimensions: 2200 mm x 650 mm x 1360 mm.	100
80	HTK	HTK traysealer, number: 0243, plastic belt, belt width: (2x) 200 mm, dimensions dye: 225 mm x 300 mm, total dimensions: 1400 mm x 1500 mm x 1700 mm.	600
81	Instru Vaaka Oy	Instru Vaaka Oy weighing scale with label printer, type: Crystal Myymala-Vaaka, number: 874172, 220 V, 50 Hz, 0.3/0.95 A, maximum weight:4/10 kg, minimum weight: 40 g, e= 2/5 g, T=-4 kg, dimensions scale: 490 mm x 210 mm, total dimensions: 390 mm x 390 mm x 615 mm.	50
82	NN tilting device	S/s tilting device for 200 liter meat bins, dimensions: 1200 mm x 1400 mm x 1650 mm. Technical condition unknown.	950
83	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 100 mm, total dimensions: 3240 mm x 550 mm x 960 mm.	150
84	Metos	Metos mixer, type: R.60, number: 4596, 380 V, 4 A, s/s bowl, bowl dimensions: Ø 440 mm x 440 mm, total dimensions: 980 mm x 580 mm x 1370 mm.	250
85	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with top and bottom labeller, type checkweigher: PAS 3012, serial number: 17000548, year of construction: 2008, 230 V, 50/60 Hz, capacity: 7500 gram, belt width: 295 mm, total dimensions: 2600 mm x 800 mm x 1730 mm.	750
86	Blecher	9 Blecher tissue paper cutting log saw blade, diameter 610 mm, thickness 4.76 mm, secondary level length 190 mm, primary level 2 x 7,0°, bore hole: 68.26 mm, tapped holes: 4/ 1/4"/203,2 mm & 4/ 11/102 mm & 4/ 11/108 mm., 1.2379 high chrome/high carbon X153CrMoV12, dimensions: 730 mm x 730 mm x 230 mm.	250
87	Leonhardt	Leonhardt mobile sieve, type: L-400, number: 0520/038, year of construction: 1977, Ø sieve: 3 mm. Including 2 additional sieves: 8 mm and 0.5 mm.	1500
88	Teraoka	Floor weighing scale with Teraoka indicator, model: DI-160, serial number: 00346883, maximum weight: 1500 kg, minimum weight: 10 kg, e=: 500 gram, T=-	400



Nr	Title	Description	Start €
		1500 kg, dimensions: 1460 mm x 1300 mm x 270 mm. With ramp.	
89	Seydelmann	Seydelmann cutter, type: K504 U-VA 86186-1, steel bowl, bowl volume: 500 liters, dimensions: 3000 mm x 2480 mm x 2200 mm. Including switch cabinet, dimensions: 1800 mm x 1200 mm x 450 mm. Incomplete, technical condition unknown.	3500
90	NN trolley	S/s heated trolley, dimensions: 1540 mm x 650 mm x 1160 mm.	50
91	Sollas Holland B.V.	Sollas Holland B.V. shrink tunnel, type: ELS, serial number: 041-004, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 8 A, plastic belt, belt width: (2x) 30 mm, adjustable clearance: max 100 mm x 100 mm, total dimensions: 1000 mm x 1100 mm x 1680 mm.	500
92	Stephan	Stephan mobile universal machine, model: UMK 40, number: 2401519, 380 V, 3 Ph, 10/9 A, 4/3.3 kW, volume: 40 liter, dimensions: 860 mm x 600 mm x 1230 mm.	150
93	Veltia	Veltia hand dryer, model: HD. product number: 8436037631243, serial number: 0121082NBL0002, year of construction: 08/03/2012, 220-240 V, 50/60 Hz, 1760 W, dimensions: 290 mm x 185 mm x 615 mm.	75
94	Soehnle	Soehnle weighing scale and indicator, type: 7750, number: 48819, maximum weight: 50 kg, dimensions scale: 350 mm x 300 mm, total dimensions: 350 mm x 300 mm x 150 mm.	75
95	Rosenlew	Rosenlew drying cabinet, model: KK401, serial number: 905 039, 230 V, 50 Hz, 2050 W, 4 floors, floor dimensions: 550 mm x 500 mm, total dimensions: 600 mm x 600 mm x 1860 mm.	250
96	Louis Hoffmann	Louis Hoffmann injector, model: Inject-Junior BI 10/71, s/s belt, belt width: 290 mm, clearance: 300 mm x 180 mm, 10-needles, total dimensions: 1300 mm x 600 mm x 1850 mm.	1000
97	Estri	Estri dryer, model: ESTRITC 8330, serial number: R253-083301207372, year of construction: 2012/03, 400 V, 3 Ph, 50 Hz, capacity: 7 kg, dimensions: 830 mm x 630 mm x 900 mm.	250
98	Koneteollisuus Oy	Koneteollisuus Oy laboratory mill, type: KT-3303, number: 135655, 230 V, 1.6 A, 0.18 kW, 1 Ph, 50 Hz, 2800 rpm, dimensions: 360 mm x 180 mm x 570 mm.	100
99	NN meat presses	2 s/s meat presses, 10 floors, dimensions floors: (10x) 890 mm x 960 mm, distance between floors: 100 mm, total dimensions: (2x) 980 mm x 1000 mm x 1940 mm.	500
100	Jinana Hiwell Machinery Co.	Jinana Hiwell Machinery Co., Ltd mobile breeding machine, model: SXJ200-II, serial number: 0622036, year of construction: 12.06.2020, 380 V, 3 Ph, 50 Hz,	1000



Nr	Title	Description	Start €
		0.86 kW, weight: 150 kg, s/s mesh belt, belt width: 200 mm, total dimensions: 1830 mm x 730 mm x 1500 mm.	
101	Analla Foodtech	2 Analla Foodtech s/s meat presses, 8 floors, dimensions each floor: 970 mm x 890 mm, distance between floors: 90 mm, total dimensions: (2x) 980 mm x 995 mm x 1900 mm.	250
102	Metos	Metos pressure steamer, type: Futuramarvel SE24, serial number: 10910702210020, 400/230 V, 3 Ph, 50 Hz, 36 kW, 52 A, (2x) 6 floors, dimensions each floor: 550 mm x 320 mm, total dimensions: 1200 mm x 800 mm x 1570 mm.	150
103	Crystal Vaaka Oy	Crystal Vaaka Oy weighing scale with label printer, type: Crystal Color, number: 962538, 230 V, 50/60 Hz, 0.4 A, maximum weight: 6 kg, minimum weight: 40 g, e= 2 g, T=-4 kg, dimensions scale: 400 mm x 300 mm, total dimensions: 400 mm x 500 mm x 720 mm.	25
104	NN sole cleaner	Sole cleaner, dimensions: 950 mm x 1200 mm x 1600 mm. Technical condition unknown, missing 2 brushes.	400
105	Metos	Metos pressure steamer, type: Futuramarvel SE14, serial number: 10910208020010, 400/230 V, 3 Ph, 50 Hz, 36 kW, 52 ; 6 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 800 mm x 720 mm x 1440 mm	150
106	NN autoclave trolleys	2 s/s autoclave trolleys with 25 s/s baskets, dimensions baskets: 950 mm x 970 mm x 140 mm and 920 mm x 940 mm x 200 mm, dimensions trolleys: 1060 mm x 1000 mm x 1600 mm and 880 mm x 1000 mm x 1400 mm.	300
107	Jinana Hiwell Machinery Co.	Jinana Hiwell Machinery Co., Ltd mobile breading machine, model: SXJ200-II, serial number: 0622323, year of construction: 15.08.2023, 380 V, 3 Ph, 50 Hz, 0.86 kW, weight: 150 kg, s/s mesh belt, belt width: 200 mm, total dimensions: 1830 mm x 730 mm x 1500 mm.	1500
108	H.Maurer + Söhne	H.Maurer + Söhne smoke generator for wood chips, model: Goliath II, dimensions: 850 mm x 690 mm x 1820 mm.	250
109	H.Maurer + Söhne	H.Maurer + Söhne smoke generator for wood chips, model: Goliath II, dimensions: 850 mm x 690 mm x 1820 mm.	250
110	DSS	DSS mobile slicer, type: DRP-300A, year of construction: 07.2020, 380 V, 3 Ph, 50 Hz, 1.5 kW, clearance: 120 mm x 120 mm, total dimensions: 1400 mm x 580 mm x 1250 mm.	750
111	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 1070 mm x 670 mm x 1360 mm.	150
112	NN line dividing belt	Line dividing belt, s/s frame, plastic string belt, belt width: 150 mm, total dimensions: 900 mm x 800 mm x 1520 mm.	300



Nr	Title	Description	Start €
113	NN meat hooks	13 s/s meat hooks, length: (13x) 1640 mm.	25
114	Loma Systems	Loma Systems metal detector with rejector, model: SuperScan Micro ISC, serial number: MD2387IF, year of construction: October 1995, 220 V, 50 Hz, 2A, 380 W, clearance: 350 mm x 130 mm, total dimensions: 1530 mm x 1140 mm x 930 mm. Damaged.	500
115	Metos	Metos cooking vessel with agitator, number: A174603/A174604, volume: 120 liter, dimensions: 1350 mm x 840 mm x 1400 mm. Incomplete, technical condition unknown.	750
116	NN roller conveyor	Driven roller conveyor, steel frame, steel rollers, roller width: 580 mm, total dimensions: 2750 mm x 830 mm x 1300 mm. Technical condition unknown.	250
117	NN container for ice	S/s container for ice, inside dimensions: 3000 mm x 780 mm x 1200 mm, total dimensions: 3250 mm x 900 mm x 2700 mm.	150
118	NN meat presses	5 s/s meat presses, (2x) 9 floors, dimensions each floor: 9900 mm x 980, distance between floors: 120 mm, total dimensions: (2x) 990 mm x 995 mm x 1890 mm, (3x) 7 floors, dimensions each floor: 900 mm x 970 mm, distance between floors: 90 mm, total dimensions: (3x) 900 mm x 970 mm.	1250
119	Dieta	Dieta tiltable steam heated cooking vessel with agitator, type: SM 45, serial number: 960906, 208-240 V, 1 Ph, 2 kW, 13 A, maximum pressure: 1 bar, maximum temperature: 120 °C, steam volume: 98 liter, volume cooking vessel: 150 liter, dimensions: 1400 mm x 900 mm x 1400 mm. Incomplete, technical condition unknown.	250
120	Fincoil	Fincoil evaporator, 3 fans, type: FMPGE-103/8-4Y-Q, number: 155897-008-2, year of construction: 17/01/97, 400 V, 3 Ph, 50 Hz, 3x0.56 kW, 1.0 A, dimensions: 3500 mm x 1200 mm x 500 mm.	750
121	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 1200 mm, total dimensions: 1300 mm x 1150 mm x 1000 mm.	150
122	NN bucket filling table	S/s bucket filling table with switch cabinet, dimensions table: 1600 mm x 740 mm x 1640 mm. With switch cabinet, dimensions: 1600 mm x 740 mm x 1640 mm	150
123	NN tubs	3 s/s mobile tubs for tumbler, inside dimensions: (3x) Ø 1000 mm x 1150 mm, total dimensions: (3x) Ø 1020 mm x 1370 mm. Without lids.	900
124	NN tubs	4 s/s mobile tubs for tumbler, inside dimensions: (4x) Ø 1000 mm x 1150 mm, total dimensions: (4x) Ø 1020 mm x 1370 mm. Missing lids.	1200
125	Holac	Holac dicer with lifter for 200 liter meat bins, dimensions chamber: 115 mm x 115 mm, total	750



Nr	Title	Description	Start €
		dimensions: 2100 mm x 950 mm x 1750 mm. Incomplete, technical condition unknown.	
126	NN autoclave trolley	S/s autoclave trolley with 8 baskets, dimensions baskets: 780 mm x 970 mm x 200 mm, dimensions trolley: 1000 mm x 800 mm x 1400 mm.	100
127	NN autoclave trolleys	3 s/s autoclave trolleys with 24 baskets, dimensions baskets: 870 mm x 970 mm x 200 mm, dimensions trolleys: (3x) 900 mm x 1000 mm x 1500 mm.	450
128	Vemag	Vemag vacuum filling machine, type: 117, serial number: 117 028, 380 V, 3 Ph, 50 Hz, 20 A, dimensions: 1160 mm x 1020 mm x 1630 mm.	1500
129	Shanghai Lattine Co.	Shanghai Lattine Co., Ltd turning table, model: SP1200, serial number: 160711269, 220 V, 1 Ph, 50 Hz, 200 W, diameter top: 1200 mm, total dimensions: 1680 mm x 1265 mm x 1130 mm.	500
130	NN brine mixer	Brine mixer, inside dimensions: Ø 1150 mm x 700 mm, total dimensions: 1180 mm x 1550 mm x 2500 mm. Including s/s stairs, dimensions: 750 mm x 1110 mm x 610 mm.	500
131	Ilpra	Ilpra chain transport belt, distance between dividers: 360 mm, total dimensions: 1800 mm x 700 mm x 1060 mm.	300
132	Electrolux	Electrolux 4 pits infrared stove, dimensions: 700 mm x 700 mm x 930 mm.	75
133	Electrolux	Electrolux fryer, dimensions: 960 mm x 760 mm x 890 mm.	250
134	Espera	Espera checkweigher, type: ESD 203, serial number: 10006 0502, belt width: 125 mm, type terminal: ESC 903, terminal dimensions: 400 mm x 400 mm x 1300 mm, total dimensions: 1630 mm x 500 mm x 1720 mm.	450
135	Weber Eistechnik GmbH	Weber Eistechnik GmbH flake ice machine, type: WER 665, number: 235, year of construction: 04/2000, 400 V, 3 Ph, 50 Hz, temperature range: 0-20 °C, refrigerant: 404A, dimensions: 1000 mm x 1050 mm x 570 mm. Missing top cover.	450
136	Espera	Espera weighing and labelling machine, belt width: 110 mm, total dimensions: 1200 mm x 700 mm x 1700 mm. Incomplete, technical condition unknown.	350
137	NN brine dispenser	Brine dispenser, inside dimensions: Ø 1100 mm x 1200 mm, total dimensions: 1700 mm x 1300 mm x 2400 mm.	500
138	NN circular saw	Circular saw, diameter saw blade: 500 mm, total dimensions: 1400 mm x 1000 mm x 1500 mm.	950
139	Franke Medical Oy	Franke Medical Oy dishwasher, model: DEKO 190, serial number: O 1L13TA90FI, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 11 A, 7.5 kW, inside dimensions: 540 mm x 360 mm x 560 mm, total dimensions: 635 mm x 600 mm x 1455 mm.	250



Nr	Title	Description	Start €
140	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 510 mm and 310 mm, total dimensions: 900 mm x 1000 mm x 1250 mm.	250
141	Inject Star	Inject Star cooling aggregate for tumblers with L'unite Hermetique cooling compressor, type: TFH4540F-HR, number: 4 664 30-231, refrigerant: R22, dimensions: 1200 mm x 800 mm x 1300 mm.	500
142	Pompe f.b.m.	Pompe f.b.m. pump, type: N2610, number: 86310, dimensions: 1670 mm x 600 mm x 610 mm.	90
143	TTM	TTM s/s mixer, type: SPmm-80, number: SP-67/04/TTM, year of construction: 2004, 3 Ph, 400 V, 2.5-4.0 A, 1.1 kW, weight: 72 kg, inside dimensions: Ø 490 mm x 450 mm, total dimensions: 900 mm x 1100 mm x 1220 mm.	200
144	Electrolux	Electrolux refrigerated mobile counter, model: Cold well GN 1/1 / Neutral unit FX 15 N DG-SC, serial number: 01908003 / 01908001, 230 V, 1 Ph, 50/60 Hz, 0.5 kW, refrigerant: R404A, 200 g, inside dimensions: 500 mm x 300 mm x 200 mm, total dimensions: 1500 mm x 650 mm x 750 mm.	350
145	Electrolux	Electrolux mobile counter, model: Neutral unit FX 11 N DG-SC, serial number: 01908001, 230 V, 1 Ph, 50/60 Hz, dimensions: 1120 mm x 650 mm x 740 mm.	200
146	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, type: VC999/TS 10 N, machine number: 4106129, year of construction: 2006, 400 V, 4 kW, 6-8 bar, 50 Hz, dye: (2x) 195 mm x 130 mm, film width: 360 mm, Rietschle vacuum pump, type: VCA 40 (10), machine number: 06 2610514, 1,1 kW, 40 m³ per hour, total dimensions: 1100 mm x 1300 mm x 1800 mm. Including pallet with film.	3500
147	NN table	Mobile s/s table, dimensions: 930 mm x 720 mm x 1300 mm.	75
148	Annala Foodtech	Annala Foodtech mobile portioning machine, dimensions: 2800 mm x 800 mm x 1350 mm.	200
149	Scotsman Frimont S.p.A.	Scotsman Frimont S.p.A. ice machine with ice bunker, model: AF 10 ASE 0600, serial number: DA 021302 98, 230 V, 50 Hz, 10 A, 380 W, refrigerant: R134a/0.320 kg, dimensions: 600 mm x 620 mm x 1130 mm. Top cover is damaged.	450
150	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4DC-5.2Y-40S, serial number: 1676500595, capacity: 26.9/32.4 m³ per hour, dimensions: 640 mm x 620 mm x 1570 mm.	250
151	L'unite Hermetique	L'unite Hermetique cooling compressor, type:TFH2480Z, serial number: 52 J0908 90 115443 A, 400 V, 3 Ph, 50/60 Hz, refrigerant: R404A, dimensions: 620 mm x 520 mm x 1470 mm.	50



Nr	Title	Description	Start €
152	NN faucet	5 faucets with sensor control, dimensions: 370 mm x 220 mm x 130 mm.	50
153	H. Wolff	H. Wolff homogenizer, type: LRS III, machine number: 84-456, year of construction: 1984, 380 V, 50 Hz, 4.48 kW, dimensions: 1430 mm x 1555 mm x 1500 mm.	950
154	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 144/0, machine number: 03518, year of construction: 1970, 380 V, 3 Ph, 50 Hz, 14.5 A, dimensions chamber: 130 mm x 140 mm x 750 mm, total dimensions: 2300 mm x 1130 mm x 1610 mm.	950
155	Fomaco	Fomaco injector, model: FGM 40/160F M2, machine number: 13738-2012, 400 V, 3 Ph, 50 Hz, 8 kW, dimensions: 2200 mm x 1000 mm x 2300 mm. Incomplete.	500
156	Bizerba	Bizerba check weigher with labeller, model labeller: Bizerba GLI, number: 10664887, 230/240 V, 50 Hz, 2.4 A, scales model: Bizerba GLM-I, number: 10664885, belt width: (2x) 135 mm and (1x) 300 mm, total dimensions: 2900 mm x 880 mm x 1670 mm.	1000
157	NN mixer	Double shaft ribbon mixer with diaphragm, inside dimensions: 500 mm x 500 mm x 230 mm, ø output: 75 mm, total dimensions: 1880 mm x 800 mm x 1780 mm. Including pallet with parts.	950
158	NN curve conveyor	90° curve conveyor, s/s frame, s/s mesh belt, belt width: 450 mm, total dimensions: 3200 mm x 1400 mm x 850 mm. Missing 1 leg.	150
159	NN sink	S/s double sink, dimensions: 2900 mm x 700 mm x 900 mm.	75
160	Scotsman	Scotsman flake ice machine, model: MAR 308 SPLIT, serial number: GC 003276, year of construction: 2010, 400 V, 3 PH, 50 Hz, 1.6 A, 395 W, refrigerant: R30S, dimensions: 1500 mm x 670 mm x 1730 mm.	500
161	Hamac Hansella	Hamac Hansella vertical bag form-, fill-, and seal machine with feeding conveyor and Safeline metal detector, type: 175H, number: 615, year of construction: 1969-70, model Safeline: 50H, 100-240 V, 50/60 Hz, 330 W, total dimensions: 1620 mm x 1400 mm x 2300 mm, dimensions conveyor: 1400 mm x 2220 mm x 1100 mm. Technical condition unknown.	250
162	NN lifter	Lifter for 200 liter meat bins, number: 82-2-715, elevating height: 1900 mm, total dimensions: 1300 mm x 900 mm x 2850 mm.	500
163	Annala Foodtech	Annala Foodtech elevating belt with dividers, s/s frame, plastic belt, belt width: 600 mm, distance between dividers: 230 mm, divider height: 40 mm, total dimensions: 3600 mm x 1000 mm x 3150 mm.	500
164	NN infeed bunkers	2 s/s infeed bunkers, dimensions: (2x) 1160 mm x 820 mm x 1210 mm. 1x mobile and incomplete.	75



Nr	Title	Description	Start €
165	Bizerba	Bizerba checkweigher with labeller, model labeller: Bizerba-GV, number: 10467212, 230 V, 50 Hz, 1.7 A, belt width: (3x) 135 mm and (1x) 290 mm, total dimensions: 1920 mm x 820 mm x 1480 mm.	500
166	NN depositor	2 head depositor, dimensions: 680 mm x 730 mm x 620 mm.	30
167	Bizerba	Bizerba weighing scale with label printer, model: GH, number: 1560521, 230 V, 50 Hz, 0.6 A, maximum 6 kg, dimensions scale: 350 mm x 260 mm, dimensions printer: 430 mm x 330 mm x 400 mm.	250
168	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 520 mm, total dimensions: 1600 mm x 1250 mm x 980 mm. Missing 5 rollers.	100
169	King packaging machinery	King packaging machinery, glass can seamer, model: ISC200, serial number: 35, 2.2 kW, 400 V, plastic belt, belt width: 100 mm, total dimensions: 1100 mm x 2900 mm x 1900 mm.	1200
170	NN fish can filling machine	Fish can filling and dosing machine, type: N2-INA 115, 380 V, 3.35 kW, dimensions: 1550 mm x 1500 mm x 2040.	5000
171	NN rotary piston filler	Rotary piston filler, type: N2-IDA 502, machine number: 18, year of construction: 12.1992, 400 V, 1,6 kW, weight: 980 kg, conveyor width: 80 mm, total dimensions: 1500 mm x 1170 mm x 1750 mm.	1600
172	NN strip cutter	Strip cutter, 34 knives, distance between knives: 10 mm, total dimensions: 1200 mm x 1450 mm x 2000 mm.	500
173	NN drying belt	Mobile drying belt, s/s mesh belt, belt width: 450 mm, total dimensions: 1800 mm x 800 mm x 1960 mm.	750
174	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
175	NN tumbler installation	Vacuum tumbler installation with 2 s/s vacuum tumblers, dimensions barrel: (2x) ø 1000 mm x 1000 mm, total dimensions tumbler: (2x) 1270 mm x 1580 mm x 1670 mm, Busch vacuum pump, type: 063-136-64965, capacity: 63 m ³ per hour, hydraulic pump, dimensions of vacuum and hydraulic unit: 970 mm x 560 mm x 1260 mm. Incomplete, no control panel.	950
176	Bizerba	Bizerba automatic slicer, type: VS 6 D, machine number: 1178355, 230 V, 50 Hz, 2.1 A, 0.4 kW, dimensions: 820 mm x 600 mm x 540 mm.	450
177	NN sinks	S/s counter with 4 sinks with 4 faucets, dimensions: 2400 mm x 550 mm x 500 mm.	75
178	Vemag	Vemag vacuum filling machine, model: 700, type: 133/230, number: 1330266, year of construction: 1998, 400/460 V, 13 A, dimensions: 860 mm x 560 mm x 1520 mm. Technical condition unknown, incomplete.	200
179	Handtmann		1750



Nr	Title	Description	Start €
		Handtmann vacuum filling machine, type: VF300 B, number: 870, 380 V, 3 Ph, 50 Hz, 23.6 A, 9.5 kW, Lafert vacuum pump, total dimensions: 970 mm x 900 mm x 1650 mm.	
180	Ruhle	Ruhle vacuum, inside dimensions: ø 600 mm x 630 mm, total dimensions: 1220 mm x 860 mm x 1580 mm. Incomplete.	1500
181	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	150
182	Instru Data Oy	Instru Data Oy weighing scale with label printer, type: Crystal Color, number: 962250, 230 V, 50/60 Hz, 0.4 A, maximum weight: 6 kg, minimum weight: 40 g, e= 2 g, T=-4 kg, dimensions scale: 400 mm x 300 mm, total dimensions: 400 mm x 500 mm x 540 mm.	50
183	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	225
184	Lehikoinen Oy	Lehikoinen Oy weighing scale with label printer, model: LEHI 2002 IP, serial number: 02629, 220 V, 50 Hz, 1.6 A, 65 W, maximum weight: 15 kg, minimum weight: 40 g, e= 2/5 g, T=-5.998 kg, dimensions scale: 365 mm x 270 mm, total dimensions: 415 mm x 380 mm x 685 mm.	50
185	Crystal Vaaka	Crystal Vaaka weighing scale with label printer, type: Crystal Color, number: 962363, 230 V, 50/60 Hz, maximum weight: 15 kg, minimum weight: 100 g, e= 5 g, T=-10 kg, dimensions scale: 400 mm x 300 mm, total dimensions: 500 mm x 300 mm x 715 mm.	50
186	ELS	ELS labelling unit, model: ELS-520, machine number: 4417, year of construction: 2000, 230 V, 50/60 Hz, 1500 VA, dimensions: 1300 mm x 700 mm x 720 mm.	125
187	Soehle	Soehle weighing scale and indicator, type: S20-2760, number: 98113002, serial number: 108891, 230 V, 50/60 Hz, maximum weight: 7.5 - 15 kg, minimum weight: 40 - 100 g, e= 2 - 5 g, dimensions scale: 310 mm x 270 mm, total dimensions: 310 mm x 270 mm x 160 mm.	75
188	Dynopack Maschinenbau GmbH	Dynopack Maschinenbau GmbH traysealer, type: 320 VG, machine number: 022, year of construction: 2-93, 220 V, 6 kW, 6 bar, dye: 325 mm x 260 mm, film width: 325 mm, total dimensions: 1100 mm x 1200 mm x 1700 mm.	750
189	Bilwinco A/S	Bilwinco A/S mobile frame for multihead weigher, type: MF-10-019, number: 6431 +A10, year of construction: 2019, (3x) 400 V, 3 Ph, 50 Hz, 17.2 A, 8.6 kW, weight: 1285 kg, platform dimensions: 1030 mm x 820 mm, total dimensions: 2160 mm x 1350 mm x 3060 mm.	950
190	NN sink	S/s sink, dimensions: 595 mm x 555 mm x 1110 mm.	75
191	Fuji Machinery Co.Ltd	Fuji Machinery Co.Ltd flowpacker, model: FW3710B-R, serial number: 002210, year of construction: 1988, 200 VAC, 50/60 Hz, 3.045 kW, dimensions flowpacker: 2150	1500



Nr	Title	Description	Start €
		mm x 1000 mm x 1500 mm, dimensions infeed conveyor: 2930 mm x 400 mm x 1350 mm.	
192	TechPack	TechPack traysealer, type: TP16, serial number: TP1600420, year of construction: 2011, 230 V, 50 Hz, 1.8 kW, dye: (2x) 175 mm x 130 mm, (1x) 290 mm x 220 mm, (1x) 300 mm x 240 mm, film width: 265 mm, total dimensions: 750 mm x 350 mm x 440 mm.	45
193	Bilwinco A/S	Bilwinco A/S mobile frame for multihead weigher, type: MF-10-020, number: 6432 +A10, year of construction: 2019, (3x) 400 V, 3 Ph, 50 Hz, 17.2 A, 8.6 kW, weight: 1285 kg, platform dimensions 1030 mm x 820 mm, total dimensions: 2160 mm x 1350 mm x 3060 mm.	950
194	Fama	Fama mixer, model: FM350VVC400, serial number: 1801740, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 1.9A, 0.35 kW, weight 4 kg, dimensions: 780 mm x 170 mm x 130 mm.	100
195	Metos	Metos damper plate, type: LÄMPÖLAATTA L-800, number: 10661/74, year of construction: 1979, 220 V, 1 Ph, 50 Hz, 3.6 A, 0.8 kW, dimensions: 800 mm x 500 mm x 120 mm.	75
196	NN refrigerated showcase	Mobile refrigerated showcase, inside dimensions: 640 mm x 500 mm x 220 mm, total dimensions: 1060 mm x 800 mm x 1170 mm.	150
197	CB	CB breaking saw, type: NF 0.75/2-7w, serial number: 298589, 380/220 V, 50 Hz, 2.9/5.1A, 1300 W, 2770 rpm, dimensions: 750 mm x 300 mm x 250 mm.	150
198	Freund	Freund breaking saw, type: K 23-03, year of construction: 1999, 400 V, 50 Hz, 2.7 A, 1300 W, 1320 rpm, dimensions: 660 mm x 180 mm x 170 mm. Without blade.	150
199	Freund	Freund breaking saw, type: 03, 380 V, 50 Hz, 2.3 A, 1100 W, 2900 rpm, dimensions: 590 mm x 240 mm x 240 mm. Without blade.	150
200	Dieta	Dieta mobile refrigerated showcase, type: DIE/200, number: 388, 230 V, 1 Ph, 50 Hz, 7 kW, inside dimensions: 980 mm x 500 mm x 220 mm, total dimensions: 1060 mm x 1200 mm x 1170 mm.	150
201	SHG	SHG microwave, model: 1100, serial number: 70201424, 220 V, 50 Hz, 4.5 A, 950 W, dimensions: 500 mm x 400 mm x 310 mm.	50
202	NN ham moulds	9 s/s ham moulds, inside dimensions: 1000 mm x 100 mm x 50 mm, dimensions: (9x) 1000 mm x 135 mm x 50 mm.	20
203	NN ham moulds	Pallet with 66 s/s ham moulds, inside dimensions 70 mm x 70 mm x 390 mm, total dimensions: 800 mm x 550 mm x 500 mm.	100
204	NN labelling machine		2500



Nr	Title	Description	Start €
		Labelling machine, year of construction: 2019, 400 V, 2.2 kW, total dimensions: 2250 mm x 600 mm x 1450 mm.	
205	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length smoke sticks 940 mm, dimensions trolley: 650 mm x 500 mm x 1100 mm.	100
206	Cryovac	Cryovac vacuum machine, model: VC 12, number: 02040, year of construction: 1990, 380 V, 50 Hz, dimensions chamber: 980 mm x 580 mm x 220 mm, seal length: (2x) 950 mm and (1x) 700 mm, total dimensions: 1200 mm x 850 mm x 1070 mm. Vacuum pump is missing, technical condition unknown.	750
207	NN counter	Mobile counter, dimensions: 1060 mm x 800 mm x 750 mm.	200
208	Dometic	Dometic refrigerated container, model: CF 850 Van HF, serial number: 5111299, 220-240 V, 50-60 Hz, 1.33 A, 360 W, refrigerant: R314a, 135 gram, volume: 850 liter, dimensions: 1100 mm x 1400 mm x 1000 mm.	250
209	PKO Kylmälaitteet Oy	PKO Kylmälaitteet Oy refrigerated showcase, model: PU KP 12/750, serial number: 9231, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 0.5 kW, refrigerant: R134a / 110 gram, inside dimensions: 1040 mm x 500 mm x 210 mm, total dimensions: 1200 mm x 1050 mm x 1200 mm.	150
210	Dieta	Dieta gentle steam cooker, model GSX-2, serial number 001203, 380-415 V, 3 Ph, 42 kW, 62 A, 6 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 1200 mm x 850 mm x 1350 mm.	150
211	Mewag	Mewag dip tank, type: SA350E, number: 6511707, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 30/31.5 kW, s/s rollers, roller width: (2x) 400 mm, clearance: 700 mm x 300 mm, total dimensions: 1300 mm x 1100 mm x 1750 mm.	450
212	NN table	S/s table, plastic worktop, dimensions: 3000 mm x 1200 mm x 1000 mm. Missing 1 worktop.	125
213	Fomaco	Fomaco injector, model: FGM 26/52, machine number: 1815, year of construction: 1982, 26 needles, s/s belt, belt width: 340 mm, clearance: 350 mm x 250 mm, total dimensions: 2100 mm x 700 mm x 1750 mm.	1500
214	Busch	Busch vacuum pump, type: 160-132, number: 35143, capacity: 160 m ³ per hour, dimensions: 900 mm x 600 mm x 870 mm.	500
215	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length smoke sticks 940 mm, total dimensions: 1000 mm x 560 mm x 870 mm.	100
216	Food Mixer	Food Mixer bowl mixer, model: B100, serial number: 2007001, 380 V, 3 Ph, 50 Hz, 3/4 kW, weight: 551 kg, inside dimensions bowl: Ø 520 mm x 480 mm, total	750



Nr	Title	Description	Start €
		dimensions mixer: 740 mm x 1205 mm x 1620 mm. Including 3 extra s/s bowls, dimensions: (3x) 630 mm x 700 mm x 930 mm.	
217	Christ	4 Christ bowl cutter blades, type: ALP 500, radius: 382 mm, thickness: 5.9 mm, shaft/hex 99 mm, total dimensions: 390 mm x 210 mm x 24 mm.	15
218	ITEC	ITEC boot cleaner, type: 2381, serial number: 119, year of construction: 04/98, 400 V, 3 Ph, 50 Hz, 0.75 kW, brush length: (3x) 300 mm, total dimensions: 750 mm x 820 mm x 1100 mm. Incomplete, two brushes missing.	300
219	Alpina	4 Alpina bowl cutter blades, type: PB 500, radius: 382 mm, thickness: 5.9 mm, shaft/hex 99 mm, total dimensions: 390 mm x 210 mm x 24 mm.	15
220	GW Steffens	6 GW Steffens bowl cutter blades, type: SY 300, radius: 298 mm, thickness: 5,5 mm, shaft/hex 90 mm, total dimensions: 410 mm x 230 mm x 33 mm.	20
221	NN parts for grinder	Several s/s parts for grinder, Ø knife: 200 mm.	15
222	Marel	Marel checkweigher, type: INW3 X300, serial number: A024046, year of construction: 2004, 380/480 V, 3 Ph, 10 A, 1.2 kW, plastic belt, belt width: 280 mm, total dimensions: 1740 mm x 840 mm x 1500 mm. Incomplete, for spare parts.	750
223	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type VC999 03 i F, machine number 0399 978, 400 V, 3 Ph, 50 Hz, 9 kW, 15 A, 5-6 bar, seal length: (2x) 450 mm and 960 mm, Rietschle vacuum pump, type: CLFH 220 (20), year of construction: 1998, capacity: 220 m³ per hour, total dimensions: 1100 mm x 775 mm x 1020 mm.	400
224	Jauslin	4 Jauslin bowl cutter blades, type: 269/60, radius: 269 mm, thickness: 4 mm, shaft/hex 60 mm, total dimensions: 345 mm x 210 mm x 16 mm.	15
225	Cuttermesser Tourix	3 Cuttermesser Tourix bowl cutter blades, type: 160, radius: 269 mm, thickness: 3.5 mm, shaft/hex 60 mm, total dimensions: 335 mm x 145 mm x 10.5 mm.	15
226	Seydelmann	6 Seydelmann bowl cutter blades, type: 301 B, radius: 298 mm, thickness: 4.5 mm, shaft/hex 90 mm, total dimensions: 380 mm x 210 mm x 27 mm.	20
227	GW Steffens	GW Steffens bowl cutter blade, type: SY 120, radius: 240 mm, thickness: 3,5 mm, shaft/hex 60 mm, total dimensions: 310 mm x 170 mm x 3.5 mm.	15
228	Merging	Merging transport belt, plastic belt, belt width (2x) 190 mm, total dimensions: 1560 mm x 880 mm x 1710 mm.	250
229	Merging	Merging transport belt, plastic belt, belt width (2x) 190 mm, total dimensions: 1560 mm x 880 mm x 1710 mm.	250
230	GW Steffens	5 GW Steffens bowl cutter blades, type: SY 200, radius: 276 mm, thickness: 4 mm, shaft/hex 70 mm, total dimensions: 360 mm x 205 mm x 20 mm.	15
231	GW Steffens		25



Nr	Title	Description	Start €
		8 GW Steffens bowl cutter blades, type: SY 325, radius: 325 mm, thickness: 4,5 mm, shaft/hex 90 mm, total dimensions: 420 mm x 235 mm x 36 mm.	
232	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	20
233	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	15
234	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	15
235	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	15
236	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	15
237	Tray Pack Engineering	Tray Pack Engineering s/s mesh belt with sprayers, type: VK735-5, year of construction: 2012, 0.18 kW, belt width: 400 mm, total dimensions: 5250 mm x 600 mm x 500 mm.	250
238	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 305 mm, total dimensions: 2200 mm x 670 mm x 1240 mm.	250
239	GW Steffens	6 GW Steffens bowl cutter blades, type: SY 335, radius: 335 mm, thickness: 5 mm, shaft/hex 90 mm, total dimensions: 430 mm x 245 mm x 30 mm.	15
240	NN smoke stick washer	Smoke stick washer, inside dimensions: Ø 980 mm x 1340 mm, total dimensions: 1700 mm x 1200 mm x 1950 mm. Incomplete, technical condition unknown.	150
241	Inauen Maschinen AG	Inauen Maschinen AG mobile dip tank, type: VC999/TANK 62.41, machine number: 96T86117, 380 V, 3 Ph, 50 Hz, 12.5 kW, inside dimensions: 610 mm x 415 mm, clearance: 415 mm x 320 mm, total dimensions: 820 mm x 750 mm x 1500 mm.	250
242	NN brine mixer	Brine mixer, inside tub dimensions: Ø 960 mm x 840 mm, total dimensions: 1050 mm x 1280 mm x 1740 mm.	500
243	Antti Lindfors OY	Antti Lindfors OY mobile transport belt, type: LK-356, number: 1652, year of construction: 2003-11, 0.18 kW, s/s frame, plastic belt, belt width: 355 mm, total dimensions: 1800 mm x 960 mm x 1870 mm.	250
244	NN plate	Grinder plate, plate diameter: 412 mm, centre hole: Ø 75 mm.	20
245	Fincoil	Fincoil evaporator, type: PBD-CA-G-212-8-1150-SSA-Qc, year of construction: 15/12/97, 400 V, 3 Ph, 50 Hz, 2 fans, dimensions: 2410 mm x 1680 mm x 450 mm.	150



Nr	Title	Description	Start €
246	CFS Bakel B.V.	CFS Bakel B.V. automatic skewer machine, type: STI600, machine number: 278, year of construction: 2010, weight: 85 kg, dimensions: 1200 mm x 620 mm x 1100 mm.	750
247	Supervac	Supervac vacuum machine, type: GK 189/G/BTS, machine number: 83113705, 380 V, 50 Hz, 11 A, seal length: (2x) 665 mm, Busch vacuum pump, type: 100-112, total dimensions: 900 mm x 860 mm x 1000 mm.	500
249	Bakon B.V. Food Equipment	Bakon B.V. Food Equipment disc sprayer, serial number: 20006A, 6 kW, 3 Ph, 400 V, 50 Hz, year of construction: 2010, total dimensions: 1900 mm x 1200 mm x 1900 mm.	1250
250	Rühle	Rühle dicer, type: MR 100-S, number: 313, year of construction: 1988, dimensions chamber: 100 mm x 100 mm , total dimensions: 1050 mm x 560 mm x 1000 mm. Without knife and grids.	450
251	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length smoke sticks 940 mm, dimensions trolley: 1000 mm x 710 mm x 820 mm.	100
252	Hollstein & Fuhrmann GmbH. KG	Hollstein & Fuhrmann GmbH. KG s/s tilting device for drums, type: EL 3, serial number: 3 62, 380 V, dimensions: 1060 mm x 1330 mm x 1380 mm.	450
253	Koneteollisuus OY	Koneteollisuus OY grinder, model: LM-32/L, number: 74000, diameter plate: 100 mm, total dimensions: 800 mm x 500 mm x 1000 mm.	1500
254	Metos	Metos fryer, type: Prince 85LCE, serial number: 155447/07, 3 Ph, 230/400 V, 50 Hz, 10.5 kW, 15.2 A, dimensions fryer: 790 mm x 530 mm, total dimensions: 850 mm x 850 mm x 950 mm.	250
255	Digi	Digi label printer, model DP-90, serial number: 07950614 AC 220-240 V, 50/60 Hz, 0.4 A, 35 W, dimensions: 350 mm x 220 mm x 300 mm.	25
256	Carel	Carel electronic steam humidifiers, model: CDC, serial number: 023961, dimensions: 365 mm x 225 mm x 750 mm.	75
257	Kerres	Kerres smoke-air smoke chamber for 2 trolleys, type: U2800, 52 kW, steam: approximately 120 kg/h, heaters: 5-7 bar, steam: 0.3-0.5 bar, steam valves compressed air: 5-8 bar, water: 4 bar, dimensions: 2050 mm x 2300 mm x 2780 mm.	1500
258	Intermec Technologies Corporation	Intermec Technologies Corporation label printer, model PF4i, serial number: 33720821093, year of construction: 2008.12.20, 100-240 V, 50/60 Hz, 2-1 A, dimensions 400 mm x 235 mm x 175 mm.	25
259	Valentin	Valentin label printer, type: COMPA 104/8, serial number: 09532302, 110-230 V, 50-60 Hz, 2.5 A, dimensions: 350 mm x 240 mm x 280 mm.	25



Nr	Title	Description	Start €
260	Sato	Sato label printer, model: CL412, serial number: 60670036, 100-120/200-240 V, 50/60 Hz, 3.15 A, dimensions: 430 mm x 270 mm x 320 mm.	25
261	Koneteollisuus OY	Koneteollisuus OY manual minced meat former for grinder, type: LM-42A/130A, dimensions 320 mm x 305 mm x 155 mm.	40
262	Electrolux	Electrolux freezer, model: ESQC41F, serial number: 22000001, 230 V, 50 Hz, 850 W, refrigerant: R134A-0.330 kg, volume: 400 liter, total dimensions: 600 mm x 680 mm x 2030 mm.	200
263	Koneteollisuus OY	2 Koneteollisuus Oy grinder plates, plate diameter: 250 mm, Ø centre hole: 60 mm, hole plate 6.5 mm and 3 mm.	30
264	NN smoke trolleys	4 s/s smoke trolleys, dimensions: (4x) 1000 mm x 990 mm x 1950 mm.	300
265	Christ	4 Christ grinder plate, plate diameter: 250 mm, Ø centre hole: 70 mm, plate perforations 2 mm / 3.2 mm / 4.0 mm / 5.0 mm.	60
266	Cryovac	Pallet with parts from Cryovac hot water dip tank, dimensions: 1200 mm x 800 mm x 860 mm.	100
267	Brush	Brush diesel generator, machine number: 462363, output: 140 kW, 400 V, 3 Ph, 50 Hz, 202 A, dimensions: 3530 mm x 1450 mm x 1830 mm.	1750
268	Kwik Lok	Kwik Lok bag blower and closing machine, type: 1003A, model-hand: A, serial number: 65031-2000, dimensions 980 mm x 490 mm x 1000 mm.	75
269	NN smoke trolleys	2 s/s smoke trolleys, 16 floors, floor dimensions: (16x) 955 mm x 1010 mm, total dimensions: (2x) 1050 mm x 1020 mm x 1965 mm.	150
270	Lindfors	Lindfors driven roller conveyor, type: POS 2, number: 931729, 0.25 kW, year of construction: 1993, s/s frame, s/s rollers, roller width: 580 mm, total dimensions: 4140 mm x 880 mm x 1430 mm.	350
271	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length smoke sticks 940 mm, total dimensions: 1000 mm x 560 mm x 940 mm.	100
272	Nestan/Festo	Nestan/Festo depositor, manufacturing number: 8012, year of construction: 03.1999, 230 V, 50 Hz, 2 A, dimensions: 1190 mm x 850 mm x 1670 mm.	500
273	Inject Star	Inject Star vacuum tumbler, inside dimensions: Ø 800 mm x 1250 mm, total dimensions: 1850 mm x 980 mm x 1700 mm. Without vacuum pump.	950
274	Stork	Pallet with parts for Stork forming machine, dimensions: 800 mm x 580 mm x 600 mm.	100
275	NN parts	Plastic crate with parts for forming machine, dimensions: 900 mm x 400 mm x 360 mm.	50
276	NN smoke trolleys		600



Nr	Title	Description	Start €
		8 s/s smoke trolleys, dimensions: (8x) 1000 mm x 990 mm x 1950 mm.	
277	Metos	Metos freezer, model: A700L TN RC, serial number: 5081514, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 6 A, 115 W, refrigerant: R134A, 2 floors, floor dimensions: 520 mm x 650 mm, total dimensions: 680 mm x 800 mm x 2070 mm. Cooling centrally regulated.	250
278	NN smoke trolleys	4 s/s smoke trolleys, 10 floors, dimensions floors: (10x) 990 mm x 865 mm, total dimensions: (4x) 990 mm x 995 mm x 1905 mm.	300
279	VB Techno	VB Techno weighing and dosing machine, dimensions: 380 mm x 260 mm x 530 mm.	200
280	Antti Lindfors OY	Antti Lindfors OY mobile elevating belt, type: Lamellik, number: 53408, year of construction: 2010, 0.55 kW, 200 kg, s/s frame, plastic belt, belt width: 510 mm, elevating height: 1950 mm, total dimensions: 5300 mm x 1600 mm x 2000 mm.	950
281	Fomaco	Fomaco injector, model: FGM 48F SC, machine number: 8358, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 18.0 A, s/s mesh belt, belt width: 400 mm, total dimensions: 2250 mm x 800 mm x 2300 mm. Including s/s filter tub, dimensions: 600 mm x 1700 mm x 830 mm.	1500
282	KT	KT bandsaw, model: KT-1100, number: 96457, 380 V, 3 Ph, 50 Hz, 9 A, 4 kW, s/s rollers, dimensions table: 1600 mm x 1300 mm, total dimensions: 2100 mm x 1500 mm x 2200 mm.	1000
283	NN de-stoning machine	Mobile de-stoning machine, sieve perforations: Ø 8 mm, total dimensions: 1770 mm x 960 mm x 1770 mm.	400
284	G. Mondini spa	G. Mondini spa traysealer with denester and infeed belt, type infeed belt: C/T, serial number: 679/90, year of construction: 15/10/1990, 380 V, 3 Ph, 50 Hz, chain belt, dimensions: 2780 mm x 450 mm x 1600 mm, type traysealer: AC/G, serial number: 679/90, serial numbers: 15/10/1990, 380 V, 3 Ph, 50 Hz, film width: 170 mm, dye: (3x) 150 mm x 120 mm, total dimensions: 2250 mm x 750 mm x 1900 mm. Including 2 pallets with film.	2250
285	Weber	Weber slicer, type: CCS7000, number: 151, 380 V, 50 Hz, 8 kW, dimensions 2600 mm x 1150 mm x 2000 mm. Incomplete.	500
286	Pökelmaschinen Ges.m.b.H.	Pökelmaschinen Ges.m.b.H. injector, type: BI-183 / 800 - C - COOL, number: BI 183-110, year of construction: 2006, 3x 400 V, 50 Hz, 6-10 bar, dimensions: 2785 mm x 1500 mm x 2700 mm, with mixing tank, type: RMT-1000, number: RMT 1000-103, year of construction: 2006, dimensions: 1340 mm x 1680 mm x 2330 mm, filter unit, type: LFS-183-COOL, number:	7500



Nr	Title	Description	Start €
		LFSC183-025, year of construction: 2006, dimensions: 2090 mm x 845 mm x 1060 mm and chiller, dimensions: 1235 mm x 960 mm x 1230 mm.	
287	Pohjaranta Oy	Pohjaranta Oy vacuum tumbler, type: VKP-1 1000, number: 104-00, year of construction: 2004, inside dimensions tub: Ø 1000 mm x 1350 mm, total dimensions tumbler: 1860 mm x 1350 mm x 1800 mm, Busch vacuum pump, type: RA 0040 F 503, capacity: 40 m³ per hour, dimensions vacuum unit: 1040 mm x 530 mm x 1500 mm.	1500
288	Pohjaranta Oy	Pohjaranta Oy vacuum tumbler, type: Maserounti, number: 95285, 400 V, 4000 W, inside dimensions tub: Ø 1000 mm x 1350 mm, total dimensions tumbler: 1870 mm x 1250 mm x 2080 mm, Busch vacuum pump, type pump: RA 0040 F 503, capacity: 40 m³ per hour, dimensions vacuum unit: 990 mm x 380 mm x 1480 mm.	1500
289	IGO Ljubljana	IGO Ljubljana double jacketed tank, type: EHK-300, number: 33-138, year of construction: 1983, 380-220 V, 3 Ph, 50 Hz, 45.6 A, volume: 300 liter, total dimensions: 1420 mm x 1350 mm x 1500 mm.	750
290	Daub & Verhoeven	Daub & Verhoeven mixer with 1 s/s bowl, machine number: 5758, dimensions mixer: 1930 mm x 1130 mm x 1420 mm, inside dimensions bowl: Ø 1100 mm x 620 mm, total dimensions bowl: 1260 mm x 1150 mm x 930 mm.	850
291	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2500 mm x 900 mm x 1300 mm.	200
292	Borgarplast	Borgarplast plastic tub, type: 450, dimensions: 810 mm x 1170 mm x 700 mm.	75
293	Agnelli Macchine s.r.l.	Agnelli Macchine s.r.l. ravioli pasta machine, model: FORM RAVIOLI/CAPRELLETTI, type: A 540, serial number: 0159 s901, year of construction: 1999, dimensions: 1740 mm x 1300 mm x 2000 mm.	1250
294	Borgarplast	2 Borgarplast plastic tubs with lid, type: 450, dimensions: (2x) 810 mm x 1170 mm x 700 mm.	150
295	Kometos	Kometos depositor, type: Nestan 2xD70-75, number: 51207, year of construction: 2013, 230 V, 16 A, dimensions: 800 mm x 1200 mm x 2170 mm. Incomplete.	250
297	Mettler Toledo Safeline Ltd	Mettler Toledo Safeline Ltd metal detector with rejector, model: V4-COMPACT, 100/240 V, 50/60 Hz, 340 W, plastic belt, belt width: 315 mm, clearance: 350 mm x 120 mm, total dimensions: 1530 mm x 720 mm x 1250 mm.	500
298	Metos	Metos heated counter, type: Proff WT-1200-DRLW-DRLW-TDRR, serial number: 10960305060430, 230 V,	250



Nr	Title	Description	Start €
		50 Hz, 2.2 kW, 10 A, dimensions: 1200 mm x 720 mm x 930 mm.	
299	Fuji Machinery Co.Ltd	Fuji Machinery Co.Ltd flowpacker, model: FW3710B-R, serial number: 010218, year of construction: 1989, 200 VAC, 50/60 Hz, 3.045 kW, plastic belt, belt width: 220 mm, film width: 450 mm, Witt Gasetechnik gas mixing station, type: KM 100 2 MRAI, total dimensions flowpacker: 2700 mm x 1100 mm x 1720 mm, dimensions infeed conveyor: 2300 mm x 530 mm x 500 mm.	1000
300	CSB System AG	CSB System AG industrial computer cabinet, 110/240 V, 50/60 Hz, SATO barcode printer, model: CL4NX, serial number: 5J030887, 100/240 V, 50/60 Hz, 3 A, Datalogic ADC Inc handheld bar code scanner, model: POWERSCAN M8300, serial number: E15L56693, year of construction: 30.10.2015, total dimensions: 700 mm x 950 mm x 1790 mm.	500
301	Emsens	Emsens automatic skewer machine, type: TRADITION, serial number: 030716331, year of construction: 2007, skewer machine dimensions: 1777 mm x 1200 mm x 1460 mm, conveyors dimensions: 1000 mm x 1200 mm x 900 mm.	1250
302	Dixie Union	Dixie Union thermoformer, type: Evolution, identification number: Evo.0196, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 28 A, index: 340 mm, bottom film width: 423 mm, top film width: 405 mm, dye: (4x2x) Ø 95 mm, total dimensions: 6150 mm x 1000 mm x 2050 mm.	3500
303	Dixie Union	Dixie Union thermoformer, type: DV 2300, identification number: 345 1501, year of construction: 1992, 380 V, 50 Hz, 40 A, plastic outfeed belt, belt width: (2x) 180 mm, with 2 Rietschle vacuum pumps, total dimensions: 6100 mm x 1000 mm x 1850 mm. Technical condition unknown.	1750
304	Ilpra	Ilpra traysealer, model: 1403 V/G, serial machine: Foodpack, serial number: FP7177, year of construction: 2008, 380 V, film width: 400 mm, dye: (8x) 170 mm x 150 mm, total dimensions traysealer: 4200 mm x 1400 mm x 1400 mm, Kumpiapu outfeed belt, type: FNB-8SS, serial number: 440X3110, belt width: 440 mm, total dimensions outfeed belt: 1500 mm x 800 mm x 1000 mm, infeed conveyor with tray denester, belt width: 80 mm, 320 mm and 400 mm, total dimensions tray denester: 2900 mm x 1300 mm x 1860 mm. Technical condition unknown.	5000
305	Poly-Clip Niedecker GMBH	Poly-Clip Niedecker GMBH mobile automatic double clipper, type: FCAS 3451, number: M61188, 380 V, 50	600



Nr	Title	Description	Start €
		Hz, 4 A, 5-7 bar, dimensions: 1000 mm x 1500 mm x 1930 mm.	
306	Poly-Clip Niedecker GMBH	Poly-Clip Niedecker GMBH mobile automatic double clipper, type: FCAS 3451, number: 83017, 380 V, dimensions: 1100 mm x 1450 mm x 1940 mm.	550
307	Hackman	Hackman triple deck oven, model: PUK-122/NK/A, number: H2366, 380/220 V, 3 Ph, 50 Hz, 18.2 A, 8.5 kW, inside dimensions: (2x) 660 mm x 550 mm x 320 mm and (1x) 660 mm x 550 mm x 180 mm, total dimensions: 900 mm x 650 mm x 1530 mm.	250
308	Metos	Metos pressure steamer, type: Futuramarvel SE14, serial number: 10911301310030, year of construction: 2013, 400/230 V, 3 Ph, 50 Hz, 6 floors, dimensions floors: (6x) 530 mm x 330 mm, total dimensions: 800 mm x 720 mm x 1440 mm.	500
309	NN tray denester	Tray denester, plastic mesh belt, belt width: 150 mm, total dimensions: 2500 mm x 960 mm x 2050 mm.	500
310	Wolfking	Wolfking mobile portioning machine, type: PD.200, number: 58272, year of construction: 1996, 220 V, 50 Hz, 0.4 A, 0.35 kW, weight: 100 kg, plastic belt, belt width: 200 mm, total dimensions: 1300 mm x 500 mm x 1140 mm.	250
311	NN combi steamer	Combi steamer with trolley, total dimensions: 1250 mm x 1200 mm x 1760 mm.	400
312	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: VS 2, serial number: 8999, year of construction: 1995, 230 V, 50 Hz, capacity: 200 gram, plastic belt, belt width: (2x) 120 mm, total dimensions: 930 mm x 700 mm x 1250 mm. Incomplete, 1 missing belt.	650
313	NN table	S/s table with 2 plastic work tops, dimensions: 1600 mm x 1250 mm x 890 mm.	100
314	Koneteollisuus	Koneteollisuus mobile vacuum machine, type: 300 AA II, number: 30111244, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 8 A, 2 kW, seal length: (2x) 530 mm, dimensions chamber: 530 mm x 495 mm, Busch vacuum pump, type: RA 0063, number: 0105003, capacity: 63 m ³ per hour, total dimensions: 700 mm x 680 mm x 1080 mm.	450
315	Bobet Materiel	Bobet Materiel sole cleaner, type: LBX 300, year of construction: 1990, brush length: (2x) 400 mm, clearance: 300 mm x 150 mm, total dimensions: 1000 mm x 730 mm x 1100 mm.	350
316	Bobet Materiel	Bobet Materiel sole cleaner, type: LBX 300, year of construction: 1990, brush length: (2x) 400 mm, clearance: 300 mm x 150 mm, total dimensions: 1000 mm x 730 mm x 1100 mm.	350
317	Bobet Materiel	Bobet Materiel sole cleaner, brush length: (1x) 400 mm, clearance: 300 mm x 150 mm, total dimensions: 1000	350



Nr	Title	Description	Start €
		mm x 730 mm x 1100 mm. Incomplete, missing one brush.	
318	NN heat exchanger	S/s tube heat exchanger, dimensions: 1140 mm x 420 mm x 1050 mm.	450
319	CSB System AG	CSB System AG industrial computer cabinet, 110/240 V, 50/60 Hz, SATO barcode printer, model: CL4NX, serial number: 5H030796, 100/240 V, 50/60 Hz, 3 A, Datalogic ADC Inc handheld bar code scanner, model: POWERSCAN M8300, serial number: E15L56675, year of construction: 30.10.2015, total dimensions: 700 mm x 950 mm x 1790 mm.	500
320	NN trolley	S/s trolley, 6 floors, floor dimensions (6x) 500 mm x 500 mm, total dimensions 550 mm x 550 mm x 1590 mm.	25
321	NN bandsaw	Bandsaw, 380 V, 3 Ph, 50 Hz, 1.8 kW, dimensions: 650 mm x 550 mm x 1620 mm.	500
322	NN leg cutter	Mobile leg cutter, dimensions: 1200 mm x 600 mm x 1370 mm.	250
323	Hako	Hako floor scrubber, type: Hakomatic B43, number: 7406644923, 24 V, 900 W, weight: 97 kg, dimensions: 1000 mm x 700 mm x 940 mm.	75
324	CSB System AG	CSB System AG industrial computer cabinet, 110/240 V, 50/60 Hz, SATO barcode printer, model: CL4NX, serial number: 5J030851, 100/240 V, 50/60 Hz, 3 A, Datalogic ADC Inc handheld bar code scanner, model: POWERSCAN M8300, serial number: E15L56692, year of construction: 30.10.2015, total dimensions: 700 mm x 950 mm x 1790 mm.	500
325	Olis Italia s.r.l	Olis Italia s.r.l frying cart with cooling segment, gas heated, model: 710 FR/G, serial number: 29788, year of construction: 12/05/93, 6 kW, inside dimensions fryer: 300 mm x 170 mm x 150 mm, total dimensions: 1520 mm x 750 mm x 1050 mm.	150
326	Handtmann	Handtmann mobile linking machine, type: 30-4, number: 8497, year of construction: 1985, 380/220 V, 50 Hz, 8.8/15 A, 4 kW, dimensions: 1130 mm x 640 mm x 1280 mm.	500
327	NN hood	S/s hood, dimensions: 1500 mm x 1700 mm x 570 mm.	150
328	Cryovac	Cryovac shrink tunnel, model number: ST 50 LH, serial number: A52400109, year of construction: 1997, 380 V, 50 Hz, 16 A, 10 kW, clearance: 400 mm x 180 mm, plastic rollers, rollers width: 400 mm, total dimensions: 1400 mm x 1300 mm x 1850 mm.	750
329	Teuva-Keitin	Teuva-Keitin cooking vessel, model: SR 6, 220-380 V, 182 A, 12000 W, volume: 110 liter, dimensions: 1000 mm x 840 mm x 1870 mm.	150
330	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
331	NN tub	S/s tub with drain, dimensions: 1090 mm x 1280 mm x 820 mm.	100



Nr	Title	Description	Start €
332	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 3550 mm x 870 mm x 1100 mm.	250
333	NN smoke sticks	Wooden pallet box with large amount of aluminium smoke sticks, Y-profile, length: 970 mm, dimensions pallet box: 1200 mm x 800 mm x 550 mm.	75
334	NN lifter	Mobile lifter, dimensions platform: 500 mm x 500 mm, total dimensions: 850 mm x 540 mm x 1300 mm.	200
335	Rosenlew	Rosenlew refrigerator, model: RJKL 901, type: RS19051, serial number: 03200478, 230 V, 50 Hz, 10 A, 105 W, volume: 354 liter, refrigerant: R600a, 40 gram, dimensions: 610 mm x 600 mm x 1900 mm.	75
336	Koneteollisuus OY	Koneteollisuus OY double cooking vessel, type: STAND.5423/1, number: 1468/133/55, 380/220 V, 3 Ph, 18.1 A, 12 kW, inside dimensions: Ø 410 mm x 500 mm and Ø 410 mm x 360 mm, total dimensions: 1260 mm x 560 mm x 1400 mm.	500
337	NN rack	S/s rack, 3 floors, dimensions: 1150 mm x 350 mm x 650 mm.	50
338	Kramer Grebe	Kramer Grebe bone saw, type: H.M 1,5, machine number: 13726, 220/380 V, 4.5/2.6 A, 1.1 kW, diameter saw blade: 300 mm, total dimensions: 660 mm x 700 mm x 1300 mm.	200
339	Custom Automation Oy	Custom Automation Oy sauce bag dispenser, model: KPA1, year of construction: 2009, 240 V, 0.5 kW, 6 bar, dimensions: 1700 mm x 1100 mm x 2010 mm.	950
340	SPP	SPP grinding machine, type: PR-1, machine number: 038-88, 380 V, 1.6 kW, year of construction: 1993, weight: 191 kg, diameter saw blade: 300 mm, total dimensions: 740 mm x 470 mm x 1210 mm.	200
341	NN tub	S/s tub with drain, dimensions: 1090 mm x 1280 mm x 820 mm.	100
342	NN can seamer	Semiautomatic glass can seamer, 400 V, 1.8 kW, diameter can: 88 mm, total dimensions: 800 mm x 750 mm x 1200 mm.	750
343	Hocker	Hocker sole cleaner, type: DSOWM-800, machine number: 1121390-1, 400 V, 3 Ph, 2 x 0.25 kW, brush length: (2x) 750 mm, total dimensions: 2100 mm x 1060 mm x 1200.	450
344	NN gas stove	2-pits gas stove, dimensions: 400 mm x 760 mm x 940 mm.	50
345	SPP	SPP bone saw, type: 350, machine number: 332200, year of construction: 1994, 380 V, 1.5 kW, weight: 120 kg, diameter saw blade: 350 mm, total dimensions: 940 mm x 520 mm x 1050 mm.	180
346	Miele	Miele dishwasher, type: GG 01, model: G 7859, serial number: 07951340, year of construction: 2011-11, 400 V, 3 Ph, 50 Hz, 16 A, 9.1 kW, dimensions: 640 mm x 600 mm x 1150 mm.	60



Nr	Title	Description	Start €
347	NN cabinet	S/s cabinet with sink, dimensions 600 mm x 630 mm x 2020 mm.	75
348	Comarme	Comarme box closing machine, model: GEM-50RC, serial number: ZC016478, year of construction: 1998, 380 V, 50 Hz, 0.8 A, 184 W, s/s rollers, roller width: 500 mm, total dimensions: 1650 mm x 850 mm x 1200 mm.	50
349	GRT	GRT automatic donut machine, model: GRT-T100, 220 V, 50 Hz, 6 kW, weight: 55 kg, dimensions: 1100 mm x 550 mm x 650 mm.	1000
350	Veromatic International B.V.	Veromatic International B.V. coffee machine, model: Coffefresh 2000, serial number: 9611-4761, year of construction: 1996, 230 V, 50 Hz, 2400 W, dimensions: 460 mm x 350 mm x 1600 mm.	100
351	Etna B.V.	Etna B.V. coffee machine, model: LA25FI/AM, 230 V, 50 Hz, 2.46 kW, dimensions: 670 mm x 570 mm x 168 mm.	150
352	Stratasys Ltd.	Stratasys Ltd. 3D printer, model: Objet30 V2, serial number: 2240521, year of construction: 2013, 100-120/200-240 V, 50-60 Hz, 7/3.5 A, dimensions: 830 mm x 620 mm x 600 mm.	500
353	NN tubs	2 s/s mobile tubs for vacuum tumbler, inside dimensions: (2x) Ø 1000 mm x 1000 mm, total dimensions: Ø 1120 mm x 1600 mm.	600
354	NN depositor	Mobile depositor, dimensions: 990 mm x 450 mm x 2000 mm	150
355	Dometic	Dometic freezer, model: MF 125, serial number: 5142072, 220-240 V, 50 Hz, 10 A, 200 W, volume: 113 liter, refrigerant: R404a, dimensions: 600 mm x 560 mm x 890 mm.	200
356	Metos	Metos pressure steamer, type: Futuramarvel SE24, serial number: 10911210300050, year of construction: 2012, 400/230 V, 3 Ph, 50 Hz, 36 kW, 52 A, (2x) 6 floors, floor dimensions: (6x) 550 mm x 320 mm, total dimensions: 1200 mm x 800 mm x 1570 mm.	750
357	Sühner	Sühner injector, 20 needles, clearance: 300 mm x 230 mm, total dimensions: 1270 mm x 560 mm x 1800 mm. Incomplete, technical condition unknown.	950
358	Koppens BV	Koppens BV mobile breading machine, type: CR 400, machine number: CR 400-18, 380 V, 3 Ph, 50 Hz, 63 A, s/s mesh belt, belt width: 400 mm, plastic belts, belt width: (2x) 400 mm, total dimensions: 2020 mm x 730 mm x 2140 mm. Motor and gear missing.	1500
359	Electrolux	Electrolux oven, type: ARS4CS, serial number: 834412725, 380 V 3 Ph, 50 Hz, 19 floors, floor dimensions: (19x) 530 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1700 mm.	750
360	NN dryer	Dryer, model: DC 2200, inside dimensions: 630 mm x 620 mm x 1280 mm, 6 floors, floor dimensions: (6x)	250



Nr	Title	Description	Start €
		630 mm x 620 mm, total dimensions: 810 mm x 770 mm x 1900 mm.	
361	Metos/Hackman	Metos/Hackman oven, type: CHEF 5, number: 29810398, 230/400 V, 3 Ph, 50 Hz, 11 A, 7.5 kW, 5 floors, floor dimensions: (5x) 580 mm x 480 mm, total dimensions: 800 mm x 800 mm x 550 mm.	300
362	NN tub	S/s tub with drain, dimensions: 1090 mm x 1280 mm x 820 mm.	100
363	NN pizza oven	Double stacked pizza oven, model: FE-44/A, serial number: 1167, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 12 A, 12 kW, weight: 200 kg, inside dimensions: (2x) 720 mm x 700 mm x 140 mm, total dimensions: 1000 mm x 940 mm x 1600 mm.	350
364	Metos	Metos oven, type: Finnchef 4, number: 845204/52, year of construction: 1985, 380 V, 3 Ph, 50 Hz, 9.8 A, 6.25 kW, 3 floors, floor dimensions: (3x) 650 mm x 530 mm, total dimensions: 1100 mm x 700 mm x 1050 mm.	250
365	NN trash cans	6 s/s trash cans, dimensions: (6x) 280 mm x 170 mm x 400 mm.	20
366	NN roller conveyor	Mobile extendable roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 1400 mm x 640 mm x 660 mm.	150
367	Koneteollisuus OY	Koneteollisuus OY mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 240 mm, distance between dividers: 210 mm, divider height: 10 mm, elevating height: from 550 mm to 800 mm, total dimensions: 1400 mm x 500 mm x 850 mm.	450
368	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: (2x) 150 mm, total dimensions: 820 mm x 740 mm x 1350 mm.	150
369	NN transport belt	Transport belt, plastic belt, belt width: 490 mm, total dimensions: 810 mm x 540 mm x 870 mm.	50
370	NN curve conveyor	S-shaped curve conveyor, s/s frame, plastic mesh belt, belt width: 115 mm, total dimensions: 1650 mm x 680 mm x 1000 mm.	200
371	Robopac	Robopac mobile box closing machine, model: ROBOTAPE 50 M, serial number: KN/049732, year of construction: 04/2002, 400 V, 3 Ph, 50 Hz, 1.6 A, 0.6 kW, weight: 144 kg, plastic belt, belt width: (2x) 80 mm, s/s rollers, roller width: 285 mm, total dimensions: 1650 mm x 1030 mm x 1420 mm. Missing taper.	75
372	NN trolleys	3 s/s trolleys, 15 floors, floor dimensions: (15x) 1450 mm x 400 mm, total dimensions: (3x) 480 mm x 1450 mm x 1730 mm.	225
373	Joni Foodline AS	Joni Foodline AS cooking vessel with agitator, type: Multi-Mix Kettle, number: 011456-623, year of construction: 2001, 400/230 V, 3 Ph, 50/60 Hz, 29 A, 20	950



Nr	Title	Description	Start €
		kW, electric heated, -5 till 125°C, volume: 120 liter, dimensions 1330 mm x 850 mm x 1030 mm. Defect.	
374	Dibal	Dibal weighing and labelling machine, labeller model: PEA 1000, weigher model: System 1000, serial number: 036870/98, year of construction: 1998, maximum weight: 10 kg, minimum weight: 100 gram, e= 5 gram, 220 V, 50 Hz, plastic belt, belt width: 275 mm, total dimensions: 600 mm x 700 mm x 1700 mm.	250
375	NN transport belt	Transport belt with rejector, s/s frame, plastic belt, belt width: 350 mm, total dimensions: 1050 mm x 700 mm x 850 mm.	350
376	NN 2-burner gas stove	2-burner gas stove, model: 72/10 CG, serial number: BN020198766, year of construction: 2016, dimensions: 400 mm x 760 mm x 940 mm.	25
377	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 510 mm, total dimensions: 2500 mm x 650 mm x 900 mm. Incomplete.	200
378	NN evaporator	Evaporator, dimensions: 1005 mm x 555 mm x 245 mm.	100
379	NN tub	S/s tub with drain, dimensions: 1090 mm x 1280 mm x 820 mm.	100
380	Metos	Metos F.R.C. blast chiller, model: BF051DG ABB BF051-, serial number: FR020040214, year of construction: 2013/09, 230 V, 1 Ph, 50 Hz, 6.2 A, 1.20 kW, refrigerant: R404a, 0.85 kg, 5 floors, dimensions each floor: 370 mm x 600 mm, total dimensions: 800 mm x 740 mm x 1370 mm.	450
381	Dieta Tecnodom S.P.A	Dieta Tecnodom S.P.A refrigerator / freezer, model: A207EKOPN, serial number: 201941324G, year of construction: 7/2019, 220-240 V, 1 Ph, 50 Hz, 1.4 A, refrigerant: R 452a, dimensions: 710 mm x 800 mm x 2030 mm.	250
382	NN mesh belt	S/s mesh belt, belt width: 1260 mm.	250
383	Inox Baltic	Inox Baltic refrigerated counter, serial number: IB 736, year of construction: 2015, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, dimensions: 1600 mm x 670 mm x 880 mm.	175
384	Annala Foodtech	Annala Foodtech mobile coating machine, type: GELATIINIIPINNOITUSLAITE, serial number: 4444-1, year of construction: 2018, 230/400 V, 6.8 kW, 6 bar, plastic belt, belt width: (2x) 400 mm, total dimensions: 1840 mm x 1600 mm x 1600 mm.	750
385	CRS Plus	CRS Plus pick and place robot, 350 V, 60/50 Hz, dimensions arm: 850 mm x 470 mm x 660 mm, dimensions cabinet: 570 mm x 500 mm x 220 mm.	150
386	NN sink	S/s sink with faucet, dimensions: 1600 mm x 700 mm x 1150 mm.	100
387	NN transport belt	Transport belt with dividers, s/s frame, plastic belt, belt width: 340 mm, distance between dividers: 300 mm,	250



Nr	Title	Description	Start €
		divider height: 30 mm, total dimensions: 6500 mm x 350 mm x 300 mm. Incomplete, technical condition unknown.	
388	GWS	2 steel GWS 3-doors lockers, dimensions: (2x) 1200 mm x 500 mm x 1850 mm. Without keys.	75
389	NN lockers	2 steel 3-doors lockers, dimensions: (2x) 900 mm x 630 mm x 1800 mm.	75
390	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	150
391	Mosca	Mosca mobile strapping machine, type: RO-TR500-4, number: 59637, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.5 A, 1.5 kW, dimensions: 1400 mm x 770 mm x 1450 mm.	450
392	NN depositor	Mobile depositor, dimensions: 1180 mm x 840 mm x 1910 mm.	250
393	AB Akerlund & Rausing	AB Akerlund & Rausing depositor, type: LKF-101, manufacturing number: 3678-12, foot control, dimensions: 900 mm x 830 mm x 1440 mm.	250
394	Delta	Delta bread slicer, type: D.T, machine number: 2804, 380 V, 34 knives, distance between knives: 10 mm, total dimensions: 610 mm x 540 mm x 1160 mm.	80
395	NN fire hose reel	S/s fire hose reel, dimensions: 600 mm x 550 mm x 1000 mm.	100
396	Talpet	Talpet drying cabinet, dimensions: 1200 mm x 630 mm x 1980 mm.	300
397	NN oxygen analyser	Oxygen analyser, model: OXZ-710H, dimensions: 500 mm x 500 mm x 1300 mm.	200
398	Royal Catering	Royal Catering s/s tomato cutter, type RCTC-5, serial number: 201620172059, cutting thickness: 5,5 mm, blades: 10 units, dimensions: 420 mm x 200 mm x 200 mm.	25
399	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH product scanner type: SCA, number: 328, year of construction: 10/2010, plastic belt, belt width: 495 mm, total dimensions: 1550 mm x 1100 mm x 1850 mm.	750
400	NN tub	Mobile s/s tub, dimensions: 1440 mm x 680 mm x 600 mm.	100
401	Guangzhou Lingchuang	Guangzhou Lingchuang cooking vessel, model: LC-TZL-380, 380 V, 3 Ph, 50 Hz, 9 kW, inside dimensions: Ø 490 mm x 490 mm, total dimensions: 600 mm x 550 mm x 840 mm.	75
402	Lock Metalchek	Lock Metalchek metal detector, type: 9/HDS/25/718/220, serial number: 64909, belt width: 1200 mm, clearance: 1200 mm x 30 mm, total dimensions: 1700 mm x 1700 mm x 1230 mm.	750
403	NN meat bin	S/s meat bin, volume: 200 liter.	75
404	Lumbeck & Wolter	6 Lumbeck & Wolter grinder plates, size: 32, plate diameter: 100 mm, Ø centre hole: 13 mm, hole plate:	100



Nr	Title	Description	Start €
		3.0 mm, thickness: (2x) 9 mm, (4x) 10 mm, total dimensions: 160 mm x 110 mm x 100 mm.	
405	Guangzhou Xuzhong Food Machinery	Guangzhou Xuzhong Food Machinery proofer, model: VF-30C, 220 V, 50 Hz, 12 kW, 12 floors, dimensions each floor: 600 mm x 400 mm, 10 plates, inside dimensions: 600 mm x 450 mm x 1000 mm, total dimensions: 800 mm x 600 mm x 1410 mm.	150
406	NN rotisserie oven	Mobile rotisserie oven for ducks, model: YXD-808, serial number: YXD00, year of construction: Sept-14-2012, 380 V, 50-60 Hz, 6 kW, temperature range: 60-300°C, inside dimensions: 650 mm x 450 mm x 730 mm, total dimensions: 850 mm x 840 mm x 1600 mm.	200
407	NN frame	S/s frame, dimensions: 1260 mm x 550 mm x 1100 mm.	70
408	NN au-bain marie	Mobile au-bain marie, inside dimensions: 1020 mm x 540 mm x 320 mm, total dimensions: 1100 mm x 650 mm x 950 mm.	75
409	Dito-Sama	Dito-Sama peeler, model: T10, number: C2007, 220/380 V, 3 Ph, 50 Hz, 1.7/1 A, 510 W, dimensions: 600 mm x 400 mm x 1100 mm.	200
410	Guangzhou Xuzhong Food Machinery	Guangzhou Xuzhong Food Machinery cutter, model: SZ-300, 220 V, 50 Hz, 1.5 kW, s/s bowl, dimensions: 800 mm x 700 mm x 1200 mm.	350
411	NN flattener	Flattener, plastic belts, belt width: (2x) 680 mm, total dimensions: 1040 mm x 610 mm x 1140 mm.	250
412	Cryovac	Cryovac shrink tunnel, model number: ST 50 LH, serial number: A52400417, year of construction: 1997, 380 V, 50 Hz, 16 A, 10 kW, clearance: 400 mm x 180 mm, plastic rollers, rollers width: 400 mm, total dimensions: 1400 mm x 1300 mm x 1850 mm.	950
413	NN sink	S/s sink, foot control, dimensions: 560 mm x 440 mm x 1420 mm.	50
414	NN sink	S/s sink, dimensions: 500 mm x 400 mm x 1230 mm.	50
415	NN sink	S/s sink, foot control, dimensions: 500 mm x 350 mm x 1300 mm.	50
416	NN sink	S/s sink, dimensions: 490 mm x 370 mm x 1230 mm.	75
417	NN tubs	2 s/s tubs with drain, dimensions: (2x) 1090 mm x 1280 mm x 830 mm.	200
418	NN tubs	3 s/s mobile tubs for vacuum tumbler, inside dimensions: Ø (3x) 1000 mm x 1000 mm, total dimensions: (3x) Ø 1120 mm x 1600 mm.	900
419	Bakon B.V. Food Equipment	Bakon B.V. Food Equipment melting kettle, serial number: 20006B, year of construction: 2010, 3 Ph, 50 Hz, 7.5 kW, capacity: 70 L, dimensions: 1700 mm x 1100 mm x 960 mm.	250
420	Rieber	Rieber exchange dispenser, type: WE-810 H, number: 89010261/1/00007, year of construction: 16.09.2006, 230 V, 1 Ph, 50 Hz, 1732 W, inside dimensions: 280 mm	100



Nr	Title	Description	Start €
		x 620 mm x 550 mm, total dimensions: 500 mm x 1000 mm x 900 mm.	
421	NN sink	S/s sink, dimensions: 600 mm x 550 mm x 1120 mm.	75
422	NN sink	S/s sink, dimensions: 600 mm x 550 mm x 1120 mm.	75
423	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH knife sharpener, type: MSG 460, number: 124, 380 V, 50 Hz, 0.18 kW, dimensions: 630 mm x 560 mm x 1550 mm.	350
424	NN trolley	S/s trolley with parts, dimensions: 610 mm x 510 mm x 980 mm	100
425	Crystal Vaaka	Crystal Vaaka floor weighing scale, type: 9600 SCALE, 230 V, 50/60 Hz, 0.1 A, dimensions: 930 mm x 995 mm x 110 mm.	250
426	NN scale	Scale, dimensions 680 mm x 580 mm x 230 mm.	10
427	NN grinder	Grinder, maximum plate diameter: 100 mm, total dimensions: 540 mm x 360 mm x 330 mm. Incomplete, missing knives and plates.	100
428	Wodschow & CO.	Wodschow & CO. Mixer, type: R.27, number: 2082, 380 V, 2 A, s/s bowl, dimensions bowl: Ø 350 mm x 330 mm, total dimensions: 850 mm x 520 mm x 1150 mm. Including whisk, flat beater and spiral.	200
429	Metos	Metos 4-pits stove with oven, dimensions: 920 mm x 700 mm x 870 mm.	100
430	Metos	Metos 4-pits stove, type: 22A, number: 9393, 380 V, 3 Ph, 21 A, 12 kW, dimensions: 910 mm x 800 mm x 810 mm.	100
431	Turbo Tools (Hull) LTD.	Turbo Tools (Hull) LTD. depositor, serial number: NMTD172989, dimensions: 660 mm x 1400 mm x 2100 mm.	500
432	Electrolux	Electrolux fryer, dimensions fryer: 680 mm x 540 mm, total dimensions: 1200 mm x 820 mm x 850 mm.	250
433	Baltic Master	Baltic Master double grill, dimensions grill plates: (2x) 400 mm x 320 mm, total dimensions: 950 mm x 500 mm x 820 mm.	200
435	Lumbeck & Wolte	3 Lumbeck & Wolter grinder plates, plate diameter: (3x) 150 mm.	50
436	RTL	RTL tiltable cooking vessel, inside dimensions: ø 1000 mm x 600 mm, total dimensions: 1300 mm x 1400 mm x 1100 mm.	450
437	Electrolux	Electrolux bowl mixer, type: 1986 R40, number: 10227, 380 V, 3 Ph, 50 Hz, 2.8 A, 1.5 kW, dimensions: 560 mm x 900 mm x 1230 mm.	200
438	Bear	Bear mixer, type: R 20, number: 9514, 380 V, 3 Ph, 50 Hz, 1.5 A, s/s bowl, whisk, volume: 20 liter, dimensions: 610 mm x 350 mm x 800 mm.	200
439	Koneikko Oy	Koneikko Oy mobile depositor, serial number: 138, year of construction: 2013, 230 V, 16 A, dimensions: 1070 mm x 710 mm x 2060 mm. Incomplete.	500



Nr	Title	Description	Start €
440	Econoseal	Econoseal horizontal cartoner, type: E-2000, model: 8006, serial number: 8493, year of construction: 08.08.2005, standard carton size range: 25 mm x 19 mm x 64 mm - 305 mm x 102 mm x 305 mm, 220 V, 50 Hz, 10 A, 5.5 bar, total dimensions: 2350 mm x 1170 mm x 1800 mm.	750
441	Kaukora Oy	Kaukora Oy boiler, model: JASPI VLM 500 DN32, serial number: 2018086, 500 L, 1.0 MPa, 2 x 4.5 kW, 230 / 400 V, 50 Hz, year of construction: 2019, total dimensions: 750 mm x 740 mm x 2000 mm.	100
442	RTL	RTL 4-pits stove, model: RTL 21104, number: 8505/263, 380 V, 20 A, 10 kW, electrically heated, dimensions: 850 mm x 700 mm x 850 mm.	100
443	Lumbeck & Wolte	2 Lumbeck & Wolter grinder plates, plate diameter: (2x) 150 mm.	35
444	Ernst Neumärker GmbH & Co. KG	Ernst Neumärker GmbH & Co. KG mixer, serial number: 1290779100, 400 V, 1.5 kW, s/s bowl, dimensions bowl: Ø 350 mm x 320 mm, total dimensions: 800 mm x 540 mm x 1130 mm.	150
445	Bamach	Bamach air filter, dimensions: 900 mm x 900 mm x 450 mm.	25
446	Soehnle	Soehnle floor weighing scale with indicator, model indicator: S20_2760, maximum weight: 600 kg, minimum weight: 4000 gram, e= 200 gram, dimensions scale: 1100 mm x 840 mm x 90 mm.	100
447	NN floor weighing scale	Floor weighing scale with CV Scales indicator, maximum weight: 1500 kg, minimum weight: 25 kg, e= 0.5 kg, dimensions: 1600 mm x 1500 mm x 270 mm.	250
448	Crystal Vaaka Solotop Oy	Crystal Vaaka Solotop Oy floor weighing scale with indicator, type indicator: 9600 scale, 230 V, 50/60 Hz, 0.1 A, maximum weight: 300 kg, minimum weight: 2 kg, e= 100 gram, dimensions scale: 760 mm x 670 mm x 990 mm.	100
449	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH skinning machine, type: ASE 553, number: 910, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 760 mm x 670 mm x 990 mm.	350
450	NN clipper	Clipper, dimensions 400 mm x 200 mm x 920 mm.	25
451	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 3002, number: 44313, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 430 mm, total dimensions: 850 mm x 540 mm x 990 mm.	450
452	Koneteollisuus Oy	Koneteollisuus Oy clipper, model: KT-MS, number: 66566, dimensions 200 mm x 200 mm x 910 mm.	300
453	Nieros	Nieros sole cleaner, type: HL-ACR, serial number: N3T43-04, year of construction: 2006/10, 400 V, 3 Ph, 50 Hz, 0.55 kW, brush width: 140 mm, brush length:	150



Nr	Title	Description	Start €
		450 mm, total dimensions: 820 mm x 800 mm x 1240 mm.	
454	NN breaking saw	Breaking saw, type: NF 0.37/2-7m, number: 271854 5, 380/220 V, 50 Hz, 2.2/3.8 A, 0.8 kW, 2840 rpm, dimensions: 600 mm x 300 mm x 230 mm.	750
455	Menu System AG	Menu System AG cooking plate, type: MS-I-10/S, serial number: 9908511, 400 V, 3 Ph, 50/60 Hz, 6 kW, 9 A.	25
456	Geovent	Geovent fan, type: MSX-180-3 ATEX, serial number: 37-040 2581, 400 V, 3 Ph 50 Hz, 0.55 kW, 13kg, 2800 rpm, weight: 13 kg, dimensions: 400 mm x 300 mm x 375 mm.	25
457	Scotsman	Scotsman ice bunker, model: AF-20-AE, serial number: 7190, 220 V, 50 Hz, 4.5 A, refrigerant: Freon 12, 400 gram, inside dimensions: 500 mm x 500 mm x 870 mm, total dimensions: 950 mm x 650 mm x 1150 mm.	500
458	Scotsman	Scotsman ice machine, model: ACM-85-AF, serial number: TM21312, 220 V, 50 Hz, 450 W, refrigerant: R12, 0.40 kg, inside dimensions: 270 mm x 400 mm x 400 mm, total dimensions: 500 mm x 450 mm x 800 mm.	250
459	Europack	Europack table model vacuum machine, type: IMA.02, machine number: 93202, 220 V, 1 Ph, 50 Hz, 17 A, 21 m ³ /h, seal length: 400 mm, dimensions chamber: 420 mm x 470 mm, vacuum pump, total dimensions: 600 mm x 470 mm x 420 mm.	150
460	Multivac	Multivac vacuum machine, type: A69, machine number: 236, year of construction: 1974, 220 V, 50 Hz, 10 A, 0.5 kW, seal length: 450 mm, dimensions chamber: 450 mm x 450 mm, Busch vacuum pump, type: 063-122, capacity: 63 m ³ per hour, total dimensions: 700 mm x 570 mm x 1140 mm.	200
461	Turbovac B.V.	Turbovac B.V. mobile vacuum machine, type: SB 500, machine number: 89065634, 220/380 V, 3 Ph, 50 Hz, 8.9/8.7 A, 2.5 kW, Busch vacuum pump, type: 063-122, capacity: 63 m ³ per hour, seal length: (2x) 500 mm, chamber dimensions: 550 mm x 510 mm, total dimensions: 690 mm x 620 mm x 1050 mm.	300
462	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type VC999 01 DK, machine number: 01881059, 380 V, 3 Ph, 50 Hz, 4 kW, with vacuum pump, total dimensions 820 mm x 700 mm x 1040 mm	500
463	Lavezzini	Lavezzini mobile vacuum machine, model: LAPACK 500, serial number: 990411626, year of construction: 1999, 380 V, 50 Hz, 1.5 kW, seal length: 500 mm, dimensions chamber: 600 mm x 510 mm, Sogevac-Leybold vacuum pump, total dimensions: 820 mm x 650 mm x 1480 mm.	400
464	Metos		250



Nr	Title	Description	Start €
		Metos lifter, dimensions platform: 720 mm x 560 mm, total dimensions: 920 mm x 650 mm x 1480 mm.	
465	Geneglace	Geneglace ice machine on steel frame, type: F 90, number: 87520, year of construction: 10.05.88, refrigerant: R 22, ice machine total dimensions: 1660 mm x 1300 mm x 25700 mm. Including Contardo evaporator, 2 fans, evaporator dimensions: 1500 mm x 1000 mm x 700 mm.	1000
466	Mécapac	Mécapac traysealer, dye: 300 mm x 230 mm, total dimensions: 700 mm x 700 mm x 750 mm.	150
467	CBEemballage S.A.	CBEemballage S.A. sealing machine, type: Unipack S2, number: 832, year of construction: 1999, 230 V, 4.5 A, film width: 423 mm, seal length: 430 mm and 500 mm, total dimensions: 1150 mm x 600 mm x 350 mm.	50
468	NN meat press	S/s meat press, ø outfeed: 115 mm, total dimensions: 2100 mm x 460 mm x 1020 mm.	450
469	Rietschle	Rietschle suction device for rest film, type: CEVF 3718-3(16), number: 720025, year of construction: 1982, 220/380 V, 50/60 Hz, 9.7/5.6 A, 2.2 kW, dimensions: Ø 500 mm x 1100 mm.	50
470	Rietschle	Rietschle suction device for rest film, type: CEVF 3718-3(31), number: 1389228, year of construction: 1991, 220/415 V, 50/60 Hz, 10.2/5.9 A, 2.2/2.6 kW, dimensions: Ø 500 mm x 1100 mm.	50
471	Cryovac	Cryovac s/s trolley, model: BD 06, serial number: 55300034, dimensions: 1500 mm x 850 mm x 1700 mm.	125
472	NN meat hooks	Pallet with large amount of s/s meat hooks, length hooks: 1700 mm and 1500 mm.	75
473	NN meat hooks	2 s/s meat hooks, length: (2x) 1530 mm.	10
474	Hackman Metos	Hackman Metos combi steamer, type: MINI, number: 242208, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 23 A, 16 kW, 7 floors, dimensions each floor: 450 mm x 570 mm, distance between floors: 100 mm, total dimensions: 1050 mm x 950 mm x 1150 mm.	400
475	Metos	Metos pressure steamer, type: Finnmarvel GTS 2R, number: 846528 / 12, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 46 A, 30 kW, 9 floors each, dimensions each floor: 660 mm x 540 mm, total dimensions: 1000 mm x 930 mm x 1950 mm.	250
476	Metos	Metos refrigerator, type: C/P Ri 1000, number: 42722, 230 V, 2.1 kW, refrigerant: R-134a, 310 gram, inside dimensions: 800 mm x 750 mm x 1750 mm, total dimensions: 930 mm x 900 mm x 2350 mm.	250
477	Amsco Finn-Aqua Oy	Amsco Finn-Aqua Oy autoclave, type: 34-E, number: 41028, year of construction: 1996, 400 V, 4.6 kW, volume: 37 dm ³ , maximum pressure: 3.0 bar, maximum	500



Nr	Title	Description	Start €
		temperature: 143 °C, dimensions: 520 mm x 460 mm x 750 mm.	
478	Extor	Extor dust collector, model: 3500-2FVA, serial number: 06084, 400 V, 4.8 A, 2.2 kW, weight: 237 kg, dimensions: 1550 mm x 1200 mm x 2200 mm.	450
479	Lumbeck & Wolter	3 Lumbeck & Wolter grinder plates, plate diameter: (3x) 150 mm.	50
480	NN sink	S/s sink, dimensions: 1300 mm x 650 mm x 1020 mm.	50
481	Metos	Metos refrigerated showcase, dimensions: 800 mm x 650 mm x 1400 mm.	100
482	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG table model clipper, type SCD 600, number 4478/05, 5-7 bar, dimensions 360 mm x 260 mm x 960 mm.	200
483	Lumbeck & Wolter	3 Lumbeck & Wolter grinder plates, plate diameter: (3x) 150 mm.	50
484	Metos	Metos s/s sink, dimensions: 1200 mm x 900 mm x 890 mm.	75
485	Metos	Metos mobile counter, s/s work top, dimensions: 1200 mm x 870 mm x 900 mm.	100
486	Demag	Demag electric chain hoist, type: DKUN5-500 K V1 F4, serial number: 61609178, year of construction: 1995, 380-400 V, 3 Ph, 50 Hz, 1.5/1.6 A, 0.85/0.2 kW, capacity: 1000 kg, lifting height: 2.5 meter, dimensions: 540 mm x 570 mm x 300 mm.	125
487	Turbo	Turbo heated showcase, type: HT1, number: 96432, 230 V, 50 Hz, 7.88 A, 1813 W, dimensions: 800 mm x 460 mm x 500 mm.	150
488	Turbo	Turbo heated showcase, type: HT1, number: 96387, 230 V, 50 Hz, 7.88 A, 1813 W, dimensions: 800 mm x 460 mm x 500 mm.	150
489	NN refrigerated showcase	Refrigerated showcase, dimensions: 1200 mm x 620 mm x 1600 mm.	250
490	Metos	Metos heated showcase, inside dimensions: 600 mm x 530 mm x 430 mm, total dimensions: 800 mm x 620 mm x 500 mm.	50
491	Fast Food Systems	Fast Food Systems refrigerated showcase, dimensions: 1080 mm x 780 mm x 790 mm.	90
492	Demag	Demag electric chain hoist, type: DKUN5-500 KV1F4, serial number: 61518749, year of construction: 1994, 380-400 V, 3 Ph, 50 Hz, 1.5/1.6 A, 0.85/0.2 kW, capacity: 1000 kg, lifting height: 2.5 meter, dimensions: 540 mm x 570 mm x 300 mm.	125
493	NN refrigerated showcase	Mobile refrigerated showcase, inside dimensions: 950 mm x 510 mm x 160 mm, total dimensions: 1200 mm x 800 mm x 1460 mm.	100
494	Metos		150



Nr	Title	Description	Start €
		Metos refrigerator, inside dimensions: 640 mm x 510 mm x 160 mm, total dimensions: 800 mm x 650 mm x 900 mm.	
495	NN refrigerated showcase	Refrigerated showcase, inside dimensions: 1040 mm x 510 mm x 160 mm, total dimensions: 1200 mm x 640 mm x 1600 mm.	150
496	Metos	Metos refrigerated showcase, dimensions: 800 mm x 650 mm x 1500 mm.	75
497	Pesutekno OY	Pesutekno OY washing machine, 380 V, 50 Hz, 25 A, inside dimensions: 500 mm x 500 mm x 500 mm, total dimensions: 730 mm x 630 mm x 1430 mm.	125
498	Kromo	Kromo dishwasher, model: HOOD 110, serial number: DWC1021267, year of construction: 2009, 380-415 V, 3 Ph, 50 Hz, 18.7 A, 10120 W, water pressure: 200-500 kPa, inside dimensions: 500 mm x 500 mm, total dimensions: 800 mm x 700 mm x 1450 mm.	500
499	Franke	Franke dishwasher, model: DEKO 190 LC, serial number: QR081191FI, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.3 A, 1.6 kW, inside dimensions: 530 mm x 400 mm x 330 mm, total dimensions: 660 mm x 600 mm x 1460 mm.	400
500	Franke	Franke dishwasher, model: DEKO 190, machine number: 96071180.F03, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 11 A, 7.5 kW, dimensions 600 mm x 675 mm x 1315 mm.	400
501	Franke	Franke dishwasher, model: DEKO 190, machine number: 96181180.F01, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 11 A, 7.5 kW, dimensions 600 mm x 675 mm x 1315 mm.	400
502	Technopack	Technopack clipper, model: PT400.5829.313, dimensions: 1100 mm x 300 mm x 800 mm.	100
503	AR-VE Oy	AR-VE Oy pressure vessel, type: HL 25, number: 9064, maximum pressure: 6 bar, inside dimensions: Ø 250 mm x 400 mm, total dimensions: 400 mm x 280 mm x 610 mm.	250
504	Cubigel S.A.	2 Cubigel S.A. cooling compressors, model: CL45TN3L, serial number: 270982, 220-240 V, 50 Hz, dimensions: (2x) 420 mm x 300 mm x 260 mm.	60
505	NN tubs	2 s/s tubs with drain, dimensions: (2x) 1090 mm x 1280 mm x 830 mm.	200
506	Supervac	Supervac mobile double chamber vacuum machine, type: GK 289, number: 950047, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 14 A, 5,6 kW, seal length: (4x) 660 mm, dimensions chamber: (2x) 660 mm x 780 mm, Busch vacuum pump, type: RA 160 B 4Z2 IQZZ, serial number: LL011E0202, year of construction: 1994, capacity: 160 m ³ per hour, total dimensions: 1700 mm x 980 mm x 1100 mm. Technical condition unknown.	650



Nr	Title	Description	Start €
507	Prestcold	Prestcold cooling compressor, type: HJ, serial number: F1244, 380/440 V, 3 Ph, 50 Hz, dimensions: 630 mm x 430 mm x 370 mm.	40
508	Franke	Franke dishwasher, model: DEKO 190, serial number: 02371181.FI02, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 2.3 A, 1.4 kW, inside dimensions: 530 mm x 430 mm x 330 mm, total dimensions: 690 mm x 600 mm x 1300 mm.	400
509	NN neck cutter	Hydraulic neck cutter, dimensions: 480 mm x 920 mm x 760 mm.	400
510	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type 4J-13.2, serial number 664102468, 380-420 / 440-480 V, 3 Ph, 50/60 Hz, 27 A, 63.5/76.6 m³ per hour, dimensions 2330 mm x 1000 mm x 1000 mm.	500
511	Frascold	Frascold cooling compressor, type: A054Y, number: 0A0241735, year of construction: 2002, capacity: 3.95 m³ per hour, dimensions: 630 mm x 460 mm x 500 mm.	50
512	Prescold LTD	Prescold LTD cooling compressor, model: R500, serial number: AUW02703, 360/420 V, 3 Ph, 50 Hz, dimensions: 720 mm x 250 mm x 480 mm.	50
513	Allweiler AG	Allweiler AG centrifugal pump, type: NHT40-250/01, number: M.13329/001, year of construction: 2002, 2.4 kW, capacity: 14.5 m³ per hour, dimensions: 570 mm x 340 mm x 400 mm.	150
514	NN circulation pump	Circulation pump, dimensions: 1250 mm x 540 mm x 660 mm.	200
515	RTL	RTL s/s lifter for 200 liter meat bins, model: RTL 6124-NKS, serial number: 6507/2, year of construction: 2003, 230/400 V, 6 A, 0.55 kW, weight: 250 kg, dimensions: 1025 mm x 1250 mm x 3275 mm. Incomplete.	500
516	RTL	RTL s/s lifter for 200 liter meat bins, model: RTL 6138-NKS, serial number: 6620/1, year of construction: 2010, 230/400 V, 6 A, 0.75 kW, weight: 390 kg, dimensions: 1270 mm x 720 mm x 4870 mm.	500
517	Mono Pumps	Mono Pumps mobile pump, dimensions: 1000 mm x 400 mm x 1000 mm.	350
518	Busch	Pallet with 2 Busch vacuum pumps, type: 063, capacity: 63 m³ per hour, dimensions: 700 mm x 380 mm x 300 mm and 610 mm x 400 mm x 300 mm.	150
519	Rietschle	Rietschle vacuum pump, type: CLF 180 V, number: 31085, capacity: 180 m³/h, dimensions: 1000 mm x 650 mm x 450 mm.	200
520	Busch	Busch vacuum pump, type: 251-512-165, capacity: 250 m³ per hour, dimensions: 1100 mm x 650 mm x 600 mm.	200
521	Linköping Rostfria Ab	Linköping Rostfria Ab s/s tilting device for meat bins, number: 6783-5, year of construction: 1995, lifting	750



Nr	Title	Description	Start €
		capacity: 800 kg, total dimensions: 1735 mm x 1880 mm x 2400 mm.	
522	Wolfking Scanio	Wolfking Scanio s/s lifter for 200 liter meat bins, type: L 7, serial number: 8989, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.4 kW, max load: 300 kg, dimensions: 2800 mm x 600 mm x 1350 mm.	600
523	NN tub	Plastic tub, dimensions: 1200 mm x 800 mm x 870 mm.	50
524	Shanghai Tianhe Pharmaceutical Machinery Co.	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd high speed mixer/granulator, model: SHK 200, serial number: 148, year of construction: 08.2018, 19 kW, capacity: 25-75 dm ³ , dimensions: 2250 mm x 870 mm x 1810 mm.	2000
525	Busch	Busch vacuum pump, type: 160-60 348686, capacity: 160 m ³ per hour, dimensions: 900 mm x 620 mm x 450 mm.	250
526	Watson	Watson pump on s/s trolley, model: 704S/R, dimensions: 600 mm x 400 mm x 1130 mm.	50
527	NN centrifugal pump	Centrifugal pump, dimensions: 960 mm x 400 mm x 420 mm.	50
528	NN grill trolley	Kebab grill trolley, dimensions: 1070 mm x 960 mm x 2010 mm.	100
529	NN piston compressor	Piston compressor on steel frame, total dimensions: 850 mm x 400 mm x 810 mm.	50
530	SCA-Gamet	SCA-Gamet hydraulic unit, type: 2585, number: 19510, volume: 50 liter, dimensions: 460 mm x 400 mm x 700 mm.	75
531	NN elevating screw	Mobile elevating screw with sieve, s/s screw, screw width: 140 mm, tier: 65 mm, elevating height: 1040 mm, sieve: 2 mm, total dimensions: 1930 mm x 710 mm x 1960 mm.	250
532	Formeca	Formeca horizontal carton erector, type: CF-8, product number: 1255.2, year of construction: 2005, 230 V, Busch vacuum pump, type: SV 1008 A, number: 050000567, year of construction: 2005, 220/240 V, 50/60 Hz, dimensions: 1550 mm x 2020 mm x 1600 mm.	950
533	NN lifter	S/s lifter for 200 liter meat bins, lifting height: 1900 mm, total dimensions: 1200 mm x 1060 mm x 2550 mm.	650
534	NN circulation pump	Circulation pump, dimensions: 790 mm x 330 mm x 380 mm.	150
535	Atlas Copco	Atlas Copco air compressor, type: GA 15 FF, serial number: All 228971, year of construction: 1997, 15 kW, weight: 450 kg, max. working pressure 7.5 bar, dimensions: 1100 mm x 780 mm x 1160 mm.	700
536	Italpast	Italpast pasta extruder, model: MAC 200 S, serial number: 99013003, year of construction: 1999, 380 V,	1750



Nr	Title	Description	Start €
		50 Hz, 10 kW, weight: 1050 kg, dimensions: 1140 mm x 2350 mm x 2220 mm.	
537	Handtmann	Handtmann part for AL system linking attachment, type: 93-32, number: 1336, dimensions: 320 mm x 400 mm x 120 mm.	200
538	Handtmann	Handtmann part for AL system linking attachment, dimensions: 420 mm x 370 mm x 530 mm.	200
539	NN tub	Mobile s/s tub, dimensions: 1750 mm x 800 mm x 600 mm.	100
540	Electrolux	Electrolux combi steamer, model: AOS101EAH1, serial number: 81600004, year of construction: 04.2008, 380-400 V, 3 Ph, 50/60 Hz, 17.5 kW, 8 floors, floor dimensions: (8x) 320 mm x 530 mm, distance between floors: 80 mm, total dimensions: 900 mm x 900 mm x 1100 mm.	500
541	Metos	Metos s/s trolley, 6 floors, floor dimensions: (6x) 550 mm x 500 mm, total dimensions: 560 mm x 560 mm x 1470 mm.	25
542	Metos	Metos mixer, type: R.30, number: 8272, 380 V, 3.1 A, dimensions: 500 mm x 810 mm x 1200 mm. Incomplete.	150
543	Atlas Copco	Atlas Copco air compressor with receiver, type: LFX0.7-10TR 20, serial number: ITR1348576, year of construction: 2019, 230 V, 1 PH, 50 Hz, 0.53 kW, weight: 46 kg, max. pressure 10 bar, compressor dimensions: 800 mm x 1030 mm x 850 mm, Kaukora s/s receiver, type: PVS-500, serial number: 160961, year of construction: 2000, volume: 500 dm ³ , max 10 bar, receiver dimensions: 800 mm x 980 mm x 1800 mm.	750
544	NN trolley	S/s trolley for combisteamer, 20 floors, floor dimensions: (20x) 670 mm x 530 mm, total dimensions: 1000 mm x 860 mm x 1610 mm.	30
545	Haato Varaajat	Haato Varaajat water heater, model: 2-HK300-R, 230-400 V, 8.7-4.3 A, 2-3 kW, volume: 300 liter, dimensions: 600 mm x 600 mm x 1950 mm.	75
546	NN trolleys	2 s/s trolleys for combisteamer, 16 floors, floor dimensions: (16x) 510 mm x 330 mm, total dimensions: (2x) 660 mm x 500 mm x 1700 mm.	60
547	NN trolley	S/s trolley, dimensions: 1720 mm x 800 mm x 900 mm.	30
548	NN plates	11 s/s plates for cooking / smoking trolleys, plate dimensions: (11x) 1000 mm x 900 mm.	50
549	NN baskets	34 s/s baskets, dimensions: (34x) 900 mm x 450 mm x 100 mm.	60
550	Mesmec	Mesmec deboning table with plastic working tops and transport belt, model: MKK 600-3600, year of construction: 2013, 50 Hz, 0.55 kW, plastic mesh belt, belt width: 610 mm, total dimensions: 2400 mm x 1190 mm x 1235 mm.	500



Nr	Title	Description	Start €
551	NN tanks	2 s/s tanks, volume: 500 liter, dimensions: (2x) Ø 800 mm x 1480 mm.	300
552	NN light fixtures	6 pallets and 5 boxes with large amount of light fixtures.	500
553	Koneteollisuus OY	Koneteollisuus OY grinder, model: LM-10/K, number: 3529, 380 V, 3 Ph, 50 Hz, plate diameter: 70 mm, total dimensions: 550 mm x 420 mm x 470 mm.	175
554	ATS	ATS binding machine with printer, type: US-2000 TTR-TR, number: BTA724 V5A85944, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 5 A, Markem printer type: SMARTDATE 3IM, serial number: 08776574, year of construction: 2008, 115/230 V, 1 Ph, 50-60 Hz, 1.6/0.8 A, total dimensions: 1900 mm x 900 mm x 1330 mm.	800
555	NN deboning table	S/s deboning table with plastic worktop and 2 transport belts, plastic belt, belt width: 210 mm, dimensions: 7300 mm x 1790 mm x 950 mm. Missing 1 worktop.	850
556	NN tubs	4 s/s tubs, dimensions: (4x) 1170 mm x 950 mm x 840 mm.	400
557	Finncont	Finncont s/s tank, volume: 800 liter, dimensions: 1200 mm x 1000 mm x 1130 mm.	300
558	Finncont	3 Finncont s/s tanks, volume: 800 liter, dimensions: (3x) 1200 mm x 1000 mm x 1130 mm.	300
559	Finncont	3 Finncont s/s tanks, volume: 800 liter, dimensions: (3x) 1200 mm x 1000 mm x 1130 mm.	300
560	Huurre	Huurre cooling door, type: KHO 1300, door dimensions: 1350 mm x 80 mm x 2050 mm, total dimensions: 1400 mm x 2113 mm x 140 mm.	100
561	Huurre	Huurre cooling door, type: KHO M-1200, door dimensions: 1250 mm x 80 mm x 2050 mm, total dimensions: 1360 mm x 2113 mm x 140 mm.	100
562	Huurre	Huurre cooling door, type: KHO M-1300, door dimensions: 1350 mm x 80 mm x 2050 mm, total dimensions: 1450 mm x 2020 mm x 140 mm.	100
563	NN cooling door	Cooling door, door dimensions: 640 mm x 50 mm x 2050 mm, total dimensions: 730 mm x 2080 mm x 50 mm.	75
564	Huurre	Huurre cooling door, type: M1 70, year of construction: 1989, door dimensions: 760 mm x 80 mm x 2050 mm, total dimensions: 830 mm x 80 mm x 2113 mm.	50
565	NN cooling door	Cooling door, door dimensions: 690 mm x 60 mm x 1950 mm, total dimensions: 690 mm x 1950 mm x 60 mm.	50
566	Huurre	Huurre cooling door, type: M1 70, year of construction: 1989, door dimensions: 760 mm x 80 mm x 2055 mm, total dimensions: 820 mm x 2118 mm x 80 mm.	50
567	NN cooling door		100



Nr	Title	Description	Start €
		Cooling door, door dimensions: 1255 mm x 80 mm x 2050 mm, total dimensions: 1300 mm x 2050 mm x 80 mm.	
568	Berkel	Berkel automatic slicer, model: 834 EPB, number: 02 2000 10710, 230 V, 1 Ph, 50 Hz, 375 W, dimensions: 900 mm x 670 mm x 660 mm.	450
569	Promens Iberia S.A.	3 Promens Iberia S.A. plastic tubs, dimensions: (3x) 1200 mm x 800 mm x 870 mm.	150
570	Bankeryds Maskin AB	Bankeryds Maskin AB mobile band saw, type: BM 25, number: 5468, 380 V, 3 Ph, 50 Hz, 2.8 A, 1.1 kW, dimensions table 520 mm x 600 mm, total dimensions 720 mm x 700 mm x 1600 mm.	450
571	Handtmann	2 Handtmann parts for AL system sausage filling line, dimensions (2x): 860 mm x 110 mm x 70 mm.	300
572	Telfafill	Telfafill mobile filling machine, model: TF5500SWDUO/013, number: 1057502, dimensions: 720 mm x 1400 mm x 2300 mm.	500
573	Koppens BV	Koppens BV mobile meatball roller, type: UM 600, machine number: 333, year of construction: 2000, 3 Ph, 400 V, 50 Hz, 0.27 kW, 1.04 A, weight: 166 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1300 mm x 850 mm x 1600 mm.	1750
574	NN batcher	Mobile batcher, dimensions: 810 mm x 1330 mm x 1800 mm.	450
575	NN tub	Mobile s/s tub with drain, dimensions: 1210 mm x 1010 mm x 980 mm.	100
576	Wexiodisk AB	Wexiodisk AB dishwasher, type: WD-4, number 95597, year of construction 1995, 400 V, 3 PH, 50 Hz, 10 A, 5.55 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 625 mm x 1230 mm.	250
577	Albin Motor Ab	Albin Motor Ab lobe pump, type: SLP440, serial number: 137356, dimensions: 1300 mm x 500 mm x 960 mm.	150
578	Reepack	Reepack traysealer, model: Reematic 1000IL, serial number: 1203011, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 31 A, film width: 400 mm dye: (2x) 220 mm x 280 mm, belt width: 420 mm, conveyor dimensions: 1600 mm x 750 mm x 1500 mm, conveyor width: 400 mm, traysealer dimensions: 2700 mm x 1100 mm x 1900 mm.	2250
579	Thuringer Fleischereimaschinen GmbH	Thuringer Fleischereimaschinen GmbH spiral vacuum mixer, type: VM 1000, machine number: 021, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 28 A, 12.5 kW, Busch vacuum pump, type: SV 1080 B 001, serial number: C1436000051, year of construction: 2014, capacity: 80 m³ per hour, mixer dimensions: 2700 mm x 1440 mm x 2700 mm, vacuum pump dimensions: 930 mm x 680 mm x 750 mm.	5500



Nr	Title	Description	Start €
580	Ishida	Ishida 14-heads multihead weigher, model: CCW-Z-214W-S/30-PB, serial number: 19034, year of construction: May 1992, 220 V, 50 Hz, 7.6 A, total dimensions: 1360 mm x 1180 mm x 1900 mm. Incomplete, for spare parts.	1250
581	Annala Foodtech	Annala Foodtech water heater, type: VEDENLAMMITIN, year of construction: 2015, 230/400 V, 10.5 kW, 100 kg, dimensions: 1100 mm x 600 mm x 2000 mm.	175
582	NN tanks	3 s/s mobile tubs, inside dimensions: (3x) Ø 785 mm x 620 mm, total dimensions: (3x) 1000 mm x 830 mm x 950 mm.	225
583	Italpast	Italpast cooling unit, model: REFRIG. N 25 WT 81013 ITALP, serial number: 9900693, year of construction: 1999, dimensions: 510 mm x 880 mm x 740 mm.	250
584	NN tray denester	Tray denester, dimensions: 1550 mm x 1900 mm x 2520 mm. Incomplete, for spare parts.	950
585	Inject Star	Inject Star brine preparation unit, type: CLB-1100, number: K-135, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 4 kW, capacity: 1100 liter, dimensions: 2020 mm x 1520 mm x 1660 mm.	1950
586	Ekopatter Oy	Ekopatter Oy plate heat exchanger, type: TK-7, serial number: 1836/1, year of construction: 1983, dimensions: 2190 mm x 2100 mm x 360 mm.	500
587	Annala Foodtech	Annala Foodtech transport belt with dividers, s/s frame, plastic belt, belt width: 115 mm, distance between dividers: 70 mm, divider height: 10 mm, total dimensions: 1570 mm x 450 mm x 1050 mm.	250
588	NN meat bins	5 s/s meat bins, volume: (5x) 200 liter.	375
589	NN table	Mobile s/s table with plastic top, dimensions plastic top: (2x) 1110 mm x 715 mm, total dimensions: 1480 mm x 800 mm x 1500 mm.	125
590	NN tubs	2 mobile s/s tubs with drain, dimensions: (2x) 1010 mm x 1220 mm x 955 mm.	200
591	Annala Foodtech	Annala Foodtech flattener, type: NAUHAKULJETIN/LITISTAJA, serial number: 2339, year of construction: 2006, 380 V, weight: 120 kg, 1.12 kW, belt width: 600 mm, total dimensions: 940 mm x 800 mm x 1320 mm.	500
592	Albin Pump Ab	Albin Pump Ab mobile pump, model: 115, serial number: 20939, dimensions: 750 mm x 700 mm x 1080 mm.	350
593	Annala Foodtech	Annala Foodtech mobile tray denester, type: VUOKARITITTÄJÄ, serial number: 2438, year of construction: 2016, 230/380 V, 0,15 kW, 6 bar, weight: 100 kg, dimensions: 1310 mm x 700 mm x 1410 mm.	250
594	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 580 mm, output conveyor s/s mesh belt, belt width: 600 mm, total dimensions: 3300 mm x 850 mm x 1940 mm.	750
595			150



Nr	Title	Description	Start €
	Hämeen Tehdaspalvelu Oy	Hämeen Tehdaspalvelu Oy mobile transport belt, serial number: 1046, year of construction: 1989, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1550 mm x 500 mm x 780 mm.	
596	Suomisen Konepaja Oy	Suomisen Konepaja Oy transport belt, s/s frame, year of construction: 2011, 230 V, 10 A, plastic belt, belt width: 250 mm, total dimensions: 1450 mm x 530 mm x 1170 mm.	150
597	Annala Foodtech	Annala Foodtech mobile transport belt, s/s frame, plastic belt, belt width: 1000 mm, total dimensions: 1650 mm x 1150 mm x 1100 mm.	150
598	Ekopatter Oy	Ekopatter Oy plate heat exchanger, type: TK-8, serial number: 1836/2, year of construction: 1983, dimensions: 1355 mm x 1065 mm x 410 mm.	500
599	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 320 mm, total dimensions: 2300 mm x 540 mm x 900 mm.	150
600	Annala Foodtech	Annala Foodtech mobile transport belt, s/s frame, plastic belt, belt width: 440 mm, total dimensions: 2200 mm x 640 mm x 1500 mm.	150
601	NN curve conveyor	90° curve conveyor, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 1200 mm x 1300 mm x 1050 mm.	200
602	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 840 mm, total dimensions: 2040 mm x 1000 mm x 980 mm.	150
603	Orfer Oy	Orfer Oy transport belt, model: TUOTEKULJETIN, type: 57.45.010, serial number: AP05029010/A034992, year of construction: 2005, s/s frame, plastic belt, belt width: 295 mm, total dimensions: 1920 mm x 420 mm x 1100 mm.	150
604	Annala Foodtech	Annala Foodtech transport belt, type: NAUHAKULJETIN, serial number: 2319, year of construction: 2004, 380 V, 0.11 kW, weight: 70 kg, s/s frame, plastic belt, belt width: 240 mm, total dimensions: 1370 mm x 370 mm x 940 mm.	150
605	Orfer Oy	Orfer Oy transport belt with dividers, model: KOLATASKUKULJETIN 1, s/s frame, plastic belt, belt width: 380 mm, distance between dividers: 200 mm, divider height: 60 mm, total dimensions: 3200 mm x 600 mm x 590 mm.	200
606	Annala Foodtech	Annala Foodtech mobile elevating belt with infeed bunker, type: KOLAKULJETIN, serial number: 2328, year of construction: 2005, 380 V, 0.37 kW, weight: 100 kg, s/s frame, plastic belt with dividers, belt width: 150 mm, divider height: 40 mm, distance between dividers: 190 mm, elevating height: 1200 mm, total dimensions: 2200 mm x 600 mm x 1270 mm.	550



Nr	Title	Description	Start €
607	Ab Bygg- och Transportekonomi	Ab Bygg- och Transportekonomi mobile lifter, type: BTSV 800 P/1, serial number: 122911, year of construction: 1981, weight: 200 kg, lifting height: 1800 mm, capacity: 800 kg, total dimensions: 1600 mm x 810 mm x 2200 mm. Incomplete	250
608	Orfer Oy	Orfer Oy transport belt, model: TARKASTUSKULJETIN 2, type: 57.45.020, serial number: AP05029020/A034943, year of construction: 2005, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1050 mm x 660 mm x 1100 mm.	150
609	NN kebab knife	Kebab knife, blade Ø 80 mm, dimensions: 300 mm x 200 mm x 100 mm.	50
610	Ingersoll-Dresser pumps	Ingersoll-Dresser pumps pump, type: 50-32CP x160, number: 0153 695, year of construction: 1995, 24.0 bar, dimensions: 1400 mm x 1200 mm x 590 mm.	250
611	Orfer Oy	Orfer Oy transport belt, model: TUOTEKULJETIN 2, serial number: AP04031216/A029638, year of construction: 2006, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 2400 mm x 550 mm x 350 mm.	200
612	Orfer Oy	Orfer Oy manual depositor, model: ANNOSTELUSILO, serial number: AP04031225/A027879, year of construction: 2005, dimensions: 1100 mm x 540 mm x 1870 mm.	250
613	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 300 mm, outfeed conveyor, plastic belt, belt width: 300 mm, elevating height: 1900 mm, total dimensions: 3080 mm x 1300 mm x 1900 mm.	750
614	Invensys	Invensys centrifugal pump, type: W+10/8 90, serial number: 3009424, year of construction: 2003, dimensions: 1600 mm x 250 mm x 310 mm.	250
615	NN elevating belt	Elevating belt , s/s frame, plastic mesh belt with dividers, belt width: 300 mm, divider height: (2x) 20 mm, distance between dividers: 300 mm, total dimensions: 1840 mm x 430 mm x 1060 mm.	550
616	NN curve conveyor	45° Curve conveyor, s/s frame, plastic belt, belt width 255 mm, total dimensions 1900 mm x 550 mm x 950 mm.	150
617	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 350 mm, elevating height: 2400 mm, total dimensions: 2700 mm x 600 mm x 2400 mm.	550
618	NN cooling door	Cooling door, door dimensions: 2600 x 1880 mm, thickness: 90 mm.	100
619	NN curve conveyor	45° curve mobile elevating belt, s/s frame, plastic mesh belt, belt width: 380 mm, elevating height: 1640 mm, total dimensions: 4800 mm x 900 mm x 1660 mm.	300
620	Annala Foodtech	Annala Foodtech mobile elevating belt with infeed bunker, type: NAUHAKULJETIN, serial number: 2418,	550



Nr	Title	Description	Start €
		year of construction: 2014, 380 V, 0.75 kW, weight: 100 kg, s/s frame, plastic belt and dividers, belt width: 500 mm, divider height: 5 mm, distance between dividers: 195 mm, elevating height: 1280 mm, total dimensions: 2370 mm x 840 mm x 1430 mm.	
621	NN mesh belt	S/s mesh belt, belt width: 660 mm, total dimensions: 800 mm x 1700 mm x 1020 mm.	250
622	NN mesh belt	S/s mesh belt, belt width: 660 mm, total dimensions: 800 mm x 1700 mm x 840 mm.	250
623	NN mesh belt	S/s mesh belt, belt width: 660 mm, total dimensions: 800 mm x 1400 mm x 820 mm.	250
624	T:mi Ruostumattomat Teräslaitteet	T:mi Ruostumattomat Teräslaitteet cooking vessel with lift, serial number: 6677, year of construction: 11.1978, volume: 40 liter, 1.2 bar, RTL lift, model: RTL 1804/HL, dimensions: 960 mm x 710 mm x 1170 mm.	650
625	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	225
626	Heinrich GmbH	Heinrich GmbH automatic casing sealer, model: Termo-Fix, machine number: HM020518, year of construction: 2018, 230 V, 50 Hz, press air: 7 bar, dimensions: 480 mm x 400 mm x 1260 mm.	350
627	Heinrich GmbH	Heinrich GmbH automatic casing sealer, model: Termo-Fix, machine number: HM020218, year of construction: 2018, 230 V, 50 Hz, press air: 7 bar, dimensions: 480 mm x 400 mm x 1260 mm.	350
628	Wexiodisk AB	Wexiodisk AB dishwasher, type: WD-6, number: 1020621, year of construction 2010, 400 V, 3 Ph, 50 Hz, 16 A, 10.8 kW, crate dimensions: 500 mm x 500 mm x 105 mm, total dimensions: 715 mm x 710 mm x 1420 mm.	500
629	NN trolleys	5 s/s trolleys, (1) x 8 floors, (4) x 17 floors, floor dimensions: 405 mm x 590 mm, distance between floors: 95 mm, total dimensions: (1) 450 mm x 600 mm x 940 mm; (4x) 460 mm x 595 mm x 1745 mm.	250
630	NN tub	Mobile s/s tub with drain, dimensions: 1650 mm x 1050 mm x 880 mm.	100
631	Bankeryds Maskin AB	Bankeryds Maskin AB band saw, type: BM 8, number: 7260, 380 V, 3 Ph, 50 Hz, dimensions table: 1650 mm x 1120 mm, total dimensions 2140 mm x 1260 mm x 1900 mm.	750
632	NN trolleys	3 steel trolleys, (3) x 14 floors, floor dimensions: 450 mm x 500 mm, distance between floors: 110 mm, with 39 baking trays, baking tray dimensions: 440 mm x 760 mm, total dimensions: (3x) 510 mm x 760 mm x 1700 mm.	150
633	NN trolleys	2 steel trolleys, (1) x 15 floors, floor dimensions: 490 mm x 530 mm, distance between floors: 100 mm, (1) x 13 floors, floor dimensions: 460 mm x 450 mm, distance between floors: 100 mm, baking tray	100



Nr	Title	Description	Start €
		dimensions: 440 mm x 760 mm, total dimensions: (1) 545 mm x 760 mm x 1790 mm; (1) 510 mm x 760 mm x 1450 mm.	
634	Supervac	Supervac mobile dip tank, type: AT-5E/R, machine number: 960154, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 9.4 kW, 14.3 A, plastic rollers, roller width: 350 mm, inside dimensions: 600 mm x 350 mm, total dimensions: 1330 mm x 700 mm x 1230 mm.	250
635	NN fryer	Fryer, dimensions: 1170 mm x 1070 mm x 1430 mm.	50
636	Cornelius	Cornelius soda dispenser, type: Sodadis dispenser Loop UV 3H, serial number: 221012FA03375, year of construction: 2010, 1 Ph, 230 V, 50 Hz, 365 W, 30 bar, refrigerant: R134a, 0.150 kg, total dimensions: 340 mm x 620 mm x 490 mm.	25
637	Handtmann	Handtmann parts for AL system sausage filling line, dimensions: 900 mm x 500 mm x 250 mm.	150
638	Custom Automation Oy	Custom Automation Oy transport belt, year of construction: 2010, 230 V, 0.60 kW, s/s frame, plastic mesh belt, belt width: 380 mm, total dimensions: 5730 mm x 1050 mm x 820 mm.	100
639	NN tubs	2 mobile s/s tubs with drain, dimensions: (2x) 1650 mm x 1050 mm x 840 mm.	200
640	Metos	Metos trolley, type: Cantina BM-2HL, serial number: 2008T40S470020, 1 Ph, 230 V, 50 Hz, 2.0 kW, 8.7 A, dimensions: 960 mm x 780 mm x 950 mm.	50
641	NN tubs	2 mobile s/s tubs with drain, dimensions: (2x) 1650 mm x 1050 mm x 840 mm.	200
642	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG mobile vacuum machine, type: VC999 K6A, machine number: 16140573, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 25 A, 9 kW, VC999 vacuum pump, type: 9603030/10, serial number: 1322135, year of construction: 2013, 205/245 m³ per hour, seal length: (2x) 490 mm and (1x) 940 mm, dimensions chamber: 940 mm x 530 mm, total dimensions: 1300 mm x 920 mm x 1070 mm.	1250
643	NN defrosting trolleys	3 aluminum defrosting trolleys, (3) x 6 floors, floor dimensions: 805 mm x 1155 mm, distance between floors: 260 mm, with 18 baking trays, baking tray dimensions: 765 mm x 1110 mm, total dimensions: (3x) 805 mm x 1210 mm x 1780 mm.	225
644	NN frame	s/s frame for combi steamer, (2x) 6 floors, dimensions each floor: 660 mm x 330 mm, distance between floors: 70 mm, total dimensions: 855 mm x 720 mm x 680 mm.	75
645	NN skewer machine	Automatic skewer machine, total dimensions: 1600 mm x 750 mm x 330 mm.	100
646	Aquaplus Vertriebs GmbH Flintbek	Aquaplus Vertriebs GmbH Flintbek blast chiller, serial number: APST01 82018, 220 V, 4 A, 850 W, inside	125



Nr	Title	Description	Start €
		dimensions: 390 mm x 640 mm x 65 mm, total dimensions: 990 mm x 500 mm x 470 mm.	
647	Carso	Carso mobile portioning machine, dimensions: 600 mm x 450 mm x 1000 mm.	150
648	NN tub	Mobile s/s tub with drain, dimensions: 1650 mm x 1050 mm x 840 mm.	100
649	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: VS 1, serial number: 130358, year of construction: 1998, 230 V, 50 Hz, capacity: 2500 gram, plastic belts, belt width: (2x) 200 mm, (1x) 250 mm, total dimensions: 1400 mm x 1000 mm x 1375 mm.	450
650	NN depositor	Depositor with chain conveyor, distance between chains: max. 170 mm, dimensions: 1450 mm x 1780 mm x 2060 mm.	350
651	Nutripack	Pallet with Nutripack plastic trays, dimensions tray: 310 mm x 235 mm x 22 mm, total dimensions: 1200 mm x 800 mm x 1650 mm.	75
652	Bizerba	Bizerba weighing and labelling machine, model labeller: GS VJ.8.96, number: 1527545/1527545, 230 V, 50 Hz, 2.4 A, dimensions: 3490 mm x 600 mm x 1880 mm. Incomplete, technical condition unknown, for spare parts.	250
653	Busch	Busch vacuum pump, type: WV 1000 B 001 KDRO, serial number: OD01960101, dimensions: 1030 mm x 420 mm x 580 mm.	250
654	Etipack	Etipack mobile labelling machine, model: SURPRISE25, number: 06/000000620, year of construction: 2006, 230 V, 50+60 Hz, 0.30 A, dimensions: 780 mm x 1030 mm x 1830 mm.	500
655	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 385 mm, distance between dividers: 210 mm, divider height: 40 mm, total dimensions: 770 mm x 860 mm x 1380 mm.	150
656	Custom Automation Oy	Custom Automation Oy transport belt, model: RSOY PK1, year of construction: 2015, 230 V, 10 A, 0.20 kW, s/s frame, plastic belt, belt width: 295 mm, total dimensions: 800 mm x 430 mm x 870 mm.	150
657	Etipack	Etipack labelling machine, model: Strong 200, serial number: 14/000001389, 100-240 V, 50-60 Hz, 2.0 A, 70 W, dimensions: 1000 mm x 800 mm x 580 mm.	150
658	Videojet	Videojet mobile inkjet printer, model: EXCEL/170i, serial number: I94A32302, 220 V, 1 Ph, 50/60 Hz, 1 A, dimensions: 750 mm x 750 mm x 1790 mm.	100
659	Videojet	Videojet mobile inkjet printer, model: EXCEL/170i, serial number: 000800024WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 750 mm x 750 mm x 1650 mm.	100
660	Videojet		100



Nr	Title	Description	Start €
		Videojet mobile inkjet printer, model: EXCEL/170i, serial number: 001520029WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 750 mm x 750 mm x 1650 mm.	
661	Collamat	Collamat labelling machine, type: C9110/20/30, serial number: 1531, year of construction: 02/09, 110-240 V, 10/5 A, total dimensions: 1000 mm x 1000 mm x 1800 mm.	150
662	Videojet	Videojet mobile inkjet printer, model: EXCEL/273se, serial number: 990410023WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 750 mm x 750 mm x 1750 mm.	150
663	Videojet	Videojet mobile inkjet printer, model: EXCEL/170i, 220 V, serial number: I91L01119, , 1 Ph, 50/60 Hz, 2 A, dimensions: 700 mm x 710 mm x 1620 mm.	150
664	Videojet	Videojet mobile inkjet printer, model: EXCEL/270i, dimensions: 800 mm x 750 mm x 1200 mm.	150
665	Videojet	Videojet inkjet printer, model: EXCEL/170i, serial number: I981390033WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 510 mm x 360 mm x 750 mm.	75
666	Videojet	Videojet inkjet printer, model: EXCEL/170i, serial number: 011280039WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 510 mm x 360 mm x 750 mm.	75
667	Videojet	Videojet inkjet printer, model: EXCEL/170i, serial number: 993360038WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 510 mm x 360 mm x 750 mm.	75
668	NN smoke trolleys	3 s/s smoke trolleys, 6 floors, floor dimensions (6x) 970 mm x 930 mm, total dimensions: (3x) 990 mm x 1000 mm x 2000 mm.	225
669	Markem	Markem inkjet printer, model: 9096S, serial number: 050533, , 115-125/230-250 V, 1 Ph, 50/60 Hz, 6.3-5 A, dimensions: 800 mm x 680 mm x 240 mm.	75
670	Markem	Markem 2 inkjet printers, model: 9096S/9064, serial number: 050110/080185, 115-125/230-250 V, 1 Ph, 50/60 Hz, 6.3-5 A, dimensions: 1200 mm x 530 mm x 230 mm.	150
671	Schutten	Schutten tray separator, plastic mesh belt, belt width: 655 mm, total dimensions: 1400 mm x 970 mm x 1400 mm.	500
672	Schutten	Schutten ejecter, dimensions: 1000 mm x 1200 mm x 470 mm.	150
673	Electrolux	Electrolux fry top, model: QRE400, serial number: 91700004, 380-400 V, 3 Ph, 50/60 Hz, 4.1-4.5 kW, dimensions: 400 mm x 820 mm x 370 mm.	150
674	NN tilting device	S/s tilting device for meat bins, dimensions: 1770 mm x 1370 mm x 1600 mm. Incomplete.	500
675	Fillflex	Fillflex mobile filling machine, model: F5500aSD T/W1,5 S2/018 S2, number: 4747, dimensions: 1160 mm x 600 mm x 1960 mm. Incomplete, missing screen.	500



Nr	Title	Description	Start €
676	Telfafill	Telfafill mobile filling machine, model: TF5500C806/28220, number: 1054215, dimensions: 640 mm x 730 mm x 1420 mm. Incomplete, missing screen.	250
677	Ibexpumps	Ibexpumps mobile lobe pump, type: SRU2/018/LS, serial number: 375135C, dimensions: 880 mm x 610 mm x 1140 mm.	250
678	Forsfood	Forsfood mobile elevating screw, type: RUUVI-KULJETIN, number: 1868, 400 V, 3 Ph, 0.55 kW, s/s screw, screw width: 250 mm, elevating height: 1700, total dimensions: 3900 mm x 1300 mm x 2500 mm.	500
679	Zanussi	Zanussi 4-pits gas stove, dimensions: 800 mm x 720 mm x 335 mm.	25
680	NN table	S/s table, dimensions: 1065 mm x 1480 mm x 760 mm.	150
681	NN tubs	3 mobile s/s tubs with drain, dimensions: (3x) 1650 mm x 1050 mm x 840 mm.	300
682	Handtmann	Handtmann vacuum filling machine, type: VF300 B, number: 1229, 380 V, 3 Ph, 50 Hz, 23.6 A, 9.5 kW, Becker vacuum pump, total dimensions: 1250 mm x 1350 mm x 2240 mm.	1950
683	Vemag	Vemag vacuum filling machine, model: ROBOT HP 15 C, type: 143/350 B-1, number: 1430681, year of construction: 1998, 220-240 V / 64 A, 400-460 V / 37 A, 575 V, 3 PH, 50/60 Hz, dimensions: 1300 mm x 1200 mm x 2240 mm. Incomplete, missing worms.	1500
684	Metos	Metos refrigerator, type: A700L TN, serial number: 5066241, year of construction: 2006, 230 V, 50 Hz, 0.77 kW, refrigerant: R-134a, 265 gram, 4 floors, floor dimensions: 520 mm x 650 mm, total dimensions: 700 mm x 800 mm x 2100 mm.	250
685	NN smoke stick washer	Smoke stick washer, inside dimensions: Ø 550 mm x 1090 mm, total dimensions: 1700 mm x 800 mm x 1230 mm.	650
686	Vemag	Vemag smoke generator for wood chips, type: 504, number: 504. 1549, year of construction: 2004, 400 V, 50 Hz, 6 A, dimensions: 1000 mm x 1400 mm x 2420 mm.	950
687	Burlodge	Burlodge serving trolley for portioned meals on trays, type: NOVAFLEX, serial number: BLC 106607, year of construction: 6.10.2009, 400 V, 3 Ph, 50 Hz, 12.5 A, 7.6 kW, transport trolley dimensions: 1170 mm x 780 mm x 1620 mm, loading trolley dimensions: 780 mm x 800 mm x 1040 mm.	75
688	NN tubs	2 plastic tubs, dimensions: (2x) 770 mm x 920 mm x 725 mm.	100
689	Rieber	Rieber thermo trolley, type: TWF-C 1x20-EN/GN, number: 88440901 00178, year of construction: 01.03.2005, 10 floors, floor dimensions: (10x) 700 mm x	75



Nr	Title	Description	Start €
		530 mm, total dimensions: 810 mm x 940 mm x 1590 mm.	
690	Suhner AG	Suhner AG injector, type: WS 30, machine number: 8530228, 380 V, 50 Hz, s/s belt width: 440 mm, total dimensions: 1600 mm x 800 mm x 2100 mm. Incomplete, technical condition unknown.	350
691	Metos	Metos mixer, type: R.20, number: 22029, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 2.1 A, total dimensions: 430 mm x 610 mm x 1430 mm. Incomplete.	250
692	Lutetia	Lutetia cooking chamber, 14 floors, dimensions floors: 980 mm x 915 mm, total dimensions: 1450 mm x 1500 mm x 3000 mm.	1250
693	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 300 mm, elevating height: 2600 mm, distance between dividers: 130 mm, divider height: 50 mm, total dimensions: 1770 mm x 630 mm x 2600 mm.	500
694	NN trolleys	3 steel trolleys, (2) x 17 floors, (1) x 16 floors, floor dimensions: 640 mm x 515 mm, with 49 baking trays, baking tray dimensions: 640 mm x 515 mm, total dimensions: (3x) 650 mm x 570 mm x 1500 mm.	225
695	Dieta	Dieta gentle pressure steamer, model GSX-1, serial number 060114, year of construction: 2006, 380-415 V, 3 Ph, 25 kW, 36 A, 6 floors, dimensions floors 540 mm x 320 mm, total dimensions 605 mm x 855 mm x 1380 mm.	250
696	Dieta	Dieta gentle pressure steamer, model GSX-1, serial number 050812, year of construction: 2005, 400 V, 3 Ph, 22 kW, 32 A, 6 floors, dimensions floors 540 mm x 320 mm, total dimensions: 605 mm x 855 mm x 1380 mm.	250
697	Dialight	30 Dialight led lamps, 22 W, dimensions pallet: 1220 mm x 860 mm x 590 mm.	75
698	Alfa Laval Vantaa Oy	4 Alfa Laval Vantaa Oy evaporators, type: PCD-203, year of construction: 9/2013, 230 V, 1 Ph, 50 Hz, 0.07 kW, 0.35/0.42 A, 3 fans, dimensions pallet: 1700 mm x 1020 mm x 1170 mm.	400
699	NN heat exchanger	Plate heat exchanger, total dimensions: 1020 mm x 960 mm x 340 mm.	150
700	NN mixer	S/s mixer, inside tub dimensions: Ø 600 mm x 550 mm, total dimensions: 960 mm x 630 mm x 1235 mm.	300
701	NN trolleys	3 steel trolleys, 7 floors, floor dimensions: (7x) 1200 mm x 475 mm, total dimensions: (2x) 570 mm x 1200 mm x 1720 mm, (1x) 530 mm x 1200 mm x 1690 mm.	225
702	Fomaco	Fomaco mobile injector, machine number: 1518, year of construction: 1981, 26 needles, s/s belt, belt width: 340 mm, total dimensions: 2200 mm x 900 mm x 2000 mm.	850



Nr	Title	Description	Start €
703	NN cabinet	S/s cabinet, dimensions 700 mm x 700 mm x 2100 mm.	50
704	Termet	15 Termet Oy reserve water tanks, year of construction: 2004, dimensions: (15x) Ø 586 mm x 590 mm.	150
705	Mafo Machinefabriek Oldenzaal B.V	Mafo Machinefabriek Oldenzaal B.V crate washer, clearance: 400 mm x 390 mm, total dimensions: 4500 mm x 930 mm x 1830 mm.	2250
706	KG Lyften AB	KG Lyften AB tilting device for meat bins, type: SKV 200 HA 90, number: 6669, dimensions: 1200 mm x 1330 mm x 1270 mm.	750
707	Porkka	Porkka blast chiller/freezer, refrigerant: R404a, 9 floors, floor dimensions: 320 mm x 460 mm, total dimensions: 870 mm x 770 mm x 2030 mm. Cooling centrally regulated.	450
708	ITT Jabsco	ITT Jabsco mobile lobe gear pump, model: 24950-7310, serial number: 7416, dimensions: 630 mm x 650 mm x 1250 mm.	150
709	NN trash cans	6 plastic trash cans, dimensions: (6x) 520 mm x 380 mm x 670 mm.	60
710	NN trolleys	4 s/s trolleys for combisteamer, 19 floors, dimensions floors: (19x) 450 mm x 500 mm, total dimensions: (4x) 520 mm x 530 mm x 1825 mm.	400
711	NN cabinet	S/s cabinet, dimensions 600 mm x 600 mm x 2100 mm.	50
712	NN trolley	S/s trolley, 2 floors, floor dimensions: 870 mm x 570 mm, total dimensions: 940 mm x 650 mm x 1100 mm.	50
713	Restmec Ou	Restmec Ou refrigerator, model: PA 800, serial number: 090506RA124, 230 V, 1 Ph, 50 Hz, 0.4 kW, refrigerant: R134a / 210 gram, inside dimensions: 690 mm x 510 mm x 160 mm, total dimensions: 800 mm x 670 mm x 880 mm.	150
714	Sotiri D. Prodanas	Sotiri D. Prodanas 4 kebab grills, Incomplete, used for spare parts, total dimensions: 1000 mm x 1200 mm x 1250 mm.	300
715	Sotiri D. Prodanas	Sotiri D. Prodanas 4 kebab grills, Incomplete, used for spare parts, total dimensions: 1000 mm x 1200 mm x 1250 mm.	300
716	NN trolley	S/s trolley, 28 floors, floors dimensions: 950 mm x 980 mm, total dimensions: 1040 mm x 1000 mm x 1975 mm.	75
717	NN trolley	S/s trolley, 28 floors, floors dimensions: 950 mm x 980 mm, total dimensions: 1020 mm x 1000 mm x 1965 mm.	75
718	NN meat hooks	Wooden pallet box with large amount s/s meat hooks, approximately 550 pieces, 5 hooks per hanger, peg length: 40 mm, dimensions each hook: 225 mm x 40 mm x 140 mm, dimensions pallet box: 600 mm x 800 mm x 540 mm.	550
719	NN meat hooks	Wooden pallet box with large amount s/s meat hooks, approximately 180 pieces, 4 hooks per hanger, peg	180



Nr	Title	Description	Start €
		length: 40 mm, dimensions each hook: 160 mm x 40 mm x 150 mm, dimensions pallet box: 710 mm x 750 mm x 400 mm.	
720	NN meat hooks	Plastic crate with s/s meat hooks, approximately 100 pieces, 3 hooks per hanger, peg length: 45 mm, dimensions each hook: 200 mm x 45 mm x 140 mm, dimensions plastic crate 600 mm x 400 mm x 185 mm.	100
721	Electrolux	Electrolux mobile plate dispenser, model: PLATE DISPENSER 185-260 HEATED, number: 1693 25 00 01, 220-240 V, 1 Ph, 50/60 Hz, 1.45 kW, dimensions: 440 mm x 730 mm x 960 mm.	150
722	Sirman SPA	3 Sirman SPA manual burger press, model: SA 130, serial number: IEBJJA0652; 17V05838; 18IE002517, weight (3x) 7.00 kg, total dimensions: (3x) 260 mm x 280 mm x 270 mm.	150
723	NN burger press	Manual burger press, dimensions: 210 mm x 300 mm x 280 mm.	50
724	NN baking trays	Wooden pallet box with large amount baking trays, approximately 150 pieces, baking tray dimensions: 450 mm x 600 mm, total dimensions: 1200 mm x 800 mm x 340 mm.	50
725	Orfer Oy	Orfer Oy transport belt with s/s frame, serial number: AP05038110/A031446, year of construction: 2005, plastic belt width: 80 mm, total dimensions 3400 mm x 440 mm x 1040 mm.	250
726	NN trolleys	2 s/s trolleys, 25 floors, floor dimensions: 955 mm x 1000 mm, total dimensions: (2x) 1020 mm x 1020 mm x 1935 mm.	150
727	Jungheinrich	Jungheinrich electric pallet lifter, type: ERD 220, serial number: 91533448, year of construction: 2008, capacity: 2000 kg, weight without battery: 890 kg, weight battery: 288 kg, fork length: 1185 mm, total dimensions: 2200 mm x 770 mm x 1300 mm. Including MicroPower battery charger.	800
728	BT	BT Products Ab electric pallet lifter, model: LPE200/8, number: 6289107, year of construction: 2014, capacity: 2000 kg, fork length: 1145 mm, total dimensions: 1930 mm x 730 mm x 1350 mm. Technical condition unknown.	600
729	BT	BT Products Ab electric pallet lifter, model: LPE200/8, number: 6272287, year of construction: 2013, capacity: 2000 kg, fork length: 1145 mm, total dimensions: 1930 mm x 730 mm x 1350 mm. Technical condition unknown.	600
730	Ka-Ge-Lyften	Ka-Ge-Lyften s/s tilting device for meat bins, type: CV 800 HA 100, number: 4257, total dimensions: 1700 mm x 1505 mm x 1350 mm.	750
731	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450



Nr	Title	Description	Start €
732	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
733	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
734	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
735	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
736	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	150
737	EFA	EFA circular saw, type: EFA 19, machine number: 19/06, ø saw blade: 265 mm, 6 psi, 900 rpm, dimensions: 550 mm x 270 mm x 340 mm.	125
738	Wiegand	Wiegand knife sharpener, type: 225, 400 V, 3 Ph, 50 Hz, 0.37 kW, dimensions: 650 mm x 520 mm x 1100 mm.	200
739	Jinan Hiwell Machinery Co., Ltd	Jinan Hiwell Machinery Co., Ltd mobile hamburger forming machine, model: PATTY100-III, serial number: 0212360, year of construction: 15.08.2023, 380 V, 3 Ph, 50 Hz, 0.55 kW, weight: 100 kg, total dimensions: 900 mm x 600 mm x 1500 mm. Including extra belt and forms.	750
740	Jinan Hiwell Machinery Co., Ltd	Jinan Hiwell Machinery Co., Ltd mobile hamburger forming machine, model: PATTY100-III, serial number: 0212052, year of construction: 12.09.2020, 380 V, 3 Ph, 50 Hz, 0.55 kW, weight: 100 kg, total dimensions: 900 mm x 600 mm x 1500 mm. Including extra belt and forms.	750
741	NN shaping machine	Mobile shaping machine, roller width: 75 mm, total dimensions: 1110 mm x 680 mm x 1220 mm.	350
742	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 6G-30.2Y-40P, serial number: 1680610377 and 16806110376, 380-420/440-480 V, 3 Ph, 50/60 Hz, 253 A, 126.8/153.1 m ³ per hour, refrigerant: R404A, dimensions: 2510 mm x 800 mm x 2040 mm.	1000
743	NN table	S/s table, dimensions: 1200 mm x 700 mm x 765 mm.	50
744	NN trolleys	7 s/s trolleys, 26 floors, floor dimensions: 950 mm x 1000 mm, total dimensions: (7x) 1010 mm x 1040 mm x 1975 mm.	500
745	NN roller conveyor	Mobile roller conveyor, s/s frame, s/s rollers, roller width 570 mm, total dimensions 2985 mm x 620 mm x 785 mm.	200
746	NN shakers	4 pallets with shakers, approximately 5500 pieces, dimensions pallet: (3x) 950 mm x 1200 mm x 1950 mm, (1x) 950 mm x 1200 mm x 1520 mm.	5000
747	NN tubs	3 mobile s/s tubs with drain, dimensions: (2x) 825 mm x 755 mm x 960 mm, (1x) 825 mm x 755 mm x 870 mm.	300
748	NN tub	Mobile s/s tub with drain, dimensions: 655 mm x 805 mm x 935 mm.	75
749	Steris Finn-Aqua	Steris Finn-Aqua autoclave, type: 46-E, number: 41057, year of construction: 1997, 400 V, 10 kW, volume: 98 dm ³ , maximum pressure: 3.0 bar, maximum	600



Nr	Title	Description	Start €
		temperature: 143 °C, dimensions: 800 mm x 700 mm x 1090 mm.	
750	Biobase	Biobase cleanroom air shower, dimensions: 1500 mm x 1000 mm x 2045 mm.	750
751	Hackman Catertec	Hackman Catertec cooking vessel with agitator, model: CULMIX 200, number: 6329, 380 V, 3 Ph, 50 Hz, 49 A, 30.53 kW, volume: 200 liter, dimensions: 1400 mm x 900 mm x 1370 mm.	1000
752	NN mixer	Heated mixer, s/s tub, volume: 200 liter, dimensions: 1360 mm x 1100 mm x 2000 mm.	500
753	NN elevating belt	Elevating belt, plastic belt, belt width: 390 mm, total dimensions: 2200 mm x 700 mm x 1200 mm.	250
754	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd vacuum conveyor, dimensions: 600 mm x 1470 mm x 1430 mm.	750
755	Shanghai Papa Industrial Co.,Ltd	Shanghai Papa Industrial Co.,Ltd automatic tray arranger, model: P168-4, 220/380 V, 50/60 Hz, 2.2 kW, weight: 320 kg, baking tray dimensions: 595 mm x 395 mm, total dimensions: 1850 mm x 1060 mm x 1650 mm.	600
756	Taizhou Hulk Food Machinery Co, Ltd	Taizhou Hulk Food Machinery Co, Ltd flowpacker with inkjet printer, model: JY-ZB400, 5 kW, weight: 600 kg, Domino inkjet printer, model: Ax 150i, total dimensions: 3950 mm x 970 mm x 1880 mm.	800
757	NN cleanroom air shower	Cleanroom air shower, dimensions: 1500 mm x 2530 mm x 2270 mm.	750
758	IMC	IMC peeler, 380/420 V, 3 Ph, 50 Hz, 0.62 kW, dimensions: 450 mm x 600 mm x 1200 mm.	300
759	NN mixer	Heated mixing tank with transfer pump, inside dimensions: Ø 440 mm x 320 mm, total dimensions: 535 mm x 900 mm x 1520 mm.	500
760	NN smoke trolleys	5 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (5x) 1015 mm x 1000 mm x 2005 mm.	375
761	NN smoke trolleys	5 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (5x) 1015 mm x 1000 mm x 2005 mm.	375
762	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
763	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
764	NN smoke trolleys	5 s/s smoke trolleys, 6 floors each, dimensions each floor: 1010 mm x 995 mm, total dimensions: (5x) 1015 mm x 1000 mm x 2005 mm.	375
765	NN smoke trolleys		750



Nr	Title	Description	Start €
		10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	
766	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
767	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1015 mm x 995 mm, total dimensions: (10x) 1020 mm x 1000 mm x 2000 mm.	750
768	NN infeed hopper	S/s hopper with s/s double auger, dimensions: 2630 mm x 2300 mm x 2260 mm.	1000
769	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1015 mm x 995 mm, total dimensions: (10x) 1020 mm x 1000 mm x 2000 mm.	750
770	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
771	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
772	NN smoke trolleys	16 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (16x) 1015 mm x 1000 mm x 2005 mm.	1200
773	NN smoke trolleys	8 s/s smoke trolleys, 6 floors each, dimensions each floor: 1010 mm x 995 mm, total dimensions: (8x) 1015 mm x 1000 mm x 2005 mm.	600
774	NN smoke trolleys	5 s/s smoke trolleys, 6 floors each, dimensions each floor: 1015 mm x 995 mm, total dimensions: (5x) 1020 mm x 1000 mm x 2000 mm.	375
775	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd muldirection movement mixer, model: HDJ 800, serial number: 7751, year of construction: 05.2021, 7.5 kW, capacity: 560 litres, max. feeder 320 kg, dimensions: 2650 mm x 2300 mm x 1800 mm.	2000
776	NN mixer	Mixer/tumbler, model: EYH-6000, number: 221145, year of construction: 05.2021, 13 kW, capacity: 6000 litres, dimensions frame: 2270 mm x 4160 mm x 1600 mm, dimensions tank: 1800 mm x 4300 mm x 1800 mm.	2000
777	CFS Palazzolo S.p.A.	CFS Palazzolo S.p.A. thermoformer, type: SFC COMPACT M340 3.11, machine number: 788.120.1537, year of construction: 2002, 400 V, 3 PH, 50 Hz, 38.06 A, 26.37 kW, bottom film width: 343 mm, top film width: 332 mm, dye: (4x) 140 mm x 90 mm x 55 mm, total dimensions: 7800 mm x 1100 mm x 2000 mm.	3500
778	Freemantle	Freemantle mobile sleeve, model: S11, serial number: 37347, year of construction: August 2010, 415 V, 3 Ph, dimensions: 3500 mm x 1400 mm x 1700 mm.	1250



Nr	Title	Description	Start €
779	Annala Foodtech	Annala Foodtech mixer, type: SEKOITIN, serial number: 2345, year of construction: 2007, 380 V, 4 kW, weight: 180 kg, dimensions: 1900 mm x 900 mm x 1620 mm.	1000
780	Wolfking Danmark A/S	Wolfking Danmark A/S vacuum double shaft paddle mixer, type: TSM. 1000L, number: 54165, dimensions mixer: 2400 mm x 1780 mm x 2520 mm, Wolfking Danmark A/S switch cabinet, type: TSM-CO2 number: 54166, 380 V, 3 Ph, 50 Hz, 25 A, 10 kW, dimensions switch cabinet: 800 mm x 300 mm x 1200 mm. Without vacuum pump.	5000
781	Linde Gas Ag	Linde Gas Ag cryogenic tunnel, type: SC Mini, machine number: 036, year of construction: 04.09.2022, film width: 550 mm, total dimensions: 4660 mm x 1300 mm x 2100 mm. Belt is missing.	2500
782	NN extruder	Mobile single screw extruder with elevating screw, model: DXY2000, dimensions extruder: 3000 mm x 950 mm x 2200 mm, dimensions elevating screw: 2800 mm x 600 mm x 2500 mm, dimensions switch cabinet: 855 mm x 560 mm x 1955 mm.	5000
783	Ishida Co., Ltd	Ishida Co., Ltd 10-heads multihead weigher, model: CCW-RZ-210W-S/30-WP, number: 23499, year of construction: 04.1995, 230 V, 50 Hz, 7 A, total dimensions: 1200 mm x 1230 mm x 1900 mm.	2500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

