



**Industrial
Auctions**

**1948: Online auction machinery for the food
industry in Ystad (SE)**

END DATE
16 October 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	16 October 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	25% over the highest bid including premium
Pick up days	23 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Kronoholmsvägen 4 27151 Ystad Sweden
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Palmia	Palmia vacuum paddle mixer, volume: 500 liter, with Busch vacuum pump, type: 025-132, dimensions: 1700 mm x 950 mm x 2200 mm.	6500
2	Poly-clip System GmbH	Poly-clip System GmbH mobile double clipper, type: FCA 3461, plastic outfeed belt, belt width: 300 mm, total dimensions: 1350 mm x 1300 mm x 1950 mm. Including 2 crates with clips.	2500
3	NN flattener	Mobile flattener, plastic belt, belt width: 570 mm, total dimensions: 1900 mm x 920 mm x 1450 mm.	1000
4	Joni	Joni cooking kettle, model: Easy, serial number: 0521-713582, year of construction: 2021, volume: 60/70 liter, 400 V, 3 Ph, 50-60 Hz, 22 A, 15 kW, dimensions: 1100 mm x 900 mm x 1100 mm.	950
5	NN transport belt	Mobile transport belt with press roll, working width: 550 mm, plastic belt, belt width: 500 mm, total dimensions: 1150 mm x 780 mm x 1400 mm.	750
6	NN hamburger forming machine	Hamburger forming machine, diameter form: Ø 90 mm, plastic belt, belt width: 145 mm, total dimensions: 950 mm x 780 mm x 790 mm. Including extra form, diameter form: 100 mm.	500
7	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP20E, number: 1631104, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 38 A, 23 kW, weight: 1314 kg, with Busch vacuum pump, type: KC 0016, total dimensions: 2250 mm x 1450 mm x 2050 mm. Including trolley with tools, dimensions: 1200 mm x 900 mm x 1030 mm.	20000
8	Vemag	Vemag mobile meat ball forming machine, model: BC236, number: 2360171, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 9 A, 6.5 kW, weight: 825 kg, diameter forms: (12x) 30 mm, plastic belt, belt width: 600 mm, total dimensions: 1250 mm x 1000 mm x 1600 mm. Including trolley with parts, diameter forms: (6x) 70 mm, dimensions trolley: 1250 mm x 1000 mm x 1200 mm.	19000
9	Holac	Holac mobile elevating belt, type: GFA-5-4000, serial number: 006-50-107, year of construction: 2017, 400 V, 50 Hz, 2 A, 0.55 kW, plastic belt with dividers, belt width: 520 mm, divider height: 100 mm, distance between dividers: 410 mm, elevating height: 2400 mm, total dimensions: 3700 mm x 700 mm x 2600 mm.	4000
10	Holac	Holac dicer, type: Cubixx 120 LP, serial number: 242-00-17, year of construction: 2017, 400 V, 60 Hz, 25 A, 10 kW, chamber dimensions: 120 mm x 120 mm, plastic outfeed belt, belt width: 290 mm, total dimensions: 1850 mm x 1600 mm x 2200 mm.	12500
11	Eberhardt GmbH		400



Nr	Title	Description	Start €
		Eberhardt GmbH mobile ham press, type: II GroB, year of construction: 2002, inside dimensions: 800 mm x 900 mm x 600 mm, total dimensions: 950 mm x 1000 mm x 1000 mm.	
12	Eberhardt GmbH	Eberhardt GmbH mobile ham press, type: II GroB, year of construction: 2004, inside dimensions: 900 mm x 850 mm x 1250 mm, total dimensions: 980 mm x 930 mm x 1560 mm. Including pallet with plates, dimensions each plate: 800 mm x 880 mm.	600
13	Boge	Boge screw compressor, type S 60, serial number: 40233, year of construction: 2001, air flow: 6.10 m ³ per minute, dimensions: 1650 mm x 950 mm x 1950 mm.	2000
14	Wolfking	Wolfking grinder, type: C.160.1T.72, number: 23008, diameter plate: 160 mm, total dimensions: 1700 mm x 1150 mm x 1700 mm. With spare screw, knives and plates.	2750
15	Marel	Marel pin bone remover, type: CT 261200, serial number: W100013, year of construction: 2014, 230 V, 50 Hz, 10 A, plastic belt, belt width: 340 mm, total dimensions: 1700 mm x 500 mm x 1780 mm.	1750
16	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 400 mm, elevating height: 1300 mm, total dimensions: 2500 mm x 700 mm x 1420 mm.	850
17	Safeline	Safeline mobile pipeline metal detector, model: 30H, 100-240 V, 50/60 Hz, 300 W, diameter clearance: 55 mm, total dimensions: 900 mm x 560 mm x 1200 mm.	400
18	Schmid & Wezel EFA	Schmid & Wezel EFA breaking saw, type: EFA17, number: 234, 880 W, diameter saw: 180 mm, total dimensions: 500 mm x 200 mm x 100 mm.	150
19	Schmid & Wezel EFA	Schmid & Wezel EFA breaking saw, type: EFA17, number: 227, 880 W, diameter saw: 180 mm, total dimensions: 500 mm x 200 mm x 100 mm.	150
20	Schmid & Wezel EFA	Schmid & Wezel EFA breaking saw, type: EFA52, number: 18, 42 V, 3 Ph, 50 Hz, 12.5 A, 650 W, diameter saw: 180 mm, total dimensions: 500 mm x 200 mm x 100 mm.	150
21	NN table	S/s table, dimensions: 1330 mm x 1050 mm x 800 mm.	100
22	NN table	S/s table, dimensions: 2050 mm x 1120 mm x 1270 mm.	150
23	NN table	S/s table, dimensions: 1000 mm x 600 mm x 670 mm.	100
24	NN tilting device	Tilting device for meat bins, tilting height: 1000 mm, total dimensions: 1050 mm x 900 mm x 2650 mm.	750
25	Seal-O-Matic / Weitek	Seal-O-Matic / Weitek bag forming, filling and closing machine used for 1 liter paper bags, model bag forming machine: 340 ULE, serial number: 73-340-2409, dimensions bag forming machine: 2000 mm x 950 mm x 1970 mm, type batcher, sealer and labeller: BDV 1300, number: 96/029/1, maximum capacity batcher: 1500 mm, minimum capacity batcher: 150 g, d= 2g, seal length: 115 mm, plastic outfeed belt, belt width: 115 mm, total dimensions: 2800 mm x 1750 mm x 2450 mm. Including mobile table with plastic roller	3000



Nr	Title	Description	Start €
		conveyor, roller width: 80 mm, total dimensions: 800 mm x 650 mm x 900 mm.	
26	Bisco	Bisco mobile roller conveyor weighing scale, serial number: M4-06204, 230 V, 50/60 Hz, 0.1 A, maximum weight: 60 kg, e=: 10 gram, plastic rollers, roller width: 440 mm and 480 mm, total dimensions: 1330 mm x 550 mm x 1400 mm.	250
27	Rühle	Rühle GmbH injector with tenderizer and lifter for crates, 56 needles, s/s walking beam, beam width: 340 mm, total dimensions: 1700 mm x 900 mm x 2000 mm.	3000
28	Garos	Garos injector, type: FGM 52, serial number: 569027, 52 needles, s/s mesh belt, belt width: 340 mm, total dimensions: 2100 mm x 700 mm x 2050 mm.	1250
29	PSS Svidnik a.s.	PSS Svidnik a.s. mobile elevating screw, type: G 250 A, serial number: 12, year of construction: 2014, 6.5 kW, weight: 500 kg, elevating height: 2150 mm, total dimensions: 1400 mm x 1250 mm x 2500 mm.	1500
30	Multivac	Multivac thermoformer, type: R145, serial number: 256275, year of construction: 2017, 400/230 V, 3 Ph, 50 Hz, 41/50 A, 13 kW, index: 460 mm, bottom film width: 463 mm, top film width: 460 mm, dimensions dye: (2x) 495 mm x 200 mm, plastic mesh outfeed belt, belt width: 420 mm, total dimensions: 7100 mm x 1150 mm x 2250 mm. Including 4 pallets with parts, among others: form for cheese, dimensions form: 190 mm x 150 mm, extra dye: (4x) 235 mm x 195 mm, total dimensions pallets (1x) 1900 mm x 1100 mm x 1000 mm and (3x) 1200 mm x 800 mm x 500 mm.	25000
31	Colimatic	Colimatic thermoformer, model: THERA 250, type: F420/400, serial number: 3171, year of construction: 11/2011, 400 V, 3 Ph, 50 Hz, 16 A, 9 kW, film width: 422 mm, index: 170 mm, dimensions dye: (3x) Ø 110 mm, plastic outfeed belt, belt width: 365 mm, Busch vacuum pump, type: RA 0063 F 5K3, number: 110072149, capacity: 63 m³ per hour, total dimensions: 3390 mm x 1010 mm x 1880 mm.	5200
32	System Cleaners A/S	System Cleaners A/S foam mixing unit, type: H-25-5, number: 24919, 400 V, 3 Ph, 50 Hz, 8.65 A, maximum bar: 25, maximum liter per minute: 100, maximum temperature: 70°C, dimensions: 1600 mm x 650 mm x 500 mm.	250
33	Fribergs Verkstäder AB	Fribergs Verkstäder AB cooking kettle, type: VKF 55/10, number: 11136, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 20 A, 13.8 kW, inside dimensions: 650 mm x 100 mm x 100 mm, total dimensions: 1200 mm x 850 mm x 1000 mm.	250
34	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine with infeed and outfeed belt, type: BXAplus 554, serial number: M-55018, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 2.77 A, 1.1 kW, weight: 369 kg, plastic belt, belt width: 500 mm, working width: 550 mm, total dimensions: 1900 mm x 1000 mm x 1350 mm.	2500
35			7500



Nr	Title	Description	Start €
	Waldner GmbH & Co. KG	Waldner GmbH & Co. KG cup filling and sealing machine, type: DOSOMAT 2/2, machine number: 1811, year of construction: 1996, 3 x 220 VAC, 50 Hz, 10.0 A, 3800 Watt, diameter cups: (12 x 2) 50 mm, 4800 fillings per hour, weight: 1400 kg, plastic outfeed belt, belt width: 95 mm, total dimensions: 2900 mm x 2000 mm x 2200 mm.	
36	Glass GmbH	Glass GmbH tiltable high speed mixer, type: VAS 40, machine number: 292, year of construction: 2006, 400 V, 50 Hz, 47.21 A, 56.82 kW, volume: 40 liter, dimensions: 2700 mm x 1650 mm x 2170 mm.	10000
37	Wolfking	Wolfking ribbon mixer, volume: 3000 liter, total dimensions: 3450 mm x 1300 mm x 2000 mm.	6900
38	Koneteollisuus OY	Koneteollisuus OY mobile mixer-grinder, plate diameter: 98 mm, total dimensions: 1070 mm x 720 mm x 1300 mm. Including large amount of extra knives and plates.	1750
39	Kolbe	Kolbe mobile mixer-grinder, type: MWE 52, machine number: 126 0647, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 20.5+2.8 A, 10+1.1, plate diameter: 130 mm, total dimensions: 1300 mm x 900 mm x 2000 mm.	2000
40	Magurit	Magurit frozen block cutter, type: 053, machine number: 4973, year of construction: 2003, 230 V, 5.5 kW, maximum block size: 500 mm x 600 mm x 240 mm, total dimensions: 1850 mm x 1100 mm x 1750 mm.	4500
41	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 1300 mm x 500 mm x 950 mm.	300
42	Holac	Holac mobile elevating belt, type: GFA-5-2000, serial number: 006-50-108, year of construction: 2017, 400 V, 50 Hz, 2 A, 0.55 kW, plastic belt with dividers, belt width: 490 mm, divider height: 75 mm, distance between dividers: 540 mm, elevating height: 1850 mm, total dimensions: 2000 mm x 800 mm x 2050 mm.	1500
43	Getinge	Getinge tiltable cooking kettle, type: M3, inside dimensions: Ø 950 mm x 600 mm, total dimensions: 1500 mm x 850 mm x 1500 mm.	1000
44	Dixie Union	Dixie Union slicer, type: SL 495, factory number: 495.1383, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 12 A, plastic belt, belt width: 270 mm, plastic wire belt, belt width: 280 mm, total dimensions: 2500 mm x 1200 mm x 2050 mm. Including mobile plastic outfeed belt, type: ATB 778, fabrication number: 990.5211/0253, year of construction: 1994, belt width: 330 mm, dimensions: 3200 mm x 800 mm x 1190 mm.	1500
45	Baader	Baader V-cut deheader, type: 417, knife diameter: (2x) 200 mm, plastic belt, belt width: 280 mm, divider height: 70 mm, distance between dividers: 900 mm, elevating height: 1200 mm, total dimensions: 1700 mm x 1100 mm x 1900 mm.	2500
46	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP10E, number: 1610495, year of construction:	8500



Nr	Title	Description	Start €
		2011, 220/240 V, 3 Ph, 50/60 Hz, 21 A, 14 kW, dimensions: 1860 mm x 1350 mm x 2030 mm. Including tool trolley, dimensions: 1160 mm x 650 mm x 1060 mm. Without vacuum pump.	
47	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 liter meat bins, model: RS 505 CP, serial number: C807030, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 8 kW, machine weight: 920 kg, dimensions: 1950 mm x 1270 mm x 2300 mm.	9000
48	Fribergs Verkstäder AB	Fribergs Verkstäder AB cooking kettle, type: VKF 40/10, number: 8660, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 12.6 kW, inside dimensions: 800 mm x 650 mm x 110 mm, total dimensions: 900 mm x 900 mm x 900 mm.	250
49	Storebro Bruks AB	Storebro Bruks AB lathe, type: storebro, model: 195/121, number: 15025, 380 V, 50 Hz, dimensions: 2000 mm x 650 mm x 1300 mm. Including steel cabinet with parts.	1000
50	Dadaux	Dadaux mixer-grinder, type: TX114 ML, number: TTX114ML-8451, year of construction: 01/19, 400 V, 50 Hz, plate diameter: 114 mm, total dimensions: 1100 mm x 670 mm x 1280 mm.	3000
51	Dadaux	Dadaux slicer, type: TX114 ML, number: TTX114ML-8451, year of construction: 01/19, 400 V, 50 Hz, plastic belt, belt width: 160 mm, total dimensions: 1650 mm x 700 mm x 1100 mm.	2500
52	T. Giusti & Son Ltd	T. Giusti & Son Ltd s/s double jacketed mixing tank with steam boiler, serial number: J10717, capacity: 500 liter, dimensions tank: Ø 1100 mm x 2600 mm, dimensions steam boiler: 800 mm x 620 mm x 1800 mm, with switch cabinet, dimensions: 1750 mm x 500 mm x 500 mm.	3500
53	Svenema AB	Svenema AB mobile lifter, product: Lyftvagn MIDI, model: 90 004, serial number: 30502-01, year of construction: 19/09/2005, 2x 12 V, 6.5 Ah, maximum capacity: 80 kg, weight: 39 kg, lifting height: 1530 mm, dimensions platform: 500 mm x 500 mm, total dimensions: 740 mm x 500 mm x 1650 mm.	350
54	Linköpings Rostfria AB	Linköpings Rostfria AB lifter, lifting height: 1150 mm, platform: 375 mm x 580 mm, total dimensions: 1260 mm x 550 mm x 1540 mm.	250
55	Fatosa	Fatosa piston filler, type: E-25, number: 3156, year of construction: 05/12, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, dimensions: 510 mm x 360 mm x 1200 mm.	1000
56	Fatosa	Fatosa piston filler, type: E-25, number: 3674, year of construction: 03/13, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.12 kW, dimensions: 500 mm x 340 mm x 1150 mm.	1000
57	NN mixer	NN mixer, inside dimensions: 750 mm x 300 mm x 400 mm, total dimensions: 1700 mm x 650 mm x 1350 mm.	1250
58	Rühle		850



Nr	Title	Description	Start €
		Rühle injector, year of construction: 1989, s/s walking beam, beam width: 400 mm, 30 needles, total dimensions: 1300 mm x 1000 mm x 2000 mm.	
59	Kolbe	Kolbe bandsaw, type: K 330, machine number: 94 0411, year of construction: 1996, 230 V, 3 Ph, 50 Hz, 5.9 A, 1.5 kW, table dimensions: 770 mm x 600 mm, total dimensions: 850 mm x 800 mm x 1630 mm.	750
60	Hounö ApS	Hounö ApS combi steamer, type: M 1.12, serial number: 96 08 5496, 400 V, 3 Ph, 50 Hz, 15 kW, 9 floors, floor dimensions: 500 mm x 330 mm, total dimensions: 900 mm x 850 mm x 1610 mm.	500
61	Henny Penny	Henny Penny combi steamer, model: LCS 6, serial number: E61CD01091053235, 400 V, 3 Ph, 50/60 Hz, water pressure: 200/600 kPa, 6 floors, floor dimensions: 535 mm x 330 mm, total dimensions: 900 mm x 850 mm x 1580 mm.	400
62	Multivac	Multivac mobile vacuum machine, type: C 400, machine number: 145, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 13 A, 4 kW, seal length: 470 mm x 470 mm, chamber dimensions: 790 mm x 570 mm, with Rietschle vacuum pump, type: VCH 100, capacity: 100 m ³ per hour, total dimensions: 840 mm x 750 mm x 1300 mm.	1500
63	G. Mondini S.p.a.	G. Mondini S.p.a. double jacketed mixing tank, inside dimensions: Ø 880 mm x 800 mm, total dimensions: 1200 mm x 1000 mm x 1960 mm.	2500
64	Afinox	Afinox refrigerated cabinet, model: TAV SPRING 70 4 I TN S D D R290 G.GN 4, serial number: 3016385401, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 5.03 A, 247 W, refrigerant: R290, dimensions: 2300 mm x 700 mm x 1000 mm.	500
65	Pack leader	Pack leader labeller, model: PL-211D, serial number: 04707PL211D0010807, year of construction: 2019, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 360 mm, label width: 90 mm, total dimensions: 2600 mm x 1170 mm x 1650 mm.	750
66	Pinium	Pinium climate chamber, inside dimensions: 600 mm x 650 mm x 1680 mm, total dimensions: 1140 mm x 870 mm x 2350 mm.	1600
67	Bankeryds Maskin AB	Bankeryd bandsaw, type: BM-400, number: 40058, 380 V, 3 Ph, 50 Hz, 4.8 A, 1.8 kW, dimensions table: 730 mm x 560 mm, total dimensions: 1000 mm x 900 mm x 1800 mm.	500
68	FTC Sweden AB	FTC Sweden AB fresh meat slicer, model: 300, serial number: 302, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 3 kW, clearance: 300 mm x 140 mm, distance between knives: 5 mm, total dimensions: 750 mm x 930 mm x 1700 mm.	1200
69	Grasselli SpA	Grasselli SpA slicer, model: NSL 600, serial number: Y13003/839, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 4 kW, working width: 610 mm, distance between knives: 20 mm, plastic belt, belt width: 540 mm, total dimensions: 1500 mm x 1200 mm x 1500 mm.	4500



Nr	Title	Description	Start €
70	Formcook AB	Formcook AB mobile forming machine, model: WIKING 6048, year of construction: 2007, 4 screws, dyes: (6x) 65 mm, total dimensions: 1680 mm x 1100 mm x 2300 mm. Without dye.	3500
71	KG Lyften	KG Lyften lifter for 200 liter meat bins, type: SKV200 MK, number: 6378, year of construction: 28.08.89, capacity: 250 kg, lifting height: 1900 mm, total dimensions: 1350 mm x 950 mm x 2750 mm.	750
72	Risco S.p.a.	Risco S.p.a. double shaft paddle mixer, model Risco: RS 450, serial number: 0672, year of construction: 1992, volume: 450 liter, dimensions: 1600 mm x 1200 mm x 1600 mm.	3000
73	Ekomex / Hitec Foodsystems	Ekomex / Hitec Foodsystems double shaft paddle mixer, type: ML 500, machine number: 10821120032, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 8 kW, machine weight: 800 kg, volume: 500 liter, dimensions: 2180 mm x 1070 mm x 1550 mm.	15000
74	Magurit	Magurit frozen block cutter, type: 152, number: 2072, year of construction: 1978, 380/220 V, working width: 500 mm, total dimensions: 1850 mm x 750 mm x 1370 mm.	2000
75	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slicer, model: Puma CE 700 EB, machine number: 194309.61829.105004, year of construction: 2008, 220 V, 3 Ph, 60 Hz, 14.5 A, 3.4 kW, weight: 305 kg, dimensions chamber: 180 mm x 220 mm, total dimensions: 2080 mm x 800 mm x 1450 mm.	3500
76	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH X-ray scanner with checkweigher and 2 rejectors, model: XS 3 Advancheck, serial number: 37000028, year of construction: 2011, 100/240 V, 1 Ph, 50-60 Hz, maximum capacity: 1200 g, minimum capacity: 7 g, e=d= 1 g, plastic belts, belt width: 280 mm, 300 mm, and 400 mm, clearance: 350 mm x 150 mm, total dimensions: 3000 mm x 1350 mm x 2100 mm.	7500
77	G.Mondini S.p.a.	G.Mondini S.p.a. traysealer, model: CVS/PT-VG-S+I, number: 1813/00, year of construction: 26/02/01, 400 V, 3 Ph, 50 Hz, 60 A, 30 kW, dye: (3x) Ø 135 mm, plastic belts, belt width: (1x) 270 mm x (2x) 210 mm, total dimensions: 3000 mm x 950 mm x 2300 mm.	2500
78	Grasselli SpA	Grasselli SpA mobile automatic slicer, model: SL600-BI, plastic belt, belt width: 570 mm, 25 knives, distance between knives: 18 mm, total dimensions: 1370 mm x 1160 mm x 1870 mm.	4500
79	Multivac	Multivac traysealer, type: T350, machine number: 110118, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 19 A, 4 kW, dye: (2x) 195 mm x 150 mm, plastic mesh belts, belt width: 200 mm, total dimensions: 3750 mm x 1050 mm x 2100 mm.	6000
80	Poly-clip System GmbH	Poly-clip System GmbH mobile double clipper, type: PDC-A 700, number: 105, year of construction: 2001, dimensions: 1350 mm x 800 mm x 1950 mm.	2500
81			500



Nr	Title	Description	Start €
	Ekeby Rostfria prod. AB	Ekeby Rostfria prod. AB tumbler, 380 V, 3 Ph, 50 Hz, dimensions tub: Ø 415 mm x 430 mm, total dimensions: 760 mm x 710 mm x 1080 mm.	
82	Mclean	Mclean X-ray scanner with rejector, model: CR29-0426-G084, serial number: 10003137-04, 230 V, 1 Ph, 50/60 Hz, 6.7/6.6 A, plastic belt, belt width: 300 mm, clearance: 255 mm x 120 mm, total dimensions: 1500 mm x 1070 mm x 1950 mm.	2000
83	Ceia	Ceia metal detector with Cabinplant elevating belt, model Ceia, THS/3F, serial number: 20600220015, order number Cabinplant: 100300-019, weight: 300 kg, plastic mesh belt, belt width: 420 mm, clearance: 450 mm x 175 mm, elevating height: 1380 mm, total dimensions: 3300 mm x 950 mm x 1540 mm.	2500
84	Loma Systems	Loma Systems metal detector, model: IQ3, serial number: QPB45-35-21658D, year of construction: 2013, 110-240, 1 Ph, 50/60 Hz, 0/5-1.0 A, plastic mesh belt, belt width: 410 mm, clearance: 450 mm x 300 mm, total dimensions: 1800 mm x 1000 mm x 1300 mm.	2500
85	Tipper Tie technopack	Tipper Tie technopack mobile automatic double clipper, model: DCA-E 6.1, number: 20010332, dimensions: 1400 mm x 850 mm x 1800 mm.	1500
86	MR Etikettiertechnik GmbH & Co. KG.	MR Etikettiertechnik GmbH & Co. KG. mobile labelling machine, type: MR 4333, serial number: 27447/08/A, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: 190 mm, (2x) 85 mm, total dimensions: 1900 mm x 850 mm x 1900 mm.	2500
87	Weber	Weber knife sharpener, type: MSG 460, number: 229, 380 V, 50 Hz, 0.18 kW, dimensions: 560 mm x 600 mm x 1700 mm.	300
88	Voran Maschinen GmbH	Voran Maschinen GmbH mobile organic shredder, type: BIO-UZKBG2, serial number: M00039271/09/00008, 400 V, 50 Hz, 5.5 kW, clearance: Ø 275 mm, total dimensions: 850 mm x 700 mm x 1600 mm.	1500
89	Thermo Scientific	Thermo Scientific metal detector with rejector, serial number: 19070682G, 120/230 V, 50/60 Hz, 0.40 A, plastic belt, belt width: 270 mm, clearance: 350 mm x 75 mm, total dimensions: 1550 mm x 1100 mm x 1100 mm.	500
90	Yang Srl	Yang Srl mobile traysealer, dye: 335 mm x 260 mm, total dimensions: 800 mm x 450 mm x 1460 mm. Including extra dye sets, dimensions: (4x) 170 mm x 125 mm, (2x) 230 mm x 160 mm.	1250
91	Turbo Systems	Turbo Systems mobile depositor, machine number: DIOOP4611086, diameter pipe: 30 mm, total dimensions: 1170 mm x 640 mm x 1750 mm.	2500
92	Rational	Rational combi steamer, type: CCM 61, serial number: C61M95107652, year of construction: 1995, 5 floors, floor dimensions: 530 mm x 340 mm, total dimensions: 900 mm x 750 mm x 1500 mm.	500
93	Rheninghaus		100



Nr	Title	Description	Start €
		Rheninghaus slicer, model: Mondial, serial number: 1.89.41607, 220 V, 1 Ph, 50 Hz, 2.6 A, 260 W, diameter knife: 300 mm, dimensions: 570 mm x 500 mm x 400 mm.	
94	Videojet	Videojet mobile inkjet printer, model: EXCEL/170iUHS, serial number: 992640008WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 500 mm x 200 mm x 1900 mm.	100
95	Metos	Metos roasting pan, model: Futura Pesh-110, number: 842817/2, year of construction: 1992, 230 V, 3 Ph, 50 Hz, inside dimensions: 1030 mm x 580 mm x 900 mm, total dimensions: 1100 mm x 810 mm x 1000 mm.	500
96	Metos	Metos roasting pan, model: Futura Pesh-110, number: 842817/1, year of construction: 1992, 230 V, 3 Ph, 50 Hz, inside dimensions: 1040 mm x 580 mm x 85 mm, total dimensions: 1100 mm x 800 mm x 1000 mm.	750
97	Weber	Weber knife sharpener, type: MSG 460, serial number: 358, 380 V, 50 Hz, 0.18 kW, dimensions: 600 mm x 550 mm x 800 mm.	300
98	NN meat bin	S/s meat bin, volume: 200 liter.	50
99	CFS	CFS slicer line, consisting of: CFS slicer, type: UNI-SLICER, number: 4044502534, year of construction: 2006, plastic belt, belt width: 230 mm, clearance: 230 mm x 140 mm, total dimensions: 2600 mm x 800 mm x 2180 mm. CFS checkweigher, plastic string belt, belt width: 290 mm, total dimensions: 480 mm x 470 mm x 970 mm. CFS rejector, plastic string belt, belt width: 310 mm, total dimensions: 1250 mm x 1300 mm x 1150 mm. CFS mobile outfeed conveyor, type: ATB, number: 4049914961, year of construction: 2006, plastic belt, belt width: 400 mm, total dimensions: 3040 mm x 1280 mm x 1220 mm. Including extra knife.	7500
100	Variovac	Variovac thermoformer, type: MULTIPOWER, serial number: 520.198.08, machine number: 198, year of construction: 2008, 230/400 V, 50 Hz, 63 A, 26 kW, 6 bar, film width: 542 mm, index: 430 mm, dimensions dye: (4x) 240 mm x 180 mm, plastic outfeed belt, belt width: 490 mm, ELS labelling system, total dimensions: 9250 mm x 1950 mm x 2100 mm.	7500
101	AEW Delford Systems Ltd	AEW Delford Systems Ltd knife sharpener, model: H13, serial number: 1790073, year of construction: 20-10-2009, weight: 100 kg, dimensions: 930 mm x 830 mm x 1450 mm.	750
102	NN table	S/s table, dimensions: 1500 mm x 800 mm x 750 mm.	100
103	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF620, number: 14646, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 11.5 A, 8.0 kW, Busch vacuum pump, type: KB 0016, capacity: 16 m ³ per hour, dimensions: 2130 mm x 1360 mm x 1950 mm.	8500
104	Detectronic	Detectronic mobile pipeline metal detector, type: 606-2 1/2-, number: 403-3, clearance: Ø 55 mm, total dimensions: 650 mm x 550 mm x 1340 mm.	2500



Nr	Title	Description	Start €
105	Handtmann	Handtmann mobile portioning and linking machine, type: 242-01, number: 501, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, dimensions: 2600 mm x 880 mm x 1780 mm.	6500
106	Handtmann	Handtmann mobile hanging machine: 220-16, number: 763, year of construction: 1999, dimensions: 2600 mm x 570 mm x 1400 mm.	1000
107	NN breeding machine	S/s mobile breeding machine, s/s mesh belt, belt width: 400 mm, clearance: 420 mm x 50 mm, total dimensions: 2200 mm x 1100 mm x 1700 mm.	950
108	ICD n.v.	ICD n.v. screw compressor, type: CPVSD 15 500 CE, serial number: CAI945720, year of construction: 2016, 230/400 V, 1/3 Ph, 50 Hz, 0.36/11 kW, refrigerant: R134A, machine weight: 465 kg, dimensions: 1900 mm x 620 mm x 1680 mm.	1450
109	Kohlhoff	Kohlhoff hygiene station with tourniquet, sole cleaner and hand disinfection unit, type: Cleancontrol SL-S/D, machine number: 807705-10, year of construction: 05/2014, 400 V, 3 Ph, 1.2 kW, brush length: 1100 mm, total dimensions: 2100 mm x 1800 mm x 1800 mm.	2500
110	Kohlhoff	Kohlhoff hygiene station with tourniquet, sole cleaner and hand disinfection unit, type: DLSO-HD 1100-R+EK-800-R, machine number: 819935-20, year of construction: 03/2017, 400 V, 3 Ph, 0.8 kW, brush length: (2x) 680 mm, total dimensions: 1350 mm x 1150 mm x 1750 mm.	2000
111	Busch	Busch vacuum pump, type: RA 0250-B, number: LF01350202, dimensions: 970 mm x 570 mm x 1150 mm.	450
112	Busch	Busch vacuum pump, dimensions: 950 mm x 600 mm x 950 mm.	450
113	Busch	Busch vacuum pump, type: GRH 2000-30, dimensions: 1100 mm x 400 mm x 520 mm.	450
114	Pronova	Pronova mobile bag sealing machine, type: 425 U, number: 2311, plastic belt, belt width: 140 mm, total dimensions: 3200 mm x 800 mm x 1500 mm.	2500
115	G. Mondini S.p.a.	G. Mondini S.p.a. 2 heads depositor, model: VF/SP-E-2P-2M, serial number: 2729/05-1, year of construction: 01/06/05, 400 V, 3 Ph, 50 Hz, s/s tub, tub dimensions: Ø 600 mm x 500 mm, total dimensions: 1300 mm x 1000 mm x 1770 mm.	1000
116	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1810 mm x 800 mm x 1150 mm.	250
117	Marel	Marel mobile weighing belt, type: C2, serial number: A078688, 110-230 V, 0.16-0.1 A, plastic belt, belt width: 530 mm, total dimensions: 1600 mm x 650 mm x 1800 mm.	500
118	Lainox	Lainox combi steamer, type: ME/120L, serial number: 21 01 206/GANOLXAO, year of construction: 1997, 230 V, 3 Ph, 50 Hz, 31.8 kW, 20 floors, floor dimensions: 310 mm x 540 mm, total dimensions: 1100 mm x 990 mm x 1900 mm.	500
119	Wexiödisk	Wexiödisk dishwasher, type: WD-7, serial number: WD1422047, year of construction: 2014, 400 V, 3 Ph, 50 Hz,	500



Nr	Title	Description	Start €
		25 A, 1.1 kW, clearance: 480 mm x 530 mm, total dimensions: 760 mm x 800 mm x 2230 mm.	
120	Granuldisk AB	Granuldisk AB dishwasher, type: GD 700, number: 330, year of construction: 05.08.25, 400 V, 50 Hz, 25 A, 14.8 kW, weight: 320 kg, electric heated, dimensions: 1200 mm x 850 mm x 1720 mm.	500
121	Electrolux	Electrolux tray washer, type: Tray Dishwasher TW 1 EL, serial number: 075055664, 400 V, 3 Ph, 50 Hz, 60 A, 36.4 kW, water pressure: 3-9 bar, clearance: 330 mm x 70 mm, total dimensions: 3200 mm x 900 mm x 2000 mm. No belt.	750
122	NN lifter	S/s mobile lifter for 200 liter meat bins, lifting height: 2280 mm, total dimensions: 1440 mm x 1350 mm x 3200 mm.	450
123	KÅ-GE Lyften	KÅ-GE Lyften mobile lifter for 200 liter meat bins, type: SKV200 M1PKHRT, number: 4559, lifting height: 1580 mm, total dimensions: 1420 mm x 1360 mm x 2600 mm.	400
124	Ilapak	Ilapak 10 heads multihead weigher, serial number: 0950112003, 230 V, 1 Ph, 50 Hz, 5.5 A, baskets: 155 mm x 160 mm x 250 mm, total dimensions: 1530 mm x 1560 mm x 1560 mm.	6000
125	Ilapak	Ilapak vertical bag form-, fill- and seal machine, type: VT 2000 GF S, serial number: 0740712021, year of construction: 11-2012, 400 V, 50 Hz, 500 W, diameter pipe: 180 mm, vertical seal length: 640 mm, horizontal seal length: 450 mm, total dimensions: 2300 mm x 1900 mm x 2500 mm.	5000
126	KG Lyften	KG Lyften lifter for 200 liter meat bins, type: SKV 200 MKR, number: 5587, lifting height: 2000 mm, total dimensions: 1260 mm x 1050 mm x 2980 mm.	1250
127	Wodschow & Co.	Wodschow & Co. mixer, type: 2150-S, number: 671, 380 V, 3 Ph, 50 Hz, 11.6 A, s/s bowl, inside dimensions: Ø 600 mm x 800 mm, total dimensions: 1300 mm x 700 mm x 1750 mm.	950
128	Koneteollisuus OY	Koneteollisuus OY bandsaw, type: KT-750, number: 106185, 380 V, 3 Ph, 50 Hz, 9.0 A, 3.0 kW, table dimensions: 1300 mm x 960 mm, total dimensions: 1800 mm x 1450 mm x 2300 mm.	750
129	Carnitech	Carnitech tilting device for pallet boxes, type: SI 120, number: 07-4529, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 5.9 A, 2.5 kW, dimensions: 2350 mm x 1600 mm x 1350 mm.	1500
130	3M-Matic	3M-Matic box closing machine, type: 39600, serial number: 10854, year of construction: 20-00, 380 V, 50 Hz, 1.4 A, 260 W, s/s rollers, roller width: 480 mm, total dimensions: 1500 mm x 750 mm x 1830 mm.	300
131	Mettler Toledo	Mettler Toledo floor weighing scale, model: Panther, serial number: 0123597-6MJ, 100/120/230 V, 50/60 Hz, 0.25 A, scale dimensions: 1500 mm x 1250 mm, dimensions indicator: 180 mm x 70 mm x 200 mm.	250
132	NN suction device	S/s frame for suction device, dimensions: 900 mm x 800 mm x 1400 mm.	100



Nr	Title	Description	Start €
133	Olve	Olve transport belt, s/s frame, plastic mesh belt, belt width: 335 mm, total dimensions: 2500 mm x 640 mm x 1800 mm.	500
134	SysTec GmbH	SysTec GmbH floor weighing scale, type: IT1000, serial number: 1507163, 110-240 V, 50/60 Hz, 100 mA, dimensions: 880 mm x 730 mm x 800 mm.	200
135	Nobel Elektronik	Nobel Elektronik weighing scale for meat bins, dimensions: 1120 mm x 1250 mm x 1250 mm.	400
136	Jøni Foodline A/S	Jøni Foodline A/S double cooking vessel, model: Easy, serial number: 016292-822 and 016292-823, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 kW volume: 50 liter and 30 liter, dimensions: 2100 mm x 850 mm x 1050 mm.	1750
137	Electrolux	Electrolux double tiltable cooking vessel, model: Boiling pan SMART 50 L and Boiling pan SMART 150 L, serial number: 102175868 and 102175755, volume: 50 liter and 150 liter, dimensions: 2240 mm x 1020 mm x 1100 mm.	2000
138	Metos	Metos cooking vessel, type: VIKING 60E, serial number: 10911902250020, year of construction: 2019, 400/230 V, 3 Ph, 50 Hz, 15/16 A, 10.5 kW, volume: 60 liter, total dimensions: 700 mm x 1080 mm x 1080 mm.	1500
139	Tefcold	Tefcold mobile refrigerator, model: RF710, 240 V, 50 Hz, 750 W, volume: 597 liter, refrigerant: R404A, 460 gram, netto weight: 138 kg, 4 adjustable floors, floor dimensions: 650 mm x 530 mm, total dimensions: 850 mm x 750 mm x 2000 mm.	250
140	Gram	Gram refrigerator, type: KP 660 CXH 5S, serial number: 363, 230 V, 50 Hz, 6A, 1380 kW, refrigerant: R404a / 380 gram, inside dimensions: 690 mm x 500 mm x 1760 mm, total dimensions: 810 mm x 750 mm x 2160 mm.	250
141	Accona	Accona refrigerator, type: CA 500, number: 45785, 230 V, 0.38 kW, refrigerant: R-134a, 260 g, 3 floors, floor dimensions: 520 mm x 450 mm, total dimensions: 620 mm x 730 mm x 2100 mm.	300
142	Porkka Finland Oy	Porkka Finland Oy refrigerator, model: Future C720 W/S (CC R13A), number: 0951-107994, code: FJ0720CW-, 230 VAC, 50 Hz, 0.08 kW, refrigerant: R134A, inside dimensions: 650 mm x 530 mm x 1350 mm, total dimensions: 850 mm x 700 mm x 2000 mm. Without cooling engine.	150
143	Gram	Gram refrigerator, type: Twin K 660 LSG 5N, serial number: 037, 230 V, 50 Hz, 1.01 A, 211 Watt, refrigerant: R404A, 5 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 800 mm x 760 mm x 2160 mm.	250
144	Beijing	Beijing refrigerator, serial number: 3016512108, 5 floors with rows, floor dimensions: 500 mm x 140 mm, total dimensions: 1220 mm x 920 mm x 2220 mm.	350
145	NN box closing machine	Box closing machine, plastic belt, belt width: 390 mm, total dimensions: 1950 mm x 800 mm x 1500 mm.	400
146	Translyft		200



Nr	Title	Description	Start €
		Translyft s/s lifting table, type: TL 1000 B, year of construction: 1998, dimensions: 1300 mm x 800 mm x 1050 mm.	
147	Edmolift	Edmolift lifting platform, type: Lyftbord, serial number: S386391, capacity: 100 kg, platform dimensions: 900 mm x 700 mm, total dimensions: 1020 mm x 920 mm x 540 mm.	200
148	NN transport belt	Mobile transport belt, s/s frame, plastic belt with dividers, belt width: 550 mm, distance between dividers: 100 mm, divider height: 5 mm, total dimensions: 1900 mm x 750 mm x 1100 mm.	350
149	NN hydraulic pump	Hydraulic unit, dimensions: 800 mm x 620 mm x 850 mm.	100
150	Carnitech	Carnitech lifter for crates, type: PN 63, item number: 202, year of construction: 2003, dimensions: 1000 mm x 900 mm x 1400 mm.	1000
151	Skara Rostfria AB	Skara Rostfria AB mobile transport belt, type: SR BANDET, number: 264, year of construction: 2009, plastic mesh belt, belt width: 300 mm, total dimensions: 3450 mm x 680 mm x 1130 mm.	550
152	Kaeser	Kaeser screw compressor with airdryer and expansion vessel, type screw compressor: SX 7, serial number: 1921, year of construction: 2002, 5.5 kW, type airdryer: TA 11, serial number: 3291, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 2.0 A, refrigerant: R134a, volume expansion vessel: 325 liter, dimensions: 1700 mm x 750 mm x 1700 mm.	950
153	NN trolley	S/s trolley, dimensions: 920 mm x 660 mm x 540 mm.	50
154	Comarme Marchetti F.A. spa	Comarme Marchetti F.A. spa box closing machine, with top taper, model: GEM-50, serial number: ZEO17440, year of construction: 1999, 380 V, 50 Hz, 0.8 A, 184 W, s/s rollers, maximum clearance: 400 mm x 400 mm, total dimensions: 900 mm x 900 mm x 1600 mm.	200
155	Wodschow & co	Wodschow & co mixer, type: 1987 R 20, number: 19599, 380 V, 3 Ph, 50 Hz, 1.5 A, bowl dimensions: ø 310 mm x 300 mm, total dimensions: 630 mm x 430 mm x 1370 mm.	300
156	MultiTech	MultiTech mobile elevating belt, number: 14491, year of construction: 2005, plastic belt, belt width: 225 mm, elevating height: 950 mm, total dimensions: 1750 mm x 660 mm x 1040 mm.	200
157	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 550 mm, dividers height: 50 mm, distance between dividers: 310 mm, elevating height: 1360 mm, s/s rollers, roller width: 490 mm, total dimensions: 1530 mm x 780 mm x 1400 mm.	250
158	Cabinplant	Cabinplant mobile transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2200 mm x 800 mm x 1400 mm.	350
159	Marel	Marel checkweigher type: DWU 1460/300, serial number: A010895, year of construction: 2002, plastic mesh belt, belt	500



Nr	Title	Description	Start €
		width: 300 mm, total dimensions: 1450 mm x 950 mm x 1850 mm.	
160	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 260 mm, elevating height: 1030 mm, total dimensions: 3950 mm x 550 mm x 1150 mm.	400
161	NN multihead weigher	10 heads multihead weigher, number: AC--BB100607111, baskets: 130 mm x 120 mm x 230 mm, total dimensions: 1100 mm x 1100 mm x 1150 mm.	1000
162	Linx	Linx mobile inkjet printer on s/s trolley, model inkjet printer: 7300 mm with label dispenser, dimensions: 870 mm x 900 mm x 1550 mm.	150
164	Fomaco	Fomaco injector, model: FGM 64 SW, machine number: 8187, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 23/32 A, s/s walking beam, beam width: 550 mm, working width: 530 mm, total dimensions: 2250 mm x 840 mm x 2200 mm. Including mobile filter tub, type: PFS 5/225 08, machine number: 8189 2000, dimensions: 1700 mm x 650 mm x 630 mm.	2500
165	NN turning table	Turning table, dimensions: Ø 1520 mm x 800 mm.	250
166	Proswede	Proswede mobile spiral mixer, number: 13669, year of construction: 2020, inside dimensions: 3500 mm x 1400 mm x 1500 mm, total dimensions: 4400 mm x 1450 mm x 2300 mm.	2000
167	Formcook AB	Formcook AB mobile grill belt, model: CC 418 0833 E, year of construction: 2008, teflon belt, belt width: 430 mm, total dimensions: 3300 mm x 1050 mm x 1880 mm.	4500
168	Weisser	Weisser mobile depositor, type: AP1-080, factory number: 3981006, 230 V, 570 W, dimensions: 650 mm x 800 mm x 880 mm.	1000
169	Cylinda	Cylinda dryer, model: TK23, art. number: 9205212, serial number: 080520321262, dimensions: 640 mm x 600 mm x 850 mm.	50
170	Wodschow & co	Wodschow & co mixer, type: R20, number: 15260, year of construction: 1984, 220 V, 3Ph, 50 Hz, 1.5 A, s/s bowl, dimensions bowl: Ø 310 mm x 310 mm, total dimensions: 650 mm x 450 mm x 1450 mm.	300
171	Bakon B.V. Food Equipment	Bakon B.V. Food Equipment mobile jelly machine, model: Jelly Satellite Eco, serial number: 1-57-12-07-051, year of construction: 2007, 230 V, 50 Hz, 1650 W, dimensions: 620 mm x 450 mm x 1370 mm.	150
172	Willet	Willet inkjet printer on mobile s/s cabinet, model: 470, serial number: ZH 05 25 03 159301, product number: 200-0472-103, 110-230 V, 1Ph, 50-60 Hz, 160 W, dimensions: 650 mm x 570 mm x 1240 mm.	150
173	Rational	Rational combi steamer, serial number: E6 IMG 10042213676, year of construction: 2010, 5 floors, floor dimensions: 530 mm x 340 mm, total dimensions: 840 mm x 850 mm x 800 mm.	500



Nr	Title	Description	Start €
174	Knight	Knight combi steamer, 4 floors, floor dimensions: (4x) 600 mm x 400 mm, total dimensions: 860 mm x 770 mm x 670 mm.	100
175	Electrolux	Electrolux oven, model: AR 6 E/DINE, serial number: 601 13431, 400 V, 3 Ph, 50 Hz, 9.7 kW, 5 floors, floor dimensions: (5x) 500 mm x 300 mm, total dimensions: 800 mm x 700 mm x 750 mm.	200
176	Juno Großküchen GmbH	Juno Großküchen GmbH combi steamer, model: Air-o-steam, 8 floors, floor dimensions: 530 mm x 350 mm, total dimensions: 850 mm x 850 mm x 900 mm.	150
177	NN stove	Stove, 4 pits, dimensions pits: (4x) 220 mm x 220 mm, total dimensions: 600 mm x 600 mm x 300 mm.	75
178	Fri-Jado	Fri-Jado rotisserie grill for chicken, model: STG 7-E, number: 100011096, 400/230 V, 50 Hz, 14.5 A, 9500 W, dimensions: 1000 mm x 850 mm x 1010 mm.	100
179	Digi	Digi weighing scale, model: DS-516, serial number: 98349000, 100/240 V, 50/60 Hz, 6 W, 0.1 A, maximum: 150 kg, minimum: 1 kg, T=150 kg, e=: 50 g, scale dimensions: 520 mm x 415 mm, total dimensions: 650 mm x 415 mm x 1400 mm.	80
180	Digi	Digi weighing scale, model: DS-516, serial number: 98349692, 100/240 V, 50/60 Hz, 6 W, 0.1 A, maximum: 150 kg, minimum: 1 kg, T=150 kg, e=: 50 g, scale dimensions: 520 mm x 415 mm, total dimensions: 650 mm x 415 mm x 1400 mm.	80
181	Italiana Macchine srl	Italiana Macchine srl mixer, s/s bowl, dimensions bowl: Ø 500 mm x 250 mm, total dimensions: 820 mm x 520 mm x 700 mm.	450
182	NN table	S/s table with plastic top, dimensions: 1000 mm x 600 mm x 860 mm.	100
183	NN trolley	S/s trolley, dimensions: 800 mm x 700 mm x 1200 mm.	100
184	NN trolley	S/s trolley, dimensions: 800 mm x 500 mm x 1750 mm.	100
185	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: SV280, fabrication number: 39192, dimensions: 1000 mm x 550 mm x 400 mm.	100
186	NN table	S/s table, dimensions: 1800 mm x 800 mm x 900 mm.	100
187	NN table	S/s table with plastic top, dimensions: 1700 mm x 750 mm x 900 mm.	100
188	NN table	S/s table, dimensions: 2000 mm x 1050 mm x 900 mm.	100
189	Scanvaegt	Scanvaegt weighing scale, scale dimensions: 300 mm x 400 mm x 70 mm, total dimensions: 300 mm x 400 mm x 690 mm.	75
190	Viking Professional	Viking Professional mobile s/s barbecue, model: EBQC410T1SS, serial number: 052009V00009760, grill plate dimensions: 900 mm x 600 mm, total dimensions: 1300 mm x 850 mm x 1400 mm.	250
191	Scanvaegt	Scanvaegt weighing scale, type: 8605.15.00, serial number: 88271891, 220 V, 50 Hz, maximum weight: 60 kg, minimum	35



Nr	Title	Description	Start €
		weight: 400 gram, e= 20 gram, dd= 20 gram, T= -60kg, dT= 20 gram, dimensions scale: 600 mm x 500 mm, total dimensions: 650 mm x 600 mm x 720 mm.	
192	Josef Kihlberg	Josef Kihlberg stapler, type: B56 I PN, series: 0104, foot control, dimensions: 950 mm x 750 mm x 1250 mm.	50
193	NN shoe rack	S/s shoe rack for 40 pairs of shoes, dimensions: 1200 mm x 800 mm x 2000 mm.	150
194	NN shoe rack	S/s shoe rack for 40 pairs of shoes, dimensions: 1200 mm x 800 mm x 2000 mm.	150
195	NN film	Pallet with 18 rolls of plastic film, film width: 422 mm.	100
196	DuniForm	DuniForm table model traysealer, type: DF86, machine number: 86569, year of construction: 1995, 220 V, 1 Ph, 50 Hz, 10 A, 1100 W, total dimensions: 600 mm x 340 mm x 820 mm. Missing dye.	25
197	Stayhot	Stayhot double deep fryer, model: Eco 4 + 4, 230 V, minimum temperature : 100 °C, maximum temperature: 190°C, inside dimensions (2x): 295 mm x 155 mm x 180 mm, total dimensions: 355 mm x 380 mm x 300 mm.	25
198	Espera	Espera display, model: ESC 904, 30/48 V, dimensions: 400 mm x 450 mm x 310 mm.	250
199	Dixie Union	Dixie Union / Witt-gasetechnik gas mixing station, type: KM100-2M, fabrication number: 12829, year of construction: 1989, 24 V, dimensions: 315 mm x 360 mm x 260 mm.	75
200	NN tub	S/s tub, tub dimensions: Ø 500 mm x 600 mm, total dimensions: 530 mm x 700 mm x 1000 mm.	50
201	NN tank	S/s mobile tank with drain, inside dimensions: Ø 590 mm x 1000 mm, total dimensions: 650 mm x 650 mm x 1400 mm.	50
202	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	150
203	NN meat bin	S/s meat bin, volume: 200 liter.	50
204	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	100
205	NN tubs	2 s/s tubs, inside dimensions: (2x) 1090 mm x 690 mm x 650 mm, total dimensions: (2x) 1150 mm x 750 mm x 800 mm. Never used.	500
206	NN meat bins	4 s/s meat bins, volume: (4x) 200 liter.	200
207	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	150
208	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	150
209	NN meat hooks	S/s trolley with large amount of meat hooks, dimensions trolley: 1150 mm x 650 mm x 1560 mm.	500
210	NN meat hooks	S/s trolley with large amount of meat hooks, dimensions trolley: 1060 mm x 650 mm x 1530 mm.	500
211	NN tool trolley	S/s tool trolley, dimensions: 1200 mm x 800 mm x 1540 mm.	75
212	NN trolley	S/s trolley, dimensions: 1650 mm x 1200 mm x 1470 mm.	75
213	NN tool trolley	S/s tool trolley, dimensions: 1400 mm x 800 mm x 1530 mm.	75
214	NN lifter for crates	Lifter for crates, lifting height 930 mm, dimensions crates: 750 mm x 600 mm, total dimensions: 1200 mm x 650 mm x 1350 mm.	100



Nr	Title	Description	Start €
215	Scanvaegt	Scanvaegt weighing scale, serial number: BEF04853, scale dimensions: 600 mm x 500 mm, total dimensions: 650 mm x 650 mm x 1650 mm.	100
216	Domino	Domino mobile extraction system for inkjet printer, model: DPX1000, serial number: 017935, year of construction: 02/03/2018, 230 V, 50/60 Hz, 10 A, 1.2 kW, dimensions: 550 mm x 430 mm x 1070 mm.	100
217	Necta Vending Solutions SpA	Necta Vending Solutions SpA soda vending machine, type: ZETA, model: 450/6-060 BSTI PSTON, serial number: 34702308, 230/240 V, 50 Hz, 5.5 A, 750 W, refrigeration: R134A / 0.320 kg, dimensions: 910 mm x 720 mm x 1830 mm.	75
218	Champ Design Co., Ltd.	Champ Design Co., Ltd. water dispenser, model: CW-898 Cold/Ambient/Soda, serial number: 14084598, 230 V, 50 Hz, 120 W, machine weight: 23 kg, refrigerant: R134a/38g, dimensions: 380 mm x 320 mm x 1200 mm.	25
219	NN lifter for film reels	Mobile lifter for film reels, maximum lifting height: 1400 mm, maximum load capacity: 320 kg, distance between holder: 350 mm, total dimensions: 1250 mm x 750 mm x 1680 mm.	150
220	Geco	Geco mobile refrigerated showcase, type: G-203, dimensions: 2000 mm x 800 mm x 1350 mm.	100
221	Geco	Geco mobile refrigerated showcase, type: G-203, dimensions: 2000 mm x 800 mm x 1350 mm.	100
222	RoHs	2 RoHs refrigerators, type: DC350, 220/240 V, 50 Hz, 1.4 A, 230 W, refrigerant: R600a, machine weight: 75 kg, volume: 339 liter, 4 floors, floor dimensions: 500 mm x 420 mm, total dimensions: (2x) 620 mm x 620 mm x 1940 mm.	150
223	Cabinplant	Cabinplant 12- heads multihead weigher, type: Kombinationsvag 09-12, dimensions: 1100 mm x 800 mm x 900 mm. Missing display.	1500
224	Kalitegaz	Kalitegaz döner kebab grill, model number: KLG 225-V, serial number: 1066, year of construction: 10.06.2016, 220 V, 50/60 Hz, 28.5 kW, gas type: G20 / 20 mbar - G30 / 50 mbar, consumption: 3.388 m³/h, dimensions: 800 mm x 720 mm x 1200 mm.	250
225	Rubbens	Rubbens grill, fabrication number: NC200210/148195, 400 V, 3 Ph, 50 Hz, 16 A, 9.6 kW, dimensions: 1000 mm x 700 mm x 1000 mm.	150
226	Garos	Garos mobile netting machine, type: GH 223, serial number: 61004, clearance filling pipe: 125 mm, total dimensions: 620 mm x 570 mm x 1600 mm.	150
227	Ceia	Ceia metal detector head, clearance: 800 mm x 100 mm, total dimensions: 1200 mm x 300 mm x 400 mm.	250
228	Fischer	Fischer labelling unit, type: F-Printer Blow Box, machine number: 231, 230 V, 50 Hz, 10 A, dimensions: 650 mm x 300 mm x 500 mm.	100
229	AND		100



Nr	Title	Description	Start €
		AND weighing scale, type: FS-30Ki, capacity: 30 kg, dimensions: 370 mm x 390 mm x 500 mm.	
230	Bizerba	Bizerba weighing scale, type: SP J, 230 V, 50/60 Hz, 0.04 A, dimensions: 500 mm x 400 mm x 100 mm.	100
231	Halde	Halde vegetable slicer, type: RG-100, serial number: 1205170, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 1 A, 0.37 kW, dimensions: 500 mm x 250 mm x 480 mm.	100
232	Teflon	Teflon belt grill, upper belt width : 185 mm, lower belt width: 220 mm, total dimensions: 950 mm x 400 mm x 540 mm.	400
233	Electrolux	Electrolux mobile plate dispenser, dimensions: 700 mm x 380 mm x 900 mm.	75
234	Elektro termo	Elektro termo au bain marie, type : ETKD-1, serial number: 88074-1, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 4.5 kW, inside dimensions: 510 mm x 310 mm x 210 mm, total dimensions: 650 mm x 400 mm x 880 mm.	25
235	Maho Machinefabriek Holtkamp BV	Maho Machinefabriek Holtkamp BV bread slicer, type: n 500 Spec, machine number: 980611, 380 V, 4 knives, distance between knives: 100 mm, working width: 510 mm, total dimensions: 750 mm x 700 mm x 1200 mm.	75
236	Handtmann	Handtmann mobile binding machine for small sausage, type: AB41/B, number: 11502, year of construction: 2002, 400 V, 50 Hz, 1.75 A, 0.55 kW, diameter: 55 mm, total dimensions: 800 mm x 600 mm x 1240 mm. Foot control.	500
237	Elektro termo	Elektro termo 4 pits stove, type: ETH 8060-2, serial number: 1-804019, year of construction: 1990, 380 V, 3 Ph, 50/60 Hz, 80 kW, dimensions: 800 mm x 630 mm x 900 mm.	75
238	Apack	Apack table model traysealer, model: DOT SC, serial number: 099, year of construction: 2014, 230 V, 1 kW, diameter dye: 185 mm, total dimensions: 500 mm x 300 mm x 430 mm.	100
239	NN trolley	S/s trolley, 15 floors, dimensions: 920 mm x 990 mm x 1950 mm.	100
240	NN smoke trolley	S/s smoke trolley, 10 floors, dimensions: 1040 mm x 1000 mm x 1980 mm.	100
241	NN platform	S/s platform, working height: 1950 mm, total dimensions: 4500 mm x 780 mm x 3000 mm.	200
242	NN smoke trolleys	3 s/s smoke trolleys, 4 floors each, dimensions: (3x) 1050 mm x 1000 mm x 1900 mm.	300
243	SE Packing System A/S	3 SE Packing System A/S plastic tubs, dimensions: (3x) 1100 mm x 950 mm x 700 mm.	300
244	NN tub	S/s tub, dimensions: 1200 mm x 800 mm x 850 mm.	100
245	NN tubs	3 s/s tubs, dimensions: (3x) 1000 mm x 1000 mm x 950 mm.	300
246	NN smoke trolley	S/s smoke trolley, 6 floors, dimensions: 1010 mm x 1000 mm x 1900 mm.	100
247	NN smoke trolleys	7 s/s smoke trolleys, 6 floors each, dimensions: (7x) 1020 mm x 1010 mm x 1980 mm.	700
248			200



Nr	Title	Description	Start €
	NN smoke trolleys	2 s/s smoke trolleys, 10 floors each, dimensions: (2x) 950 mm x 1000 mm x 1980 mm.	
249	NN smoke trolleys	3 s/s smoke trolleys, 6 floors each, dimensions: (3x) 1000 mm x 1000 mm x 1870 mm.	300
250	NN cabinet	S/s cabinet, dimensions: 2150 mm x 1200 mm x 970 mm.	100
251	NN trolley	S/s trolley, 15 floors, dimensions: 620 mm x 700 mm x 1600 mm.	100
252	NN platform	S/s platform, working height: 1000 mm, total dimensions: 1000 mm x 2000 mm x 2000 mm.	200
253	NN tubs	2 s/s tubs with drain, dimensions: (2x) 1150 mm x 730 mm x 900 mm.	200
254	NN tubs	2 s/s tubs with drain, dimensions: (2x) 1150 mm x 730 mm x 900 mm.	200
255	NN tubs	2 s/s tubs with drain, dimensions: (2x) 1150 mm x 730 mm x 900 mm.	200
256	NN tank	S/s tank, single jacketed, dimensions: 1500 mm x 1380 mm x 1850 mm.	300
257	NN stairs	S/s stairs, dimensions: 3000 mm x 640 mm x 930 mm.	150
258	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 1050 mm x 2200 mm.	200
259	NN tank	S/s tank, double jacketed, dimensions: Ø 1300 mm x 1900 mm.	400
260	NN mixing tank	S/s mixing tank, single jacketed, dimensions: Ø 900 mm x 1600 mm.	500
261	NN mixing tank	S/s mixing tank, single jacketed, dimensions: Ø 1200 mm x 2050 mm.	500
263	NN cabinet	S/s cabinet, dimensions: 1100 mm x 500 mm x 2190 mm.	100
264	Porkka	Porkka refrigerator, dimensions: 830 mm x 1020 mm x 2390 mm. Technical condition unknown.	150
265	Haglund Industri ab	Haglund Industri ab refrigerator, dimensions: 780 mm x 1050 mm x 2250 mm. With trolley. Technical condition unknown.	150
266	NN tank	S/s double jacketed tank, inside dimensions: Ø 2400 mm x 5000 mm, total dimensions: 2550 mm x 5300 mm.	1000
267	Foodco	Foodco heating belt, s/s mesh belt, belt width: 620 mm, total dimensions: 4350 mm x 1350 mm x 2200 mm.	3000
268	Vemag	Vemag mobile hanging line, model: AH 212, number: 2120051, year of construction: 2012, 220-240, 3 Ph, 50/60 Hz, 0.5 kW, weight: 298 kg, dimensions: 4300 mm x 1000 mm x 1400 mm.	2500
269	KG Lyften AB	KG Lyften AB lifter for tubs, type: SVK200MLPKHR, serial number: 1470, lifting height: 2200 mm, total dimensions: 1400 mm x 1100 mm x 3100 mm.	500
270	Ohaus	Ohaus weighing scale, model: D60VL, serial number: C125988955, capacity: 60 kg, with Teaoka indicator, model: DI-162SS, serial number: 11604024, 230 V, 50/60 Hz, dimensions: 550 mm x 420 mm x 130 mm.	100
272	Nimo KG		1500



Nr	Title	Description	Start €
		Nimo KG lifter for pallet boxes, type: SK 800 MK 2, serial number: 11968, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 3.55 A, maximum capacity: 800 kg, clearance: 1250 mm x 1000 mm x 900 mm, lifting height: 2070 mm, total dimensions: 2050 mm x 1750 mm x 3450 mm.	
274	Laska	Laska bowl cutter with ejector, type: KR 130-3M, serial number: R4514, 380 V, 20/42/61 A, 9/ 20 / 38 kW, steel bowl, volume: 130 liter, dimensions: 2200 mm x 1400 mm x 1650 mm. Including s/s switch cabinet, dimensions switch cabinet: 800 mm x 300 mm x 1000 mm.	2250
275	Multivac	Multivac thermoformer, type: R245, serial number: 148611, year of construction: 2011, 400/230 V, 3 Ph, 50 Hz, 37/50 A, 15 kW, dye: (1x) 300 mm x 380 mm, (1x) 1450 mm x 380 mm, s/s rollers, roller width: 330 mm, plastic mesh outfeed belt, belt width: 380 mm, with Busch vacuum pump, type: CB 0250 B 003 DIXX, capacity: 250 / 80 m ³ per hour, total dimensions: 5900 mm x 1100 mm x 2400 mm. Including large amount of parts, extra dye set, dimensions: (6x) 115 mm x 240 mm.	20000
276	Multivac	Multivac thermoformer, type: R140, machine number: 342, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 22 A, 7.5 kW, dye: (4x) 130 mm x 175 mm, plastic outfeed belt, belt width: 380 mm, with Busch vacuum pump, type: RA 0100 B, total dimensions: 4000 mm x 1050 mm x 1900 mm. Including large amount of parts, extra dye sets, dimensions: 283 mm x 365 mm, (2x) 283 mm x 175 mm.	17500
277	Karcher	Karcher floor scrubbing machine, type: BR 55/60 W, dimensions: 1450 mm x 550 mm x 1100 mm.	150
278	Grundfos	Grundfos circulation pump, type: CRI5-19 Z-P-I-E-HQQE, model: A98153420P11701, serial number: 0001, dimensions: 1140 mm x 350 mm x 500 mm.	250
279	Huckepack	Huckepack vacuum pump, type: 437 015, number: 1733, year of construction: 1979, 400 m ³ per hour, dimensions: 1510 mm x 750 mm x 950 mm.	250
280	Stilomatic	Stilomatic labeller, type: Modul 6157, serial number: 1309, year of construction: 2005, plastic belt, belt width: 50 mm, total dimensions: 1770 mm x 500 mm x 1600 mm.	500
281	Grote	Grote pepperoni slicer, model: FG101-2001, serial number: 1087319, s/s mesh belt, belt width: 460 mm, knife width: 470 mm, diameter pipes: (10x) 50 mm, total dimensions: 1570 mm x 1230 mm x 1840 mm. Including parts.	3000
282	Kerres	Kerres smoking chamber with integrated smoke generator for wood chips, inside dimensions: 1040 mm x 940 mm x 1605 mm, total dimensions: 1700 mm x 1350 mm x 2450 mm.	2000
283	Hilti / Makita / Dewalt	Various tools consisting of: 2 Dewalt reciprocating saws, Hilti reciprocating saw, 4 Makita reciprocating saws.	200
284	Makita		100



Nr	Title	Description	Start €
		Various tools, among others: Makita electric screw driver, grinders and accu's.	
285	NN locker	Steel 2-doors locker, inside dimensions (2x): 400 mm x 520 mm x 1800 mm, total dimensions: 800 mm x 550 mm x 2100 mm.	25
286	NN locker	Steel 3-doors locker, inside dimensions (3x): 520 mm x 390 mm x 1700 mm, total dimensions: 1200 mm x 550 mm x 1850 mm. 1 door is broken.	25
287	NN locker	Steel 3-doors locker, inside dimensions (3x): 520 mm x 390 mm x 1700 mm, total dimensions: 1200 mm x 550 mm x 1850 mm.	25
288	Alfa Laval	Alfa Laval vacuum filter, type: vacuum filter BT-16, manufacturing number: 477, dimensions drum: 2000 mm x 2600 mm x 2600 mm, total dimensions: 3200 mm x 3100 mm x 2900 mm.	2500
289	Ponndorf Maschinenfabrik GmbH	Ponndorf Maschinenfabrik GmbH s/s hopper with s/s auger, type: 315/8, number: 17084, year of construction: 1985, dimensions hopper: 3000 mm x 2100 mm x 2350 mm, with 2 SEW Eurodrive motors, (2x) 3.0 kW, total dimensions: 4150 mm x 2350 mm x 2350 mm.	700
290	Ponndorf Maschinenfabrik GmbH	Ponndorf Maschinenfabrik GmbH s/s mixing tank, type: K-M 7, serial number: 15549, year of construction: 1982, with FFD Wien motor, type: DPIG250M/8/4, 34/49 kW, and outfeed pump with Nord motor, inside dimensions mixer: 2500 mm x 2500 mm x 1700 mm, total dimensions: 3600 mm x 2800 mm x 4100 mm.	1500
291	Vera Klippan AB	Vera Klippan AB plastic tank with agitator, on s/s frame, type: Saltlösning NaCl TO 5676, article number: 109040, year of construction: 1993, maximum temperature: 70C, , volume: 8.36 m ³ , inside dimensions: 2050 mm x 2050 mm x 2420 mm, total dimensions: 2250 mm x 2050 mm x 3520 mm.	400
292	Weitek	Weitek bag filling and closing machine, model: MFM 600, type: SIB 0088, serial number: 03/039/02, year of construction: 2003, 400 V, 30 A, 17 kW, machine weight: 3600 kg, 300 bag per hour, bag weight: 25 kg, bag length: 400-1000 mm, bag width: 320-500 mm, total dimensions: 4600 mm x 2200 mm x 1500 mm. Lot is located on another location in Ulricehamn (SE). Pick-up in consultation with Industrial Auctions BV.	14500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

