



**Industrial
Auctions**

**1958: Online auction machinery for the food
industry in Raciaz (PL)**

END DATE
28 October 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	28 October 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	04 November 2025 from 09:00 till 16:00 hrs.
Pick up address	Ul. Plocka 76 09-140 Raciaz Poland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF620, number: 14897, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 11.6 A, 8 kW, Busch vacuum pump, dimensions: 2100 mm x 1360 mm x 2230 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	14500
2	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double-clipper, type: FCA 3430, dimensions: 1440 mm x 1200 mm x 1950 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	16500
3	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double-clipper, type: FCA 3430, dimensions: 1400 mm x 1300 mm x 1900 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	4500
4	Intervac Vakuumtechnik GmbH	Intervac Vakuumtechnik GmbH mobile vacuum machine, type: INV 31, serial number: 2918, year of construction: 2012, 230/400 V, 50 Hz, 2.5 kW, machine weight: 222 kg, seal length: (4x) 480 mm, chamber dimensions: 1060 mm x 530 mm x 290 mm, total dimensions: 1140 mm x 700 mm x 1150 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	900
5	Lamplmayer	Lamplmayer tiltable fryer, inside dimensions: 1120 mm x 600 mm x 220 mm, total dimensions: 1080 mm x 1200 mm x 1030 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	500
6	Bobet Material	Bobet Material sole cleaner, type: LS 900, serial number: 1064, year of construction: 2000, brush width: 440 mm, total dimensions: 1400 mm x 1020 mm x 1200 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	150
7	ALMiG Kompressoren GmbH	ALMiG Kompressoren GmbH air compressor with airdryer, type: COMBI 11-8, number: S0026860, year of construction: 2013, 11 kW, maximum pressure: 8 bar, volume flow: 1.60 m³/min, total dimensions: 2000 mm x 730 mm x 1720 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	750
8	Bizerba	Bizerba bandsaw, type: FK 32, serial number: 10300813, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3.6 A, 45 IP, table dimensions: 770 mm x 650 mm, total dimensions: 800 mm x 820 mm x 1600 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	750
9	Marel	Marel I-cut slicer, type: I-cut 22, serial number: E 011144, year of construction: 2010, 400 V, 50/60 Hz,	8500



Nr	Title	Description	Start €
		26-32 A, 8 kW, clearance: (2x) 220 mm x 190 mm, dimensions: 3600 mm x 1555 mm x 1800 mm. Missing belt, 1 knife missing. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
10	Knecht Maschinenbau GmbH	Knecht Maschinenbau GmbH wet grinding and honing machine, type: USK 200 T, serial number: 3490986, year of construction: 1986, 380 V, 50 Hz, 1.6 A, 0.62 kW, grinding width: 40 mm, total dimensions: 700 mm x 530 mm x 530 mm. Technical condition unknown. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	150
11	Mado	Mado bandsaw, 220 / 380 V, 50 Hz, 1500 W, table dimensions: 1040 mm x 850 mm, total dimensions: 1040 mm x 850 mm x 1650 mm.	1100
12	Karpowicz	Karpowicz crate washer, type: MSK-125/e, serial number: 4194, year of construction: 01.04.2009, belt width: 410 mm, clearance: 590 mm x 570 mm, total dimensions: 3400 mm x 930 mm x 2170 mm.	2200
13	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON, machine number: 460005.155612.108835, year of construction: 2010, 380/480 V, 3 Ph, 50/60 Hz, 25 A, machine weight: 780 kg, plastic belt, belt width: 200 mm, clearance: 260 mm x 260 mm, diameter knife: 500 mm, total dimensions: 2800 mm x 1270 mm x 1900 mm. Broken screen.	5500
14	Stein	Stein cooking kettle, type: EUROPA 300, number: 86197, year of construction: 1988, 220 V, 50 Hz, 25 kW, inside dimensions: 850 mm x 950 mm x 430 mm, total dimensions: 1330 mm x 1250 mm x 1150 mm.	500
15	Germo	Germo vacuum tumbler, Busch vacuum pump, type: RA 0040 F 503, number: 100023726, year of construction: 2010, capacity: 40 m ³ per hour, dimensions drum: Ø 660 mm x 650 mm, total dimensions: 1500 mm x 1300 mm x 1600 mm.	1300
16	Rietschle	Rietschle mobile suction device for rest film, type: CEVP 37 18-3(31), number: 1375167 5, year of construction: 1991, dimensions: 700 mm x 550 mm x 1200 mm.	80
17	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 2710, machine number: 271000.68701.0456, year of construction: 1997, 230/400 V, 50 Hz, 3/10 A, 1.0 kW, machine weight: 180 kg, chamber: 300 mm x 100 mm x 100 mm, grid: 12 mm x 45 mm, total dimensions: 1000 mm x 600 mm x 1050 mm.	1750
18	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 2710, machine number: 271004.69131.1469 year of construction: 2001, 230/400 V, 50 Hz, 3/10 A, 1.0 kW, machine weight: 174 kg, chamber: 300 mm x 100 mm x	1950



Nr	Title	Description	Start €
		100 mm, total dimensions: 1000 mm x 600 mm x 1050 mm. Including extra grids.	
19	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF612, number: 17151, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 6.5 A, dimensions: 2260 mm x 1400 mm x 2300 mm.	12500
20	Metos	Metos cooking vessel with agitator, type: CULINO / CULIMIX, inside dimensions: Ø 750 mm x 500 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	2250
21	Mettler Toledo	Mettler Toledo mobile pipe line metal detector, diameter pipe: 90 mm, total dimensions: 700 mm x 400 mm x 1450 mm.	500
22	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector with filter tub, 72 needles, plastic mesh belt, belt width: 400 mm, clearance: 440 mm x 210 mm, total dimensions: 2280 mm x 1100 mm x 2200 mm. Filter tub, type: GRF 350 L, machine number: 24899, 380 V, dimensions: 1500 mm x 580 mm x 800 mm.	3500
23	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG shrink tunnel, type: VC999 ST2E, machine number: 88T13033, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 80 AT, 52.3 kW, s/s mesh belt, belt width: 880 mm, clearance: 970 mm x 340 mm, total dimensions: 1400 mm x 1400 mm x 1660 mm.	3000
24	NN platform	S/s platform, 3 steps, dimensions: 1600 mm x 700 mm x 1930 mm.	300
25	Multivac	Multivac shrink tunnel, type: SE130, serial number: 159285, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 71/80 A, 30.6 kW, s/s mesh belt, belt width: 800 mm, plastic rollers, roller width: 680 mm, clearance: 880 mm x 310 mm, total dimensions: 1470 mm x 1480 mm x 1880 mm.	2500
26	Pek-Mont	Pek-Mont belt cooker, type: GP-400, number: 11, year of construction: 2019, 400 V, steam heated, plastic mesh belt, belt width: 950 mm, dimensions belt cooker: 6600 mm x 1900 mm x 2550 mm, dimensions switch cabinet: 900 mm x 700 mm x 1880 mm. Never used.	40000
27	Cryovac	Cryovac drying tunnel, model: WR81, s/s mesh belt, belt width: 550 mm, clearance: 560 mm x 300 mm, (3x) blowers, working width blower: (3x) 550 mm, total dimensions: 2050 mm x 1170 mm x 1700 mm.	3500
28	Laska Maschinenfabrik	Laska Maschinenfabrik silo with paddle mixer, elevating screw and grinding head on weighing cells, type: Silo B 521, serial number: 14570, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 2.6 kW, 6 A, volume: 521 liter, diameter screw: 230 mm, outfeed height: 1550 mm, total dimensions: 2900 mm x 960 mm x 2400 mm.	2000
29	Frima		2800



Nr	Title	Description	Start €
		Frima vario cooking center, model: ThermoJet 110, number: 16 09 0358, year of construction: 2002, 3 Ph, 50 Hz, 400 V, 25 kW, water pressure: 150-600 kPa, volume: 110 liter, total dimensions: 1320 mm x 950 mm x 1050 mm.	
30	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 2837, 380 V, 50 Hz, 11 A, dimensions: 860 mm x 900 mm x 1660 mm.	3500
31	Handtmann	Handtmann case holding device, numbers: 34-4/5258 / 60-7/2433, dimensions: 480 mm x 450 mm x 150 mm.	950
32	Baader	Baader mobile sausage cutter, type: BA688, machine number: 970688051, year of construction: 1997, 400 V, 50 Hz, 5 A, 0.9 kW, s/s belt with s/s grippers , belt width: 550 mm, maximum distance between grippers: 400 mm, total dimensions: 2220 mm x 920 mm x 2000 mm.	150
33	Inotec GmbH	Inotec GmbH mobile micro cutter, type: I140CD-37D, machine number: 140-00678, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 75 A, 45 kW, bunker dimensions: 840 mm x 940 mm x 450 mm, total dimensions: 1590 mm x 1050 mm x 1200 mm.	6000
34	Inject Star	Inject star cooled vacuum tumbler, type: Magnum-1500-Cool, number: K-308, year of construction: 1995, 220/380 V, 3 Ph, 50 Hz, 5.7 kW, dimensions: 3350 mm x 1750 mm x 2070 mm.	2500
35	M.T.A. S.p.A.	M.T.A. S.p.A. water chiller, model: ON211, number: 2200208255, year of construction: 2012, 400 V, 3 Ph, 50 Hz, machine weight: 12.200 kg, minimum temperature: +19°C, maximum temperature: +46°C, dimensions: 4630 mm x 1300 mm x 1900 mm. Damaged.	500
36	Metos	Metos cooking vessel with agitator, type: CULINO / CULIMIX, inside dimensions: Ø 750 mm x 500 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	2800
37	Peböck	Peböck crate washer, walking beam, beam width: 390 mm, clearance: 550 mm x 550 mm, total dimensions: 3400 mm x 750 mm x 1640 mm.	1500
38	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH piston filler, type: KOMPAKTA/2, machine number: K2 40 28 07 92 GU, 380 V, 50 Hz, dimensions: 740 mm x 730 mm x 1340 mm.	1500
39	Carsø	Carsø s/s lifter for meat bins, type: HVK200, number: SM989364, year of construction: 2009, 3x 400 V, 0.75 kW, lifting height: 1650 mm, maximum weight: 300 kg, total dimensions: 1150 mm x 500 mm x 2630 mm.	1400
40	Karl Schnell GmbH & Co	Karl Schnell GmbH & Co emulsion grinder, type: 250, number: 25163, year of construction: 2001, dimensions: 1550 mm x 1200 mm x 1700 mm.	3500
41	Laska Maschinenfabrik	Laska Maschinenfabrik Z-arm vacuum mixer, type: ME 130 v1, serial number: c1197, 380 V, 50 Hz, 4 kW, volume: 130 liter, including vacuum pump and s/s	3800



Nr	Title	Description	Start €
		switch cabinet, type: number: c7446, 380 V, 50 Hz, 4 kW, dimensions: 1250 mm x 900 mm x 1480 mm.	
42	Laska Maschinenfabrik	Laska Maschinenfabrik grinder, type: ww-140-2, serial number: A-5123, 380 V, 50 Hz, 21/287 A, 10/13 kW, plate diameter: 140 mm, total dimensions: 1400 mm x 1080 mm x 1370 mm.	5000
43	Atmos	Atmos smoke chamber with smoke generator, inside dimensions: 950 mm x 1000 mm x 1740 mm, total dimensions: 1500 mm x 1360 mm x 2800 mm. Including smoke trolley.	800
44	Henkovac	Henkovac mobile double chamber vacuum machine, model: E-403-XL, serial number: 20073122, year of construction: 2007, 380/400 V, 3 Ph, 50 Hz, 15 A, 368 kg, seal length: (4x) 700 mm, chamber: 570 mm x 700 mm x 150 mm, Busch vacuum pump, type: RA 0100 F 503, number: 070054356, capacity: 100m ³ per hour, total dimensions: 1650 mm x 880 mm x 1230 mm.	2800
45	Kramer + Grebe	Kramer + Grebe grinder with Carsø lifter for 200 liter meat bins, type grinder: WW 160, number: 197/460/1, year of construction: 1987, diameter plate: 160 mm, type lifter: HKV200, number: SM 9879364, year of construction: 2009, 400 V, 3 Ph, 0.75 kW, total dimensions: 2320 mm x 1900 mm x 2600 mm. Including s/s tool trolley with plates and knives, dimensions tool trolley: 1450 mm x 630 mm x 1530 mm.	9000
46	Karpowka	Karpowka pig scalding and dehairing machine, type: OSK, year of construction: 2014, inside dimensions: 1830 mm x 770 mm x 1040 mm, total dimensions: 2240 mm x 1000 mm x 1530 mm.	3500
47	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: JOBBER 50, machine number: JA 50 26 11 91 GU, 380 V, 50 Hz, dimensions: 680 mm x 770 mm x 1590 mm. Including filling pips.	1800
48	NN apron washer	S/s platform with apron washer, working height: 900 mm, total dimensions: 1730 mm x 1600 mm x 2650 mm.	500
49	NN tiltable gutter	S/s tiltable gutter, gutter width: 500 mm, gutter length: 2000 mm, total dimensions: 2000 mm x 660 mm x 1080 mm.	200
50	Rühle	Rühle dicer with lifter for 200 liter meat bins, type dicer: SR3, year of construction: 2006, dimensions: 3100 mm x 1400 mm x 2330 mm.	5000
51	KT	KT pig scalding and dehairing machine, inside dimensions: 2010 mm x 770 mm x 1050 mm, total dimensions: 3040 mm x 1200 mm x 1500 mm.	4500
52	Bizerba	Bizerba mobile automatic slicer, model: VS1330 F TW, number: 11582536, year of construction: 2018, 220/240 V, 1 Ph, 50/60 Hz, 2.9 A, maximum: 2 kg, s/s mesh belt,	4500



Nr	Title	Description	Start €
		belt width: 250 mm, total dimensions: 1720 mm x 1300 mm x 1400 mm.	
53	Seydelmann	Seydelmann bowl cutter with ejector and s/s switch cabinet, type: K124 DC6 VA, serial number: 87077-1, s/s bowl, volume: 124 liter, total dimensions: 2440 mm x 1600 mm x 1800 mm.	6000
54	Tetra Laval Food	Tetra Laval Food bowl cutter with lifter and ejector, type: VSM500, serial number: 288/162, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 400 A, s/s bowl, volume: 500 liter, dimensions: 4720 mm x 3180 mm x 2150 mm. Including pallet with parts.	35000
55	Klemor	Klemor turbo mixer, model: TBF 140, number: 0748001042, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3.3/2.8 A, 1.3/1.1 kW, dimensions: 1660 mm x 650 mm x 1360 mm.	300
56	Thüringer Fleischereimaschinen GmbH	Thüringer Fleischereimaschinen GmbH spiral mixer with lifter for 200 liter meat bins, type: VM750, number: 010, year of construction: 2000, 400 V. 50 Hz, 27/63 A, 12.5 kW, volume: 750 liter, dimensions: 2850 mm x 1650 mm x 3150 mm.	8000
57	Nowicki	Nowicki tumbler, type: MS, serial number: 78, year of construction: 01, volume: 1300 liter, dimensions: 1380 mm x 2120 mm x 1890 mm.	3500
58	Maja	Maja portion cutter, type: C-01200, outfeed clearance: 200 mm x 100 mm, total dimensions: 1890 mm x 1070 mm x 1850 mm. Including 2 trolleys with dyes, knives and other spare parts, dimensions dyes: Ø 480 mm, dimensions knives: Ø 280 mm, total dimensions trolley: (2x) 950 mm x 800 mm x 1480 mm.	2000
59	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 1716, 380 V, 50 Hz, 23.6 A, 9.5 kW, dimensions: 1770 mm x 1330 mm x 2020 mm.	4000
60	Handtmann	Handtmann vacuum filling machine, type: VF608, number: 25998, year of construction: 2009, 420 V, 3 Ph, 50/60 Hz, 4.1 A, 3.0 kW, Busch vacuum pump, type: KC 0016 E 3ZO, number: 100094998, year of construction: 2010, capacity: 16 m³ per hour, dimensions: 1050 mm x 880 mm x 1700 mm.	8500
61	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 1760, 380 V, 50 Hz, 11 A, 4 kW, dimensions: 860 mm x 840 mm x 1620 mm.	2500
62	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, type: 137, model: ROBBY 2, number: 37 0030, year of construction: 2004, 220/240/400/460/575 V, 3 Ph, 50/60 Hz, 13/25 A, dimensions: 1100 mm x 850 mm x 2050 mm.	4500
63			950



Nr	Title	Description	Start €
	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH case holding device, number: 8590049, dimensions: 640 mm x 400 mm x 340 mm. Including extra filling pipes, different sizes.	
64	Laska Maschinenfabrik	Laska Maschinenfabrik mobile micro cutter, type: FZ 175, serial number: 14892, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 165 A, 66 lp, bunker: 1000 mm x 1110 mm x 340 mm, total dimensions: 2140 mm x 1180 mm x 1370 mm. Missing plates.	7500
65	Koruma-Maschinenbau	Koruma-Maschinenbau product pump, type: DH A-160/150, serial number: 3556, year of construction: 2011, inside dimensions: Ø 660 mm x 600 mm, total dimensions: 1350 mm x 870 mm x 520 mm.	2500
66	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double-clipper, type: PCA 3430-18, number: 142, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 6 A, 40 kW, 5-2 bar, plastic belt, belt width: 75 mm, diameter pipe: 60 mm, total dimensions: 1440 mm x 1170 mm x 1920 mm.	12500
67	NN braising pan	S/s braising pan, inside dimensions: 670 mm x 720 mm x 160 mm, total dimensions: 730 mm x 1030 mm x 950 mm.	900
68	Maja	Maja ice machine, type: SA 400 N, serial number: 32970, year of construction: 2003, 400 V, 3 Ph, 50 Hz, refrigerant: R 404 A, capacity: 400 kg per 24 hours, dimensions: 770 mm x 600 mm x 1070 mm.	800
69	NN sterilizer	Sterilizer, inside dimensions: 580 mm x 680 mm x 500 mm, total dimensions: 770 mm x 630 mm x 970 mm. Technical condition unknown.	250
70	Jugema PPUH	Jugema PPUH autoclave, type: A-150 E, number: 353/211/10, year of construction: 2010, 400/230 V, 3 Ph, 13.5 kW, 3 bar, volume: 150 liter, dimensions: 1150 mm x 1000 mm x 1280 mm.	3000
71	Lock Inspection Systems	Lock Inspection Systems metal detector with rejector, type: 00006919, number: 99/0011, year of construction: APR-1999, plastic mesh belt, belt width: 400 mm, clearance: 460 mm x 70 mm, total dimensions: 1530 mm x 1430 mm x 1250 mm.	400
72	Spomasz	Spomasz intestine crusher, type: MOD 33.07, fabrication number: 1448, year of construction: 2008, 138 kg, plastic rollers, roller width: 800 mm, total dimensions: 1150 mm x 560 mm x 1600 mm.	900
73	NN organ washer	S/s organ washer, inside dimensions: Ø 670 mm x 300 mm, total dimensions: 1080 mm x 960 mm x 1060 mm.	2000
74	Ishida	Ishida 16 heads multihead weigher, model: CCW-M-216B-2M/15-SS, number: 42462, year of construction: June 2001, 380 V, 3 Ph, 50 Hz, 6.2 A, each basket: 150 mm x 140 mm x 220 mm, total dimensions: 1150 mm x 1150 mm x 1750 mm. Including pallet box	1800



Nr	Title	Description	Start €
		with parts and tool trolley, dimensions pallet box: 1200 mm x 800 mm x 1400 mm, dimensions tool trolley: 1040 mm x 950 mm x 1500 mm.	
75	Alexanderwerk	Alexanderwerk grinder, type: WSL 130II, number: 04603015, 400 V, 50 Hz, 25.2/21.4 A, 8.1/13.2 kW, diameter plate: 130 mm, total dimensions: 1050 mm x 950 mm x 1400 mm.	3800
76	Spomasz	Spomasz intestine crusher, type: MOD 35.05, number: 1598, year of construction: 2014, machine weight: 248 kg, plastic rollers, roller width: 450 mm, total dimensions: 960 mm x 580 mm x 1620 mm.	2300
77	Koruma-Maschinenbau	Koruma-Maschinenbau product pump, type: DH A-160/150, serial number: 3584, year of construction: 2011, inside dimensions: Ø 660 mm x 600 mm, total dimensions: 1350 mm x 870 mm x 520 mm.	2500
78	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 400 mm x 2100 mm.	100
79	ACFRI	ACFRI blast chiller, type: AR80C/OL, number: N656, 400 V, 50 Hz, refrigerant: R 404 A, inside dimensions: 850 mm x 630 mm x 1880 mm, total dimensions: 1050 mm x 1120 mm x 2600 mm.	2700
80	Magurit	Magurit frozen block cutter, type: 222, serial number: 3745, year of construction: 1992, 380 V, 2.2 kW, 6 knives, distance between knives: 70 mm, total dimensions: 1000 mm x 740 mm x 1760 mm.	2500
81	Mastech	Mastech double shaft paddle mixer with lifter for 200 liter meat bins, type: MS-950, number: 001, year of construction: 2011, 400 V, weight: 1560 kg, volume: 950 liter, length paddles: (2x) 1500 mm, total dimensions: 2060 mm x 2100 mm x 2860 mm.	5500
82	NN pallet lifter	S/s pallet lifter, fork length: 1130 mm, total dimensions: 1520 mm x 520 mm x 1200 mm. Defect.	200
83	NN chain hoist	Chain hoist, dimensions: 390 mm x 470 mm x 430 mm.	200
84	Vakona GmbH	Vakona injector, 1 needle, dimensions: 370 mm x 180 mm x 250 mm.	150
85	Elva	Elva s/s table with sink and drawer, dimensions: 2560 mm x 700 mm x 840 mm.	150
86	NN table	S/s table, dimensions: 2100 mm x 700 mm x 860 mm.	150
87	NN plastic rolls for liver sausages	9 plastic rolls for liver sausages.	150
88	NN plates	S/s plates with drain, dimensions (5x) 1000 mm x 490 mm x 30 mm.	50
89	NN fryer	Electrical fryer, dimensions: 800 mm x 500 mm x 700 mm. Missing baskets.	100
91	Stalgast SP. Z.o.o.	Stalgast SP. Z.o.o. table model mixer, model: 783210, serial number: 78321020120059, year of construction: 18-12-2020, 230 V, 50 Hz, 0.75 kW, 49 kg, volume: 20	350



Nr	Title	Description	Start €
		liter, dimensions: 450 mm x 550 mm x 780 mm. Including whisk, paddle and spiral.	
92	Stalgast SP. Z.o.o.	Stalgast SP. Z.o.o. table model mixer, model: 783210, serial number: 78321020120062, 230 V, 50 Hz, 0.75 kW, 49 kg, volume: 20 liter, dimensions: 450 mm x 550 mm x 780 mm. Including whisk, paddle and spiral.	350
93	Stalgast SP. Z.o.o.	Stalgast SP. Z.o.o. table model mixer, model: 783200, number: 11639, year of construction: 07-2014, 230 V, 50 Hz, 0.75 kW, 116 kg, volume: 20 liter, dimensions: 400 mm x 550 mm x 750 mm. Including paddle and spiral.	350
94	NN bin	S/s bin, dimensions: 640 mm x 340 mm x 200 mm.	100
97	WEG	WEG table model tenderizer, number: 174603, working width: 180 mm, 42 knives, distance between knives: 4 mm, total dimensions: 400 mm x 230 mm x 430 mm.	300
98	WEG	WEG table model tenderizer, number: 153558, working width: 180 mm, 42 knives, distance between knives: 4 mm, total dimensions: 400 mm x 230 mm x 430 mm.	300
99	TCS	TCS weighing scale, maximum weight: 150 kg, minimum weight: 1 kg, e=d= 50 gram, scale dimensions: 500 mm x 400 mm, total dimensions: 610 mm x 400 mm x 830 mm.	250
100	NN pan	S/s pan, dimensions: 400 mm x 300 mm x 310 mm.	10
102	Hobart	Hobart ventilator, type: RD255-4DW.4N.2L, 220/380 V, 50 Hz, 5.0/2.9 A, 1.5 kW, 1300 RPM, dimensions: 380 mm x 470 mm x 380 mm.	50
103	Bizerba	Bizerba bandsaw, type: FK 22, 220/380 V, 3 Ph, 50 Hz, 3.8/2.2 A, 1,080 kW, table dimensions: 450 mm x 410 mm, total dimensions: 460 mm x 540 mm x 910 mm.	350
104	Handtmann	Handtmann linking and case holding device, type linker: 34-4, number: 2250, type case holder: 60-7, number: 4628, dimensions: 550 mm x 150 mm x 460 mm.	950
105	NN sink	S/s sink, knee control, dimensions: 470 mm x 410 mm x 310 mm. Without faucet.	50
106	Tawi	Tawi blower, type: SA 350/2, number: 19869, year of construction: 2012, dimensions: 580 mm x 330 mm x 450 mm.	100
107	NN cutter knives	6 s/s cutter knives, type: SSM60, dimensions: 245 mm x 180 mm.	50
108	NN cutter knives	6 s/s cutter knives, dimensions: 250 mm x 135 mm.	50
109	NN cutter knives	6 cutter knives, dimensions: 300 mm x 175 mm.	50
110	NN cutter knives	6 cutter knives, dimensions: 245 mm x 180 mm.	30
111	NN cutter knives	12 cutter knives, dimensions: (2x) 230 mm x 130 mm and (10x) 250 mm x 140 mm.	50
112	Teome	6 Teome cutter knives, dimensions: 275 mm x 230 mm.	50
113	NN cutter knives	6 cutter knives, dimensions: 220 mm x 170 mm.	50
114	Edesa	Edesa table model grinder, diameter plate: 69 mm, total dimensions: 230 mm x 390 mm x 530 mm.	150



Nr	Title	Description	Start €
115	NN cutter knives	8 cutter knives, type: FL R 240 U2, dimensions: 245 mm x 210 mm.	50
116	NN cutter knives	6 cutter knives, dimensions: 240 mm x 190 mm.	50
117	NN cutter knives	18 cutter knives, type: FL R 240 U2, dimensions: 260 mm x 190 mm.	50
118	NN cutter knives	8 cutter knives, dimensions: 235 mm x 135 mm.	50
119	NN smoke sticks	Large amount of Y-form smoke sticks, length: 900 mm.	200
120	Busch	Busch vacuum pump, type: RA 0250 C 401 QNXX, serial number: MJ02750202, capacity: 250 m ³ per hour, dimensions: 970 mm x 560 mm x 420 mm.	900
121	NN knife	Knife for slicer, diameter knife: 560 mm, total dimensions: (2x) 790 mm x 560 mm x 130 mm.	150
122	Attec / Itec	Attec / Itec part of circular knife, type: BTSL, order number: 16212-002, serial number: 100, year of construction: 2007, diameter knife: 340 mm, total dimensions: 610 mm x 300 mm x 850 mm.	500
123	NN meat hooks	2 plastic crates with large amount of s/s meat hooks.	150
124	NN hose reel	Hose reel, dimensions: 450 mm x 600 mm x 530 mm.	50
125	NN dye	Dye for traysealer, dye: (2x) 200 mm x 110 mm, total dimensions: 480 mm x 340 mm x 170 mm.	200
126	NN linking attachment	Linking attachment, dimensions: 550 mm x 280 mm x 200 mm.	200
127	NN linking attachment	Linking attachment, number: 836 330, dimensions: 500 mm x 200 mm x 420 mm.	350
128	NN linking attachment	Linking attachment, dimensions: 500 mm x 200 mm x 420 mm.	200
129	NN linking attachment	Linking attachment, double pipe, dimensions: 490 mm x 400 mm x 450 mm.	200
130	NN forming attachment	Forming attachment, dye: 110 mm x 85 mm.	150
132	NN tool trolley	S/s tool trolley, dimensions: 1700 mm x 1080 mm x 1220 mm.	100
133	Jarvis	Jarvis circular saw, model: SEC280-4, serial number: 115645, 50 Hz, 115 V, 1700 W, 13 A, 2850 RPM, diameter saw: 280 mm, total dimensions: 800 mm x 240 mm x 300 mm.	700
134	Freund	Freund brisket saw, number: 7244277, saw length: 260 mm, total dimensions: 770 mm x 180 mm x 340 mm.	600
135	NN circulair saw	Circulair saw, diameter saw: 250 mm, total dimensions: 560 mm x 300 mm x 300 mm.	500
136	Bobrme komel	Bobrme komel circulair saw, number: 4407/89, 24 V, 3 Ph, 50 Hz, diameter saw: 250 mm, total dimensions: 600 mm x 260 mm x 300 mm.	500
137	NN container	Steel 20 ft. container, type: SP-STD2-02(F), identification number: HAKU 212665 0, container weight: 2185 kg, inside volume: 33.2 m ³ , loading capacity: 30480 kg, including 7 mobile galvanized steel tubs, dimensions	2800



Nr	Title	Description	Start €
		tubs: (7x) 1320 mm x 1050 mm x 1200 mm, total dimensions container: 5900 mm x 2350 mm x 2390 mm.	
138	Stork	Steel 20 ft. container with Stork stunning line for chicken, model stunning line: B-5, length stunning line: 2200 mm, type container: SP-STDT-02(F), identification number: HAKU 212586 5, container weight: 2185 kg, inside volume: 33.2 m ³ , loading capacity: 30480 kg, total dimensions container: 5900 mm x 2350 mm x 2390 mm. Not sea worthy.	2800
139	Stork	Steel 20 ft. container with Stork stunning line for chicken, model stunning line: B-5, length stunning line: 2200 mm, type container: SP-STDT-02(F), identification number: HAKU 212588 7, container weight: 2185 kg, inside volume: 33.2 m ³ , loading capacity: 30480 kg, total dimensions container: 5900 mm x 2350 mm x 2390 mm. Not sea worthy.	2800
140	NN cooking vessel	Cooking vessel with hood, dimensions cooking vessel: 2000 mm x 1450 mm x 1200 mm, total dimensions: 3150 mm x 1600 mm x 2800 mm.	700
141	Cryovac	Cryovac shrink tunnel, model: ST-90 V, serial number: 37, year of construction: 1990, 380 V, 50 Hz, mesh belt, belt width: 600 mm, clearance: 560 mm x 410 mm, total dimensions: 1900 mm x 850 mm x 2100 mm.	100
142	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 700 mm, elevating height: 1200 mm, total dimensions: 1500 mm x 900 mm x 1200 mm.	250
143	ZFM	ZFM cooking vessel for dumplings with infeed and outfeed belt, type: LDP-400, number: 9/LDP400/2015, year of construction: 12/2015, 3x 400 V, 50 Hz, 2.7 kW, fuel: gas, dimensions: 2400 mm x 1450 mm x 1750 mm, infeed belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1200 mm x 600 mm x 1000 mm, outfeed elevating belt with dividers and sprayers, belt width: 700 mm, distance between dividers: 200 mm, divider height: 70 mm, elevating height: 1550 mm, total dimensions: 1800 mm x 1000 mm x 1780 mm.	2500
144	NN table	S/s table, dimensions: 2450 mm x 1220 mm x 740 mm.	250
145	NN frame	S/s mobile frame, dimensions: 690 mm x 410 mm x 900 mm.	50
146	NN table	S/s table, dimensions: 660 mm x 660 mm x 1000 mm.	50
147	NN table	S/s table, dimensions: 1800 mm x 1200 mm x 900 mm.	150
148	NN smoke trolley	S/s smoke trolley for smoke sticks, 6 floors, floor width: 900 mm, total dimensions: 950 mm x 820 mm x 1490 mm.	50
149	NN smoke trolley	S/s smoke trolley for smoke sticks, 4 floors, floor width: 770 mm, total dimensions: 750 mm x 800 mm x 1700 mm.	75
150	NN table	S/s table, dimensions: 650 mm x 650 mm x 800 mm.	25



Nr	Title	Description	Start €
151	NN waste bin	S/s mobile waste bin, dimensions: 1150 mm x 600 mm x 1220 mm.	50
152	NN tumbler	Tumbler, inside dimensions: Ø 650 mm x 1000 mm, total dimensions: 1850 mm x 930 mm x 1670 mm.	300
153	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	300
154	NN tank	S/s tank with KPA pump, dimensions tank: Ø 1200 mm x 1550 mm, total dimensions: 1700 mm x 1200 mm x 2100 mm.	500
155	NN tank	S/s brine mixer, dimensions tank: Ø 940 mm x 1270 mm, total dimensions: 1500 mm x 1000 mm x 1820 mm.	800
156	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	300
157	NN meat bin	S/s meat bin, volume: 200 liter.	100
158	NN platform	S/s platform, 3 steps, working height: 910 mm, total dimensions: 3150 mm x 900 mm x 2010 mm.	250
159	NN gutter	S/s gutter, gutter minimum width: 390 mm, maximum width: 845 mm, total dimensions: 3030 mm x 1200 mm x 1180 mm.	100
160	NN drain gutter	S/s drain gutter, dimensions: 2000 mm x 1060 mm x 1060 mm.	100
161	NN frame	S/s frame, dimensions: 2000 mm x 700 mm x 900 mm.	100
162	NN table	S/s table, dimensions: 2000 mm x 1220 mm x 890 mm.	150
163	NN table	S/s table, dimensions: 1950 mm x 1100 mm x 840 mm.	150
164	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 800 mm, total dimensions: 5000 mm x 1100 mm x 900 mm.	900
165	Cobe	Cobe elevating belt, type: 4.5 Prz. wzn. tasm., number: 831/2009, 0.37 kW, s/s frame, plastic belt, belt width: 450 mm, elevating height: 900 mm, total dimensions: 2100 mm x 750 mm x 1000 mm.	200
166	COBE S.C.	COBE S.C. transport belt, type: 3.1 Prz. Mod., number: 821/2009, 0.37 kW, plastic mesh belt, belt width: 600 mm, total dimensions: 2200 mm x 700 mm x 830 mm.	600
167	Sercon	Sercon 90° curved conveyor, type: Bochtband, number: 493, year of construction: 2000, 230/400 V, 3 Ph, 50 Hz, 0.25 kW, plastic mesh belt, belt width: 255 mm, total dimensions: 4200 mm x 1420 mm x 1050 mm.	400
168	Inject Star	Inject Star vacuum tumbler installation, consisting of 2 rotating stations, dimensions: (2x) 1950 mm x 1450 mm x 1770 mm and 4 s/s tubs, dimensions tubs: (4x) 1000 mm x 1000 mm x 1530 mm. Without vacuum pump.	1900
170	Loma Systems	Loma systems metal detector, type: IQ3, serial number: MH308-11006D, year of construction: 2009, 50 Hz, 230 V, 0.3 A, plastic belt, belt width: 500 mm, clearance: 520 mm x 250 mm, total dimensions: 2700 mm x 1080 mm x 1530 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	3200
171	Dibal	Dibal weighing and labelling machine, type: LS-4000, serial number: 21500713, 50 Hz, 230 V, 2 A, weighing	1500



Nr	Title	Description	Start €
		range: 100 g / 10 kg, e = d = 5 g, capacity: maximum 162 pack/min, dimensions: 2500 mm x 600 mm x 1750 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
172	Bizerba	Bizerba weighing and labelling machine, serial number: 2087769, year of construction: 2002, 50 Hz, 230 V, 2.4 A, dimensions: 2400 mm x 620 mm x 1820 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1500
173	Schröder	Schröder injector, type: N61, serial number: 06137WÜ99, year of construction: 1987, 50 Hz, 400 V, 9 A, 4.5 kW, 4 bar, dimensions: 2130 mm x 900 mm x 1950 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1200
174	SonicTech Ultrasonics	SonicTech Ultrasonics ultrasonic welding device, type: Basic, serial number: 1255, year of construction: 2014, 230 V, 1000 W, 35 kHz, 6-8 bar, dimensions: 500 mm x 500 mm x 850 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	200
175	Multivac	Multivac thermoformer, type: R140, serial number: 115, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 19 A, 6.5 kW, film width: 422 mm, total dimensions: 3500 mm x 1050 mm x 2120 mm. Including extra parts. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	17500
176	Baader	Baader separator with lifter for 200 liter meat bins, type: 601-412, number: 121437, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 12.0 A, diameter drum perforations: 3 mm and 5 mm, total dimensions: 1100 mm x 2450 mm x 3200 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	13500
177	Kalmar LMV	Kalmar LMV forklifter, model: DCD 55-6, number: T32103.0040, year of construction: 1997, 24 V, machine weight: 8140 kg, lifting capacity: 5500 kg, lifting height: 3760 mm, fork length: 1200 mm, total dimensions: 3500 mm x 1500 mm x 3500 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	8000
178	Kalmar LMV	Kalmar LMV forklifter, model: DCD 100-6, serial number: T33103.1308, year of construction: 2001, machine weight: 15660 kg, lifting capacity: 10000 kg, lifting height: 4200 mm, fork length: 1600 mm, width: 2450 mm, total dimensions: 5000 mm x 2450 mm x 4200 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	17000
179	Hegg		10000



Nr	Title	Description	Start €
		Hegg forklifter, machine weight: 15000 kg, lifting capacity: 11500 kg, fork length: 1850 mm, total dimensions: 5200 mm x 2350 mm x 3850 mm. Lot located in Sławogóra (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
180	Inject Star	Inject Star injector with, filter tub and brine mixer, injector type: B1/183/600 Cooling, machine number: B11836-138, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 80/60 A, 36 kW, type brine mixer: DLFS-1F COOL, number: DLFS-113, year of construction: 2015, dimensions injector: 3000 mm x 2000 mm x 2600 mm.	9000
181	REX Technologie	REX Technologie vacuum filling machine with lifter for 200 liter meat bins and portioning machine, type vacuum filling machine: RVF 736, machine number: 7362011210, 400 V, 3 Ph, 50 Hz, 40 A, 15 kW, type portioning machine: RHP 240, total dimensions: 3700 mm x 1300 mm x 2000 mm. Including crate with parts.	18000
182	Inject Star	Inject star tenderizer, type: BI-102-C FM, machine number: V1102-066, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 5 kW, 3/10 bar, dimensions: 1700 mm x 1200 mm x 2100 mm.	3200
190	Laska Maschinenfabrik	Laska Maschinenfabrik frozen block grinder with lifter for 200 liter meat bins, type: WWB 200, number: 12489, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 130 A, 68 kW, 55 lp, plate diameter: 200 mm, Laska Maschinenfabrik lifter, type: BA 24, number: 13027, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 3.5 A, 1.5 kW, 55 lp, lifting height: 2100 mm, total dimensions: 2500 mm x 2100 mm x 2850 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	35000
191	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200 B, serial number: 4215, year of construction: 1998, 400 V, 50 Hz, 17 A, 6.5 kW, dimensions: 1750 mm x 1320 mm x 2290 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	5000
192	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF612, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6.5 A, 4.5 kW, Busch vacuum pump, type: KB 0016 E 300, serial number: V17240008, capacity: 16 m³ per hour, total dimensions: 1750 mm x 1350 mm x 1970 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	12000
193	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 3223, year of construction: 1999, 400 V, 50 Hz, 23.6 A, 9.5 kW, Busch vacuum pump, type: KB 0016 E 300, serial number:	5000



Nr	Title	Description	Start €
		D16220567, capacity: 16 m ³ per hour dimensions: 1600 mm x 1300 mm x 2360 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
194	Handtmann	Handtmann vacuum machine with lifter for meat bins, type: VF80, number: 259, 380 V, 50 Hz, 9.15 A, 3.55 kW, lifting height: 2050 mm, dimensions lifter: 1350 mm x 850 mm x 2600 mm, dimensions vacuum filling machine: 830 mm x 950 mm x 1950 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	2100
195	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 14471, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 11 A, 4 kW, dimensions: 850 mm x 600 mm x 1670 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	3000
196	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 4097, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 11 A, 4 kW, dimensions: 850 mm x 580 mm x 1690 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	3000
197	Karpowicz	Karpowicz crate washer, type: MSK 250/o, year of construction: 2013, chain belt with dividers, belt width: 660 mm, dividers height: 20 mm, distance between dividers: 320 mm, clearance: 940 mm x 550 mm, total dimensions: 3400 mm x 1300 mm x 2000 mm.	3500
198	Kolbe	Kolbe bandsaw, table dimensions: 700 mm x 600 mm, total dimensions: 860 mm x 760 mm x 1700 mm.	900
199	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH brine tank, type: GMA350, machine number: 24354/96, 380 V, 10 A, volume: 350 liter, dimensions: 1260 mm x 830 mm x 1330 mm.	2200
200	NN ice machine	Ice machine, dimensions: 880 mm x 740 mm x 1240 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	700
201	Maja	Maja ice machine with bunker, type: SA 110 EL, serial number: 23814, year of construction: 1995, bunker dimensions: 600 mm x 590 mm x 280 mm, total dimensions: 750 mm x 750 mm x 1190 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	900
202	Tipper Tie Technopack	Tipper Tie Technopack mobile clipper, dimensions: 1200 mm x 560 mm x 1800 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	2500
203	Henkovac	Henkovac mobile double chamber vacuum machine, type: H-3500, number: 20012120, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 8.0 A, 3.7 kW, seal length: (6x)	2200



Nr	Title	Description	Start €
		600 mm, chamber: (2x) 460 mm x 600 mm x 100 mm, total dimensions: 1340 mm x 660 mm x 1000 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
204	Supervac	Supervac belt vacuum machine, type: GK402B, number: 208029, year of construction: 08, 400 V, 3 Ph, 50 Hz, 7.8 A, 3.34 kW, plastic belt, belt width: 620 mm, seal length: 720 mm, total dimensions: 2300 mm x 1200 mm x 1160 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	4500
205	Zasada ZUP SP. z.o.o.	Zasada ZUP SP. z.o.o. injector, model: NASTRZYKIWARKA ZASADA, type: NAS 50, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 5.5 kW, 50 needles, s/s belt, belt width: 430 mm, clearance: 430 mm x 180 mm, total dimensions: 2100 mm x 730 mm x 1970 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	700
206	NN skinning machine	Mobile skinning machine, working width: 420 mm, total dimensions: 680 mm x 580 mm x 980 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	400
207	NN injector	S/s injector, 27 needles, s/s belt, belt width: 400 mm, clearance: 400 mm x 210 mm, total dimensions: 1230 mm x 600 mm x 1850 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	800
208	Rühle	Rühle injector, type: IR28, number: 11, year of construction: 2002, 400 V, 50 Hz, 16 A, 3/7.5 kW, s/s walking beam, beam width: 350 mm, total dimensions: 1400 mm x 800 mm x 2000 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1300
209	Nowicki	Nowicki injector, type: MH-4-120, machine number: 00400078, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 4.5 kW, weight: 780 kg, s/s belt, belt width: 570 mm, clearance: 580 mm x 200 mm, 120 (2x 60) needles, total dimensions: 1850 mm x 850 mm x 1980 mm. Including Nowicki s/s filter tub, type: FBN-280/1, number: 90900020, year of construction: 2000, 380 V, 3 Ph, 0.8 kW, weight: 162 kg, dimensions filter tub: 1600 mm x 600 mm x 800 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	6500
210	Karpowicz	Karpowicz injector, type: NK-54, serial number: 1689, year of construction: 18-11-99, 54 needles, s/s belt, belt width: 400 mm, clearance: 410 mm x 210 mm, total dimensions: 1830 mm x 660 mm x 1880 mm. Lot	1900



Nr	Title	Description	Start €
		located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
211	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector with filter tub, type: PI- 24/48, serial number: 22908, 380 V, 16 A, , 24/48 needles, plastic mesh belt, belt width: 320 mm, clearance: 350 mm x 220 mm, total dimensions: 2030 mm x 780 mm x 2750 mm. Including filter tub, tub dimensions: 1500 mm x 800 mm x 730 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1300
213	NN injector	S/s injector, 15 needles, plastic mesh belt, belt width: 220 mm, clearance: 280 mm x 250 mm, dimensions: 1250 mm x 580 mm x 1860 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	400
214	Knecht Maschinenbau GmbH	Knecht Maschinenbau GmbH wet grinding and honing machine, type: USK 200 T, serial number: 3730587, year of construction: 2009, 380 V, 50 Hz, 1.46 A, 0.62 kW, dimensions: 850 mm x 650 mm x 950 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	2900
215	Rational	Rational combi steamer, model: CM 101 G, 50 Hz, 230 V, 0.5 kW, gas heated, 10 floors, dimensions floor: 330 mm x 500 mm, total dimensions: 1100 mm x 740 mm x 1350 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	550
216	Angelo Po	Angelo Po combisteamer, number: 06962869001, 230 V, 1 Ph, 50 Hz, 750 Watt, 6 floors, floor dimensions: 480 mm x 320 mm, total dimensions: 980 mm x 800 mm x 1600 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	300
217	Kram	Kram bag sealer, year of construction: 2003, 220 V, 50 Hz, 700 W, seal length: 460 mm, total dimensions: 700 mm x 760 mm x 1490 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	100
218	Fagor	Fagor cooking vessel, model: MG9-15 BM GN, serial number: 1120522901 0611 000082, inside dimensions: Ø 630 mm x 530 mm, total dimensions: 1080 mm x 850 mm x 1120 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	350
219	Tepro	Tepro mobile double chamber vacuum machine, seal length: (4x) 660 mm, chamber: (2x) 660 mm x 650 mm x 160 mm, total dimensions: 1700 mm x 960 mm x 1100 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	2700
220	Werner & Pfleiderer		700



Nr	Title	Description	Start €
		Werner & Pfleiderer combi steamer, type: Backstar 800 WP (A), number: 77902, year of construction: 2000-11, 400 V, 50 Hz, 18.4 A, 8 floors, floor dimensions: 350 mm x 610 mm, total dimensions: 1380 mm x 930 mm x 2040 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
221	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 84/2, number: 108906/2002-1, year of construction: 1976, 220/380 V, 3 Ph, 50 Hz, 2.0/4.5 A, chamber: 100 mm x 170 mm, total dimensions: 1260 mm x 800 mm x 1020 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	700
222	Wiesheu GmbH	Wiesheu GmbH oven, type: B4MR, number: 73978, year of construction: 2000-5, 400 V, 50 Hz, 8 kW, 4 floors, floor dimensions: 400 mm x 600 mm, total dimensions: 950 mm x 870 mm x 1700 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	550
223	Spomasz	Spomasz vacuum tumbler, number: 1208, weight: 440 kg, inside dimensions: Ø 700 mm x 780 mm, total dimensions: 1450 mm x 900 mm x 1780 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1300
224	Turbovac	Turbovac mobile vacuum machine, type: 520-ST, serial number: 20131222, year construction: 2013, 22/240 V, 3 Ph, 50 Hz, 11.5 A, seal length: (4x) 500 mm, chamber: 500 mm x 460 mm x 140 mm, Busch vacuum pump, pump type: RA 0063 F 5K3, serial number: 130012141, capacity: 63 m ³ per hour, total dimensions: 680 mm x 700 mm x 1060 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	550
225	Spomasz	Spomasz peeler, number: 51858, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 1.5 A, 550 W, 34 lp, machine weight: 95 kg, diameter clearance: (2x) 220 mm, dimensions: 1170 mm x 580 mm x 1000 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	600
226	Frima	Frima braising pan, inside dimensions: 1470 mm x 830 mm x 550 mm, total dimensions: 2000 mm x 1250 mm x 1060 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	2100
227	Nowicki	Nowicki cooking vessel, type: KWE-500, number: 40102232, year of construction: 2002, 400 V, 3 Ph, 18 kW, machine weight: 450 kg, volume: 500 liter, dimensions: 1180 mm x 1270 mm x 1100 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1400



Nr	Title	Description	Start €
228	Nowicki	Nowicki cutter, type: KN-1-60, s/s bowl, volume bowl: 60 liter, s/s knives, total dimensions: 1340 mm x 1050 mm x 1240 mm. Including s/s switch cabinet, dimensions switch cabinet: 800 mm x 250 mm x 800 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	7500
229	Henkovac	Henkovac vacuum machine, type: H 1500 H, machine number: 159090676, 200 V, 1 Ph, 50 Hz, 6.5 A, 1.32 kW, seal length: 400 mm, dimensions chamber: 420 mm x 370 mm, total dimensions: 500 mm x 500 mm x 450 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	350
230	Düker	Düker grinder, type: AW98-1400, serial number: 330634, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4 kW, diameter plate: Ø 970 mm, perforations: Ø 3 mm, total dimensions: 1030 mm x 900 mm x 1150 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1300
231	Seydelmann	Seydelmann grinder, type: AD114, number: 98468-1, 400 V, 50 Hz, 21 A, diameter plate: 114 mm, total dimensions: 1050 mm x 900 mm x 1280 mm. Including extra plates. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	6500
233	Pulsotronic	Pulsotronic mobile pipe line metal detector with ejector, type: M-Pulse INFlex 65 compact, serial number: 90001949, year of construction: 2009, 85/264 V, 1 Ph, 50/60 Hz, 6/8 Bar, 100 W, diameter pipe: Ø 60 mm, total dimensions: 730 mm x 600 mm x 1650 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	700
234	CEIA	CEIA mobile pipeline metal detector, model: THS/PL-63, serial number: 20900226019, 115/230 V, 50/60 Hz, 60 VA, diameter pipe: Ø 60 mm, total dimensions: 600 mm x 580 mm x 1200 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	700
235	Rühle	Rühle cooled vacuum tumbler with lifter for meat bins, type: MKR 300, machine number: 273, volume: 300 liter, inside dimensions: Ø 790 mm x 660 mm, Busch vacuum pump, type: KC 0016 E, serial number: CZM120480309, capacity: 19 m³ per hour, year of construction: 2020, total dimensions: 1920 mm x 1700 mm x 2480 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	5500
236	Rühle	Rühle cooled vacuum tumbler with lifter for meat bins, type: MKR 300, volume: 300 liter, inside dimensions: Ø 780 mm x 660 mm, ZTP Tepro S.A. vacuum pump, pump	3600



Nr	Title	Description	Start €
		type: AT21A, serial number: 8413, year of construction: 2021, capacity: 21 m ³ per hour, total dimensions: 1960 mm x 1660 mm x 2480 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
237	Nowicki	Nowicki vacuum tumbler, type: MA-1000 PSCH, number: 22104041, year of construction: 2004, 400 V, 3 Ph, 3.2 kW, volume: 1000 liter, weight: 770 kg, total dimensions: 2450 mm x 1200 mm x 1600 mm. Without vacuum pump. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	12500
238	NN tilting device	S/s mobile tilting device, tilting height: 900 mm, total dimensions: 1250 mm x 1150 mm x 1100 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1500
239	Berkel	Berkel automatic slicer, model: 180GS, serial number: 9184 1000 04440, plastic belt, belt width: 300 mm, diameter knife: 350 mm, total dimensions: 2400 mm x 850 mm x 1340 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	300
240	Pek-Mont	Pek-Mont tumbler, volume: 200 liter, dimensions: 1150 mm x 1370 mm x 1580 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1500
241	Pek-Mont	Pek-Mont tumbler, volume: 200 liter, dimensions: 1150 mm x 1370 mm x 1580 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1500
242	Karpowicz	Karpowicz cooled vacuum tumbler, model: MK-2000C, serial number: 5252, volume tumbler: 2000 liter, ZTP TEPRO vacuum pump, type pump: AT 40 A, serial number: 1293, year of construction: 2015, capacity: 38 m ³ /h, dimensions tumbler: 3500 mm x 1650 mm x 2050 mm, dimensions cooling unit: 970 mm x 580 mm x 940 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	6500
243	Nowicki	Nowicki cooled vacuum tumbler, type: MA-3600 PSCH, number: 22706052, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 13 A, 5.3 kW, machine weight: 2000 kg, volume: 3600 liter, Busch vacuum pump, type: RC 0063 E 501, number: 060057311, capacity: 63 m ³ per hour, dimensions: 3700 mm x 1600 mm x 2080 mm. Including cool unit, dimensions: 1240 mm x 810 mm x 950 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	20000
244	Multivac	Multivac thermoformer, model: M855, Rietschle vacuum pump, type: VFS 201 (01), number: 1211452,	1000



Nr	Title	Description	Start €
		year of construction: 1989, capacity: 200 m ³ per hour, dimensions dye: (4x) 155 mm x 97 mm, index: 230 mm, total dimensions: 4750 mm x 750 mm x 1650 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
245	Webomatic	Webomatic mobile vacuum machine, seal length: 410 mm, chamber: 410 mm x 450 mm x 80 mm, total dimensions: 620 mm x 530 mm x 1100 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	700
246	Tepro	Tepro mobile vacuum machine, seal length: (2x) 660 mm, dimensions chamber: 680 mm x 390 mm, total dimensions: 750 mm x 680 mm x 1000. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	600
247	Tepro	Tepro mobile vacuum machine, type: PP11M, number: 163, year of construction: 1997, seal length: (2x) 660 mm, dimensions chamber: 680 mm x 390 mm, total dimensions: 750 mm x 680 mm x 1000. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	900
248	Cretel	Cretel mobile skinning machine, type: 646 PX, serial number: 940467, year of construction: 1994, 220-380 V, 3 Ph, 50 Hz, 4.5-2.6 A, 1.10 kW, knee control, working width: 440 mm, total dimensions: 800 mm x 680 mm x 960 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	500
249	Inotech	Inotech rotisserie grill, type: ITE C.4, number: 178, year of construction: 27.03, 400 V, 3 Ph, 50/60 Hz, 28.4 A, 19.7 kW, 4 rotors, length: 1000 mm, total dimensions: 1360 mm x 650 mm x 1070 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	250
250	OEM	OEM oven, inside dimensions: 620 mm x 630 mm x 170 mm, total dimensions: 1000 mm x 800 mm x 470 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	60
251	Henkelman B.V.	Henkelman B.V. mobile vacuum machine, type: MARLIN 52 KK, serial number: M301005182, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 10.5 Amp, 3 kW, machine weight: 143 kg, seal length: (2x) 520 mm, chamber: 500 mm x 460 mm x 140 mm, Busch vacuum pump, pump type: RA 0063 F 5K3, serial number: 100025924, capacity: 63 m ³ per hour, total dimensions: 680 mm x 700 mm x 1030 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	900
252	Tipper Tie Technopack		1100



Nr	Title	Description	Start €
		Tipper Tie Technopack mobile clipper, type: KDCN 90, number: 1255.486, plastic rollers, roller width: 100 mm, total dimensions: 1250 mm x 550 mm x 1820 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	
253	NN mixer	S/s mixer with agitator, volume: 170 liter, dimensions: 1000 mm x 800 mm x 1750 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	900
254	Funk	Funk flake ice machine and Bitzer cooling condenser, working width: 550 mm, clearance: 550 mm x 100 mm, type cooling condenser: F152H, serial number: 15915639, year of construction: 2000, volume: 15 liter, total dimensions: 1250 mm x 660 mm x 330 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	350
255	NN lifter	Lifter for 200 liter meat bins, lifting height: 2050 mm, dimensions lifter: 1350 mm x 850 mm x 2600 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	300
256	NN lifter for meat bins	Lifter for meat bins, elevating height: 2100 mm, dimensions: 1270 mm x 800 mm x 2700 mm, Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	300
257	Risco	Risco lifter for 200 liter meat bins, lifting height: 1700 mm, total dimensions: 900 mm x 600 mm x 2600 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	1000
258	Risco	Risco double shaft paddle vacuum mixer with lifter for meat bins, model: RS 450 SV, serial number: J199002, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 5.1 kW, 965 kg, volume: 450 liter, dimensions: 2200 mm x 1900 mm x 2450 mm. Without vacuum pump. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	6500
259	NN meat hooks	Pallet with large amount of s/s meat hooks, length: 1680 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	800
260	NN meat hooks	Pallet with large amount of s/s meat hooks, length: 1680 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	800
261	Bakares Sp. z o.o.	Bakares Sp. z o.o. rotisserie oven for 1 trolley, model: ROTOREAL SP, serial number: NP0200 0052, year of construction: 2019, 400 V, 50 Hz, 3.5 kW, weight: 2000 kg, inside dimensions: Ø 1200 mm x 1930 mm, total dimensions: 2450 mm x 1650 mm x 2280 mm. Lot located in Skierniewice (PL), viewing and pick up in consultation with Industrial Auctions B.V.	3300

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general note-taking. There are no margins, text, or other markings on the page.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

