

**END DATE** 

05 November 2025 14:00



## General terms and conditions of the online auction

End date 05 November 2025 from 14:00 hrs.

Viewing days

Organising company Industrial Auctions BV

Loovenbeemd 11

5652 BH Eindhoven, Netherlands

Tel.: +31 (0)40 2409 208

E-mail: info@industrial-auctions.com

18% over the highest bid Buvers premium

VAT 21% over the highest bid including premium Pick up days 12 November 2025 from 09:00 till 16:00 hrs.

Schouwrooij 29 Pick up address

5281 RE Boxtel Netherlands

Pick up instructions You are fully responsible for the dismantling, loading and transportation of

the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots)

is only possible on the mentioned pick up date, time and place.

Payment details Before pick up of the goods your payment has to be fulfilled. It is possible to

transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL), IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC:

GENODED1GBM, indicating invoice- and buyer number.

General terms and On the auction general terms and conditions of the online auction are conditions of sale

applicable concerning the (possible) purchase of moveable assets,

furthermore these specific terms and conditions.

Combinations All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will

> open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.

Prolongation If a bid is placed in the last 5 minutes the lot closes, the closing time of that

lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	G. Mondini S.p.a.	G. Mondini S.p.a. tray denester, model: A/C, serial number: A/11A-00292, year of construction: 07/2011,	500
		400 V, 3 Ph, 50 Hz, plastic belt, belt width: 270 mm, tray	
		dimensions: (4x) 140 mm x 175 mm, total dimensions:	
		5300 mm x 1330 mm x 2200 mm. Lot already	
		professionally dismantled and transported to Boxtel.	
2	Yamato Scale/G.	Yamato Scale 10-heads multihead weigher with s/s	2000
	Mondini S.p.a.	platform, elevating belt and G. Mondini S.p.a. chain	
		conveyor with tray holder, type Yamato Scale multihead	
		weigher: ADW-410SV, serial number: WG060924,	
		220/240 V, 1 Ph, 50/60 Hz, 5 A, weight range: 8-1000	
		gram, type: Mondini S.p.a. chain conveyor: C/T, serial	
		number: A/11/A-00292, year of construction: 07/2011,	
		400 V, 3 Ph, 50 Hz, elevating belt with dividers, plastic	
		belt, belt width: 180 mm, distance between dividers: 150	
		mm, divider height: 30 mm, dimensions elevating belt:	
		3100 mm x 600 mm x 3500 mm, dimensions multihead	
		weigher: 1800 mm x 2100 mm x 3500 mm, dimensions	
		chain conveyor: 6000 mm x 1150 mm x 1650 mm,	
		dimensions elevating belt: 3100 mm x 600 mm x 3500	
		mm and dimensions switch cabinet: 300 mm x 800 mm x	
		850 mm. Lot already professionally dismantled and transported to Boxtel.	
3	Ilapak	Ilapak flowpacker, type: ASTRA PC, serial number:	1500
3	Парак	0100300118, year of construction: 2010-10, 400 V, 50 Hz,	1300
		5000 Watt, seal width: 350 mm, plastic belt, belt width:	
		300 mm, film width: 550 mm, total dimensions: 3300	
		mm x 1400 mm x 1900 mm.	
4	Ilapak MVS S.p.A.	llapak MVS S.p.A. vertical bag form-, fill-, and seal	2500
		machine, type: VT 2000/400 SP, serial number: S 949 00,	
		year of construction: 09-00, 400 V, 50 Hz, 5000 W,	
		diameter pipe: 300 mm, film width: 500 mm, seal width:	
		400 mm, film width: 400 mm, total dimensions: 2000	
		mm x 1700 mm x 2300 mm. Including extra filling pipe,	
		diameter pipe: 220 mm.	
5	Sharp	Sharp transport belt, number: SP4073, year of	400
		construction: 26-06-2018, plastic mesh belt, belt width:	
		470 mm, plastic rollers, roller width: 450 mm, total	
		dimensions: 3100 mm x 1250 mm x 930 mm.	
6	Ilapak Italia S.p.a.	Ilapak Italia S.p.a. flowpacker, type: Superflow, serial	1000
		number: 99 056, 400 V, 3 Ph, 50 Hz, 10 A, seal width: 250	
		mm, plastic belt, belt width: 100 mm, film width: 400	
		and 350 mm, total dimensions: 6800 mm x 1300 mm x	
	1	1600 mm.	
7	Hajek	Hajek thermoformer, type: VS 30/320-150, machine	2500
		number: 127181, year of construction: 2006, 230/400 V,	
		3 Ph, 50 Hz, 13 kW, dye: 290 mm x 200 mm x 80 mm, film	
	1	width: 320 mm, Busch vacuum pump, type: RA 0160 D	I



Nr	Title	Description	Start €
		561 QLXX, capacity: 160 m³ per hour, total dimensions:	
		3900 mm x 900 mm x 1900 mm.	
8	Tecno Pack	Tecno Pack vertical bag form-, fill-, and seal machine,	1500
		model: FV-210, serial number: T2607, year of	
		construction: 2015, 400 V, 50 Hz, 9 A, 6 kW, weight: 650	
		kg, film width: 505 mm, diameter filling pipe: 140 mm,	
		vertical seal length: 420 mm, horizontal seal length: 280	
		mm, total dimensions: 1050 mm x 2000 mm x 2180 mm.	
9	Ilapak	llapak transport belt, plastic belt, belt width: 300 mm,	500
		total dimensions: 4070 mm x 880 mm x 1000 mm.	
10	Ilapak	llapak vertical bag form-, fill-, and seal machine, model:	2000
		VT 2000 OF P, serial number: 063070047 S 3147/14, 400	
		V, 50 Hz, diameter filling pipe: 170 mm, vertical seal	
		length: 400 mm, horizontal seal length: 450 mm,	
		Videojet ink jet printer, model: 8.4 Clarity and Vortec	
		switch cabinet cooler, model: 7035BSP, type: 4/4X, total	
		dimensions: 1620 mm x 2380 mm x 2230 mm.	
11	NN tub	S/s mobile tub, dimensions: 1250 mm x 660 mm x 810	250
		mm.	
12	NN skinning and	Mobile skinning and derinding machine, working width:	250
	derinding machine	400 mm, total dimensions: 670 mm x 850 mm x 1200	
		mm. Incomplete.	
13	Loma Systems	Loma Systems double metal detector with rejector, serial	700
		number: 894062, 415/240 V, 3/1 Ph, 50 Hz, clearance:	
		350 mm x 140 mm, plastic belt, belt width: 290 mm, total	
		dimensions: 2500 mm x 800 mm x 1650 mm.	
14	NN table	Table, s/s frame, plastic worktop, dimensions: 2000 mm x	150
		600 mm x 800 mm.	
15	Leonhardt	Leonhardt depositor, type: TG1/100, number: 0140/974,	850
		year of construction: 1998, dimensions: 1450 mm x 550	
		mm x 1280 mm.	
16	NN table	Table, s/s frame, plastic worktop, dimensions: 1100 mm x	75
		900 mm x 850 mm.	
17	AVC	AVC seal and shrink machine, model: CS, serial number:	650
		1502390711, 400 V, 3 Ph, 50 Hz, 16 A, 7 kW, weight: 350	
		kg, film width: 410 mm, seal width: 515 mm and 430	
		mm, total dimensions: 2720 mm x 1250 mm x 1550 mm.	
18	Edlund	Edlund can opener, model: A720, serial number: 603, can	200
		diameter: total dimensions: 340 mm x 260 mm x 500	
		mm.	
19	NN transport belt	Mobile transport belt, plastic belt, belt width: 300 mm,	75
		total dimensions: 1250 mm x 750 mm x 1150 mm.	
20	NN tub for bowl	S/s mobile tub for bowl mixer, inside dimensions: 1100	150
	mixer	mm x 1100 mm x 550 mm, total dimensions: 1250 mm x	
		1170 mm x 1010 mm.	
21	Freund	Freund balancer, type: F20-2SK, serial number: 010588,	50
		year of construction: 2000, maximum length: 2000 mm,	
	1	weight: 7.7 kh, capacity: 15 kg.	1



Nr	Title	Description	Start €
22	Kolbe	Kolbe mobile grinder, type: SW 100, number: 68 1749, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 kW, plate diameter: 100 mm, total dimensions: 920 mm x	950
		530 mm x 1100 mm.	
23	Weber	Weber Maschinenbau GmbH mobile skinning and	250
	Maschinenbau GmbH	derinding machine, type: ASB 800/1, number: 452, 380 V, 50 Hz, 0.85 kW, working width: 380 mm, total	
	Gillion	dimensions: 670 mm x 850 mm x 1200 mm. Incomplete.	
24	Charot	Charot boiler vessel, dimensions: Ø 900 mm x 2500 mm.	150
25	Charot	Charot boiler vessel, dimensions: Ø 900 mm x 2500 mm.	150
26	Boekels	Boekels mobile metal detector, type: BMK (16) 180x30.3,	400
20	DOCKEIS	year of construction: 2000, 230/400 V, 50 Hz, clearance:	400
		300 mm x 350 mm, plastic belt, belt width: 300 mm, total	
		dimensions: 2000 mm x 700 mm x 1320 mm. Incomplete.	
27	NN sink	S/s sink with faucet, dimensions: 2380 mm x 700 mm x	150
		1900 mm.	
28	Safeline	Safeline metal detector with rejector, clearance: 310 mm	400
		x 140 mm, plastic belt, belt width: 250 mm, total	
		dimensions: 2500 mm x 900 mm x 1850 mm.	
29	D.C. Norris & Co.	D.C. Norris & Co. can opener, model: 150, can diameter:	200
		150 mm, total dimensions: 400 mm x 280 mm x 900 mm.	
30	NN tub for bowl	S/s mobile tub for bowl mixer, inside dimensions: 1100	150
	mixer	mm x 1100 mm x 550 mm, total dimensions: 1250 mm x	
		1170 mm x 1010 mm.	
31	Wiesheu GmbH	Wiesheu GmbH oven, type: EW 2 Standmodell, number:	100
		32601, year of construction: 2004-10, 230 V, 50 Hz, 2.8	
		kW, 2 floors, floor dimensions: 510 mm x 720 mm, total	
32	Platz	dimensions: 720 mm x 860 mm x 800 mm.	200
32	Platz	Platz pump, type: 308029, year of construction: 2002, dimensions: 1140 mm x 760 mm x 1030 mm.	200
33	Rietschle	Rietschle vacuum pump, type: VF 251 01, number:	150
33	Metsenie	931508, year of construction: 1985, capacity: 250 m³ per	130
		hour, dimensions: 850 mm x 650 mm x 1130 mm.	
34	NN rack	S/s rack, dimensions: 2330 mm x 680 mm x 1810 mm.	75
35	NN can washer	S/s can washer, clearance: 800 mm x 110 mm, plastic	250
		belt, belt width: (2x) 150 mm, total dimensions: 4230	
		mm x 850 mm x 1900 mm.	
36	Loma Systems	Loma Systems metal detector, model: Euroscan F, serial	350
		number: 32F188, year of construction: march 1991,	
		415/240 V, 3 Ph, 50 Hz, clearance: 450 mm x 140 mm,	
		plastic belt, belt width: 350 mm, total dimensions: 1500	
	<u> </u>	mm x 900 mm x 1370 mm.	<del> </del>
37	NN slicer	Slicer, dimensions: 590 mm x 450 mm x 450 mm.	75
38	Ulma	Ulma transport belt for vision system, model: 6555580,	180
		year of construction: 2017, plastic belt, belt width: 300	
39	Loma Sustama	mm, total dimensions: 1450 mm x 700 mm x 1240 mm.	400
22	Loma Systems		400



Nr	Title	Description	Start €
		Loma Systems metal detector with checkweigher and	
		rejector, model: 7000 series, year of construction: 2003,	
		230 V, 1 Ph, 50 Hz, plastic belt, belt width: 250 mm, total	
		dimensions: 1650 mm x 1000 mm x 1370 mm.	
40	NN frame	S/s frame, dimensions: 820 mm x 630 mm x 260 mm.	40
41	NN elevating screw	Elevating screw, elevating height: 1330 mm, diameter	350
		screw: 280 mm, tier: 280 mm, total dimensions: 2100	
		mm x 1150 mm x 220 mm.	
42	Berkel Prior/Mectec	Berkel Prior checkweigher with 2 Mectec labelling	450
		machines, type checkweigher: weegmachine voor, serial	
		number: Mc 22148, maximum weight: 15 kg, minimum	
		weight: 0.1 kg, e=d= 0.005, Mectec labeller, type: PCU III-	
		AXX-E, serial number: 53606, year of construction: 2007	
		and Mectec labeller, type: A1160-50-100/100-L, serial	
		number: 53608, year of construction: 2007, plastic belt,	
		belt width: 400 mm, total dimensions: 2100 mm x 900	
		mm x 1640 mm.	
43	NN transport	Transport machine for 500 ml bottles, dimensions: 5200	450
	machine for 500 ml	mm x 1100 mm x 2200 mm.	
	bottles		
44	NN glazing machine	Mobile glazing machine, s/s mesh belt, belt width: 800	2000
		mm, total dimensions: 1700 mm x 1550 mm x 2440 mm.	
45	Gebr. Van den Heuvel	Gebr. Van den Heuvel mobile wooden cheese vat with	450
		agitator, inside dimensions: 1300 mm x 1300 mm x 680	
		mm, total dimensions: 1600 mm x 1450 mm x 1500 mm.	
46	NN breaker	Breaker, plastic belt, belt width: 620 mm, working width:	1300
		600 mm, total dimensions: 3250 mm x 1000 mm x 1850	
		mm.	
47	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 460	150
		mm, total dimensions: 1400 mm x 600 mm x 1600 mm.	
48	Ulma	Ulma transport belt for vision system, model: 6555580,	150
		year of construction: 2017, plastic belt, belt width: 300	
		mm, total dimensions: 1450 mm x 700 mm x 1240 mm.	
49	SureService Ltd	SureService Ltd weighing and labelling machine, model:	700
		GEMINI, serial number: HS85195, 230 V, 1 Ph, 50 Hz,	
		1.3/0.4 A, maximum weight: 4 kg, minimum weight: 0.1	
		kg, e=d= 0.002 kg, 60 packs per minute, plastic belt, belt	
		width: 230 mm and (2x) 100 mm, total dimensions: 1700	
		mm x 800 mm x 2100 mm.	
50	Jex Engineering	Jex Engineering nitrogen freezer for 1 trolley, serial	300
		number: CB1000/3/368, year of construction: 2000,	
		inside dimensions: 1150 mm x 750 mm x 1720 mm, total	
		dimensions: 1550 mm x 1550 mm x 2650 mm.	
51	Alpma	Alpma cheese packaging machine, type: U-64/D,	950
		fabrication number: 6450.214.339, year of construction:	
		1988, capacity: 50 per minute, weight: 900 kg,	
		dimensions: 1800 mm x 900 mm x 1600 mm. Including 2	
		pallets with parts.	1



Nr	Title	Description	Start €
52	Blackrow	Blackrow transport belt, type: tray transfer bend conveyor, serial number: 5018-127227, year of construction: 2015, s/s frame, plastic belt, belt width: 350 mm, total dimensions: 850 mm x 850 mm x 1000 mm.	200
53	Westfalia Separator AG	Westfalia Separator AG separator, type: MZA 6-69-905, machine number: 2204 463, dimensions: 900 mm x 800 mm x 1100 mm.	1800
54	Becker	Becker vacuum pump, dimensions: 450 mm x 250 mm x 320 mm.	100
55	Busch	Busch vacuum pump, type: SV 1040 C 000, serial number: C1528000505, weight: 40 kg, capacity: 48 m³ per hour, dimensions: 600 mm x 500 mm x 550 mm.	200
56	NN cutter	Mobile cutter, dimensions: 800 mm x 800 mm x 1300 mm.	500
57	Bosgraaf	Bosgraaf s/s pallet lifter, fork length: 1150 mm, total dimensions: 1500 mm x 550 mm x 1200 mm. Technical condition unknown.	200
58	Convotherm	Convotherm combi steamer, model: OGS 10.10 HS301813K40A00, serial number: HS3ID2407, 400 V, 3 Ph, 50/60 Hz, 1.2 kW, 11 floors, floor dimensions: 490 mm x 330 mm, total dimensions: 970 mm x 940 mm x 1160 mm.	350
59	NN tub	Mobile s/s tub, dimensions: 1720 mm x 950 mm x 740 mm.	200
60	Uni Trock	Uni Trock boot dryer, dimensions: 700 mm x 350 mm x 1700 mm.	130
61	Tennant	Tennant floor scrubbing machine, model: 510E, dimensions: 1200 mm x 2100 mm x 1600 mm. With Chloride motive power battery charger, 36 V.	150
62	NN pasteurization installation	S/s HTST pasteurization installation, capacity: 1000 liters per hour, dimensions: 2100 mm x 1700 mm x 2000 mm. Never used.	2000
63	Bertrand	Bertrand 5-pits wok stove, type: ASIA II C5R, serial number: 25.07.10.10.2457, (2x) soup burner and (3x) jumbo burner, gas heated, 89.50 kW, 20/25 mbar, dimensions: 1800 mm x 900 mm x 1330 mm.	650
64	Centurion	Centurion industrial vacuum cleaner, dimensions: 1800 mm x 600 mm x 1850 mm.	130
65	Thermo Fischer	Thermo Fischer x-ray scanner with rejecter, type: EZX 420, serial number: 08243260, year of construction: JUNE 2008, 100-240 V, 50//60 Hz, 7.5-15 A, plastic belt, belt width: 310 mm, clearance: 380 mm x 190 mm, total dimensions: 2000 mm x 1100 mm x 1730 mm.	700
66	NN transport belt	Transport belt, s/s frame, dimensions: 1000 mm x 750 mm x 1100 mm.	100
67	Tramper	3 s/s frames for Tramper denester, dimensions: 740 mm x 620 mm x 1250 mm, including plastic crate with parts.	60



Nr	Title	Description	Start €
68	Van Duijnen	Van Duijnen coffee machine, dimensions: 520 mm x 475 mm x 710 mm.	40
69	Teknomek	Teknomek mobile s/s soak bath, dimensions: 1500 mm x 820 mm x 1250 mm.	80
70	Stal Refrigeration	Stal Refrigeration mini screw compressor unit, dimensions: 1200 mm x 1200 mm x 1950 mm.	800
71	WSS	WSS mobile oven with proofer and hood, type oven: SBU8E-DE/1816, year of construction: 2002, 380 V, 3 Ph, 25 A, 12 kW, type proofer: GSU8M/2354, year of construction: 2002, 220 V, 1 Ph, 9.2 A, type hood: DAH-DK/7206, year of construction: 2002, 220 V, 1 Ph, 0.16 A, 0.63 kW, dimensions: 820 mm x 770 mm x 2150 mm.	500
72	Intray	Intray tray denester, plastic belt, belt width: 275 mm, tray dimensions: 260 mm x 180 mm, total dimensions: 1700 mm x 780 mm x 1570 mm.	400
73	Hamba	Hamba 4 lanes cup filling machine, type: BK 6004, machine number: 44045, year of construction: 1980, 220/80 V, 50 Hz, 16-20 A, diameter cup: 100 mm, total dimensions: 4300 mm x 1500 mm x 2150 mm.	1400
74	Hatco	Hatco s/s kitchen counter with au bain marie, model: GRAH-48, serial number: 7959302109, 220-230 V, 50-60 Hz, 5/5.2 A, 1100/1202 W, dimensions: 2600 mm x 720 mm x 1710 mm.	950
75	Electrolux/Zanussi	Electrolux/Zanussi pasta cooker, model: Z7PCEH2KFO, serial number: 02420001, year of construction: 2020, 380-400 V, 3 Ph, 50/60 Hz, 12 kW, dimensions: 1200 mm x 750 mm x 1550 mm.	700
76	Stork & Herrmann	Stork & Herrmann mobile mixer, type: M1, year of construction: 1978, inside dimensions: 750 mm x 750 mm x 400 mm.	450
77	Ohaus	Ohaus weighing scale with indicator, model: T32XW, serial number: B425712170, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, dimensions: 550 mm x 420 mm x 130 mm.	80
78	Tedea	Tedea weighing scale without indicator, dimensions: 610 mm x 450 mm x 160 mm.	40
79	Gamko	Gamko refrigerator, type: ECO/222MU, year of construction: 2007, 220/240 V, 50 Hz, 370 W, refrigerant: R134A, 160 gram, floor dimensions: 370 mm x 480 mm, total dimensions: 800 mm x 2000 mm x 1040 mm.	250
80	Hobart	Hobart washing machine, model: UW2, serial number: 86142229, 380 V, 3 Ph, 50 Hz, 8.6 A, dimensions: 1200 mm x 750 mm x 1700 mm.	450
81	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 210 mm, total dimensions: 5200 mm x 500 mm x 1100 mm.	400
82	4-matic design	4-matic design mobile roller press, working width: 1000 mm, dimensions: 2200 mm x 1200 mm x 2200 mm.	800



Nr	Title	Description	Start €
83	Gainsborough Craftsmen	Gainsborough Craftsmen packaging machine for sausages with tray denester, machine number: 1495, year of construction: oct 2005, 415 V, weight: 1500 kg, plastic belt, belt width: 50 mm, tray dimensions: 140 mm x 190 mm, total dimensions: 3350 mm x 1050 mm x 1950 mm. Incomplete.	800
84	Treif	Treif slicer, model: FALCON conti, machine number: 461004.61938.108350, year of construction: 2010, 380-480 V, 3 Ph, 50/60 Hz, 32 A, 8.6/11.7 kW, weight: 750 kg, plastic belt, belt width: 260 mm x 180 mm, total dimensions: 4600 mm x 1250 mm x 1830 mm. Without knife.	9000
85	Gernal	Gernal vacuum tumbler, type: HBC120, 380 V, 3 PH, 50 Hz, 3 kW, volume: 2000 liter, capacity: 1000 kg, Busch vacuum pump, type: RA 0040 F 503, capacity: 40 m³ per hour, dimensions: 2750 mm x 1500 mm x 1900 mm.	4000
86	Arnott	Arnott spraying belt, number: OC.11443-4, year of construction: 07-06, s/s mesh belt, belt width: 250 mm, total dimensions: 1250 mm x 850 mm x 1200 mm.	350
87	Consol Converging Solutions	Consol Converging Solutions infeed belt, plastic mesh belt, belt width: 520 mm, total dimensions: 1200 mm x 2100 mm x 1350 mm.	350
88	Alco	Alco mobile coating machine, type: ADT 400, serial number: 02212214, year of construction: 2005, 400 V, 0.9 kW, s/s mesh belt, belt width: 400 mm, total dimensions: 2250 mm x 900 mm x 1680 mm.	1400
89	NN vacuum oven/ microwave	Vacuum oven/microwave, inside dimensions: (2x) Ø 440 mm x 690 mm, dimensions plastic forms: 500 mm x 370 mm x 550 mm, total dimensions: 1020 mm x 1600 mm x 2200 mm.	250
90	NN vacuum oven/ microwave	Vacuum oven/microwave, inside dimensions: (2x) Ø 440 mm x 690 mm, dimensions plastic forms: 500 mm x 370 mm x 550 mm, total dimensions: 1020 mm x 1600 mm x 2200 mm.	250
91	Hakpro	Hakpro s/s mobile heated cabinet, model: Heating strip 1000 mm, 230 V, 50 Hz, 0.75 kW, dimensions cabinet: 630 mm x 860 mm, total dimensions: 1000 mm x 820 mm x 1520 mm.	400
92	Digi Europe Ltd	Digi Europe Ltd weighing scale with Intermec label printer, model weighing scale, WPI-70, serial number: 091072102, dimensions: 850 mm x 1500 mm x 1800 mm.	130
93	NN computer cabinet	S/s computer cabinet, dimensions: 1260 mm x 650 mm x 1920 mm.	35
94	Dörr Kampen BV	Dörr Kampen BV mobile tray denester, type: verpakkingsmachine, serial number: 51879-526, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 200 Watt, dye: (2x) 230 mm x 170 mm, total dimensions: 1500 mm x 900 mm x 1800 mm.	400



Nr	Title	Description	Start €
95	Marel	Marel mobile portioning machine, type: Portio 4003S, serial number: 080S-0071, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, weight: 500 kg, plastic belt, belt width: 250 mm, total dimensions: 2700 mm x 800 mm x 3000 mm.	1400
96	Jobo	Jobo mobile marker, year of construction: 2001, belt width: 280 mm, total dimensions: 1500 mm x 750 mm x 1100 mm. Without belt.	300
97	Numatic	Numatic floor scrubbing machine, type: TTB4045/100, 220-240 V 50/60 Hz, 10 A, dimensions: 1250 mm x 800 mm x 1150 mm.	250
98	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 322, year of construction: 1990, 380 V, 3 Ph, 50 Hz, foot control, working width: 500 mm, total dimensions: 900 mm x 680 mm x 920 mm.	400
99	Profinox	Profinox heated cabinet, serial number: 2020101805, 220-240 V, 1 Ph, 50/60 Hz, dimensions: 1200 mm x 400 mm x 250 mm.	250
100	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03DK, machine number: 0384457, 380 V, 3 Ph, 50 Hz, 9 kW, dimensions chamber: 950 mm x 430 mm x 150 mm, seal length: 950 mm x (2x) 450 mm, Rietschle vacuum pump, type: CLFH 220 V 1011, capacity: 220 m³ per hour, total dimensions: 1150 mm x 800 mm x 1050 mm.	350
101	Zumex	Zumex mobile juicer, model: SPEED PRO SELFSERVICE, serial number: 439369, year of construction: 09/2016, 220/240 V, 50/60 Hz, 0.300 kW, dimensions: 700 mm x 680 mm x 1750 mm.	500
102	Zumex	Zumex mobile juicer, model: ZUMEX SPEED SELF- SERVICE, serial number: 413999, year of construction: 04/2013, 230 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	500
103	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 432596, year of construction: 11-2015, 220/240 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	500
104	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 430875, year of construction: 07/2015, 220/240 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	500
105	NN racks	7 s/s racks, 7 floors, floor dimensions: 1550 mm x 1030 mm, total dimensions: (7x) 1070 mm x 1040 mm x 1770 mm.	200
106	NN rack	S/s rack, 6 floors, floor dimensions: 1070 mm x 1030 mm, total dimensions: 1070 mm x 1030 mm x 1880 mm.	40
107	NN lid for cutter	Plastic lid for cutter, dimensions: 1120 mm x 500 mm x 180 mm. Broken.	40



Nr	Title	Description	Start €
108	Multifresh	5 Multifresh film rolls, film width: 245 mm, thickness: 0.125 mm.	20
109	NN chains	Pallet with chains, dimensions: 1200 mm x 1000 mm x 400 mm.	20
110	Cegepac	Cegepac box closing machine, model: R 65 A, serial number: KN/026001, year of construction: 07/97, 380 V, 3 Ph, 50 Hz, 1.5 A, 0.6 kW, weight: 170 kg, dimensions: 1160 mm x 1070 mm x 1800 mm.	250
111	Thermo Ramsey	Thermo Ramsey checkweigher with rejecter, model: Sentron C, serial number: 5773, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, maximum weight: 1500 gram, minimum weight: 35 gram, e=: 0.5 gram, plastic belt, belt width: 195 mm, total dimensions: 900 mm x 800 mm x 1250 mm. With Thermo Ramsey control panel, dimensions: 500 mm x 430 mm x 1770 mm.	200
112	Cool Head	Cool Head refrigerated showcase, model: VRX 14/38/S/S, year of construction: 08/2017, 220/240 V, 50 Hz, 1.3 A, 160 W, refrigerant: R600a, 40 g, weight: 42 kg, dimensions: 1450 mm x 395 mm x 360 mm.	100
113	NN stove	Stove, gas heated, dimensions: 2600 mm x 840 mm x 915 mm.	300
114	Gico	Gico grill, type: VF0014, number: AS53338001, year of construction: 2014, grill plate dimensions: 660 mm x 360 mm, gas heated, total dimensions: 900 mm x 480 mm x 980 mm.	350
115	SandenVendo Europe S.p.A.	SandenVendo Europe S.p.A. coffee machine, model: SVE TSH, serial number: 2914003776, year of construction: 04/2019, 220-240 V, 50-60 Hz, 3200 Watt, dimensions: 420 mm x 490 mm x 365 mm.	100
116	Alpeninox	Alpeninox refrigerated counter with 6 drawers, model: HB2PNT, serial number: 61510001, inside dimensions: (6x) 300 mm x 520 mm x 100 mm, total dimensions: 1220 mm x 700 mm x 820 mm.	200
117	Bizerba	Bizerba slicer, type: VS 12, number: 1770463, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 1.8 A, dimensions: 580 mm x 700 mm x 425 mm. Incomplete.	100
118	NN vacuum machine	Mobile vacuum machine, seal length: 450 mm, chamber dimensions: 850 mm x 460 mm, vacuum pump, total dimensions: 950 mm x 570 mm x 910 mm.	650
119	Ascobloc Gastro- Gerätebau GmbH	Ascobloc Gastro-Gerätebau GmbH mobile cooking vessel, inside dimensions: 1040 mm x 600 mm x 1900 mm, total dimensions: 1200 mm x 1000 mm x 980 mm.	450
120	Bizerba	Bizerba hook weighing scale, type: ST, number: 11008533, 240 V, 50/60 Hz, 0.25 A, maximum weight: 150 kg, minimum weight: 1 kg, e= 0.05 kg, dimensions: 600 mm x 700 mm x 1300 mm.	180
121	NN frame for dyes	S/s frame for dyes, dimensions: 2140 mm x 680 mm x 1350 mm.	50



Nr	Title	Description	Start €
122	Pattfield	2 Pattfield electrical chain hoists, number: 000092, year of construction: 2019, 230 V, 50 Hz, dimensions: (2x) 350 mm x 230 mm x 130 mm.	150
123	NN machine parts	Plastic crate with various machine parts.	5
124	NN frame	S/s frame, dimensions: 2000 mm x 300 mm x 700 mm.	40
125	NN tub	Mobile s/s tub with drain, dimensions: 2160 mm x 810 mm x 700 mm.	250
126	Bosgraaf	Bosgraaf hygiene station with sole cleaner and tourniquet, length brush: (4x) 710 mm, total dimensions: 3600 mm x 1500 mm x 1280 mm.	1000
127	NN plates and knifes for grinder	14 plastic crates with grinder knifes and plates, diameter plate: 280 mm, total dimensions: 1200 mm x 800 mm x 1000 mm.	100
128	Hakvoort	Hakvoort heated showcase, dimensions: 1200 mm x 700 mm x 930 mm.	200
129	Giorik S.p.A.	Giorik S.p.A. oven, model: KB061W, serial number: 007759/09/20, 400 V, 3 Ph, 50 Hz, 7.9 kW, 10 floors, dimensions each floor: 330 mm x 430 mm, total dimensions: 520 mm x 800 mm x 760 mm.	1400
130	Henkovac	Henkovac mobile vacuum machine, seal length: (2x) 500 mm, dimensions chamber: 610 mm x 510 mm, Busch vacuum pump, type: RA 0063, capacity: 63 m³ per hour, total dimensions: 680 mm x 600 mm x 1070 mm.	650
131	Kolbe	Kolbe bandsaw, dimensions: 900 mm x 1000 mm x 1800 mm.	1500
132	Reich	Reich bandsaw, type: 200 T, number: 201820692, 380 V, 3 Ph, 50 Hz, 2.6 A, 1.1 kW, dimensions: 570 mm x 530 mm x 900 mm.	500
133	Foster	Foster mobile refrigerated counter, model: 43-102 EP1/2H, serial number: E6029371, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 0.9 A, volume: 172.3 liter, refrigerant: R290, 110 gram, dimensions: 1370 mm x 700 mm x 860 mm.	350
134	WSS	WSS oven, type: Cention C 1011, serial number: 14GG440001, year of construction: 0125, 400 V, 3 Ph, 25 A, 12 kW, dimensions: 810 mm x 820 mm x 1200 mm.	300
135	NN decorer/peeler	Decorer/peeler, dimensions: 600 mm x 340 mm x 300 mm.	100
136	Infrico	Infrico refrigerator, model: BMGN1470II, 220-230 V, 50 Hz, 3.13 A, 3.27 kW, volume: 295 liter, refrigerant: R134a, 260/230 g, dimensions each floor: 540 mm x 330 mm, total dimensions: 1470 mm x 700 mm x 960 mm.	350
137	NN tub	S/s mobile tub, dimensions: 1720 mm x 950 mm x 740 mm.	200
138	Bizerba	Bizerba roller weighing scale, maximum weight: 30 kg, minimum weight: 0.2 kg, e= 0.01 kg, plastic rollers, roller	250



Nr	Title	Description	Start €
		width: 320 mm, total dimensions: 720 mm x 800 mm x	
		850 mm.	
139	Gamko	Gamko refrigerator, type: ECO/222MU, year of	380
		construction: 2013, 220-240 V, 50 Hz, 370 Watt,	
		refrigerant: R134A, 160 gram, floor dimensions: 370 mm	
		x 480 mm, total dimensions: 800 mm x 2000 mm x 1040	
		mm.	
140	NN refrigerated	Refrigerated showcase, dimensions: 1000 mm x 1300	300
	showcase	mm x 2040 mm.	
141	Leventi	Leventi oven, type: BM MM Q3, serial number:	250
		08050089, year of construction: 2008, 380-415 V, 3 Ph,	
		50/60 Hz, 18.2 kW, 8 floors, floor dimensions: 600 mm x	
		400 mm, total dimensions: 970 mm x 850 mm x 1100	
		mm.	
142	Domino	Domino mobile inkjet printer, model: A420i, serial	100
		number: AST000104778, 100-240 V, 50-60 Hz, 4 A,	
		dimensions: 820 mm x 680 mm x 1430 mm. Incomplete.	
143	True	True mobile refrigerator, model: GDM-33, serial number:	75
		5176500, refrigerant: R134A, 0.34 kg, capacity: 935 liter,	
		dimensions: 1000 mm x 750 mm x 2080 mm.	
144	NN frame	S/s frame, dimensions: 560 mm x 960 mm x 670 mm.	50
145	Rohema	Rohema Maschinenbau GmbH mobile hanging line for	200
	Maschinenbau	sausages, type: AHV8000, number: 110, year of	
	GmbH	construction: 2012, 400 V, 50 Hz, 0.5 kW, 5-7 bar,	
		dimensions: 2200 mm x 1200 mm x 1600 mm.	
146	Hakvoort	Hakvoort heated showcase, dimensions: 1200 mm x 700	250
		mm x 930 mm.	
147	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: ALVAC II	650
		SM, machine number: 8069-2384, 220-380 V, 3 Ph, 50	
		Hz, 1.5 kW, seal length: 500 mm, Rietschle vacuum	
		pump, type: VCA 60, total dimensions: 600 mm x 800	
		mm x 1000 mm.	
149	NN trolley	S/s trolley, dimensions: 1120 mm x 600 mm x 780 mm.	100
150	NN table	S/s table, dimensions: 2500 mm x 700 mm x 890 mm.	100
151	Hatco	Hatco foodwarmer, dimensions: 1800 mm x 300 mm x	120
		695 mm.	
152	NN frying pan	Tiltable frying pan, type: 700930, serial number:	450
		AS07885001, 400 V, 3 Ph, 50 Hz, 7.8 kW, 500 kPa, inside	
		dimensions: 600 mm x 430 mm x 200 mm, total	
		dimensions: 810 mm x 750 mm x 1030 mm.	
153	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt	1000
		width: 210 mm, elevating height: 1400 mm, distance	
		between dividers: 140 mm, divider height: 50 mm, total	
		dimensions: 1500 mm x 700 mm x 1550 mm.	
154	NN trolley	Steel trolley, dimensions: 1400 mm x 600 mm x 1730	50
	·	mm.	
155	NN trolley	S/s trolley, dimensions: 600 mm x 500 mm x 1050 mm.	20



Nr	Title	Description	Start €
156	Röschermatic	Röschermatic mobile vacuum mixer, dimensions: 1500 mm x 900 mm x 1650 mm. Without vacuum pump.	500
157	Payne pallet inverters	Payne pallet inverters pallet destacker, type: 6 I INVERTER, number: I64IR, year of construction: 07/11, capacity: 2000 kg, total dimensions: 2050 mm x 1800 mm x 2270 mm.	1000
158	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 80 mm, total dimensions: 1000 mm x 350 mm x 1100 mm.	50
159	Electrolux	Electrolux double stacked dryer, model: T4300, serial number: 2330/0015489, dimensions: 1110 mm x 800 mm x 1940 mm.	400
160	NN table	S/s table, dimensions: 1200 mm x 790 mm x 925 mm.	150
161	Angelo Po	Angelo Po 2-doors refrigerator, type: MX140, dimensions: 1500 mm x 790 mm x 2000 mm.	350
162	Antoine	Antoine 4-door refrigerator, type: ANTOINE F.A. 2060 4DM SF vitré - LED, number: 112478 348411, year of construction: 2021, 230 V, 50 Hz, refrigerant: R134a, dimensions: 2060 mm x 550 mm x 820 mm. Without cooling compressor.	380
163	NN transport belt	Transport belt with rejecter, plastic belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 1350 mm. Incomplete.	75
164	NN tub	S/s mobile tub, dimensions: 1550 mm x 670 mm x 800 mm.	200
165	NN refrigerator	S/s 3-door refrigerator, model: S903 PZ, serial number: D1504H404S93PZ243, 220/240 V, 50 Hz, 1.6 A, 230 W, refrigerant: R134a, weight: 170 kg, dimensions: 1400 mm x 700 mm x 830 mm.	200
166	Hobart	Hobart dishwasher, dimensions: 460 mm x 590 mm x 830 mm.	450
167	Lock	Lock metal detector, model: MET30+, plastic belt, belt width: 460 mm, clearance: 550 mm x 220 mm, total dimensions: 2000 mm x 1050 mm x 1150 mm. is missing driving motor.	500
168	Thermo Fischer	Thermo Fischer metal detector with rejector, model: Apex500, serial number: 9627, year of construction: 2012, 230 V, 50 Hz, plastic belt, belt width: 250 mm, clearance: 300 mm x 100 mm, total dimensions: 1400 mm x 1100 mm x 1350 mm.	750
169	Thermo Fischer	Thermo Fisher metal detector with rejecter, model: Apex500, serial number: 9628, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 250 mm, clearance: 350 mm x 150 mm, total dimensions: 1400 mm x 960 mm x 1460 mm.	750
170	NN sink	S/s sink with faucet, dimensions: 1200 mm x 720 mm x 1900 mm.	200
171	NN rejecter bin	S/s double rejecter bin, dimensions: 850 mm x 400 mm x 1100 mm.	40



Nr	Title	Description	Start €
172	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0401005, year of construction: 2001, 400 V, 3 Ph, 50 Hz, max 21 A, dye: (2x) 200 mm x 135 mm, Busch vacuum pump, type: RA 0100 E 501, capacity: 100 m³ per hour, total dimensions: 2950 mm x 900 mm x 1750 mm. 1 leg broken.	500
173	NN frame	S/s frame with plastic rollers, roller width: 420 mm, dimensions: 700 mm x 470 mm x 150 mm.	5
174	Liebherr	Liebherr refrigerator, serial number: 47.196.804.5, refrigerant: R600a, 22 gram, dimensions: 500 mm x 600 mm x 850 mm.	50
175	Diamond	Diamond fryer, model: GC477 SC, serial number: 1086443, gas heated, dimensions: 400 mm x 800 mm x 950 mm.	200
176	Soehnle	Soehnle hook weighing scale with indicator, serial number: 28213350066, maximum weight: 150 kg, minimum weight: 1 kg, e= 50 gram, dimensions: 570 mm x 300 mm x 700 mm.	250
177	NN traysealer forms	Pallet with large amount of forms for traysealer, dimensions dyes: 260 mm x 175 mm, 180 mm x 135 mm and 260 mm x 175 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	20
178	NN steel cable	Steel cable.	5
179	Kortho	Kortho mobile label printer, type: 809518, dimensions: 960 mm x 750 mm x 1670 mm.	20
180	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5466, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, plastic belt, belt width: 140 mm, total dimensions: 1260 mm x 670 mm x 1700 mm.	80
181	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999 / K5, machine number: 15020183, 400 V, 3 Ph, 50 Hz, 6 A, 4 kW, chamber dimensions: 700 mm x 500 mm, seal length: 710 mm x 500 mm, total dimensions: 860 mm x 950 mm x 1100 mm. Without vacuum pump.	300
182	Loma Systems	Loma Systems metal detector with rejecter, type IQ3, serial number: MD301EV-07888D, year of construction: 2008, clearance: 250 mm x 125 mm, plastic belt, belt width: 140 mm, total dimensions: 1600 mm x 700 mm x 1350 mm.	1500
183	NN trolley	Aluminium trolley, 5 floors, dimensions each floor: 820 mm x 810 mm, total dimensions: 870 mm x 680 mm x 1350 mm.	5
184	Lotus	Lotus au-bin marie, model: BM-78EM, number: 15070709, 230 V, 1 Ph, 50/60 Hz, 2.2 kW, dimensions: 800 mm x 1020 mm x 720 mm.	350
185	Strapex	Strapex mobile binding machine, type: SMA10, serial number: 118071298, year of construction: 2018, 230 V, 50 Hz, dimensions: 900 mm x 600 mm x 750 mm.	350



Nr	Title	Description	Start €
186	Hakpro	Hakpro s/s heated cabinet, 4 floors, dimensions each floor: 380 mm x 400 mm, total dimensions: 485 mm x 450 mm x 870 mm.	120
187	NN film roll holder	S/s trolley for film rolls, arm length: 425 mm, total dimensions: 650 mm x 480 mm x 1240 mm.	10
188	Yang	Yang traysealer, model: PERSEUS VAC, year of construction: 2005, 400 V, 3 Ph, dye: 290 mm x 225 mm, film width: 430 mm, total dimensions: 2850 mm x 900 mm x 1550 mm. Including Rietschle vacuum pump, type: VC 150 (20), year of construction: 2005, capacity: 150 m³ per hour, dimensions: 850 mm x 900 mm x 600 mm and pallet with dye sets and film roll.	1500
189	Thermo Fischer	Thermo Fisher metal detector with rejecter, model: Apex500, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 250 mm, clearance: 350 mm x 150 mm, total dimensions: 1750 mm x 800 mm x 1360 mm.	750
190	Kortlever	Kortlever transport belt, type: Eindelijns opstelling, machine number: 3110-4, year of construction: 2008, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 400 mm and 250 mm, plastic rollers, roller width: 430 mm, total dimensions: 3800 mm x 1650 mm x 1650 mm.	500
191	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 550 mm, divider height: 50 mm, distance between dividers: 300 mm, total dimensions: 4500 mm x 950 mm x 1800 mm. Missing frame.	400
192	NN frame for curved conveyor	Mobile s/s frame for curved conveyor, dimensions: 1800 mm x 750 mm x 940 mm.	30
193	Conpax	Conpax traysealer on s/s trolley, film width: 230 mm, dye: 220 mm x 170 mm, total dimensions: 780 mm x 480 mm x 1150 mm.	150
194	Supertape	Supertape part for box closing machine, type: H7.1, machine number: 95-601593, year of construction: 1995, weight: 75 kg, dimensions: 900 mm x 1000 mm x 1070 mm.	20
195	NN cabinet	S/s cabinet, dimensions:700 mm x 400 mm x 925 mm.	50
196	Bertos	Bertos grill, model: G7WG40M, type: A1, serial number: 16039/70312, grill dimensions: 500 mm x 360 mm, total dimensions: 700 mm x 400 mm x 1050 mm. With Bertos s/s cabinet, model: N7-4MC, serial number: 17264/02860, dimensions: 700 mm x 400 mm x 1050 mm.	150
197	NN vacuum machine	Mobile vacuum machine, chamber dimensions: 750 mm x 510 mm x 120 mm, seal length: 510 mm x 810 mm, total dimensions: 820 mm x 850 mm x 1550 mm.	350
198	NN frame	S/s frame, dimensions: 800 mm x 720 mm x 720 mm.	50
199	Loma Systems	Loma systems checkweigher with metal detector and double rejector, serial number: 71A001, 240 V, 1 Ph, 50 Hz, plastic belt, belt width: 300 mm, clearance: 450 mm x	1000



Nr	Title	Description	Start €
		130 mm, total dimensions: 2750 mm x 1000 mm x 1050 mm.	
200	Foodcrest Machinery LTD	Foodcrest Machinery LTD mobile 2 heads depositor, machine number: WO 151-2, diameter heads: (2x) 40 mm, total dimensions: 850 mm x 1800 mm x 1440 mm.	300
201	Bizerba	Bizerba grinder, type: FW 82 T/22, machine number: 494732, 220/380 V, 3 Ph, 50 Hz, 6.9/4.0 A, 2.35 kW, plate diameter: 82 mm, total dimensions: 640 mm x 450 mm x 840 mm.	300
202	Berkel	Berkel grinder, type: BW 82II, number: 9652327, 230/400 V, 3 Ph, 50 Hz, 5.4/3.2 A, plate diameter: 82 mm, total dimensions: 450 mm x 300 mm x 420 mm.	300
203	NN frames	2 s/s wall mounted frames, dimensions: (2x) 590 mm x 120 mm x 440 mm.	70
204	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 850 mm.	180
205	Collamat	Collamat top and bottom labelling machine on s/s frame, consisting of Collamat labeller and Collamat label printer, type labeller: E 86, serial number: E 0029, year of construction: 04/07, type label printer: C8610/20, serial number: 1366, year of construction: 04/07, 110/240 V, 305 W, total dimensions: 1900 mm x 900 mm x 2060 mm.	400
206	NN plates	S/s trolley with s/s plates, plate dimensions: 500 mm x 1000 mm, dimensions trolley: 1600 mm x 650 mm x 1150 mm.	150
207	Hobart	Hobart dishwasher, crate dimensions: 495 mm x 495 mm, total dimensions: 595 mm x 575 mm x 810 mm.	350
208	Metro	Metro refrigerated showcase, type: GHS1120, 220/240 V, 50 Hz, 1.1 A, 180 W, refrigerant: R600a, dimensions: 1200 mm x 400 mm x 470 mm.	100
209	CFS Tetra Laval Food	CFS Tetra Laval Food double shaft paddle mixer, type: MultiMix MM1400, machine number: 378/0001, year of construction: 1997, 415 V, 3 Ph, 50 Hz, 26/35 A, volume: 1400 liter, dimensions: 2400 mm x 2100 mm x 1550 mm. Incomplete	1500
210	Fine Interkorea	Fine Interkorea checkweigher with rejecter, model: FAC-5500 W335 535, serial number: E065031, year of construction: 2006/06, weight range: 1-500 gram, plastic belt, belt width: 300 mm, total dimensions: 1670 mm x 900 mm x 1630 mm.	500
211	Thermo Fischer	Thermo Fisher Scientific mobile metal detector, type: Apex 500, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 400 mm, clearance: 500 mm x 200 mm, total dimensions: 1750 mm x 900 mm x 1230 mm.	750
212	Enterpack/Conpax	Enterpack/Conpax packaging machine, model: EPA-350AD, serial number: 3500E-01600, 230 V, 50 Hz, 340-480 Watt, maximum film width: 310 mm, dimensions: 452 mm x 354 mm x 410 mm.	200



Nr	Title	Description	Start €
213	Bartscher	Bartscher grill, dimensions: 330 mm x 540 mm x 310 mm.	50
214	Fimar	Fimar blender, model: SPM235M, serial number: 160701520, year of construction: 2016, 230 V, 1 Ph, 50-60 Hz, 150 W, 3.8 kg, dimensions: 300 mm x 200 mm x 250 mm. Incomplete.	5
215	NN refrigerated sliding door	Refrigerated sliding door, thickness: 110 mm, dimensions door: 1500 mm x 2250 mm. Without rails.	200
216	Supertape	Supertape box closing machine, type: HF-7, machine number: 95-74301, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 4.5 A, weight: 195 kg, dimensions: 1700 mm x 1050 mm x 2200 mm.	150
217	Thermo Electron Corporation	Thermo Electron Corporation checkweigher with rejector, model: AC9000plus, serial number: 6858, year of construction: 2006, 230 V, 50 Hz, 0.6 kVA, weighing range: 35/1500 gram, e= 0,5 gram, d= 0.5 gram, T= 1500 gram, plastic belt, belt width: 150 mm, 190 mm, total dimensions: 1700 mm x 750 mm x 1950 mm.	100
218	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CV/VG-S, serial number: 2140-02/1, year of construction: 08/08/02, 400 V, 3 Ph, 50 Hz, dye: 270 mm x 270 mm, film width: 335 mm, total dimensions: 1100 mm x 1000 mm x 1630 mm.	300
219	Combisteel	Combisteel refrigerator, model: SEC900, serial number: 277439, 230 V, 50 Hz, 1.6 A, 230 Watt, refrigerant: R134a, 165 gram, dimensions: 900 mm x 700 mm x 870 mm.	250
220	Tournus	Tournus s/s sink with faucet, dimensions: 330 mm x 330 mm x 400 mm.	50
221	CRM	CRM mobile ice cream machine, model: GEL20E SIF, serial number: 02/328, year of construction: 2000, 230 V, 3 Ph, 50 Hz, 2.2 A, dimensions: 640 mm x 460 mm x 1000 mm. Missing 1 cover.	800
222	Proseal Stephanal alvac	Proseal traysealer, model: GT2sX-Twin, serial number: SN-M-06010, year of construction: 2020, 415 V, 3 Ph, 50 Hz, 6 bar, plastic infeed belt, belt width: (2x) 160 mm, dye: (8x) 160 mm x 120 mm, plastic string outfeed belt, belt width: 335 mm, total dimensions: 4400 mm x 1220 mm x 2100 mm. Including s/s trolley to change dye's, serial number: SN-O-05608, year of construction: 2021, type: GT2sX-RH, weight: 123 kg, dimensions: 1400 mm x 1200 mm x 1400 mm and pallet with extra dye set.  Stephanal alvac mobile double chamber vacuum	20000
223	Stephanal alvac	stephanal alvac mobile double chamber vacuum machine, type: GeminiXL, machine number: 1042-5357, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 19 A, 9 kW, seal length: (4x) 770 mm, chamber dimensions: (2x) 770 mm x 760 mm, Busch vacuum pump, type: RA 0302 D 5Z3 DIXX, capacity: 300 m³ per hour, total dimensions: 1910 mm x 1160 mm x 1200 mm.	1500
224	Scanveagt		75



Nr	Title	Description	Start €
		Scanveagt weighing scale with indicator, type: SV10,	
		serial number: 60195371, 230 V, 50/60 Hz, maximum	
		weight: 30 kg, minimum weight: 0.2kg, e= 0.01 kg,	
		dimensions: 600 mm x 500 mm x 150 mm.	
225	Ohaus	Ohaus weighing scale with indicator, model: T32XW,	75
		serial number: B301673758, maximum weight: 60 kg,	
		minimum weight: 0.4 kg, e= 0.02 kg, dimensions: 700	
		mm x 420 mm x 880 mm.	
226	SES	SES mobile labelling machine, dimensions: 750 mm x 750	300
		mm x 1760 mm.	
227	Vega	Vega refrigerated showcase, model: 81373, 220/240 V,	150
		50 Hz, 1.35 A, 185 W, refrigerant: R134a, 160 g, weight:	
		42 kg, dimensions: 1200 mm x 400 mm x 470 mm.	
228	Maja	Maja Maschinenfabrik mobile slicer for cordon blue,	500
	Maschinenfabrik	type: FS 90-540-2, serial number: H0143, year of	
		construction: 2000, 400 V, 3 Ph, 50 Hz, 2.4 A, 1.3 kW,	
		plastic belt, belt width: (2x) 100 mm, total dimensions:	
		1800 mm x 1100 mm x 1150 mm. Missing knives and one	
		of the belts is missing.	
229	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET	75
		trays, tray dimensions: 173 mm x 133 mm x 35 mm.	
230	Unifrost	Unifrost mobile refrigerator with saladette, dimensions:	200
		1250 mm x 760 mm x 1130 mm.	
231	NN packaging	Packaging machine, seal length: (2x) 150 mm and 220	10
	machine	mm, total dimensions packaging machine: 740 mm x 450	
		mm x 400 mm.	
232	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET	75
	, ,	trays, tray dimensions: 173 mm x 133 mm x 35 mm.	
233	NN refrigerated	S/s refrigerated cabinet, 220-240 V, 50 Hz, 1.2 A, 170 W,	200
	cabinet	weight: 81 kg, refrigerant: R600a, dimensions: 900 mm x	
		700 mm x 880 mm.	
234	NN cabinet	S/s cabinet, dimensions: 400 mm x 700 mm x 980 mm.	100
235	Gram	Gram mobile refrigerator, type: K600, 4 floors,	200
		dimensions each floor: 525 mm x 590 mm, total	
		dimensions: 700 mm x 850 mm x 2000 mm.	
236	Ecofrost	Ecofrost refrigerator, model: 4752. 005, 220/240 V, 50 Hz,	450
		1 A, 170 W, refrigerant: R290, 95 g, weight: 134 kg, 5	
		floors, dimensions each floor: 650 mm x 520 mm, total	
		dimensions: 740 mm x 840 mm x 2000 mm.	
237	Rhima	Rhima washing machine, model: DR 60, serial number:	400
		95.811, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 25	
		A, 10 kW, dimensions: 800 mm x 700 mm x 1450 mm.	
238	Arneg	Arneg refrigerated showcase, model: Banco Genius G.I.	110
		H145 L100, serial number: 1D08881401, year of	-
		construction: 2004, 230 V, 50 Hz, refrigerant: R404A,	
		dimensions: 1000 mm x 700 mm x 1450 mm.	
239	Frilec		10



Nr	Title	Description	Start €
		Frilec refrigerator, type: 175.6719, 220/240 V, 50 Hz, 100 W, 0.8 kWh/24 h, volume: 178/158/17 dm³, dimensions: 600 mm x 600 mm x 840 mm.	
240	Bizerba	Bizerba hook weighing scale, number: 675 558-86, maximum weight: 150 kg, minimum weight: 5 kg, e=d= 100 gram, dimensions: 1200 mm x 600 mm x 600 mm.	150
241	Aristarco	Aristarco dishwasher, model: Lavab. AL 40.28 V230M 1D, type: 3310, serial number: 7491001, 230 V, 1 Ph, 50 Hz, 16 A, 3050 W, dimensions: 480 mm x 550 mm x 750 mm. Including osmos maxi boiler.	250
242	Rational	S/s trolley for Rational combi steamer, 20 floors, dimensions each floors: 530 mm x 330 mm, dimensions trolley: 700 mm x 550 mm x 1780 mm.	180
243	Unika	Unika table model vacuum machine, model: VT30, serial number: V1075, year of construction: 1999, 220/240 V, 50/60 Hz, 4.55/4.17 A, 1 kW, seal length: (1x) 340 mm, total dimensions: 540 mm x 420 mm x 400 mm. Incomplete.	100
244	SMEG	SMEG dishwasher, type: GW4190, serial number: 40624, 400 V, 3 Ph, 50 Hz, 12 A, 7000 W, dimensions: 900 mm x 600 mm x 850 mm.	75
245	Unitrans	Unitrans s/s tank with pump, inside dimensions: 590 mm x 590 mm x 590 mm, total dimensions: 1300 mm x 700 mm x 1650 mm.	250
246	Digi Europe Ltd	Digi Europe Ltd weighing scale, model: DS-515, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T= -5.998 kg, dimensions: 340 mm x 320 mm x 450 mm.	25
247	NN roller conveyor	S/s roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 3100 mm x 660 mm x 900 mm.	50
248	NN kitchen counter	S/s kitchen counter with 2 sinks, faucet, induction plate and grill, dimensions: 2100 mm x 1100 mm x 180 mm.	300
249	Hakvoort	Hakvoort s/s table, dimensions: 900 mm x 780 mm x 1200 mm.	50
250	Novameta	Novameta heated cabinet, model: LPK1, serial number: 002G1033706100101, 230 V, 50 Hz, 2.2 A, 500 Watt, dimensions: 600 mm x 700 mm x 1500 mm.	250
251	Antoine	Antoine 3-doors refrigerator, type: ANTOINE F.I. 2140 3DXG vitré - R290, number: 113238 339477, year of construction: 2020, 230 V, 50 Hz, 0.65 A, 0.15 kW, refrigerant: R290, 68 gram, dimensions: 2150 mm x 550 mm x 820 mm.	380
252	NN refrigerator	Refrigerator, model: BB-B3, 220/240 V, 50 Hz, 220 Watt, refrigerant: R134a, 200 gram, dimensions: 1350 mm x 500 mm x 850 mm.	250
253	Embraco	Embraco cooling compressor, type: UNEK6210Z, R 134A, 220-240 V, 1 Ph, 50 Hz, dimensions: 350 mm x 400 mm x 400 mm.	100



Nr	Title	Description	Start €
254	NN sink	S/s sink with faucet, dimensions: 800 mm x 700 mm x 1540 mm.	150
255	NN sink	S/s sink with faucet, dimensions: 1060 mm x 745 mm x 2030 mm.	250
256	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. product pump, type: 518, machine number: 21290, year of construction: 2001, 400 V, 50 Hz, 23 A, dimensions: 1550 mm x 1050 mm x 1400 mm.	2000
257	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5774, year of construction: 2003, 230 V, 50 Hz, 0.6 kVa, plastic belt, belt width: 140 mm, total dimensions: 1080 mm x 630 mm x 1600 mm.	50
258	NN fryer	Tiltable fryer, inside dimensions: 800 mm x 700 mm x 200 mm, total dimensions: 1250 mm x 1000 mm x 1100 mm.	500
260	NN tub	S/s tub, dimensions: 1080 mm x 700 mm x 620 mm.	200
261	Leventi	Leventi double stacked combi steamer with hood, 5 and 6 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1050 mm x 900 mm x 2210 mm. Incomplete.	800
262	Hoshizaki	Hoshizaki ice machine, model: IM-30CNE, serial number: E14493, 220-240 V, 50 Hz, 2 A, refrigerant: R134a, 0.13 kg, dimensions: 400 mm x 400 mm x 700 mm.	280
263	Inomak S.A.	Inomak S.A. refrigerator, type: CE2140, number: 020713, 230 V, 50 Hz, 3.8 A, refrigerant: R134a, 0.670 kg, dimensions: 1390 mm x 840 mm x 2070 mm. Damaged.	250
264	NN frame	S/s frame, dimensions: 1130 mm x 1040 mm x 1400 mm.	30
265	NN ham moulds	3 s/s ham moulds, dimensions: (3x) 510 mm x 350 mm x 110 mm.	300
266	Langguth	Langguth can labelling machine, type: hotLAN 310, machine number: 310.0028, year of construction: 2011, s/s belt, belt width: 45 mm, Nordson glue unit, total dimensions: 5950 mm x 1500 mm x 2150 mm.	1000
267	Fomaco	Fomaco injector, type: FGM 48 SC, machine number: 7829, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 17-32 A, 6 bar, (2x) 48 needles, plastic mesh belt, belt width: 400 mm, dimensions injector: 1270 mm x 750 mm x 2200 mm. Including Fomaco mobile filter unit, model: PFS 5/225 CS, machine number: 7831, year of construction: 1999, dimensions filter unit: 1700 mm x 650 mm x 700 mm. Filter unit is incomplete.	500
268	Hajek	Hajek thermoformer, type: VS20/420-100, number: 135227, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 11 kW, film width: 420 mm, dyes: 180 m x 180 mm, total dimensions: 2320 mm x 960 mm x 1770 mm.	4000
269	Ceia	Ceia metal detector, model: T/21E, serial number: 21200247020, year of construction: 2012, 200-240 V, 1 Ph, 50/60 Hz, plastic mesh belt, belt width: 520 mm,	1000



Nr	Title	Description	Start €
		clearance: 540 mm x 260 mm, total dimensions: 1800	
		mm x 1210 mm x 1230 mm.	
270	NN rack	S/s rack, 7 floors, floor dimensions: 990 mm x 920 mm,	75
		total dimensions: 990 mm x 990 mm x 1300 mm.	
271	Rhima/Wexiödisk AB	Rhima/Wexiödisk AB dishwasher with infeed roller	1000
		conveyor, type: WD 211E, number: 037198, year of	
		construction: 2003, 400 V, 3 Ph, 50 Hz, 80 A, 42 kW,	
		dimensions: 3400 mm x 1400 mm x 1800 mm.	
272	Electrolux	Electrolux 2-door freezer, model: RE4142FF, serial	250
		number: 30210002, year of construction: 2013, 230 V, 1	
		Ph, 50 Hz, 4.9 A, refrigerant: R404a, 0.29 kg, dimensions:	
		1430 mm x 840 mm x 2050 mm. Damaged.	
273	Rubbens	Rubbens blast chiller, model: Y4, serial number: 184866,	300
		year of construction: 2019, 220-240 V, 1 Ph, 50 Hz, 2.6 A,	
		refrigerant: R452A, 0.370 kg, dimensions: 720 mm x 510	
		mm x 2080 mm. Damaged.	
274	NN refrigerated	Refrigerated showcase, dimensions: 1100 mm x 720 mm	50
	showcase	x 690 mm.	
275	Selo BV	Selo BV tray denester, type: SL Tray dispenser, serial	200
		number: T113-001-0001, year of construction: 2016, 400	
		V, 3 Ph, 50 Hz, 1.7 kW, 2 lanes, lane width: (2x) 175 mm,	
		total dimensions: 1300 mm x 1050 mm, 1900 mm.	
276	Optima	Optima mobile bag clipping machine, type: CH3A,	150
		fabrication number: 20150, year of construction: 1988,	
		dimensions: 1100 mm x 900 mm x 1050 mm.	
277	Vaiotec	Vaiotec freezer, model: SNACKH400BTV, serial number:	400
		SK2224VG08SAK400B066, 230 V, 50 Hz, 2.7 A,	
		refrigerant: R290, 120 gram, volume: 312 liter,	
		dimensions: 750 mm x 700 mm x 1970 mm. Damaged.	
278	Marvu	Marvu mobile s/s frame, dimensions: 2400 mm x 1000	150
		mm x 1270 mm.	
279	G. Mondini S.p.a.	G. Mondini S.p.a. tray denester with plastic belt, belt	500
		width: 270 mm, total dimensions: 3600 mm x 1800 mm x	
		2160 mm. Technical condition unknown.	
280	Robopack	Robopack box closing machine, model: ROBOTAPE 65 CF,	350
		serial number: KN/046851, year of construction:	
		10/2001, 400 V, 3 Ph, 50 Hz, 1.6 A, 0.6 kW, weight: 253	
		kg, dimensions: 2350 mm x 1200 mm x 2000 mm.	
281	NN drip tray	Plastic drip tray, dimensions: 1530 mm x 740 mm x 190	10
		mm.	
282	Pesutekno	Pesutekno dishwasher, inside dimensions: 1080 mm x	100
		650 mm, total dimensions: 1200 mm x 820 mm x 1720	
		mm.	
283	Marel	Marel film wrapper, model: ARANEA FILM WRAPPER,	1000
		type: WM6201, serial number: AF558971, year of	
		construction: 2019, plastic belt, belt width: 800 mm, seal	
		length: 1200 mm, total dimensions: 1850 mm x 1450 mm	
		x 2150 mm. Including 2 crates with parts.	



Nr	Title	Description	Start €
284	Mammuth	Mammuth mobile foldable engine hoist, capacity: 1000 kg, dimensions: 780 mm x 1500 mm x 580 mm.	300
285	Bunn	Bunn coffee machine, model: CWA-APS, serial number: CW00072262, 220/240 V, 1 Ph, 50/60 Hz, 8.6/9.5 A, 1900/2300 W, dimensions: 210 mm x 500 mm x 620 mm.	10
286	NN knife sharpener	Knive sharpener, dimensions: 430 mm x 380 mm x 280 mm. Incomplete.	50
287	AEW Delford	AEW Delford slicer, model: PolySlicer 3000V, serial number: 1890055, 400 V, 3 Ph, 50 Hz, 40 A, weight: 1100 kg, dimensions: 2800 mm x 1400 mm x 2350 mm. Without outfeed belt.	2500
288	NN heating plate	Wooden counter with s/s heating plate, dimensions: 1000 mm x 800 mm x 700 mm.	100
289	Hoshizaki	Hoshizaki mobile refrigerator, model: RTE-1703A, serial number: F00083, 230 V, 1 Ph, 50 Hz, 2.2 A, 358 W, refrigerant: R134a, 0.245 kg, weight: 134 kg, dimensions: 1700 mm x 700 mm x 850 mm.	350
290	NN dryer	Mobile dryer with plastic wired belt, belt width: 150 mm, clearance: 210 mm x 120 mm, total dimensions: 1410 mm x 600 mm x 1400 mm.	400
291	Beko	Beko 5-pits gas stove with oven, type: G 03H04, 220-240 V, 50 Hz, 15.5 kW, 1127g/h, dimensions: 900 mm x 650 mm x 800 mm.	250
292	NN refrigerated showcase	Refrigerated showcase, dimensions: 2150 mm x 800 mm x 1000 mm.	100
293	T. Freemantle Ltd.	T. Freemantle Ltd. mobile semi automatic pre-glued sleever, model: S11, serial number: 03-178, year of construction: 03-2004, 240 V, 1 Ph, plastic belt, belt width: 250 mm, total dimensions: 4200 mm x 1200 mm x 1700 mm.	500
294	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0259001, year of construction: 2002, 400/230 V, 3 Ph, 50 Hz, 3 kW, dye: (2x) 145 mm x 210 mm, film width: 230 mm, total dimensions: 4550 mm x 700 mm x 1750 mm.	1500
295	VLB	VLB mobile bread slicer, type: BN 45/11, number: 3320, year of construction: 2000, 220-380 V, 50 Hz, 0.37 kW, belt width: 400 mm, total dimensions: 1550 mm x 700 mm x 1400 mm.	350
296	NN trolleys	2 s/s trolleys, each 4 floors, floor dimensions: (4x) 1500 mm x 1000 mm, total dimensions (2x): 1500 mm x 1120 mm x 2200 mm.	50
297	Kortho	Kortho label printer in s/s cabinet, type: 809518, dimensions: 960 mm x 750 mm x 1670 mm.	40
298	NN tub	Mobile s/s tub, dimensions: 1320 mm x 680 mm x 850 mm.	200
299	Webomatic	Webomatic mobile vacuum machine, seal length: 420 mm, chamber dimensions: 420 mm x 450 mm, total	500



Nr	Title	Description	Start €
		dimensions: 500 mm x 620 mm x 950 mm. Seal	
		damaged.	
300	Komet	Komet mobile vacuum machine, type: I300, machine	500
		number: 269 94 88, 220/380 V, 16 A, 1.1 kW, seal length:	
		400 mm, chamber dimensions: 400 mm x 540 mm, total	
		dimensions: 490 mm x 700 mm x 950 mm.	
301	NN crumbling	Mobile crumbling machine, dimensions: 950 mm x 1200	500
	machine	mm x 1900 mm.	
302	NN mixer	S/s mixer, model: TR200, 380 V, 3 Ph, 50 Hz, 6 A, volume:	350
		20 liter, total dimensions: 340 mm x 400 mm x 770 mm.	
303	Rosieres	Rosieres grill, dimensions: 640 mm x 640 mm x 540 mm.	100
304	Youngsunpack	Youngsunpack box closing machine, type: MH-FJ-1A,	30
		serial number: 130508C S1-03, year of construction:	
		2012/2013/2014, 220 V, 1 Ph, 50 Hz, 600 W, aluminium	
		rollers, roller width: (14x) 280 mm and (8x) 680 mm,	
		total dimensions: 1100 mm x 800 mm x 900 mm.	
		Incomplete.	
305	Eurogrill	Eurogrill rotary grill, model: TGW 50, serial number:	250
		1120072, year of construction: 1997, 400 V, 4500 W, 50	
		Hz, 10,6 A, 3 floors, dimensions each floor: 320 mm x 350	
		mm, total dimensions: 1000 mm x 500 mm x 700 mm.	
306	Fri-Jado b.v	Fri-Jado b.v mobile rotary grill, model: STG5-P, number:	300
		100027081, year of construction: 2005, 400/230 V, 50/60	
		Hz, 9 A, 6100 W, dimensions: 900 mm x 650 mm x 1750	
		mm.	
307	NN refrigerator	Refrigerator, dimensions: 2370 mm x 740 mm x 730 mm.	450
308	Maja	Part for Maja Maschinenfabrik ice machine, dimensions:	25
	Maschinenfabrik	740 mm x 180 mm x 1020 mm.	
309	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width:	250
		250 mm, elevating height: 1700 mm, total dimensions:	
		1800 mm x 450 mm x 1750 mm.	
310	Karl Schnell GmbH &	Karl Schnell GmbH & Co. mobile emulsifier, type: 212,	1500
	Co.	machine number: 17987, year of construction: 1999,	
		dimensions: 770 mm x 750 mm x 1770 mm.	
311	NN plastic work tops	S/s trolley with 16 plastic work tops, dimensions work	300
		tops: (14x) 1000 mm x 600 mm x 20 mm, (1x) 950 mm x	
		550 mm x 40 mm and (1x) 420 mm x 550 mm x 40 mm,	
		dimensions trolley: 700 mm x 700 mm x 1280 mm.	
312	Cretel	Cretel mobile skinning machine, type: SB46, serial	350
		number: 2041188, year of construction: 2004, 230-400 V,	
		3 Ph, 50 Hz, 3.8-2.2 A, 0.75 kW, working width: 435 mm,	
		total dimensions: 750 mm x 500 mm x 990 mm.	
313	Handtmann	Handtmann mobile linker, type: 115-21, number: 677,	500
		year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5	
		kW, dimensions: 1300 mm x 700 mm x 1250 mm.	
		Incomplete.	
314	Bizerba	Bizerba slicer, dimensions: 600 mm x 900 mm x 500 mm.	100
		1	



e: 75  V, 50 Hz, ors, I maged.  umber: GF V, 1 Ph, 50 os 430 mm
maged. umber: GF 50 /, 1 Ph, 50
maged. umber: GF 50 /, 1 Ph, 50
maged. umber: GF 50 /, 1 Ph, 50 is
umber: GF 50 /, 1 Ph, 50
/, 1 Ph, 50 ns
ns ,
430 mm
umber: 200
, 2 doors,
SLMU, 200
ction:
erant:
mm.
er: 261/1, 10
al
er: 337, 500
2.5 kW,
ls and 1 150
s: 1000 500
50 mm x
NG and 800
57829,
r
ns: 1000
printer, 25
240 V,
reight: 100
mm x 350
del: DIBAL 50
naximum
gram, T=
80 mm.
53, 400 V, 180
50 mm.
er: 300
rigerant:
400 mm.



Nr	Title	Description	Start €
328	Robot Coupe S.A.	Robot Coupe S.A. cutter, type: R 25 a, number: 70/10 375, year of construction: 1996, 220/380 V, 3 Ph, 50 H, 10.7/18.5 A, 3500/4500 Watt, volume: 25 liter, dimensions: 790 mm x 400 mm x 880 mm.	1000
329	K+G Wetter	K+G Wetter paddle mixer, type: 440/200 Ltr., machine number: 440/1006, year of construction: 2001, 400 V, 50 Hz, 5.6 A, 2.4 kW, dimensions: 1800 mm x 1000 mm x 2310 mm.	2500
330	NN plastic belt	Plastic belt, belt width: 225 mm, length: 1020 mm.	10
331	NN cabinet	Mobile s/s cabinet, dimensions: 1500 mm x 750 mm x 1700 mm.	300
332	NN slicer	Slicer on table with plastic worktop, dimensions: 1900 mm x 600 mm x 850 mm.	25
334	Omori Europe B.V.	Omori Europe B.V. flowpacker, type: S-5015EU-BX, serial number: X18228, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 10 kW, weight: 1500 kg, seal length: 250 mm, plastic outfeed belt, belt width: 180 mm, total dimensions: 3900 mm x 1100 mm x 1850 mm.	2000
335	Electrolux	Electrolux combi steamer, type: Air-O-Steam, model: A0S061ETA1, serial number: 04304005, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 15 A, 10.1 A, dimensions: 900 mm x 900 mm x 850 mm.	850
336	NN grill	Grill, dimensions: 800 mm x 400 mm x 500 mm.	100
337	Gram	Gram mobile refrigerator, type: K 610 RG C 4N, serial number: 10012444, 230 V, 50 Hz, 1.50 A, 291 W, refrigerant: R600a, 102 gram, dimensions: 700 mm x 870 mm x 2000 mm.	200
338	NN sink	S/s sink with faucet, dimensions: 450 mm x 500 mm x 1000 mm.	200
339	Gastrotec	Gastrotec s/s sink with faucet, dimensions: 1300 mm x 710 mm x 1150 mm. Faucet is broken.	150
340	Ceia	Ceia mobile metal detector, model: THS, serial number: 20500202026, 230 V, 50-60 Hz, clearance: 600 mm x 300 mm, plastic mesh belt, belt width: 275 mm, total dimensions: 1800 mm x 1200 mm x 1380 mm.	1500
341	Talleres Vall SA	Talleres Vall SA cutter, number: 501, bowl diameter: 670 mm, total dimensions: 1000 mm x 880 mm x 1150 mm.	1500
342	Rohema Maschinenbau GmbH	Rohema Maschinenbau GmbH mobile hanging line for sausages, dimensions: 2200 mm x 1200 mm x 1600 mm.	250
343	Loma Systems	Loma Systems mobile metal detector with rejector, year of construction: 1997, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 120 mm, total dimensions: 2200 mm x 1200 mm x 1100 mm.	750
344	Fanuc	Fanuc palletizing robot with part for palletising system, pallet size: 1200 mm x 1000 mm x 145 mm, system: R-J3IC, type robot: A05B-2513-B010, dimensions robot:	1000



Nr	Title	Description	Start €
		2950 mm x 1200 mm x 2290 mm, dimensions platform:	
		1700 mm x 1550 mm x 1700 mm.	
345	Foster	Foster mobile refrigerator with 4 drawers, type: G2,	450
		model: EP2/2H, serial number: E5370939, refrigerant:	
		R290, 150 g, 230 V, 1 Ph, 50 Hz, 2.4/10 A, 305 W,	
		dimensions: 1830 mm x 800 mm x 830 mm.	
346	Scanveagt	Scanveagt weighing scale with indicator, type indicator:	50
		411, serial number: BPE02571, type receptor: 1025.30,	
		serial number: BPE02571, maximum weight: 60 kg,	
		minimum weight: 0.4 kg, e= 20 gram, dimensions: 560	
		mm x 600 mm x 700 mm.	
347	Maxima	Maxima refrigerated showcase, model: MSHC98LW,	80
		serial number: 2107050299, 230 V, 1 Ph, 50 Hz, 180 W,	
		refrigerant: R600a, volume: 98 liter, dimensions: 430 mm	
		x 370 mm x 1100 mm.	40-
348	Mondial Group S.r.l.	Mondial Group S.r.l. refrigerated showcase, type:	120
		E6106M0100, number: 626RA14002, 220/240 V, 50 Hz,	
		4.5 A, 940 W, refrigerant: R507, total dimensions: 600 mm x 980 mm x 2020 mm.	
349	Cigo	Giga grill, dimensions: 600 mm x 600 mm x 600 mm.	100
	Giga		
350	IPSO	IPSP washing machine, model: IXU065XCHXU10, type:	350
		HD 65, serial number: 14030AB0055, 200-240 V, 50/60 Hz, 10 A. weight: 212 kg, dimensions: 680 mm x 660 mm	
		x 1030 mm.	
351	Electrolux	Electrolux washing machine, model: EW170P, type:	250
331	Licetiolax	FLI0641B5, serial number: 810 00002, 230 V, 50 Hz, 10 A,	230
		2200 Watt, dimensions: 600 mm x 625 mm x 850 mm	
352	Tipper Tie	Tipper Tie Technopack mobile labelling system, type: Tag	200
	Technopack	print TD-60, serial number: TD0049, year of construction:	
		2018, 240 V, 50-60 Hz, 2 A, dimensions: 600 mm x 600	
		mm x 1350 mm.	
353	NN table	S/s table with drawer, dimensions: 700 mm x 520 mm x	150
		1000 mm.	
354	NN film roll holder	Mobile film roll holder, arm length: 280 mm, total	5
		dimensions: 630 mm x 500 mm x 980 mm.	
355	Nayati	Nayati electric teppanyaki grill, model: NETY 8.1 J, serial	50
		number: A20708AE003BDS, 8.1 kW, dimensions: 900 mm	
		x 500 mm x 140 mm.	
356	NN vacuum machine	Table model vacuum machine, seal length: (1x) 260 mm,	100
		dimensions chamber: 390 mm x 285 mm, total	
		dimensions: 500 mm x 340 mm x 400 mm. Missing cover.	<u> </u>
357	Teraoka Seiko Co.,	Teraoka Seiko Co., LTD weighing scale, model: S-WP,	5
250	LTD	serial number: 12612669, max: 6 kg. Incomplete.	10
358	PBI Dansensor	PBI Dansensor gas mixing station, type: module TGC-2	10
		122, serial number: 33030583, year of construction:	
		2003, 207-253 VAC, 50/60 Hz, dimensions: 460 mm x 360	
250	Doub.elean	mm x 300 mm.	75
359	Bartscher		75



Nr	Title	Description	Start €
		Bartscher grill, type: AT-360B, year of construction: 2019, 230 V, 50 Hz, 3000 Watt, electric heated, dimensions: 440 mm x 250 mm x 400 mm.	
360	NN cooking vessel	Mobile cooking vessel, inside dimensions: Ø 700 mm x 520 mm, total dimensions: 850 mm x 1150 mm x 1050 mm.	450
361	Avery Berkel	Avery Berkel weighing scale with indicator and label printer, model: MO200, 220-240 V, 50/60 Hz, 0.75 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T = -2 kg, dimensions scale: 350 mm x 250 mm, total dimensions: 470 mm x 400 mm x 610 mm.	10
362	Porkka	Porkka refrigerator, type: TFUR720C-SS C 720 R/R OIK, number: 200527-144652.001, 230 V, 50 Hz, 334 Watt, refrigerant: R-134a, 375 gram, dimensions: 850 mm x 710 mm x 1980 mm.	150
363	NN frame	S/s frame, dimensions: 800 mm x 610 mm x 510 mm.	40
364	Tipper Tie Technopack	Tipper Tie Technopack mobile labelling system, type: Tag print TD-60, serial number: TD0045, year of construction: 2017, 240 V, 50-60 Hz, 2 A, dimensions: 600 mm x 600 mm x 1350 mm.	200
365	NN vacuum machine	Mobile vacuum machine with vacuum pump, seal length: 450 mm, chamber dimensions: 850 mm x 460 mm, total dimensions: 950 mm x 570 mm x 910 mm.	550
366	Hoshizaki	Hoshizaki refrigerator, inside dimensions: 520 mm x 650 mm x 1300 mm, dimensions: 840 mm x 660 mm x 2000.	350
367	NN refrigerated showcase	Mobile refrigerated showcase, dimensions: 1100 mm x 680 mm x 1850 mm.	150
368	C.R.M. srl	C.R.M. srl mobile hamburger forming machine on s/s trolley with plastic top, machine type: PLANUS H 200/94, serial number: 260, year of construction: 06-1997, 230 V, 0.37 kW, diameter form: 100 mm, belt width: 150 mm, total dimensions: 970 mm x 740 mm x 1630 mm.	500
369	NN portioning belt	Mobile portioning belt, s/s frame, plastic belt, belt width: 150 mm, total dimensions: 1750 mm x 700 mm x 1400 mm.	500
370	Kolbe	Kolbe mobile mixer-grinder, type: MWE 32, serial number: 125941, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 6.6 kW, weight: 480 kg, plate diameter: 98 mm, dimensions: 1350 mm x 770 mm x 1350 mm.	1500
371	Charot	Charot boiler, serial number: 229-98-2, year of construction: 09-93, 400 V, 48 kW, dimensions: 780 mm x 600 mm x 1800 mm.	500
372	Danfoss	Danfoss outside cooling unit, type: OP-MPHM026AJP00E, serial number: 028248CG4414, 400 V, 3 Ph, 50 Hz, dimensions: 1100 mm x 450 mm x 830 mm.	200
373	Intray	Intray placing belt, type: easy loader, serial number: H-15015, year of construction: 2015, 230 V, 50 Hz, s/s	500



Nr	Title	Description	Start €
		frame, plastic belt, belt width: 370 mm and 375 mm,	
		total dimensions: 1750 mm x 950 mm x 1080 mm.	
374	EFM machinery	EFM machinery filling and lid closing machine, type: 01,	500
		serial number: 1511, year of construction: 2007, chain	
		belt, belt width: 40 mm, lid diameter: 80 mm, total	
		dimensions: 3100 mm x 750 mm x 2050 mm.	
375	NN cup filling and	Cup filling and sealing machine, diameter cups, 105 mm,	3000
	sealing machine	belt width: 120 mm, total dimensions: 1300 mm x 2100	
		mm x 2350 mm. Including pallet with parts.	
376	NN netting device	Netting device, diameter: 190 mm, total dimensions: 260	50
		mm x 440 mm x 440 mm.	
377	True	True mobile refrigerator, model: TS-23G-2, serial number:	75
		7681744, 230 V, 50 Hz, 4 A, refrigerant: R134A, 0.34 kg,	
		dimensions: 690 mm x 800 mm x 2070 mm.	4000
378	Thermo Scientific	Thermo Scientific checkweigher for cans with s/s switch	1000
		cabinet, model: VW 8120 EU, serial number: 9228, year	
		of construction: 2011, 230 V, 50 Hz, 1.2 KVA, chain belt,	
		clearance: 95 mm, dimensions checkweigher: 4350 mm x 750 mm x 1620 mm, dimensions switch cabinet: 800 mm	
		x720 mm x 1810 mm, dimensions switch cabinet: 800 mm	
379	Ziagra Fismasahinan	Ziegra-Eismaschinen flake ice machine with BWT water	450
3/9	Ziegra-Eismaschinen	softener, type: ZBE 350 EV, serial number: 140352, 400 V,	450
		3 Ph, 50 Hz, 6 A, refrigerant: R744, dimensions: 700 mm x	
		750 mm x 1600 mm.	
380	Helmac Srl	Helmac Srl weighing scale with label printer, model: GP1	50
300	Tremide 511	AP, serial number: 0232906342, 220/250 V, maximum	30
		weight: 12/30 kg, minimum weight: 0.04 kg, e= 2/5 kg,	
		T= -12 kg, Lim: 54 kg, dimensions: 440 mm x 370 mm x	
		560 mm.	
381	CZB	CZB weighing scale with label printer, model: EQUA 5000,	50
		serial number: 120950249, 110/230 V, 50/60 Hz, 24 W,	
		maximum capacity: 12 kg, minimum capacity: 40 g, e= 2	
		g, T = -9.998 kg, dimensions: 500 mm x 360 mm x 480	
		mm.	
382	Grupo Epelsa SL	Grupo Epelsa SL, weighing scale with indicator, model:	50
		D.XAL, serial number: 7102352, 220-230 V, maximum	
		weight: 60 kg, minimum weight: 400 g, scale dimensions:	
		600 mm x 600 mm, total dimensions: 700 mm x 650 mm	
		x 1100 mm.	
383	Edlund	Edlund can opener, dimensions: 250 mm x 320 mm x 700	100
		mm.	
384	Danfoss	Danfoss outside cooling unit, type: OP-MPHM026AJP00E,	200
		serial number: 027931CG4114, 400 V, 3 Ph, 50 Hz,	
		dimensions: 1100 mm x 450 mm x 830 mm.	
385	Franstal	Franstal refrigerator, serial number: 141025007, 220-230	40
		V, 50 Hz, 2,8 A, refrigerant: R404a, 400 gram, dimensions:	
	<u> </u>	870 mm x 700 mm x 700 mm. Missing cover.	
386	Diamond		250



Nr	Title	Description	Start €
		Diamond refrigerator, 3 doors, model: TS3N/L, serial number: 1737.0006, 220-240 V, 50-60 Hz, refrigerant:	
387	Maxima	R404a, dimensions: 1600 mm x 700 mm x 900 mm.  Maxima double fryer, 230 V, 1 Ph, 50 Hz, 6500 Watt, volume: (2x) 8 liter, dimensions: 600 mm x 450 mm x 400	50
388	Tekno-Lam	mm.  Tekno-Lam heated cabinet, serial number: KTC2015, 230 V, 50 Hz, 10.86 A, 2500 W, dimensions: 1600 mm x 700 mm x 850 mm.	350
389	NN sink	S/s sink with faucet, dimensions: 1200 mm x 750 mm x 1800 mm.	150
390	Liebherr	Liebherr refrigerator, type: K 2714 Indez 20A/001, number: 9970803-01, 220-240 V, 50 Hz, 110 W, volume: 263 liter, refrigerant: R600 a : 26g, dimensions: 550 mm x 620 mm x 1400 mm.	50
391	Bosgraaf	Bosgraaf s/s writing desk, dimensions: 600 mm x 550 mm x 1200 mm. Damaged	100
392	Aqualex	Aqualex water cooler and hot boiler, model: JCLASS IN 45 IB ACWG and HOT BOILER EVO, dimensions: 260 mm x 400 mm x 400 mm and 200 mm x 300 mm x 400 mm.	100
393	Wiesheu GmbH	Wiesheu GmbH mobile combi steamer, type: M216CR+TS350+P.C1, number: 62678, year of construction: 1999, 400 V, 50 Hz, 18.6 kW, 10 floors, dimensions each floor: 520 mm x 330 mm, total dimensions: 950 mm x 870 mm x 2050 mm.	750
394	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
395	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
396	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
397	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
398	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
399	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
400	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
401	NN smoke trolleys		500



Nr	Title	Description	Start €
		5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	
402	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
403	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
405	Ilapak Italia S.p.a.	Ilapak Italia S.p.a. flowpacker, type: UNO, serial number: 061 96, year of construction: 4/1996, 380 V, 50 Hz, 5000 W, plastic infeed belt with dividers, belt width: 100 mm, divider height: 55 mm, distance between dividers: 430 mm, seal width: 250 mm, plastic outfeed belt, belt width: 240 mmm, total dimensions: 5900 mm x 1300 mm x 1310 mm.	1000
406	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
407	NN smoke trolleys	4 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1960 mm.	400
408	NN smoke trolleys	4 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1960 mm.	400
409	NN smoke trolleys	5 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1960 mm.	500
410	NN smoke trolleys	7 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (7x) 1020 mm x 1000 mm x 1980 mm.	700
411	NN smoke trolleys	5 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1960 mm.	500
412	NN smoke trolleys	4 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1960 mm.	400
413	NN smoke trolleys	S/s smoke trolley, 5 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: 1020 mm x 1000 mm x 1980 mm.	100
414	NN smoke trolleys	S/s smoke trolley, 5 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: 1020 mm x 1000 mm x 1980 mm.	100
415	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1980 mm.	400
416	NN smoke trolleys		400



Nr	Title	Description	Start €
		4 s/s smoke trolleys, 6 floors, dimensions each floor:	
		1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x	
		1000 mm x 1980 mm.	
417	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, dimensions each floor:	400
		1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x	
		1000 mm x 1980 mm.	
418	NN smoke trolleys	2 s/s smoke trolleys, 6 floors, dimensions each floor:	200
		1010 mm x 1000 mm, total dimensions: (2x) 1020 mm x	
		1000 mm x 1980 mm.	
419	NN lifter for pallet	S/s lifter for pallet boxes, lifting height: 2600 mm,	150
	boxes	capacity: 300 kg, total dimensions: 1200 mm x 1700 mm	
		x 3500 mm.	
420	NN tub	S/s tub with sensor, dimensions: 500 mm x 480 mm x	50
		1150 mm.	
421	Fans & Blowers Ltd	Fans & Blowers Ltd blower, type: 560 BCZ2, serial	150
		number: CC 179 /1, year of construction: 14/10/2021,	
		weight: 160 kg, dimensions: 1250 mm x 950 mm x 940	
		mm.	
422	Herbert	Herbert weighing machine with labeller, type: IH500,	150
		maximum: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, T	
		= -1.000 kg, dimensions: 900 mm x 550 mm x 1600 mm.	
423	Mettler-Toledo	Mettler-Toledo GmbH pipe line metal detector, diameter	100
	GmbH	clearance: 150 mm, total dimensions: 450 mm x 450 mm	
		x 500 mm.	
424	NN frame	S/s wall mounted frame, dimensions: 530 mm x 320 mm	5
		x 170 mm.	
425	NN pump	Pump, dimensions: 700 mm x 300 mm x 300 mm.	50
426	Flexicon	Flexicon depositor, dimensions: 1100 mm x 500 mm x 300 mm.	75
427	NN rack	S/s rack, dimensions: 1420 mm x 250 mm x 1100 mm.	50
428	NN sink	S/s sink with faucet, dimensions: 1200 mm x 600 mm x	40
		850 mm.	
429	IPSO	IPSO washing machine, model: BF3JXASG403EN01, serial	1000
		number: 1605020085, 400 V, 3 Ph, 50 Hz, 9.8 A, 4800	
		Watt, dimensions: 730 mm x 680 mm x 1110 mm.	
430	NN depositor	Mobile s/s depositor, dimensions: 1350 mm x 820 mm x	250
		1040 mm.	
431	Bosgraaf	Bosgraaf mobile s/s writing desk, dimensions: 600 mm x	150
		550 mm x 1200 mm.	
432	Holland Techno	Mobile container with 4 Holland Techno Group gas	5
	Group	cylinders, dimensions each cylinder: Ø 260 mm x 1380	
		mm, total dimensions container: 820 mm x 700 mm x	
		1700 mm.	
433	Unox	Unox combisteamer, type: XBC404, serial number: 353, 4	500
		floors, dimensions each floor: 360 mm x 600 mm, total	
		dimensions: 860 mm x 560 mm x 700 mm.	
434	Unox		500



Nr	Title	Description	Start €
		Unox combisteamer, type: XBC405E, serial number:	
		2014C0020325, 4 floors, dimensions each floor: 360 mm	
		x 600 mm, total dimensions: 860 mm x 560 mm x 700	
		mm.	
435	Unox	Unox combisteamer, type: XBC405E, serial number:	650
		2015C0016006, 4 floors, dimensions each floor: 360 mm	
		x 600 mm, total dimensions: 860 mm x 560 mm x 700	
426	Turkana	mm.	250
436	Turbovac	Turbovac vacuum machine, model: T40, serial number: 20210450, year of construction: 2010, 220-240 V, 1 Ph,	250
		50/60 Hz, seal length: 430 mm, chamber dimensions:	
		450 mm x 400 mm, Busch vacuum pump, type: KB 0016	
		E, capacity: 19 m³ per hour, total dimensions: 550 mm x	
		500 mm x 430 mm.	
437	Polar	Polar 3-doors refrigerator, model: G622, 230 V, 50 Hz, 1.3	150
		A, refrigerant: R600a, 100 gram, dimensions: 1370 mm x	
		700 mm x 900 mm.	
438	Polar	Polar 3-doors refrigerator, model: G622, 230 V, 50 Hz, 1.3	150
		A, refrigerant: R600a, 100 gram, dimensions: 1370 mm x	
		700 mm x 900 mm.	
439	Bosgraaf	Bosgraaf s/s writing desk, dimensions: 600 mm x 550 mm	100
		x 1200 mm.	
440	Classeq	Classeq washing machine, type: HYDRO 857, dimensions:	100
		850 mm x 750 mm x 1530 mm. Incomplete.	
441	NN table	S/s table, dimensions: 2100 mm x 920 mm x 940 mm.	200
442	NN tenderizer	Mobile tenderizer, working width: 210 mm, total	1100
		dimensions: 1050 mm x 530 mm x 1600 mm.	
443	Carver	Carver compression molding press, model: CMG75H-24-	2500
		CX-CE, serial number: 210499, year of construction:	
		02-2022, 415 V, 3 Ph, 50 Hz, 15000 Watt per plate,	
		weight: 3036 kg, dimensions: 1550 mm x 1550 mm x	
		2000 mm.	
444	NN skinning machine	Mobile skinning machine, working width: 500 mm, total	500
445	104	dimensions: 900 mm x 660 mm x 980 mm.	4566
445	Mado	Mado bandsaw, model: Selekta 3, dimensions: 900 mm x	1500
446	Character	900 mm x 2000 mm. Missing saw blade.	F0
446	Strapex	Strapex mobile strapping machine, type: SMG 15, serial	50
		number: 151387, year of construction: 2013, 230 V, 1 Ph,	
		50 Hz, 2.2 A, 520 Watt, clearance: 650 mm x 500 mm, total dimensions: 900 mm x 600 mm x 1450 mm.	
447	KJ Plast JAN KAC	KJ Plast JAN KAC tilting device for pallet boxes, model:	1000
44/	NJ PIOSE JAIN NAC	Eroloader, number: 01/04/2015, year of construction:	1000
		2015, 400 V, 2.2 kW, weight: 280 kg, loading capacity:	
		750 kg, lifting height: 1100 mm, total dimensions: 1850	
		mm x 1500 mm x 1400 mm.	
448	Top Cold	Top Cold refrigerated counter, model: TCTP-7-180-30 SP,	300
7-70	Top cold	serial number: 1711220277P, year of construction: 2017,	300
		50 Hz, refrigerant: R-134a, 370 gram, floor dimensions:	
	I	30 112, 1611 Berailt. 11-13-14, 370 Braill, 11001 difficisions.	l



Nr	Title	Description	Start €
		570 mm x 330 mm, total dimensions: 1800 mm x 700	
		mm x 900 mm.	
449	Top Cold	Top Cold refrigerated counter, model: TCTP-7-180-30 SP,	300
		serial number: 1711220269P, year of construction: 2017,	
		50 Hz, refrigerant: R-134a, 370 gram, floor dimensions:	
		570 mm x 330 mm, total dimensions: 1800 mm x 700	
		mm x 900 mm.	
450	Top Cold	Top Cold refrigerated counter, model: TCTP-7-180-30 SP,	350
		serial number: 1711220270P, year of construction: 2017,	
		50 Hz, refrigerant: R-134a, 370 gram, floor dimensions:	
		570 mm x 330 mm, total dimensions: 1800 mm x 700	
		mm x 900 mm.	
451	Capitol	Capitol refrigerated showcase, 5 floors, floor dimensions:	250
		(5x) 1500 mm x 400 mm, total dimensions: 1600 mm x	
		750 mm x 2050.	
452	LEDA technologies	LEDA technologies eggs oven, type: POLLUX 60 R01,	200
		serial number: SNPX60PXPX07210503, inside	
		dimensions: 500 mm x 320 mm x 95 mm, total	
		dimensions: 620 mm x 600 mm x 250.	
453	EGGcellent	EGGcellent Foodservice GmbH oven for eggs, type:	200
	Foodservice GmbH	POLLUX 60, serial number: SNP60PX0800N1143, 3x400 V,	
		3 Ph, 5 kW, inside dimensions: 500 mm x 320 mm x 95	
		mm, total dimensions: 620 mm x 600 mm x 250.	
454	Alto Shaam	Alto Shaam heated cabinet, model: 500-1D, serial	300
		number: 1985323-000, year of construction: 18/05/17,	
		230 V, 1 Ph, 50/60 Hz, 590 Watt, dimensions: 670 mm x	
		620 mm x 295 mm.	
455	NN sink	S/s sink, dimensions: 750 mm x 700 mm x 530 mm.	50
456	Diamond	Diamond refrigerator with 9 drawers, model: TG4N/H-R2,	500
		serial numberL 2007.0005, 230 V, 50 Hz, 1 A, 250 W,	
		refrigerant: R290, 0,080 kg, floor dimensions: 520 mm x	
		320 mm, inside dimensions: (9x) 520 mm x 300 mm x 95	
		mm, total dimensions: 2250 mm x 700 mm x 760 mm.	
457	Antoine	Antoine refrigerator, type: 1540 2DX SF, number: 112662	150
		273358, yar of construction: 2017, 230 V, 50 Hz, 3.16 A,	
		0.49 kW, refrigerant: R134a, 140 gram, floor dimensions:	
		490 mm x 390 mm, total dimensions: 1550 mm x 560	
		mm x 850 mm.	
458	Diamond	Diamond refrigerator, model: DT131/R2, serial number:	250
		180879, year of construction: 2019, 200 W, refrigerant:	
		R290, 0.075 kg, floor dimensions: 550 mm x 330 mm,	
		total dimensions: 1300 mm x 700 mm 860 mm.	
459	Leventi	Leventi combi steamer, model: Combimat Mk3.1 MM 3B	350
		6PL, number: 019040033, 3 x 380/415 V, 3 Ph, 50 Hz, 16	
		A, 9.5 kW, 6 floors, floor dimensions: (6x) 550 mm x 400	
		mm, total dimensions: 965 mm x 850 mm x 800 mm.	
460	Hoshizaki	Hoshizaki ice machine, model: FM-12EE, serial number:	400
	1	K21534, 220/240 V, 50 Hz, 3.5 A, weight: 71 kg,	I



Nr	Title	Description	Start €
		refrigerant: R134a, 0.150 kg, dimensions: 650 mm x 650 mm x 800 mm.	
461	Franstal	Franstal refrigerator, type: FSANE7-0P4H, 230 V, 50 Hz, 1.2 A, 210 Watt, refrigerant: R290, 0.08 kg, 20 floors, floor dimensions: (20x) 635 mm x 525 mm, total dimensions: 800 mm 690 mm x 2000 mm.	750
462	Leventi	Leventi combi steamer with s/s trolley , model: CM 1.20 MM BDI ME, serial number: 16 05 67127, 400 V, 3 Ph, 50/60 Hz, 36 kW, total dimensions: 910 mm x 910 mm x 2150 mm, s/s trolley, 20 floors, floor dimensions: (20x) 600 mm x 400 mm.	1400
463	Leventi	Leventi combi steamer, model: Combimat, 10 floors, floor dimensions: (10x) 550 mm x 390 mm, total dimensions: 980 mm x 950 mm x 1750 mm.	400
464	Rational	Rational combi steamer with s/s trolley, model: ClimaPLus Combi CPC 201, serial number: E21CD02111079329, 400 V, 50 Hz, electric heated, s/s trolley, 20 floors, dimensions floors: (20x) 530 mm x 330 mm, dimensions trolley: 850 mm x 540 mm x 1800, total dimensions: 1000 mm x 900 mm x 1900 mm.	1400
465	NN mixer	Mixer with s/s bowl, bowl: Ø 245, total dimensions: 500 mm x 370 mm x 650 mm.	250
466	NN chairs	Large amount of wooden chairs approximately: 60 pieces.	350
467	Hoshizaki	Hoshizaki ice machine, model: IM-45CLE, serial number: G11628, 220/240 V, 50 Hz, 370 Watt, weight: 54 kg, refrigerant: R134a, 0.210 kg, dimensions: 630 mm x 500 mm x 700 mm.	300
468	Hoshizaki	Hoshizaki ice machine, model: IM-65LE, serial number: R05380, 220/240 V, 50 Hz, 550 Watt, weight: 63 kg, refrigerant: R134a, 0.230 kg, dimensions: 630 mm x 500 mm x 900 mm.	200
469	Hoshizaki	Hoshizaki ice machine, model: IM-45NE, serial number: F01293, 220/240 V, 50 Hz, 2.7 A, weight: 46 kg, refrigerant: R134a, 0.16 kg, dimensions: 500 mm x 440 mm x 850 mm.	250
470	NN table	S/s table with opening, top dimensions: 1100 mm x 450 mm, opening: Ø 160 mm, total dimensions: 1100 mm x 450 mm x 920 mm.	50
471	Diamond	Diamond dishwasher, model: 051/6M, serial number: 2965950, year of construction: 05/11/2018, 230 V, 1 Ph, 50 Hz, 16 A, 3.5 kW,	250
472	Salvis	Salvis salamander grill, type: HL-C, serial number: 446747-BZ 1, year of construction: 2016, 400 V, 2 Ph, 50/60 Hz, 4.6 kW, dimensions heater: (2x) 295 mm x 160 mm, plate dimensions: 480 mm x 330 mm, total dimensions: 600 mm x 530 mm x 445 mm.	220
473	Salvis		220



Nr	Title	Description	Start €
		Salvis salamander grill, type: HL-C, serial number: 454614-BZ 1, year of construction: 2017, dimensions	
		heater: (2x) 295 mm x 160 mm, plate dimensions: 480 mm x 330 mm, total dimensions: 600 mm x 530 mm x 445 mm.	
474	Salvis	2 Salvis salamander grill, type: HL-C, serial number: 446812-BZ 1 and 419230-BZ 1, year of construction: 2016 and 2011, dimensions heater: (4x) 295 mm x 160 mm, plate dimensions: (2x) 480 mm x 330 mm, total dimensions: (2x) 600 mm x 530 mm x 445 mm.	450
475	Hoshizaki	Hoshizaki ice machine, model: IM-45NE, serial number: E01208, 220/240 V, 50 Hz, 3 A, weight: 46 kg, refrigerant: R134a, 0.16 kg, dimensions: 500 mm x 450 mm x 850 mm.	250
476	Giorik	Giorik combi steamer, 400 V, 3 Ph, 50 Hz, 6 floors, floor dimensions: 510 mm x 330 mm, total dimensions: 850 mm x 850 mm x 830 mm.	550
477	Franstal	Franstal combi steamer, type: CLASAGB101/17, number: LA020151670, year of construction: 2019, 230 V, 50 Hz, 0.55/1 kW, dimensions: 950 mm x 900 mm x 1750 mm.	950
478	NN outfeed table	S/s outfeed table, dimensions: 750 mm x 700 mm x 1050 mm.	50
479	Liebherr	Liebherr freezer, serial number: 86.445.735.4, 220/240 V, 50 Hz, 0.6 A, 143 liter, refrigerant: R600a, 0.49 gram, 3 floors, floor dimensions: 470 mm x 430 mm, total dimensions: 650 mm x 600 mm x 850 mm.	250
480	Parise Compressori	Parise Compressori air compressor, model: P150 CT, serial number: L1867/11, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.2 kW, dimensions: 1350 mm x 500 mm x 900 mm.	100
481	Hobart	Hobart dishwasher, serial number: 86588994, 50 Hz, 14.7/21.8 A, 7/4.9 kW, inside dimensions: 500 mm x 500 mm x 400 mm, total dimensions: 760 mm x 850 mm x 1520 mm.	250
482	Rosinox	Rosinox gas heated grill, dimensions heated surface: 640 mm x 400 mm, total dimensions: 650 mm x 650 mm x 500 mm.	150
483	Garbin	Garbin oven, model: 104 PE VAP, serial number: 104000, year of construction: 10/08/25, 400 V, 3 Ph, 50-60 Hz, 13.7 kW, 10 floors, floor dimensions: (10x) 600 mm x 400 mm, total dimensions: 970 mm x 830 mm x 1100 mm.	350
484	Foster	Foster blast chiller, model: BCT36, serial number: E5384250, 230 V, 50 Hz, 1 Ph, 13.5 A, 2130 W, refrigerant: R404A/2700 g, nominal capacity: 36 kg, 3 floors, floor dimensions: 520 mm x 330 mm, total dimensions: 700 mm x 860 mm x 1890 mm.	750
485	Diamond		250



Nr	Title	Description	Start €
		Diamond dishwasher, inside dimensions: 500 mm x 500 mm x 360 mm, total dimensions: 580 mm x 610 mm x 820 mm.	
486	Kitchen Concept	Kitchen Concept s/s table, hole diameter: 205 mm, total dimensions: 1200 mm x 700 mm x 870 mm.	50
487	Afinox	Afinox blast chiller, model: Infinity 8T RU EF GFMULTIFUN+EVO 230V, serial number: 4007156001, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 8.62 A, 900 W, refrigerant: R452A/1.10 kg, 8 floors, floor dimensions: 600 mm x 300 mm, total dimensions: 790 mm x 800 mm x 1330 mm.	1250
488	Hoshizaki	Hoshizaki ice cube machine, dimensions: 630 mm x 500 mm x 970 mm.	450
489	Liebherr	Liebherr refrigerator, model: 1850 Index 21F/001, serial number: 9983087-06, refrigerant: R600a/35 g, capacity: 180 liter, 2 floors, floor dimensions: 530 mm x 400 mm, total dimensions: 600 mm x 650 mm x 850 mm.	50
490	Mado	Mado bandsaw, type: MKB 654, serial number: 30404, year of construction: 2003, 230/400 V, 3 Ph, 50 Hz, 8.6/5.0 A, table dimensions: 850 mm x 720 mm, total dimensions: 1300 mm x 1000 mm x 1800 mm. Missing cover.	1200
491	NN sink	S/s sink, dimensions: 350 mm x 450 mm x 1150 mm.	200
492	Diamond	Diamond dishwasher, model: D281/EK-NP, serial number: 2896263, inside dimensions: 400 mm x 400 mm x 300 mm, total dimensions: 470 mm x 560 mm x 700 mm.	200
493	Colged	Colged dishwasher, type: Gold74, serial number: 116688, year of construction: 09/02/2006, 400 V, 3 Ph, 50 Hz, 11.1 kW, inside dimensions: 500 mm x 500 mm x 320 mm, total dimensions: 700 mm x 800 mm x 1300 mm.	350
494	Hobart	Hobart double dishwasher, inside dimensions: (2x) 300 mm x 500 mm x 400 mm, total dimensions: 1350 mm x 850 mm x 1500 mm. Technical condition unknown.	400
495	Itec	Itec lifter for 200 liter meat bins, type: 2700, series: 163, year of construction: 7/98, 400 V, 50 Hz, lifting height: 2130 mm, total dimensions: 3150 mm x 1000 mm x 1150 mm. Incomplete.	750
496	Alup Kompressoren	Alup Kompressoren screw compressor, model: SCK 26-8, 18.5 kW, volume flow rate: 3.01 m³/min, compressor discharge pressure: 8 pe bar, dimensions: 800 mm x 1300 mm x 1500 mm.	450
497	Havantec	Havantec flaker, working width: 500 mm, total dimensions: 1120 mm x 2100 mm x 1320 mm.	1750
498	Dorit	Dorit tumbler, type: VV-5-1000-B, serial number: 132 B, 400 V, 3 Ph, 50 Hz, 11 A, 3.5 kW, dimensions: 2300 mm x 1900 mm x 2100 mm. Incomplete. Technical condition	750
499	NN tumbler	unknown.	500



Nr	Title	Description	Start €
		Vacuum tumbler, Busch vacuum pump, type: RA 0063 F 503, capacity: 63 m³/h, dimensions tumbler: Ø 1250 mm x 1900 mm, total dimensions: 1950 mm x 1400 mm x	
		1800 mm. Incomplete.	
500	Foster	Foster mobile refrigerator, model: EP820LW, serial number: E5465284, 230 V, 1 Ph, 50 Hz, 5.2 A, 1025 W, refrigerant: R404a, 3 floors, dimensions each floor: 540	600
		mm x 650 mm, total dimensions: 800 mm x 700 mm x 2050 mm.	
501	Foster	Foster mobile refrigerator, model: EP820LW, serial number: E5438526, 230 V, 1 Ph, 50 Hz, 5.2 A, 1025 W, refrigerant: R404a, 4 floors, dimensions each floor: 540 mm x 650 mm, total dimensions: 800 mm x 700 mm x 2050 mm.	600
502	Foster	Foster mobile refrigerator, model: G1440L, serial number: E5457353, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 5.1 A, 1050 W, refrigerant: R290, 5 floors, dimensions each floor: 650 mm x 530 mm, total dimensions: 1440 mm x 840 mm x 2060 mm.	900
503	Foster	Foster mobile refrigerator, model: EPRO25BSF, serial number: E5411154, 230 V, 1 Ph, 50 Hz, 3.2 A, 675 Watt, refrigerant: R290, 150 gram, 16 floors, 5 plastic crates, crate dimensions: 760 mm x 450 mm x 90 mm, total dimensions: 700 mm x 930 mm x 2270 mm.	600
504	Franstal	Franstal refrigerator, type: FHIM 70TNN AR., serial number: HPO20032096, year of construction: 2021, 220-240 V, 50 Hz, 1.13 A, 250 Watt, refrigerant: R290, 4 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	700
505	Franstal	Franstal refrigerator, type: FHIM 70TNN AR., serial number: HPO20032094, year of construction: 2021, 220-240 V, 50 Hz, 1.13 A, 250 Watt, refrigerant: R290, 3 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	700
506	Franstal	Franstal refrigerator, type: FSAHD7-OP4H, serial number: 11720057601, 230 V, 50 Hz, 1.2 A, 250 Watt, 4 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	700
507	Henkelman	Henkelman mobile vacuum machine, type: Atmoz 90, machine number: H0A10170008, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 11.5 A, 3.5 kW, chamber: 760 mm x 630 mm, seal length: (2x) 685 mm, Gardner Denver vacuum pump, type: V-VC 100 (20), capacity: 100/120 m³ per hour, total dimensions: 1000 mm x 1000 mm x 1120 mm.	3300
508	Coldline blastchiller	Coldline blast chiller, dimensions: 720 mm x 710 mm x 860 mm.	400
509	Berkel		400



Nr	Title	Description	Start €
		Berkel bandsaw, type: BS1750 R, number: 53827,	
		220/380 V, 3 Ph, 50 Hz, 1.1 KW, dimensions: 520 mm x	
		490 mm x 950 mm.	
510	NN electric cable	Electric cable. Input-output 63A, Aprrox: 10 meters long.	50
511	Louis Tellier	Louis Tellier weighing scale, serial numbe: T25030100,	30
		maximum weight: 5 kg, e=d= 0.5 gram, dimensions: 240	
		mm x 180 mm x 75 mm.	
512	NN table	S/s table, dimensions: 2500 mm x 800 mm x 860 mm.	150
513	NN cabinet	S/s cabinet, dimensions: 1600 mm x 1700 mm x 860 mm.	250
514	Baron	Baron grill, 400 V, 50/60 Hz, dimensions: 570 mm x 370 mm x 510 mm.	250
515	NN table	Table, aluminium frame, plastic worktop, dimensions:	150
		1000 mm x 700 mm x 700 mm.	
516	Henkelman	Henkelman vacuum machine, type: Jumbo Plus, machine number: H0J10160588, year of construction: 2016, 220/230 V, 1 Ph, 50/60 Hz, 3.5 A, 0.5 kW, seal length: 280 mm, chamber dimensions: 280 mm x 310 mm, total dimensions: 460 mm x 330 mm x 350 mm.	550
517	Henkelman	Henkelman vacuum machine, machine number: 20610283, year of construction: 1996, 230 V, 1 Ph, 50/60 Hz, 8 A, 1.6 kW, seal length: 410 mm, chamber dimensions: 425 mm x 4100 mm, Busch vacuum pump, type: RB 0021, capacity: 21 m³ per hour, total dimensions: 520 mm x 500 mm x 450 mm.	750
518	Gastro-Cool	Gastro-Cool refrigerator, model: GCUC301, 220-240 V, 50 Hz, 1.2 A, 220 W, refrigerant: R600a, 73 gram, volume: 301 liter, total dimensions: 1350 mm x 530 mm x 860 mm.	350
519	Afinox	Afinox blastchiller, 8 floors, floor dimensions: 530 mm x 300 mm, refrigerant: R452A, 1.10 kg, total dimensions: 800 mm x 790 mm x 1330 mm.	250
520	Franstal combisteamer	Franstal combisteamer on s/s frame, type: ME061T, serial number: LA020009220, 6 floors, floor dimensions: 530 mm x 300 mm, total dimensions: 950 mm x 900 mm x 1720 mm.	650
521	Numaric	Numatic plastic hygiene trolley, dimensions: 750 mm x 450 mm x 870 mm.	10
522	Siemens	Siemens vacuum cleaner, type: VBBS600V00, number: VS06G1600/01, 230-240 V, 50 Hz, 1600 Watt.	10
523	Airpress	Airpress air compressor, 220/240 V, 50 Hz, dimensions: 670 mm x 620 mm x 665 mm.	150
524	Alto Shaam	Alto Shaam heated cabinet, model: 500-3D, serial number: 2708849-000, year of construction: 02/13/20, 230 V, 1 Ph, 50/60 Hz, 590 Watt, dimensions: 670 mm x 620 mm x 665 mm.	450
525	Franstal		550



Nr	Title	Description	Start €
		Franstal refrigerator, type: FSAUEBM-0P4H, number: 20727650602, 230 V, 50 Hz, 1.4 A, 280 Watt, refrigerant:	
		R290, 0.7 kg, dimensions: 1850 mm x 700 mm x 860 mm.	
526	Frey	Frey mobile piston filler, type: KOMPAKTA2, machine number: K230C10434895, year of construction: 2015,	9500
		400 V, 50 Hz, 3.7 kW, dimensions: 1000 mm x 800 mm x	
		1230 mm.	
527	Mado	Mado mobile grinder, type: MEW 620, number: 1530074,	3000
		230/400 V, 3 Ph, 50 Hz, 11.1/6.4 A, plate diameter: 98	
		mm, total dimensions: 1060 mm x 870 mm x 1160 mm.	
528	Frigoglass Romania	Frigoglass Romania SRL refrigerator, type: ICOOL-150C,	150
	SRL	serial number: R05812054450, year of construction:	
		17/10/17, 230 V, 50 Hz, 0.65 A, 98 W, volume: 120 liter,	
		refrigerant: R600a, 0.065 kg, dimensions each floor: 370	
		mm x 400 mm, total dimensions: 600 mm x 500 mm x	
		900 mm.	
529	Frigoglass Romania	Frigoglass Romania SRL refrigerator, type: ICOOL-150C,	150
	SRL	serial number: RO5812029453, year of construction:	
		01/08/17, 230 V, 50 Hz, 0.65 A, 98 W, volume: 120 liter,	
		refrigerant: R600a, 0.065 kg, 2 floors, dimensions each	
		floor: 370 mm x 400 mm, total dimensions: 600 mm x	
		500 mm x 900 mm.	
530	SMEG	SMEG dishwasher, type: 3002-16, model: UG520DL,	400
		serial number: 1 243085 80123 0001 0307, crate	
		dimensions: 490 mm x 510 mm, total dimensions: 600	
		mm x 600 mm x 720 mm.	
531	Talsa	Talsa mobile mixer, model: MIX95, serial number:	1900
		1711191, year of construction: 2017, 400 V, 3 Ph, 50 Hz,	
		1 A, 0.8 kW, volume: 95 liter, dimensions: 1280 mm x 840	
		mm x 1150 mm.	
532	Talsa	Talsa mixer, type: MIX150P, number: 274608, year of	2300
		construction: 2007, 230/400 V, 50 Hz, volume: 150 liter,	
		total dimensions: 1100 mm x 800 mm x 1410 mm.	
533	Dadaux	Dadaux mixer, type: PMX 90, number: VPMX90 5820,	1700
		year of construction: 01/21, 400 V, 50 Hz, volume: 90	
		liter, dimensions: 600 mm x 900 mm x 1120 mm.	
534	DMS	DMS mixer, type: DMM 90 VM, serial number: S 17476,	1700
		year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.85 A,	
		0,75 kW, weight: 110 kg, volume: 90 liter, dimensions:	
		600 mm x 900 mm x 1120 mm.	
535	Hobart	Hobart mixer, model: A200, serial number: 97-0228-702,	1000
		400 V, 50 Hz, 1.2 A, 0.45 kW, dimensions: 400 mm x 450	
		mm x 900 mm. Including mixing arm.	
536	Hoshizaki	Hoshizaki ice machine, model: FM-150KE-50-N, serial	750
		number: G21816, 220-240 V, 50 Hz, 5 A, weight: 81 kg,	
		refrigerant: R134a, dimensions: 940 mm x 620 mm x 800	
		mm.	
537	Hobart		1200



Nr	Title	Description	Start €
		Hobart dishwasher, crate dimensions: 490 mm x 490 mm,	
		total dimensions: 900 mm x 760 mm x 1500 mm.	
538	Electrolux	Electrolux dishwasher, model: HHT8, serial number:	1300
		9CGX 505090 19, year of construction: 2019, 400 V, 3 Ph,	
		50 Hz, dimensions: 750 mm x 900 mm x 1570 mm.	
539	Henkelman	Henkelman mobile double chamber vacuum machine,	17000
		type: Titaan 2-90, machine number: HTN10190004, year	
		of construction: 2019, 400 V, 3 Ph, 50 Hz, 5.5 kW, seal	
		length: (4x) 850 mm, chamber dimensions: (2x) 850 mm	
		x 900 mm, working hours: 46:32, Busch vacuum pump,	
		type: RD 0360 A 5H3, capacity: 300 m <sup>3</sup> per hour, total	
		dimensions: 2500 mm x 1200 mm x 1150 mm.	
540	Nilfisk	Nilfisk floor scrubber, model: Scrubber-Dryer BA 611D,	300
		serial number: 3510171807011, 100-240 V, 50/60 Hz,	
		weight: 107 kg, dimensions: 1300 mm x 700 mm x 1100	
		mm.	
541	Kärcher	Kärcher vacuum cleaner, type: MV3 P, serial number:	100
		038440, 220-240V, 50/60 Hz.	
542	Lakidis	Lakidis mobile mixer grinder, type: MG-100, serial	8500
		number: 410621, year of construction: 2021, 6.25 kW,	
		plate diameter: 100 mm, total dimensions: 1400 mm x	
		730 mm x 1400 mm.	
543	Rational	Rational VarioCooking Center, model: iVario Pro L P, serial	9500
		number: E21PK23058072285, year of construction: 2023,	
		400 V, 3 Ph, 50/60 Hz, 27.3 kW, 150-600 kPa, electric	
		heated, volume: 100 liter, dimensions: 1040 mm x 840	
544	Dational	mm x 1050 mm.  Rational VarioCooking Center, type: VCC 112T, serial	6800
544	Rational	number: E12VJ20038046107, year of construction: 2020,	0000
		400 V, 3 Ph, 50/60 Hz, 13 kW, 150-600 kPa, electric	
		heated, dimensions: 1550 mm x 950 mm x 1170 mm.	
545	Diamond	Diamond mobile au bain-marie, model: CT331/D-N,	150
343	Diamond	serial number: 19031397, 230 V, 50-60 Hz, 2.1 kW,	130
		dimensions: 1280 mm x 600 mm x 910 mm.	
546	Ecofrost	Ecofrost refrigerator, model: 4750.058, number: 6332	450
3 10	20011030	4218 1808 1527, dimensions: 910 mm x 700 mm x 1000	130
		mm.	
547	Ecofrost	Ecofrost refrigerator, model: 4750.058, number: 6332	450
		4218 1808 1509, dimensions: 910 mm x 700 mm x 1000	
		mm.	
548	Dadaux	Dadaux piston filler, type: PH13L, serial number: P-680,	1700
		year of construction: 09-16, 400 V, 50 Hz, total	
		dimensions: 600 mm x 450 mm x 1050 mm.	
549	Bizerba	Bizerba mobile automatic slicer, model: A 404 FB,	1700
		number: 1742198, year of construction: 1999, 230/400 V,	
		3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh outfeed belt, belt width:	
		250 mm, total dimensions: 1700 mm x 1000 mm x 1600	
		mm.	



Nr	Title	Description	Start €
551	K+G Wetter	K+G Wetter mobile grinder, type: Profi, machine number: 640/1066, year of construction: 2007, 400 V, 6.3 A, 3 kW, plate diameter: 98 mm, total dimensions: 500 mm x 800 mm x 1350 mm.	1500
552	Moller & Co	Moller & Co grinder, plate diameter: 98 mm, total dimensions: 600 mm x 900 mm x 1200 mm.	900
553	NN sink	S/s sink with faucet, dimensions: 1600 mm x 750 mm x 900 mm.	150
554	NN sink	S/s sink with faucet, dimensions: 1400 mm x 700 mm x 1230 mm.	250
555	Eurochef	Eurochef double deep fryer, type: Multi Fry, model: KLO, serial number: TD 18041, year of construction: 2015, 380 V, 3 Ph, 50/60 Hz, dimensions: 700 mm x 800 mm x 820 mm.	500
556	Diamond	Diamond mobile refrigerator with saladette, type: TRCP4003-DM, serial number: 1849.0003, 230 V, 50 Hz, 3.3 A, 500 Watt, refrigerant: r452A, 0.380 kg, dimensions: 2040 mm x 860 mm x 1070 mm.	500
557	NN rollies	Pallet with 10 s/s rollies, dimensions each rollie: 640 mm x 410 mm x 160 mm.	550
558	Topcold	Topcold refrigerated showcase, model: VRX1500II/INOX, serial number: 6128935, year of construction: 07.2016, 230 V, 50 Hz, 0.6 A, 110 W, weight: 31 kg, refrigerant: R600a, dimensions: 1500 mm x 400 mm x 1280 mm.	150
559	NN table	S/s table with plastic top, dimensions: 2000 mm x 800 mm x 1330 mm.	750
560	Whirlpool	Whirlpool microwave, model: AVM 860/WP/ST, 230 V, 50 Hz, 2.7 kW, dimensions: 660 mm x 600 mm x 470 mm.	150
561	Atag	Atag 2 burner stove, type: P602170H, number: 23022612, 9.2 kW, dimensions: 700 mm x 350 mm x 200 mm.	150
562	Monolith GmbH	Monolith GmbH grill, type: RC 800-G/0631, gas heated, dimensions: 540 mm x 400 mm x 310 mm.	100
563	Soehnle	Soehnle weighing scale with indicator, model: 3700, serial number: 9121.052008026, 100-240 V, 50-60 Hz, maximum weight: 60 kg, d= 2 gram, dimensions: 400 mm x 380 mm x 80 mm.	100
564	Graef	Graef slicer, type: Euro 3310, serial number: 6255730, year of construction: 2007, 230 V, 50 Hz, 2.2 A, dimensions: 550 mm x 700 mm x 500 mm.	400
565	Berkel	Berkel slicer, type: 834 S, number: 626354W 95, 230 V, 1 Ph, 50 Hz, 220 Watt, dimensions: 600 mm x 700 mm x 450 mm.	550
566	Diamond	Diamond refrigerated showcase, dimensions: 800 mm x 650 mm x 1850 mm.	350
567	Bizerba		400



Nr	Title	Description	Start €
		Bizerba slicer, type: VS 8, number: 1655141, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 1.79 A, dimensions: 655 mm x 530 mm x 430 mm.	
568	Scharfen	Scharfen slicer, type: ES300, model: E 300 WA, number: 2031337 S, 230 V, 2.2 A, 300 Watt, with Mettler Toledo weighing scale, maximum weight: 3 kg, minimum weight: 40 gram, e = 2 gram, dimensions: 630 mm x 550 mm x 420 mm.	400
569	Greaf	Greaf slicer, type Master 3370, serial number: 7617243, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 450 Watt, dimensions: 710 mm x 630 mm x 650 mm.	850
570	Alto-Shaam	Alto-Shaam heated cabinet, model: 500-1D, serial number: 2556107-000, year of construction: 2019, 230 V, 1 Ph, 50/60 Hz, 590 Watt, dimensions: 620 mm x 600 mm x 300 mm.	500
571	Alto-Shaam	Alto-Shaam heated cabinet, model: 500-2D, serial number: 2918253-000, year of construction: 2021, 230 V, 1 Ph, 50/60 Hz, 590 Watt, dimensions: 620 mm x 600 mm x 480 mm.	500
572	NN trolley	S/s trolley, 18 floors, dimensions each floor: 570 mm x 330 mm, total dimensions: 585 mm x 390 mm x 1660 mm.	100
573	NN trolley	S/s trolley, 20 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 390 mm x 530 mm x 1780 mm.	100
574	NN trolley	S/s trolley, 18 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 530 mm x 390 mm x 1650 mm.	100
575	Diamond	Diamond oven, model: BRIO64/X N, serial number: 2013102600043, 230 V, 50/60 Hz, 3.335 kW, 4 floors, dimensions each floor: 600 mm x 300 mm, total dimensions: 720 mm x 700 mm x 600 mm.	200
576	Ecofrost	Ecofrost blast chiller, model: 4750.705, serial number: 6530 1525 1908 0706, 5 floors, dimensions each floor: 600 mm x 370 mm, total dimensions: 800 mm x 800 mm x 1000 mm.	650
577	Convotherm	Convotherm combi steamer, type: OES 10.10, number: FS301003000A00, 400 V, 3 Ph, 50/60 Hz, 26.3 A, 19.8 kW, 11 floors, dimensions floor: (11x) 530 mm x 320 mm, total dimensions: 900 mm x 930 mm x 1800 mm.	1300
578	Alto-Shaam	Alto-Shaam heated cabinet, model: 500-2DN, serial number: 2715200-000, 230 V, 1 Ph, 50/60 Hz, 590 W, dimensions: 420 mm x 750 mm x 480 mm.	500
579	Alto-Shaam	Alto-Shaam mobile heated cabinet, model: 500-S, serial number: 2472085-000, 230 V, 1 Ph, 50/60 Hz, 950 W, 11 floors, dimensions: 450 mm x 600 mm x 800 mm.	650
580	Alto-Shaam	Alto-Shaam heated cabinet, model: 500-2DN, serial number: 2805415-000 and 2726582-000, 230 V, year of	900



Nr	Title	Description	Start €
		construction: 2020, 1 Ph, 50/60 Hz, 590 W, dimensions:	
		(2x) 420 mm x 750 mm x 480 mm.	
581	Giorik S.p.A	Giorik S.p.A. oven, model: KB061W, serial number:	1400
		004740/05/20, 400 V, 3 Ph, 50 Hz, 6.6 kW, 11 floors,	
		dimensions each floor: 330 mm x 420 mm, total	
		dimensions: 600 mm x 850 mm x 800 mm.	
582	Giorik S.p.A	Giorik S.p.A. oven, model: KB061W, serial number:	1400
		007517/09/20, 400 V, 3 Ph, 50 Hz, 6.6 kW, 11 floors,	
		dimensions each floor: 330 mm x 420 mm, total	
		dimensions: 600 mm x 850 mm x 800 mm.	
583	Convotherm	Convotherm combi steamer on s/s frame, type: C4eT	2600
		6.10ES, serial number: XS117109476, 400 V, 3 Ph, 50/60	
		Hz, 15.9 A, 11 kW, 7 floors, dimensions each floor: 530	
		mm x 330 mm, total dimensions: 940 mm x 800 mm x	
504	1,4	1560 mm.	500
584	Merrychef	Merrychef high speed oven, item number:	500
		e3NEE305AAU2P3UK, 2 floors, dimensions each floor:	
		330 mm x 250 mm, total dimensions: 600 mm x 600 mm x 560 mm.	
585	Franstal	Franstal refrigerator, type: FHIM 70BT AR., serial number:	600
363	FidilStdi	HPO20047493, year of construction: 2021, 220-240 V, 50	600
		Hz, 2.55 A, 260 Watt, refrigerant: R290, 26 floors, floor	
		dimensions: 650 mm x 520 mm, total dimensions: 720	
		mm x 800 mm x 2000 mm.	
586	Everlasting	Everlasting refrigerator, (2x) 26 floors, dimensions each	950
	270110011118	floor: 650 mm x 530 mm, total dimensions: 1480 mm x	""
		840 mm x 2080 mm.	
587	Ecofrost	Ecofrost refrigerator, model: 4752.015, serial number:	950
		6160142120050103, (2x) 22 floors, dimensions each	
		floor: 650 mm x 530 mm, total dimensions: 1440 mm x	
		880 mm x 2000 mm.	
588	Mercatus	Mercatus refrigerator, model: GE PAST 1400BT, serial	950
		number: 158436, year of construction: 2017, 220-240 V,	
		50 Hz, 3.8 A, 790 W, refrigerant: R-404A, (2x) 17 floors,	
		dimensions each floor: 600 mm x 400 mm, total	
		dimensions: 1440 mm x 850 mm x 2050 mm.	
589	Electrolux/Zanussi	Electrolux/Zanussi pasta cooker with s/s sink with faucet,	1000
		model: Z7PCEH2KFO, serial number: 03620001, year of	
		construction: 2020, 380-400 V, 3 Ph, 50/60 Hz, 12 kW,	
		dimensions: 1200 mm x 750 mm x 1550 mm.	
590	Stephanal Alvac	Stephanal Alvac mobile double chamber vacuum	2300
		machine, type: Gemini, machine number: 1049-5437,	
		year of construction: 2019, 230/400 V, 3 Ph, 50 Hz, 8.5/5	
		A, 2.2 kW, seal length: (4x) 550 mm, chamber	
		dimensions: 615 mm x 550 mm, Busch vacuum pump,	
		type: RA 0100 F 5R3, serial number: D18061371,	
		capacity: 100 m³ per hour, total dimensions: 1500 mm x	
		500 mm x 1500 mm.	



Nr	Title	Description	Start €
591	Henkelman	Henkelman vacuum machine, type: Aero 42+, machine number: HAE21220064, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 5 A, 0.8 A, seal length: 430 mm, chamber dimensions: 425 mm x 365 mm, total dimensions: 520 mm x 500 mm x 450 mm. Never used.	2800
592	Henkelman	Henkelman vacuum machine, type: Boxer 42 XL, machine number: H0B20221054, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 5 A, 0.8 kW, seal length: 430 mm, chamber dimensions: 460 mm x 420 mm, total dimensions: 610 mm x 500 mm x 450 mm. Never used.	2850
593	Henkelman	Henkelman vacuum machine, type: Jumbo 42, machine number: H0J30222464, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 4 A, 0.6 kW, seal length: 430 mm, chamber dimensions: 430 mm x 370 mm, total dimensions: 520 mm x 500 mm x 450 mm. Never used.	2500
594	Henkelman	Henkelman vacuum machine, type: Boxer 52, machine number: H0B60220680, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 8 A, 0.8 kW, seal length: (2x) 420 mm, chamber dimensions: 600 mm x 420 mm, total dimensions: 700 mm x 520 mm x 450 mm. Never used.	2950
595	Electrolux	Electrolux dishwasher, model: EHT8IWSG, serial number: 70310003, year of construction: 2017, 400/230 V, 3/1 Ph, 50 Hz, 12.9/9.9/6.9 kW, inside dimensions: 500 mm x 500 mm x 440 mm, total dimensions: 760 mm x 900 mm x 1550 mm.	750
596	Leventi	Leventi combi steamer, type: BM MM Q4, serial number: 069020064, year of construction: 2007, 380/415 V, 3 Ph, 50/60 Hz, 12 floors, floor dimensions: 410 mm x 600 mm, total dimensions: 960 mm x 880 mm x 1820 mm.	1000
597	Lutetia	Lutetia vacuum tumbler, volume: 1800 liter, Leybold vacuum pump, type: SV40B, capacity: 40 m³ per hour, dimensions: 3300 mm x 2100 mm x 2300 mm.	3500
598	Lutetia	Lutetia vacuum tumbler, type: 4, serial number: 16555, year of construction: 2004, 400 V, 50 Hz, volume: 1800 liter, Busch vacuum pump, type: RA 0040 F 503, capacity: 40 m³ per hour, dimensions: 3300 mm x 1500 mm x 2100 mm.	3500
599	NN tilting device for barrels	S/s tilting device for barrels, dimensions: 1200 mm x 1000 mm x 1210 mm.	500
600	Inauen Maschinen AG	Inauen Maschinen AG dip tank, type: VC999/Tank 85.47 E, machine number: 95T94 813, 415 V, 3 Ph, 50 Hz, 29 A, 20.6 kW, s/s rollers, roller width: 470 mm, clearance: 550 mm x 320 mm, total dimensions: 1300 mm x 1000 mm x 1830 mm.	700
601	Bobet Materiel	Bobet Materiel boot cleaner, type: L.B.M 92E, serial number: 1255, year of construction: 2006, brush length: 350 mm, total dimensions: 1500 mm x 600 mm x 1280 mm.	600



Nr	Title	Description	Start €
602	Bizerba/Boss	Bizerba/Boss vacuum machine, model: GM200 2, serial number: 793, 50 Hz, 5.6 A, chamber dimensions: 440 mm x 440 mm, seal length: 430 mm, Busch vacuum pump, type: 021-336, capacity: 21 m³ per hour, total dimensions: 460 mm x 470 mm x 360 mm.	125
603	NN bin	Plastic mobile bin, dimensions: 670 mm x 490 mm x 690 mm.	10
604	Bizerba	3 sets of Bizerba weighing scales with indicator and label printer, mode scale: KF D08-09-021, serial number: 10810802, 230 V, 50 Hz, 0.35 A, scale dimensions: 280 mm x 280 mm.	300
605	Inauen	Inauen VC999 mobile vacuum machine, with Rietschle vacuum pump, type: CLFH 220 (20), dimensions: 1100 mm x 800 mm x 1020 mm. Technical condition unknown.	275
606	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2500 mm x 500 mm x 1200 mm.	200
607	NN slicer knives	Pallet with knives for Holac dicer, Ø knives: (4x) 700 mm, total dimensions: 1400 mm x 1000 mm x 400 mm. Including crate with extra parts.	50
608	Parry	Parry 4 pits stove, model: N1871, serial number: 160160283, 240/415 V, 50 Hz, 8.5/12.5/29.2 A, 7 kW, dimensions: 600 mm x 610 mm x 220 mm.	35
609	Thompson	Thompson mixer-grinder, type: 3000, serial number: 3000.M1.2.34, year of construction: 6/2011, 415 V, plate diameter: approx. 120 mm, total dimensions: 1200 mm x 1250 mm x 1300 mm. Without knife plates.	1250
610	Webomatic	Webomatic vacuum machine, seal length: 420 mm, dimensions chamber: 450 mm x 430 mm, total dimensions: 570 mm x 490 mm x 400 mm. Technical condition unknown. Cover broken.	50
611	DEM weighing systems	DEM weighing systems weighing scale and indicator, scale dimensions: 1000 mm x 1000 mm.	150
612	Bizerba	Bizerba weiging scale with indicator, maximum weight: 6/15 kg, minimum weight: 40 gram, e= 2/5 gram, dimensions: 500 mm x 360 mm x 560 mm.	100
613	Pesutekno Oy	Pesutekno Oy chainmail glove and apron washer, model: Mahti 02, 14 racks, inside dimensions: 1060 mm x 510 mm x 670 mm, total dimensions: 1220 mm x 780 mm x 1680 mm.	150
614	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG vacuum machine, type: VC999 07S H15/205, machine number: 07152588, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 7 kW, seal length: (2x) 450 mm and (1x) 1000 mm, dimensions chamber: 1050 mm x 530 mm, total dimensions: 1350 mm x 850 mm x 1100 mm.	1250
615	FMC FoodTech	FMC FoodTech mobile multi-fruit juicer, model: POS-1, serial number: 82005006, 220 V, 1 Ph, 50 Hz, 10 A, dimensions: 850 mm x 550 mm x 1860 mm.	1250



Nr	Title	Description	Start €
616	Inauen	Inauen mobile dip tank, type: VC999/62.41 i SA 12 kW,	300
		number: 96T96 481, 400 V, 3 Ph, 50 Hz, 20 A, 12.8 kW,	
		inside dimensions: 600 mm x 400 mm x 300 mm, total	
		dimensions: 730 mm x 730 mm x 1500 mm.	
617	Falcon	Falcon gas stove with oven, model: G1006FX, serial	150
		number: F574077, dimensions: 900 mm x 950 mm x 900	
		mm.	
618	Bizerba	Bizerba weighing scale with label printer, model: KH 800,	100
		serial number: 10878389, maximum load: 6/15 kg,	
		minimum load: 40 g, e= 2/5 g, T= -6/15 kg, 230 V, 50 Hz,	
		0.35 A, scale dimensions: 390 mm x 250 mm, total	
		dimensions: 450 mm x 450 mm x 600 mm.	
619	Bizerba	Bizerba weighing scale with label printer, model: KH 800,	100
		serial number: 10879754, maximum load: 6/15 kg,	
		minimum load: 40 g, e= 2/5 g, T= -6/15 kg, 230 V, 50 Hz,	
		0.35 A, scale dimensions: 390 mm x 250 mm, total	
		dimensions: 450 mm x 450 mm x 600 mm.	
620	Dowson	Dowson mobile bread slicer, model: D55-1, serial	150
		number: 02531096, 50 knives, distance between knives:	
		14 mm, total dimensions: 850 mm x 620 mm x 1120 mm.	
621	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 490	200
		mm, total dimensions: 1700 mm x 650 mm x 1150 mm.	
622	Epson	Epson labelprinter, model: M311A, serial number:	50
		U24F004552, dimensions: 320 mm x 300 mm x 265 mm.	
623	NN trolley	S/s trolley, dimensions: 1450 mm x 750 mm x 970 mm.	20
624	NN meat bin	S/s meat bin, volume: 300 liter	75
625	NN meat bins	4 s/s meat bins, volume: (4x) 300 liter.	300
626	NN meat bins	10 s/s meat bins, volume: (10x) 300 liter	750
627	Gunnebo Italdis	Gunnebo Italdis tourniquet with hand disinfection unit,	150
		model: Turn-O-Mat, serial number: TM05429, year of	
		construction: 1999, 230 V, 50 Hz, 0.8 A, dimensions: 1600	
		mm x 1200 mm x 900 mm.	
628	Dadaux	Dadaux mobile slicer, type: Icone 700 Bacon, number:	1500
		WICNE700BC-11961, year of construction: 10/2022, 400	
		V, 50 Hz, chamber dimensions: 250 mm x 250 mm x 650	
		mm, total dimensions: 1800 mm x 1000 mm x 1400 mm.	
629	Günther	Günther cooled vacuum tumbler, type: GPA 300K,	3750
		machine number: 30342, year of construction: 2007, 400	
		V, 16 A, 2.5 kW, Becker vacuum pump, type: U 4.20/09,	
		capacity: 18-21 m³ per hour, dimensions: 2100 mm x	
		1750 mm x 1630 mm.	
630	Mareno	Mareno cooking vessel, gas heated, 230 V, 50 Hz,	400
		dimensions: 800 mm x 1000 mm x 1050 mm.	
631	Rühle	Rühle cooled vacuum tumbler, type: MGR 400, number:	6500
		0049, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 32	
		A, 12 kW, Busch vacuum pump, type: KC 0016 E 3Z0,	
	1		I
		capacity: 16 m <sup>3</sup> per hour, dimensions: 2100 mm x 2100	



Nr	Title	Description	Start €
632	Diamond	Diamond refrigerated cabinet, dimensions: 2050 mm x 850 mm x 2100 mm.	300
633	Top Cold	Top Cold refrigerated cabinet, model: FGB 451, number: 148005800005, 220-240 V, 50 Hz, refrigerant: R134a/290 g, dimensions: 2780 mm x 560 mm x 850 mm.	400
634	NN sink	S/s sink, dimensions: 1900 mm x 720 mm x 1200 mm.	270
635	Esco	Esco gas heated double cooking vessel, model: CPG72M01, serial number: 1911.0205, inside dimensions: (2x) 200 mm x 340 mm x 300 mm, total dimensions: 950 mm x 770 mm x 1150 mm.	100
636	NN sink	S/s sink, dimensions: 1800 mm x 700 mm x 1800 mm.	75
637	Polem	Polem plastic salt silo, type: SKS 13/30/45, year of construction: 2018, volume: 45 m³, construction weight: 1300 kg/m³. Lot located on other location in Born (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	7500
638	Kärcher	Kärcher floor scrubbing machine, type: BR 45/40 E Bp Pack, serial number: 010456, year of construction: 2010, weight: 160 kg, dimensions: 1200 mm x 800 mm x 1100 mm.	100
639	Verbufa	Verbufa mobile waterwheel, 4 heads, head dimensions: (4x) 75 mm x 60 mm, total dimensions: 800 mm x 1200 mm x 1800 mm.	1000
640	Parker	Parker compressed air adsorption dryer with cleaning stage, type: KA-MT 7, facbrication number: 38304379, year of construction: 2011, 230 V, 50/60 Hz, dimensions: 1400 mm x 600 mm x 300 mm. Technical condition unknown.	100
641	NN platform	S/s platform, 3 steps, dimensions: 1200 mm x 600 mm x 2050 mm.	200
642	Loma Systems	Loma Systems pipe line metal detector, serial number: DPL080267-07747D, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 55 mm, total dimensions: 600 mm x 400 mm x 500 mm.	500
643	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07P F 15/W500, machine number: 07052425, 400 V, 3 Ph, 50 Hz, 11.5 A, 7.5 kW, dimensions: 1300 mm x 850 mm x 1080 mm. Without vacuum pump.	1000
644	DiBo N.V.	DiBo N.V. hot water pressure cleaner, type: SBH-G 150bar 15ltr, serial number: 2-0155/16, 400 V, 3 Ph, 50 Hz, gas heated boiler, pressure: 150 bar, operating hours: 3225, dimensions: 850 mm x 920 mm x 1180 mm.	500
645	NN divider	Mobile s/s divider, dimensions: 2620 mm x 900 mm x 2100 mm.	200
646	Itec	Itec mobile sausage cutter, type: SB-CUT, serial number: 0100, year of construction: 05/06, 400 V, 3 Ph, 50 Hz, 5 kW, dimensions: 1700 mm x 800 mm x 1500 mm.	1500
647	NN diaphragm		500



Nr	Title	Description	Start €
		Mobile diaphragm, diameter form: 65 mm, total	
		dimensions: 760 mm x 1400 mm x 1370 mm.	
648	NN meat bin with parts	200 liter meat bin with parts.	100
649	NN diaphragm	Mobile diaphragm, diameter form: 65 mm, total dimensions: 890 mm x 1100 mm x 1370 mm. Incomplete.	300
650	NN diaphragm	Mobile diaphragm, diameter form: 65 mm, total dimensions: 890 mm x 1100 mm x 1370 mm.	
651	Verbufa	Verbufa mobile waterwheel, type: MFD 4, serial number: 2086738, year of construction: 2009, 220 V, weight: 325 kg, 4 heads, head dimensions: (4x) 75 mm x 60 mm, total dimensions: 800 mm x 1200 mm x 1800 mm.	1000
652	Rühle	Rühle injector, 20 needles, type: PR20, s/s belt, belt width: 300 mm, total dimensions: 1500 mm x 500 mm x 1700 mm.	750
654	Marel	Marel grader, type: Vision Unit-300, serial number: A038511, year of construction: 2006, 230/400 V, 3 Ph, 0.15 kW, plastic mesh belt, belt width: 310 mm, total dimensions: 1750 mm x 800 mm x 2470, with Marel transport belt, type: con-mstr, serial number: A044894, year of construction: 2007, 230/400 V, 3 Ph, 0.25 kW, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 1050 mm x 700 mm x 1550 mm.	2500
655	NN bandsaw	Bandsaw, dimensions: 960 mm x 700 mm x 1600 mm.	250
656	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000
657	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000
658	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL).  Pick-up in consultation with Industrial Auctions BV.	1000
659	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000
660	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000
661	NN crates	2 Pallets with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	2000



Nr	Title	Description	Start €
662	NN crates	2 Pallets with 350 foldable plastic crates, suitable for	2000
		-40C, dimensions each crate: 600 mm x 400 mm x 160	
		mm. Lot is located on another location in Katwijk aan Zee	
		(NL). Pick-up in consultation with Industrial Auctions BV.	
663	NN crates	2 Pallets with 350 foldable plastic crates, suitable for	2000
		-40C, dimensions each crate: 600 mm x 400 mm x 160	
		mm. Lot is located on another location in Katwijk aan Zee	
		(NL). Pick-up in consultation with Industrial Auctions BV.	
664	NN crates	2 Pallets with 350 foldable plastic crates, suitable for	2000
		-40C, dimensions each crate: 600 mm x 400 mm x 160	
		mm. Lot is located on another location in Katwijk aan Zee	
		(NL). Pick-up in consultation with Industrial Auctions BV.	
665	NN crates	2 Pallets with 350 foldable plastic crates, suitable for	2000
		-40C, dimensions each crate: 600 mm x 400 mm x 160	
		mm. Lot is located on another location in Katwijk aan Zee	
		(NL). Pick-up in consultation with Industrial Auctions BV.	
666	NN crates	5 Pallets with 350 foldable plastic crates, suitable for	5000
		-40C, dimensions each crate: 600 mm x 400 mm x 160	
		mm. Lot is located on another location in Katwijk aan Zee	
		(NL). Pick-up in consultation with Industrial Auctions BV.	
667	Marel	Marel 14-stations sorting line, 2x elevating belt with	2500
		dividers, plastic mesh belt, belt width: 560 mm, distance	
		between dividers: 195 mm and 1800 mm, divider height:	
		25 mm and 100 mm, elevating height: 1450 mm, total	
		dimensions: 7100 mm x 2200 mm x 2100 mm	
668	NN bandsaw	Bandsaw, dimensions: 960 mm x 700 mm x 1600 mm.	250



# General terms of the online auction

### **Article 1. Definitions**

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the

highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction; Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods:

Seller: the person(s) a lot is being auctioned in whom/whose commission:

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven:

## Article 2. Applicability

- 2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
- 2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

# Article 3. Registration on the website and the use

- 3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
- 3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
- 3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

- 3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
- 3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
- 3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
- 3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
- 3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

### Article 4. The auction

- 4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
- 4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
- 4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
- 4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the



#### supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
- 4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

### Article 5. Security

- 5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
- 5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
- 5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

### Article 6. Description lots

- 6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
- 6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

## Article 7. Adjustments; operation

- 7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
- 7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
- 7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
- 7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

# Article 8. Auction organization by Industrial Auctions

- 8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
- 8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;



- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate:
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;
- 8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
- 8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

## Article 9. Bid; Purchase Agreement

- 9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
- 9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
- 9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
- 9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
- 9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
- 9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.



- 9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
- 9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
- 9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

## Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

## Article 11. Payment obligations of the buyer

- 11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions. 11.2. The buyer is not entitled to any settlement or suspension.
- 11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
- 11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
- 11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

### Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery



days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### Article 13. Delivery

- 13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
- 13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
- 13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
- 13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
- 13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

## Article 14. Termination

- 14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
- 14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
- 14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.



## Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
- 15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
- 15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## Article 16. Applicable law

- 16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
- 16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
- 16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



Notes		



Notes		

