



**Industrial
Auctions**

**1975: Online auction machinery for the food
industry and cooling equipment in Boulay-Moselle
(FR)**

END DATE
11 November 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	11 November 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	20% over the highest bid including premium
Pick up days	18 November 2025 from 09:00 till 16:00 hrs.
Pick up address	3 Rue du Général Rascas 57220 Boulay-Moselle France
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Stork Titan B.V.	Stork Titan B.V. hot air tunnel oven, model: THS 630/12000, year of construction: 2000, 400 V, 50/60 Hz, 250 kW, s/s mesh belt, belt width: 630 mm, clearance: 630 mm x 120 mm, total dimensions: 14200 mm x 1800 mm x 3300 mm, dimensions switch cabinet: 2300 mm x 720 mm x 2470 mm. Including various parts and new s/s belt.	15000
2	Stork Titan B.V.	Stork Titan B.V. hot air tunnel oven, model: THS 1000/10000 EL THO113, type: 4794436, serial number: 10070961, year of construction: 2009, s/s mesh belt, belt width: 1000 mm, clearance: 1020 mm x 130 mm, total dimensions: 12700 mm x 2850 mm x 3320 mm. Including various parts.	18000
3	KG Lyften	KG Lyften mobile lifter for 200 liter meat bins, elevating height: 2000 mm, total dimensions: 1200 mm x 1200 mm x 2400 mm.	700
4	Tetra Laval Food Koppens BV	Tetra Laval Food Koppens BV mobile forming machine, type: VM 400 HSE, machine number: VM 400 HSE-1942, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 16.57 A, 7.67 kW, weight: 1186 kg, oval dye: (6x) 140 mm, total dimensions: 2600 mm x 1000 mm x 2300 mm. Including pallet with parts, oval dye: (8x) 70 mm x 50 mm and (4x) 110 mm x 75 mm, plastic mesh belt, belt width: 390 mm.	8000
5	Koppens Food Machinery Ltd	Koppens Food Machinery Ltd mobile coating machine, s/s mesh belt, belt width: 400 mm, total dimensions: 1350 mm x 750 mm x 1280 mm.	1000
6	Koppens Food Machinery Ltd	Koppens Food Machinery Ltd breeding machine, type: EPR400C, machine number: PR 400C-621/2, 415 V, 3 Ph, 50 Hz, 5.07 A, 1.485 kW, weight: 240 Kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2300 mm x 850 mm x 1780 mm.	2000
7	NN lifter for 200 liter meat bins	S/s lifter for 200 liter meat bins, elevating height: 1550 mm, total dimensions: 1230 mm x 900 mm x 2600 mm.	500
8	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile forming machine, type: VM 400/S, machine number: VM 400 - 771/S, 380 V, 3 Ph, 50 Hz, 12.38 A, 4.84 kW, weight: 650 Kg, dimensions: 2030 mm x 700 mm x 2300 mm. Including pallet with parts, oval dye: (8x) 70 mm x 55 mm, total dimensions: 1200 mm x 800 mm x 350 mm. Missing belt.	5000
9	Biro	Biro s/s lifter for 200 liter meat bins, elevating height: 2000 mm, total dimensions: 1150 mm x 850 mm x 2850 mm.	750
10	Koppens Machinefabriek BV	Koppens Machinefabriek BV forming machine, type: VM 400/30, number: 2063, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 14.75 A, 6.34 kW, weight: 685 kg, s/s mesh belt, belt width: 395 mm, oval forms, diameter forms: (4x) 110 mm x 70 mm, total dimensions: 1950 mm x 700 mm x 2330 mm.	5000
11	Heidelberg		3000



Nr	Title	Description	Start €
		Heidelberg paper press, type: GTO 52, number: 708 968, year of construction: 1993, counter: 12745539, 380 V, 3 Ph, 50 Hz, 6.1 A, 4 kW, working width: 520 mm, total dimensions: 1350 mm x 1300 mm x 1700 mm. Including cabinet with Technotrans recirculation unit, type: FK 1-500 -H-, serial number: 151098, 230 V, 50 Hz, 2.95 A, 0.47 kW, dimensions cabinet: 1260 mm x 620 mm x 1100 mm.	
12	Haulotte	Haulotte electric mast lift, type: STAR 8, serial number: ME102097, year of construction: 2004, 1.2 kW, weight: 2515 Kg, lifting capacity: 200 kg, working height: 8.2 meters, platform height: 6.2 meters, dimensions platform: 920 mm x 660 mm, total dimensions: 2450 mm x 1050 mm x 1980 mm. Damaged and without charger.	2000
13	NN elevating belt	Elevating belt with dividers and infeed hopper, s/s frame, plastic belt, belt width: 300 mm, divider width: 240 mm, distance between dividers: 290 mm, divider height: 50 mm, elevating height: 1200 mm, total dimensions: 2350 mm x 1000 mm x 1450 mm.	500
14	NN grinder	Grinder, diameter plate: 90 mm, total dimensions: 1250 mm x 1000 mm x 1700 mm. Missing worm, knives and plates.	1500
15	HEMA Technologies	HEMA Technologies can filling machine, type: DM60R3, number: 5919, year of construction: 1994, dimensions: 1850 mm x 1100 mm x 1900 mm. Incomplete, technical condition unknown.	500
16	Tampo Techniek Nederland BV	Tampo Techniek Nederland BV pad printing machine, type: 400/1000, machine number: 120202, 220 V, 50 Hz, dimensions press: 250 mm x 50 mm, total dimensions: 1300 mm x 1050 mm x 1700 mm. Damaged.	750
17	Fatosa	Fatosa cutter with ejecter, type: C 75, number: 22131, year of revision: 12/2002, 400 V, 3 Ph, 32 A, 18 kW, s/s bowl, volume: 75 liter, dimensions: 1550 mm x 1070 mm x 1120 mm. Including switch cabinet, dimensions: 810 mm x 530 mm x 320 mm and extra knives.	3000
19	Celsior GmbH	Celsior GmbH compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4J-13.2Y-40P, capacity: 63/76,7 m³ per hour and (2x) 4PCS-10.2Y-40P, capacity: 48.5/58,5 m³ per hour, year of construction: 2004, refrigerant: R404A, dimensions: 3100 mm x 820 mm x 2080 mm.	3000
20	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 4PCS-10.2Y-40S, capacity: 48.5/58.5 m³ per hour, dimensions: 1050 mm x 780 mm x 720 mm.	800
21	Teko	Teko compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4NCS-10.2Y-40P, capacity: 56.2/67.4 m³ per hour, dimensions: 2450 mm x 850 mm x 900 mm.	1200



Nr	Title	Description	Start €
22	Alto-Shaam	Alto-Shaam combi oven, model: CTP10-10EVH, serial number: 1482417 - 000, 380-415 V, 3 Ph, 50/60 Hz, 11 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 1000 mm x 920 mm x 1520 mm.	1000
23	Alto-Shaam	Alto-Shaam combi oven, model: 10.10 ESINVH, serial number: 1118159-000, 380-415 V, 3 Ph, 50/60 Hz, 10 floors, dimensions each floor: 510 mm x 325 mm, total dimensions: 900 mm x 920 mm x 1350 mm.	1000
24	Mettler Toledo Safeline Ltd	Mettler Toledo Safeline Ltd metal detector, plastic mesh belt, belt width: 455 mm, clearance: 600 mm x 160 mm, total dimensions: 1500 mm x 1230 mm x 1480 mm. Screen damaged.	1500
25	Ceia	Ceia metal detector with rejecter, model: THS, serial number: 20400236031, 230 V, 50-60 Hz, 1 KvA, plastic belt, belt width: 295 mm, clearance: 350 mm x 150 mm, total dimensions: 1700 mm x 880 mm x 1200 mm.	1500
26	Alto-Shaam	Alto-Shaam combi oven, model: 10.10 ESINVH, serial number: 1298685-000, 380-415 V, 3 Ph, 50/60 Hz, 10 floors, dimensions each floor: 510 mm x 325 mm, total dimensions: 900 mm x 950 mm x 1350 mm.	1200
27	Lutetia	Lutetia vacuum tumbler, type: 1200I, volume: 1200 liter, dimensions: 2700 mm x 1450 mm x 1950 mm. Without vacuum pump and vacuum lid.	3000
28	Lutetia	Lutetia tumbler, number: 7613, dimensions: 2750 mm x 1450 mm x 1850 mm. Missing lid.	2000
29	CFS	CFS megaslicer, plastic belt, belt width: (2x) 193 mm, string belt, belt width: 470 mm, total dimensions: 4400 mm x 1200 mm x 1350 mm, with CFS checkweigher, type: Check 3000, plastic belt, belt width: 285 mm and 270 mm, total dimensions: 800 mm x 520 mm x 1050 mm. Slicer missing knife.	5000
30	Ermatec	Ermatec slicer for cheese, serie: TRENCHUR.US, number: 837, year of construction: 30.09.2005, plastic belt, belt width: 420 mm, working width: 485 mm, total dimensions: 3200 mm x 1300 mm x 2000 mm.	1500
31	Dresser Rand Power	Dresser Rand Power gas turbine, model: KG2SL3, number: 51065506, year of construction: 1990, generator type: Pillar, 380 V, 50 Hz, 2125 KvA, weight: 10.000 Kg, type of fuel: Liquid, dimensions: 4000 mm x 2050 mm x 2360 mm. Including pallet with steel housing with fan, dimensions: 1480 mm x 1250 mm x 1520 mm.	10000
32	Dresser Rand Power	Dresser Rand Power gas turbine, model: KG2SL3, number: 51065506, year of construction: 1990, generator type: Pillar, 380 V, 50 Hz, 2125 KvA, weight: 10.000 Kg, type of fuel: Liquid, dimensions: 4000 mm x 2050 mm x 2360 mm. Including pallet steel housing with fan, dimensions: 1480 mm x 1250 mm x 1520 mm.	10000
33	NN switch cabinet		1000



Nr	Title	Description	Start €
		Switch cabinet, dimensions: 3000 mm x 850 mm x 1680 mm.	
34	S.A.M. Kuchler electronics GmbH	S.A.M. Kuchler electronics GmbH slicer, model: S.A.M. 303 I, type: X1, serial number: 12890, year of construction: 03/1990, 220 V, 50 Hz, 450 W, dimensions: 820 mm x 600 mm x 550 mm.	150
35	Mainca	Mainca table model bandsaw, model: BM-2000, number: 1216, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 3.2 A, 1.1 kW, dimensions sawtable: 600 mm x 560 mm, total dimensions: 600 mm x 580 mm x 1050 mm.	400
36	Talsa	Talsa mobile piston filler, serial number: 262540, year of construction: 2006, 220/400 V, 3 Ph, 50 Hz, 3.1/5.3 A, 1.12 kW, dimensions: 780 mm x 400 mm x 1100 mm.	1250
37	Talsa	Talsa mobile piston filler, model : H26, 220/380 V, 50 Hz, 2.5 A, 4.1 kW, dimensions: 780 mm x 480 mm x 1150 mm.	1250
38	Copeland	Copeland refrigeration unit, model: CFME-4MR-9X, serial number: 17J376049 M, year of construction: 21-10-2017, 230/400 V, 3 Ph, 50 Hz, 25 A, weight: 450 kg, refrigerant: R744, dimensions: 1600 mm x 900 mm x 1150 mm.	750
39	Copeland	Copeland refrigeration unit, model: CFME-4MR-9X, serial number: 18A377795 M, year of construction: 02-02-2018, 230/400 V, 3 Ph, 50 Hz, 25 A, weight: 450 kg, refrigerant: R744, dimensions: 1600 mm x 900 mm x 1150 mm.	750
40	Carrier	Carrier condensing unit, type: QC LT167 PK, serial number: 207845/141/803, year of construction: 2018, 400 V, 3 Ph, 50 Hz, refrigerant: R744, minimum: -40°C, maximum: 120°C, 2 fans, dimensions: 1200 mm x 700 mm x 1800 mm.	1000
41	CB Emballage S.A.	CB Emballage S.A. mobile tray forming machine, type: MSA 5070M, serial number: 59115 M, year of construction: 2000, 380 V, 14 A, 8500 Watt, working width: 750 mm and 550 mm, film width: 550 mm, with Becker vacuum pump, type: VT 4.16, number: 1507556, year of construction: 1998, capacity: 16/19 m³ per hour, total dimensions: 1600 mm x 1200 mm x 1700 mm.	1000
42	Scanvaegt	Scanvaegt weighing scale with indicator, type: 8316, serial number: 95071718, max: 3 kg, e= 1 gr, dimensions scale: 240 mm x 200 mm, total dimensions: 420 mm x 400 mm x 450 mm.	150
43	NN transport belt	Transport belt, plastic belt, belt width: 490 mm, total dimensions: 1040 mm x 800 mm x 950 mm.	150
44	Worthington Creyssensac	Worthington Creyssensac air compressor, type: RLR 125B7 AIR, serial number: API211162, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 90 kW, weight: 1570 kg, dimensions: 2300 mm x 1100 mm x 1800 mm. Including switch cabinet, dimensions: 600 mm x 400 mm x 800 mm.	2500
45	Worthington Creyssensac	Worthington Creyssensac air compressor, type: RLR 150E G7 8BAR AIR, serial number: API211238, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 110 kW, weight:	2500



Nr	Title	Description	Start €
		1810 kg, dimensions: 2300 mm x 1100 mm x 1800 mm. Including steel pressure vessel, number: 8904069, volume: 5000 liter, dimensions: ø 1200 mm x 3550 mm, pallet with parts and switch cabinet, dimensions switch cabinet: 950 mm x 270 mm x 180 mm.	
46	Strema Maschinenbau GmbH	Strema Maschinenbau GmbH pallet wrapper, type: H1610, machine number: 16772, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 16 A, 1.5 kW, film width: 500 mm, ø platform: 1650 mm, total dimensions: 2650 mm x 1850 mm x 2800 mm.	1000
47	Oswa	Oswa balancer with weighing scale used for large containers/ tanks, model indicator: IT3000, working width: 1600 mm x 1260 mm, total dimensions: 2150 mm x 1720 mm x 1120 mm.	500
48	Kaeser kompressoren GmbH	Kaeser kompressoren GmbH screw air compressor, model: ESD 351, serial number: 1073, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 410 A, 200 kW, dimensions: 2650 mm x 2200 mm x 2350 mm. Including steel pressure vessel, number: 136 195, volume: 5000 liter, dimensions: ø 1400 mm x 3900 mm, pallet with parts and switch cabinet, dimensions: 600 mm x 400 mm x 800 mm.	5500
49	Kaeser kompressoren GmbH	Kaeser kompressoren GmbH screw air compressor, model: ESD 351, serial number: 1002, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 410 A, 200 kW, dimensions: 2650 mm x 2200 mm x 2350 mm. Including steel pressure vessel, number: 136 194, volume: 5000 liter, dimensions: ø 1400 mm x 3900 mm and switch cabinet, dimensions: 600 mm x 400 mm x 800 mm.	4500
50	Trane	Trane chiller, model: ERTHH255AA3J3AA1AB1000K2A2F1AXX00, serial number: EKB2207, year of construction: 1991, 380 V, 3 Ph, 50 Hz, refrigerant: R22, 160 kg, dimensions: 2700 mm x 1200 mm x 2250 mm.	1500
51	Sabroe	Sabroe screw cooling compressor, type: SMC 116 L, number: 83323, year of construction: 1986, 1460 rpm, 1102 m³ per hour, refrigerant: NH3 / R 717, dimensions: 3000 mm x 1100 mm x 1700 mm.	1750
52	Sabroe	Sabroe screw cooling compressor, type: SMC 112 L, number: 76368, year of construction: 1982, 1460 rpm, 821 m³ per hour, refrigerant: NH3 / R 717, dimensions: 3000 mm x 1100 mm x 1700 mm.	1750
53	York	York YLCS water cooled screw chiller, with 2 York screw compressors, type: YLCS 0840AA, model: L-A-H and M-A-I, serial number: 7A9316 and 6AA927, year of construction: 2007 and 2006, 400/460 V, 3 Ph, 50/60 Hz, capacity: 598/735 and 774/952 m³ per hour, refrigerant: R134a, cooling capacity: 788 kW, dimensions: 4100 mm x 1100 mm x 2170 mm. Including pallet with liquid vessel, type: FS902,	4000



Nr	Title	Description	Start €
		serial number: 1172403249, year of construction: 2007, volume: 89 liter, dimensions: 1500 mm x 800 mm x 450 mm.	
54	Sabroe	Sabroe reciprocating cooling installation, consisting of Sabroe cooling compressor, type: SMC 116L / R717, number: 123437, year of construction: 2003, 1500 rpm, 1131 m³ per hour, Alfa-Laval plate heat exchanger, type: M10-BWREF, year of construction: 2003, and York refrigerant tank, dimensions: 4400 mm x 2000 mm x 2430 mm. Technical condition unknown.	5000
55	Carrier	Carrier chiller, model: 30GX-358-A0540-PEE, serial number: 12N600525, year of construction: 25-01-2006, refrigerant: R134A, 400 V, 3 Ph, 50 Hz, 513 A, 306 kW, capacity: 1203 kW, dimensions: 9350 mm x 2300 mm x 2300 mm.	10000
56	Carrier	Carrier chiller, model: 30GX-358-A0540-PEE, serial number: 12N600524, year of construction: 16-01-2006, refrigerant: R134A, 400 V, 3 Ph, 50 Hz, 513 A, 306 kW, cooling capacity: 1203 kW, dimensions: 9350 mm x 2300 mm x 2300 mm.	10000
57	Altec	Altec vacuum gripper, consisting of 2 Altec suction cups, model: (2x) VAC11PH, serial number: 920111 and 922111, year of construction: 26-11-2001, with Mil's vacuum pump, type: EVISA E65, machine number: 488/GE065, year of construction: 08/2002, 1450 r.p.m, 0.5 mbar, ø suction nap: (2x) 200 mm, total dimensions: 1200 mm x 800 mm x 1200 mm.	500
59	Witt-Gastechnik	Witt-Gastechnik gas mixing station with tank, type: KM 60-2 ME, serial number: 31406, year of construction: 1998, gas: N2/Co2, dimensions: 1350 mm x 750 mm x 1050 mm.	200
60	CFS	CFS thermoformer, type: 660, machine number: 665/0399, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 28 A, 19 kW, dye: (14x) 230 mm x 30 mm, with Valentin label printer, type: DPM IV 107-12, total dimensions: 7600 mm x 1200 mm x 2000 mm and 3550 mm x 1000 mm x 1550 mm. Including Busch vacuum pump, type: MM 1144 AV, number: 04007839, 78 m³ per hour, and 3 pallets with parts, dye: (4x) 235 mm x 18 mm.	4500
61	Teko	Teko compressor rack with Frascold twin cooling compressor, type: S 10 39 Y, number: 3B0158070, year of construction: 2001, capacity: 38.3 m³ per hour, 1450 r.p.m, 7.5 kW, dimensions: 1720 mm x 820 mm x 700 mm.	600
62	Frascold	3 Frascold cooling compressors, type: S 8 52 E, capacity: 51.5/61.8 m³ per hour and type: S 7 51 Y, capacity: 50.43/61.51 m³ per hour and type: Q 5 28.1 Y 1000, capacity: 28.02/33.62 m³ per hour, dimensions: (2x) 630 mm x 500 mm x 400 mm and (1x) 530 mm x 400 mm x 400 mm.	800
63	Frascold	3 Frascold cooling compressors, type: (2x) S 7 51 Y, capacity: 50.43/61.51 m³ per hour and type: (1x) Q 5 28.1 Y 1000,	800



Nr	Title	Description	Start €
		capacity: 28.02/33.62 m ³ per hour, dimensions: (2x) 630 mm x 500 mm x 400 mm and (1x) 530 mm x 400 mm x 400 mm.	
64	Frascold	2 Frascold cooling compressors, type: (2x) S 7 51 Y, capacity: 50.4 m ³ per hour, dimensions: 1200 mm x 800 mm x 800 mm.	550
65	Hawker	2 Hawker batteries, type: 24V 3 PZM 375, serial number: 11734205221/6717480003, year of construction: 26-04-2017, 24 V, capacity: C5 375 Ah, weight: 297 Kg, dimensions: (2x) 210 mm x 790 mm x 630 mm.	300
66	M.T.A. S.p.A.	2 M.T.A. S.p.A. air dryers, model: DE 006, serial number: 2200242709, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 1.9 A, 0.32 kW, refrigerant: R134a, 0.21 kg, dimensions: (2x) 530 mm x 300 mm x 510 mm.	100
67	Optimum Maschinen	Optimum Maschinen column drill, serial number: J1101045, year of construction: 2011, 230 V, 50 Hz, 2.2 kW, weight: 930 Kg, dimensions: 1250 mm x 1100 mm x 2000 mm.	2000
68	Optimum Maschinen	Optimum Maschinen metal saw, number: 330 2300, serial number: 221018 09049, year of construction: 2018, 400 V, 50 Hz, 1.75/1.5 kW, weight: 235 Kg, ø saw blade: 300 mm, total dimensions: 630 mm x 950 mm x 1750 mm.	1500
69	Syderic	Syderic column drill, type: SHC 32V, number: 1271, year of construction: 05-1996, capacity: 32, dimensions: 1000 mm x 500 mm x 1900 mm.	1000
70	Ciat	Ciat air cooled chiller, model: LX 2500Z-HPS R407C, serial number: 00555645/0002, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 462 A, cooling capacity: 594 kW, heating capacity: 242.3 kW, weight: 5327 kg, refrigerant: R407C, gas inside, 60+60 kg, 4 fans, with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) CSH8561-125Y-40P, capacity: 359/433 m ³ per hour, total dimensions: 5550 mm x 2200 mm x 2550 mm.	8000
71	Ciat	Ciat air cooled chiller, model: LX 2500Z-HPS, cooling capacity: 594 kW, refrigerant: R407C, gas inside, 4 fans, with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: CSH8561-125Y-40P, capacity: 359/433 m ³ per hour, total dimensions: 5550 mm x 2200 mm x 2550 mm.	8000
72	Carrier	Carrier chiller, model: 30XA0802-0168-Pee, serial number: 12S905749, year of construction: 05/05/2009, cooling capacity: 764 kW, refrigerant: R134a, gas inside, volume: 221.00 liter, 12 fans, dimensions: 7250 mm x 2250 mm x 2300 mm.	7500
73	Samsung	Samsung condensing unit, model: DVM plus III, 1 fan, dimensions: 1200 mm x 770 mm x 1200 mm.	300
74	Samsung	Samsung condensing unit, model: DVM plus III, 1 fan, dimensions: 1200 mm x 770 mm x 1200 mm.	300



Nr	Title	Description	Start €
75	Samsung	Samsung condensing unit, model: DVM plus III, 1 fan, dimensions: 1200 mm x 770 mm x 1200 mm.	300
76	Mitsubishi	Mitsubishi outdoor air conditioner, model: FDC560KXE6, serial number: A08500034VF, year of construction: 2013, 380/415 V, 3 Ph, 50/60 Hz, weight: 356 Kg, cool capacity: 56.0 kW, heat capacity: 63.0 kW, refrigerant: R410A, 2 fans, dimensions: 1350 mm x 750 mm x 2050 mm.	300
77	Mitsubishi	Mitsubishi outdoor air conditioner, model: FDC560KXE6, serial number: U56201014 3F, year of construction: 2010, 380/415 V, 3 Ph, 50 H/60 Hz, weight: 341 Kg cool capacity: 56.0 kW, heat capacity: 63.0 kW, refrigerant: R410A, 2 fans, dimensions: 1350 mm x 750 mm x 2050 mm.	300
78	Carrier	Carrier outdoor air conditioner, type: MISTRAL CO2Y MC 6200155740/2, serial number: 201075/136/991, year of construction: 2017, 400 V, 3 Ph, 50 Hz, minimum: -40°C, maximum: 120°C, dimensions: 2350 mm x 950 mm x 1730 mm.	750
79	M.T.A. S.p.A.	M.T.A. S.p.A. air dryer, model: DE ETM 045, serial number: 2200307345, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 12 A, 6.8 kW, weight: 552 kg, refrigerant: R410A, 3.4 kg, 1 fan, dimensions: 2250 mm x 660 mm x 1400 mm.	700
80	M.T.A. S.p.A.	M.T.A. S.p.A. air dryer, model: MG 045/A, serial number: 2200193516, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 13 A, 7 kW, weight: 318 kg, refrigerant: R407A, 5.5 kg, 1 fan, dimensions: 2250 mm x 660 mm x 1400 mm.	700
81	M.T.A. S.p.A.	M.T.A. S.p.A. air dryer, model: MG 045/A, serial number: 2200144811, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 13 A, 7,1 kW, weight: 318 kg, refrigerant: R407C, 6.6 kg, 1 fan, dimensions: 2250 mm x 660 mm x 1400 mm.	700
82	M.T.A. S.p.A.	M.T.A. S.p.A. air dryer, model: MG 045/A, serial number: 2200244867, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 13 A, 7,1 kW, refrigerant: R407C, 1 fan, dimensions: 2250 mm x 660 mm x 1400 mm.	700
83	Aermec	Aermec chiller, model: NRC0800 04V1VV, serial number: 1010006069450001, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 176.5 A, heating: 101.5 kW, cooling capacity: 214 kW, refrigerant: R407C, dimensions: 6050 mm x 1300 mm x 2420 mm.	2500
84	Petbow Limited / Cummins	Petbow Limited / Cummins power generator, model: NT-355-62, number: 15035/00001, working hours: 113, Leroy Somer motor, type: LSA46M5, number: 15035/00001, year of construction: 16-02-1988, 380 V, 3 Ph, 50 Hz, 303.8 A, 160 kW, regulator: RS128A1, weight: 670 kg, dimensions: 3000 mm x 1050 mm x 1750 mm. Including Friga Bohn condenser and pallet with switch cabinets.	3000
85	Cummins	Cummins power generator, model: QSB7-G5 NR3, serial number: 0262634/003, year of construction: 16/10/2009, 200 kVA, working hours: 34, dimensions: 2650 mm x 1150	4000



Nr	Title	Description	Start €
		mm x 1850 mm. Including Friga Bohn condenser and pallet with 3 switch cabinets.	
86	Viessmann	Viessmann refrigerated showcase, number: 7694737, serial number: 01924233, year of construction: 2018, 230 V, 50 Hz, 3 floors, dimensions each floor: 2500 mm x 450 mm, total dimensions: (2x) 2530 mm x 1100 mm x 1630 mm. Technical condition unknown.	700
87	Viessmann	Viessmann refrigerated showcase, number: 7694737, serial number: 01917706, year of construction: 2018, 230 V, 50 Hz, 3 floors, dimensions each floor: 2500 mm x 450 mm, total dimensions: (2x) 2530 mm x 1100 mm x 1630 mm. Technical condition unknown.	700
88	Viessmann	Viessmann refrigerated showcase, number: 7694737, serial number: 01917681, year of construction: 2018, 230 V, 50 Hz, 3 floors, dimensions each floor: 1920 mm x 450 mm, total dimensions: 2100 mm x 1100 mm x 1620 mm.	500
89	Coral S.p.A.	Coral S.p.A. mobile suction and filtration system, type: FILTRO, model: CLEANGUP, serial number: 279, number: 2020000147, 400 V, 3 Ph, 50 Hz, 72 A, 1.1 kW, minimum: 825 m³ per hour, maximum: 1400 m³ per hour, dimensions: 780 mm x 700 mm x 2200 mm.	750
90	Teko	Teko evaporator, model: WKBS-4-16-D/Q, serial number: 00069, year of construction: 2012, 230 V, 2x0.87 A, 2x120 W, 2 fans, dimensions: 1180 mm x 550 mm x 500 mm.	100
91	Teko	Teko evaporator, model: WKB-4-48-S/E, serial number: 03622, year of construction: 2012, 230 V, 10.4 A, 2400 W, 2 fans, dimensions: 1180 mm x 750 mm x 500 mm.	100
92	GEA Küba GmbH	GEA Küba GmbH evaporator, model: SPBE 022 D HOCHLEISTUNGS-LUFTK MARKET PLUS SP, number: P4309033, year of construction: 2009, 230 V, 1 Ph, 50/60 Hz, 2975 Watt, dimensions: 1310 mm x 580 mm x 400 mm.	100
93	GEA Küba GmbH	GEA Küba GmbH evaporator, model: SPB 032 D HOCHLEISTUNGS-LUFTK MARKET PLUS SP, number: P3409067, year of construction: 2009, 230 V, 1 Ph, 50/60 Hz, 148 Watt, dimensions: 1560 mm x 530 mm x 580 mm.	100
94	Teko	Teko evaporator, model: RW-WKBM- 7-65-S/E, serial number: 10141, year of construction: 2017, 230 V, 18.7 A, 4320 W, 2 fans, dimensions: 1340 mm x 650 mm x 550 mm.	100
95	Teko	Teko evaporator, model: RW-WKBS- 3-68-S, serial number: 07268, year of construction: 2014, 230 V, 2x0.27 A, 2x35 W, 2 fans, dimensions: 1180 mm x 600 mm x 480 mm.	100
96	Teko	Teko evaporator, model: RW-WKBS- 5-57-S, serial number: 07040, year of construction: 2014, 230 V, 3x0.27 A, 3x35 W, 3 fans, dimensions: 1600 mm x 580 mm x 480 mm.	125
97	Teko	Teko evaporator, model: WKBS- 2-69-D/Q, serial number: 00033, year of construction: 2011, 230 V, 2x0.62 A, 2x90 W, 2 fans, dimensions: 1050 mm x 550 mm x 450 mm.	100
98			200



Nr	Title	Description	Start €
	Güntner AG&Co.KG	3 Güntner AG&Co.KG evaporators, type: CXGDF 020.1C/27-AN150.E, CXGDF 020.1C/24-AN150.E and CXGDF 020.1C/27-EN150.E, serial number: 400/3347727.0001, 400/3347726.0001 and 400/3347728.0001, year of construction: 2009, volume: 3.8 liter, (3x) 2 fans, dimensions: (3x) 1090 mm x 550 mm x 400 mm.	
99	Dorin	Dorin cooling compressor, model: Y6080CC, serial number: 07090292D, 380/480 V, 50/60 Hz, dimensions: 870 mm x 600 mm x 650 mm.	400
100	Teko	Teko compressor rack with 2 Frascold cooling compressors, type: (2x) S 7 39 Y, number: 3F000860 and 3F000865, capacity: 38.25/45.9 m³ per hour, dimensions: 1550 mm x 800 mm x 1930 mm.	500
101	Teko	Teko compressor rack with 6 Frascold cooling compressors, type: (6x) Q5-36.1Y1000, number: ON001254, ON001255, OT001060, ON001216, ON001256, OV001016, capacity: 35.86/43.04 m³ per hour, dimensions: 3600 mm x 800 mm x 1930 mm.	1800
102	Teko	Teko compressor rack with 7 Frascold cooling compressors, type: (4x) S 7 56 Y, capacity: 56/67.2 m³ per hour, (2x) S 7 51 Y, capacity: 50.43/61.51 m³ per hour, (1x) S5-33Y, capacity: 32.8/39.36 m³ per hour, dimensions: 2180 mm x 820 mm x 1720 mm.	2000
103	Teko	Teko compressor rack with 6 Frascold cooling compressors, type: (4x) S 7 56 Y, capacity: 56/67.2 m³ per hour, (2x) S 5 33 Y, capacity: 32.8/39.36 m³ per hour, dimensions: 2180 mm x 820 mm x 1720 mm.	1800
104	Teko	Teko compressor rack with 7 Frascold cooling compressors, type: (7x) S 7 56 Y, capacity: 56/67.2 m³ per hour, dimensions: 2180 mm x 820 mm x 1720 mm.	2000
105	Teko	Teko compressor rack with 4 Frascold cooling compressors, type: (4x) S 7 51 Y, capacity: 50.43/61.51 m³ per hour, dimensions: 1650 mm x 810 mm x 1650 mm.	1200
106	Teko	Teko compressor rack with 2 Frascold cooling compressors, type: S 10 39 Y, capacity: 38.3 m³ per hour and S10-52Y, capacity: 51.5/61.8 m³ per hour, year of construction: 2001, dimensions: 1750 mm x 800 mm x 2080 mm.	1200
107	Teko	Teko compressor rack with 7 Frascold cooling compressors, type: (5x) S 7 51 Y, capacity: 50.43/61.51 m³ per hour, (2x) S 7 39 Y, capacity: 38.25/45.9 m³ per hour, dimensions: 2180 mm x 820 mm x 1720 mm.	1000
108	Teko	Teko compressor rack with 7 Frascold cooling compressors, type: (3x) Q 5 28.1 Y 1000, capacity: 28.02/33.62 m³ per hour, (4x) Q 4 21.1 Y 1000, capacity: 21.18/25.42 m³ per hour, refrigerant: R134A, dimensions: 2180 mm x 820 mm x 1720 mm.	1000
109	Teko	Teko compressor rack with 5 Frascold cooling compressors, type: Q5-33.1E, capacity: 32.66/39.19 m³ per hour,	1500



Nr	Title	Description	Start €
		D4-16.1Y, capacity: 16.4/19.68 m³ per hour, (3x) Q5-28.1E, capacity: 28.02/33.62 m³ per hour, refrigerant: R134a, dimensions: 1650 mm x 810 mm x 1650 mm.	
110	Teko	Teko compressor rack with 3 Frascold cooling compressors, type: (3x) Q5-33.1E, capacity: 32.66/39.19 m³ per hour, dimensions: 1650 mm x 810 mm x 1650 mm.	1000
111	Optimum Maschinen	Optimum Maschinen lathe, model: Tour D330 x 1000, serial number: J020945, year of construction: 2010, 400 V, 50 Hz, 1.5 kW, dimensions: 1850 mm x 660 mm x 1600 mm.	1500
112	Kuka	Kuka control panel for robot, number: E41473, year of construction: 30-04-2014, dimensions: 330 mm x 260 mm x 180 mm.	200
113	Kuka	Kuka control panel for robot, number: E34261, year of construction: 20-10-2010, dimensions: 330 mm x 260 mm x 180 mm.	200
114	Kuka	Kuka control panel for robot, number: E36513, year of construction: 10-12-2012, dimensions: 330 mm x 260 mm x 180 mm.	200
115	Kuka	Kuka control panel for robot, dimensions: 330 mm x 260 mm x 180 mm.	200
116	ECO Refrigeration	ECO Refrigeration evaporator, model: CTE086M6, serial number: AC200814466, year of construction: 25-09-2008, 230 V, 1 Ph, 50/60 Hz, 3 fans, dimensions: 1370 mm x 580 mm x 430 mm.	100
117	ECO Refrigeration	ECO Refrigeration evaporator, model: CTE086M6ED, serial number: AC200815265, year of construction: 09-10-2008, 230 V, 1 Ph, 50/60 Hz, 3 fans, dimensions: 1370 mm x 580 mm x 430 mm.	100
118	Güntner AG&Co.KG	Güntner AG&Co.KG evaporator, type: CXGDF 030.1C/27-EL150.E, serial number: 400/3765704.0001, year of construction: 2013, volume: 6 liter, 2 fans, dimensions: 1650 mm x 600 mm x 400 mm.	100
119	Güntner AG&Co.KG	Güntner AG&Co.KG evaporator, type: CXGDF 020.1C/27-EN150.E, serial number: 400/3765702.0001, year of construction: 2013, volume: 3.7 liter, 2 fans, dimensions: 1090 mm x 550 mm x 400 mm.	50
120	Güntner AG&Co.KG	Güntner AG&Co.KG evaporator, type: CXGDF 030.1B/27-EL152.E, serial number: 404171958/06.05885, year of construction: 2015, 2 fans, dimensions: 1650 mm x 550 mm x 300 mm.	100
121	Güntner AG&Co.KG	Güntner AG&Co.KG evaporator, type: CXGDF 030.1B/27-AL152.E, serial number: 404171953/06.05882, year of construction: 2015, 2 fans, dimensions: 1650 mm x 550 mm x 300 mm.	100
122	Teko	Teko evaporator, model: WFBS-1-02, serial number: 02786, year of construction: 2011, 230 V, 50 Hz, 0.23 A, 38 W, 1 fan, dimensions: 560 mm x 500 mm x 180 mm.	50
123	Teko		100



Nr	Title	Description	Start €
		Teko evaporator, model: WDBL-5-22, serial number: 06887, year of construction: 2015, 230 V, 50 Hz, 2x0.27 A, 2x35 W, 2 fans, dimensions: 1350 mm x 850 mm x 400 mm.	
124	Teko	Teko evaporator, model: S-WDBS-4-62, serial number: 04258, year of construction: 2012, 230 V, 50 Hz, 3x0.26 A, 3x34 W, 3 fans, dimensions: 1500 mm x 720 mm x 250 mm.	100
125	Teko	Teko evaporator, model: RW-WPC-3-50-EP, serial number: 07794, year of construction: 2015, 230 V, 50 Hz, 2x0.70 A, 2x85 W, 2 fans, dimensions: 1320 mm x 750 mm x 500 mm.	100
126	Güntner AG&Co.KG	Güntner AG&Co.KG evaporator, type: CXGDF 030.1B/27-EN152.E, serial number: 404171956/06.05883, year of construction: 2015, 2 fans, dimensions: 1650 mm x 550 mm x 300 mm.	75
127	GEA Küba GmbH	GEA Küba GmbH evaporator, model: SGBE 62 HOCHLEISTUNGSLUFTK., number: P257579892, year of construction: 2002, 230 V, 1 Ph, 50/60 Hz, 3294 W, 2 fans, dimensions: 1380 mm x 550 mm x 700 mm.	150
128	Teko	Teko evaporator, model: WKBS-4-16-D/Q, serial number: 00065, year of construction: 2012, 230 V, 50 Hz, 2x0.87 A, 2x120 W, 2 fans, dimensions: 1170 mm x 500 mm x 500 mm.	100
129	ECO Refrigeration	ECO Refrigeration evaporator, model: CTE086M6ED, serial number: C200209644, year of construction: 10-07-2002, 230 V, 1 Ph, 50/60 Hz, 3 fans, dimensions: 1370 mm x 500 mm x 600 mm.	100
130	Teko	Teko evaporator, model: WKBS-4-16-D/E/Q, serial number: 00125, year of construction: 2012, 230 V, 50 Hz, 2x0.87 A, 2x120 W, 2 fans, dimensions: 1170 mm x 600 mm x 500 mm.	100
131	Güntner AG&Co.KG	Güntner AG&Co.KG; evaporator, type: S-CXGDF 020.1C/25-AN152.E, serial number: 400/3895682.0001, year of construction: 2013, volume: 3.8 liter, 2 fans, dimensions: 1080 mm x 540 mm x 380 mm.	75
132	Güntner AG&Co.KG	Güntner AG&Co.KG; evaporator, type: GASC RX 020.1/1-70.A-1820994P, serial number: 501011967/16.01415, year of construction: 2016, 1 fan, dimensions: 690 mm x 550 mm x 280 mm.	50
133	GEA Küba GmbH	GEA Küba GmbH evaporator, model: SGBE 031 C HOCHLEISTUNGS-LUFT V6.02, number: 10028764, year of construction: 2009, 230 V, 1 Ph, 50/60 Hz, 1470 W, 1 fan, dimensions: 670 mm x 530 mm x 600 mm.	50
134	GEA Küba GmbH	GEA Küba GmbH evaporator, model: DFA 061 D DECKEN-LUFTKÜHLER C CO2 45 bar, number: 10120636, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, 1470 W, 1 fan, dimensions: 1000 mm x 630 mm x 320 mm.	50
135	ECO Refrigeration	ECO Refrigeration s/s evaporator, model: CTE041M6, serial number: AC201011679, year of construction: 15-10-2010,	100



Nr	Title	Description	Start €
		1300 r.p.m. 230 V, 1 Ph, 50/60 Hz, 2 fans, dimensions: 1020 mm x 530 mm x 500 mm.	
136	ECO Refrigeration	ECO Refrigeration s/s evaporator, serial number: AC201011126, year of construction: 01-10-2010, 1300 r.p.m. 230 V, 1 Ph, 50/60 Hz, 2 fans, dimensions: 1220 mm x 650 mm x 500 mm.	100
137	ECO Refrigeration	ECO Refrigeration s/s evaporator, model: CTE058M6, serial number: AC201012102, year of construction: 22-10-2010, 1300 r.p.m. 230 V, 1 Ph, 50/60 Hz, 2 fans, dimensions: 1020 mm x 600 mm x 500 mm.	100
138	Güntner AG&Co.KG	Güntner AG&Co.KG; evaporator, type: S-CXGDF 020.1C/25-EN152.E, serial number: 400/3895683.0001, year of construction: 2013, volume: 3.8 liter, 2 fans, dimensions: 1080 mm x 550 mm x 380 mm.	75
139	Güntner AG&Co.KG	Güntner AG&Co.KG; evaporator, type: S-CXGDF 020.1C/25-EN150.E, serial number: 400/3347729.0001, year of construction: 2009, volume: 3.8 liter, 2 fans, dimensions: 1080 mm x 550 mm x 380 mm.	75
140	Teko	Teko evaporator, model: WFB L 3-39 1, serial number: 15563, year of construction: 2022, 230 V, 50 Hz, 2x0.32 A, 2x72 W, 2 fans, dimensions: 1620 mm x 700 mm x 200 mm.	100
141	Güntner AG&Co.KG	Güntner AG&Co.KG; evaporator, type: CXGDF 020.1C/27-EN152.E, serial number: 400/3895681.0001, year of construction: 2013, volume: 3.7 liter, 2 fans, dimensions: 1300 mm x 400 mm x 440 mm.	75
142	Teko	Teko evaporator, model: RW-WKBS-3-68-S, serial number: 08926, year of construction: 2016, 230 V, 50 Hz, 2x0.27 A, 2x35 W, 2 fans, dimensions: 1300 mm x 400 mm x 440 mm.	100
143	ECO Refrigeration	ECO Refrigeration s/s evaporator, model: CTE058M6, serial number: C2002085558, year of construction: 26-06-2002, 1300 r.p.m. 2 fans, dimensions: 1000 mm x 500 mm x 400 mm.	100
144	ECO Refrigeration	ECO Refrigeration s/s evaporator, model: CTE068L8ED, serial number: C200208147, year of construction: 19-06-2002, 230 V, 1 Ph, 50/60 Hz, 1370/1530 r.p.m. 3 fans, dimensions: 1000 mm x 500 mm x 400 mm.	100
145	GEA Küba GmbH	GEA Küba GmbH evaporator, model: SGBE 81 HOCHLEISTUNGSLUFTK. Number: P257579893, year of construction: 2002, 2830 W, 1 fan, dimensions: 1060 mm x 700 mm x 570 mm.	50
146	Frigoscandia	Frigoscandia spiral freezer, model: GYRoCOMPACT, type: GLP42, consisting of: 3 pallets with s/s mesh belts, belt width: 400 mm, dimensions: 2700 mm x 400 mm x 1000 mm;Fläkt Solyvent-Ventec fan, type: CHK LP 630 EDSP RD ADX, serial number: M192837 010/303703N0001, year of construction: 2003, temperature: Max 20°C, dimensions: 3700 mm x 1550 mm x 2060 mm;steel spiral, dimensions: ø 2400 mm x 900 mm;blower, 2 fans, dimensions: 2400 mm x	30000



Nr	Title	Description	Start €
		2000 mm x 2000 mm;Pallet with frame, dimensions: 1200 mm x 800 mm x 1300 mm;Plastic tube with parts, dimensions: 1200 mm x 1000 mm x 2000 mm;SMO International switch cabinet, type: GLP42, number: 424.02/470203, dimensions: 800 mm x 400 mm x 1500 mm;Assmann & Stocker storage vessel, number: 45130, year of construction: 1986, dimensions: 5000 mm x 2000 mm x 2100 mm;Steel frame with panels/doors, dimensions: 6500 mm x 2500 mm x 1500 mm;Steel box with parts, dimensions: 1300 mm x 1100 mm x 1600 mm;Sabroe cooling compressor, dimensions: 3500 mm x 1600 mm x 2300 mm;APV heat exchanger, type: N 35, number: 37905, year of construction: 1994, dimensions: 1000 mm x 500 mm x 1600 mm;Pallet with Hermatic pumps, dimensions: 2500 mm x 1200 mm x 1600 mm.	
147	Beko eurosplit	Beko eurosplit emulsion treatment cabinet, volume: 600/1000 liter, dimensions: 1100 mm x 440 mm x 1450 mm.	200
148	NN platform	S/s platform with 4 steps, working height: 1200 mm, total dimensions: 1650 mm x 950 mm x 2200 mm.	100
149	NN stairs	S/s stairs, 8 steps, dimensions: 3420 mm x 580 mm x 250 mm.	50
150	NN platform	S/s platform with (2x) 4 steps, working height: 800 mm, total dimensions: 2550 mm x 520 mm x 1680 mm.	250
151	Dixi Gold	Dixi Gold knife, ø knife: 410 mm.	50
152	Treif	Treif s/s knife, dimensions: 350 mm x 250 mm.	50

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

[illegible]



This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings present.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

