



**Industrial
Auctions**

1983: Online auction food processing machinery,
catering and butchery equipment in Anzegem (BE)

END DATE
18 November 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	18 November 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	25 November 2025 from 09:00 till 16:00 hrs.
Pick up address	Beukenhofstraat 77A 8570 Anzegem Belgium
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Opem/Rovema/ Colombini	Coffee processing line, consisting of;Colombini grinding mill, type: TA 300, serial number: 814, year of construction: 2006Opem coffee pod machine, model: PEGASO 500, number: 572, year of construction: 2006, 380 V, 50 Hz, weight: 5000 kg, working hours: 61942.1, paper width: 495 mm, dye: (6x) ø 70 mm, plastic belt, belt width: 175 mm, total dimensions: 4120 mm x 2650 mm x 5400 mmRovema packaging machine, type: VPI 260/PFS, number: 15786, year of construction: 2008, plastic belt, belt width: 530 mm, 330 mm and 110 mm, 2000 pads per minute, with form-, fill- seal machine, seal length: 370 mm and 280 mm, with Markem imaje printer, total dimensions: 7000 mm x 3700 mm x 3000 mmDelta Neu suction device, 400 V, 3 Ph, 7.5 kW, 3000 tour per minute, dimensions: 2200 mm x 1800 mm x 2250 mmFT Solutions 90° curve belt, type: SL090, year of construction: 2021, belt width: 900 mm, dimensions: 4000 mm x 900 mm x 1050 mmCFM mobile industrial vacuum cleaner, type: 3151 X, serial number: 11AG795, year of construction: 2006, dimensions: 700 mm x 480 mm x 1150 mm 3 pallets with parts. Sartorius checkweigher not included.	20000
2	Grupo Giró	Grupo Giró netting machine, model: GB/UB, serial number: 1232873, year of construction: 2012, 400 V, 50 Hz, 3.5 kW, plastic belt, belt width: 240 mm, plastic belt with dividers: 295 mm, divider width: 260 mm, distance between dividers: 410 mm, divider height: 45 mm, film width: 120 mm, for 4 kg oranges, with Markem Imaje SmartDate X40 inkjet printer, total dimensions: 3300 mm x 1230 mm x 2200 mm.	1500
3	Bizerba	Bizerba checkweigher, model: CWE, number: 10754549, 120/220-240 V, 50/60 Hz, 3/5 A, max: 3000/6000 gram, min: 150 gram, e=d= 1/2 gram, plastic belt, belt width: 400 mm, total dimensions: 1810 mm x 850 mm x 1700 mm.	2500
4	Grupo Giró	Grupo Giró netting machine, model: GB/UB, serial number: 1232872, year of construction: 2012, 400 V, 50 Hz, 3.5 kW, plastic belt, belt width: 240 mm, plastic belt with dividers: 300 mm, divider width: 260 mm, distance between dividers: 380 mm, divider height: 40 mm, film width: 90 mm, for 3 kg oranges, with Markem Imaje SmartDate X40 inkjet printer, total dimensions: 2950 mm x 1250 mm x 2200 mm.	1500
5	Bizerba	Bizerba checkweigher, model: CWE, number: 10876362, 120/220-240 V, 50/60 Hz, 3/5 A, max: 3000/6000 gram, min: 150 gram, e=d= 1/2 gram,	2500



Nr	Title	Description	Start €
		plastic belt, belt width: 400 mm, total dimensions: 1810 mm x 850 mm x 1700 mm.	
6	Upmatic	Upmatic switch cabinet, type: 2515, number: 11121932, year of construction: 2012, 380 V, 50 Hz, 5 kW, dimensions: 1530 mm x 900 mm x 600 mm.	150
7	BVM Brunner GmbH u. Co.KG	BVM Brunner GmbH u. Co.KG film packaging machine, type: Compacta 5022 EGS, number: 20090641881, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 8 kVA, plastic belt, belt width: 400 mm, knife width: 560 mm, total dimensions: 2600 mm x 1800 mm x 1800 mm.	1500
8	BVM Brunner GmbH u. Co.KG	BVM Brunner GmbH u. Co.KG shrink tunnel, type: SC 4530 SD, number: 20090641882, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 18 kW, plastic mesh belt, belt width: 440 mm, clearance: 450 mm x 330 mm, total dimensions: 2400 mm x 1150 mm x 1620 mm.	1000
9	Bizerba	Bizerba checkweigher with labeller, number: 10743142, 230 V, 50 Hz, 2.4 A, plastic belt, belt width: (2x) 135 mm and 30 mm, labeller number: 10743131, total dimensions: 3550 mm x 950 mm x 1750 mm. Without rollics.	5000
10	Itra	Itra mobile transport belt, number: 10-0342, plastic belt, belt width: 390 mm, total dimensions: 2540 mm x 620 mm x 860 mm.	250
11	NN roller conveyor	S/s roller conveyor, roller width: (3x) 635 mm, total dimensions: 2050 mm x 1250 mm x 1350 mm.	150
12	NN switch cabinet	Plastic switch cabinet and display, dimensions switch cabinet: 1030 mm x 880 mm x 380 mm, dimensions display: 580 mm x 420 mm x 130 mm.	75
13	Pastorfrigor	Pastorfrigor freezer, model: Sardegna Small BT 2500 CO2, serial number: 79958, year of construction: 06-2021, 400 V, 3 Ph, 50 Hz, 4884 W, volume: 1149 dm ³ , dimensions: 5200 mm x 1650 mm x 1180 mm.	500
14	Bosch Groep	Bosch Groep vertical form-, fill-, and seal machine, type: SVB 3601 A, number: 77809INS7501N, year of construction: 1996, Gardner Denver vacuum pump, type: V-VC 75, capacity: 70.0/84.0 m ³ per hour, diameter pipe: 130 mm, film width: 450 mm, seal width: 360 mm, total dimensions: 2200 mm x 1550 mm x 2200 mm. With 6 head filling station, diameter: 145 mm, total dimensions: 1350 mm x 1050 mm x 1300 mm and Itra elevating belt with 90° curve, plastic belt, belt width: 400 mm, elevating height from 450 mm to 1150 mm, total dimensions: 3000 mm x 2350 mm x 1250 mm. Including large amount of extra parts.	7000
15	Hagenauer+Denk	Hagenauer+Denk box closing machine, model: T-55, number: 74-96, year of construction: 1996, 400 V, 3 Ph, plastic rollers, roller width: 250 mm, plastic belt,	150



Nr	Title	Description	Start €
		belt width: 45 mm, total dimensions: 1000 mm x 900 mm x 1630 mm.	
16	Sielaff GmbH&Co. KG	Sielaff GmbH&Co. KG reverse vending machine, type: SiVario 360, serial number: 90481362, bottle diameter: Ø 135 mm, plastic belt, belt width: 440 mm x 490 mm, clearance: 430 mm x 450 mm, plastic roller, roller width: 490 mm, total dimensions: 3170 mm x 1750 mm x 1900 mm.	1500
17	HSM GmbH+Co.KG	HSM GmbH+Co.KG horizontal bale press, model: HSM HL 4809 Li, number: 6404.114, serial number: 470002624, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 22.7 A, 11 kW, dimensions inside: 1020 mm x 900 mm, total dimensions: 4630 mm x 2150 mm x 2680 mm. Without rollies.	7500
18	RDL Engineering N.V.	RDL Engineering N.V. lifting table, type: BX 10-8/6, number: 103.882-01, year of construction: 2015, rated load: 500 kg, dimensions of standing area: 1440 mm x 790 mm, total dimensions: 1550 mm x 900 mm x 1700 mm. Including switch cabinet.	500
19	RDL Engineering N.V.	RDL Engineering N.V. lifting table, type: BX 10-8/6, number: 103.882-04, year of construction: 2015, rated load: 500 kg, dimensions of standing area: 1440 mm x 790 mm, total dimensions: 1550 mm x 900 mm x 1700 mm. Including switch cabinet.	500
20	NN lifting table	Lifting table, dimensions: 1550 mm x 1000 mm x 880 mm.	350
21	NN lifting table	Lifting table, dimensions: 1550 mm x 1000 mm x 880 mm.	350
22	Turbo systems Ltd.	Turbo systems Ltd. mobile depositor, type: UPG110512, number: 0150P5709666, year of construction: 2011, dimensions inside: Ø 70 mm x 440 mm, total dimensions: 1320 mm x 900 mm x 1680 mm.	1500
23	NN cooking chamber	Cooking chamber with 6 floors, floor dimensions: (6x) 690 mm x 650 mm, total dimensions: 1000 mm x 1080 mm x 1860 mm.	500
24	AHT	AHT freezer, type: PARIS 185, serial number: 235858 99010058, year of construction: 05/09, 220-240 V, 50 Hz, 2,8 A, 480 W, refrigerant: R404A/0,230 kg, capacity: 625 dm ³ , total dimensions: 1870 mm x 860 mm x 840 mm.	100
25	AHT	AHT freezer, type: PARIS 250, serial number: 248516 03592099, year of construction: 2006, 220-240 V, 50 Hz, 3,2 A, 495 W, refrigerant: R404/0,260 kg, capacity: 882 dm ³ , total dimensions: 2500 mm x 870 mm x 800 mm.	100
26	Pauchard		100



Nr	Title	Description	Start €
		Pauchard pressure vessel, type: APO3, serial number: 55C149, volume: 500 liter, dimensions: 800 mm x 800 mm x 2000 mm.	
27	Charot	Charot pressure vessel, type: ECS, year of construction: 09-1994, capacity: 1000 litres, pressure: 7 bar, dimensions: 900 mm x 900 mm x 2500 mm.	100
28	Thissen&Stecher BV	Thissen&Stecher BV cooking vessel, inside dimensions: (2x) 550 mm x 550 mm x 500 mm, total dimensions: 1000 mm x 1500 mm x 1600 mm.	200
29	Reepack	Reepack mobile tray sealer, model: 511VG, number: 3803076, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 18 A, dye: 320 mm x 255 mm, film width: 360 mm, with Busch oxygen vacuum pump, type: RC 0063 E 453, number: 03026309, capacity: 63 m ³ per hour, total dimensions: 950 mm x 600 mm x 1540 mm. Including 3 boxes with plastic trays, model trays: 1/2 GN 100 WH CMH 950 CTN.	1500
30	Firex	Firex cooking vessel, model: HIGH-P070E, number: 29140PH30, year of construction: 2011, volume: 70 L, dimensions: 1300 mm x 900 mm x 1150 mm. Overhauled in 2024.	3000
31	Spako	Spako smoking and cooking chamber, type: SPM650, serial number: 18267, year of construction: 1999, 230 V, 50 Hz, 12.55 kW, s/s trolley, 5 floors, dimensions floor: (5x) 600 mm x 600 mm, total dimensions: 960 mm x 900 mm x 2120 mm.	1500
32	Kerres	Kerres smoking, cooking and frying chamber with smoke generator for wood chips, type: OS 700 o1, serial number: 09.0323, year of construction: 09.89, 380 V, 50 Hz, 6 floors, dimensions floor: (6x) 700 mm x 800 mm, total dimensions: 1060 mm x 920 mm x 1800 mm.	500
33	Unitrak	Unitrak elevating belt, model: TT-500PEC, serial number: 043990-2, plastic belt with dividers, belt width: 255 mm, divider height: 140 mm, distance between dividers: 100 mm, elevating height: 5800 mm, total dimensions: 4400 mm x 600 mm x 6225 mm.	3500
34	Risco Spa	Risco Spa vacuum filling machine with lifter for 200 liter meat bins, type: RS 500100, serial number: 593030, 380 V, 3 Ph, 50 Hz, 25 A, 12 kW, with Busch vacuum pump, total dimensions: 2150 mm x 1100 mm x 2250 mm.	2500
35	Technoclipper	Technoclipper mobile double clipper, roller width: 90 mm, total dimensions: 1150 mm x 800 mm x 1850 mm.	1000
36	Hendi Food Equipment	Hendi Food Equipment vacuum machine, model: HENDI-350, year of construction: 2015, 230 V, 50 Hz,	150



Nr	Title	Description	Start €
		750 W, pump: 20 CMB/H, weight: 62 kg, seal length: 345 mm, dimensions chamber: 420 mm x 370 mm, total dimensions: 560 mm x 435 mm x 460 mm.	
37	Meiko	Meiko crate washer, model: K 200KV, serial number: 0005005, year of construction: 03.2001, 400 V, 3 Ph, 50 Hz, 19 A, 9 kW, clearance: 510 mm x 510 mm, total dimensions: 1910 mm x 780 mm x 1950 mm. Incomplete. Including pallet with switch cabinet, dimensions: 1730 mm x 600 mm x 300 mm and pallet with dryer, dimensions: 1190 mm x 870 mm x 1000 mm.	500
38	Rational	Rational combi steamer, type: CPC 201, serial number: E21CA97091209, 400 V, 3 Ph, 50 Hz, 38 kW, electric heated, with s/s trolley, 20 floors, dimensions each floor: 530 mm x 325 mm, total dimensions: 900 mm x 500 mm x 1800 mm.	1250
39	Speco	Speco vertical elevating screw, diameter screw: 300 mm, output height: 3350 mm, total dimensions: 1050 mm x 770 mm x 4600 mm.	750
40	Rational	Rational combi steamer, type: CPC 201, serial number: E21CA98121854, 400 V, 3 Ph, 50 Hz, 38 kW, electric heated, with s/s trolley, 20 floors, dimensions each floor: 530 mm x 325 mm, total dimensions: 900 mm x 500 mm x 1800 mm.	1250
41	Unox	Unox hot air oven, model: XFT190, number: 2016B0017585, 220/240 V, 1/3 Ph, 50/60 Hz, weight: 61 kg, 4 floors, dimensions each floor: 605 mm x 370 mm, total dimensions: 830 mm x 800 mm x 510 mm.	200
42	Maxima	Maxima planetary mixer, model: MPM20, serial number: MPM20 2451, 230 V, 1 Ph, 50 Hz, 0.75 kW, volume: 20 liter, dimensions: 510 mm x 500 mm x 800 mm. Including hook.	300
43	Bizerba	Bizerba checkweigher with labeller, model: GLM-E, number: 10743653, plastic belt, belt width: 296 mm and (2x) 135 mm, model labeller: GLE, number: 10636695, max: 6 kg, min: 20 gram, e=1 gram, total dimensions: 1630 mm x 650 mm x 1700 mm.	2000
44	Bizerba	Bizerba checkweigher with labeller, model: GLM-E, number: 10743651, plastic belt, belt width: 296 mm and (2x) 135 mm, max: 6 kg, min: 20 gram, e=1 gram, total dimensions: 1630 mm x 650 mm x 1850 mm.	2000
45	Firex	Firex tiltable braising pan with agitator and scrapers, model: PRIV180M, number: 21615 MH 29, year of construction: 2008, volume: 180 liter, total dimensions: 1450 mm x 1350 mm x 1285 mm.	750
46	Firex	Firex tiltable braising pan with agitator and scrapers, model: PRIV180M, number: 30 LL 18735, year of	750



Nr	Title	Description	Start €
		construction: 2007, volume: 180 liter, total dimensions: 1450 mm x 1350 mm x 1285 mm.	
47	NN spraying machine	S/s mobile glazing machine, s/s mesh belt, belt width: 900 mm, clearance: 910 mm x 455 mm, total dimensions: 1700 mm x 1150 mm x 1650 mm.	200
48	Crown Gabelstapler GmbH & Co. KG	Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5200, serial number: 5A221602, nominal capacity: 1600 kg, retracted mast height: 3690 mm, fork length: 1140 mm, total dimensions: 2600 mm x 1300 mm x 3350 mm. Including Hawker battery charger, 3x400 V, 50 Hz, 10 A.	3000
49	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 5100 mm x 850 mm x 1000 mm.	750
50	Bizerba	Bizerba slicer, dimensions: 1230 mm x 720 mm x 700 mm.	150
51	Nieros	Nieros boot washer, brush width: 400 mm, total dimensions: 1050 mm x 630 mm x 1280 mm.	250
52	Gruppo Fabbri S.p.A.	Gruppo Fabbri S.p.A. packaging machine, model: Elixia Plus XS-B.228.XS, serial number: 1/12917, year of construction: 2009, 230 V, 1 Ph, 50-60 Hz, 8,6 A, weight: 170 kg, wire infeed belt, belt width: 325 mm, plastic outfeed belt, belt width: 340 mm, total dimensions: 1300 mm x 1130 mm x 1300 mm.	500
53	NN safe	Safe, inside dimensions: 415 mm x 380 mm, total dimensions: 630 mm x 580 mm x 880 mm. Missing key.	200
54	SSP SPA	SSP SPA mobile serving counter with 2 warming plates and au bain marie, model: WORLD MARCHE, serial number: 51700001, 400 V, 50 Hz, dimensions: 2080 mm x 1080 mm x 1920 mm, dimensions au bain marie: 640 mm x 780 mm x 1150 mm.	350
55	Bravilor Bonomat	Bravilor Bonomat coffee machine, model: B 10-HW, volume: (2x) 10 L, dimensions: 1070 mm x 700 mm x 1660 mm.	150
56	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD semi automatic weigh, wrap, and labelling machine, model: AW-4600CP, serial number: 14162719, year of construction: 2014, 220-240 V, 50 Hz, min: 20 g, max: 3/6 kg, clearance: 400 mm x 200 mm, total dimensions: 1100 mm x 950 mm x 1540 mm.	350
57	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD semi automatic weigh, wrap, and labelling machine, model: AW-4600CP, serial number: 14162719, year of construction: 2014, 220-240 V, 50 Hz, min: 20 g, max: 3/6 kg, clearance: 400 mm x 200 mm, total dimensions: 1100 mm x 950 mm x 1540 mm.	350
58	Röschermatic	Röschermatic mobile vacuum tumbler, type: RH-150, serial number: 542, 380/220 V, 0.85 kW, volume: 150	1000



Nr	Title	Description	Start €
		liter, inside dimensions: Ø 500 mm x 650 mm, total dimensions: 900 mm x 800 mm x 1700 mm. Without vacuum pump.	
59	Robot Coupe	Robot Coupe mixer, model: Robot-Chef 40, serial number: T12701153 11, 400 V, 3 Ph, 50 Hz, 3.4 A, 1500 W, s/s bowl, volume: 40 liter, dimensions: 800 mm x 700 mm x 1320 mm. With whisk, hook and flat beater.	500
60	Deco	Deco mixer, model: imperator 30, type: PL, number: 73357, dimensions: 680 mm x 600 mm x 1070 mm. Including whisk and hook.	350
61	NN mixer	Mixer, dimensions: 830 mm x 500 mm x 1000 mm.	100
62	Dito-Sama	Dito-Sama bowl mixer, type: MC40S, serial number: 19274 0230 025, 230/400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 900 W, volume: 40 liter, inside dimensions bowl: Ø 400 mm x 400 mm, total dimensions: 620 mm x 750 mm x 1410 mm.	350
63	Convotherm	Convotherm combi steamer, model: OES 6.10 mini, number: XSMMML503S, 400 V, 3 Ph, 50/60 Hz, 14.8 A, 7.1 kW, 12 floors, floor dimensions: (12x) 500 mm x 325 mm, total dimensions: 850 mm x 520 mm x 660 mm.	200
64	Convotherm	Convotherm combi steamer, model: OES 6.10 mini, number: XSMMJ4814, 400 V, 3 Ph, 50/60 Hz, 14.8 A, 7.1 kW, 12 floors, floor dimensions: (12x) 500 mm x 325 mm, total dimensions: 850 mm x 520 mm x 660 mm.	200
65	Miele	Miele washing machine, type: WS 5080, serial number: 25258481, year of construction: 1993, 220/400 V, 3 Ph, 50 Hz, 16/25 A, 9.35 kW, dimensions: 800 mm x 750 mm x 1150 mm.	250
66	KMA	KMA smoke generator, type: M1, number: 1593, 380 V, 50 Hz, 5.37 A, 1.17 kW, dimensions: 1000 mm x 680 mm x 1350 mm.	100
67	Hobart	Hobart high speed steam cooker, model: 304G, serial number: 97-0164-366, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 39.2 A, 27.9 W, inside dimensions: 520 mm x 300 mm, total dimensions: 800 mm x 600 mm x 950 mm.	350
68	Comenda	Comenda dishwasher, model: C100, number: DB013593/12/04, 380/400 V, 3 Ph, 50 Hz, 14 A, 8/9.1 kW, dimensions inside: 500 mm x 500 mm, total dimensions: 830 mm x 730 mm x 1530 mm.	300
69	Lamber	Lamber dishwasher, model: 015/24L-L24, number: 20048925, 400 V, 3 Ph, 50 Hz, 25 A, 10.3 kW, dimensions inside: 580 mm x 530 mm, total dimensions: 860 mm x 750 mm x 1430 mm.	150
70	Electrolux		250



Nr	Title	Description	Start €
		Electrolux braising pan, inside dimensions: 860 mm x 650 mm x 200 mm, total dimensions: 1080 mm x 1000 mm x 900 mm.	
71	France	France transfo mobile transformer, type: NBN HD 428.1 S1 -CC', serial number: 409976-01, year of construction: 2006, 400 V, 225.3 A, weight: 915 kg, 160 kVA, dimensions: 800 mm x 1100 mm x 1380 mm.	1250
72	Animo	Animo double coffee machine, model: number: 10640/2U 13921, volume: (2x) 10 liter, total dimensions: 910 mm x 580 mm x 1700 mm.	150
73	Hobart	Hobart dishwasher with infeed- and outfeed table, model: AUX70E, serial number: 86314055, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 33 A, 19.7 kW, dimensions inside: 500 mm x 500 mm, total dimensions: 1900 mm x 700 mm x 1500 mm.	500
74	Hakvoort Horeca	Hakvoort Horeca refrigerated counter, inside dimensions: 1280 mm x 510 mm x 180 mm, total dimensions: 1600 mm x 850 mm x 1600 mm.	200
75	NN waste bag holders	5 s/s waste bag holders, dimensions: (5x) 400 mm x 380 mm x 720 mm.	100
76	Insectazap	5 Insectazap insect killers, dimensions: (5x) 380 mm x 120 mm x 340 mm.	50
77	Roller Grill	Roller Grill grill, type: BAR 100, serial number: 200206632, 220-240 V, 50-60 Hz, 2000 W, dimensions: 450 mm x 280 mm x 300 mm.	25
78	Alpina	Alpina heated showcase, type: ADA WG 20-11, number: 158, year of construction: 2017, 230 V, 50 Hz, 1600 W, 50 kg, total dimensions: 800 mm x 750 mm x 1760 mm.	250
79	Alpina	Alpina heated showcase, type: ADA WG 20-11, number: 144, year of construction: 2017, 230 V, 50 Hz, 1600 W, 50 kg, total dimensions: 800 mm x 750 mm x 1760 mm.	250
80	Winterhalter	Winterhalter dishwasher, type: GR1221, number: 230 685, 220 V, 3 Ph, 50 Hz, 30.0 A, 10.5 kW, dimensions: 800 mm x 930 mm x 1610 mm.	250
81	NN white boards	Pallet with approximately 10 whiteboards, dimensions: 2520 mm x 1210 mm.	50
82	NN cabinet	Steel 4-drawer cabinet, dimensions: 700 mm x 480 mm x 1320 mm.	10
83	NN trolley	S/s trolley for dyes, width: 660 mm, total dimensions: 1070 mm x 800 mm x 1330 mm.	100
84	Kwik Lok	Pallet with approximately 28 boxes with large amount of Kwik Lok bag closures.	250
85	NN frame	S/s frame, dimensions: 900 mm x 820 mm x 1340 mm	25
86	Jungheinrich	Jungheinrich electric forklift, model: EFG 316, serial number: FN505841, year of construction: 2016, rated capacity: 1600 kg, fork length: 1200 mm, total	5000



Nr	Title	Description	Start €
		dimensions: 3400 mm x 1100 mm x 3550 mm. Including battery charger. Battery renewed in 2024.	
87	Costan	Costan mobile refrigerated showcase, dimensions inside: 1400 mm x 810 mm x 460 mm, total dimensions: 1510 mm x 1010 mm x 1550 mm.	100
88	NN cabinet	Mobile cabinet, dimensions: 1590 mm x 750 mm x 1150 mm.	100
89	NN pan	S/s pan, dimensions: ø 365 mm x 440 mm.	10
90	Dito/Electrolux	Dito/Electrolux mobile speed mixer, model: TBX, dimensions: 1730 mm x 640 mm x 1150 mm.	1250
91	Convotherm	Convotherm combi steamer, type: C4eD20.20 ES, serial number: XS716051165, 400 V, 3Ph, 50/60 Hz, 67.3 kW, 97.3 A, dimensions: 1150 mm x 1100 mm x 1950 mm. Including 2 s/s trolleys, 20 floors each, dimensions floors: (20x) 650 m x 535 mm.	4000
92	Dumon	Dumon 45° roller conveyor, fabric number: 1910052, s/ s frame, plastic rollers, roll width: 160 mm, total dimensions: 2200 mm x 920 mm x 940 mm.	50
93	Grundfos	Grundfos pump, serial number: A96123983P11233, 50 Hz, 18.5 kW, 64 m³ per hour, with 2 Reflex pressure vessels, dimensions: 1600 mm x 500 mm x 1520 mm.	750
94	Rösler	Rösler plastic barrel, volume: 200 liter, cleaning and polishing compound for non-ferrous metal and stainless steel, dimensions: ø 585 mm x 950 mm.	250
95	Rösler	Rösler plastic barrel with bleaching agent, volume: 200 liter, dimensions: ø 585 mm x 950 mm.	250
96	Rösler	Rösler plastic barrel with polish for plastic, volume: 200 liter, dimensions: ø 585 mm x 950 mm.	250
97	Antoine	Antoine bottle cooler, model: 1200 2DX SF, number: 112468 638981, year of construction: 2007, 230 V, 50 Hz, refrigerant: R134a, (2x) 2 floors, dimensions each floor: 340 mm x 540 mm, total dimensions: 1200 mm x 580 mm x 830 mm.	150
98	Antoine	Antoine bottle cooler, model: 2400 4 DX SF, number: 112480 63995, year of construction: 2007, 230 V, 50 Hz, refrigerant: R134a, (4x) 2 floors, dimensions each floor: 340 mm x 540 mm, total dimensions: 2400 mm x 600 mm x 840 mm.	350
99	AsoGem equipment	AsoGem equipment s/s hood, dimensions: 1200 mm x 500 mm x 2200 mm.	200
100	NN hood	S/s hood, dimensions: 1600 mm x 450 mm x 2000 mm.	200
101	Strautmann	Strautmann baler, type: AutoLoad, machine number: 411.51.012, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4 kW, dimensions: 2200 mm x 2100 mm x 3200 mm.	1500
102	Sacmi Labelling	Sacmi Labelling labelling machine for cans, model: RHM5046T, type: SR S1F, serial number: 00421, year of construction: 2006, 380 V, 50 Hz, 16 A, 8 kW, weight:	3000



Nr	Title	Description	Start €
		2500 kg, cans: Ø 100 mm, total dimensions: 2450 mm x 2100 mm x 2180 mm. Missing belt. Without rollics.	
103	Cimec	Cimec filling and closing machine for bottles, type: MO.LD.12.1EAGLE C, serial number: 2032, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 4.5 kW, s/s belt, belt width: 80 mm, bottles: Ø 60 mm, 12 filling stations, total dimensions: 5100 mm x 1600 mm x 2600 mm. Without rollics.	7500
104	Veba MediTemp	Veba MediTemp refrigerated transport box, model: 2700KKD, serial number: 1105-08062, 230 V, 50 Hz, 540 W, dimensions inside: 1680 mm x 1240 mm x 1330 mm, total dimensions: 2100 mm x 1450 mm x 1450 mm.	1500
105	Top Cold	Top Cold refrigerated showcase, model: MYLLO 1.50 M, number: 21/29/008, 220-240 V, 50 Hz, inside dimensions: 1400 mm x 700 mm, total dimensions: 1450 mm x 1060 mm x 1230 mm.	150
106	NN trolleys	4 s/s trolleys for combi steamer, 20 floors each, dimensions floors: (20x) 650 mmx 535 mm, total dimensions: (4x) 850 mm x 750 mm x 1850 mm.	600
107	NN trolleys	4 s/s trolleys for combi steamer, 20 floors each, dimensions floors: (20x) 650 mmx 535 mm, total dimensions: (4x) 850 mm x 750 mm x 1850 mm.	600
108	NN trolley	S/s trolley, dimensions: 1550 mm x 650 mm x 1400 mm.	250
109	NN tub	S/s tub, dimensions: 1130 mm x 980 mm x 860 mm.	100
110	NN tub	S/s tub, dimensions: 1000 mm x 815 mm x 835 mm.	75
111	NN bowls	1 s/s bowl, dimensions: Ø 770 mm x 850 mm.	50
112	Diamond	Diamond electric stove, model: EFP01, serial number: 1121737, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 5000 W, dimensions plate: 397 mm x 397 mm, total dimensions: 580 mm x 585 mm x 470 mm.	100
113	Erre 2 srl	Erre 2 srl gas stove, grill and oven, model: 90/200, type: B11, number: OM12057001, 400 V, 3 Ph, 50 Hz, 1.48 m³ per hour, 3 floors, dimensions each floor: 630 mm x 540 mm, total dimensions: 1600 mm x 910 mm x 1000 mm.	800
114	Delrue	Delrue cooking vessel, number: 20950162, inside dimensions: 500 mm x 500 mm x 430 mm, total dimensions: 800 mm x 1000 mm x 1700 mm.	150
115	Delrue	Delrue 4-burner stove, model: 2X94F, number: 98F4120581, year of construction: 2012, dimensions: 920 mm x 800 mm x 1400 mm.	200
116	Rubbens	Rubbens braising pan, type: KBP311G, number: 2010 047068 0001, 230 V, 50 Hz, 10 A, 0.7 kW, dimensions inside: 1050 mm x 610 mm x 210 mm, total dimensions: 1640 mm x 1000 mm x 1250 mm.	1000
117	Electrolux		100



Nr	Title	Description	Start €
		Electrolux 4-pits stove, model: E9GCGH4C00, serial number: 60310010, dimensions: 950 mm x 800 mm x 950 mm.	
118	Gram	Gram refrigerator, type: PLUS K 1400 RSG 10 M, number: 12 00 66 32, serial number: 086, 230 V, 50 Hz, 800 W, 3.50 A, refrigerant: R290, 110 g, dimensions: 1400 mm x 850 mm x 2160 mm.	450
119	Combisteel BV	Combisteel BV mobile freezer, model: 7450.0415, serial number: 170500269, 230 V, 50 Hz, 180 kg, refrigerant: R290, 150 g, dimensions: 1350 mm x 810 mm x 1000 mm.	450
120	Diamond	Diamond refrigerated counter with saladette, model: SR3/DZ, 220-240 V, 50 Hz, refrigerant: R134a, dimensions: 1370 mm x 700 mm x 1050 mm.	600
121	Diamond	Diamond refrigerated counter model: MR3/R2, serial number: 8102693283, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 1.6 A, refrigerant: R2-230, 102 gram, dimensions: 1800 mm x 700 mm x 850 mm.	250
122	Coolhead	Coolhead refrigerated counter, model: S903 STF, serial number: RWB1307S903STD6104001, 240 V, 50 Hz, 2 A, 300 W, weight: 107 kg, refrigerant: R134a, dimensions: 1370 mm x 700 mm x 840 mm.	100
123	Morice / Furka	Morice / Furka grill, type: SA0003 0601, serial number: 3090160105, dimensions: 780 mm x 470 mm x 800 mm.	50
124	ERRE 2 srl	ERRE 2 srl gas stove with oven, model: 90/200 FE, number: OM12057002, 400 V, 3 Ph, 50 Hz, 6.55 kW, dimensions: 800 mm x 900 mm x 970 mm.	400
125	Hendi	Hendi plate heater, 230/240 Vac, 1000 W, 3 floors, dimensions floors: (3x) 345 mm x 310 mm, total dimensions: 460 mm x 450 mm x 950 mm.	20
126	Erre 2 srl	Erre 2 srl stove, model: CT-7200, number: 05 04 88, dimensions: 800 mm x 700 mm x 980 mm.	100
127	Madic	Madic cooking vessel, dimensions inside: ø 600 mm x 330 mm, total dimensions: 1000 mm x 900 mm x 1150 mm.	250
128	Valentine Fabrique	Valentine Fabrique fryer with 2 baskets, type: V2200, number: U223A 1368 M4, 400 V, 3 Ph, 20 A, 14.4 kW, basket dimensions: (2x) 160 mm x 300 mm, total dimensions: 400 mm x 600 mm x 950 mm.	200
129	Sveba Dahlen AB	Sveba Dahlen AB mobile rotary oven with hood, model number: S400, serial number: M219995 /0924, 400 V, 3 Ph, 50 Hz, 23 kW, 10 floors, floor dimensions: (10x) 600 mm x 400 mm, total dimensions: 1180 mm x 1100 mm x 2100 mm.	1750
130	Cleveland	Cleveland tiltable cooking vessel on s/s table, model: KET-12T, serial number: WT8775-90D-10, year of	300



Nr	Title	Description	Start €
		construction: 1990, volume: 45 liter, dimensions: 1000 mm x 950 mm x 1550 mm.	
131	Solymac	Solymac gas stove with 2 burners and 1 wok and oven, inside dimensions: 650 mm x 540 mm, total dimensions: 1200 mm x 800 mm x 910 mm.	500
132	Liebherr	Liebherr freezer, type: GG 5260 Index 40A / 001, serial number: 84.592.667.1, 220-240 V, 50 Hz, 1.5 A, refrigerant: R290, 95 g, net capacity: 472 l, dimensions: 800 mm x 750 mm x 1870 mm.	250
133	Convotherm	Convotherm combi steamer, type: OSP 6.10, number: O1R02081845, 380-415 V, 3 Ph, 50/60 Hz, 9-11 kW, 14-16 A, 6 floors, dimensions: 1130 mm x 900 mm x 1560 mm.	500
134	Winterhalter	Winterhalter dishwasher, type: GR 62/2, serial number: 2807, 230 V, 3 Ph, 50 Hz, 25.5 A, 10 kW, dimensions inside: 640 mm x 570 mm, total dimensions: 850 mm x 660 mm x 1850 mm.	200
135	Winterhalter	Winterhalter dishwasher, type: GR 62/2, serial number: 376 004, 230 V, 50 Hz, 27 A, 10 kW, dimensions: 600 mm x 660 mm x 840 mm.	200
136	Carpigiani	Carpigiani mobile ice cream machine, model: LABO 20/30 M, serial number: IC32714, 380-415 V, 3 Ph, 50 Hz, 16 A, 2.9 kW, refrigerant: R404a, 0.7 kg, dimensions: 870 mm x 460 mm x 1280 mm.	3000
137	NN ice machine	Ice machine, model: IMS-100, serial number: SHS100 1018028, 230 V, 50 Hz, 12.4 A, 520 W, netto weight: 58 kg, refrigerant: R134A, 130 g, capacity: 100 kg per hour, dimensions: 500 mm x 610 mm x 930 mm.	200
138	Delrue	Delrue smoke chamber, number: 00890481, 4 floors, floor dimensions: 740 mm x 750 mm, total dimensions: 930 mm x 880 mm x 1370 mm. Including smoke sticks.	300
139	Hobart	Hobart dishwasher, model: AMX70E, serial number: 86315280, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 27.5 A, 16.8 kW, dimensions inside: 500 mm x 500 mm, total dimensions: 740 mm x 700 mm x 1480 mm.	300
140	Colged	Colged dishwasher, model: PROTECH 26-10, serial number: 2854890, year of construction: 25-01-2016, 400 V, 3 Ph, 50 Hz, 16 A, 8.2 kW, dimensions inside: 490 mm x 490 mm, total dimensions: 610 mm x 600 mm x 820 mm.	250
141	NN kitchen	Mobile kitchen with Bosch induction plate, dimensions: 1020 mm x 860 mm x 1150 mm.	50
142	Cretel	Cretel skinning machine, working width: 360 mm, total dimensions: 500 mm x 530 mm x 350 mm.	750
143	Salamander	Salamander grill, type: OS 200, serial number: 680.1005, year of construction: 18.10.2008, 220 V, 1 Ph, 50 Hz, 6.9 A, 3200 W, weight: 52 kg, dimensions: 600 mm x 530 mm x 560 mm.	75



Nr	Title	Description	Start €
145	Amana	Amana microwave, model: RFS518S, serial number: 0808305837, year of construction: 2008, 230 V, 50 Hz, 1 Ph, 2.6 kW, operating frequency: 2450 MHz, dimensions: 500 mm x 500 mm x 360 mm.	50
146	Inventum	Inventum oven, model: OV607B/01, serial number: 23010361, 220/240 V, 50/60 Hz, 1 floor, floor dimensions: 350 mm x 450 mm, total dimensions: 630 mm x 450 mm x 420 mm.	70
147	Enomatic	Enomatic 4-bottle wine dispenser climate cabinet, serial number: 090008496, year of construction: 04/2009, 220 Vac, 50 Hz, 150 W, dimensions: 750 mm x 250 mm x 650 mm.	350
148	Santos	Santos cheese grater, dimensions: 400 mm x 210 mm x 350 mm.	50
149	Louis Tellier	Louis Tellier tomato slicer, 11 knives, distance between knives: 5 mm, total dimensions: 200 mm x 480 mm x 270 mm.	50
150	Merrychef	Merrychef oven, model: eikon e5, 230 V, 1 Ph, 50 Hz, 2 floors, floor dimensions: 300 mm x 440 mm, total dimensions: 700 mm x 630 mm x 650 mm.	1000
151	Boss	Boss vacuum machine, type: NT 42, machine number: 013030, 400 V, 50 Hz, 1 kW, seal length: 420 mm, dimensions chamber: 400 mm x 430 mm, Busch vacuum pump, type: RB 0021 B 3Z3, APXX, year of construction: 2000, 21 m ³ per hour, total dimensions: 530 mm x 500 mm x 440 mm.	125
152	Bizerba	Bizerba bandsaw, number: R061.00.00.006, dimensions table: 430 mm x 410 mm, total dimensions: 690 mm x 450 mm x 900 mm.	350
153	Bizerba	Bizerba slicer, model: GSP H, number: 11149219, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 1.79 A, 0.36 kW, dimensions: 550 mm x 700 mm x 450 mm. Including knife sharpener.	700
154	Bizerba	Bizerba mobile slicer, model: A 40X FB, number: 11058000, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4.8 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1550 mm x 980 mm x 1480 mm.	1750
155	Melior-Ganda	Melior-Ganda tenderizer, model: 35NH, number: 0009705, clearance: 290 mm x 100 mm, dimensions: 440 mm x 400 mm x 1670 mm.	250
156	NN tenderizer	Tenderizer, working width: 210 mm, dimensions: 600 mm x 530 mm x 1600 mm.	200
157	NN counter	S/s heated counter, dimensions: 1900 mm x 700 mm x 1580 mm.	250
158	Emga	Emga au bain-marie, type: FW2, 230 V, 50 Hz, 500 W, dimensions inside: (2x) Ø 175 mm x 170 mm, total dimensions: 500 mm x 290 mm x 300 mm.	50



Nr	Title	Description	Start €
159	Bini	Bini baguette slicer, 230 V, 16 A, weight 13.8 kg, diameter knife: 250 mm, dimensions: 980 mm x 300 mm x 520 mm.	200
160	NN wooden chop block	Wooden chop block, s/s frame, dimensions: 800 mm x 600 mm x 850 mm.	75
161	NN wooden chop block	Wooden chop block, s/s frame, dimensions: 600 mm x 600 mm x 830 mm.	75
162	NN wooden chop block	Wooden chop block, s/s frame, dimensions: 1200 mm x 600 mm x 880 mm.	100
163	Blanco	Blanco au bain-marie, type: BC BM 700, serial number: 462280, year of construction: 2018, 220-240 V, 1 Ph, 50/60 Hz, dimensions bin: 510 mm x 300 mm x 150 mm, total dimensions: 680 mm x 400 mm x 250 mm.	75
164	Cleveland	Cleveland cooking vessel, model: KET-5T, serial number: 3902-4J-01, 230/380 V, 3 Ph, 50/60 Hz, 10.3 A, 6800 W, inside dimensions: Ø 350 mm x 300 mm, total dimensions: 600 mm x 320 mm x 600 mm.	300
165	Steelco	Steelco table model dishwasher, type: DS 50/2 DRS, serial number: 1018021, 240 V, 50 Hz, 12 A, 2750 W, dimensions: 620 mm x 550 mm x 560 mm.	500
166	Maxima	Maxima planetary mixer, model: MPM20, serial number: MPM20 Y20 2022, 230 V, 1 Ph, 50 Hz, 0.75 kW, volume: 20 liter, dimensions: 530 mm x 450 mm x 800 mm. Including flat beater and hook.	300
167	Maxima	Maxima planetary mixer, model: MPM20, serial number: MPM20 Y20 2019, 230 V, 1 Ph, 50 Hz, 0.75 kW, volume: 20 liter, dimensions: 530 mm x 450 mm x 800 mm. Including flat beater and hook.	300
168	Pelican	Pelican refrigerated showcase, model: BB-B2, 220/240 V, 50 Hz, 190 W, capacity: 210 liter, weight: 58 Kg, (2x) 2 floors, dimensions each floor: 400 mm x 345 mm, total dimensions: 900 mm x 500 mm x 870 mm.	350
169	Hobart	Hobart dishwasher, model: FX800, serial number: 87171534, year of construction: 2005, 400 V, 50 Hz, 16 A, 9.1 kW, dimensions inside: 490 mm x 490 mm, total dimensions: 600 mm x 600 mm x 820 mm.	250
170	NN table	Mobile s/s table with plastic work top, dimensions: 1800 mm x 900 mm x 900 mm.	100
171	Safescan	Safescan coin counter, model: 1200, serial number: 2008040408, 230 V, 3.15 A, 45 W, dimensions: 350 mm x 350 mm x 300 mm.	80
172	NN table	S/s table, dimensions: 1200 mm x 700 mm x 1000 mm.	75
173	Polar Refrigeration	Polar Refrigeration refrigerated counter: model: G606, serial number: G606 095280, 230 V, 50 Hz, 1.6 A, 230 W, refrigerant: R134a, inside dimensions: (2x) 550 mm x 330 mm, total dimensions: 900 mm x 700 mm x 850 mm.	125
174	Logitrans		350



Nr	Title	Description	Start €
		Logitrans s/s pallet lifter, serial number: 083B04064236, year of construction: 2008, capacity: 2000 kg, fork length: 1140 mm, total dimensions: 1600 mm x 520 mm x 1220 mm.	
175	Logitrans	Logitrans s/s pallet lifter, type: GL 2081RF-SEMI, serial number: 112B04087057, year of construction: 2011, capacity: 2000 kg, fork length: 1140 mm, total dimensions: 1600 mm x 520 mm x 1220 mm.	350
176	Electrolux	2 Electrolux fryers, model: (2x) E9FRGD1GFO, serial number: 60410001 and 60610001, year of construction: 2016, dimensions inside: (2x) 380 mm x 240 mm x 180 mm, total dimensions: 930 mm x 820 mm x 1000 mm.	200
177	Rubbens	Rubbens cooking vessel, type: SNK150G, number: 2005 045151 0001, 230 V, 50 Hz, 10 A, 0.7 kW, 2.86 m ³ per hour, volume: 150 liter, total dimensions: 1000 mm x 1250 mm x 1250 mm.	250
178	Spako	Spako cooking vessel, type: RHA400, number: 0085 BM 0459, year of construction: 2014, 230 V, 50 Hz, 60 W, 27.9/31 kW, gas heated, natural gas, gas consumption: 2.70 m ³ per hour, inside dimensions: 1100 mm x 650 mm x 485 mm, total dimensions: 1400 mm x 1170 mm x 985 mm.	750
179	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 480 mm, total dimensions: 2000 mm x 650 mm x 850 mm.	200
180	Colged	Colged dishwasher, type: PL220 DDI, serial number: 114918, year of construction: 2005, 400 V, 63 A, 35.5 kW, dimensions sink: 940 mm x 840 mm x 1150 mm, dimensions dishwasher: 3000 mm x 800 mm x 1890 mm, dimensions 180° curve: 1400 mm x 820 mm x 850 mm, dimensions roller conveyor: 1150 mm x 630 mm x 860 mm. Rollies not included.	2000
181	Quarto	4 Quarto payment systems with receipt printer from which 6 in a frame, dimensions each: 600 mm x 600 mm x 440 mm. Table not included.	400
182	Quarto	3 Quarto payment systems with receipt printer from which 6 in a frame, dimensions each: 600 mm x 600 mm x 440 mm. Table not included.	300
183	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190018C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1000
184	Videojet	Videojet inkjet printer, model: 1620, serial number: 16292105C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1000
185	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190019C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1000



Nr	Title	Description	Start €
186	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190012C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1000
187	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190011C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1000
188	Multivac	Multivac tray sealer, type: Galaxy, model: TS 355, machine number: 996, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2.3 A, 8.75 kW, film width: 500 mm, dye: (3x) 211 mm x 163 mm, with Busch vacuum pump, type: RA 0063 E 5Z1, 63 m ³ /h, total dimensions: 730 mm x 1250 mm x 1540 mm.	1750
189	Thermodyne	Thermodyne mobile slow cook and hold oven, model: 1900G, serial number: 14567, year of construction: 1/1/17, 230/440 V, 3 Ph, 50 Hz, 11 A, 10 floors, floor dimensions: 650 mm x 550 mm, total dimensions: 830 mm x 680 mm x 1960 mm.	3500
190	Pama Parsi Machine S.r.l.	Pama Parsi Machine S.r.l. mobile pasteurizer, model: PS 150, serial number: 3621, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 14 A, 9 kW, weight: 150 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 1580 mm x 850 mm x 2450 mm.	2500
191	NN mixer	S/s mobile mixing arm, diameter mixing head: 150 mm, total dimensions: 400 mm x 1250 mm x 1530 mm.	450
192	Bakon B.V Food Equipment	Bakon B.V Food Equipment jelly machine, model: JELLY JUNIOR, serial number: 1.02.2530, year of construction: 1999, 220 V, 50 Hz, 2000 W, dimensions: 500 mm x 250 mm x 470 mm.	50
193	IPSO	IPSO dryer, model: CD10, serial number: 1903034601, 400 V, 3 Ph, 50 Hz, 9.5 A, 5300 W, maximum capacity: 8.2 kg, dimensions: 700 mm x 700 mm x 1050 mm.	200
194	Roller Grill	Roller Grill grill, type: Salamandre, grill plate dimensions: 750 mm x 300 mm, total dimensions: 860 mm x 450 mm x 450 mm.	150
195	Alpina	Alpina heated showcase, model: ADA SGd 25, fabrication number: 162, year of construction: 2012, 230 V, 50 Hz, 2.5 kW, weight: 65 kg, 3 floors, dimensions floor: (3x) 730 mm x 570 mm, total dimensions: 950 mm x 630 mm x 880 mm. Trolley not included.	450
196	Avery Weigh-Tronix	Avery Weigh-Tronix weighing scale, model: AWB120, serial number: 092650168, max: 60 kg, min: 400 gram, e=20 gram, dimensions scale: 520 mm x 420 mm, total dimensions: 640 mm x 420 mm x 850 mm.	75
197	Handtmann	Handtmann vacuum filling machine, type: VF80, number: 781, 380 V, 50 Hz, 9.15 A, 3.55 kW, Becker	2000



Nr	Title	Description	Start €
		vacuum pump, number: B 991560, 16 m ³ per hour, dimensions: 950 mm x 900 mm x 1630 mm.	
198	Kolbe	Kolbe mixer-grinder, type: MWE 52, machine number: 126 0293, year of construction: 2004, 400 V, 50 Hz, 15.2+2.8 A, 7.5+1.1 kW, diameter plate: 130 mm, total dimensions: 1370 mm x 800 mm x 1330 mm.	2500
199	Dito-Sama	Dito-Sama spiral mixer, model: XBE20, s/s tub, tub dimensions: Ø 310 mm x 300 mm, total dimensions: 700 mm x 450 mm x 1200 mm. Including extra whisk and flat beater.	500
200	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 13102019, year of construction: 20/06/2013, 400 V, 3 Ph, 50/60 Hz, 1.50 A, 0.49 kW, weight: 230 kg, working width: 410 mm, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	400
201	Weber	Weber mobile skinning machine, type: ASE 553, number: 1110, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 800 mm x 650 mm x 1000 mm.	500
202	Cretel	Cretel mobile skinning machine, type: 646 PX, number: 2041159, year of construction: 2004, 220/380 V, 50 Hz, 4.8/2.8 A, 1.1 kW, working width: 437 mm, total dimensions: 820 mm x 700 mm x 950 mm.	300
203	Schaerer/Vitrifrigo	2 Schaerer coffee machines with Vitrifrigo fridge and cabinet, model fridge: C60 P DX, serial number: 16251706, 220/240 V, 50 Hz, 0.17 A, 30.5 W, volume: 60 liter, refrigerant: R600a, dimensions fridge: 430 mm x 470 mm x 610 mm, dimensions coffee machines: (2x) 550 mm x 420 mm x 670 mm, dimensions cabinet: 390 mm x 270 mm x 520 mm.	500
204	Europack	Europack mobile vacuum machine, seal length: (2x) 500 mm, chamber: 500 mm x 460 mm, Busch vacuum pump, type: RA 0063 E 5K3, capacity: 63 m ³ per hour, total dimensions: 650 mm x 650 mm x 1100 mm.	1250
205	Europack	Europack mobile vacuum machine, seal length: (2x) 500 mm, chamber: 500 mm x 520 mm, Busch vacuum pump, type: RA 0040 F 5R3, capacity: 40 m ³ per hour, total dimensions: 710 mm x 700 mm x 1050 mm.	1250
206	Ferrari	Ferrari mobile double jacketed mixer, year of construction: 1993, gas heated, inside dimensions: Ø 490 mm x 640 mm, total dimensions: 690 mm x 680 mm x 2150 mm.	750
207	Cretel	Cretel skinning machine, type: 360F, number: A894.90.03, year of construction: 1990, 220/380 V, 50 Hz, 2.46/1.42 A, 0.55 kW, working width: 325 mm, total dimensions: 550 mm x 450 mm x 350 mm. Without table.	200
208	Italdibipack S.p.A.		450



Nr	Title	Description	Start €
		Italdibipack S.p.A. mobile heat-shrinking L-sealer system, model: Dibipack 4255EVX restyling, serial number: 022634, year of construction 2021, 230 V, 50/60 Hz, 3.5 kW, weight: 90 Kg, film width: 515 mm, seal length: 570 mm x 440 mm, total dimensions: 800 mm x 1300 mm x 1500 mm. Including 2 extra film rolls.	
209	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 1520, number: 152000.67881.0444, year of construction: 1993, 220/380 V, 3 Ph, 50 Hz, 6 A, dimensions chamber: 83 mm x 83 mm, total dimensions: 1300 mm x 730 mm x 1050 mm.	1250
210	Multivac	Multivac mobile vacuum machine, type: A 300/42, number: 6164, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 12 A, 2 kW, seal length: 450 mm, dimensions chamber: 500 mm x 450 mm, total dimensions: 650 mm x 550 mm x 1000 mm.	500
211	Ott freezer	Ott freezer mobile ice machine, type: F3, number: 5249, 220 V, 4/6.4 A, 0.35/0.9 kW, dimensions: 700 mm x 420 mm x 1100 mm.	1000
212	Debotec	Debotec piston filler, dimensions inside: ø 230 mm x 450 mm, total dimensions: 550 mm x 450 mm x 1150 mm.	750
213	NN pressure vessel	Mobile pressure vessel, number: N24IX/03, year of construction: 2005, dimensions: 350 mm x 350 mm x 1000 mm.	500
214	Henkovac	Henkovac mobile vacuum machine, type: VA-2, machine number: 28036271, 220/380 V, 3 Ph, 50 Hz, 2.5 kW, 8.9 A, seal length: (2x) 500 mm, dimensions chamber: 450 mm x 500 mm x 60 mm, with Busch vacuum pump, type: 063-122, capacity: 63 m3/h, total dimensions: 600 mm x 650 mm x 1120 mm.	250
215	Renove	Renove mobile bread slicer, working width: 600 mm, distance between knives: 7.5/8.5 mm, total dimensions: 800 mm x 800 mm x 1150 mm.	500
216	NN grinder	Mobile grinder, plate diameter: 100 mm, total dimensions: 850 mm x 600 mm x 1300 mm.	750
217	Dadaux	Dadaux meat slicer with integrated cooling, type: NEOCUT, number: P-1656, year of construction: 05-16, 230 V, 50 Hz, refrigerant: R134a, 140 gram, dimensions: 350 mm x 500 mm x 600 mm. Never used.	1000
218	Bartscher GmbH	Bartscher GmbH insect killer, type: GC1-40, number: 300317, 230 V, 1 Ph, 50 Hz, 45 W, dimensions: 640 mm x 100 mm x 370 mm.	20
219	Alto-Shaam	Alto-Shaam mobile warming cabinet, model: 750-B/TRP-3, serial number: 5067-13-390, 220 V, 1 Ph, 3000 W, (3x) 12 floors, dimensions each floor: 650 mm x 540 mm, total dimensions: 820 mm x 730 mm x 1920 mm.	750
220	Cretel		250



Nr	Title	Description	Start €
		Cretel skinning machine on s/s trolley with foot control, type: 362 RK, number: 16090806, year of construction: 2006, 220/400 V, 3 Ph, 50 Hz, 3.8/2.4 A, 0.75 kW, working width: 315 mm, total dimensions: 620 mm x 605 mm x 1050 mm.	
221	NN vacuum machine	Mobile vacuum machine, dimensions chamber: 490 mm x 480 mm, seal length: 445 mm, with Rietschle vacuum pump, type: SVLE 60, number: 246261, capacity: 60 m ³ /h, 1400 rpm, total dimensions: 800 mm x 680 mm x 1080 mm.	150
222	Pele Vite	Pele Vite peeler, inside dimensions: Ø 380 mm x 280 mm, total dimensions: 800 mm x 600 mm x 920 mm.	750
223	Santos	Santos orange press, type: 10, number: 53124, year of construction: 1991, 220 V, 1 Ph, 50 Hz, 1.2 A, dimensions: 290 mm x 200 mm x 380 mm.	50
224	Convotherm	Convotherm combi steamer, model: OES 6.10 mini, serial number: FSMHG3295, 400 V, 3 Ph, 50/60 Hz, 14.8 A, 7.1 kW, water pressure: 200-600 kP, 12 floors, floor dimensions: (12x) 500 mm x 330 mm, total dimensions: 840 mm x 580 mm x 680 mm.	200
225	Frigomec S.p.A.	Frigomec S.p.A. pressure vessel, type: FSR 90+2SGR7+SV(R7/R7), number: 0182262, year of construction: 2017, volume: 90 liter, dimensions: 380 mm x 350 mm x 1100 mm.	75
226	Robot coupe	Parts voor Robot coupe support marmite, number: 102736, dimensions: 490 mm x 340 mm x 100 mm.	25
227	Diamond/MPR	Diamond/MPR grill, model: 60/60 FTE2, number: 2014101700112, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 6 kW, grill dimensions: 595 mm x 470 mm, total dimensions: 630 mm x 600 mm x 420 mm.	100
228	Duniform	Duniform tray sealer, type: DF10, machine number: DF1001181, 230 V, 50 Hz, 0.5 kW, dye: 145 mm x 245 mm, total dimensions: 260 mm x 550 mm x 340 mm.	120
230	MaDo	MaDo sharpening machine, type: MNS 630, number: 104190, year of construction: 2009, 230/400 V, 3 Ph, 50 Hz, 1.7/1 A, 0.5 kW, dimensions: 470 mm x 360 mm x 360 mm.	250
231	Diamond	Diamond au bain-marie, model: EM1/X, 220/240 V, 50 Hz, 1500 W, dimensions inside: 510 mm x 305 mm x 165 mm, total dimensions: 560 mm x 325 mm x 260 mm.	50
232	R.V.Rutland&Co Ltd	R.V.Rutland&Co; Ltd plate heater, model: R210, serial number: 8098, 240 V, 1 Ph, 1.3 kW, 10 floors, dimensions each floor: 270 mm x 150 mm, total dimensions: 380 mm x 220 mm x 470 mm.	100
233	NN grill	Double grill, type: Panini DR, serial number: 111232587, 220-240 V, 50-60 Hz, 3000 W, grill	30



Nr	Title	Description	Start €
		dimensions: (2x) 350 mm x 220 mm, total dimensions: 800 mm x 500 mm x 260 mm.	
234	Slijp machinefabriek	Slijp machinefabriek grinding machine, model: TIP-TOP, number: 49/63, dimensions: 700 mm x 300 mm x 500 mm.	150
235	Diko GmbH	Diko GmbH double waffle iron with depositor, type: WBG, waffle dimensions: (2x) 240 mm x 200 mm, total dimensions: 570 mm x 450 mm x 700 mm.	400
236	Merrychef	Merychef turbo oven, type: eikon e4, serial number: 1412213091208, 400 V, 3 Ph, 50 Hz, inside dimensions: 370 mm x 310 mm x 190 mm, total dimensions: 770 mm x 585 mm x 590 mm.	1250
237	Stephan	Stephan mobile micro cutter, type: MCH20, number: 3381877, year of construction: 1994, 400 V, 50 Hz, 26 A, 15 kW, dimensions: 1430 mm x 1050 mm x 800 mm.	6000
238	Unox	Unox oven on trolley, model: XF193, serial number: 2751, year of construction: 31/03/2008, 230/400 V, 3 Ph, 50/60 Hz, 6.3 kW, 4 floors, floor dimensions: 610 mm x 370 mm, total dimensions: 800 mm x 800 mm x 1230 mm.	250
239	NN cabinet	S/s cabinet, inside dimensions: 1750 mm x 310 mm, total dimensions: 1800 mm x 400 mm x 600 mm.	50
240	Animo	Animo coffee machine, model: CN 5e, serial number: 2T 10010, 220/240 V, 1 Ph, 50-60 Hz, 35 W, dimensions: 530 mm x 430 mm x 700 mm.	120
241	Animo	Animo coffee machine, model: CN 5e, serial number: 2T 10074, 220/240 V, 1 Ph, 50-60 Hz, 35 W, dimensions: 530 mm x 430 mm x 700 mm.	120
242	Dick	Dick manual piston filler, dimensions inside: Ø 190 mm x 420 mm, total dimensions: 400 mm x 260 mm x 1150 mm.	200
243	L.Bossuyt	L.Bossuyt piston filler, dimensions inside: Ø 190 mm x 300 mm, total dimensions: 400 mm x 250 mm x 840 mm.	200
244	Gust Convent	Gust Convent 2-pits stove, gas heated, dimensions: 450 mm x 650 mm x 150 mm.	200
245	NN roller conveyor	Plastic roller conveyors, roller width: 450 mm, total dimensions: (2x) 980 mm x 480 mm x 60 mm. Missing rollers.	75
246	Pmc Milliot	Pmc Milliot weighing scale, model: SUPER-SS, serial number: 210100948, maximum capacity: 15 kg, scale dimensions: 225 mm x 185 mm, total dimensions: 280 mm x 240 mm x 100 mm.	50
247	Pmc Milliot	2 Pmc Milliot weighing scale, model: SS and SUPER-SS, serial number: 9112770158 and 230100421, maximum capacity: 15 kg, scale dimensions: (2x) 225 mm x 185 mm, total dimensions: (2x) 280 mm x 240 mm x 100 mm.	100



Nr	Title	Description	Start €
248	Pmc Milliot	2 Pmc Milliot weighing scale, model: (2x) SS15 PMC, serial number: 1212770270 and 0212770446, maximum capacity: 15 kg, scale dimensions: (2x) 225 mm x 185 mm, total dimensions: (2x) 280 mm x 240 mm x 100 mm.	100
249	NN stove	4-burner stove, dimensions: 800 mm x 700 mm x 320 mm.	125
250	NN burger forming attachment	Burger forming attachment, oval forms: (4x) 70 mm x 90 mm, total dimensions: 440 mm x 320 mm.	175
251	NN clamp	Clamp, dimensions: 540 mm x 380 mm x 150 mm.	50
252	Karma Global Ltd.	Karma Global Ltd. Coffee percolator and filter, model: 688092, serial number: C030015, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 1620 W, volume: 15 liter, dimensions: 350 mm x 280 mm x 650 mm and 320 mm x 330 mm x 530 mm.	25
253	NN vegetable slicer	Vegetable slicer, serial number: 519413, 127-220 V, 50 Hz, 250 W, dimensions: 430 mm x 230 mm x 400 mm.	150
254	Hendi	Hendi induction cooker, number: 239209, 230 Vac, 50 Hz, 1800 W, dimensions: 350 mm x 315 mm x 70 mm.	35
255	Digi	Digi / Teraoka Seiko Co., LTD weighing scale with label printer, model: DPS-4600, serial number: 12113535, 220-240 V, 50/60 Hz, 1 A, 100 W, max: 6/15 kg, min: 40 gram, e=2/5 gram, dimensions scale: 340 mm x 280 mm, total dimensions: 640 mm x 340 mm x 630 mm.	150
256	Giles & Posner	2 Giles & Posner fondue fountain, dimensions: (2x) ø 200 mm x 400 mm.	50
257	Recsi	Recsi slicer, diameter knife: 215 mm, total dimensions: 550 mm x 360 mm x 360 mm.	25
258	NN part for plate rack	Part for plate rack, dimensions: 960 mm x 70 mm x 110 mm.	10
259	Cafe bar	Cafe Bar coffee machine, model: type: 832.V.W.A, number: 6943439, 230 V, dimensions: 500 mm x 250 mm x 460 mm.	20
260	Legro	5 Legro label dispensers, dimensions: (5x) 315 mm x 225 mm x 310 mm.	25
261	Combivac	Combivac vacuum machine, type: combivac 2502, serial number: 159029485, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 6 A, 1.3 kW, chamber dimensions: 450 mm x 400 mm, seal length: 440 mm, total dimensions: 540 mm x 540 mm x 450 mm.	500
262	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG clipper, dimensions: 350 mm x 250 mm x 950 mm.	500
263	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG clipper, dimensions: 400 mm x 1800 mm x 920 mm.	75
264	NN drains	4 s/s drains, dimensions: (4x) 1000 mm x 180 mm x 220 mm.	200
265	Gedelec BVA		100



Nr	Title	Description	Start €
		Gedelec BVA waffle maker, model: WECiFA B0, number: 080617, 230 V, 50/60 Hz, 8 A, 1800 W, dimensions waffle: (2x) 105 mm x 145 mm, total dimensions: 400 mm x 450 mm x 180 mm.	
266	Fujitsu Genera/ Samsung	Fujitsu General air conditioner, model: ARHG24LMLA, serial number: R003541, 230 V, 50 Hz, dimensions: 1310 mm x 830 mm x 280 mm and Samsung ventilator, model: AN050JSKCLKN/EU, year of construction: 2016, 220-240 V, 50/60 Hz, 1.1 A, 175 W, dimensions: 1220 mm x 1080 mm x 280 mm.	100
267	MetalTech	MetalTech lid closer for metal trays, type: 227, serial number: 8207, year of construction: 2016, dye: 230 mm x 175 mm, total dimensions: 300 mm x 350 mm x 390 mm.	100
268	NN knife sharpener	Knife sharpener, dimensions: 240 mm x 320 mm x 140 mm.	150
269	Sharpenset engineering	Sharpenset Engineering Ltd knife sharpener, model: sharpenset whetstone, serial number: 018218, maximum speed: 1425 rates per minute, dimensions: 300 mm x 240 mm x 370 mm.	100
270	Diamond	Diamond refrigerated showcase, serial number: 2286/15, year of construction: 2015, refrigerant: R404, 230 V, 50 Hz, dimensions: 1000 mm x 850 mm x 900 mm.	200
271	Turbochef Technologies	Turbochef Technologies pizza oven, model: HCW2620EW, serial number: Hhc2620EWED00504, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 21 A, 4.4 kW, s/s mesh belt, belt width: 655 mm, total dimensions: 1550 mm x 1000 mm x 370 mm. Without table.	1500
272	NN warming cabinet	S/s warming cabinet, dimensions inside: 560 mm x 460 mm, total dimensions: 760 mm x 520 mm x 920 mm.	50
273	Palux	Palux combi steamer on s/s cabinet, 220 V, 7 floors, dimensions each floor: 495 mm x 560 mm, total dimensions: 980 mm x 850 mm x 1370 mm.	200
274	NN au bain marie	S/s mobile au bain marie, type: LWL, 220 V, 50 Hz, 3 Kw, inside dimensions: 950 mm x 510 mm x 190 mm, total dimensions: 1050 mm x 580 mm x 160 mm.	50
275	Testo AG	5 Testo AG thermometers, model: T106.	25
276	Hanna	5 Hanna thermometers, model: E/05.	25
277	Colged	Colged dishwasher, model: PT810 / PROTECH810, serial number: 169960, year of construction: 04/11/2008, 400 V, 3 Ph, 50 Hz, 16 A, 8.8 kW, 1-6 bar, dimensions: 840 mm x 700 mm x 1560 mm.	400
278	Winterhalter	Winterhalter dishwasher, type: GS640, dimensions inside: 700 mm x 630 mm, total dimensions: 755 mm x 860 mm x 1610 mm.	500
279	Hobart		500



Nr	Title	Description	Start €
		Hobart dishwasher, dimensions inside: 500 mm x 500 mm, total dimensions: 720 mm x 640 mm x 1900 mm.	
280	Hobart	Hobart dishwasher, dimensions inside: 700 mm x 585 mm, total dimensions: 950 mm x 775 mm x 1810 mm.	500
281	Dibo	Dibo dishwasher, model: LP105DDDTTB type: U61HE, serial number: 935435, year of construction: 11/07/2008, 400 V, inside dimensions: 640 mm x 670 mm x 1000 mm, total dimensions: 780 mm x 800 mm x 1900 mm.	500
282	Hoonved	Hoonved dishwasher, type: ED 700/90, 400 V, 3 Ph, 50 Hz, 8700 W, dimensions: 950 mm x 780 mm x 1750 mm.	300
283	Electrolux	Electrolux combi steamer, model: AOS201ECA1, serial number: 94600001, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 34.5 kW, total dimensions: 900 mm x 1000 mm x 1800 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 505 mm x 330 mm.	1250
284	Delrue	Delrue cooking vessel, type: C100RPC, serial number: 21100380B, year of construction: 2010, 230 V, inside dimensions: ø 530 mm x 500 mm, total dimensions: 1050 mm x 800 mm x 1750 mm.	350
285	Metos	Metos combi steamer, model: CPCM 10G, type: B13/A3, serial number: G11CD02091074660, 230 V, 1 Ph, 50-60 Hz, 1.0 kW, gas heated, 10 floors, dimensions each floor: 540 mm x 330 mm, with s/s frame with rack for plates, total dimensions: 900 mm x 830 mm x 1885 mm.	1250
286	Exkal concept S.L.	Exkal concept S.L. mobile refrigerated showcase, model: IHON-1,5.00, serial number: 000004739, year of construction: 12/2017, refrigerant: R134A, 230 V, 50 Hz, dimensions: 1150 mm x 1060 mm x 950 mm.	75
287	NN refrigerated showcase	Mobile refrigerated showcase, dimensions inside: 1310 mm x 540 mm, total dimensions: 1410 mm x 740 mm x 1120 mm.	75
288	Leventi	Leventi combi steamer on s/s table, 6 floors, floor dimensions: (6x) 550 mm x 410 mm, total dimensions: 970 mm x 800 mm x 1670 mm.	500
289	Rational	Rational combi steamer on s/s cabinet, model: SCC WE 102G, type: A3, B13, B13BS, serial number: G12SH12082313829, 230 V, 50/60 Hz, 800 W, 10 floors, dimensions each floor: 650 mm x 535 mm, total dimensions: 1070 mm x 1050 mm x 1800 mm.	400
290	NN refrigerated showcase	S/s refrigerated showcase, dimensions inside: (2x) 330 mm x 540 mm, total dimensions: 1065 mm x 730 mm x 900 mm.	75
291	Scaiola	Scaiola refrigerated showcase, dimensions inside: 1315 mm x 535 mm, total dimensions: 1490 mm x 900 mm x 1490 mm.	75



Nr	Title	Description	Start €
292	LTH	LTH refrigerator, type: HO_700 DEM, year of construction: 2006, 230 V, 50 Hz, 1.9 A, 250 W, netto volume: 540 liter, netto weight: 140 kg, refrigerant: R 134a - 0.28 kg, temperature range: -2/+8 °C, dimensions: 700 mm x 800 mm x 2000 mm.	400
293	Lainox	Lainox mobile blast chiller, model: RCR051S ABB BC, serial number: FR020157962, year of construction: 2019, 230 V, 50 Hz, 5.4 A, 1.2 kW, 4 floors, floor dimensions: 605 mm x 375 mm, total dimensions: 790 mm x 700 mm x 860 mm.	1500
294	Electrolux	Electrolux refrigerator, model: RH06RD1G, serial number: 74100003, 230 V, 50 Hz, 2.65 A, 400 W, refrigerant: R134a, volume: 650 litres, dimensions: 780 mm x 730 mm x 2030 mm.	300
295	FhiaBa / Boretti	FhiaBa / Boretti wine climate cabinet, model: X7491TWT3, serial number: F20091128000003, 220/240 V, 50 Hz, 0.7 A, 105 W, refrigerant: R600a, 9 floors, floor dimensions: (9x) 540 mm x 545 mm x 80 mm, total dimensions: 760 mm x 750 mm x 2100 mm.	3000
296	Crionovo	Crionovo refrigerator, model: A70/1M, serial number: 051807472, 230 V, 50 Hz, 1.8 A, 328 W, refrigerant: R452a, 250 g, 5 floors, floor dimensions: (5x) 650 mm x 530 mm, total dimensions: 740 mm x 820 mm x 2100 mm.	350
297	NN plate rack	Mobile plate rack, dimensions: 600 mm x 600 mm x 1840 mm.	50
298	Cambro	Cambro dinner plate trolley, dimensions: 970 mm x 720 mm x 800 mm.	100
299	Engels	Engels waste bin, capacity: 120 liter, foot control, dimensions: 560 mm x 480 mm x 950 mm.	25
300	NN cup holder trolley	S/s cup holder trolley for 15 cups, cup dimensions: Ø95 mm x 140 mm, dimensions: 800 mm x 705 mm x 1490 mm. Missing 1 cup.	50
301	NN tub	S/s tub, inside dimensions: 750 mm x 560 mm x 400 mm, total dimensions: 810 mm x 620 mm x 550 mm.	50
302	NN tub	S/s tub, inside dimensions: 750 mm x 560 mm x 400 mm, total dimensions: 810 mm x 620 mm x 550 mm.	50
303	NN trolley	S/s trolley, total dimensions: 600 mm x 500 mm x 1000 mm.	50
304	REA	REA plastic trolley, 5 floors, floor dimensions: (5x) 550 mm x 330 mm, total dimensions: 550 mm x 430 mm x 880 mm.	50
305	NN isolated trolley	Isolated trolley, (4x) 11 floors, plate dimensions: 510 mm x 320 mm, total dimensions: 1200 mm x 770 mm x 1330 mm	100
306	NN platform	S/s platform, dimensions: 4000 mm x 3000 mm x 2830 mm.	1000
307			1250



Nr	Title	Description	Start €
	Upmann Verpackungsmaschinen	Upmann Verpackungsmaschinen 7 heads linear weigher, model: Upmatic, dimension each head: 245 mm x 160 mm, total dimensions: 2500 mm x 1530 mm x 2120 mm and Upmann Verpackungsmaschinen infeed bunker, infeed width: 2530 mm x 410 mm, total dimensions infeed bunker: 3190 mm x 870 mm x 670 mm. Including pallet box with parts.	
308	Upmann Verpackungsmaschinen	Upmann Verpackungsmaschinen sorting belt, model: upmatic, plastic belt with dividers, divider width: 145 mm, distance between dividers: 120 mm, divider height: 25 mm, total dimensions: 3800 mm x 1200 mm x 700 mm.	750
309	NN roller conveyor	Mobile roller conveyor, s/s frame, plastic rollers, roller width: 755 mm, total dimensions: 3625 mm x 1450 mm x 1180 mm.	500
310	NN elevating belt with roller conveyor	Mobile elevating belt with roller conveyor, plastic belt, belt width: 550 mm, elevating height: 1600 mm, s/s rollers, roller width: 550 mm, total dimensions: 4680 mm x 750 mm x 1820 mm.	500
311	NN dividing belts	Pallet with 2 dividing belts, plastic mesh belt, belt width: (2x) 377 mm, total dimensions: (2x) 680 mm x 700 mm x 950 mm.	350
312	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 3380 mm x 600 mm x 1000 mm.	350
313	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 590 mm x 950 mm.	250
314	NN elevating belt with dividers	Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 400 mm, divider width: 320 mm, distance between dividers: 410 mm, divider height: 23 mm, elevating height: 1050 mm, total dimensions: 6550 mm x 630 mm x 1280 mm.	750
315	NN elevating belt with dividers	Mobile elevating belt with dividers, s/s frame, plastic belt, divider width: 416 mm, distance between dividers: 400 mm, divider height: 80 mm, elevating height: 2250 mm, total dimensions: 8500 mm x 750 mm x 2460 mm.	950
316	NN dividing belt	Mobile dividing belt, s/s frame, plastic belt, belt width: 1460 mm, s/s rollers, roller width: (2x) 720 mm, total dimensions: 3900 mm x 2000 mm x 1350 mm.	350
317	DECA Packaging Group	DECA Packaging Group thermoformer, type: SM 966, number: 2110, year of construction: 1999, dye: 300 mm x 230 mm, roller width: 410 mm, film width: 390 mm, total dimensions: 3750 mm x 850 mm x 1850 mm.	750
318	DECA Packaging Group	DECA Packaging Group thermoformer, type: 2000, number: 2200055, year of construction: 1991, dye:	750



Nr	Title	Description	Start €
		(2x) 170 mm x 130 mm, roller width: 310 mm, film width: 360 mm, total dimensions: 5050 mm x 740 mm x 1600 mm. Missing cover. Without rollies.	
319	NN table	S/s table with plastic work top, dimensions: 3000 mm x 1580 mm x 990 mm.	100
320	NN table	S/s table with plastic work top, dimensions: 3000 mm x 1500 mm x 910 mm.	100
321	Packo	Packo cryogenic freezer, type: tunnel, number: 0QF1014, year of construction: 09/01, working width: 645 mm, total dimensions: 4600 mm x 1300 mm x 1780 mm, 4000 mm x 1300 mm x 1750 mm and 4500 mm x 1350 mm x 1800 mm. Incomplete. Missing belt.	5000
322	Prominox nv.	Prominox nv. s/s roller conveyor, plastic rollers, roller width: 335 mm, total dimensions: 3700 mm x 350 mm x 1000 mm.	75
323	Prominox nv.	Prominox nv. s/s roller conveyor, year of construction: 04/2004, plastic rollers, roller width: 335 mm, total dimensions: 5050 mm x 430 mm x 1170 mm. Missing rollers.	75
324	Prominox nv.	Prominox nv. s/s roller conveyor, plastic rollers, roller width: 335 mm, total dimensions: 3750 mm x 450 mm x 1200 mm.	75
325	Prominox nv.	Prominox nv. s/s roller conveyor, year of construction: 04/2004, plastic rollers, roller width: 335 mm, total dimensions: 3750 mm x 450 mm x 1200 mm.	75
326	Createch	Createch roller conveyor, s/s rollers, roller width: 420 mm, total dimensions: 3650 mm x 550 mm x 1220 mm. Missing rollers.	100
327	Mohn	Mohn sink with 2 faucets, dimensions: 2850 mm x 830 mm x 1300 mm.	100
328	NN transport belt	S/s mobile transport belt, plastic mesh belt, belt width: 380 mm, total dimensions: 5100 mm x 700 mm x 1120 mm.	950
329	NN transport belt	S/s mobile transport belt, plastic mesh belt, belt width: 380 mm, total dimensions: 5100 mm x 700 mm x 1120 mm.	950
330	NN transport belt	S/s mobile transport belt, plastic mesh belt, belt width: 380 mm, total dimensions: 5100 mm x 700 mm x 1120 mm.	950
331	NN transport belt	S/s mobile transport belt, plastic mesh belt, belt width: 380 mm, total dimensions: 5100 mm x 700 mm x 1120 mm.	950
332	NN transport belt	S/s mobile transport belt, plastic mesh belt, belt width: 380 mm, total dimensions: 5100 mm x 700 mm x 1120 mm.	950
333	Berkel	Berkel slicer, type: 834 EPB stacker, serial number: 10382K, year of construction: 03/1999, 230 V, 50 Hz, 375 Watt, dimensions: 920 mm x 660 mm x 600 mm.	250



Nr	Title	Description	Start €
334	NN crates	10 E-2 plastic crates, dimensions (10x): 600 mm x 400 mm x 190 mm.	25
335	NN crates	14 E-2 plastic crates on plastic rollie, dimensions (14x): 600 mm x 400 mm x 190 mm.	30
336	NN crates	5 E-2 plastic crates, dimensions (5x): 600 mm x 400 mm x 190 mm.	15
337	NN crates	10 E-2 plastic crates on plastic rollie, dimensions (10x): 600 mm x 400 mm x 190 mm.	25
338	NN crates	10 E-2 plastic crates on plastic rollie, dimensions (10x): 600 mm x 400 mm x 190 mm.	25
339	NN crates	10 E-2 plastic crates on plastic rollie, dimensions (10x): 600 mm x 400 mm x 190 mm.	25
340	Temp-rite	Temp-rite conveyor, 400 V, dimensions: 7100 mm x 630 mm x 920 mm. Missing string belt.	500
341	NN lockers	2 steel lockers, inside dimensions (2x): 430 mm x 330 mm x 1450 mm, total dimensions (2x): 455 mm x 380 mm x 2000 mm. Missing keys.	125
342	NN lockers	2 steel lockers, inside dimensions (2x): 430 mm x 330 mm x 1450 mm, total dimensions (2x): 455 mm x 380 mm x 2000 mm. Missing keys.	125
343	Sicli	10 Sicli fire extinguishers, foam extinguishers, type: AQUA 9 M5, volume 9 liter, total dimensions (10x): 230 mm x 200 mm x 750 mm.	75
344	Sicli	10 Sicli fire extinguishers, foam extinguishers, type: AQUA 9 M5, volume 9 liter, total dimensions (10x): 230 mm x 200 mm x 750 mm.	75
345	Sicli	10 Sicli fire extinguishers, foam extinguishers, type: AQUA 9 M5, volume 9 liter, total dimensions (10x): 230 mm x 200 mm x 750 mm.	75
346	Epal	24 euro pallets from various brands, of which among others Epal and UIC, dimensions (24x): 1200 mm x 800 mm x 150 mm.	250
347	NN pallets	11 plastic EURO H1-pallets, dimensions: (11x) 1200 mm x 800 mm x 150 mm.	75
348	NN pallets	11 plastic EURO H1-pallets, dimensions: (11x) 1200 mm x 800 mm x 150 mm.	75
349	NN pallets	11 plastic Euro H1-pallets, dimensions: (11x) 1200 mm x 800 mm x 150 mm.	75
350	Gabka	15 Gabka plastic pallets, dimensions (15x): 1200 mm x 800 mm x 150 mm.	150
351	Gabka	15 Gabka plastic pallets, dimensions (15x): 1200 mm x 800 mm x 150 mm.	150
352	Gabka	15 Gabka plastic pallets, dimensions (15x): 1200 mm x 800 mm x 150 mm.	150
353	Schütz	2 Schütz Intermediate Bulk Containers / IBC tanks, dimensions (2x): 1200 mm x 1000 mm x 1150 mm.	150
354	Schütz		150



Nr	Title	Description	Start €
		2 Schütz Intermediate Bulk Containers / IBC tanks, dimensions (2x): 1200 mm x 1000 mm x 1150 mm.	
355	Schütz	2 Schütz Intermediate Bulk Containers / IBC tanks, dimensions (2x): 1200 mm x 1000 mm x 1150 mm.	150
356	Schütz	2 Schütz Intermediate Bulk Containers / IBC tanks, dimensions (2x): 1200 mm x 1000 mm x 1150 mm.	150
357	Schütz	2 Schütz Intermediate Bulk Containers / IBC tanks, dimensions (2x): 1200 mm x 1000 mm x 1150 mm.	150
358	Toyota	Toyota forklift, fuel: gasoline also suitable for gas, fork length: 900 mm, total dimensions: 3100 mm x 1060 mm x 2000 mm.	3500
359	NN cooling panels	Large amount of cooling panels.	250
360	Cryovac	Cryovac belt vacuum machine with infeed belt, type: VC 14 RH, serial number: 51100124, year of construction: 1997, 380 V, 50 Hz, 40 A, 13 kW, 6 bar, 10 Nm ³ /h, belt width: 960 mm x 480 mm, seal length: (2x) 940 mm, total dimensions vacuum machine: 970 mm x 550 mm x 550 mm, infeed belt belt width: 880 mm, total dimensions infeed belt: 1570 mm x 2000 mm x 980 mm. Including Busch vacuum pump, type: 250-133, serial number: LE01070101, 20 mbar, dimensions: 970 mm x 550 mm x 550 mm.	1250

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a single sheet of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

