



**Industrial
Auctions**

**1986: Online auction bakery machinery and
inventory due to closing Bakkerij van de Weerdt in
Gronsveld (NL)**

END DATE
19 November 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	19 November 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	26 November 2025 from 09:00 till 16:00 hrs.
Pick up address	Rijksweg 162 6247 AM Gronsveld Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Bacovo	Bacovo silo with screw, dimensions: Ø 2400 mm x 3130 mm. Approximately screw length: 17000 mm.	600
2	Penko	Penko weighing funnel, outfeed pipe: Ø 250 mm, total dimensions: 600 mm x 650 mm x 1100 mm. Including control panel.	250
3	Emil Kemper GmbH	Emil Kemper GmbH mobile mixer, type: SPL, number: 6710559, volume: 75 liter, s/s bowl, bowl dimensions: Ø 760 mm x 400 mm, total dimensions: 1150 mm x 800 mm x 1380 mm.	750
4	WP Kemper GmbH	WP Kemper GmbH mobile mixer, type: Spiraalkneedmachine "schuifbaar" SP 25, machine number: KEM-0007584, year of construction: 03/17, 400 V, 3 Ph, 50 Hz, 16 A, 2.1 kW, volume: 25 liter, s/s bowl, bowl dimensions: Ø 430 mm x 280 mm, total dimensions: 940 mm x 470 mm x 1200 mm.	2000
5	Sinmac Europe	Sinmac Europe mobile spiral mixer, model: KM-25, serial number: 1603010, year of construction: 2016.06, 380 V, 50 Hz, 5.5 A, 2.2 kW, machine weight: 135 kg, s/s bowl, bowl dimensions: Ø 440 mm x 300 mm, total dimensions: 850 mm x 480 mm x 1060 mm.	1000
6	Diosna	Diosna mobile mixer, type: SP 160 D, machine number: 7810-505, 380 V, 3 Ph, 50 Hz, 16 A, volume: 160 liter, s/s bowl, bowl dimensions: Ø 830 mm x 500 mm, total dimensions: 1330 mm x 900 mm x 1350 mm.	750
7	Kemper	Kemper mobile mixer, type: SPL, number: 677970, volume: 125 liter, s/s bowl, bowl dimensions: 900 mm x 450 mm, total dimensions: 1300 mm x 950 mm x 1400 mm.	1000
8	Emil Kemper GmbH	Emil Kemper GmbH mobile mixer, type: SPL, number: 6714301, volume: 125 liter, s/s bowl, bowl dimensions: Ø 900 mm x 450 mm, total dimensions: 1300 mm x 950 mm x 1360 mm.	1200
9	NN mixer	Mobile mixer, model: 60-FA, number: 946, 380 V, 50 Hz, s/s bowl, volume: 60 liter, bowl dimensions: Ø 580 mm x 350 mm, total dimensions: 900 mm x 610 mm x 1220 mm.	450
10	NN mixer	Mobile mixer, model: 30-FA, number: 1176, 380 V, 50 Hz, volume: 30 liter, s/s bowl, bowl dimensions: 450 mm x 300 mm, total dimensions: 800 mm x 520 mm x 1120 mm.	350
11	Sinmag Bakery Equipment	Sinmag Bakery Equipment spiral mixer, model: KM-80T, serial number: 1008049, year of construction: 2011.01, 380 V, 3 Ph, 50 Hz, 12.3 A, 5.25 kW, machine weight: 390 kg, s/s bowl, bowl dimensions: Ø 670 mm x 380 mm, total dimensions: 1250 mm x 700 mm x 1300 mm.	1000
12	Hobart	Hobart mixer, model: H600, number: 25506, 380 V, 3 Ph, 50 Hz, s/s bowl, bowl dimensions: Ø 460 mm x 400 mm, total dimensions: 1000 mm x 700 mm x 1420 mm.	500
13	Hobart	Hobart mixer, model: 11023, number: 743282, 380 V, 3 Ph, 50 Hz, 1.7 A, s/s bowl, bowl dimensions: Ø 360 mm x 340 mm,	250



Nr	Title	Description	Start €
		total dimensions: 540 mm x 540 mm x 1150 mm. Including 2 extra s/s bowls, bowl dimensions: Ø 360 mm x 340 mm.	
14	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV mobile dough divider, type: PARTA U, machine number: H.961909, year of construction: 1997, 230/400 V, 3 Ph, 50 Hz, 3/10 A, s/s infeed funnel, funnel dimensions: Ø 730 mm x 600 mm, plastic belt, belt width: (2x) 300 mm, total dimensions: 1500 mm x 1100 mm x 1600 mm.	1000
15	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV mobile conical rounding machine, type: CR 59, machine number: H. 590562, year of construction: 1995, 230/400 V, 3 Ph, 50 Hz, 3/10 A, dimensions: 1100 mm x 1100 mm x 1500 mm.	1000
16	WP Haton BV	WP Haton BV s/s pre-proofer, 12 baskets per row, dimensions each basket: Ø 180 mm, plastic belt, belt width: 220 mm, total dimensions: 3550 mm x 2950 mm x 2750 mm.	1000
17	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV mobile long moulder, model: BM 51-1, machine number: H511063, year of construction: 1976, 220/380 V, 50 Hz, 16 A, infeed clearance: 250 mm x 240 mm, plastic belt, belt width: 460 mm, rollers width: 320 mm, total dimensions: 2350 mm x 850 mm x 1720 mm.	250
18	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV dividing and rounding machine, infeed clearance: 340 mm x 360 mm, dye dimensions: 65 mm x 75 mm, cloth belt, belt width: (1x) 460 mm, (6x) 60 mm, brush length: 410 mm, total dimensions: 2250 mm x 1200 mm x 1760 mm. Including 2 extra dyes, dye dimensions: (1x) 75 mm x 65 mm, (1x) 60 mm x 65 mm.	1500
19	BackTech	BackTech flattener with shuttle conveyor, type: Mono-Star and Bangroller, numbers: 17173 20 and 17173 10, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 0.5/3.4 A, 0.3/1 kW, cloth belt, belt width: 820 mm, shuttle belt width: 830 mm, rollers width: (1x) 835 mm, (1x) 850 mm, total dimensions: 2880 mm x 1150 mm x 1300 mm.	500
20	ULLNORD	ULLNORD proofer cabinet, type: PG 1000, serial number: 21-0538.3, 230/400 V, 3 Ph, 50 Hz, 16/20 A, 6.5 kW, inside dimensions: 2950 mm x 2800 mm x 2000 mm, total dimensions: 3010 mm x 3000 mm x 2300 mm. Trolleys not included.	750
21	Hebaco	Hebaco rotary oven, turning device: Ø 1050 mm, height: 1980 mm, inside dimensions: 1250 mm x 1140 mm x 2000 mm, total dimensions: 2200 mm x 1620 mm x 2660 mm.	1000
22	Bongard	Bongard deck oven, 4 decks, inside dimensions: (4x) 1250 mm x 1140 mm x 200 mm, total dimensions: 3000 mm x 2330 mm x 2120 mm.	500
23	Hebaco	Hebaco rotary oven, turning device: Ø 1050 mm, height: 1980 mm, inside dimensions: 1200 mm x 1120 mm x 2000 mm, total dimensions: 2300 mm x 1540 mm x 2200 mm.	1000
24	Grupo Prat Gouet	Grupo Prat Gouet oil-fired multi deck oven, model: STATIC-10, number: H-8957, year of construction: 20/01/20, 400 V, 50 Hz, 3500 W, 10 decks, dimensions decks: 1280 mm x 850 mm,	1000



Nr	Title	Description	Start €
		dimensions oil burner: 1650 mm x 1400 mm x 2500 mm, total dimensions: 2400 mm x 1470 mm x 2300 mm.	
25	Bongard	Bongard rotary oven, turning device: 1160 mm x 1130 mm x 1980 mm, inside dimensions: 1400 mm x 1400 mm x 2000 mm, total dimensions: 1900 mm x 2120 mm x 2200 mm.	750
26	NN dough lattice	Mobile dough lattice machine, plastic belt, belt width: 370 mm, s/s mesh belt width: 370 mm, roller width: 390 mm, total dimensions: 2200 mm x 630 mm x 1240 mm.	300
27	Rondo Doge	Rondo Doge mobile dough sheeter, cloth belt, belt width: (2x) 600 mm, roller width: 390 mm, total dimensions: 3250 mm x 1160 mm x 1320 mm.	750
28	Bongard	Bongard mobile moulding machine, type: Major Manu, number: 02.00817, year of construction: 2002, 220 V, 3 Ph, 50 Hz, 3.4 A, machine weight: 132 kg, cloth belt, belt width: (1x) 730 mm, (1x) 740 mm, roller width: (2x) 510 mm, total dimensions: 760 mm x 1000 mm x 1540 mm.	1000
29	Riba	Riba weighing scale, model number: RIBA RCP-30, serial number: AA120012-14, maximum: 150 kg, minimum: 200 g, e=d= 10 g, T=-150 kg, temperature range: -10°C / +40°C, scale: 520 mm x 420 mm, total dimensions: 680 mm x 420 mm x 870 mm.	50
30	Select Machinebouw	Select Machinebouw mobile dough press, type: 82400, number: 7985, year of construction: 2003, 220 V, 1.1 kW, press: 500 mm x 400 mm, total dimensions: 710 mm x 600 mm x 1350 mm.	250
31	NN bread slicer	Mobile bread slicer, 33 knives, distance between knives: 10 mm, total dimensions: 650 mm x 570 mm x 1290 mm.	50
32	Beko	Beko mobile bread slicer, type: 3BSM3JAC003, 230 V, 2 knives, distance between knives: 100 mm, chamber: 450 mm x 120 mm x 100 mm, total dimensions: 730 mm x 600 mm x 1330 mm.	100
33	REA	REA rack, 4 floors, dimensions: 2000 mm x 610 mm x 1820 mm. Including content.	150
34	NN crates	4 plastic crates on s/s rollie, each crate dimensions: 600 mm x 400 mm x 230 mm, total dimensions: 600 mm x 400 mm x 870 mm.	20
35	EVA	EVA weighing scale, serial number: 24012729, 220 V, 50 Hz, maximum: 20 kg, scale dimensions: 280 mm x 200 mm, total dimensions: 300 mm x 280 mm x 120 mm.	10
36	Sharp	Sharp microwave oven, model: R982STWE, serial number: 181001352310120240, 230/240 V, 50 Hz, microwave 1000 W, grill 1400 W, dimensions: 560 mm x 480 mm x 330 mm.	50
37	KitchenAid	KitchenAid mixer, model: 5KSM7990XEW, serial number: W94452603, 220/240 V, 50/60 Hz, 325 W, s/s bowl: Ø 240 mm x 180 mm, total dimensions: 360 mm x 300 mm x 420 mm.	300
38	Hans Kratt	Hans Kratt whipped cream machine, number: 7271011 G, 230 V, 50 Hz, 500 W, refrigerant: R 134 a, dimensions: 500 mm x 400 mm x 520 mm.	450



Nr	Title	Description	Start €
39	NN frame	s/s wall mounted frame with dough scrapers, dimensions: 185 mm x 500 mm x 130 mm. Including holder for date labels.	10
40	NN piping tips	S/s holder with large amount of piping tips, dimensions: 300 mm x 60 mm x 400 mm.	10
41	Koma	Koma mobile cooling cabinet, model: KWB-4, 4 doors, plate dimensions: 620 mm x 400 mm, total dimensions: 2500 mm x 800 mm x 1100 mm. Without content.	100
42	NN cooling cabinet	S/s cooling cabinet, 3 doors, floor dimensions: 600 mm x 400 mm, total dimensions: 2200 mm x 800 mm x 1010 mm.	100
43	Bakon	Bakon mobile jelly spraying machine, model: JELLY 2000, serial number: 1.66.174, year of construction: 1999, 220 V, 50 Hz, dimensions: 880 mm x 480 mm x 1080 mm.	400
44	Gram	Gram freezer, type: Gram Vuutact, refrigerant: R290, 7 floors, floor dimensions: 800 mm x 600 mm, total dimensions: 1100 mm x 820 mm x 2200 mm.	300
45	Hobart GmbH	Hobart GmbH dishwasher, model: FXLS-10B, serial number: 866928518, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 11.7 A, 6.8 kW, plastic crate, crate dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 600 mm x 840 mm.	350
46	NN knives	Holder with knives and spatulas, holder length: 650 mm.	10
47	Wagner Ewar	Wagner Ewar s/s double sink with faucet, dimensions: 2400 mm x 800 mm x 1300 mm. Including soap and paper dispenser.	150
48	Alinox	Alinox s/s cooling cabinet, 4 doors, plate dimensions: 600 mm x 400 mm, refrigerant: R134A, range: -2°C / +8°C, total dimensions: 2600 mm x 800 mm x 1010 mm.	100
49	NN Kitchen equipment	Kitchen equipment, among others: s/s ice cream scoop, whisk, cartonnen, dimensions: Ø 220 mm, paper, dimensions: Ø 350 mm. Without plastic cups.	10
50	A/S Wodschow & Co.	A/S Wodschow & Co. mixer, model: AR30/VL1, machine number: 30006247, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 2.7 A, 1.0 kW, volume: 30 liter, s/s bowl, bowl dimensions: Ø 350 mm x 350 mm, total dimensions: 850 mm x 460 mm x 1250 mm. Including extra s/s bowl and trolley.	1250
51	NN cabinet	Steel cabinet, 4 floors, total dimensions: 1200 mm x 420 mm x 1950 mm. Including content.	50
52	NN table	S/s wall mounted table, dimensions: 2300 mm x 690 mm x 360 mm. Including content.	50
53	N.V. Van Lierde-Boons S.A.	N.V. Van Lierde-Boons S.A. mobile bread slicer, type: VLO 40/12.5, number: 9811029, 300 V, 3 Ph, 50 Hz, 0.5 kW, 30 knives, distance between knives: 12.5 mm, total dimensions: 650 mm x 630 mm x 1310 mm.	100
54	JAC	JAC mobile bread slicer, model: BLL 450/13, machine number: 20104185, year of construction: 20/11/2020, 230 V, 1 Ph, 50/60 Hz, 4.50 A, 0.49 kW, machine weight: 171 kg, 32 knives, distance between knives: 13 mm, total dimensions: 720 mm x 680 mm x 1350 mm.	400



Nr	Title	Description	Start €
55	Fri-Jado B.V.	Fri-Jado B.V. combi steamer on s/s trolley, model: BB 5-P, number: 100045944, year of construction: LG, 200/400 V, 3 Ph, 50/60 Hz, 9.5 A, 5760 W, 5 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 950 mm x 690 mm x 1750 mm.	400
56	Eizo	Eizo monitor with camera system, dimensions: 560 mm x 30 mm x 360 mm.	150
57	Quartz	Quartz clock, diameter: 290 mm.	10
58	JAC	JAC mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 700 mm x 600 mm x 1260 mm.	100
59	NN table	S/s mobile table, dimensions: 1900 mm x 850 mm x 1000 mm.	100
60	Matt	Matt waffle maker, model: WECABE, serial number: 439599905002, dimensions dye: 370 mm x 230 mm, total dimensions: 500 mm x 450 mm x 420 mm. Including extra dye, dimensions dye: 215 mm x 180 mm.	25
61	NN taper	2 tapers, dimensions: (2x) 220 mm x 70 mm x 150 mm.	10
62	N.V. Van Lierde-Boons S.A.	N.V. Van Lierde-Boons S.A. mobile bread slicer with infeed belt, type: B 45/11, number: 4020, year of construction: 2001, 220/380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 400 mm, plastic rollers, roller width: 400 mm, 38 knives, distance between knives: 11 mm, total dimensions: 2300 mm x 1100 mm x 1450 mm.	450
63	Bulkibin	3 Bulkibin containers, dimensions: (3x) 640 mm x 300 mm x 680 mm.	10
64	NN rack	Steel rack, 2 floors, dimensions: 2510 mm x 530 mm x 530 mm.	50
65	NN hand brushes	S/s pegs with 5 hand brushes, length pegs: (3x) 75 mm, total dimensions: 300 mm x 90 mm x 70 mm.	10
66	NN baking forms	Large amount of different sizes baking forms, among others: Ø 205 mm, Ø 110 mm, Ø 160 mm.	50
67	NN baking forms	Large amount of baking forms, dimensions: Ø 280 mm.	50
68	NN baking forms	Large amount of different sizes baking forms, among others dimensions: Ø 280 mm, Ø 210 mm, Ø 190 mm, Ø 220 mm, Ø 200 mm.	50
69	NN cabinet	S/s mobile cabinet with drawers for gastronorm bins, 15 drawers, drawers dimensions: 520 mm x 630 mm x 200 mm, total dimensions: 2200 mm x 1000 mm x 950 mm.	1000
70	NN cooling cell	Cooling cell with Helpman evaporator, inside dimensions: 3600 mm x 5100 mm x 2400 mm. Without trolleys.	250
71	NN cooling cell	Cooling cell with Delta evaporator, inside dimensions: 5600 mm x 5010 mm x 2410 mm.	250
72	Vents	Vents s/s trolley with 3 fans, dimensions: 700 mm x 700 mm x 1910 mm.	150
73	REA	REA rack, consisting of: 17 uprights, height: (17x) 520 mm, 6 beams, beam length: (3x) 2230 mm, (3x) 1710 mm.	150
74	NN trolleys		300



Nr	Title	Description	Start €
		10 s/s trolleys, dimensions: 650 mm x 430 mm. Different heights.	
75	NN filling frame	S/s filling frame with cool plate, dyes: (21x) 70 mm, total dimensions: 560 mm x 300 mm x 60 mm. Cool plate dimensions: 560 mm x 245 mm x 90 mm.	50
76	NN baking forms	Large amount of baking forms, inside dimensions each form: (5x) 305 mm x 120 mm x 75 mm, (4x) 290 mm x 120 mm x 45 mm, total dimensions: 700 mm x 680 mm x 1450 mm.	50
77	ZHH	ZHH hose reel, dimensions: 350 mm x 130 mm x 250 mm. Without air pistol.	10
78	NN cooling cell	Cooling cell with Keyfrost wall mounted cooling unit, inside dimensions: 1700 mm x 1760 mm x 2100 mm, Keyfrost cooling unit, model: KBF 14 NE, serial number: 00103719, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 6.6 A, 1.3 kW, 26 bar, weight: 60 kg, total dimensions: 2200 mm x 1850 mm x 2180 mm.	400
79	NN cooling cell	Cooling cell with ECO evaporator, inside dimensions: 2450 mm x 770 mm x 2100 mm, door dimensions: 850 mm x 2000 mm, ECO evaporator, 2 fan, total dimensions: 2600 mm x 1950 mm x 2330 mm. Technical condition unknown.	100
80	NN cooling cell	Cooling cell with Searle evaporator, inside dimensions: 4250 mm x 4300 mm x 2100 mm, door dimensions: 1070 mm x 2000 mm, Searle evaporator, model: LDF3-6L, serial number: 184100, 230 V, 1 Ph, 50 Hz, 1.14 A, 100 W, total dimensions: 4500 mm x 4350 mm x 2300 mm. Technical condition unknown.	200
81	NN cooling compressor	Cooling compressor, dimensions: 700 mm x 700 mm x 750 mm.	150
82	NN cooling compressor	Cooling compressor, dimensions: 1170 mm x 800 mm x 800 mm.	200
83	DWM Copeland	DWM Copeland cooling compressor, model: DKLP-15X-FWL, number: 2138938, year of construction: 2004, 220/240 V, 3 Ph, 50 Hz, 05.9 A, dimensions: 700 mm x 650 mm x 440 mm.	200
84	DWM Copeland	DWM Copeland cooling compressor, model: LLP-30X-EAL, serial number: 18F 005397 M, 220/240 V, 3 Ph, 50 Hz, 12.5 A, dimensions: 900 mm x 700 mm x 700 mm.	200
85	REA	3 REA racks, dimensions: (1x) 3000 mm x 600 mm x 1600 mm, (2x) 2000 mm x 600 mm x 570 mm.	150
86	NN trolley	Trolley, 26 floors, floor dimensions: 590 mm x 400 mm, total dimensions: 650 mm x 420 mm x 1840 mm.	20
87	NN trolley	Trolley, 20 floors, floor dimensions: 640 mm x 400 mm, total dimensions: 650 mm x 450 mm x 1770 mm.	20
88	NN trolley	Trolley, 20 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 660 mm x 490 mm x 1700 mm.	20
89	REA	REA mobile rack, dimensions: 2000 mm x 600 mm x 900 mm.	100
90	NN trolleys	Trolley, 6 floors, floor dimensions: 360 mm x 370 mm, total dimensions: 400 mm x 400 mm x 550 mm.	10



Nr	Title	Description	Start €
91	NN buckets	Large amount of different size plastic buckets.	10
92	Karcher	Karcher mobile vacuum cleaner, model: WD 3, serial number: 084852, 220/240 V, 50/60 Hz, 1000 W, volume: 17 liter, dimensions: 300 mm x 300 mm x 500 mm.	50
93	Baktec	Baktec water chiller, model: BKL 200 ICE EF, serial number: 8618, year of construction: 2024, 220/240 V, 50 Hz, 4.2 A, 650 W, refrigerant: 150 g R290, dimensions: 500 mm x 500 mm x 800 mm. Including indicator.	1300
94	Karcher	Karcher mobile vacuum cleaner, year of construction: 2012, dimensions: 660 mm x 500 mm x 980 mm.	100
95	NN elevator	Goods elevator, maximum: 700 kg, inside dimensions: 1450 mm x 1020 mm x 2160 mm, lifting height: 2880 mm, total dimensions: 1550 mm x 1300 mm x 6000 mm.	1500
96	NN table	Steel table with wooden top, dimensions: 1920 mm x 860 mm x 860 mm.	50
97	NN table	Steel table with wooden top, dimensions: 2200 mm x 970 mm x 640 mm.	50
98	NN cleaning equipment	Cleaning equipment, among others: 3 plastic brooms, squeegee.	20
99	NN sink	S/s double sink with faucet, dimensions: 1960 mm x 880 mm x 1250 mm.	100
100	NN frame	Steel wall mounted frame with crates, each crate: 600 mm x 400 mm x 320 mm, total dimensions: (2x) 4230 mm x 550 mm.	50
101	Hobart GmbH	Hobart GmbH dishwasher, model: UXT-10A, year of construction: 2018, 400 V, 3 Ph, 50 Hz, inside dimensions: 1220 mm x 700 mm x 900 mm, total dimensions: 1380 mm x 950 mm x 2020 mm.	2000
102	NN rack	S/s rack, 4 floors, dimensions: 900 mm x 630 mm x 1900 mm. Including content.	50
103	NN rack	Steel rack, 3 floors, dimensions: 2960 mm x 800 mm x 1690 mm.	50
104	NN curtains	Plastic curtains, dimensions: 1900 mm x 2100 mm.	50
105	Vasco	Vasco heater, 1 fan, dimensions: 550 mm x 600 mm x 530 mm.	100
106	NN sink	S/s sink with soap dispenser, trash bag holder and cleaning equipment, dimensions: 1500 mm x 700 mm x 900 mm.	150
107	Strex	2 Strex infrared thermometers, model: SP95, dimensions: (2x) 150 mm x 90 mm x 50 mm.	10
108	NN cabinet	Wooden wall mounted cabinet, dimensions: 350 mm x 320 mm x 180 mm. Including content.	10
109	Rubbermaid	Rubbermaid plastic tub, dimensions: 750 mm x 320 mm x 730 mm.	10
110	NN trolley	S/s trolley, inside dimensions: (2x) 640 mm x 150 mm x 620 mm, dimensions: 700 mm x 330 mm x 750 mm.	50
111	NN trolley	S/s trolley, inside dimensions: (2x) 640 mm x 150 mm x 620 mm, dimensions: 700 mm x 330 mm x 750 mm.	20



Nr	Title	Description	Start €
112	NN trolley	S/s trolley, 4 floors, dimensions: 1270 mm x 600 mm x 1230 mm.	50
113	NN pegs	S/s pegs with hand brush, pegs: (3x) 60 mm, total dimensions: 300 mm x 70 mm x 60 mm.	10
114	NN whiteboard	Whiteboard, dimensions: 900 mm x 585 mm.	10
115	NN table	S/s mobile table, dimensions: 500 mm x 500 mm x 560 mm.	50
116	NN Kitchen equipment	Kitchen equipment, among others: whisks, bins and scoops.	10
117	NN kitchen equipment	Kitchen equipment, among others: bins, steakers and slicing part.	10
118	NN rolling pin	Rolling pin, working width: 620 mm, total dimensions: 950 mm x 260 mm x 180 mm.	10
119	Mimac	Mimac depositor, model: MDR100-S3, serial number: 034357, year of construction: 2003, 400 V, 50 Hz, funnel: Ø 460 mm x 630 mm, total dimensions: 770 mm x 400 mm x 880 mm. Including extra funnel, dimensions: Ø 470 mm x 635 mm.	350
120	EVA	EVA weighing scale, serial number: 23110229, 220 V, 50 Hz, maximum: 20 kg, scale dimensions: 280 mm x 200 mm, total dimensions: 300 mm x 290 mm x 110 mm.	10
121	Riba	Riba weighing scale, model number: RCL-30, serial number: RIJSEM190656, capacity: 30 kg, e = 1 gram, scale: 280 mm x 200 mm, total dimensions: 300 mm x 320 mm x 120 mm.	10
122	Ehecor B.V. Bakery Equipment	Ehecor B.V. Bakery Equipment bread rolls machine, type: TPB 2, number: 15598, year of construction: 2012, 230 V, 1/4 Ps, infeed: Ø 60 mm, cloth belt, belt width: 180 mm, total dimensions: 480 mm x 280 mm x 270 mm.	200
123	NN plates	10 plastic plates, dimensions: (2x) 450 mm x 325 mm, (8x) 800 mm x 450 mm.	10
124	NN gloves	Plastic crate with large amount of gloves, dimensions: 420 mm x 320 mm x 200 mm.	10
125	NN table	S/s mobile table, dimensions: 3990 mm x 860 mm x 910 mm.	400
126	NN trolley	S/s trolley, 3 floors for gastronorm bins, (12x) 150 mm x 370 mm, total dimensions: 860 mm x 410 mm x 940 mm.	150
127	NN table	S/s mobile table, dimensions: 3400 mm x 900 mm x 980 mm. Without content.	300
128	NN table	S/s mobile table, dimensions: 2900 mm x 800 mm x 950 mm.	200
130	NN trolley	2 trolleys, (2x) 20 floors, dimensions: 640 mm x 400 mm, total dimensions: (1x) 650 mm x 460 mm x 1780 mm, (1x) 650 mm x 460 mm x 1740 mm.	50
131	NN trash can	2 s/s trash cans, foot controlled, dimensions: (1x) 420 mm x 470 mm x 920 mm, (1x) 480 mm x 450 mm x 1030 mm.	50
132	Kärcher	Karcher mobile vacuum cleaner, dimensions: 700 mm x 500 mm x 970 mm.	100
133	Kärcher	Karcher mobile vacuum cleaner, model: NT 65/2, serial number: 015094, year of construction: 2015, 220/240 V, 1 Ph, 50/60 Hz, 2400 W, dimensions: 750 mm x 500 mm x 940 mm.	100
134	Dubör		200



Nr	Title	Description	Start €
		Dubör oil spraying machine, tank dimensions: Ø 200 mm x 550 mm, total dimensions: 470 mm x 570 mm x 1430 mm.	
135	NN table	S/s table with large amount of baking forms, dimensions: 2000 mm x 700 mm x 900 mm.	200
136	NN cabinet	Steel cabinet, dimensions: 1000 mm x 450 mm x 1950 mm. Including content.	150
137	TEN Packaging	TEN Packaging packing machine, machine number: 465Z-07A-218, 220/240 V, 50 Hz, 530 W, seal length: 220 mm x 170 mm, film width: 245 mm, total dimensions: 650 mm x 490 mm x 420 mm.	50
138	NN cabinet	Steel cabinet, dimensions: 920 mm x 420 mm x 1000 mm. Including content.	50
139	NN lockers	Steel lockers, inside dimensions: (12x) 470 mm x 320 mm x 430 mm, total dimensions: 890 mm x 500 mm x 1800 mm.	75
140	NN hygiene equipment	Hygiene equipment, consisting of: 2 mirror, dimensions: (2x) 570 mm x 400 mm, 2 soap dispensers, dimensions: (2x) 240 mm x 100 mm x 300 mm, 2 paper dispensers, dimensions: (2x) 250 mm x 230 mm x 350 mm.	10
141	JAC	JAC mobile bread slicer, model: VMP 800 /, machine number: 22100892, year of construction: 17/02/2022, 230 V, 1 Ph, 50/60 Hz, 7 A, 0.75 kW, machine weight: 230 kg, chamber: 380 mm x 280 mm x 220 mm, total dimensions: 800 mm x 730 mm x 1300 mm. Including extra knives.	2500
142	Kärcher	Kärcher high pressure cleaner, model: K2.36M, serial number: 068759, 220/240 V, 50/60 Hz, 6 A, T in maximum: = 40°C, dimensions: 250 mm x 320 mm x 600 mm.	50
143	Kalmeijer	Kalmeijer "speculaas" forming machine, number: 2051, year of construction: 1978, 380 V, 10 A, 1400 W, roller width: 260 mm, cloth belt, belt width: 240 mm, total dimensions: 1200 mm x 530 mm x 1250 mm. Including plates, dimensions: 700 mm x 250 mm.	700
144	NN almond press	Steel almond press, dye: (10x) Ø 30 mm, chamber: 380 mm x 110 mm x 100 mm, total dimensions: 1260 mm x 460 mm x 1030 mm.	50
145	NN rack	Steel rack, 3 floors, dimensions: 1220 mm x 520 mm x 1860 mm. Including content.	50
146	NN doughnut fryer	S/s mobile double chamber doughnut fryer, inside dimensions: (2x) 760 mm x 460 mm, total dimensions: 1760 mm x 630 mm x 1000 mm.	300
147	DE DANIELI s.n.c.	DE DANIELI s.n.c. mobile mixing and cooking machine, type: C502G, serial number: 2201, 380 V, 3 Ph, 50 Hz, 0.4 kW, s/s tub, volume: 50 liter, dimensions: Ø 420 mm x 400 mm, total dimensions: 700 mm x 600 mm x 1420 mm.	400
148	NN doughnut fryer	S/s doughnut fryer on trolley, inside dimensions: 760 mm x 460 mm, total dimensions: 940 mm x 560 mm x 1080 mm.	150
149	Janssen & Sohn	Janssen & Sohn "speculaas" forming machine, type: FM 128/ K4 A, year of construction: 1983, 220/380 V, infeed clearance: 310 mm x 225 mm, plastic form width: 225 mm, plastic belt,	250



Nr	Title	Description	Start €
		belt width: 240 mm, cloth belt, belt width: 235 mm, total dimensions: 1200 mm x 570 mm x 1370 mm. Including plates, dimensions: 700 mm x 250 mm.	
150	TICO	TICO mobile welding machine with gas bottle, model: MIG 160, number: 524110, year of construction: 1997, 230 V, 50 Hz, 21 A, dimensions: 1050 mm x 380 mm x 950 mm.	100
151	NN trolley	Trolley, 9 floors, dimensions: 1100 mm x 680 mm x 1700 mm. Including content.	50
152	Airpress	Airpress mobile air compressor, volume: 200 liter, dimensions: 1350 mm x 450 mm x 1000 mm.	200
153	Liebherr	Liebherr refrigerator, serial number: 85.650.557.5, 220/240 V, 50 Hz, 1 A, refrigerant: R600a, 35 gram, 15 floors, dimensions: 600 mm x 600 mm x 840 mm.	50
154	E. Jenissen	E. Jenissen pallet lifter, fork length 1150 mm, fork width: 510 mm, distance between forks: 220 mm, total dimensions: 1450 mm x 520 mm x 1200 mm.	150
155	NN rack	Steel rack, dimensions: 1220 mm x 520 mm x 1860 mm.	50
156	MKN	MKN S/s doughnut fryer on trolley, type: 511658, number: 21193, inside dimensions: 760 mm x 460 mm, total dimensions: 940 mm x 560 mm x 1080 mm.	150
157	NN crates with various parts	8 plastic crates with various parts, dimensions: 700 mm x 500 mm x 1580 mm.	150
158	Bertrand	Bertrand mobile long moulder, model: PZ1200, 220/380 V, infeed dimensions: 140 mm x 70 mm, plastic belt, belt width: 300 mm, total dimensions: 600 mm x 560 mm x 1560 mm.	300
159	NN slicer	S/s slicer, 10 knives, dimensions: 500 mm x 400 mm x 160 mm.	25
160	Tristar	Tristar oil filled radiator, model number: KA-5179, batch number: T31102, 220/240V, 50/60 Hz, 2000 Watt, dimensions: 350 mm x 250 mm x 600 mm.	10
161	NN trolleys	3 trolleys with plates, 11 floors, floor dimensions: (11x) 800 mm x 600 mm, total dimensions: (3x) 850 mm x 680 mm x 1750 mm.	100
162	NN trolleys	2 trolleys with plates, 10 floors, floor dimensions: (10x) 800 mm x 570 mm, total dimensions: (2x) 940 mm x 600 mm x 1910 mm.	75
163	NN baking forms	Large amount of baking forms, inside dimensions: (5x) 250 mm x 120 mm x 120 mm, total dimensions: (1x) 800 mm x 800 mm x 1620, (1x) 800 mm x 800 mm x 750 mm, (1x) 800 mm x 800 mm x 380 mm.	100
164	NN trolleys	3 trolleys with plates, 19 floors, floor dimensions: (19x)800 mm x 600 mm, total dimensions: (3x) 900 mm x 620 mm x 1850 mm.	100
165	NN trolley	Trolley with baking forms, 8 floors, floor dimensions: 800 mm x 1000 mm, total dimensions: 1070 mm x 800 mm x 1760 mm.	50
166	NN trolley	Trolley, 19 floors, floor dimensions: 810 mm x 600 mm, total dimensions: 940 mm x 610 mm x 1850 mm.	50



Nr	Title	Description	Start €
167	NN trolleys	2 trolleys with plates, 11 floors, floor dimensions: (11x) 800 mm x 610 mm, total dimensions: (2x) 900 mm x 680 mm x 1780 mm.	75
168	NN trolley	3 trolleys with plates, 20 floors, floor dimensions: (20x) 560 mm x 420 mm, total dimensions: (3x) 570 mm x 470 mm x 1800 mm.	100
169	NN trolley	3 trolleys with plates, 10 floors, floor dimensions: (10x) 780 mm x 590 mm, total dimensions: (3x) 935 mm x 610 mm x 1840 mm.	50
170	NN trolley	Trolley with baking forms, 8 floors, floor dimensions: (8x) 750 mm x 740 mm, total dimensions: 830 mm x 640 mm x 1760 mm.	50
171	NN trolley	Trolley with plates, 11 floors, floor dimensions: (11x) 790 mm x 590 mm, total dimensions: 810 mm x 670 mm x 1760 mm.	50
172	NN trolley	Trolley with baking forms, 9 floors.	50
173	NN trolleys	3 trolleys with plates, 18 floors, floor dimensions: (18x) 600 mm x 400 mm, total dimensions: (3x) 650 mm x 450 mm x 1960 mm.	100
174	NN trolley	Trolley, 18 floors, floor dimensions: (18x) 600 mm x 400 mm, total dimensions: 670 mm x 460 mm x 1500 mm.	50
175	NN trolleys	3 trolleys, 20 floors, floor dimensions: (20x) 600 mm x 400 mm, total dimensions: (3x) 690 mm x 450 mm x 1730 mm.	100
176	NN trolleys	2 trolleys with plates, 18 floors, floor dimensions: (18x) 700 mm x 600 mm, total dimensions: (2x) 740 mm x 660 mm x 1760 mm.	75
177	NN trolley	Trolley with plates, 20 floors, floor dimensions: (20x) 800 mm x 600 mm, total dimensions: 860 mm x 600 mm x 1840 mm.	50
178	NN trolleys	3 trolleys, 8 floors, floor dimensions: (3x) 780 mm x 660 mm, total dimensions: (3x) 840 mm x 620 mm x 1760 mm.	100
179	NN trolleys	4 trolleys with plates, 20 floors, floor dimensions: (20x) 700 mm x 600 mm, total dimensions: (4x) 760 mm x 600 mm x 1910 mm.	120
180	NN trolley	Trolley with plates, 17 floors, floor dimensions: (17x) 800 mm x 600 mm, total dimensions: 800 mm x 670 mm x 1660 mm.	50
181	NN trolley	Trolley with plates, 11 floors, floor dimensions: (11x) 600 mm x 800 mm x 1770 mm.	50
182	NN trolley	Trolley, 10 floors, floor dimensions: (10x) 800 mm x 600 mm, total dimensions: 940 mm x 610 mm x 1840 mm.	50
183	NN trolley	Trolley with plates, 10 floors, floor dimensions: (10x) 800 mm x 600 mm, total dimensions: 940 mm x 610 mm x 1840 mm.	50
184	NN trolley,	Trolley with plates and baking forms, 8 floors, floor dimensions: (8x) 780 mm x 600 mm, total dimensions: 840 mm x 680 mm x 1770 mm.	50
185	NN trolley,	Trolley, 11 floors, floor dimensions: (11x) 800 mm x 600 mm, total dimensions: 800 mm x 660 mm x 1770 mm.	50
186	NN trolley	Trolley, 18 floors, floor dimensions: (18x) 800 mm x 530 mm, total dimensions: 820 mm x 590 mm x 1810 mm.	50



Nr	Title	Description	Start €
187	NN trolleys	3 trolleys with plates, 10 floors, floor dimensions: (10x) 800 mm x 570 mm, total dimensions: (3x) 940 mm x 600 mm x 1910 mm.	100
188	NN trolleys	4 trolleys with plates, 18 floors, floor dimensions: (18x) 780 mm x 600 mm, total dimensions: (4x) 820 mm x 670 mm x 1760 mm.	120
189	NN trolleys	4 trolleys with plates, 10 floors, floor dimensions: (10x) 800 mm x 600 mm, total dimensions: (4x) 940 mm x 610 mm x 1840 mm.	120
190	JAC	JAC mobile bread slicer, 33 knives, distance between knives: 11 mm, total dimensions: 750 mm x 520 mm x 1200 mm.	100
191	NN cash tray / Uniwell and Epson	Cash register with Uniwell screen and Epson printer, Uniwell screen, model: HX-5500, serial number: B80700925, 12 V, 5 A, Epson printer, model M267A, serial number: TC8F011672, dimensions: 500 mm x 430 mm x 450 mm.	100
192	TEC	TEC weighing scale, scale dimensions: 300 mm x 250 mm, 3Y001083, 230 V, 50 Hz, 11 Watt, maximum weight: 6 kg, minimum weight: 40 gram, e= 2 gram, total dimensions: 350 mm x 330 mm 120 mm.	10
193	NN wooden racks	Wooden racks, dimensions: (8x) 3000 mm x 380 mm x 130 mm.	100
194	NN showcase	2 refrigerated showcases, refrigerant: R22, dimensions: (1x) 3400 mm x 1000 mm x 1200 mm, (1x) 2050 mm x 1000 mm x 1200 mm.	500
195	NN safe	Wooden safe, dimensions: 580 mm x 480 mm x 1010 mm.	50
196	NN canteen inventory	Canteen inventory, among others, printers, coffee machine, cheese slicer, weighing scale, white boards, table, table dimensions: 1800 mm x 800 mm x 750 mm.	250
197	Toshiba	Toshiba outside unit for air conditioning, model: RAV-182A-PE, serial number: 64580193, 220/240 V, 50 Hz, 2200 W, weight: 58 kg, dimensions: 930 mm x 320 mm x 750 mm.	50
198	Mitsubishi	Mitsubishi outside unit for airconditioning, model: SCM45ZD-S, serial number: 553402382, 220/230/240 V, 50 Hz, 4.5 kW, weight: 44 kg, refrigerant: R410A, dimensions: 900 mm x 320 mm x 650 mm.	50
199	NN cooling compressor	3 cooling compressors, dimensions: 1050 mm x 400 mm x 300 mm.	100
200	NN chimney	Chimney, dimensions: 3750 mm x 3680 mm x 5500 mm.	200
201	Leventi	Leventi oven, model: BM 4 MM NG, serial number: 13 07 58177, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 9 kW, 4 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 880 mm x 900 mm x 1970 mm.	750

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

