



**Industrial  
Auctions**

1988: Online auction commercial kitchen and  
catering equipment in Milsbeek (NL)

**END DATE**  
20 November 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End date                             | 20 November 2025 from 14:00 hrs.                                                                                                                                                                                                                                                                                                                                                                                   |
| Viewing days                         |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Organising company                   | Industrial Auctions BV<br>Looyenbeemd 11<br>5652 BH Eindhoven, Netherlands<br>Tel.: +31 (0)40 2409 208<br>E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>                                                                                                                                                                                                                   |
| Buyers premium                       | 18% over the highest bid                                                                                                                                                                                                                                                                                                                                                                                           |
| VAT                                  | 21% over the highest bid including premium                                                                                                                                                                                                                                                                                                                                                                         |
| Pick up days                         | 27 November 2025 from 09:00 till 16:00 hrs.                                                                                                                                                                                                                                                                                                                                                                        |
| Pick up address                      | Sprockelveld 5<br>6596 DH Milsbeek<br>Netherlands                                                                                                                                                                                                                                                                                                                                                                  |
| Pick up instructions                 | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.                                 |
| Payment details                      | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.                                                                                                                                                                                                                           |
| Combinations                         | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.                                                                                                 |
| Prolongation                         | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.                                                                                                                                                                                                                                                                 |



| Nr | Title        | Description                                                                                                                                                                                                                                                                                                            | Start € |
|----|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 1  | Rational     | Rational combi steamer, model: SCC 202G, serial number: G22SG09072185304, year of construction: 2009, 230 V, 1 Ph, 50/60 Hz, gas heated, dimensions: 1100 mm x 1000 mm x 1800 mm. Including 2 s/s trolleys, (2x) 20 floors, floor dimensions: (20x) 660 mm x 540 mm, total dimensions: (2x) 970 mm x 740 mm x 1700 mm. | 2500    |
| 2  | Henkovac     | Henkovac vacuum machine, serial number: 20101996, year of construction: 2010, 220-240 V, 1 Ph, 50 Hz, 4.6 A, seal length: 460 mm, total dimensions: 560 mm x 540 mm x 470 mm.                                                                                                                                          | 350     |
| 3  | Moduline srl | Moduline srl heating cabinet, type: HSW013E, number: 1700073002C, year of construction: 2017, 230 V, 50 Hz, 8 A, 1 kW, 3 drawers, drawer dimensions: (3x) 500 mm x 290 mm x 100 mm, total dimensions: 660 mm x 600 mm x 720 mm.                                                                                        | 275     |
| 4  | Rational     | Rational combi steamer on s/s frame, type: SCC61 E, serial number: E61SG09032174480, year of construction: 2009 230 V, 11 kW, electric heated, 6 floors, floor dimensions: 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1500 mm.                                                                               | 950     |
| 5  | Rational     | Rational combi steamer, type: 61G, serial number: G61SH15022446880, gas heated, 6 floors, floor dimensions: (6x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 800 mm.                                                                                                                                          | 950     |
| 6  | Rational     | Rational combi steamer, type: SCC 101 G, serial number: G11SE05112049009, 10 floors, floor dimensions: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1040 mm.                                                                                                                                             | 1250    |
| 7  | Rational     | Rational combi steamer, type: Type is SCC WE 101G, serial number: G11SH13052352767, year of construction: 2013, 10 floors, floor dimensions: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1040 mm.                                                                                                       | 1500    |
| 8  | Wiesheu GmbH | Wiesheu GmbH mobile deck oven, type: EBO 1 128 B, serial numbers: 10221990/10221991/10221992/10221993, year of construction: 2012-11, 400 V, 3 Ph, 50/60 Hz, 15.1 A, 10.45 kW, 4 decks, deck dimensions: 1200 mm x 1000 mm x 150 mm, total dimensions: 1550 mm x 1550 mm x 2080 mm.                                    | 950     |
| 9  | Bongard      | Bongard mobile deck oven, type: FOUR M4 SOLEO, serial number: 16018709, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 26.6 A, 39.24 kW, 4 decks, deck dimensions (4x): 1370 mm x 950 mm, total dimensions: 1720 mm x 1900 mm x 1700 mm.                                                                              | 1500    |
| 10 | Metos        | Metos freezer, model: GNF740RL1, serial number: MT32-17, year of construction: 03.2015, 220-240 V, 50 Hz, 3.9 A, volume: 550 liter, weight: 125 kg, refrigerant: R404a/0.6 kg, 4 floors, floor dimensions: (4x) 590 mm x 530 mm, total dimensions: 830 mm x 745 mm x 2050 mm.                                          | 250     |
| 11 | Brema        | Brema crushed ice machine, model: TB 1405A-Q, number: 2015030720314, year of construction: 2015, 220-240 V, 50 Hz, 650 W, refrigerant: R404A/0.35 kg, dimensions: 740 mm x 700 mm x 1180 mm.                                                                                                                           | 500     |
| 12 |              |                                                                                                                                                                                                                                                                                                                        | 950     |



| Nr | Title                                | Description                                                                                                                                                                                                                                                                                               | Start € |
|----|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    | Ascibloc Gastro-Gerätebau GmbH       | Ascibloc Gastro-Gerätebau GmbH cooking vessel, model: MES 100.100, serial number: 0043, year of construction: 2019, 230/400 V, 3 Ph, 50/60 Hz, 18.5 kA, inside dimensions: Ø 600 mm x 450 mm, total dimensions: 900 mm x 840 mm x 1000 mm.                                                                |         |
| 13 | Rational                             | Rational combi steamer, type: CM 101, serial number: E11MA97091362, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 19 kW, 10 floors, floor dimensions: (10x) 460 mm x 320 mm, total dimensions: 900 mm x 800 mm x 1090 mm.                                                                               | 750     |
| 14 | Rational                             | Rational combi steamer, type: CM 61, 11.5 kW, 6 floors, floor dimensions: (6x) 530 mm x 320 mm, total dimensions: 860 mm x 800 mm x 800 mm.                                                                                                                                                               | 750     |
| 15 | Rational                             | Rational combi steamer, type: SCC 101 E, 19 kW, 10 floors, floor dimensions: (10x) 530 mm x 320 mm, total dimensions: 870 mm x 800 mm x 1070 mm.                                                                                                                                                          | 1000    |
| 16 | Pira Charcoal Ovens And Barbecues SL | Pira Charcoal Ovens And Barbecues SL mobile charcoal oven, model: 120 LUX E/D, serial number: 12 INOX, year of construction: 3-18, 10 floors, floor dimensions: (6x) 570 mm x 600 mm and (4x) 1100 mm x 600 mm, total dimensions: 1250 mm x 1200 mm x 1800 mm. Broken handle                              | 1000    |
| 17 | Metos                                | Metos crushed ice machine, model: GB 902 A-Q, number: 2010060496514, year of construction: 2010, 220-240 V, 50 Hz, 550 W, refrigerant: R404A/0.21 kg, inside dimensions: 440 mm x 450 mm x 250 mm, total dimensions: 660 mm x 500 mm x 770 mm.                                                            | 300     |
| 18 | Saro Gastro-Products GmbH            | Saro Gastro-Products GmbH refrigerated showcase, model: ISABELL, serial number: 1224907110106, year of construction: 2022.07.11, 220-240 V, 50 Hz, 1.3, 1.3 A, 230 W, refrigerant: R600a/0.035 kg, volume: 108 liter, 4 floors, diameter floors: (4x) 350 mm, total dimensions: 500 mm x 470 mm x 860 mm. | 250     |
| 19 | NN work bench                        | S/s top part of workbench, dimensions: 700 mm x 600 mm x 280 mm.                                                                                                                                                                                                                                          | 75      |
| 20 | Metos                                | Metos dishwasher, model: MM3 EL D XP DDE DVGW, serial number: DWA1021647, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 9.5 A, 560 W, clearance: 500 mm x 500 mm, total dimensions: 640 mm x 600 mm x 850 mm.                                                                                           | 300     |
| 21 | Angelo PO                            | Angelo PO dishwasher, type: LF50E-ZMRO, serial number: AP/ B12202, year of construction: 01-13, 400 V, 3 Ph, 50 Hz, 4900 W, inside dimensions: 500 mm x 500 mm, total dimensions: 630 mm x 580 mm x 860 mm.                                                                                               | 200     |
| 22 | Saro Gastro-Products GmbH            | Saro Gastro-Products GmbH s/s counter top servery refrigerator,, model: VRX 1600 S/S, serial number: 23026598, 220-240 V, 3 Ph, 50 Hz, 110 W, refrigerant: R600a/0.045 kg, dimensions: 1600 mm x 395 mm x 280 mm.                                                                                         | 150     |
| 23 | Zanussi                              | Zanussi top part of workbench, model: KN/2, serial number: 55100018, year of construction: 2005, dimensions: 900 mm x 800 mm x 250 mm.                                                                                                                                                                    | 75      |
| 24 | Stephan Alvac                        |                                                                                                                                                                                                                                                                                                           | 500     |



| Nr | Title                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Start € |
|----|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                           | Stephan Alvac vacuum machine, type: ALVAC II SM, machine number: 8107-2061, 220-280 V, 3 Ph, 6.3-3.7 A, 1.5 kW, seal length: (2x) 500 mm, total dimensions: 750 mm x 600 mm x 1100 mm.                                                                                                                                                                                                                                                                          |         |
| 25 | Miele                     | Miele washing machine, dimensions: 700 mm x 600 mm x 870 mm.                                                                                                                                                                                                                                                                                                                                                                                                    | 175     |
| 26 | Winterhalter              | Winterhalter dishwasher, type: UC-M, serial number: 1214652, year of construction: 2017, 380-415 V, 3 Ph, 50 Hz, 8.1/6.2 kW, dimensions: 640 mm x 600 mm x 830 mm.                                                                                                                                                                                                                                                                                              | 300     |
| 27 | Rhima                     | Rhima presflo multi electronic pump controller, type: AB, serial number: 20150189, dimensions: 530 mm x 500 mm x 800 mm.                                                                                                                                                                                                                                                                                                                                        | 140     |
| 28 | Samsung                   | Samsung microwave, model: MJ26A6053AT, serial number: OC7Y7WRT700141P, year of construction: July 2022, 230-240 V, 50 Hz, 12.7 A, 1450 W, inside dimensions: 370 mm x 370 mm x 200 mm, total dimensions: 460 mm x 560 mm x 370 mm.                                                                                                                                                                                                                              | 300     |
| 29 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH induction hob, model: 301-1020/CW-25A, serial number: 190814038, 230 V, 50 Hz, 2500 W, dimensions: 490 mm x 380 mm x 160 mm. Including pan.                                                                                                                                                                                                                                                                                           | 150     |
| 30 | Scholl Apparatebau        | Scholl Apparatebau induction plate, model: C4230, serial number: 544860-003, 230 V, 50 Hz, 0.4 kW, dimensions: 530 mm x 330 mm x 100 mm.                                                                                                                                                                                                                                                                                                                        | 100     |
| 31 | Scholl Apparatebau        | Scholl Apparatebau induction plate, type: C5110, serial number: 554325-002, 230 V, 50 Hz, 1 kW, dimensions: 600 mm x 420 mm x 100 mm.                                                                                                                                                                                                                                                                                                                           | 100     |
| 32 | NN doors                  | 16 refrigerated cabinet doors, dimensions: (16x) 660 mm x 450 mm x 50 mm.                                                                                                                                                                                                                                                                                                                                                                                       | 50      |
| 33 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH induction plate, type: DENISE, serial number: 2025040422, year of construction: April 2025, 220-240 V, 1 Ph, 50-60 Hz, 16 A, 3500 W, weight: 5.7 kg, dimensions: 580 mm x 300 mm x 60 mm.                                                                                                                                                                                                                                             | 100     |
| 34 | Grundig                   | Grundig dishwasher, dimensions: 600 mm x 600 mm x 850 mm.                                                                                                                                                                                                                                                                                                                                                                                                       | 75      |
| 35 | Gram                      | Gram freezer, type: FS146, 2 floors, floor dimensions: 470 mm x 440 mm, dimensions: 600 mm x 600 mm x 800 mm.                                                                                                                                                                                                                                                                                                                                                   | 50      |
| 36 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerator / freezer combination, model: GN 60 DTV, serial number: 23026557, 220-240 V, 50 Hz, 1.5/2 A, 250 /300 W, weight: 150 kg, refrigerant: R600a/0.120, R290/0.100, inside dimensions fridge: 650 mm x 560 mm x 640 mm, 2 floors, floor dimensions: (2x) 640 mm x 530 mm, inside dimensions freezer: 650 mm x 560 mm x 640 mm, 2 floors, floor dimensions: (2x) 640 mm x 530 mm, total dimensions: 810 mm x 680 mm x 1960 mm. | 400     |
| 37 | Metos                     | Metos dishwasher, model: METOS PREMIUM HR 6 KW, serial number: DWH1006618, year of construction: 2013, 380-415 V, 3 Ph, 50 Hz, 10.9 A, 7500 W, dimensions: 800 mm x 700 mm x 2100 mm.                                                                                                                                                                                                                                                                           | 300     |
| 38 | Zanussi                   | Zanussi braising pan, model: MBR/G2FM, serial number: 03500001, year of construction: 2000, gas heated, inside                                                                                                                                                                                                                                                                                                                                                  | 250     |



| Nr | Title                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|----|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                           | dimensions: 630 mm x 460 mm x 170 mm, total dimensions: 750 mm x 700 mm x 970 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |         |
| 39 | Miele                     | Miele washing machine, dimensions: 600 mm x 600 mm x 830 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 75      |
| 40 | Metos                     | Metos dishwasher, type: DW124E, serial number: DWN1003896, 380-415 V, 3 Ph, 50 Hz, 15.1 A, 5150 W, dimensions: 640 mm x 600 mm x 860 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 225     |
| 41 | Berkel                    | Berkel slicer, type: 834 S, number: 629834, year of construction: 1996, 230 V, 1 Ph, 50 Hz, 220 W, dimensions: 700 mm x 600 mm x 520 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 300     |
| 42 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH coffee machine, model: THERMO 48 ECO, serial number: 20250405, 230 V, 50/60 Hz, 13.48 A, 3.1 kW, weight: 12.8 kg, capacity: (2x) 2.5 liter, dimensions: 500 mm x 400 mm x 550 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                | 100     |
| 43 | NN cabinet                | S/s cabinet with drawer, inside dimensions: 500 mm x 300 mm x 150 mm, total dimensions: 600 mm x 400 mm x 320 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 50      |
| 44 | Inoxfera                  | Inoxfera warming plate, model: PV6-3, serial number: 19043199200519019, 220-240 V, 1 Ph, 50-60 Hz, 1355 W, dimensions: 1120 mm x 600 mm x 170 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 100     |
| 45 | NN seal machine           | Seal machine, seal length: 460 mm, dimensions: 550 mm x 700 mm x 110 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 50      |
| 46 | NN seal machine           | Seal machine, seal length: 460 mm, dimensions: 550 mm x 700 mm x 110 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 50      |
| 47 | Metos                     | Metos dishwasher, model: METOS PREMIUM50 PS DDE BT PAP, serial number: DWD1027756, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 12 A, 6650 W, dimensions: 650 mm x 600 mm x 1370 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 300     |
| 48 | NN trolley                | S/s trolley, for (2x) 2/1 gastronorm bins, 20 floors, floor dimensions: (20x) 530 mm x 650 mm, total dimensions: 1180 mm x 710 mm x 1550 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 100     |
| 49 | Culion                    | Culion combi steamer, model: OEB 10.10, number: EB3DK2703, 400 V, 3 Ph, 50/60 Hz, 26.6 A, 19.9 kW, 11 floors, floor dimensions: (11x) 530 mm x 320 mm, total dimensions: 980 mm x 800 mm x 1780 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 450     |
| 50 | Greenland/Arex/Maxxfrost  | 3 refrigerated showcases, (1x) Greenland showcase: model: ABX2000/380, serial number: 150700383, 230 V, 50 Hz, 1.6 A, 230 W, refrigerant: R134a/0.155 kg, weight: 31 kg, inside dimensions: 1250 mm x 300 mm x 160 mm, total dimensions: 1600 mm x 400 mm x 230 mm, (1x) Arex showcase, type: Yp14/6NL, serial number: 041905864, 220-240 V, 50 Hz, 1.8 A, 328 W, refrigerant: R452a/0.190 kg, inside dimensions: 1030 mm x 300 mm x 200 mm, total dimensions: 1450 mm x 400 mm x 260 mm, (1x) Maxxfrost showcase, inside dimensions: 1600 mm x 320 mm x 180 mm, total dimensions: 1600 mm x 320 mm x 180 mm, total dimensions: 2000 mm x 400 mm x 250 mm. | 200     |
| 51 |                           | Saro Gastro-Products GmbH upright chiller, model: HR800V, serial number: 23006123, 220-240 V, 3 Ph, 50 Hz, 2 A, 320 W,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 500     |

| Nr | Title                     | Description                                                                                                                                                                                                                                                                    | Start € |
|----|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    | Saro Gastro-Products GmbH | refrigerant: R290/0.090 kg, weight: 114 kg, dimensions: 1200 mm x 590 mm x 1860 mm.                                                                                                                                                                                            |         |
| 52 | Hobart                    | Hobart high speed cooker, model: 305G, serial number: 97-0205-236, year of construction: 2012, 400 V, 3 Ph, 50/60 Hz, 38.7 A, 26.7 kW, 4 floors, floor dimensions: 540 mm x 320 mm, inside dimensions: Ø 380 mm x 620 mm, total dimensions: 830 mm x 600 mm x 1690 mm.         | 250     |
| 53 | Inoxfera                  | Inoxfera static refrigerated top, model: PR6-3, serial number: 19043172200601003, 220-240 V, 1 Ph, 50 Hz, 320 W, refrigerant: R452A/0.200 kg, dimensions: 1120 mm x 610 mm x 470 mm.                                                                                           | 250     |
| 54 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH heating cabinet, dimensions working top: 2000 mm x 700 mm x 50 mm, total dimensions: 2000 mm x 700 mm x 850 mm.                                                                                                                                      | 250     |
| 55 | Studio-54                 | Studio-54 refrigerated counter, model: DAQUIRI 1720 M.P.P, 230 V, 50 Hz, 1.93 A, 290 W, refrigerant: R404A/0.200 kg, 3 doors, dimensions: 1720 mm x 700 mm x 850 mm.                                                                                                           | 250     |
| 56 | Whirlpool                 | Whirlpool dryer, model: AWZ6812, number: 07 0322 502721, 220-240 V, 50 Hz, 10 A, 2200 W, dimensions: 600 mm x 600 mm x 840 mm.                                                                                                                                                 | 50      |
| 57 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerator, model: DK 134 PRO ROUND 325-2255, year of construction: 07/2024, 220-240 V, 50 Hz, 0.78 A, 115 W, refrigerant: R600A/0.75 kg, weight: 70 kg, 6 floors, floor dimensions: 280 mm x 300 mm, total dimensions: 440 mm x 400 mm x 1790 mm. | 175     |
| 58 | NN freezer                | Freezer, model: GN650BTG, year of construction: 2021, 220-240 V, 50 Hz, 3.3 A, 495 W, refrigerant: R290/130 g, volume: 650 liter, weight: 139 kg, 3 floors, floor dimensions: (3x) 640 mm x 530 mm, total dimensions: 820 mm x 750 mm x 1880 mm.                               | 400     |
| 59 | NN showcase               | Mobile refrigerated showcase, dimensions stone slab: 1800 mm x 300 mm, inside dimensions: 1800 mm x 660 mm, total dimensions: 1900 mm x 1000 mm x 1400 mm.                                                                                                                     | 150     |
| 60 | NN trolley                | S/s trolley for rational combi steamer, 20 floors, floor dimensions: (20x) 660 mm x 540 mm, total dimensions: 970 mm x 740 mm x 1700 mm.                                                                                                                                       | 150     |
| 61 | NN trolley                | S/s trolley for rational combi steamer, 20 floors, floor dimensions: (20x) 660 mm x 540 mm, total dimensions: 970 mm x 740 mm x 1700 mm.                                                                                                                                       | 150     |
| 62 | NN trolley                | S/s trolley for rational combi steamer, 20 floors, floor dimensions: (20x) 660 mm x 540 mm, total dimensions: 970 mm x 740 mm x 1700 mm.                                                                                                                                       | 150     |
| 63 | NN cabinet                | Wooden cabinet, dimensions: 1800 mm x 360 mm x 600 mm.                                                                                                                                                                                                                         | 150     |
| 64 | Rhima                     | Rhima reversed osmosis machine, dimensions: 550 mm x 300 mm x 450 mm.                                                                                                                                                                                                          | 50      |
| 65 |                           | Saro Gastro-Products GmbH warming bridge, dimensions: 800 mm x 400 mm x 400 mm.                                                                                                                                                                                                | 175     |



| Nr | Title                     | Description                                                                                                                                                                                                            | Start € |
|----|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    | Saro Gastro-Products GmbH |                                                                                                                                                                                                                        |         |
| 66 | Nitto                     | Nitto mobile serving tray rack, dimensions: 570 mm x 550 mm x 890 mm.                                                                                                                                                  | 150     |
| 67 | Tekna                     | Tekna refrigerated showcase, 4 floors, floor dimensions: (4x) 500 mm x 440 mm, total dimensions: 660 mm x 660 mm x 1880 mm.                                                                                            | 250     |
| 68 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH counter top food warmer, model: LT-03, 220-240 V, 50 Hz, 2.3 A, 530 W, weight: 9 kg, 3 gastronorm bins, bin dimensions: 300 mm x 170 mm x 60 mm, total dimensions: 650 mm x 330 mm x 440 mm. | 100     |
| 69 | Modular                   | Modular grill plate, model: 65/70 FTE, year of construction: 2018, 9 kW, dimensions grill plate: 700 mm x 500 mm, total dimensions: 700 mm x 620 mm x 360 mm.                                                          | 100     |
| 70 | Panasonic                 | Panasonic microwave, type: NE-1446, number: 5C41250010, year of construction: 2001, 230 V, 50 Hz, 10.3 A, 2270 W, inside dimensions: 330 mm x 300 mm x 160 mm, total dimensions: 500 mm x 440 mm x 350 mm.             | 50      |
| 71 | Ferm                      | Ferm mobile air compressor, type air tank: TH-245W/0.8-02, serial number: 1104002, 230 V, 50 Hz, 1500 W, capacity: 24 liter, dimensions: 600 mm x 250 mm x 600 mm.                                                     | 50      |
| 72 | NN step                   | S/s step, dimensions: 600 mm x 430 mm x 280 mm.                                                                                                                                                                        | 50      |
| 73 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH sausage warmer, model: 172-1060, serial number: 464595, 230 V, 1 Ph, 50/60 Hz, inside dimensions: Ø 200 mm x 250 mm, inside dimensions: 300 mm x 300 mm x 400 mm.                            | 100     |
| 74 | Metos                     | Metos dishwasher, 240 V, 50 Hz, 16 A, 8450 W, dimensions: 640 mm x 600 mm x 850 mm.                                                                                                                                    | 200     |
| 75 | NN sink                   | S/s double sink, dimensions: 1800 mm x 700 mm x 940 mm.                                                                                                                                                                | 175     |
| 76 | Zorro B.V.                | Zorro B.V. s/s serving trolley, 2 floors, maximum load: 50 kg, dimensions: 860 mm x 540 mm x 940 mm.                                                                                                                   | 75      |
| 77 | Alpeninox                 | Alpeninox refrigerator, model: EDVN 600, serial number: 53200002, refrigerant: R134A/0.210 kg, 1 floor, floor dimensions: 660 mm x 530 mm, total dimensions: 800 mm x 720 mm x 2260 mm.                                | 200     |
| 78 | Colged                    | Colged dishwasher, 8.7 kW, dimensions: 840 mm x 720 mm x 2260 mm.                                                                                                                                                      | 350     |
| 79 | Saro Gastro-Products GmbH | 3 Saro Gastro-Products GmbH s/s disinfection dispensers, model: TOTEM0130088, dimensions: (3x) 360 mm x 330 mm x 1440 mm.                                                                                              | 75      |
| 80 | Zanussi                   | Zanussi double fryer with ceramic hob, dimensions fryer: (2x) 300 mm x 200 mm x 120 mm, dimensions ceramic hob: 550 mm x 300 mm, total dimensions: 1060 mm x 700 mm x 940 mm.                                          | 250     |
| 81 | Metos                     | Metos grill plate, 400 V, 3 Ph, 50/60 Hz, dimensions grill: 520 mm x 400 mm, total dimensions: 620 mm x 400 mm x 300 mm.                                                                                               | 150     |



| Nr | Title                     | Description                                                                                                                                                                                                                                  | Start € |
|----|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 82 | Zorro B.V.                | Zorro B.V. coffee machine, model: ZKM 26, serial number: SRV28623050296, year of construction: 20230520, 230 V, 50/60 Hz, 8 A, 1.9 kW, weight: 6.4 kg, capacity: 2 liter, dimensions: 390 mm x 210 mm x 550 mm.                              | 75      |
| 83 | NN spiral cooler          | Spiral cooler, dimensions: 870 mm x 500 mm x 700 mm.                                                                                                                                                                                         | 75      |
| 84 | Metos                     | Metos 2-pits stove, model: DPOG40, serial number: BN020314397, year of construction: 07/2021, dimensions: 640 mm x 400 mm x 300 mm.                                                                                                          | 75      |
| 85 | Convotherm                | Convotherm oven, 7 floors, floor dimensions: (7x) 380 mm x 300 mm, total dimensions: 800 mm x 490 mm x 730 mm.                                                                                                                               | 225     |
| 86 | Menumaster                | Menumaster high speed oven, model: MRX523BL, serial number: 1809130051, year of construction: 09-2018, 400-415 V, 3 Ph, 50 Hz, 5450 W, inside dimensions: 330 mm x 310 mm x 190 mm, total dimensions: 700 mm x 360 mm x 600 mm.              | 800     |
| 87 | NN frame                  | S/s frame, dimensions: 600 mm x 530 mm x 500 mm.                                                                                                                                                                                             | 50      |
| 88 | NN tenderizer             | S/s tenderizer, working width: 200 mm, dimensions: 430 mm x 340 mm x 300 mm.                                                                                                                                                                 | 20      |
| 89 | Brema                     | Brema crushed ice machine, model: TB 551A, number: 2015110758829, year of construction: 2015, 220-240 V, 50 Hz, 420 W, refrigerant: R404A/0.220 kg, inside dimensions: 400 mm x 400 mm x 360 mm, total dimensions: 640 mm x 450 mm x 760 mm. | 300     |
| 90 | Liebherr                  | Liebherr refrigerator, type: 2 6080 3, 220-240 V, 50 Hz, 250 W, refrigerant: R134A/0.210 kg, capacity: 550 liter, 4 floors, floor dimensions: 560 mm x 530 mm, total dimensions: 780 mm x 700 mm x 2000 mm.                                  | 200     |
| 91 | Dito Sama                 | Dito Sama mixer with grinding head attachment, type: BM20AS, number: A3084, year of construction: 04/95, 230-400 V, 50 Hz, 3.1/1.8 A, 750 W, 400 V, 520 mm x 700 mm x 1420 mm. Including whisk, paddle and hook.                             | 300     |
| 92 | Metos                     | Metos fryer, electric heated, inside dimensions: 370 mm x 220 mm x 100 mm, total dimensions: 920 mm x 400 mm x 900 mm.                                                                                                                       | 250     |
| 93 | Electrolux                | Electrolux dishwasher, model: NUC1DP, 230 V, 1 Ph, 50 Hz, dimensions: 630 mm x 600 mm x 820 mm.                                                                                                                                              | 250     |
| 94 | Hendi                     | Hendi infrared cooker, 220-240 V, 50 Hz, 2200 W, dimensions: 400 mm x 300 mm x 100 mm.                                                                                                                                                       | 50      |
| 95 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH grill, model: 172-3035, serial number: 460624, 400 V, 3 Ph, 50/60 Hz, 9000 W, dimensions grill: 830 mm x 400 mm, total dimensions: 840 mm x 490 mm x 250 mm.                                                       | 175     |
| 96 | Italiana macchi           | Italiana macchi slicer, model: AV 330 S, serial number: 24163, 220 V, 50 Hz, 1.7 A, 0.18 kW, dimensions: 660 mm x 600 mm x 440 mm.                                                                                                           | 175     |
| 97 | Gamko                     | Gamko bottle cooler, type: VK12R, serial number: 201521 496567, year of construction: 2015, 220-240 V, 50 Hz, 1.1 A, 170 W, refrigerant: R134A/0.80 kg, inside dimensions: 350 mm                                                            | 100     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                                                                                               | Start € |
|-----|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                           | x 260 mm x 240 mm, total dimensions: 500 mm x 370 mm x 500 mm.                                                                                                                                                                                                                                                            |         |
| 98  | Lubron                    | Lubron water softener, serial number: 07081412, year of construction: 08/07, 230 V, 50 Hz, 4 W, pressure: 2.8 bar, capacity: 7 liter, dimensions: 400 mm x 200 mm x 650 mm.                                                                                                                                               | 50      |
| 99  | NN showcase               | Refrigerated showcase, 4 glass floors, floor dimensions: (4x) 500 mm x 550 mm, total dimensions: 1200 mm x 600 mm x 600 mm.                                                                                                                                                                                               | 50      |
| 100 | Gamko                     | Rational combi steamer, model: SCC 202G, serial number: G22SG09072185304, year of construction: 10-2009, 230 V, 1 Ph, 50/60 Hz, gas heated, dimensions: 1100 mm x 1000 mm x 1800 mm. Including 2 s/s trolleys, (2x) 20 floors, floor dimensions: (20x) 660 mm x 540 mm, total dimensions: (2x) 970 mm x 740 mm x 1700 mm. | 100     |
| 101 | Lubron                    | Lubron water softener, serial number: 08102309, year of construction: 10/08, 230 V, 50 Hz, 4 W, pressure: 2.8 bar, capacity: 7 liter, dimensions: 400 mm x 200 mm x 650 mm.                                                                                                                                               | 50      |
| 102 | NN cabinet                | S/s cabinet, dimensions: 700 mm x 500 mm x 900 mm.                                                                                                                                                                                                                                                                        | 75      |
| 103 | Rhima                     | Rhima dishwasher, model: WD-4, dimensions: 600 mm x 600 mm x 800 mm.                                                                                                                                                                                                                                                      | 400     |
| 104 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerator, model: DK 134 PRO ROUND 325-2255, year of construction: 06/2024, 220-240 V, 50 Hz, 0.78 A, 115 W, refrigerant: R600A/0.75 kg, weight: 70 kg, 6 floors, floor dimensions: 280 mm x 300 mm, total dimensions: 440 mm x 400 mm x 1790 mm.                                            | 200     |
| 105 | Metos                     | Metos dishwasher, type: WD-7E, number: 064607, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 16 A, 10.1 kW, dimensions: 740 mm x 700 mm x 1500 mm. Including 2 plastic baskets.                                                                                                                                         | 300     |
| 106 | Hoshizaki                 | Hoshizaki ice cube machine, model: IM-45CLE, serial number: G11621, 220-240 V, 50 Hz, 370 W, refrigerant: R134A/0.210 kg, weight: 54 kg, inside dimensions: 560 mm x 400 mm x 340 mm, total dimensions: 630 mm x 500 mm x 700 mm.                                                                                         | 250     |
| 107 | NN rack                   | S/s rack for oven, 14 floors, floor dimensions: 560 mm x 330 mm, total dimensions: 830 mm x 560 mm x 800 mm.                                                                                                                                                                                                              | 100     |
| 108 | NN tap                    | Sensor controlled faucet, dimensions: 280 mm x 200 mm.                                                                                                                                                                                                                                                                    | 50      |
| 109 | NN cooking counter        | Cooking counter with furnace, dimensions: 1700 mm x 630 mm x 1100 mm.                                                                                                                                                                                                                                                     | 175     |
| 110 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH induction hob, model: 301-1001/AT-25C, serial number: 170622005, 230 V, 50 Hz, 2500 W, dimensions plate: 280 mm x 270 mm, total dimensions: 420 mm x 330 mm x 100 mm.                                                                                                                           | 175     |
| 111 | WMF                       | WMF coffee machine, type: 03.1400, number: 35660, year of construction: 05.2009, 220/230 V, 1 Ph, 50/60 Hz, 2.0/2.2 kW, dimensions: 600 mm x 330 mm x 680 mm.                                                                                                                                                             | 200     |
| 112 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH induction plate, serial number: 2021050020, year of construction: May 2021, 380-400 V, 3 Ph,                                                                                                                                                                                                    | 150     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                  | Start € |
|-----|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                           | 50-60 Hz, 10 A, 5000 W, temperature range: 60 °C - 240 °C, weight: 10.2 kg, dimensions: 540 mm x 400 mm x 180 mm                                                                                                                             |         |
| 113 | NN knife/fork box         | S/s knife/fork box, 4 holes, dimensions holes: (4x) Ø 100 mm x 100 mm, total dimensions: 330 mm x 280 mm x 200 mm.                                                                                                                           | 50      |
| 114 | Hendi                     | Hendi infrared cooker, 220-240 V, 50 Hz, 2200 W, dimensions: 400 mm x 300 mm x 100 mm.                                                                                                                                                       | 50      |
| 115 | Armadi                    | Armadi refrigerator, model: 1400 START TN -2/+8, serial number: 1642.0125, 230 V, 50 Hz, 2.4 A, 400 W, 8 floors, floor dimensions: 680 mm x 530 mm, total dimensions: 1470 mm x 830 mm x 2040 mm.                                            | 300     |
| 116 | NN frame                  | S/s frame with glass, dimensions: 1200 mm x 220 mm x 560 mm.                                                                                                                                                                                 | 50      |
| 117 | NN ice tub                | S/s tub for crushed ice, inside dimensions: 550 mm x 690 mm, total dimensions: 750 mm x 620 mm x 260 mm.                                                                                                                                     | 100     |
| 118 | Bizerba                   | Bizerba slicer, model: VS 12, dimensions: 600 mm x 560 mm x 430 mm. Including knife sharpener.                                                                                                                                               | 250     |
| 119 | NN stove                  | 2-pits stove, gas heated, dimensions: 700 mm x 400 mm x 440 mm.                                                                                                                                                                              | 100     |
| 120 | NN drawers                | 6 drawers, dimensions: (6x) 700 mm x 400 mm x 440 mm.                                                                                                                                                                                        | 100     |
| 121 | Novameta                  | Novameta refrigerated counter, model: FPO-P313, serial number: 002W7148312060101, year of construction: 2017, 230 , 50 Hz, 2.1 A, 480 W, refrigerant: R134A, weight: 130 kg, capacity: 508 liter, dimensions: 1700 mm x 700 mm x 870 mm.     | 350     |
| 122 | NN trolley                | Trolley for plates, dimensions: 1200 mm x 530 mm x 960 mm.                                                                                                                                                                                   | 75      |
| 123 | NN trolley                | Trolley for plates, dimensions: 1200 mm x 530 mm x 960 mm.                                                                                                                                                                                   | 75      |
| 124 | NN trolley                | Trolley for plates, dimensions: 1200 mm x 530 mm x 960 mm.                                                                                                                                                                                   | 75      |
| 125 | Tecfrigo                  | Tecfrigo refrigerating showcase, model: CHEF 2 TURBO, serial number: M16667, year of construction: 13/02/2008, 230 V, 50 Hz, 3 A, 0.48 kW, refrigerant: R404a/0.250 kg, dimensions: 750 mm x 770 mm x 550 mm.                                | 175     |
| 126 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH electric conveyor toaster, model: CT-2, serial number: 2307033006, year of construction: 07/09/2023, 230 V, 50 Hz, 2240 W, weight: 16 kg, s/s mesh belt, belt width: 260 mm, dimensions: 630 mm x 370 mm x 420 mm. | 250     |
| 127 | Kaak Terborg              | Kaak Terborg couverture bin, type: Couverture bak 201, 220 V, 50 Hz, dimensions: 330 mm x 330 mm x 200 mm. Inner tray missing                                                                                                                | 50      |
| 128 | Palux                     | Palux drawer of workbench, inside dimensions: 500 mm x 480 mm x 120 mm, total dimensions: 600 mm x 600 mm x 300 mm.                                                                                                                          | 50      |
| 129 | NN trolley                | S/s trolley, (2x) 12 floors, floor dimensions: (24x) 380 mm x 550 mm, total dimensions: 870 mm x 560 mm x 1790 mm.                                                                                                                           | 100     |
| 130 | Metos                     | Metos dishwasher, dimensions: 800 mm x 700 mm x 2150 mm.                                                                                                                                                                                     | 350     |
| 131 | Colged                    | Colged dishwasher, model: TT820R, serial number: 4216781, year of construction: 13/07/2011, 400 V, 3 Ph, 50 Hz, 20 A, 10.6 kW, dimensions: 800 mm x 700 mm x 2150 mm. Including basket.                                                      | 350     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                                                                             | Start € |
|-----|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 132 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerated showcase, model: VRX 955, serial number: 23138667, 220/240 V, 50 Hz, 0.8 A, maximum: 95 W, refrigerant: R600a/0.045, weight: 25 kg, dimensions: 950 mm x 400 mm x 440 mm.                                                                                        | 150     |
| 133 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH coffee machine, model: THERMO 24, serial number: SRRLK24M0269, 220-240 V, 50/60 Hz, 8-9 A, 1739-2069 W, dimensions: 200 mm x 400 mm x 560 mm.                                                                                                                                 | 100     |
| 134 | Maxxfrost                 | Maxxfrost refrigerated work bench, dimensions working top: 1360 mm x 700 mm, total dimensions: 1360 mm x 700 mm x 850 mm.                                                                                                                                                                               | 250     |
| 135 | Saro Gastro-Products GmbH | 4 Saro Gastro-Products GmbH s/s disinfection dispensers, dimensions: (4x) 300 mm x 300 mm x 1440 mm.                                                                                                                                                                                                    | 100     |
| 136 | Saro Gastro-Products GmbH | 4 Saro Gastro-Products GmbH s/s disinfection dispensers, dimensions: (4x) 300 mm x 300 mm x 1440 mm.                                                                                                                                                                                                    | 100     |
| 137 | Metos                     | Metos dishwasher, type: WD-7 EH, number: 95520, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 25 A, 13.1 kW, dimensions: 720 mm x 720 mm x 1470 mm. Including 2 plastic baskets.                                                                                                                      | 300     |
| 138 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerator, model: SK 301, serial number: 23104415, 220-240 V, 50 Hz, 1 A, 165 W, refrigerant: R600A/0.060 kg, weight: 71 kg, 5 floors, floor dimensions: 460 mm x 350 mm, total dimensions: 680 mm x 450 mm x 1890 mm.                                                     | 250     |
| 139 | Lubron                    | Lubron water softener, dimensions: 500 mm x 300 mm x 750 mm.                                                                                                                                                                                                                                            | 100     |
| 140 | Cunill                    | Cunill coffee machine, dimensions: 290 mm x 170 mm x 540 mm.                                                                                                                                                                                                                                            | 50      |
| 141 | Palux                     | Palux work bench with grill plate, dimensions grill plate: 510 mm x 490 mm, total dimensions: 1400 mm x 600 mm x 900 mm.                                                                                                                                                                                | 200     |
| 142 | NN sink                   | S/s sink, dimensions: 450 mm x 320 mm x 400 mm.                                                                                                                                                                                                                                                         | 50      |
| 143 | NN table                  | S/s table, dimensions: 2320 mm x 700 mm x 900 mm.                                                                                                                                                                                                                                                       | 200     |
| 144 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerated showcase, model: SVEN, serial number: 1521005250247, year of construction: 25.05.2024, 220-240 V, 50 Hz, 2.3 A, 380 W, volume: 235 liter, refrigerant: R290/90 g, 4 floors, floor dimensions: (4x) 420 mm x 380 mm, total dimensions: 460 mm x 520 mm x 1700 mm. | 250     |
| 145 | Giveg                     | Giveg kebab grill, model: shoarma grill, year of construction: 1991, 220 V, 50 Hz, 10.5 kW, gas heated, skewer length: 550 mm, dimensions: 640 mm x 520 mm x 1050 mm. Including extra skewer.                                                                                                           | 150     |
| 146 | Metos                     | Metos au-bain marie, inside dimensions: 500 mm x 300 mm x 130 mm, total dimensions: 760 mm x 400 mm x 930 mm.                                                                                                                                                                                           | 150     |
| 147 | NN stove                  | 4-pits stove, lectric heated, dimensions: 800 mm x 700 mm x 950 mm.                                                                                                                                                                                                                                     | 150     |



| Nr  | Title             | Description                                                                                                                                                                                                                                       | Start € |
|-----|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 148 | NN cooking vessel | Cooking vessel, inside dimensions: Ø 500 mm x 400 mm, total dimensions: 800 mm x 700 mm x 950 mm.                                                                                                                                                 | 300     |
| 149 | Robot Coupe       | Robot Coupe cutter, type: R.6, number: 21/6841, 360 V, 50 Hz, 4.6/5.5 A, 1700/2200 W, volume: 6 liter, dimensions: 430 mm x 370 mm x 560 mm.                                                                                                      | 250     |
| 150 | NN shelve         | S/s shelve, dimensions: 1500 mm x 290 mm x 60 mm.                                                                                                                                                                                                 | 75      |
| 151 | Iglu              | Iglu counter top refrigerated showcase, inside dimensions: 830 mm x 300 mm x 150 mm, total dimensions: 1250 mm x 380 mm x 500 mm.                                                                                                                 | 100     |
| 152 | Bravilor          | Bravilor coffee dispenser, type: 8.321.801.100, 380 V, 3 Ph, 50/60 Hz, 6000 W, dimensions: 300 mm x 400 mm x 900 mm.                                                                                                                              | 100     |
| 153 | Animo             | Animo coffee dispenser, type: DWI GL 90, serial number: 20027, 400 V, 3 Ph, 50 Hz, 9800 W, dimensions: 300 mm x 400 mm x 900 mm.                                                                                                                  | 100     |
| 154 | Liebherr          | Liebherr refrigerator for crates, dimensions: 740 mm x 740 mm x 1630 mm.                                                                                                                                                                          | 150     |
| 155 | Zorro B.V.        | Zorro B.V. refrigerator, model: ZK 280 / 204.062.004, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600A/0.062 kg, volume: 282 liter, weight: 62 kg, 7 floors, floor dimensions: 430 mm x 380 mm, total dimensions: 540 mm x 540 mm x 1850 mm.    | 150     |
| 156 | Compact           | Compact water softener, type: 5600, serial number: J045196, 220/240 V, 50 Hz, 3 W, dimensions: 600 mm x 300 mm x 1100 mm.                                                                                                                         | 100     |
| 157 | Ignis             | Ignis refrigerator, model: ARF910/IG, serial number: S1912400250, 220 V, 50 Hz, 0.8 A, 95 W, dimensions: 600 mm x 530 mm x 530 mm.                                                                                                                | 10      |
| 158 | NN sink           | S/s counter with 2 sinks and faucet, dimensions: 4200 mm x 700 mm x 1250 mm.                                                                                                                                                                      | 250     |
| 159 | Zorro B.V.        | Zorro B.V. s/s serving trolley, 2 floors, maximum load: 50 kg, dimensions: 860 mm x 540 mm x 940 mm.                                                                                                                                              | 50      |
| 160 | Electrolux        | Electrolux refrigerator, model: RS06NX1F, serial number: 01000002, 230 V, 50 Hz, 2.1 A, 0.33 kW, net volume: 600 liter, refrigerant: R134A/0.13 kg, 4 floors, floor dimensions: 620 mm x 600 mm, total dimensions: 800 mm x 720 mm x 2000m.       | 250     |
| 161 | Brita             | Brita water softener, dimensions: 260 mm x 260 mm x 600 mm.                                                                                                                                                                                       | 20      |
| 162 | NN ice tub        | S/s tub for crushed ice, inside dimensions: 550 mm x 690 mm, total dimensions: 750 mm x 620 mm x 260 mm.                                                                                                                                          | 100     |
| 163 | Zanussi           | Zanussi roasting pan, inside dimensions: 700 mm x 530 mm x 200 mm, total dimensions: 800 mm x 770 mm x 970 mm.                                                                                                                                    | 250     |
| 164 | JAC               | JAC mobile bread slicer, model: MJL4 450 / 15, number: 15100359, year of construction: 23/02/2015, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 135 kg, 28 knives, distance between knives: 10 mm, total dimensions: 650 mm x 600 mm x 1300 mm. | 250     |
| 165 | Gamko             | Gamko refrigerated cabinet, type: E2/22GMU, year of construction: 2013, 220-240 V, 50 Hz, 1.8 A, 278 W, refrigerant:                                                                                                                              | 250     |



| Nr  | Title                   | Description                                                                                                                                                                                                                                                              | Start € |
|-----|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                         | R600A/0.120 kg, 2 floors, floor dimensions: 500 mm x 380 mm, total dimensions: 1430 mm x 500 mm x 850 mm.                                                                                                                                                                |         |
| 166 | Caterchef               | Caterchef plate warmer, dimensions: 750 mm x 450 mm x 850 mm.                                                                                                                                                                                                            | 100     |
| 167 | NN table                | Mobile table, wooden frame, s/s top, dimensions: 2000 mm x 800 mm x 900 mm.                                                                                                                                                                                              | 150     |
| 168 | Monodisco               | Monodisco floor scrubbing machine, diameter brush: Ø 400 mm, total dimensions: 1100 mm x 400 mm x 1050 mm.<br>Including charger, type: E 24/17, serial number: 36316/0/0009/02/5, 230 V, 1 Ph, 50 Hz, 3.6 A. Missing the sweeping brush and technical condition unknown. | 100     |
| 169 | NN extraction hood      | S/s extraction hood, dimensions: 1100 mm x 1000 mm x 700 mm.                                                                                                                                                                                                             | 100     |
| 170 | NN trolley              | S/s trolley, 10 floors, floor dimensions: 470 mm x 400 mm, total dimensions: 560 mm x 470 mm x 1660 mm.                                                                                                                                                                  | 150     |
| 171 | NN cabinet              | Wooden cabinet, 5 floors, floor dimensions: 760 mm x 450 mm, total dimensions: 800 mm x 500 mm x 2000 mm.                                                                                                                                                                | 20      |
| 172 | Hobart                  | Hobart dishwasher, model: BARAID900-10N, serial number: 86585373, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 14.7 A, 7 kW, dimensions: 800 mm x 750 mm x 1500 mm.                                                                                                   | 350     |
| 173 | NN grinder              | Mobile s/s grinder with strip cutter, 8 knives, diameter knives: 80 mm, distance between knives: 10 mm, diameter plate: 100 mm, total dimensions: 600 mm x 520 mm x 800 mm.                                                                                              | 150     |
| 174 | NN refrigerated counter | Mobile refrigerated counter, s/s work top, 4 floors, floor dimensions: 500 mm x 560 mm, total dimensions: 1500 mm x 740 mm x 1000 mm.                                                                                                                                    | 250     |
| 175 | Diamond                 | Diamond refrigerator, 3 floors, floor dimensions: 600 mm x 300 mm, total dimensions: 700 mm x 550 mm x 1900 mm.                                                                                                                                                          | 100     |
| 176 | NN trolley              | S/s trolley, (2x) 12 floors, floor dimensions: (24x) 380 mm x 550 mm, total dimensions: 870 mm x 560 mm x 1790 mm.                                                                                                                                                       | 100     |
| 177 | larp                    | larp refrigerator, 230 V, 50 Hz, 1.9 A, 250 W, refrigerant: R134A/0.260 kg, volume: 525 liter, 6 floors, floor dimensions: 650 mm x 500 mm, total dimensions: 770 mm x 760 mm x 1700 mm. Including 7 plastic crates, dimensions: (7x) 500 mm x 300 mm x 180 mm.          | 100     |
| 178 | Zorro B.V.              | Zorro B.V. refrigerator, model: ZK 280 / 204.062.004, year of construction: 03.2024, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600a/62 g, weight: 62 kg, volume: 260 liter, floor dimensions: 370 mm x 420 mm, dimensions: 570 mm x 530 mm x 1845 mm.                | 150     |
| 179 | NN sink                 | S/s sink with drip tray and cabinet, dimensions: 1600 mm x 700 mm x 2000 mm.                                                                                                                                                                                             | 250     |
| 180 | Convotherm              | Convotherm combi steamer, type: OES 6.06 mini, serial number: XS810013A2AAAA, 400 V, 3 Ph, 50/60 Hz, 11.8 A, 5.7 kW, 3 floors, floor dimensions: 320 mm x 300 mm, total dimensions: 660 mm x 520 mm x 650 mm.                                                            | 400     |
| 181 | Metos                   | Metos refrigerated counter, type: KSTP03TN H71 C2, serial number: BN020247160, year of construction: 2018, 230 V, 50                                                                                                                                                     | 100     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                                                                                                       | Start € |
|-----|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                           | Hz, 300 W, refrigerant: R452A/R404/R507/R449, 4 drawers, dimensions drawers: 560 mm x 300 mm x 300 mm, 2 floors, floor dimensions: 550 mm x 330 mm, total dimensions: 1550 mm x 700 mm x 900 mm. Missing top and external cool motor.                                                                                             |         |
| 182 | OEM                       | OEM pizza oven, type: DOMITOR, number: OM0D1005368, 400 V, 3 Ph, 50/60 Hz, 22.5/11.2 A, 15.6/7.8 kW, 2 floors, floor dimensions: 940 mm x 660 mm, total dimensions: 1250 mm x 900 mm x 1650 mm.                                                                                                                                   | 450     |
| 183 | NN crates                 | 29 plastic crates, dimensions: (29x) 520 mm x 320 mm x 210 mm.                                                                                                                                                                                                                                                                    | 75      |
| 184 | Gamko                     | Gamko refrigerated cabinet, type: GM/21261, year of construction: 1996, 220/240 V, 50 Hz, 475 W, refrigerant: R134a/0.180 kg, 2 floors, floor dimensions: 530 mm x 400 mm, total dimensions: 1700 mm x 560 mm x 970 mm.                                                                                                           | 250     |
| 185 | Zummo                     | Zummo mobile orange juice press, type: Z40A-N, serial number: 02164891, 230 V, 50 Hz, 2.1 A, 410 W, dimensions: 800 mm x 600 mm x 1770 mm.                                                                                                                                                                                        | 400     |
| 186 | Pökomat                   | Pökomat mobile injector, type: R10/300, fabrication number: 582.1, 380 V, 1.8 A, 0.75 kW, weight: 126 kg, 10 needles, s/s belt, belt width: 300 mm, clearance: 300 mm x 140 mm, total dimensions: 1170 mm x 430 mm x 1750 mm.                                                                                                     | 250     |
| 187 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH heated trolley, model: BWS 20, serial number: 78685218011230117, year of construction: 10.07.2023, 230 V, 50 Hz, 6.8 A, weight: 89.5 kg, 20 floors, floor dimensions: (20x) 550 mm x 300 mm, total dimensions: 550 mm x 900 mm x 1820 mm.                                                               | 500     |
| 188 | Polar refrigeration       | Polar refrigeration freezer, model: CD084-E, 230 V, 50 Hz, 0.9 A, 130 W, refrigerant: R600A/0.100 kg, 3 floors, floor dimensions: 640 mm x 500 mm, total dimensions: 770 mm x 700 mm x 1900 mm.                                                                                                                                   | 150     |
| 189 | Metos                     | Metos cooking vessel, model: 9PF/EI100, serial number: B0016853, 400 V, 3 Ph, 50/60 Hz, 16 kW, inside dimensions: Ø 600 mm x 400 mm, total dimensions: 1000 mm x 800 mm x 1200 mm.                                                                                                                                                | 450     |
| 190 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH heated display case, model: MARIE 6, serial number: 1570608200073, year of construction: 2024.08.20, 220/240 V, 50 Hz, 3.5 A, 800 W, temperature range: 30/90°C, weight: 22, volume: 68 liter, 6 gastronorm bins, bin dimensions: 325 mm x 175 mm x 45 mm, total dimensions: 1120 mm x 420 mm x 340 mm. | 175     |
| 191 | Combisteel B.V.           | Combisteel B.V. refrigerated showcase, model: 7450.0015, serial number: 21175957, 230 V, 50 Hz, 0.8 A, 11 W, refrigerant: R600A/0.045 kg, weight: 28 kg, inside dimensions: 840 mm x 300 mm x 160 mm, total dimensions: 1200 mm x 400 mm x 250 mm.                                                                                | 100     |
| 192 | NN table                  | S/s heated table with sink, dimensions: 1700 mm x 900 mm x 1160 mm.                                                                                                                                                                                                                                                               | 150     |
| 193 | Icematic                  |                                                                                                                                                                                                                                                                                                                                   | 400     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                                                                    | Start € |
|-----|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                           | Icematic ice machine, model: CM95802043ZP, serial number: CM11000556, year of construction: 2024, 220-240 V, 1 Ph, 50 Hz, 2.5 A, 300 W, refrigerant: R290/0.080 kg, inside dimensions: 340 mm x 300 mm, total dimensions: 510 mm x 350 mm x 600 mm.                                            |         |
| 194 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH minibar, model: MB40, serial number: 30123002070036, year of construction: 23/02/07, 220 V-240 V, 50 Hz, volume: 33 liter, weight: 17.5 kg, refrigerant: R717, 2 floors, floor dimensions: 300 mm x 140 mm, total dimensions: 460 mm x 400 mm x 570 mm.              | 100     |
| 195 | WMF                       | WMF coffee machine, type: 03.5500, year of construction: 02.2017, 380-415 V, 3 Ph, 50 Hz, 6.0-7.0 kW, capacity: 3.7 liter, dimensions: 730 mm x 500 mm x 640 mm. Including water softener, dimensions: 240 mm x 120 mm x 500 mm.                                                               | 600     |
| 196 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH burning paste, model: START 200, 2 boxes, each box: 72 pieces, dimensions: (2x) 520 mm x 360 mm x 180 mm.                                                                                                                                                            | 100     |
| 197 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH induction plate, serial number: 2022120364, year of construction: December 2022, 380-400 V, 3 Ph, 50-60 Hz, 10 A, 5000 W, weight: 10.2 kg, dimensions induction plate: 320 mm x 300 mm, total dimensions: 540 mm x 400 mm x 200 mm.                                  | 150     |
| 198 | Metos                     | Metos refrigerated counter, type: KST 03 TN Tavol, serial number: BN020083103, 230 V, 50/60 Hz, 2.53 A, 355 W, refrigerant: R134A/0.290 kg, 4 drawers, dimensions drawers: 560 mm x 300 mm x 300 mm, 2 floors, floor dimensions: 550 mm x 330 mm, total dimensions: 1700 mm x 700 mm x 900 mm. | 350     |
| 199 | NN ice tub                | S/s tub for crushed ice, inside dimensions: 550 mm x 690 mm, total dimensions: 750 mm x 620 mm x 260 mm.                                                                                                                                                                                       | 100     |
| 200 | NN extraction hood        | S/s extraction hood, dimensions: 2850 mm x 2300 mm x 950 mm.                                                                                                                                                                                                                                   | 350     |
| 201 | Metos                     | Metos fryer, 4 baskets, dimensions basket: (4x) 300 mm x 160 mm x 100 mm, total dimensions: 1200 mm x 750 mm x 1000 mm.                                                                                                                                                                        | 500     |
| 202 | Metos                     | Metos grill and ceramic hob, dimensions grill: 530 mm x 340 mm x 40 mm, dimensionsceramic hob: 570 mm x 340 mm, total dimensions: 1400 mm x 770 mm x 960 mm.                                                                                                                                   | 350     |
| 203 | Smeg                      | Smeg wine cooler, 4 floors, floor dimensions: 560 mm x 380 mm.                                                                                                                                                                                                                                 | 150     |
| 204 | Jordao Cooling Systems    | Jordao Cooling Systems refrigerated showcase, serial number: 22.54129, 230 V, 50 Hz, 10.09 A, 750 W, refrigerant: R290A, 4 floors, floor dimensions: (4x) 1470 mm x 400 mm, total dimensions: 1650 mm x 830 mm x 2120 mm.                                                                      | 100     |
| 205 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH pizza oven, type: electric oven start 6 BL, serial number: FOB016951, year of construction: 2024, 380/400 V, 3 Ph, 50/60 Hz, 20 A, 9.2 kW, weight: 102 kg,                                                                                                           | 400     |



| Nr  | Title                            | Description                                                                                                                                                                                                                                    | Start € |
|-----|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                                  | inside dimensions: 1100 mm x 740 mm, total dimensions: 1300 mm x 1000 mm x 400 mm.                                                                                                                                                             |         |
| 206 | Loggere<br>Metaalwerken          | 2 Loggere Metaalwerken coat racks with hangers, dimensions: (2x) 2350 mm x 730 mm x 1730 mm.                                                                                                                                                   | 100     |
| 207 | VDW<br>CoolSystems               | VDW CoolSystems refrigerated showcase, type: Wandkoeling, model: MT100, serial number: FA 110153, year of construction: refrigerant: R404/0.72 kg, 4 floors, floor dimensions: 900 mm x 400 mm, total dimensions: 970 mm x 830 mm x 2400 mm.   | 100     |
| 208 | NN freezer                       | Mobile freezer, 220 V, 50 Hz, 3.7 A, 733 W, 6 floors, refrigerant: R29, floor dimensions: (6x) 630 mm x 520 mm, total dimensions: 1400 mm x 800 mm x 2100 mm.                                                                                  | 450     |
| 209 | True                             | True mobile refrigerated cabinet, model: TPP-AT-67D-4-HC, serial number: 10359572, 220-240 V, 50-60 Hz, 1.8 A, 29 W, refrigerant: R290/0.136 kg, 4 drawers, dimensions drawers: 310 mm x 500 mm, total dimensions: 1700 mm x 900 mm x 1140 mm. | 500     |
| 210 | NN refrigeration<br>doors        | Various refrigerated doors and refrigerated panels. Rack is not included.                                                                                                                                                                      | 350     |
| 211 | Firex                            | Firex cooking vessel, model: PM1IE200, number: 076343WF26, year of construction: 2018, 380-415 V, 3 Ph, 50/60 Hz, inside dimensions: Ø 750 mm x 500 mm, total dimensions: 1250 mm x 1000 mm x 1250 mm.                                         | 700     |
| 212 | Meiko                            | Meiko dishwasher, model: ecostar 545 D, dimensions: 850 mm x 700 mm x 1520 mm.                                                                                                                                                                 | 350     |
| 213 | Bizerba                          | Bizerba slicer, model: VS 12-W, number: 10629934, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 1.8 A, 0.400 kW, dimensions: 600 mm x 600 mm x 450 mm. Including knife sharpener.                                                            | 300     |
| 214 | Alphatech                        | Alphatech combi steamer, type: A05RES, number: LA020035778, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6.25 kW, 6 floors, floor dimensions: 500 mm x 360 mm, total dimensions: 800 mm x 600 mm x 600 mm.                                  | 150     |
| 215 | Catertech                        | Catertech dishwasher, model: DS111ERCCRC, 380-400 V, 3 Ph, 50 Hz, 16.5 A, 11.1 kW, dimensions: 820 mm x 730 mm x 2280 mm.                                                                                                                      | 350     |
| 216 | HansDampf                        | HansDampf combi steamer, type: 1926506, number: 545, 380 V, 3 Ph, 50 Hz, 16 A, 9.4 kW, 6 floors, floor dimensions: 530 mm x 340 mm, total dimensions: 1060 mm x 800 mm x 720 mm.                                                               | 150     |
| 217 | Saro Gastro-<br>Products<br>GmbH | Saro Gastro-Products GmbH induction hob, serial number: 2024040449, year of construction: April 2024, 380-400 v, 3 Ph, 50-60 Hz, 10 A, 5000 A, weight: 10.2 kg, dimensions: 530 mm x 400 mm x 200 mm.                                          | 100     |
| 218 | Eloma                            | Eloma GmbH combi steamer, type: MMD 10-11 GAS, machine number: 144007 430, year of construction: 1996, 220 V, 1 Ph, 50 Hz, 0.3 kW, 10 floors, floor dimensions: 530 mm x 300 mm, total dimensions: 950 mm x 790 mm x 1500 mm.                  | 150     |
| 219 | Metos                            |                                                                                                                                                                                                                                                | 400     |



| Nr  | Title        | Description                                                                                                                                                                                                                                                                        | Start € |
|-----|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |              | Metos freezer, model: BC051AG ABB BC051+P, serial number: FR020046370, year of construction: 2014/05, 230 V, 50 Hz, 5.4 A, 1.14 kW, refrigerant: R404A/0.850 kg, 4 floors, floor dimensions: 520 mm x 380 mm, total dimensions: 800 mm x 700 mm x 900 mm.                          |         |
| 220 | Bartscher    | Bartscher oven, type: YXD-1AE, serial number: C022320, 230 V, 50 Hz, 2670 W, 4 floors, floor dimensions: (4x) 350 mm x 440 mm, total dimensions: 600 mm x 600 mm x 570 mm..                                                                                                        | 100     |
| 221 | Winterhalter | Winterhalter tool washing machine, type: GS 640, serial number: 176678, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 17.5 A, 11.4 kW, inside dimensions: 700 mm x 650 mm, total dimensions: 900 mm x 750 mm x 1600 mm.                                                          | 450     |
| 222 | Emerson      | Emerson saladette, model: ES 900G, serial number: 708032131, dimensions: 900 mm x 700 mm x 1300 mm.                                                                                                                                                                                | 250     |
| 223 | Metos        | Metos refrigerated counter, dimensions: 14 floors, floor dimensions: 640 mm x 400 mm, total dimensions: 2170 mm x 800 mm x 1200 mm.                                                                                                                                                | 350     |
| 224 | NN trolley   | S/s trolley, 11 floors, floor dimensions: 550 mm x 330 mm, total dimensions: 590 mm x 380 mm x 1670 mm.                                                                                                                                                                            | 100     |
| 225 | Pizzamondo   | Pizzamondo pizza oven, model: PA/245-C, serial number: PA24SC0404 0095, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 8.4 kW, 2 floors, inside dimensions: (2x) 620 mm x 600 mm x 140 mm, total dimensions: 900 mm x 830 mm x 1580 mm. Crack in the glass.                       | 350     |
| 226 | Unox         | Unox oven, model: XVC205EP, serial number: 2014N0078922, 380-415 V, 3 Ph, 50/60 Hz, 9.4 kW, weight: 68 kg, 5 floors, floor dimensions: (5x) 540 mm x 330 mm total dimensions: 800 mm x 750 mm x 1360 mm.                                                                           | 650     |
| 227 | Liebherr     | Liebherr freezer, type: GGPv 6570 Index 16D/ 001, serial number: 80.641.894.8, 220-230 V, 50 Hz, 4 A, refrigerant: R404A/0.230 kg, 5 floors, floor dimensions: 680 mm x 530 mm, total dimensions: 830 mm x 700 mm x 2100 mm.                                                       | 250     |
| 228 | larp         | larp freezer, model: AB 500 PV, serial number: 11CB26280, 230 V, 50 Hz, 1.1 A/ 2.1 A, 180 W, refrigerant: R134a/0.160 kg, 4 floors, floor dimensions: 500 mm x 640 mm, total dimensions: 760 mm x 700 mm x 1700 mm.                                                                | 150     |
| 229 | NN showcase  | Heated showcase, 2 floors, floor dimensions: 800 mm x 520 mm, total dimensions: 1200 mm x 700 mm x 700 mm.                                                                                                                                                                         | 150     |
| 230 | Metos        | 2 Metos refrigerators, model: KST 01 TN Tavol, serial numbers: BN020027965 and BN020027965, year of construction: 2009, 240 V, 1 Ph, 50 Hz, 150 W, refrigerant: R134a/0.165 kg, (2x) 4 floors, floor dimensions: 560 mm x 330 mm, total dimensions: (2x) 900 mm x 700 mm x 800 mm. | 250     |
| 231 | Electrolux   | Electrolux fryer, model: E7PCEH2KFO, serial number: 90210002, year of construction: 1-2019, 380-400 V, 3 Ph, 50/60 Hz, 10.8-12 kW, inside dimensions: (2x) 400 mm x 250 mm x 300 mm, total dimensions: 800 mm x 750 mm x 920 mm.                                                   | 175     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                                                                | Start € |
|-----|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                           | Including 2 baskets, dimensions: (2x) 140 mm x 140 mm x 180 mm.                                                                                                                                                                                                                            |         |
| 232 | NN stove                  | S/s table with 4-pits stove, dimensions: 1700 mm x 620 mm x 1100 mm.                                                                                                                                                                                                                       | 175     |
| 233 | NN frame                  | Steel frame, dimension: 600 mm x 530 mm x 600 mm.                                                                                                                                                                                                                                          | 50      |
| 234 | Lubron                    | Lubron water softener and osmose system, type: Duo Matic T-100, serial number: 11020802, year of construction: 02/11, 230 V, 50 Hz, 4 W, capacity: 28 liter, dimensions: 800 mm x 600 mm x 1100 mm.                                                                                        | 200     |
| 235 | Smeva                     | Smeva condensor, number: 12153, year of construction: februari 2015, refrigerant: R507A, dimensions: 1150 mm x 400 mm x 880 mm.                                                                                                                                                            | 100     |
| 236 | NN extraction hood        | S/s extraction hood, dimensions: 1000 mm x 1000 mm x 530 mm.                                                                                                                                                                                                                               | 100     |
| 237 | Bourgeat                  | Bourgeat mobile plate warmer, type: Chauffant N/V 2 silos, serial number: HB035907, 230 V, 50/60 Hz, 1400 W, weight: 140 kg, 2 storage compartments, dimensions: (2x) Ø 330 mm x 670 mm, total dimensions: 980 mm x 480 mm x 1080 mm.                                                      | 100     |
| 238 | NN trolley                | S/s trolley, dimensions: 900 mm x 600 mm x 960 mm.                                                                                                                                                                                                                                         | 100     |
| 239 | NN showcase               | Refrigerated showcase, model: SB-H-130-INF HOT, serial number: 23005004, year of construction: 2/02/2023, 220-240 V, 1 Ph, 50 Hz, 0.3 A, 28 W, inside dimensions: 1000 mm x 540 mm x 150 mm, total dimensions: 1300 mm x 900 mm x 1400 mm.                                                 | 350     |
| 240 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerated salad bar, model: SB-H-130-INF HOT, serial number: 23005004, year of construction: 2/2/2023, 220-240 V, 1 Ph, 50 Hz, 0.3 A, 2.028 kW, inside dimensions: 950 mm x 510 mm x 50 mm (3x 1/1 gastronorm), total dimensions: 1300 mm x 880 mm x 1310 mm. | 450     |
| 241 | Oscartielle               | Oscartielle ice cream showcase, serial number: 1N62663301, year of construction: 2014, 230 V, 50 Hz, refrigerant: R404A/ 2.0 kg, inside dimensions: 1000 mm x 700 mm x 220 mm, total dimensions: 1200 mm x 1250 mm x 1500 mm.                                                              | 650     |
| 242 | Zorro B.V.                | Zorro B.V. s/s serving trolley, 2 floors, maximum load: 50 kg, dimensions: 860 mm x 540 mm x 940 mm.                                                                                                                                                                                       | 350     |
| 243 | Duke                      | Duke proofer with oven, model: TSC-6/18M, serial number: 11171507, 400 V, 3 Ph, 50 Hz, 7200 W, 12 floors, floor dimensions: 660 mm x 400 mm, total dimensions: 950 mm x 740 mm x 1960 mm.                                                                                                  | 350     |
| 244 | Lazzo                     | Large amount of Lazzo ladles.                                                                                                                                                                                                                                                              | 20      |
| 245 | NN riveting tools         | 3 riveting tools.                                                                                                                                                                                                                                                                          | 50      |
| 246 | Kelvion                   | 6 countertop evaporators, type: Küba FMA 811 D, 230 V, 1 Ph, 50 Hz, 12 W, dimensions: (6x) 400 mm x 400 mm x 70 mm.                                                                                                                                                                        | 50      |
| 247 | Meiko                     | 2 Meiko centrifugal pumps, dimensions: (2x) 180 mm x 180 mm x 200 mm.                                                                                                                                                                                                                      | 50      |
| 248 |                           |                                                                                                                                                                                                                                                                                            | 50      |



| Nr  | Title                     | Description                                                                                                                                                                                                                                                                             | Start € |
|-----|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     | NN knife/fork box         | S/s knife/fork box, 4 holes, dimensions holes: (4x) Ø 100 mm x 100 mm, total dimensions: 330 mm x 280 mm x 200 mm.                                                                                                                                                                      |         |
| 249 | BISI                      | BISI hotplate, type: 300.520.0, year of construction: 04/2024, 230 V, 3000 W, dimensions: 300 mm x 300 mm x 100 mm.                                                                                                                                                                     | 20      |
| 250 | BISI                      | BISI hotplate, type: 300.520.0, year of construction: 04/2024, 230 V, 3000 W, dimensions: 300 mm x 300 mm x 100 mm.                                                                                                                                                                     | 20      |
| 251 | Saro Gastro-Products GmbH | 7 Saro Gastro-Products GmbH gastronorm bins, 1/2-65.                                                                                                                                                                                                                                    | 40      |
| 252 | NN evaporators            | 2 evaporators, dimensions: 500 mm x 500 mm x 100 mm.                                                                                                                                                                                                                                    | 50      |
| 253 | Nedermann                 | Nedermann hose reel, diameter reel: 500 mm, total dimensions: 700 mm x 300 mm x 500 mm.                                                                                                                                                                                                 | 175     |
| 254 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH dough roller, model: 395-1045, serial number: 61299-078, year of construction: 2025, 230 V, 1 Ph, 50 Hz, 0.37 kW, weight: 39 kg, dimensions input: 200 mm x 40 mm, total dimensions: 600 mm x 500 mm x 620 mm.                                                | 250     |
| 255 | NN heating lamp           | Heating lamp, dimensions: Ø 250 mm x 400 mm.                                                                                                                                                                                                                                            | 50      |
| 256 | Mettler Toledo            | Mettler Toledo weighing scale, dimensions scale: 360 mm x 280 mm, total dimensions: 470 mm x 420 mm x 500 mm. Defect.                                                                                                                                                                   | 10      |
| 257 | Mettler Toledo            | Mettler Toledo weighing scale, dimensions scale: 360 mm x 280 mm, total dimensions: 470 mm x 420 mm x 500 mm. Defect.                                                                                                                                                                   | 10      |
| 258 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH induction hob, model: 301-1005/CT-35A, serial number: 190412026, 230 V, 50 Hz, 3500 W, dimensions: 490 mm x 380 mm x 200 mm. Including pan.                                                                                                                   | 175     |
| 259 | Autonumis                 | Autonumis milk machine, type: NU, serial number: 0214NU04139, year of construction: 2014, 230 V, 50/60 Hz, 5 A, 130 W, refrigerant: R134A/0.034 kg, 460 mm x 370 mm x 800 mm.                                                                                                           | 50      |
| 260 | WMF                       | WMF coffee machine, type: 03.1400, number: 30803, year of construction: 11.2008, 220/230 V, 1 Ph, 50/60 Hz, 2.0/2.2 kW, dimensions: 600 mm x 330 mm x 680 mm.                                                                                                                           | 250     |
| 261 | WMF                       | WMF milk cooler, type: 03.9460.0001, year of construction: 02.2006, 230 V, 1 Ph, 50/60 Hz, 0.07 kW, volume: 3.9 liter, refrigerant: R134A, dimensions: 500 mm x 250 mm x 570 mm and 550 mm x 250 mm x 620 mm.                                                                           | 50      |
| 262 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerated showcase, model: SC 100, serial number: 1615401200205, year of construction: 2025.01.20, 220-240 V, 50 Hz, 1.2 A, 180 W, refrigerant: R600a/40g, 4 floors, dimensions floors: (4x) 360 mm x 300 mm, total dimensions: 380 mm x 430 mm x 1110 mm. | 150     |
| 263 | MKN                       | MKN combi steamer, type: CPE600206-01, serial number: 09020652, 400 V, 3 Ph, 50 Hz, 7.8 kW, water pressure: 200–600 kPa, 7 floors, floor dimensions: (7x) 330 mm x 400 mm, total dimensions: 550 mm x 850 mm x 750 mm.                                                                  | 400     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                            | Start € |
|-----|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 264 | NN table                  | S/s table, 8 floors, floor dimensions: 470 mm x 400 mm, total dimensions: 600 mm x 600 mm x 860 mm.                                                                                                                                                    | 150     |
| 265 | Smeg                      | Smeg induction plate, model: S15952B Piano Iduzion, serial number: 23204652011101640111, dimensions: 900 mm x 510 mm x 50 mm.                                                                                                                          | 100     |
| 266 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH juice dispenser, model: 398-1005, serial number: KL24156AX2409D2436, year of construction: 2024.11, 220 V, 1 Ph, 50 Hz, 1.9 A, 0.29 kW, refrigerant: R290/0.030 kg, volume: 1.2 liter, dimensions: 430 mm x 220 mm x 650 mm. | 200     |
| 267 | Caterchef                 | Caterchef oven, model: 0130IU, number: 0007414, 400 V, 2 Ph, 5.4 kW, 4 floors, floor dimensions: 530 mm x 390 mm, total dimensions: 900 mm x 660 mm x 560 mm.                                                                                          | 150     |
| 268 | NN trolleys               | 5 s/s trolleys with (6x) 1/1 gastronorm bins, dimensions: (5x) 560 mm x 380 mm x 1680 mm.                                                                                                                                                              | 400     |
| 269 | NN trolleys               | 10 s/s trolleys with (6x) thermobox for 1/1 gastronorm bins, dimensions: (10x) 560 mm x 380 mm x 1680 mm.                                                                                                                                              | 750     |
| 270 | NN trolleys               | 5 s/s trolleys for (6x) 1/1 gastronorm bins, dimensions: (5x) 560 mm x 380 mm x 1680 mm.                                                                                                                                                               | 400     |
| 271 | NN trolleys               | 10 s/s trolleys for (6x) 1/1 gastronorm bins, dimensions: (10x) 560 mm x 380 mm x 1680 mm.                                                                                                                                                             | 750     |
| 273 | NN au bain-marie          | 2 s/s au bain-marie, dimensions: (2x) 570 mm x 350 mm x 240 mm.                                                                                                                                                                                        | 30      |
| 274 | Saro Gastro-Products GmbH | Box with 35 Saro Gastro-Products GmbH gastronorm plates, dimensions: 350 mm x 350 mm.                                                                                                                                                                  | 150     |
| 275 | NN cups and saucers       | 3 crates with cups and 4 crates with saucers.                                                                                                                                                                                                          | 100     |
| 276 | NN gastronorm bins        | 5 gastronorm bins, dimensions: (5x) 530 mm x 320 mm x 200 mm.                                                                                                                                                                                          | 50      |
| 277 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH slicer, type: F 350 I, number: 22010221, year of construction: 2022, 230 V, 50 Hz, 0.370 kW, dimensions: 750 mm x 500 mm x 650 mm.                                                                                           | 650     |
| 278 | Angelo-po                 | Angelo-po grill plate, dimensions grill: 500 mm x 300 mm, total dimensions: 600 mm x 350 mm x 250 mm.                                                                                                                                                  | 100     |
| 279 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH slicer, type: IVORNO/418-1003, serial number: 210820020, year of construction: 10.08.2021, 230 V, 1 Ph, 50 Hz, 1 A, 0.23 kW, dimensions: 500 mm x 400 mm x 360 mm.                                                           | 150     |
| 280 | Zorro B.V.                | Zorro B.V. soup kettle, model: ZTK 10, serial number: 24HL7633A-227, year of construction: June 10.2024, 220-240 V, 1 Ph, 50/60 Hz, 1.739 A, 0.4 kW, capacity: 10 liter, dimensions: 300 mm x 300 mm x 350 mm.                                         | 50      |
| 281 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH contact grill, model: PG 2, serial number: 1010-2025030060, year of construction: 2025.03.10, 230 V, 50 Hz, 15.7 A, 3.6 kW, weight: 23.6 kg, dimensions: 600 mm x 380 mm x 230 mm.                                           | 150     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                                                              | Start € |
|-----|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 282 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH electric oven, model: FEMG04NEGV, serial number: 202532943R, year of construction: 05-2025, 220-240 V, 1 Ph, 50/60 Hz, 350 W, i4 floors, floor dimensions: 540 mm x 300 mm, total dimensions: 700 mm x 670 mm x 600 mm.                                        | 400     |
| 283 | NN ice tubs               | 2 s/s ice tubs, dimensions: 750 mm x 630 mm x 250 mm.                                                                                                                                                                                                                                    | 100     |
| 284 | Briggs and Stratton       | Briggs and Stratton power generator, type: Intek 206, 24 V, dimensions: 600 mm x 400 mm x 500 mm.                                                                                                                                                                                        | 100     |
| 285 | Convotherm                | Convotherm oven, model: OGB 6.20, number: GB2CA0389, 400 V, 3 Ph, 50/60 Hz, 1.2 kW, gas heated, 7 floors, floor dimensions: 530 mm x 700 mm, total dimensions: 1250 mm x 1050 mm x 1520 mm.                                                                                              | 700     |
| 286 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH refrigerated showcase, model: G-HTS1200SD, serial number: 23006120, 220/240 V, 50 Hz, 5.0 A, maximum: 800 W, machine weight: 257 kg, refrigerant: R290/0.150, 4 floors, dimensions: 770 mm x 1260 mm x 1950 mm. Damaged                                        | 700     |
| 287 | Metos                     | Metos freezer, model: A70/70R TNB, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 2.8 A, floor dimensions: 600 mm x 540 mm, total dimensions: 1400 mm x 800 mm x 2040 mm.                                                                                                               | 300     |
| 288 | Pastorkalt a.s.           | Pastorkalt a.s. refrigerated showcase, type: MILO 1875 M2, serial number: 33965, year of construction: 2012, volume: 925 dm <sup>3</sup> , dimensions: 1960 mm x 810 mm x 2010 mm.                                                                                                       | 100     |
| 289 | Fogal                     | Fogal Refrigeration refrigerated showcase, model: ALASKA 150, type: 01, serial number: FA170125, 230 V, 50 Hz, 5 A, 902 W, refrigerant: R404a, dimensions: 1510 mm x 790 mm x 1920 mm.                                                                                                   | 100     |
| 290 | Meiko                     | Meiko dishwasher, type: K200 PI, serial number: 10148806, year of construction: 01-2010, 400 V, 3 Ph, 50 Hz, 55 A, 34 kW, clearance: 500 mm x 500 mm, total dimensions: 2500 mm x 1000 mm x 1970 mm.                                                                                     | 350     |
| 291 | Zorro B.V.                | 2 Zorro B.V. refrigerators, model: ZKB 360, year of construction: 2024, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600a/0.084 kg, weight: 72 kg, volume: 347 liter, dimensions: (2x) 620 mm x 620 mm x 1740 mm.                                                                       | 400     |
| 292 | NN freezer                | Freezer, model: F600, serial number: 442230913001, 220-240 V, 50 Hz, 2 A, refrigerant: R290/0.120 kg, capacity: 411 liter, 6 floors, floor dimensions: 640 mm x 480 mm, total dimensions: 780 mm x 700 mm x 1880 mm.                                                                     | 250     |
| 293 | Silver King               | Silver King refrigerated counter, model: SKRCB97HL/CFG-230, serial number: HMDP211001A, 230 V, 50/60 Hz, 2.5 A, refrigerant: 134A, 6 drawers, dimensions: 800 mm x 2500 mm x 660 mm.                                                                                                     | 300     |
| 294 | Saro Gastro-Products GmbH | Saro Gastro-Products GmbH drive-in refrigerator, model: RT1, serial number: 23006122, 220-240 V, 50 Hz, 2 A, 300 W, weight: 158 kg, refrigerant: R290 / 0.105 kg, temperature range: 2-10°C, inside dimensions: 800 mm x 650 mm x 1750 mm, total dimensions: 1120 mm x 880 mm x 2200 mm. | 650     |



| Nr  | Title                           | Description                                                                                                                                                                                  | Start € |
|-----|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 295 | Afinox                          | Afinox blast chiller, 5 floors, floor dimensions: 600 mm x 600 mm, total dimensions: 800 mm x 760 mm x 840 mm. Missing a button.                                                             | 300     |
| 296 | NN induction plate              | Ceramic hob, model: PCVE60DB, 8 kW, dimensions: 600 mm x 600 mm x 50 mm.                                                                                                                     | 50      |
| 297 | NN cooling compressor           | Cooling compressor, dimensions: 1200 mm x 800 mm x 700 mm.                                                                                                                                   | 100     |
| 298 | Keyfrost                        | Keyfrost cooling installation, model: KS 11 TNEM, serial number: 00081488, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.2 kW, refrigerant: R404A, dimensions: 730 mm x 450 mm x 400 mm. | 100     |
| 299 | Tecumseh                        | Tecumseh cooling compressor, model: CAJ9480Z MHR, serial number: 01A26 140447 4269130202, 220-240 V, 1 Ph, 50 Hz, refrigerant: R404A, dimensions: 430 mm x 470 mm x 420 mm.                  | 100     |
| 300 | Il Bracere                      | Il Bracere grill, model: 115, type: A, dimensions: 1140 mm x 800 mm x 400 mm. Grill is broken.                                                                                               | 100     |
| 301 | Kuba                            | Kuba evaporator, type: DSAE 17, year of construction: 1987, 2 fans, dimensions: 990 mm x 400 mm x 430 mm.                                                                                    | 75      |
| 302 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, 3 fans, dimensions: 1160 mm x 560 mm x 380 mm.                                                                                                   | 75      |
| 303 | Smeva                           | Smeva condensor, type: ICU CM 08 Z CD-4, serial number: 1506170-A, 400 V, 3 Ph, 50 Hz, 3.25 kW, weight: 105 kg, dimensions: 1150 mm x 500 mm x 880 mm.                                       | 100     |
| 304 | Prestcold                       | Prestcold cooling compressor, model: APZF 09K D8 38, number: 6780226, 380-420 V, 3 Ph, 50 Hz, 2.24 kW, dimensions: 620 mm x 660 mm x 480 mm.                                                 | 75      |
| 305 | Embraco                         | Embraco cooling compressor, dimensions: 520 mm x 430 mm x 400 mm.                                                                                                                            | 75      |
| 306 | NN cabinet                      | Cabinet, 3 drawers, dimensions: 400 mm x 620 mm x 630 mm.                                                                                                                                    | 75      |
| 307 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, 1 fan, dimensions: 740 mm x 600 mm x 470 mm.                                                                                                     | 30      |
| 308 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, 2 fans, dimensions: 860 mm x 570 mm x 400 mm.                                                                                                    | 75      |
| 309 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, 1 fan, dimensions: 740 mm x 630 mm x 460 mm.                                                                                                     | 75      |
| 310 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMX-268, serial number: 01970, year of construction: 2014, 230 V, 50 Hz, 1 fan, dimensions: 740 mm x 630 mm x 460 mm.                     | 75      |
| 311 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, 1 fan, dimensions: 740 mm x 630 mm x 460 mm.                                                                                                     | 75      |
| 312 | Friga-Bohn                      |                                                                                                                                                                                              | 75      |



| Nr  | Title                    | Description                                                                                                                                                                                                                                               | Start € |
|-----|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                          | Friga-Bohn evaporator, model: MF 4, serial number: EY 6622, 230 V, 1 mPh, 50/60 Hz, dimensions: 600 mm x 440 mm x 180 mm.                                                                                                                                 |         |
| 313 | Searle                   | Searle evaporator, model: TG8-5, serial number: 183025, 220/240 V, 1 Ph, 50 Hz, 3 fans, dimensions: 1430 mm x 400 mm x 390 mm.                                                                                                                            | 75      |
| 314 | Kelvion                  | Kelvion evaporator, model: TEC4-5, serial number: 5200189930-0018, year of construction: 2017, 220 V, 1 Ph, 50 Hz, 0.3 A, 40 W, 2 fans, dimensions: 870 mm x 170 mm x 380 mm.                                                                             | 75      |
| 315 | Gea Küba GmbH            | Gea Küba GmbH evaporator, model: DFB 031 E DECKEN-LUFTKÜHLER JUNIOR, number: F441505, year of construction: 2015, 230 V, 50/60 Hz, 24 W, dimensions: 530 mm x 510 mm x 230 mm.                                                                            | 75      |
| 316 | NN relais                | Plastic crate with relais, dimensions: 400 mm x 600 mm x 200 mm.                                                                                                                                                                                          | 20      |
| 317 | NN cillinders            | 7 s/s cilinders, dimensions: (7x) Ø 180 mm x 530 mm.                                                                                                                                                                                                      | 100     |
| 318 | SEW/ATB                  | 12 various motors, among others: 0.25 kW, 0.75 kW, 2.2 kW.                                                                                                                                                                                                | 150     |
| 319 | Alusteel                 | 20 Alusteel sheets, dimensions: (20x) 400 mm x 600 mm x 200 mm.                                                                                                                                                                                           | 150     |
| 320 | Alusteel                 | 20 Alusteel sheets, dimensions: (20x) 400 mm x 600 mm x 200 mm.                                                                                                                                                                                           | 150     |
| 321 | Convotherm               | Convotherm trolley for plates, (6x) 19 floors, dimensions: 770 mm x 800 mm x 1820 mm.                                                                                                                                                                     | 175     |
| 322 | Iglu Cold Systems S.R.L. | Iglu Cold Systems S.R.L. shock freezer, model: AG10/Front, serial number: 141210001, 220-230 V, 50 Hz, 11.3 A, 400 W, refrigerant: R404A/2.1 kg, 10 floors, floor dimensions: (10x) 520 mm x 410 mm, total dimensions: 820 mm x 910 mm x 1900 mm. Defect. | 150     |
| 323 | DWM Copeland             | DWM Copeland cooling compressor, model: H8-LL-30X-EWL, serial number: 1504111, year of construction: 1997, dimensions: 740 mm x 680 mm x 530 mm.                                                                                                          | 100     |
| 324 | Tecumseh                 | Tecumseh cooling compressor, type: TFH4518Y HR, 400-440 V, 3 Ph, 50/60 Hz, 4.2-4.9 A, dimensions: 600 mm x 500 mm x 540 mm.                                                                                                                               | 50      |
| 325 | Silensys                 | Silensys condensor, year of construction: 17-04-2013, refrigerant: R404A, dimensions: 880 mm x 600 mm x 870 mm.                                                                                                                                           | 150     |
| 326 | Silensys                 | Silensys condensor with tecumseh cooling compressor, type: S981330202, 220-240 V, 50 Hz, 6.9 A, refrigerant: R404A, dimensions: 890 mm x 550 mm x 670 mm.                                                                                                 | 150     |
| 327 | Eco Refrigerazione       | Eco Refrigerazione evaporator, model: CTE023L8ED, serial number: AC200908991, year of construction: 31/07/2009, 230 V, 1 Ph, 50/60 Hz, 75 W, 1 fan, dimensions: 660 mm x 550 mm x 400 mm.                                                                 | 75      |
| 328 | NN extraction hood       | S/s extraction hood, dimensions: 1000 mm x 500 mm x 1600 mm.                                                                                                                                                                                              | 200     |
| 329 |                          |                                                                                                                                                                                                                                                           | 300     |



| Nr  | Title                                                            | Description                                                                                                                                                                                                                                                                                                                                          | Start € |
|-----|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     | Holland Techno Groep                                             | Holland Techno Groep oven, 12 floors, floor dimensions: (12x) 600 mm x 570 mm.                                                                                                                                                                                                                                                                       |         |
| 330 | VDW Cool systems                                                 | VDW Cool systems blast chiller, model: BC121AF-P, serial number: F20080411000019, year of construction: 2008, 400 v, 3 Ph, 50 Hz, 1.6 A, 370 w, refrigerant: R404A, 12 floors, floor dimensions: 610 mm x 420 mm. Without cooling motor.                                                                                                             | 275     |
| 331 | Afinox/<br>Electrolux/<br>Metos/<br>Friulinox/Gro-Tech/ Moduline | 8 blast chillers from different brands: Afinox/Electrolux/Metos/Friulinox/Gro-Tech/ Moduline, dimensions: 600 mm x 710 mm x 750 mm, 760 mm x 730 mm x 840 mm x, 790 mm x 700 mm x 840 mm, 800 mm x 780 mm x 850 mm, 680 mm x 710 mm x 810 mm, 800 mm x 700 mm x 850 mm, 790 mm x 700 mm x 880 mm, 740 mm x 700 mm x 850 mm. All chillers are defect. | 650     |
| 332 | Metos/<br>Coldline/Polar                                         | 5 blast chillers from different brands: Metos/Coldline/Polar, dimensions: 750 mm x 740 mm x 960 mm, 800 mm x 700 mm x 850 mm, 620 mm x 600 mm x 410 mm, 800 mm x 830 mm x 960 mm, 710 mm x 700 mm x 100 mm. All chillers are defect.                                                                                                                 | 400     |
| 333 | NN extraction hood                                               | S/s extraction hood, dimensions: 23000 mm x 590 mm x 910 mm.                                                                                                                                                                                                                                                                                         | 150     |
| 334 | NN table                                                         | S/s table, dimensions: 1770 mm x 370 mm x 600 mm.                                                                                                                                                                                                                                                                                                    | 100     |
| 335 | NN cooling compressor                                            | Cooling compressor, dimensions: 720 mm x 640 mm x 590 mm.                                                                                                                                                                                                                                                                                            | 100     |
| 336 | NN cooling compressor                                            | Cooling compressor, type: D750-R22-375 H, number: AK.375.91.05, 380 V, 3 Ph, 50 Hz, dimensions: 770 mm x 480 mm x 1080 mm.                                                                                                                                                                                                                           | 100     |
| 337 | Delta Technics Engineering B.V.                                  | Delta Technics Engineering B.V. evaporator, model: MCS-17, serial number: 1169, year of construction: 2001, 230 V, 50 Hz, 2 fans, dimensions: 1200 mm x 460 mm x 150 mm.                                                                                                                                                                             | 75      |
| 338 | Friga-Bohn                                                       | Friga-Bohn evaporator, model: MR 210, serial number: LR0022, 230 V, 1 Ph, 50-60 Hz, 3 fans, dimensions: 1150 mm x 430 mm x 180 mm.                                                                                                                                                                                                                   | 75      |
| 339 | Electrolux                                                       | Electrolux drive-in refrigerator, inside dimensions: 850 mm x 700 mm x 1800 mm, total dimensions: 1050 mm x 900 mm x 2270 mm.                                                                                                                                                                                                                        | 400     |
| 340 | Gram                                                             | Gram drive-in refrigerator, type: K 1500 CSG, serial number: 10256199, 230 V, 50 Hz, 2.56 A, 434 W, refrigerant: R290 / 120 gram, inside dimensions: 850 mm x 720 mm x 1900 mm, total dimensions: 1030 mm x 920 mm x 2330 mm.                                                                                                                        | 450     |
| 341 | Granuldisk                                                       | Granuldisk tool washing machine, model: Granule Smart CW, serial number: 520266, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 32 A, 16.5 kW, dimensions: 1060 mm x 900 mm x 1740 mm.                                                                                                                                                              | 650     |
| 342 | NN conveyor                                                      | S/s roller conveyor for dishwasher, roller length: 530 mm, total dimensions: 740 mm x 2600 mm x 890 mm.                                                                                                                                                                                                                                              | 75      |

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

