



**Industrial
Auctions**

**1990: Online auction machinery for the food
industry on behalf of Florin GmbH in Willich (DE)**

END DATE
24 November 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	24 November 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	02 December 2025 from 09:00 till 16:00 hrs.
Pick up address	Daimlerstraße 4 47877 Willich Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Ishida / Kopas	Multihead weighing and packaging line consisting of: Ishida 14 heads multihead weigher,model: OOW-EM-214W-S/30-SS, serial number: 553622, year of construction: 2003, 240 V, 1 Ph, 50 Hz, 6.2 A, weight: 520 kg,Kopas vertical form- fill- and seal machine, type: JK 200 FM Servo, machine number: 452, 400 V, 3 Ph, 50 Hz, 25 A, 17.5 kW, pipe diameter: 100 mm, vertical seal length: 370 mm, horizontal seal length: 230 mm, total dimensions: 1700 mm x 2150 mm x 2100 mm,Elevating belt, plastic belt with dividers, belt width: 260 mm, divider height: 60 mm, distance between dividers: 220 mm, total dimensions: 4600 mm x 500 mm x 2350 mm,Elevating belt, plastic belt with dividers, belt width: 380 mm, divider height: 60 mm, distance between dividers: 220 mm, total dimensions: 4000 mm x 600 mm x 1750 mm,Vibrating gutter, gutter width: 300 mm, total dimensions: 1600 mm x 840 mm x 1000 mm.	7500
3	SIAT	SIAT mobile box closing machine with top taper, model: SB/4-S, serial number: 51957, year of construction: 2007, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, steel rollers, roller width: 640 mm, total dimensions: 1000 mm x 1000 mm x 1800 mm.	300
4	Multivac	Multivac labelling machine, with 2 Multivac full wrap labellers, type: L410, machine number: 208881, year of construction: 2015, 400 V, 3 Ph, plastic belt, belt width: 100 mm, total dimensions: 4220 mm x 1920 mm x 2300 mm.	1950
5	L'Inox S.R.L.	L'Inox S.R.L. tilting device for pallet boxes, model: R130P120, serial number: 2575112116, 380 V, 50 Hz, 2 kW, plastic belt, belt width: 1300 mm, brush length: 1350 mm, total dimensions: 2700 mm x 1900 mm x 2100 mm.	1750
6	Blitzer	Blitzer can opener, number: K003026P, year of construction: 04/09, working diameter: 153 mm (3 and 5 kg tin cans), total dimensions: 2000 mm x 1500 mm x 2100 mm. Including pallet with Netzch suction pump and parts.	2500
7	Ferrum A.G.	Ferrum A.G. pit remover, type: FA, number: 35-6073, year of construction: 1977, steel belt, belt width: 480 mm, working width: 440 mm, 40 destoning plates, 50 holes each, diameter each hole 32 mm, total dimensions: 3100 mm x 1500 mm x 2480 mm.	7500
9	Stiller GmbH	Stiller GmbH mobile can seamer, type: STA 1200 G, serial number: 3664, year of construction: 2011, working diameter: 153 mm (3.4 and 5 kg tin cans), total dimensions: 800 mm x 520 mm x 1900 mm.	1500
10	Voran	Voran mobile elevating belt with centrifugal mill used for fruits, type elevating belt: SA, machine number:	1250



Nr	Title	Description	Start €
		1465101150, 230 V, 50 Hz, 0.37 kW, type centrifugal mill: RM2.2, machine number: 3230912140, 400 V, 50 Hz, 2.2 kW, plastic mesh belt with dividers, belt width: 240 mm, divider height: 70 mm, distance between dividers: 400 mm, elevating height: 1750 mm, diameter perforations: 20 mm, total dimensions: 2100 mm x 670 mm x 2100 mm.	
11	Voran	Voran s/s juice collecting tank with pump, type: Wanne-65L, serial number: M0016414/04/00041, 400 V, 50 Hz, 0.37 kW, volume: 65 liter, inside dimensions: 1000 mm x 450 mm x 200 mm, total dimensions: 1200 mm x 500 mm x 300 mm.	150
12	Voran	Voran s/s juice collecting tank with pump, volume: 65 liter, inside dimensions: 1000 mm x 450 mm x 200 mm, total dimensions: 1200 mm x 500 mm x 300 mm.	150
13	Voran	Voran juice pasteurizer, inside dimensions: 400 mm x 800 mm, total dimensions: 1100 mm x 500 mm x 1200 mm.	150
14	Speidel	Speidel s/s tank, volume: 220 liter, dimensions: 580 mm x 700 mm x 1400 mm.	100
15	Turnado	Turnado floor scrubbing machine, type: 55, dimensions: 1100 mm x 600 mm x 1150 mm.	250
16	G. Mondini S.p.A.	G. Mondini S.p.A. depositor, 1-head, dimensions: 1160 mm x 750 mm x 2170 mm.	500
17	Gassner GmbH	Gassner GmbH cap feeder, type: Basement BM2 Compact, serial number: 05.14.08.1981, year of construction: 2008, width: 200 mm, total dimensions: 1150 mm x 580 mm x 1580 mm.	300
18	NN switch cabinet	S/s switch cabinet, type: Elektr. Steuerung EST7-300, serial number: E08.1615, year of construction: 2008, dimensions: 1000 mm x 310 mm x 1350 mm.	200
19	Stiels Spezialmaschinenbau	Stiels Spezialmaschinenbau filling machine for brine, s/s belt, belt width: 85 mm, s/s mesh belt, belt width: 200 mm, total dimensions: 2900 mm x 1000 mm x 2000 mm.	500
20	Pano Verschluß GmbH	Pano Verschluß GmbH cap feeder, type: MFH 3000, machine number: 08-300-69, year of construction: 2008, 0.55 kW, plastic magnetic belt, belt width: 145 mm, elevating height: 2100 mm, total dimensions: 1050 mm x 1100 mm x 2330 mm.	800
21	PND s.r.l.	PND s.r.l. dipping belt for fruits and vegetables, type: universal dipping system, year of construction: 2017, plastic mesh belt with dividers, belt width: 1100 mm, divider height: 80 mm, distance between dividers: 150 mm, elevating height: 1400 mm, total dimensions: 4400 mm x 1700 mm x 2300 mm.	2500
22	PND s.r.l.	PND s.r.l. pre-washing tank with elevating belt, type: pre-washing tank, year of construction: 2017, plastic mesh belt with dividers, belt width: 1050 mm, divider	2000



Nr	Title	Description	Start €
		height: 100 mm, distance between dividers: 200 mm, elevating height: 2200 mm, total dimensions: 3900 mm x 1900 mm x 2500 mm.	
23	NN elevating belt	Mobile elevating belt, s/s frame, s/s mesh belt, belt width: 485 mm, elevating height: 1550 mm, total dimensions: 4300 mm x 700 mm x 1950 mm.	500
24	Liebel	Liebel checkweigher with sorting line, type weigher: USS 12, fabrication number: 09 005, year of construction: 2009, 230/400 V, 50 Hz, 6 A, maximum weight: 500 g, minimum weight: 80 g, capacity: 120 pieces per min, belt width: 200 mm, total dimensions: 1550 mm x 780 mm x 1660 mm, sorting line with 12 ejectors, belt width: 200 mm, total dimensions: 6050 mm x 900 mm x 1400 mm.	900
25	EME	EME 4-heads depositor for brine, number: 20002191, year of construction: 05.2000, 3x 400 V, 50 Hz, diameter heads: (4x) 20 mm, belt width: 80 mm, total dimensions: 2350 mm x 1250 mm x 2200 mm. Incomplete, belt missing.	1500
26	Niko Spezialmaschinenbau GmbH & Co. KG	Niko Spezialmaschinenbau GmbH & Co. KG mobile salt dosing unit, type: 56, serial number: 94.78, inside dimensions: 500 mm x 400 mm x 400 mm, diameter output: 55 mm, total dimensions: 1500 mm x 800 mm x 2300 mm.	500
27	Mesutronic	Mesutronic metal detector with rejector, type: FC 01 BA 3.1.1, serial number: 1013 FC, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: 80 mm, clearance: 130 mm x 205 mm, total dimensions: 2050 mm x 990 mm x 1500 mm.	1200
28	Cabinplant	Cabinplant dosing machine, dimensions: 1050 mm x 900 mm x 1700 mm.	750
29	Sleevit	Sleevit dry tunnel, model: Shrinkmaster, belt width: 85 mm, total dimensions: 1250 mm x 950 mm x 2000 mm.	500
30	NN batcher	Mobile batcher, outfeed: (8x) 100 mm x 175 mm, total dimensions: 1450 mm x 1000 mm x 1950 mm.	150
31	Zilli & Bellini S.r.l.	Zilli & Bellini S.r.l. pocket filler, model: MB12, type: pocket filler, serial number: MB12.72.11, year of construction: 2011, 400 V, 50 Hz, 9 A, 4 kW, diameter form: 65 mm, belt width: 80 mm, total dimensions: 3800 mm x 2200 mm x 2100 mm. Including switch cabinet, dimensions: 850 mm x 400 mm x 1850 mm.	9500
32	Clever Machines	Clever Machines shrink tunnel, type: STJ 2, serial number: 0147 – 2009, year of construction: 2009, 400 V, 50 Hz, 3 kW, weight: 1200 kg, belt width: 85 mm, film width: 105 mm, steam heated, V.I.M.E.C. blowers, total dimensions: 4200 mm x 1100 mm x 2310 mm.	500
33	G. Mondini S.p.A.	G. Mondini S.p.A. depositor, 1-head, type: VF/SPM, serial number: 343/85, year of construction: 10/2/1986,	500



Nr	Title	Description	Start €
		380 V, 3 Ph, 50 Hz, dimensions: 1130 mm x 650 mm x 2110 mm.	
34	Safeline	Safeline metal detector with rejector, clearance: 200 mm x 350 mm, plastic belt, belt width: 120 mm, total dimensions: 1600 mm x 900 mm x 1650 mm.	400
35	Frey	Frey piston filler, type: KOMPAKTA-2 GY, machine number: K2 40 23 06 95, 380 V, 50 Hz, dimensions: 770 mm x 770 mm x 1350 mm.	800
36	NN tank	S/s tank with pump, inside dimensions: 800 mm x 600 mm x 800 mm, total dimensions: 1100 mm x 1200 mm x 1100 mm.	200
38	Trans-Tech Weisser GmbH	Trans-Tech Weisser GmbH BMH Invertor, empty glass turner, clearance: Ø 67 mm x 173 mm.	350
39	Xuchang Chike Machinery Manufacturing Co., Ltd	Xuchang Chike Machinery Manufacturing Co., Ltd mobile roasting machine, type: DCCZ 5-4, 220 V, 50 Hz, 1-5 kW, capacity: 8-20 kg/h, dimensions: 940 mm x 660 mm x 1270 mm.	450
40	SES	SES double labeller, type: I-pack/SES-80/SES-120-HD, serial number: 07 308, 400 V, 50 Hz, 1200 VA, plastic belt, belt width: 60 mm, label width: (2x) 40 mm, total dimensions: 2100 mm x 1000 mm x 1850 mm.	2000
41	Voran	Voran belt press, type: EBP350, serial number: M0003405F/04/00003, 400 V, 50 Hz, 0.49 kW, plastic belt, belt width: 360 mm, s/s rollers, roller width: 360 mm, total dimensions: 1300 mm x 750 mm x 1450 mm.	1750
42	Voran	Voran belt press, type: EBP350, machine number: 1640101214, 400 V, 50 Hz, 0.49 kW, s/s rollers, roller width: 360 mm, total dimensions: 1300 mm x 750 mm x 1450 mm. Missing belt.	1250
43	Stöber Antriebstechnik	Stöber Antriebstechnik motor, type: S102AGD0175A270FIED080L04, serial number: 10081368, dimensions: 650 mm x 270 mm x 220 mm.	100
44	Stöber Antriebstechnik	Stöber Antriebstechnik motor type: C102N0140R270FIE3D080L04, serial number: 105809088, dimensions: 640 mm x 270 mm x 220 mm.	100
45	ABB Motors	ABB Motors motor, type: M2AA 160 M 4, weight: 75 kg, dimensions: 600 mm x 400 mm x 400 mm.	100
46	Clever Machines	Clever Machines sleever for jars, type: GS 301, serial number: 0087 – 2009, year of construction: 2009, film width: 110 mm, belt width: 85 mm, total dimensions: 2400 mm x 1600 mm x 2450 mm.	500
47	WEG	WEG motor, dimensions: 500 mm x 260 mm x 360 mm.	100
48	Voltman	Voltman mobile transport belt, s/s frame, s/s mesh belt, belt width: 200 mm, total dimensions: 1070 mm x 600 mm x 1060 mm.	200
49	AB techniek	AB techniek mobile elevating belt, belt width: 600 mm, distance between dividers: 210 mm, divider height: 40	400



Nr	Title	Description	Start €
		mm, elevating height: 1300 mm, total dimensions: 1280 mm x 950 mm x 1300 mm.	
50	Jost	2 Jost vibrating gutters, type: EZ3, number: 2325, 220 V, 50 Hz, 0.9 A, gutter width: 400 mm, total dimensions: (2x) 850 mm x 640 mm x 1180 mm.	150
51	Kacperek	Kacperek motor with s/s agitator, dimensions: 520 mm x 150 mm x 200 mm.	150
52	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 043405, 110/240 Vac, 50/60 Hz, 0,2 A, min/max weight: 20 g/3 kg, e = 2g, scale dimensions: 305 mm x 245 mm, total dimensions: 360 mm x 305 mm x 260 mm.	25
53	Clever Machines	Clever machines film unwinding device, film width: 105 mm, total dimensions: 1500 mm x 800 mm x 2250 mm.	300
54	Techno-control GmbH	Techno-control GmbH weighing scale, type: IT1000, serial number: 06-11007, 110/240 Vac, 50/60 Hz, 0.1 A, min/max weight: 40 g/6 kg, e = 2g, scale dimensions: 400 mm x 330 mm, total dimensions: 550 mm x 400 mm x 540 mm.	25
55	Scanvaegt	Scanvaegt weighing scale, type: Weight indicator 8406, serial number: BEF02777, min/max weight: 20g/3 kg, e = 1g, dd = 1g, scale dimensions: 200 mm x 240 mm, total dimensions: 350 mm x 250 mm x 500 mm.	50
56	Bilwinco	Bilwinco 14-heads multihead weigher, type: DW60/14-D, number: 5048, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 10 A, 5000 VA, weighing range: 50 gram - 1000 gram, pressure: 5-10 bar, dimensions: 1100 mm x 900 mm x 1000 mm, Bilwinco A/S frame for multihead weigher, dimensions frame: 1800 mm x 1400 mm x 2300 mm, with spare 14-heads multihead weigher, dimensions multihead weigher: 800 mm x 800 mm 750 mm. Missing buckets.	650
57	Kronen	Kronen slicer, type: ST 22, serial number: 170, year of construction: 1998, 400 V, 3 Ph, 50 Hz, diameter knife: 470 mm, total dimensions: 700 mm x 800 mm x 1350 mm. Technical condition unknown.	400
58	Speidel	Speidel s/s tank, volume: 530 liter, dimensions: 900 mm x 1050 mm x 1380 mm.	200
59	Krumbein	Krumbein mobile pit remover, type: KERN-EX, serial number: N 07 H, year of construction: 2006, 280 V, 1 Ph, 50 Hz, 1.5 A, dimensions: 730 mm x 700 mm x 1160 mm.	250
60	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 240 mm, divider height: 20 mm, distance between dividers: 200 mm, elevating height: 2300 mm, total dimensions: 2800 mm x 900 mm x 2450 mm.	400
61	NN part of dosing machine	S/s filling part of dosing machine, dimensions: 1000 mm x 500 mm x 2250 mm.	150



Nr	Title	Description	Start €
62	Bock Maschinenbau GmbH	Bock Maschinenbau GmbH transport belt, s/s frame, plastic belt, belt width: 100 mm, total dimensions: 2450 mm x 640 mm x 2120 mm.	250
63	NN frames for transport belt	2 s/s frames for transport belt, dimensions: (2x) 5600 mm x 200 mm x 250 mm. Including pallet with parts.	950
64	Gassner GmbH	Gassner GmbH transport belt, s/s frame, plastic belt, belt width: 120 mm, total dimensions: 6000 mm x 300 mm x 360 mm.	250
65	NN hoses	Pallet box with various hoses, dimensions: 1200 mm x 800 mm x 800 mm.	50
66	Diem Werke GmbH	Diem Werke GmbH mixer, type: D 150c, machine number: 61.324, year of construction: 2002, 230/400 V, 1.1 kW, volume: 150 liter, weight: 190 kg, dimensions: 1400 mm x 970 mm x 1700 mm.	300
67	NN jars	Pallet with 75 boxes with 12 jars each box, volume jar: 380 ml, dimensions pallet: 800 mm x 1200 mm x 1000 mm. Without lids.	100
69	Thermo Electron Corporation	Thermo Electron Corporation metal detector, serial number: 06132547, plastic belt, belt width: 260 mm, clearance: 300 mm x 100 mm, total dimensions: 1200 mm x 900 mm x 1500 mm.	500
70	NN transport belt	Transport belt, s/s mesh belt, belt width: 500 mm, total dimensions: 4300 mm x 820 mm x 1700 mm.	500
71	Treif	Treif dicer, type: 96/1, machine number: 161S/2048, year of construction: 1980, 220/380 V, 3 Ph, 50 Hz, 12.5/20 A, chamber dimensions: 150 mm x 150 mm, total dimensions: 1600 mm x 900 mm x 1300 mm.	1000
72	Kramer + Grebe GmbH & Co.KG	Kramer + Grebe GmbH & Co.KG cutter with rejector, type: SM 120, machine number: 1777228 81, diameter bowl: 1100 mm, total dimensions: 2100 mm x 1300 mm x 1500 mm.	4500
73	Kilia	Kilia grinder, type: Winkel-Automatenwolf E130mm 2000s, machine number: 12371, year of construction: April 1994, 400 V, 3 Ph, 50 Hz, 40 A. 17 kW, plate diameter: 130 mm, total dimensions: 1200 mm x 1200 mm x 1300 mm. Missing mixing arm. Including bucket with additional plates.	2000
74	Herbort	Herbort dicer, type: 120 S, machine number: 325, year of construction: 1992, knife roll length: 800 mm, distance between knives: 50 mm, total dimensions: 1800 mm x 1200 mm x 1930 mm.	2500
75	Thermo Electron Corporation	Thermo Electron Corporation metal detector, model: SPECCKDSP3NAS, serial number: 6277, year of construction: 2005, plastic belt, belt width: 250 mm, clearance: 300 mm x 100 mm, total dimensions: 1400 mm x 1100 mm x 1500 mm.	500
76	Cabinplant	Cabinplant 24-heads multihead weigher, type: 7815, year of construction: 1999, weight: 1325 kg, dimensions:	1600



Nr	Title	Description	Start €
		1500 mm x 1250 mm x 1850 mm. Including switch cabinet, 2 pallets with parts and weighing baskets, dimensions weighing basket: 95 mm x 130 mm.	
77	Soco System	Soco System mobile box closing machine, model: T-10, number: 779-93, year of construction: 1993, 380 V, 3 Ph, plastic rollers, roller width: 260 mm, total dimensions: 1900 mm x 1000 mm x 1600 mm. Incomplete, missing top taper.	300
78	FAM	FAM 10-heads jar filling machine, model: RP610RH, serial number: 150/52/1, diameter heads: 10 mm, plastic transport belt, belt width: 85 mm, total dimensions: 2750 mm x 1500 mm x 2400 mm. Including pallet with s/s tank and switch cabinet, inside dimensions tank: Ø 580 mm x 690 mm, dimensions tank: 770 mm x 600 mm x 1570 mm, dimensions switch cabinet: 800 mm x 600 mm x 2100 mm, including 2 trolleys with parts, dimensions trolley: 1150 mm x 600 mm x 950 mm and Ø 700 mm x 1500 mm.	4500
79	Interpac	Interpac traysealer, type: interSEAL TS 3025, machine number: WK 113/06, year of construction: 2006, 400 V, 3 Ph, 16 A, dimensions dye: (3x) Ø 90 mm, film width: 150 mm, total dimensions: 2860 mm x 1300 mm x 1840 mm. Without vacuum pump.	850
80	NN processing tank	S/s processing tank, dimensions tank: 550 mm x 550 mm, total dimensions: 1200 mm x 800 mm x 1400 mm.	400
81	Meypack	Meypack packaging machine for trays and trays with lid, maximum capacity: up to 30 trays per minute, used for glass and plastic bottles (100 ml - 1.000 ml), with Nordson hot melt glue unit, type: ProBlue P/N213 544C, total dimensions machine: 2940 mm x 1150 mm x 2300 mm/ 3500 mm x 1600 mm x 2200 mm/ 2750 mm x 1850 mm x 2050 mm/ 5050 mm x 1150 mm x 2000. Including switch cabinet, dimensions: 1800 mm x 430 mm x 2160 mm and transport belt, plastic rollers, roller width: 410 mm, total dimensions: 1620 mm x 580 mm x 1100 and s/s tool trolley, dimensions: 1400 mm x 1150 mm x 1850 mm and 2 pallets with parts.	4500
82	NN slicer	Slicer, s/s frame, plastic infeed belt, belt width: (2x) 90 mm, diameter knife: 460 mm, length knives: 100 mm, working height platform: 1060 mm, total dimensions: 2900 mm x 1800 mm x 2200 mm.	2250
83	Diem Werke GmbH	Diem Werke GmbH mixer, dimensions: 1400 mm x 970 mm x 1700 mm.	300
84	Franz Kahl	Franz Kahl electric pallet lifter, type: EGH 1600, serial number: 20/70462, year of construction: 1999, capacity: 1000 kg, fork length: 1150 mm, total dimensions: 1650 mm x 700 mm x 2060 mm.	500
85	Jungheinrich		500



Nr	Title	Description	Start €
		Jungheinrich electric pallet lifter, type: EJC 112, serial number: 90326363, capacity: 1200 kg, fork length: 1150 mm, total dimensions: 1900 mm x 800 mm x 1900 mm.	
86	J. Legendre	J. Legendre infeed belt, type: PL, number: 983776, year of construction: 1998, s/s frame, s/s belt, belt width: 80 mm, total length infeed belt: 4200 mm.	250
87	Printwolf	Printwolf labelling machine for jars, jars dimensions approximately: 60 - 250 ml, approximately 80 jars per minute, plastic belt, belt width: 150 mm, label width: 70 mm, clearance: 70 mm, 400 V, 50 Hz, total dimensions: 4000 mm x 1370 mm x 2200 mm. Including mobile table, plastic belt, belt width: 190 mm, total dimensions table: 3150 mm x 1220 mm x 950 mm. Including Printwolf switch cabinet, type: 8099, year of construction: 2013, 400 V, 50 Hz, 8 A, dimensions switch cabinet: 2100 mm x 820 mm x 410 mm.	7500
88	Herbert Grunwald GmbH	Herbert Grunwald GmbH cup filling and sealing machine, type: Hittpac AKH-019R/1, number: 31/02, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 9.5 A 3.5 kW, 8 stations, dimensions cups: 110 mm x 80 mm, total dimensions: 1580 mm x 1510 mm x 2470 mm.	1750
89	Diem Werke GmbH	Diem Werke GmbH mixer, dimensions: 1400 mm x 970 mm x 1700 mm.	300
90	NN dosing units	3 s/s dosing units with vibrating motor, dimensions: (3x) 800 mm x 680 mm.	300
91	NN transport belt	Transport belt, s/s frame, plastic belts, belt width: (3x) 45 mm, total dimensions: 2700 mm x 730 mm x 1570 mm.	1500
92	Kessen	Kessen mobile denester, dimensions tray: 200 mm x 150 mm, total dimensions: 700 mm x 540 mm x 1500 mm.	1250
93	Pago	Pago labelling machine, type: Pago AG CH9470 buchs SG, machine number: 30 488, label width: 100 mm, total dimensions: 1150 mm x 670 mm x 1300 mm.	50
94	NN transport belt	Mobile transport belt, steel frame, s/s belt, belt width: 95 mm, total dimensions: 4160 mm x 410 mm x 1150 mm.	50
95	NN cans	Pallet with cans, dimensions each can: Ø 75 mm x 110 mm, total dimensions: 1200 mm x 1250 mm x 1160 mm.	75
96	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 100 mm, total dimensions: 2200 mm x 550 mm x 1430 mm.	150
97	Clemens	Clemens capping machine, model: Capsulatrice 1 T., serial number: 2184, year of construction: 2015, lane width: 40 mm, total dimensions: 1000 mm x 800 mm x 1970 mm.	2000
98	ELRO-WERKE AG	ELRO-WERKE AG electric 4-pit stove, type: HE-535-103, number: 51611, year of construction: 09.12.93, 400 V, 3 Ph, 50 Hz, 18.4 A, 12.4 kW, dimensions: 850 mm x 800 mm x 750 mm.	50



Nr	Title	Description	Start €
99	NN pump	Mobile pump, dimensions: 900 mm x 550 mm x 1000 mm. Incomplete.	150
100	Barsso-Spiralim	Barsso-Spiralim mobile automatic linear 2 head piston filling machine, type: SM80974, dimensions: 1000 mm x 1000 mm x 1500 mm. Including pallet with parts.	1500
102	Koenig & Bauer	Pallet with Koenig & Bauer parts for hot foil, labelling and packaging machines.	50
103	KG Lyften AB / Toledo	KG Lyften AB weighing device for 200 liter meat bins, type: SKV 200 ESV, number: 7877 with Toledo weighing device, model: 8140, serial number: 4333101-4YU, 120 V, 50/60 Hz, 0.15 A, dimensions: 1150 mm x 840 mm x 1500 mm.	950
104	Reepack	Reepack mobile traysealer, model: REETRAY, serial number: 2400026, year of construction: 2000, 400 V, 3 Ph, 50/60 Hz, 25 A, film width: 300 mm, with vacuum pump, total dimensions: 910 mm x 740 mm x 1820 mm.	750
105	Tecnoeka Srl	Tecnoeka Srl electric oven, type: KF 723, serial number: 2705123368, 50 Hz, 2.5/2.6 kW, 5 floors, dimensions floor: (5x) 425 mm x 435 mm, total dimensions: 600 mm x 680 mm x 480 mm.	35
106	Polyketting Conveyor Technology	Polyketting Conveyor Technology elevating belt, type: SPEC, number: 061392, year of construction: 2006, 0.12 kW, elevating from 630 mm to 1200 mm, total dimensions: 1000 mm x 500 mm x 1480 mm.	350
107	Goring Kerr Limited	Goring Kerr Limited mobile pipeline metal detector, type: D.S.P2, serial number: 57423, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 0.4 A, diameter clearance: 70 mm, total dimensions: 1200 mm x 500 mm x 1500 mm. Incomplete.	300
108	NN transport belt	Transport belt with s/s tables, s/s frame, plastic belt, belt width: (4x) 83 mm, working width: 550 mm, total dimensions: 5700 mm x 1020 mm x 1070 mm.	1000
109	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 150 mm, total dimensions: 3760 mm x 520 mm x 990 mm.	450
110	Goring Kerr Limited	Goring Kerr Limited mobile pipeline metal detector, diameter clearance: 70 mm, total dimensions: 1200 mm x 500 mm x 1500 mm. Incomplete.	300
111	Goring Kerr Limited	Goring Kerr Limited mobile pipeline metal detector, diameter clearance: 70 mm, total dimensions: 1200 mm x 500 mm x 1500 mm. Incomplete.	300
112	Nieros	Nieros hygiene station with sole cleaner, tourniquet and handdisinfection, type: URK, serial number: N3D19-07, year of construction: 05/2013, brush length: (2x) 450 mm, total dimensions: 1350 mm x 950 mm x 1600 mm.	2800
113	Ika Werke GmbH	Ika Werke GmbH mobile homogeniser, type: DR2000, number: 09-7995, dimensions: 700 mm x 600 mm x 1400 mm.	200
114	NN parts	Pallet with parts for dicer.	100



Nr	Title	Description	Start €
115	ESV Spennes	ESV Spennes blancher, type: 310.1.0089 - Pos.3, serial number: AB 03.22.44721/2022, year of construction: 2022, plastic belt, belt width: 905 mm, clearance: 900 mm x 180 mm, input temperature: 10-15 °C, output temperature: 80-85°C, capacity: 1000 kg/hour, total dimensions: 5000 mm x 1500 mm x 2500 mm.	25000
116	Clean Air Europe	Clean Air Europe air treatment unit, type: DT 500, year of construction: 2020, dimensions: 150 mm x 80 mm x 300 mm. Never used.	250
117	Gastroback	Gastroback juicer, dimensions pulp bin: 140 mm x 110 mm x 200 mm, total dimensions: 350 mm x 200 mm x 450 mm.	25
118	Mettler Toledo	Mettler Toledo weighing scale, type: KA15s, serial number: 1800512, 110/240 V, 50/60 Hz, min/max weight: 0.01/15 kg.	50

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

