



**Industrial
Auctions**

**1991: Online auction meat and vegetable
processing machinery in Stowmarket (UK)**

END DATE
25 November 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	25 November 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	20% over the highest bid including premium
Pick up days	03 December 2025 from 09:00 till 16:00 hrs.
Pick up address	Haughley Park IP14 3JZ Stowmarket United Kingdom
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Redpack	Redpack mobile flowpacker with infeed belt, model: P325E, serial number: 1065, year of construction: JAN 2017, 380/440 V, 3 Ph, 7 kVa, infeed belt with dividers, belt width: 50 mm, dividers height: 40 mm, distance between dividers: 300 mm, plastic belt, belt width: 180 mm, clearance: 60 mm x 80 mm, seal width: 280 mm, total dimensions: 6100 mm x 1250 mm x 2100 mm.	2500
2	Loma Systems	Loma Systems metal detector with ejector, model: Blue IQ3 ST, serial number: Q3B25-15-42954D, year of construction: 24.4.2018, 85/265 V, 50/60 Hz, plastic belt, belt width: 200 mm, clearance: 250 mm x 110 mm, total dimensions: 1920 mm x 840 mm x 1880 mm.	1750
3	Loma Systems	Loma Systems metal detector with ejector, model: IQ3+, serial number: MDP304-09735 D, year of construction: 19.02.2009, 85/265 V, 50/60 Hz, plastic belt, belt width: 200 mm, clearance: 250 mm x 110 mm, total dimensions: 1920 mm x 840 mm x 1880 mm.	1500
4	Loma Systems	Loma Systems metal detector with checkweigher, model: IQ3, serial number: MDP301SP-20019D, year of construction: 14.8.2012, plastic belt, belt width: 340 mm, clearance: 450 mm x 105 mm, total dimensions: 1200 mm x 1200 mm x 1520 mm.	1500
5	THS	THS metal detector with ejector, model: THS/MS21, serial number: 21600237072, year of construction: 2016, 200/240 V, 1 Ph, 50/60 Hz, 11.4 A, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 185 mm, total dimensions: 1720 mm x 900 mm x 1430 mm.	1250
6	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slicer, model: PUMA 700 E/EB (HS), machine number: 019418.217932.136227, year of construction: 2018, 415 V, 3 Ph, 50 Hz, 8.2/16 A, chamber: 640 mm x 220 mm x 240 mm, plastic belt, belt width: 235 mm, diameter knife: 590 mm, total dimensions: 2900 mm x 900 mm x 1490 mm. Outfeed belt damaged.	3000
7	Solbern INC	Solbern INC folding machine, model: BF95X-TR1, serial number: 36531, year of construction: 08/2016, 400 V, 3 Ph, 50 Hz, 20 A, plastic belt, belt width: 210 mm, dividers length: 250 mm, distance between dividers: 75 mm, dimensions: 5100 mm x 1050 mm x 1900 mm.	7000
8	NN press	Mobile press, diameter press: 450 mm, plastic rollers, roller width: 500 mm, total dimensions: 1550 mm x 1220 mm x 2200 mm.	500
9	NN tumbler	S/s tumbler, dimensions drum: Ø 800 mm x 1000 mm, total dimensions: 2000 mm x 700 mm x 1800 mm.	750
10	Seydelmann	Seydelmann bowl cutter with lifter and ejector, s/s bowl, diameter bowl: 1220 mm, total dimensions: 2500 mm x 2050 mm x 1840 mm. S/s switch cabinet, dimensions: 330 mm x 1000 mm x 1800 mm.	9000
11	Seydelmann		9000



Nr	Title	Description	Start €
		Seydelmann bowl cutter with lifter and ejector, type: K203U-V-L, serial number: 75503, s/s bowl, diameter bowl: 1250 mm, total dimensions: 3000 mm x 2000 mm x 1650 mm.	
12	Busch	Busch vacuum pump, type: RA 0630 B 4ZI EECJ, serial number: C0428000527, year of construction: 2004, capacity: 630 m ³ /h, dimensions: 1770 mm x 1050 mm x 1650 mm.	1000
13	Schur Engineering a/s	Schur Engineering a/s mobile horizontal bag seal machine, type: 225 VR, number: 2089 P875, plastic belt, belt width: 200 mm, seal length: 290 mm, total dimensions: 4570 mm x 900 mm x 1670 mm.	1500
14	IWM	IWM double Dolav and meat bin washer, model: DC40G TT, serial number: 1495, year of construction: 24/10/2016, clearance: 580 mm x 1220 mm, total dimensions: 4500 mm x 2800 mm x 3150 mm.	9000
15	GEA	GEA high-pressure homogenizer, type: NS302411, serial number: 7364, year of construction: 2008, maximum pressure: 20 Mpa, rated flow: 3500 dm ³ /h, diameter pipe: 45 mm, total dimensions: 1100 mm x 1600 mm x 1485 mm.	5000
16	Globe Tech	Globe Tech bucket sealing and closing machine, year of construction: 2006, 400 V, air: 6 bar, plastic belt with dividers, belt width: 35 mm, dividers height: 30 mm, distance between dividers: 315 mm, clearance: 250 mm x 260 mm, film width: 330 mm, diameter lid closer: 340 mm, denester clearance: Ø 160 mm, total dimensions: 4800 mm x 1300 mm x 2700 mm.	12000
17	Klikklok	Klikklok cartoner, type: Concorde K170, serial number: K170-27436-KM, year of construction: 1997, 380/415 V, 3 Ph, 50 Hz, 32 A, 10 KA, maximum carton size: 184 mm x 45 mm x 184 mm, plastic belt, belt width: 350 mm, total dimensions: 9300 mm x 2620 mm x 2200 mm.	2500
18	Hobart	Hobart mixer, model: HL 1400, serial number: 31-1483- 700, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 6.8 A, 3.75 kW, s/s bowl, bowl dimensions: Ø 570 mm x 600 mm, total dimensions: 1200 mm x 830 mm x 1680 mm. Including whisk, paddle and spiral.	2500
19	Proseal UK Ltd.	Proseal UK Ltd. mobile traysealer, model: GT1, serial number: 1768, year of construction: 2008, 400 V, 50 Hz, pneumatic minimum: 85 Psi, 6 bar, plastic wire belt, belt width: 130 mm, clearance: 545 mm x 170 mm, dye: (3x) 195 mm x 150 mm, film width: 255 mm, total dimensions: 3000 mm x 950 mm x 1950 mm.	7500
20	ENE	ENE mobile elevating belt, type: Conveyor 1 05, serial number: 170822, year of construction: AUG 17, 415 V, 50 Hz, 0.37 kW, s/s frame, plastic belt, belt width: 500 mm, elevating height: 2300 mm, total dimensions: 4200 mm x 1100 mm x 2400 mm.	1500
21	NN elevating screw	Mobile s/s elevating screw with infeed bunker, bunker clearance: 1240 mm x 1150 mm, diameter screw: 300 mm, tier: 200 mm, outfeed height: 1890 mm, total dimensions: 3350 mm x 1380 mm x 2660 mm.	1500



Nr	Title	Description	Start €
22	Aja	Aja mobile elevating belt, serial number: 12647, year of construction: 10.00, plastic belt with dividers, belt width: 220 mm, dividers height: 35 mm, distance between dividers: 250 mm, elevating height: 2350 mm, total dimensions: 3300 mm x 800 mm x 2520 mm.	1000
23	ENE	ENE mobile elevating belt, s/s frame, type: Conveyor 101, serial number: 170819, year of construction: AUG 17, 415 V, 50 Hz, 0.37 kW, infeed clearance: 945 mm x 1050 mm, plastic belt, belt width: 500 mm, elevating height: 2200 mm, total dimensions: 3400 mm x 1030 mm x 2330 mm.	1500
24	Minebea Intec	Minebea Intec checkweigher, model: SYNUS 15 WS 2kg WZGP. number: 1101897532-0020, year of construction: 2019, 230 V, 1 Ph, 50 Hz, 10 A, plastic belt, belt width: 200 mm, clearance: 275 mm x 110 mm, total dimensions: 1700 mm x 1250 mm x 2100 mm.	1250
25	Loma Systems	Loma System checkweigher and metal detector with ejector, model: IQ3, serial number: MD301EU-07764D, year of construction: 02 APR. 2008, plastic belt, belt width: 180 mm, clearance: 250 mm x 110 mm, total dimensions: 1950 mm x 950 mm x 1690 mm.	1500
26	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100, number: 850, 420 V, 50 Hz, 14.4 A, 5.5 kW, dimensions: 1880 mm x 1200 mm x 2280 mm.	3500
27	Handtmann	Handtmann case holding device with spooling and linking attachment, case holding device type: 60-7, number: 4418, spooling device type: 78-5, number: 1397, 220/240 V, 50 Hz, 0.45 A, 01/012 kW, linking device type: 34-4, number: 5408, dimensions: 520 mm x 470 mm x 330 mm.	1000
28	Koppens B.V.	Koppens B.V. fryer, type: BR3000/1000, machine number: 1212, year of construction: 1998, 415 V, 3 Ph, 50 Hz, 20 A, 7 kW, machine weight: 4850 kg, s/s mesh belt, belt width: 1000 mm, belt length: 3000 mm, clearance: 1020 mm x 90 mm, total dimensions: 6950 mm x 2100 mm x 3000 mm.	10000
29	CFS	CFS slicer, type: UNI-SLICER, year of construction: 2003, serial number: 450.2219, 400 V, 3 Ph, 50/60 Hz, 9 A, 6 kW, plastic belt, belt width: 350 mm, total dimensions: 4000 mm x 900 mm x 2200 mm.	1250
30	GEA CFS Bakel B.V.	GEA CFS Bakel B.V. grinder, type: UNIGRIND 250, machine number: 1007, year of construction: 2012, 415 V, 3 Ph, 50 Hz, 105 A, 56 kW, 1.570 kg, plate diameter: 250 mm, total dimensions: 2000 mm x 1200 mm x 2300 mm. Missing knives, plates and grinding head.	6000
31	Quantitative Filling Machine	Quantitative Filling Machine pouch filling machine for liquids, model: 1200, filling range: 120 - 1200 ml, pouch dimensions: 200 mm x 300 mm, total dimensions: 2500 mm x 1500 mm x 2100 mm.	2000
32	JBT FoodTech	JBT FoodTech gas heated tunnel oven, model: Revoband char-grill, serial number: 7681, year of construction: October 2011,	5000



Nr	Title	Description	Start €
		440 V, 3 Ph, 7 kW, steel mesh belt, belt width: 1000 mm, total dimensions: 2350 mm x 2000 mm x 2400 mm.	
33	Bradman Lake	Bradman Lake robotic top loader, type: DKT, serial number: 67940810, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 25 kW, belt width: 180 mm, clearance: 400 mm x 125 mm, plastic belt with dividers, belt width: 260 mm, dividers height: 20 mm, distance between dividers: 45 mm, total dimensions: 2550 mm x 1900 mm x 2600 mm.	4000
34	JBT Stein	JBT Stein mobile tempura batter mixer, model: TM-3, serial number: 169, s/s mesh belt, belt width: 360 mm, tub dimensions: Ø 600 mm x 600 mm, total dimensions: 2100 mm x 850 mm x 1880 mm.	3000
35	Bradman Lake	Bradman Lake mobile cartoner, type: SL903 0/H, serial number: 67930810, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 25 A, 14 kW, infeed belt width: 175 mm, clearance: 180 mm x 80 mm, carton clearance: 190 mm x 210 mm, total dimensions: 5650 mm x 2100 mm x 2050 mm.	2000
36	Quantitative Filling Machine	Quantitative Filling Machine pouch filling machine for liquids, pouch dimensions: 200 mm x 300 mm, total dimensions: 2200 mm x 1500 mm x 2400 mm.	2000
37	Foss	Foss mobile fat analyser, model: MeatMaster™, type: 78010, serial number: 91730461, date: 28-jan-2013, 420-480 VAC, 3 Ph, 50/60 Hz, 4 A, belt width: 640 mm, clearance: 670 mm x 270 mm, total dimensions: 5300 mm x 1350 mm x 2660 mm.	6500
38	Ishida Europe LTD	Ishida Europe LTD double lane traysealer, model: QX1100 FLEX SL & TL, serial number: 560010517, year of construction: FEBRUARY 2016, 380/415 V, 3 Ph, 50/60 Hz, 32 A, machine weight: 3000 kg, dyes: (8x) Ø 185 mm, plastic belt, belt width: 200 mm, clearance: 550 mm x 130 mm, total dimensions: 4850 mm x 1550 mm x 1960 mm.	3000
39	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: E 590 VGS, serial number: 3729/09, year of construction: 2009, 415 V, 3 Ph, 50 Hz, dye: (4x) 220 mm x 130 mm, plastic belt, belt width: 500 mm, total dimensions: 4450 mm x 1200 mm x 2400 mm.	12500
40	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: E 590 VGS, serial number: A/11/A-00309, year of construction: 08/2011, 415 V, 3 Ph, 50 Hz, dyes: (8x) 220 mm x 125 mm, plastic belt, belt width: 480 mm, film width: 460 mm, clearance: 600 mm x 250 mm, total dimensions: 4200 mm x 1200 mm x 2540 mm.	7500
41	FMC FoodTech	FMC FoodTech autoclave for 6 baskets, model: A146, serial number: 338, year of construction: 06/1999, maximum working pressure: 4 bar and 150°C, minimum design metal temperature: 4°C and 4 bar, dimensions baskets: (6x) 1000 mm x 1000 mm x 940 mm, total dimensions: 6900 mm x 2000 mm x 2000 mm.	8000
42	Afos	Afos deglazer, type: DG900, serial number: 503497, year of construction: 2009, 415 V, 3 Ph, 50 Hz, s/s mesh belt, belt	4000



Nr	Title	Description	Start €
		width: 870 mm, clearance: 900 mm x 45 mm, total dimensions: 3100 mm x 1350 mm x 2300 mm.	
43	Double D Food Engineering	Double D Food Engineering 6 rack revorack multi-purpose cooker, model: Riello RS28, serial number: 272/1, year of construction: May 2008, 415 V, 3 Ph, 25 kW, turntable load: 2250 kg maximum, dimensions: 4400 mm x 4000 mm.	5000
44	Acadian	Acadian 6 rack cooker, model: 6RK MPC, serial number: 1200, year of construction: MARCH 2017, 12/295 kW, fuel type: Natural Gas, dimensions: 4700 mm x 4400 mm.	5000
45	GEA	GEA / CFS mobile forming machine, type: MLF 400, machine number: 2178, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 16.95 A, 7.77 kW, weight: 1186 kg, with GEA upgraded screen, s/s mesh belt, belt width: 400 mm, total dimensions: 3300 mm x 900 mm x 2600 mm. Missing forming plate and ejector.	15000
46	Laska	Laska vacuum cutter with lifter for 200 liter meat bins and ejector, type: Cutter KUX 500 V AC, machine number: 13370, year of construction: 2010, 415 V, 3 Ph, 50 Hz, 473 A, 204 kW, s/s bowl, volume: 500 liter, dimensions: 3850 mm x 2800 mm x 2950 mm. Missing knives.	20000
47	Hoegger Alpina AG	Hoegger Alpina AG cutter with lifter for 200 liter meat bins and ejector, type: SW 330 S, machine number: 811015, 415 V, 3 Ph, s/s bowl, volume bowl: 330 liter, s/s knives, dimensions: 3350 mm x 2400 mm x 2100 mm.	15000
48	Record Packaging Machinery	Record Packaging Machinery horizontal forming, filling and sealing machine, machine model: JAGUAR MD NG, serial number: 25-01-019, year of construction: 2001, speed: 30/120 rpm, power: 6 kW, weight: 1000 kg, seal width: 250 mm, clearance: 220 mm x 140 mm, belt width: 220 mm, total dimensions: 4300 mm x 1500 mm x 2000 mm.	4000
49	Lagarde	Lagarde autoclave, type: 2B E, number: SVS 214 E, year of construction: 2016, volume: 6820 liter, s/s baskets, each basket dimensions: 910 mm x 920 mm, total dimensions: 5500 mm x 2170 mm x 2350 mm. Including 8 pallets with large amount of baskets.	10000
50	Air Control Industries	Air Control Industries drying tunnel, type: LNL-BESP025, serial number: S-00106349, year of construction: 2015, 380/420 V, 50/60 Hz, 5.5 kW, s/s chain belt, belt width: 160 mm, clearance: 300 mm x 100 mm, blower width: 250 mm, total dimensions: 4550 mm x 1050 mm x 2150 mm.	1500
51	Lagarde	Lagarde autoclave, type: 2B E, number: SVS 213 E, year of construction: 2016, volume: 6820 liter, s/s baskets, each basket dimensions: 910 mm x 920 mm, total dimensions: 5500 mm x 2170 mm x 2350 mm. Including 7 pallets with large amount of baskets.	10000
52	Air Control Industries	Air Control Industries drying tunnel, type: LNL-BESP025, serial number: S-00106348, year of construction: 2015, 380/420 V, 50/60 Hz, 5.5 kW, s/s chain belt, belt width: 160 mm,	1500



Nr	Title	Description	Start €
		clearance: 300 mm x 100 mm, blower width: 250 mm, total dimensions: 4550 mm x 1050 mm x 2150 mm.	
53	Toyo Jidoki Co., Ltd	Toyo Jidoki Co., Ltd pouch filling and closing machine, model: TVP E3, machine number: 2383, year of construction: 96.07, dimensions chamber: (12x) 310 mm x 280 mm, plastic belt, belt width: 260 mm, total dimensions: 5330 mm x 2480 mm x 2580 mm.	12500
54	Multivac	Multivac thermoformer, model: R575, serial number: 127121, year of construction: 2009, 415 V, 3 Ph, 50 Hz, 89 A, 28.5 kW, dimensions dye: (6x) 220 mm x 150 mm, with MR Etikettiertechnik GmbH & Co. KG labeller, dimensions: 12500 mm x 1800 mm x 2300 mm. Missing chain, without vacuum pump.	12500
55	Multivac	Multivac thermoformer, type: R535, serial number: 146583, year of construction: 2011, 415 V, 3 Ph, 50 Hz, 50 A, 17.5 kW, film width: 570 mm, dimensions dye: (10x) 243 mm x 93 mm, with inliner, plastic belt, belt width: (5x) 80 mm, 680 mm, total dimensions: 8200 mm x 1300 mm x 2300 mm, 1500 mm x 1200 mm x 600 mm.	15000
56	Multivac	Multivac thermoformer, type: R245, serial number: 165214, year of construction: 2012, 415/240 V, 3 Ph, 50 Hz, 48/63 A, 16 kW, film width: 600 mm, dye: (8x) 210 mm x 115 mm, belt width: 530 mm, index: 510 mm, plastic mesh belt, belt width: 520 mm, total dimensions: 6950 mm x 1250 mm x 2260 mm.	9500
57	Multivac	Multivac thermoformer, type: R140, serial number: 109812, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 15 A, 7 kW, dye: (1x) 305 mm x 180 mm, film width: 355 mm, index: 190 mm, dimensions: 4800 mm x 1100 mm x 1950 mm. Without vacuum pump.	7500
58	Multivac	Multivac thermoformer, type: R240, serial number: 100578, year of construction: 2005, 415 V, 3 Ph, 50 Hz, 43 A, 15.5 kW, index: 410 mm, dye: (6x) 190 mm x 160 mm, total dimensions: 6400 mm x 1200 mm x 2100 mm.	9500
59	Multivac	Multivac thermoformer, type: R245, serial number: 143650, year of construction: 2011, 415 V, 3 Ph, 50 Hz, 33/50 A, 13.5 kW, film width: 400 mm, belt width: 390 mm, index: 350 mm, plastic mesh belt, belt width: 380 mm, total dimensions: 7880 mm x 1220 mm x 2110 mm. Missing dye.	12500
60	Seydelmann	Seydelmann paddle mixer / grinder with CO2 cooling function, type: MRU 1300, machine number: 16 641-1, year of construction: 2016, 400 V, 50 Hz, 116 A, 57 kW, weight: 2500 kg, volume: 1300 liter, plate diameter: 200 mm, dimensions: 2700 mm x 1700 mm x 2750 mm. Including s/s switch cabinet, dimensions: 1820 mm x 500 mm x 1900 mm, s/s tool trolley, dimensions: 1200 mm x 450 mm x 970 mm.	17500
61	NN curve conveyor	Mobile 90° curve conveyor, s/s rollers, roller width: 450 mm, total dimensions: 4300 mm x 2250 mm x 1370 mm.	500
62	Seydelmann		12500



Nr	Title	Description	Start €
		Seydelmann double shaft ribbon mixer with lifter for 200 liter meat bins, type mixer: MR 600, machine number: 16 650-1, year of construction: 2016, 400 V, 50 Hz, 21 A, 11 kW, weight: 1500 kg, volume: 600 liter, dimensions: 1400 mm x 2000 mm x 2300 mm, type lifter: B 300, machine number: 16 131-1, year of construction: 2016, 400 V, 50 Hz, 3 A, 1.5 kW, weight 450 kg, capacity: 350 kg, dimensions: 1100 mm x 1100 mm x 3050 mm. Including s/s switch cabinet: 1000 mm x 500 mm x 2050 mm and s/s platform, dimensions: 1740 mm x 910 mm x 2200 mm.	
63	VWS Nederland B.V.	VWS Nederland B.V. belt labeler, model: LP400 Top & Base labelling system, serial number: 211003, year of construction: 2022, 110-240 V AC, 50-60 Hz, plastic belt, belt width: 295 mm, total dimensions: 1200 mm x 1050 mm x 1050 mm.	1000
64	Carsoe	Carsoe denester, type: CLEANLINE BUFFER 2000 (L), serial number: SO-13168, year of construction: 2016, 230 V, 1 Ph, 0.12 kW, 6 bar, plastic belt, belt width: 270 mm, clearance: 140 mm x 145 mm, total dimensions: 2350 mm x 600 mm x 1660 mm.	1000
65	Dato	Dato transport belt, plastic mesh belt, belt width: (2x) 230 mm, total dimensions: 1730 mm x 900 mm x 2050 mm.	750
66	Markem-Imaje Corp.	Markem-Imaje Corp. Inkjet printer with mobile transport belt, model: 1050 Controller ASSY, serial number: US17380243, plastic mesh belt, belt width: 500 mm, total dimensions: 1830 mm x 800 mm x 1980 mm.	750
67	Partners in Packaging	Partners in Packaging mobile 3-lane denester, model: A-SERIES, serial number: 20080-1, year of construction: SEPTEMBER 2020, 230 V, 10 A, clearance: (1x) 165 mm x 130 mm, (1x) 190 mm x 130 mm, (1x) 180 mm x 130 mm, total dimensions: 1350 mm x 1100 mm x 1880 mm.	2500
68	NN mixer	S/s mobile double shaft paddle mixer, inside dimensions: 930 mm x 850 mm x 600 mm, total dimensions: 1480 mm x 1400 mm x 2050 mm.	500
69	NN tank	S/s tank with pump, inside dimensions: 780 mm x 780 mm x 800 mm, total dimensions: 2200 mm x 830 mm x 1750 mm.	750
70	G. Mondini S.p.a.	G. Mondini S.p.a. inliner, model: ND/1-2, machine number: 3729/09, year of construction: 2009, 415 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 505 mm, total dimensions: 2150 mm x 450 mm x 1650 mm.	1000
71	M-TEK	M-TEK modified atmosphere packaging machine, model: Corr-Vac, serial number: 1343, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.9 kW, 8 bar, seal length: 1400 mm, total dimensions: 1440 mm x 1000 mm x 1800 mm.	1500
72	Karl Schnell GmbH & Co	Karl Schnell GmbH & Co vacuum filling machine, type: 596, serial number: 21589, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 22.6 A, foot control, dimensions: 1020 mm x 1300 mm x 1950 mm. Including tool trolley, dimensions: 1430 mm x 600 mm x 1000 mm.	2500



Nr	Title	Description	Start €
73	NN transport belt	Infeed belt for traysealer with s/s frame and plastic belt with and without perforations, belt width: (2x) 280 mm, plastic mesh belt, belt width: 150 mm, with Rietschle side channel vacuum pump, total dimensions: 2400 mm x 900 mm x 1250 mm.	500
74	Hiwell	Hiwell flouring machine, model: SFJ400-III, serial number: 0541004, year of construction: 2010.04.02, 380 V, 50 Hz, 2.81 kW, weight: 630 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2700 mm x 1070 mm x 2200 mm.	1500
75	Handtmann	Handtmann mobile linking machine, type: 141-01, number: 349, year of construction: 2006, 420 V, 3 Ph, 50 Hz, 6.9 A, 5 kW, dimensions: 1750 mm x 900 mm x 1400 mm.	2000
76	S+S	S+S checkweigher and metal detector with rejector, type: GLS 200/50/75/289, serial number: 11415017561-S, 110-230 VAC, 50/60 Hz, 0.2-0.1 A, clearance: 200 mm x 300 mm, plastic belt, belt width: 100 mm, total dimensions: 1050 mm x 700 mm x 1750 mm.	750
77	Schröder	Schröder tenderizer, type: NT 350, number: 350 286 02, year of construction: 2002, 400 V, 50 Hz, 10 A, 5 kW, s/s walking beam, beam width: 640 mm, total dimensions: 1800 mm x 1350 mm x 2150 mm.	1250
78	Handtmann	Handtmann mobile linking machine, type: 141-01, number: 206, year of construction: 1997, 420 V, 50 Hz, 6.9 A, dimensions: 1750 mm x 900 mm x 1400 mm.	1250
79	Ceia/Delford	Ceia metal detector with Delford checkweigher, model metal detector: THS/SL, serial number: 20100236015, plastic belt, belt width: 295 mm, clearance: 400 mm x 110 mm, model checkweigher: G1000, serial number: 1001, year of construction: 2001, weighing range: 10-990 g, 415 V, 3 Ph, 50 Hz, 3 A, total dimensions: 2100 mm x 1200 mm x 1600 mm.	1000
80	Bilwinco	Bilwinco mobile 14-heads multihead weigher, type: DWII, number: 80-82301, year of construction: 2007, 400 V, 3 Ph, 0.55 kW, dimensions: 1900 mm x 1300 mm x 2330 mm.	2500
81	Nemesis	Nemesis checkweigher, type: PL30, serial number: 14298, year of construction: 2014, 230 V, 50-60 Hz, 20 W, temperature range: 0°C-40°C, plastic belt, belt width: 405 mm, total dimensions: 1500 mm x 750 mm x 1350 mm.	500
82	Goring Kerr	Goring Kerr metal detector with rejector, clearance: 350 mm x 130 mm, plastic belt, belt width: 250 mm, total dimensions: 1600 mm x 950 mm x 1100 mm.	1000
83	G. Mondini	G. Mondini inliner, model: ND/1-2, number: 3729/09, year of construction: 2009, 415 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 500 mm, total dimensions: 1950 mm x 950 mm x 1660 mm.	1000
84	Glass GmbH & Co. KG	Glass GmbH & Co. KG mobile vacuum tumbler, type: VSM 300, machine number: 2636, year of construction: 2002, 415 V, 50 Hz, 6.43 A, 2.67 kW, dimensions: 2000 mm x 1050 mm x 1570 mm. Incomplete.	1000



Nr	Title	Description	Start €
85	Industrial Washing Machines Ltd.	Industrial Washing Machines Ltd. crate washer, model: Crusader 600SP, serial number: 239-C65PA/2917/01X, year of construction: 17/02/00, clearance: 870 mm x 470 mm, chain belt with dividers, belt width: 690 mm, dividers height: 10 mm, distance between dividers: 550 mm, total dimensions: 3550 mm x 1500 mm x 2500 mm.	1750
86	Packaging Automation Ltd	Packaging Automation Ltd cup filling machine, serial number: FF60-MC-00011-A, 415 V, 50 Hz, 8 stations, diameter cups: 70 mm, plastic belt, belt width: 115 mm, total dimensions: 2180 mm x 1350 mm x 2380 mm.	4500
87	Ilpra S.p.A.	Ilpra S.p.A. traysealer, model: FP SPEEDY VG, serial number: FD 7856, year of construction: 2008, 380 V, distance between dividers: 350 mm, dimensions dye: (2x) 180 mm x 140 mm, with Domino V400 print head and Busch vacuum pump, type: RA 0063F, serial number: 070023522, 63m ³ per hour, total dimensions: 2900 mm x 1000 mm x 2200 mm.	2750
88	Alpma	Alpma wrapping machine for individual products such as sausage, type: SAN 80/WK, serial number: 6954.208.031, year of construction: 2008, maximum capacity: 60 pieces/min, pressure in bar maximum: 8, machine weight: 1700 kg, plastic belt, belt width: 150 mm, film width: 280 mm, total dimensions: 2650 mm x 1900 mm x 2160 mm. Including pallet box and pallet with parts.	2000
89	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON CONTI, machine number: 461007.162571.113261, year of construction: November 2013, 380-480 V, 3 Ph, 50/60 Hz, 22-18 A, 8.6/11.7 kW, weight: 750 kg, plastic belt, belt width: 220 mm, total dimensions: 4520 mm x 1300 mm x 1850 mm.	10000
90	NN transport belt	V-shaped transport belt, plastic belt, belt width: 400 mm, total dimensions: 2800 mm x 700 mm x 1100 mm.	500
91	IXIA UK Ltd.	IXIA UK Ltd. mobile denester, type: i7 SERIES, serial number: IX14/231, clearance: 50 mm x 50 mm, total dimensions: 1500 mm x 820 mm x 1860 mm.	500
92	BCH	BCH s/s double jacketed tank with agitator, number: 6989H, year of construction: January 1979, inside dimensions: Ø 900 mm x 800 mm, total dimensions: Ø 1050 mm x 2040 mm.	750
93	NN conveyor lines	Conveyor lines S-shaped transport belt with s/s frame and plastic mesh belt, serial number: 21299-C19, belt width: 300 mm, total dimensions: 5600 mm x 1200 mm x 1000 mm. Including switch cabinet.	500
94	Gillenkirch Packaging Systems GmbH	Gillenkirch Packaging Systems GmbH vertical and horizontal sealing machine for vegetables, model: 7000-E, factory number: 959/04, year of construction: 08/2004, 4 kW, seal length: 600 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 3750 mm x 1700 mm x 1630 mm.	3000
95	Proseal	Proseal mobile traysealer, type: Fastpack F45, serial number: 1364, 415 V, 50 Hz, plastic wire belt, belt width: 200 mm, total	1000



Nr	Title	Description	Start €
		dimensions: 3000 mm x 900 mm x 1920 mm. Without dye set, missing belts.	
96	Proseal UK Ltd.	Proseal UK Ltd. mobile traysealer, type: FastPack F45, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 900 mm x 1950 mm. Missing dye.	1000
97	Packaging automation Ltd	Packaging automation Ltd mobile rotary traysealer, serial number: 177918215390, 240 V, 50 Hz, dimensions dye: 270 mm x 200 mm, total dimensions: 1500 mm x 1200 mm x 1760 mm.	2000
98	Handtmann	Handtmann mobile vacuum filling machine, type: VF608plus, serial number: 41672, year of construction: 2018, 420 V, 3 Ph, 50/60 Hz, Busch vacuum pump, type: KC 0016 E 3ZO, serial number: V19490258, capacity: 16 m ³ /h, dimensions: 1000 mm x 900 mm x 1800 mm. Including control unit for dosing head.	9500
99	G.I.C. LTD	G.I.C. LTD vertical bag form-, and seal machine, type: VFB 4, machine number: 960199, year of construction: 03/07, 415 V, 3 Ph, 50 Hz, vertical seal length: 460 mm, film width: 625 mm, total dimensions: 1900 mm x 1500 mm x 1750 mm. Incomplete.	1250
100	PCL Machinery	PCL Machinery checkweigher, model: PCL 2010, serial number: 8498, maximum weighing capacity: 15000 g, plastic belt, belt width: 200 mm, total dimensions: 1400 mm x 1000 mm x 1570 mm.	1000
101	NN transport belt	Transport belt, s/s frame, belt width: 310 mm, total dimensions: 3000 mm x 1100 mm x 950 mm. Missing belt.	250
102	Multivac	Multivac suction device for rest film, type: ASE230, serial number: 20149622, year of construction: 2015, 230 V, 50/60 Hz, 8 A, 1.8 kW, dimensions: 750 mm x 700 mm x 1630 mm.	1000
103	NN frames	2 s/s frames with hooks, (2x) 10 hooks, inside dimensions tub: (2x) 960 mm x 460 mm x 260 mm, total dimensions: (2x) 1000 mm x 460 mm x 1650 mm.	50
104	NN platforms	2 s/s platforms, dimensions: (1x) 2000 mm x 600 mm x 390 mm, (1x) 1000 mm x 600 mm x 390 mm.	50
105	Ulma	Ulma vertical form-, fill-, and seal machine, model: ETNA-280HT, serial number: 60281092, year of construction: 2005, 400 V, 50 Hz, 16 A, 6 kW, diameter pipe: 165 mm, vertical seal length: 400 mm, horizontal seal length: 300 mm, film width: 600 mm, total dimensions: 2220 mm x 1430 mm x 2120 mm.	6500
106	Unifiller	Unifiller mobile depositor, s/s funnel: Ø 530 mm x 500 mm, diameter pipe: 30 mm, total dimensions: 1370 mm x 700 mm x 1550 mm.	500
107	Metronic	Metronic sealing machine, model: UDA 150 S, number: E1156, year of construction: 07/2001, 230 V, 50/60 Hz, 2.8 A, 20 lp, width: 265 mm, total dimensions: 970 mm x 550 mm x 520 mm. Incomplete.	25
108	Bio Commercial	Bio Commercial cold press juicer, dimensions: 1400 mm x 660 mm x 1600 mm. Including extra knives.	750



Nr	Title	Description	Start €
109	Wirebelt	Wirebelt transport belt, serial number: 3052-16, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 600 mm x 1100 mm.	500
110	Charles Wait / Frigomilk	Charles Wait ice cream line consisting of: Frigomilk s/s cooled tub, model cooled tub: G1, serial number: 0141506004, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.87 kW, volume: 300 liter, refrigerant: R404a, 0.9 kg, dimensions: 1100 mm x 950 mm x 1120 mm; Charles Wait ice cream machine, model: PHF-HF, dimensions: 770 mm x 1300 mm x 1330 mm; Charles Wait heat exchanger, model: S8 FT 37, serial number: C3844, year of construction: 2003, volume: 8 liter, dimensions: 1400 mm x 650 mm x 1680 mm; APV centrifugal pump, dimensions: 1200 mm x 600 mm x 450 mm; Polar mobile cooled au bain-marie, model: DB319, serial number: 8873122000018, 220/240 V, 50 Hz, 1.8 A, 162 W, refrigerant: R290, 63 g, volume: 67 liter, dimensions: 800 mm x 660 mm x 1000 mm.	3500
112	PODAB	PODAB drying cabinet, model: TS 63 E/TS 93 E, 4 floors, dimensions: 1800 mm x 800 mm x 2000 mm.	2000
113	Soco System	Soco System box closing machine, plastic rollers, roller width: 600 mm, 260 mm, 70 mm, total dimensions: 1000 mm x 960 mm x 1630 mm. Missing taper.	250
114	Jay Pharma Equipments	Jay Pharma Equipments mobile s/s tank, model: IBC2KL, serial number: 106, year of construction: 2013, dimensions: 1520 mm x 1380 mm x 2100 mm.	500
115	Jay Pharma Equipments	Jay Pharma Equipments mobile s/s tank, model: IBC2KL, serial number: 108, year of construction: 2013, dimensions: 1520 mm x 1380 mm x 2100 mm.	500
116	NN defrosting trolleys	2 s/s defrosting trolleys, dimensions: (2x) 1050 mm x 820 mm x 1180 mm.	100
117	NN defrosting trolleys	2 s/s defrosting trolleys, dimensions: (2x) 1050 mm x 820 mm x 1180 mm.	100
118	Storm	Storm weighing scale with indicator, indicator model: 190EU, serial number: E20718-0013, 100/240 V, 50/60 Hz, Flintec weighing cel, type: PC7-500kg C3, serial number: 12225253, scale dimensions: 600 mm x 600 mm, indicator dimensions: 300 mm x 150 mm x 150 mm.	25
119	NN table	S/s table, dimensions: 1200 mm x 1000 mm x 965 mm.	50
120	NN table	S/s table, dimensions: 1200 mm x 1000 mm x 965 mm.	50
121	Markem	Markem mobile labeller, type: 300 R/H, serial number: 03 C3D 1987, year of construction: 2003, 115/230 V, 1 Ph, 50/60 Hz, label width: 160 mm, total dimensions: 850 mm x 600 mm x 1480 mm.	250
122	Steck	Steck mobile depositor, diameter outfeed: 350 mm, total dimensions: 1500 mm x 700 mm x 1300 mm.	250
123	Steck	Steck mobile depositor, diameter outfeed: 350 mm, total dimensions: 1500 mm x 700 mm x 1300 mm.	250
124	NN elevating belt	Mobile elevating belt with infeed bunker, s/s frame, infeed clearance: 750 mm x 450 mm, plastic belt with dividers, belt	1000



Nr	Title	Description	Start €
		width: 360 mm, dividers height: 70 mm, distance between dividers: 390 mm, elevating height: 2850 mm, total dimensions: 3050 mm x 700 mm x 2950 mm.	
125	Genmac	Genmac dicer, model: Cubeking 2700, dicing set: 20 mm x 20 mm or 25 mm x 25 mm, loading station width: 500 mm, plastic belt, belt width: 350 mm, capacity: approximately 500 kg/h, total dimensions: 3100 mm x 800 mm x 1450 mm.	2500
126	NN meat bins	2 s/s meat bins, volume: 200 liter each.	300
127	Peal Engineering LTD	Peal Engineering LTD turning table with Tong Engineering LTD infeed belt, turning table model: R/TABLE, serial number: 04283, infeed belt type: Conveyor, serial number: 04282, plastic belt, belt width: 300 mm, clearance: 330 mm x 190 mm, diameter table: 1550 mm, total dimensions: 2500 mm x 1600 mm x 1360 mm.	1000
128	Peal Engineering LTD	Peal Engineering LTD turning table with Tong Engineering LTD infeed belt, turning table model: Rotary Table, serial number: 00094, infeed belt type: Conveyor, serial number: 11-13608, year of construction: 2011, plastic belt, belt width: 300 mm, clearance: 330 mm x 190 mm, diameter table: 1550 mm, total dimensions: 2500 mm x 1600 mm x 1360 mm.	1000
129	Peal Engineering LTD	Peal Engineering LTD turning table with Tong Engineering LTD infeed belt, turning table model: Rotary Table, serial number: 16-19038B, year of construction: 2016, infeed belt type: Conveyor, serial number: 16-19038A, year of construction: 2016, plastic belt, belt width: 300 mm, clearance: 330 mm x 190 mm, diameter table: 1550 mm, total dimensions: 2500 mm x 1600 mm x 1360 mm.	1000
130	NN heat exchanger	S/s part of mixing instalation with heat exchanger, model: E18CFG, serial number: 06107, year of construction: 2006, dimensions: 2750 mm x 850 mm x 1830 mm.	750
131	NN grinder	S/s grinder, diameter plate: 160 mm, screw diameter: 160 mm, tier: 100 mm, toal dimensions: 2200 mm x 1200 mm x 2400 mm. Incomplete.	750
132	Endoline	Endoline mobile box closing machine with outfeed conveyor, model: 607, serial number: 0069229, 415 V, 3 Ph, 50 Hz, 6.0 bar, plastic rollers, roller width: 300 mm, total dimensions: 3550 mm x 900 mm x 1900 mm. Missing taper.	500
133	Apple Engineering Ltd.	Apple Engineering Ltd. mobile depositor, model: MR300, serial number: 20302, year of construction: 2005, dimensions: 1300 mm x 550 mm x 2000 mm.	500
134	Marel/Thermo Fischer	Thermo Fischer metal detector and Marel checkweigher with rejector, type checkweigher: MarelCheck RF8 8023.30, serial number: E010768, year of construction: 2009, 200-240 V, 1 Ph, 50/60 Hz, 5.0 A, clearance metal detector: 350 mm x 120 mm, plastic belt, belt width: 230 mm, total dimensions: 2650 mm x 1150 mm x 2000 mm.	3500
135	Proseal		1000



Nr	Title	Description	Start €
		Proseal mobile traysealer, type: Fastpack F45, serial number: 1361, 415 V, 50 Hz, plastic wire belt, belt width: 200 mm, total dimensions: 3000 mm x 900 mm x 1920 mm. Without dye set.	
136	Proseal	Proseal mobile conveyor for 6 filling stations, serial number: 3113, year of construction: 2014, 400 V, 3 Ph, 50 Hz, total dimensions: 8700 mm x 1250 mm x 2200 mm. Without filling machines.	750
137	Cotsworld Mechanical Limited	Cotsworld Mechanical Limited mobile elevating belt, serial number: 2282, plastic belt with dividers, belt width: 420 mm, dividers height: 50 mm, distance between dividers: 190 mm, elevating height: 2550 mm, total dimensions: 2400 mm x 1100 mm x 2630 mm.	1000
138	NN meat bins	2 s/s meat bins, volume: 200 liter each.	300
139	Bradman Lake	Bradman Lake carton erector, model: 2-60, clearance: 400 mm x 480 mm, total dimensions: 1500 mm x 1320 mm x 2780 mm.	1000
140	NN tank	Mobile s/s tank, dimensions tank: 940 mm x 750 mm x 1000 mm, total dimensions: 1350 mm x 1150 mm x 1730 mm.	500
141	Rutland Handling Ltd	Rutland Handling Ltd mobile transport belt, model: STD 400 6M, serial number: 7621, year of construction: 1999, plastic belt, belt width: 400 mm, total dimensions: 6000 mm x 800 mm x 1720 mm.	750
142	Redpack	Redpack sandwich pad sealer, model: Hotshot, serial number: SS43, year of construction: August 2005, 415 V, dimensions dye: 100 mm x 175 mm, total dimensions: 5000 mm x 700 mm x 1410 mm.	750
143	Reepack	Reepack mobile traysealer, model: ReeTray-25 SXT, serial number: 3917004, year of construction: 2017, 230 V, 1 Ph, 50 Hz, maximum: 18 A, dye: (2x) 205 mm x 145 mm, film width: 500 mm, total dimensions: 1000 mm x 700 mm x 1700 mm. Including pallet with extra parts, dye: (1x) 370 mm x 270 mm, (2x) 265 mm x 165 mm.	950
144	Promens Food Packaging	Promens Food Packaging mobile traysealer, model: 511-VG, dye: (2x) 260 mm x 165 mm, film width: 425 mm, total dimensions: 1040 mm x 680 mm x 1490 mm.	1250
145	Steck	Steck mobile depositor, dimensions: 1600 mm x 700 mm x 1200 mm.	500
146	GKS Packaging	GKS Packaging mobile vertical bag form-, fill-, and seal machine, type: CP300I-T, serial number: 04349, year of construction: 04-2011, diameter pipe: 80 mm, vertical seal length: 250 mm, horizontal seal length: 320 mm, film width: 340 mm, total dimensions: 1400 mm x 1200 mm x 1410 mm.	2500
147	Anritsu	Anritsu elevating metal detector with rejector, type: KD8124NW, serial number: 4600244461, 100-240 Vac, 1 Ph, 50/60 Hz, clearance: 450 mm x 100 mm, plastic belt, belt width: 350 mm, elevating height: 880 mm, total dimensions: 2500 mm x 1100 mm x 1120 mm.	1250
148	Fortress / PCL Machinery	Fortress metal detector and PCL Machinery checkweigher with rejector, type metal detector: Fortress Stealth, serial number:	750



Nr	Title	Description	Start €
		ER 3362, clearance: 200 mm x 55 mm, plastic belt, belt width: 150 mm, total dimensions: 2120 mm x 900 mm x 1650 mm.	
149	Bradman Lake	Bradman Lake tray erector, machine type: XS 2/60, serial number: 6350-03-04, 400 V, 3 Ph, 50 Hz, 20 A, total dimensions: 1600 mm x 1800 mm x 2040 mm.	3500
150	Bradman Lake	Bradman Lake box folding machine, type: Compact R, serial number: 6099 0201, 400 V, 3 Ph, 50 Hz, 20 A, total dimensions: 3200 mm x 1200 mm x 1800 mm.	4000
151	Proseal UK Ltd.	Proseal UK Ltd. mobile double lane conveyor, serial number: 3114, year of construction: 2014, 400 V, 3 Ph, 50 Hz, s/s chain belt with dividers, divider height: 15 mm, distance between dividers: 300 mm, total dimensions: 5400 mm x 1200 mm x 2200 mm.	750
152	Townsend	Townsend co-extrusion sausage line consisting of:Wrightfield inliner.Hellings transport belts, belt width: 300 mm.3x Townsend co-extrusion sausage machines, model: Coex-Unit, serial number: 10090731, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6.1 kW, diameter: 160 mm, weight: 1100 kg.3x Stork Townsend, model: Crimper, serial number: 10090732, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 1.5 kW.3x brine tunnel, model: QX Brine, year of construction: 2011, 460 V, 3 Ph, 60 Hz, belt width: 65 mm.	12500
153	NN inliner	Inliner, plastic belt, belt width: (2x) 110 mm, (2x) 320 mm, 680 mm, total dimensions: 2200 mm x 1100 mm x 1100 mm.	1250
154	Proseal UK Ltd.	Proseal UK Ltd. mobile traysealer, type: Fastpack F45, serial number: 1212, 415 V, 50 Hz, plastic wire belt, belt width: 180 mm, total dimensions: 1850 mm x 900 mm x 2150 mm. Without dye.	1500
155	Cintex	Cintex metal detector and checkweigher with rejector, clearance: 300 mm x 70 mm, plastic belt, belt width: 280 mm, 200 mm, 340 mm, total dimensions: 2550 mm x 1200 mm x 1550 mm.	2000
156	Carsoe	2 Carsoe denesters, model: Any Tray Cleanline Denester, serial number: SO-13874, year of construction: 2017, clearance: (2x) 140 mm x 140 mm, on s/s trolley, dimensions trolley: 1300 mm x 700 mm x 1410 mm.	250
157	NN dye trolley	S/s trolley for dyes, dimensions: 1340 mm x 800 mm x 1100 mm.	75
158	Odeology	Odeology mobile labelling machine, plastic belt, belt width: 430 mm, total dimensions: 1500 mm x 900 mm x 1200 mm.	1250
159	Partners in Packaging	Partners in Packaging denester, model: A Series, serial number: 18049, year of construction: 2018, 230 V, 16 A, 4 trays, dimensions trays: (4x) 110 mm x 65 mm, total dimensions: 1350 mm x 1050 mm x 1800 mm.	3000
160	IXIA UK Ltd.	IXIA UK Ltd. mobile 2-lane denester, clearance: (2x) 130 mm x 160 mm, total dimensions: 1200 mm x 1100 mm x 1650 mm.	750
161	Herma	Herma transport belt with labeler, model: 552, machine number: 552/38131, year of construction: 2011, 230 V, 1 Ph,	500



Nr	Title	Description	Start €
		50 Hz, 2.5 A, plastic belt, belt width: (2x) 230 mm, total dimensions: 1120 mm x 950 mm x 1040 mm.	
162	Hoshizaki	Hoshizaki flake ice machine, model: FM-481AGE, 220-240 V, 50 Hz, 1525 W, refrigerant: R404/0.770 kg, weight ice machine: 97 kg, with Follett ice storage, model: ITS700SG-30, dimensions: 1200 mm x 800 mm x 1930 mm.	1500
163	Turbo Systems LTD.	Turbo Systems LTD. mobile dosing machine, type: VOLUMETRIC DOSER, machine number: AV1807029, year of construction: 2018, infeed clearance: 350 mm x 390 mm, vibrating gutter length: 520 mm, vibrating gutter width: 145 mm, outfeed pipe: Ø 105 mm, total dimensions: 1050 mm x 960 mm x 2310 mm. Including extra dosing head, outfeed pipe: Ø 80 mm.	1500
164	Mettler Toledo	Mettler Toledo floor weighing scale with indicator, indicator model: IND429, serial number: 2983785, 100/240 V, 50/60 Hz, 300 mA, scale dimensions: 1500 mm x 1250 mm, indicator dimensions: 290 mm x 190 mm x 130 mm, total dimensions: 1600 mm x 1450 mm x 200 mm.	750
165	NN tank	S/s tank, dimensions tank: 940 mm x 750 mm x 1000 mm, total dimensions: 1350 mm x 1150 mm x 1730 mm.	500
166	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH dicer, type: VA 150 G, serial number: 030-01-28, year of construction: 2012, 400 V, 50 Hz, 32 A, 14 kW, dimensions chamber: 150 mm x 150 mm, total dimensions: 2460 mm x 1400 mm x 1670 mm. Missing grid.	2750
167	Grasselli	Grasselli slicer, model: SL 600, serial number: R21Q19/324, year of construction: 2001, 415 V, 3 Ph, 50 Hz, plastic belt, belt width: 570 mm, 61 knives, distance between knives: 10 mm, total dimensions: 1200 mm x 1300 mm x 2000 mm.	4000
168	Ilapak Italia S.p.A.	Ilapak Italia S.p.A. flowpacker, model: CARRERA 500 M, serial number: 01 96, delivery date: 5.01, 400 V, 50 Hz, 4000 W, film width: 420 mm, seal width: 260 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 4600 mm x 1200 mm x 1460 mm.	1000
169	Fortress / Sartorius	Fortress / Sartorius metal detector with checkweigher and 2 rejectors, Fortress metal detector, model: Phantom, clearance: 350 mm x 125 mm, Sartorius checkweigher, type: EWK3010/WS2kg M CD, year of construction: 2005, 230 V, 50 Hz, plastic belt, belt width: 265 mm, total dimensions: 2250 mm x 1350 mm x 1800 mm.	1000
170	Endoline	Endoline mobile box closing machine with infeed belt, model: 706, serial number: 171181433-6, year of construction: 2017, 230 V, 1 Ph, 50 Hz, belt width: 160 mm, tape width: 50 mm, total dimensions: 2020 mm x 800 mm x 1570 mm.	1000
171	Endoline	Endoline mobile box closing machine with infeed belt, model: 101, serial number: 171181433-3, year of construction: 2017, pneumatics: 5.5 bar, belt width: 150 mm, total dimensions: 1600 mm x 630 mm x 1500 mm. Missing taper.	750
172	Pals		1250



Nr	Title	Description	Start €
		Pals labelling machine, model: FL 50150 HSL, serial number: HSL 072, year of construction: 2006, dimensions: 1500 mm x 800 mm x 1950 mm. Incomplete.	
173	NN desk	S/s desk, inside dimensions: 630 mm x 675 mm x 110 mm, total dimensions: 640 mm x 700 mm x 1030 mm.	50
174	NN table	S/s table, dimensions: 700 mm x 600 mm x 920 mm.	50
175	NN cabinet	S/s mobile cabinet, 2 floors, dimensions: 700 mm x 770 mm x 1060 mm.	25
176	Digi Europe Ltd	Digi Europe Ltd checkweighing and labelling machine, model: HI 3600, serial number: 040351007, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: (2x) 100 mm, 230 mm, total dimensions: 1700 mm x 700 mm x 1800 mm.	1500
177	NN roller conveyor	Roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 2000 mm x 750 mm x 900 mm.	150
178	Avery Berkel	Avery Berkel weighing scale, 220/240 V, 50/60 Hz, scale dimensions: 500 mm x 500 mm, total dimensions: 680 mm x 500 mm x 900 mm.	50
179	NN table	S/s table, dimensions: 1500 mm x 1150 mm x 810 mm.	75
180	Endoline	Endoline mobile box closing machine, model: SP-T, serial number: 12066424, 240 V, 1 Ph, 50 Hz, belt width: 170 mm, tape width: 50 mm, total dimensions: 1100 mm x 950 mm x 1540 mm.	500
181	Endoline	Endoline mobile box closing machine, belt width: 170 mm, tape width: 50 mm, s/s rollers, roller width: 660 mm, total dimensions: 920 mm x 800 mm x 1370 mm.	500
182	NN table	S/s mobile table, dimensions: 1500 mm x 1400 mm x 860 mm.	50
183	Soco System	Soco System box closing machine, plastic rollers, roller width: 600 mm, belt width: 90 mm, total dimensions: 1000 mm x 950 mm x 1680 mm. Without taper.	500
184	NN frame	S/s frame, dimensions: 1200 mm x 1000 mm x 970 mm.	75
185	Herbert & Sons LTD	Herbert & Sons LTD weighing scale, serial number: Hs58884, year of construction: 01, 230 V, 50 Hz, 0.1 A, scale dimensions: 600 mm x 500 mm, total dimensions: 930 mm x 770 mm x 1390 mm.	100
186	NN desk	S/s desk, inside dimensions: 625 mm x 675 mm x 110 mm, total dimensions: 680 mm x 700 mm x 1020 mm.	50
187	Sovereign Labelling Systems Ltd.	Sovereign Labelling Systems Ltd. labelling machine with top and bottom labeler, type: SOV T/B, serial number: 00505, year of construction: 2003, plastic belt, belt width: 90 mm, total dimensions: 2400 mm x 1100 mm x 1930 mm.	750
188	NN roller conveyor	Roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 2000 mm x 750 mm x 900 mm.	150
189	NN turning table	S/s turning table, diameter table: Ø 1520 mm, total dimensions: 1530 mm x 1530 mm x 880 mm.	200
190	NN table	S/s table, dimensions: 1830 mm x 920 mm x 870 mm.	50
191	Loveshaw	Loveshaw mobile box closing machine, model: LD35B/CG/V-2, serial number: 313034SBX, year of construction: 06-11-13, 230	500



Nr	Title	Description	Start €
		V, 3 Ph, 50 Hz, machine weight: 130 kg, belt width: 85 mm, total dimensions: 1260 mm x 1050 mm x 1700 mm.	
192	Endoline	Endoline mobile box closing machine with infeed belt, model: 710, serial number: 080452569-1, 240 V, 1 Ph, 50 Hz, belt width: 135 mm, total dimensions: 1740 mm x 650 mm x 1480 mm.	750
193	PCL	PCL checkweigher with rejector, model: C2010, serial number: 7388B, year of construction: 23/09/2014, 240 V, 1 Ph, 10 A, maximum load: 15 kg, plastic belt, belt width: 200 mm, total dimensions: 1480 mm x 1000 mm x 1550 mm.	750
194	CFS Bakel B.V.	CFS Bakel B.V. deglazer, type: STD 2000/600, machine number: 887, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.8 A, 0.18 kW, weight: 275 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1600 mm x 900 mm x 1530 mm.	3000
195	Dimaco UK Limited	Dimaco UK Limited verifier, model: 932-5028c, serial number: 0806793, 230 V, 50 Hz, 6 A, dimensions: 620 mm x 480 mm x 750 mm.	100
196	Turbo Systems Ltd	Turbo Systems Ltd mobile depositor, dimensions: 1600 mm x 900 mm x 2100 mm.	1000
197	NN cup sealing machine	Cup sealing machine, serial number: 134/00, 415 V, 16 A, dimensions cups: ø 630 mm, total dimensions: 1150 mm x 1350 mm x 1600 mm.	1250
198	Herbert Industrial Ltd	Herbert Industrial Ltd checkweigher, model: Gemini, serial number: HS734-66, year of construction: 2003, 230 V, 1 Ph, 50 Hz, weighing range: 0.1 kg-2 kg, e=d= 0.001 kg, plastic belt, belt width: (2x) 100 mm, total dimensions: 1340 mm x 800 mm x 1750 mm.	1000
199	NN curve conveyor	Mobile 45° curve conveyor, s/s mesh belt, belt width: 400 mm, total dimensions: 1700 mm x 1100 mm x 1930 mm.	500
200	Anritsu	Anritsu metal detector with checkweigher, clearance: 140 mm x 300 mm, total dimensions: 1000 mm x 800 mm x 1750 mm. Incomplete.	500
201	NN bowl mixer	Bowl mixer, dimensions: 1000 mm x 750 mm x 1450 mm. Without bowl.	500
202	Tecna	Tecna pasta mixer and sheeter, model: CA 300 EDV, serial number: A0204008, year of construction: 2005, 415 V, 50 Hz, 5,27 kW, 850 Kg, working width: 300 mm, belt width: 340 mm, total dimensions: 1200 mm x 2000 mm x 1650 mm.	1750
203	Heller	Heller s/s vacuum tumbler, type: M 1000, number: 01.98, year of construction: 1/1997, 380 V, 50 Hz, 1.05 kW, volume: 1000 liter, clearance infeed: 445 mm x 345 mm, total dimensions: 2000 mm x 1350 mm x 1900 mm.	1000
204	Acrivarn LTD	Acrivarn LTD mobile cold glazing machine, model: Cold Glaze, number: 12569, year of construction: 2008, 1.5 kW loading, plastic chain belt, belt width: (2x) 20 mm, clearance: 700 mm x 650 mm, total dimensions: 1680 mm x 970 mm x 2000 mm.	1250
205	Sorta Weigh	Sorta Weigh checkweigher, type: 450-08, serial number: 42271, year of construction: 1998, 415 V, 3 Ph, 50 Hz, 6 A,	500



Nr	Title	Description	Start €
		weighing range: 10 g- 990 g, plastic belt, belt width: 265 mm, total dimensions: 750 mm x 700 mm x 1750 mm.	
206	Ross Industries Inc.	Ross Industries Inc. mobile portioning machine, model: GB200, serial number: 395, year of construction: 2006, 208-240 V, 1 Ph, 50/60 Hz, working width: 205 mm, plastic belt, belt width: 205 mm, total dimensions: 1800 mm x 650 mm x 1250 mm.	750
207	Leonhardt	Leonhardt mobile s/s depositor, type: TGS 2 H, number: 0140.1249.1, year of construction: 2012, clearance pipes: (3x) 30 mm, total dimensions: 1730 mm x 730 mm x 1560 mm. Incomplete, missing transport belt and outfeed pipe.	1250
208	Charvet S.A.	Charvet S.A. cooking vessel, 230 V, 1 Ph, 50 Hz, gas heated, inside dimensions: 695 mm x 645 mm x 600 mm, total dimensions: 1180 mm x 1250 mm x 1260 mm.	500
209	Busch	Busch vacuum pump, type: PANDA WV 0500-B, serial number: LH01800101, capacity: 500 m³/h, dimensions: 900 mm x 450 mm x 480 mm.	250
210	Becker	Becker vacuum pump, type: U 4.100SA/K, number: 2772861, year of construction: 2013, 50/60 Hz, dimensions: 850 mm x 360 mm x 370 mm.	150
211	Becker	Becker vacuum pump, type: VT4.40, number: C3037391, year of construction: 2016, 50/60 Hz, capacity: 40/48 m³/h, dimensions: 560 mm x 260 mm x 300 mm.	50
212	Busch	Busch vacuum pump, type: RA 0630 B 4ZI ZZCJ, number: C0423000256, year of construction: 2004, capacity: 630 m³/h, dimensions: 1700 mm x 1100 mm x 1100 mm.	1000
213	Busch	Busch vacuum pump, type: RA 0400 B 48I DUB1, number: C0224000307, capacity: 400 m³/h, dimensions: 1320 mm x 850 mm x 1020 mm.	750
214	Busch	Busch vacuum pump, type: 630-212, serial number: 2577, capacity: 630 m³/h, dimensions: 1630 mm x 830 mm x 670 mm.	750
220	Kelvion Refrigeration B.V.	Kelvion Refrigeration B.V. evaporator, type: Goedhart DVSp 82637L, serial number: PJV160776. VK1600668/360364060, year of construction: 2016, TS: +50/-15 °C, PS: 10 bar, PT: 15 bar, volume: 70 dm³, weight: 500 kg, 2 fans, dimensions: 2500 mm x 1850 mm x 1250 mm.	500
221	Kelvion Refrigeration B.V.	Kelvion Refrigeration B.V. evaporator, type: Goedhart DVSp 82637L, serial number: PJV160776. VK1600668/360364060, year of construction: 2016, TS: +50/-15 °C, PS: 10 bar, PT: 15 bar, volume: 70 dm³, weight: 500 kg, 2 fans, dimensions: 2500 mm x 1850 mm x 1250 mm.	500
222	Kelvion Refrigeration B.V.	Kelvion Refrigeration B.V. evaporator, 2 fans, type: Goedhart VCI-Zp 42567 L, manufacturing number: PJV160773, VK1600668/360364040, year of construction: 2016, TS: +50/-15 °C, PS: 10 bar, PT: 15 bar, volume: 26 dm³, weight: 260 kg, refrigerant: P-Glycol 25%, dimensions: 2700 mm x 900 mm x 1000 mm.	500
223			500



Nr	Title	Description	Start €
	Kelvion Refrigeration B.V.	Kelvion Refrigeration B.V. evaporator, 2 fans, type: Goedhart VCI-Zp 42567 L, manufacturing number: PJV160773, VK1600668/360364040, year of construction: 2016, TS: +50/-15 °C, PS: 10 bar, PT: 15 bar, volume: 26 dm ³ , weight: 260 kg, refrigerant: P-Glycol 25%, dimensions: 2700 mm x 900 mm x 1000 mm.	
224	Güntner GmbH & Co KG	Güntner GmbH & Co KG condenser, 2 fans, unit name: GCHV RD 090.1QF/12A-61, unit serial number: 404497859/04.01033, year of construction: 2017, TS: -50/+100 °C, PS: 32/0 bar, PT: 35.2 bar, volume: 88.4 liter, dimensions: 3050 mm x 2200 mm x 1550 mm.	1500
225	Alfa Laval	Alfa Laval evaporator, 2 fans, model: ISO72-210CU-W6-AL6.0-1H-L-FA0 SW/GSE/CB/12/MF/E1, serial number: AA 2323212, year of construction: 2015, Coil TS: 110-60 °C, PS: 10 bar, PT: 14 bar, dimensions: 4000 mm x 1700 mm x 2100 mm.	1000
226	Alfa Laval	Alfa Laval evaporator, 2 fans, model: ISO72-210CU-W6-AL6.0-1H-L-FA0 SW/GSE/CB/12/MF/E1, year of construction: 2015, Coil TS: 110-60 °C, PS: 10 bar, PT: 14 bar, dimensions: 4000 mm x 1700 mm x 2100 mm.	1000
227	H&C Coils LTD	H&C Coils LTD condenser, 3 fans, model: Nvi 780, serial number: 51692, year of construction: 18-9-06, max working pressure: 25 BAR G, test pressure: 36 BAR G, dimensions: 3400 mm x 1400 mm x 1350 mm.	1000
228	NN part for spiral freezer	Spiral for spiral freezer freezer, belt width: approximately 380 mm, total dimensions: 2900 mm x 3000 mm x 3170 mm.	1500
229	Wolfking	Wolfking mobile micro cutter, type: DG 200, number: 61825, inside dimensions: 970 mm x 750 mm x 550 mm, diameter plate: 200 mm, total dimensions: 1850 mm x 1420 mm x 2320 mm. Incomplete, Technical condition unknown.	750
230	Syspal KG	Syspal KG mobile tilting device for pallet boxes with outfeed gutter, type: HT300-1012, serial number: K1717, year of construction: 2005, safe work load: 650 kg, dimensions: 1650 mm x 1750 mm x 2000 mm.	1500
231	Syspal	Syspal lifter for 200 liter meat bins with s/s protection cage, type: SC100B 1134, serial number: K3445, year of construction: 2011, safe work load: 250 kg, lifting height: 1580 mm, total dimensions: 1200 mm x 1350 mm x 2550 mm.	3000
232	Syspal	Syspal lifter for 200 liter meat bins, type: GE100 1034, serial number: K 5238, year of construction: 2015, safe work load: 100 kg, lifting height: 2700 mm, total dimensions: 1200 mm x 1350 mm x 4800 mm.	3000
233	Magurit GmbH	Magurit GmbH flaker, type: 314, machine number: 5458, year of construction: 2006, 400 V, 50 Hz, 20 A, 9.2 kW, working width: 440 mm, total dimensions: 2300 mm x 1050 mm x 1350 mm.	4000
234	CFS	CFS fryer, type: BR7000/600, serial number: 1504, year of construction: 2003, s/s mesh belt, belt width: 600 mm,	12500



Nr	Title	Description	Start €
		clearance: 690 mm x 240 mm, total dimensions: 9400 mm x 1700 mm x 3800 mm.	
235	FMC FoodTech	FMC FoodTech electric fryer, model: M6-6EHF L-R, number: 1180248, manufacturing number: 23120004, s/s mesh belt, belt width: 620 mm and 640 mm, total dimensions: 7000 mm x 1800 mm x 2900 mm.	10000
236	Grote	Grote mobile slicer with infeed belt, model: 613-VS2-LES, serial number: 1187467, year of construction: 2017, 208/240 V, 1 Ph, 50/60 Hz, working width: 350 mm, plastic mesh belt, belt width: 300 mm, total dimensions: 2300 mm x 1100mm x 1700 mm.	12500
237	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 10 C, number: 142 1500, year of construction: 2005, 400-460 V, 3 Ph, 50/60 Hz, 29 A, 20 kW, dimensions: 2000 mm x 1300 mm x 2150 mm.	5000
238	Vemag	Vemag mobile hamburger forming machine, model: FM250, number: 2500648, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 2.5 kW, weight: 340 kg, diameter clearance: 90 mm, plastic belt, belt width: 245 mm, total dimensions: 2000 mm x 850 mm x 1500 mm	6500
239	Treif Maschinebau GmbH	Treif Maschinebau GmbH dicer, type: 2740, machine number: 274003.69021.0120, year of construction: 1999, 400 V, 50 Hz, 4.2 A, 1.75 kW, weight: 281 kg, dimensions chamber: 105 mm x 95 mm, total dimensions: 1400 mm x 800 mm x 1100 mm. Including extra grid set.	1250
240	Tipper Tie technopack	Tipper Tie technopack mobile clipper, model: DCM 90, serial number: 4821.077.218, maximum pressure: 6 bar, diameter pipe: 20 mm, total dimensions: 1300 mm x 750 mm x 1700 mm.	1750
241	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: ICA, number: 1876, year of construction: 2021, 480 V, 3 Ph, 50/60 Hz, 4.0 A, 3.0 kW, weight: 805 kg, plastic belt, belt width: 180 mm, total dimensions: 2850 mm x 900 mm x 1850 mm.	25000
242	BPT	BPT double jacketed cooking kettle with agitator, model: PD 5500 Cat.3, serial number: P00324, year of construction: 2008, maximum heated: 162 °C, dimensions: 2600 mm x 1500 mm x 2400 mm.	3000
246	Risco S.P.A.	Risco S.P.A. double shaft paddle mixer with lifter for 200 liter meat bins, type: RS 450.1, serial number: 1113013, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4.75 kW, machine weight: 550 kg, dimensions mixer: 1850 mm x 1100 mm x 1580 mm. Without meat bins.	3000
247	Risco S.P.A.	Risco S.P.A double shaft paddle mixer with lifter for 200 liter meat bins, model: RS 450.1, serial number: 1112009, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 4.75 kW, machine weight: 550 kg, dimensions mixer: 1850 mm x 1100 mm x 1580 mm.	3000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

