



**Industrial
Auctions**

1992: Online auction vegetable processing and packaging machines due to ending activities on former location Hessing in Belfeld (NL)

END DATE
25 November 2025 13:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	25 November 2025 from 13:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	02 December 2025 from 09:00 till 16:00 hrs.
Pick up address	Blauwwater 8 5951 DB Belfeld Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	FAM	FAM mobile dicer, type: ILC, number: 7505, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 14 A, 4 kW, weight: 650 kg, dimensions: 1800 mm x 1100 mm x 2020 mm. Without knife set.	5000
2	Eillert	Eillert mobile V-elevating belt, type: TR-4500, machine number: 416, year of construction: 2004, 400 V, 3 Ph, 1 A, 0.37 kW, s/s frame, plastic belt, belt width: 460 mm, elevating height: 1800 mm, total dimensions: 4800 mm x 800 mm x 1800 mm.	400
3	Eillert	Eillert vegetable washer with outfeed vibrating gutter, model: WASH-20, year of construction: 2015, gutter width: 600 mm, sieve width: 900 mm, sieve: 0.5 mm, 2 Packo Inox centrifugal pumps, total dimensions: 4900 mm x 1500 mm x 1850 mm.	10000
4	NN elevating belt	Mobile V-elevating belt, s/s frame, plastic belt, belt width: 475 mm, elevating height: 1600 mm, total dimensions: 2600 mm x 900 mm x 1600 mm.	250
5	Kronen	Kronen mobile cabbage cutting machine, type: CAP 68, serial number: 262, year of construction: 2022, 400 V, 50 Hz, diameter infeed pipe: 265 mm, total dimensions: 1000 mm x 1400 mm x 1700 mm.	3500
6	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 500 mm, elevating height: 1850 mm, total dimensions: 3500 mm x 600 mm x 1950 mm.	400
7	NN platform	S/s mobile platform with plastic gratings, dimensions: 2000 mm x 950 mm x 1600 mm.	150
8	Kronen	Kronen vegetable washer with outfeed vibrating gutter, type: GEWA 5000 D, serial number: 179, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 11 kW, gutter width: 800 mm, total dimensions: 5200 mm x 1400 mm x 2400 mm.	7500
9	Superior	Superior vibrating washing gutter with sieves and spraying heads, type: W.O.W.V. 5200 - 7.5, year of construction: 1991, sieve width: 700 mm, infeed height: 1400 mm, outfeed height: 900 mm, total dimensions: 6300 mm x 1800 mm x 1700 mm, s/s trolley with covers for vibrating gutter, dimensions trolley: 1000 mm x 500 mm x 1000 mm, 2 switch cabinets, dimensions: 600 mm x 600 mm x 220 mm and box with additional spraying nozzles.	5000
10	Eillert	Eillert mobile elevating belt, type: TR-2200, machine number: 436, year of construction: 2006, 230 V, 1 Ph, 2.6 A, 0.37 kW, s/s frame, plastic belt, belt width: 500 mm, elevating height: 1500 mm, total dimensions: 2600 mm x 700 mm x 1550 mm.	400
11	Eillert	Eillert retractable elevating buffer belt, type: TR-4000, machine number: 438, year of construction: 2006, 230	1500



Nr	Title	Description	Start €
		V, 3 Ph, 2.6 A, 0.37 kW, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1600 mm, total dimensions: 4000 mm x 600 mm x 1900 mm.	
12	Eillert	Eillert automatic centrifuges for vegetables, type: ASD-800, machine number: 008, year of construction: 2006, 400 V, 3 Ph, 8.7 A, 5.5 kW, air: 6 bar, water: 2 bar, volume: 800 liter, total dimensions: 2900 mm x 1800 mm x 1650 mm, including switch cabinet, dimensions: 900 mm x 300 mm x 1000 mm.	12500
13	Eillert	Eillert mobile elevating belt, type: TR-3200, machine number: 441, year of construction: 2006, 230 V, 3 Ph, 2.6 A, 0.37 kW, s/s frame, plastic belt, belt width: 900 mm, elevating height: 1300 mm, total dimensions: 3300 mm x 1000 mm x 1450 mm.	500
14	Key Superior	Key Superior vibrating gutter, year of construction: 2006, gutter width: 600 mm, outfeed height: 1120 mm, design stroke: 8 mm, maximum stroke: 9 mm, total dimensions: 2550 mm x 700 mm x 1100 mm, switch cabinet, dimensions: 600 mm x 800 mm x 250 mm.	1000
15	Eillert	Eillert retractable elevating buffer belt, type: TR-4000, machine number: 438, year of construction: 2006, 230 V, 3 Ph, 2.6 A, 0.37 kW, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1600 mm, total dimensions: 4000 mm x 600 mm x 1900 mm.	1500
16	Eillert	Eillert automatic centrifuges for vegetables, type: ASD-800, machine number: 004, year of construction: 2006, 400 V, 3 Ph, 8.7 A, 5.5 kW, air: 6 bar, water: 2 bar, volume: 800 liter, total dimensions: 2900 mm x 1800 mm x 1650 mm, including switch cabinet, dimensions: 900 mm x 300 mm x 1000 mm.	12500
17	Eillert	Eillert mobile elevating belt, type: TR-3200, year of construction: 2006, 230 V, 3 Ph, 2.6 A, 0.37 kW, s/s frame, plastic belt, belt width: 900 mm, elevating height: 1300 mm, total dimensions: 3300 mm x 1000 mm x 1450 mm.	500
18	Key Superior	Key Superior vibrating gutter, year of construction: 2006, gutter width: 600 mm, outfeed height: 1120 mm, design stroke: 8 mm, maximum stroke: 9 mm, total dimensions: 2550 mm x 700 mm x 1100 mm, switch cabinet, dimensions: 600 mm x 800 mm x 250 mm.	1000
19	Backus Sormac BV	Backus Sormac BV mobile V-elevating belt, type: RABBIT-EAR, year of construction: 1996, 3 x 380 V, 50 Hz, 0.37 kW, s/s frame, plastic belt, belt width: 565 mm, elevating from 600 mm to 4800 mm, total dimensions: 8000 mm x 1200 mm x 4800 mm.	1500
20	Multipond		4000



Nr	Title	Description	Start €
		Multipond 14-heads multihead weigher, dimensions: 2000 mm x 1600 mm x 1750 mm.	
21	Key Superior	Key Superior vibrating gutter, type: MVSSF, year of construction: 2000, gutter width: 480 mm, total dimensions: 3200 mm x 900 mm x 2420 mm.	1000
22	Multipond	Multipond vibrating gutter with transport belt and platform with stairs, plastic belt, belt width: 480 mm, gutter width: 400 mm, total dimensions: 3600 mm x 2100 mm x 2650 mm.	1000
23	Multipond	Multipond mobile 14-heads multihead weigher, type: MP 1424-FF, serial number: M1722, year of construction: 2002, 400 V, 3 Ph, 50 Hz, maximum weight: 10 kg, minimum weight: 200 g, d=1/2 g, dimensions: 1950 mm x 1650 mm x 1650 mm. Control panel already disconnected.	4000
24	Ceia	Ceia mobile metal detector, model: THS/MS21, serial number: 21700251006, plastic belt, belt width: 500 mm, clearance: 550 mm x 120 mm, total dimensions: 2200 mm x 1000 mm x 1500 mm. Calibrated till 01-2026.	2500
25	Key Technology	Key Technology vibrating gutter, model: SH01-018417, serial: W2004727-013057, gutter width: 500 mm, total dimensions: 4600 mm x 900 mm x 1100 mm.	1500
26	PFM Spa	PFM Spa vertical form- fill- and seal machine, model: ZENITH.EW.TWIN, serial number: C.9059, year of construction: 2008, 380 V, 50 Hz, 20.5 A, 11.5 kW, SmartDate barcode printer, type: X60, diameter pipe: 115 mm, vertical seal length: 450 mm, horizontal seal length: 350 mm, film width: 670 mm, total dimensions: 2310 mm x 1510 mm x 2100 mm. Including s/s top cover with curtains.	1500
27	Multivac	Multivac mobile traysealer, type: T200, machine number: 121012, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 20 A, 3.8 kW, dye: (2x) 245 mm x 150 mm, Busch vacuum pump, type: RA 0063 F, year of construction: 2007, capacity: 63 m ³ per hour, total dimensions: 1250 mm x 800 mm x 1610 mm.	1500
28	Ishida	Ishida checkweigher with rejector, model: DACS-W-030-SB/WP-I-N, serial number: 562485, year of construction: 2012, 240 V, 1 Ph, 50 Hz, 2 A, maximum: 3300 gram, minimum: 125 gram, e = 1 gram, plastic belt, belt width: 300 mm, total dimensions: 1750 mm x 800 mm x 1650 mm.	750
29	Ishida	Ishida checkweigher with rejector, model: DACS-W-030-SB/WP-I-N, serial number: 562484, year of construction: 2012, 240 V, 1 Ph, 50 Hz, 2 A, maximum: 3300 gram, minimum: 125 gram, e = 1 gram, plastic	750



Nr	Title	Description	Start €
		belt, belt width: 300 mm, total dimensions: 1750 mm x 800 mm x 1650 mm.	
30	Trabo	Trabo s/s computer cabinet with screen, dimensions: 500 mm x 530 mm x 1820 mm.	50
31	Henk Maas Scales	Henk Maas Scales floor weighing scale with indicator, type: PUE-C31, serial number: C31 10608, maximum: 1500 kg, minimum: 10 kg, e = 500 gram, dimensions scale: 1400 mm x 1200 mm.	250
32	PBI Dansensor	Pallet with 6 PBI Dansensor gas mix stations, models: MAP Mix Provectus and MAP Check, dimensions: (6x) 230 mm x 200 mm x 380 mm, 1 Danfoss frequency convertor. 1 gas mix station defect.	150
33	NN trolley	S/s trolley, dimensions: 950 mm x 800 mm x 1150 mm.	75
34	Marco	Marco weighing scale for crates on s/s mobile frame, model: LMIII, serial number: 49584, 90-250 V, 50-60 Hz, 0.8 A, maximum: 20000 gram, minimum: 20 gram, e = 1 gram, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	150
35	Marco	Marco weighing scale for crates on s/s mobile frame, model: LineMaster V, serial number: 226984, year of construction: 2017, 110-230 V, maximum: 20000 gram, minimum: 20 gram, e = 1 gram, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	150
36	Marco	Marco weighing scale for crates on s/s mobile frame, model: LineMaster IV, serial number: 169527, 110-230 V, maximum: 20000 gram, minimum: 20 gram, e = 1 gram, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	150
37	Marco	Marco weighing scale for crates on s/s mobile frame, model: LineMaster IV, serial number: 169524, 110-230 V, maximum: 20000 gram, minimum: 20 gram, e = 1 gram, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	150
38	Eillert	Eillert vegetable centrifuge, type: MSD-500-V-HD, machine number: 449, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 16 A, 1.5 kW, dimensions: 600 mm x 900 mm x 950 mm.	1000
39	Eillert	Eillert vegetable centrifuge, type: MSD-500-V-HD, machine number: 18012502, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 16 A, 1.5 kW, dimensions: 600 mm x 900 mm x 950 mm.	1000
40	Kronen	Kronen vegetable centrifuge, type: K50-7S, serial number: 5034, year of construction: 2008, 230 V, 1 Ph, 50/60 Hz, 0.8 kW, dimensions: 600 mm x 900 mm x 950 mm.	1000
41	Eillert	Eillert vegetable centrifuge, type: MSD-500-V-HD, machine number: 18012495, year of construction:	1000



Nr	Title	Description	Start €
		2018, 400 V, 3 Ph, 50 Hz, 16 A, 1.5 kW, dimensions: 600 mm x 900 mm x 950 mm.	
42	Eillert	Eillert vegetable centrifuge, type: MSD-500-V-HD, machine number: 19012557, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 16 A, 0.75 kW, dimensions: 600 mm x 900 mm x 950 mm. Display defect.	250
43	Sormac	Sormac peeler, model: CBS, serial number: CBS-60/05-020, year of construction: 2019, 230/400 V, 50 Hz, 1.1 kW, dimensions: 800 mm x 1200 mm x 1100 mm. Emergency stop broken.	1000
44	Hitec	Hitec mobile sieve elevating belt with dividers, plastic sieve belt, belt width: 600 mm, divider height: 20 mm, distance between dividers: 145 mm, elevating height: 1600 mm, total dimensions: 2800 mm x 900 mm x 1850 mm. Belt damaged.	400
45	NN elevating belt	Elevating belt with dividers, s/s frame, plastic mesh belt, belt width: 460 mm, divider height: 25 mm, distance between dividers: 250 mm, elevating height: 520 mm, total dimensions: 1800 mm x 800 mm x 800 mm.	250
46	NN buffer belt	Buffer infeed belt, s/s frame, plastic belt, belt width: 680 mm, total dimensions: 2600 mm x 1000 mm x 1350 mm.	250
47	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 495 mm, elevating from 850 mm to 1900 mm, total dimensions: 2200 mm x 1000 mm x 2100 mm.	250
48	Eillert	Eillert belt slicer, type: G 1500, serial number: 074-9948, 400 V, 3 Ph, 3.4 A, plastic belt, belt width: 150 mm, total dimensions: 1700 mm x 700 mm x 1280 mm	1000
49	Eillert	Eillert cutting table with 12 working stations, type: WT 6000 - 12 P - 2 N, machine number: 23, year of construction: 2002, 400 V, 3 Ph, 16 A, upper belt, belt width: 245 mm, lower belt, belt width: 390 mm, total dimensions: 8100 mm x 1900 mm x 2300 mm.	2500
50	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic mesh belt, belt width: 500 mm, divider height: 50 mm, distance between dividers: 200 mm, elevating height: 1250 mm, total dimensions: 1700 mm x 800 mm x 1550 mm.	250
51	Eillert	Eillert vegetable washer with outfeed vibrating gutter, gutter width: 600 mm, total dimensions: 5000 mm x 1300 mm x 1450 mm.	3500
52	Gebr. Remie B.V.	Gebr. Remie B.V. rotating tumbler, type: GRM 951, year of construction: 1998, dimensions: 3510 mm x 1600 mm x 2180 mm. Missing hydraulic unit.	1000
53	Bosgraaf / Kohlhoff	Bosgraaf / Kohlhoff hygiene station with sole cleaner, sink with 1 faucet, 2 s/s soap dispensers and paper	500



Nr	Title	Description	Start €
		dispenser, machine type: HC Primus 2-S, machine number: 306635.002, year of construction: 2019, 1 x 230 V, 0.2 kW, dimensions: 700 mm x 550 mm x 1600 mm.	
54	Kronen	Kronen slicer, type: GS 5, dimensions: 750 mm x 750 mm x 1425 mm. Including additional knife.	1500
55	Eillert	Eillert belt slicer with 4 cutting knives, type: G-4400-VS, machine number: 101, year of construction: 2008, 400 V, 3 Ph, 16 A, 1.5 kW, 5 knives, distance between knives: 62 mm, plastic belt, belt width: 250 mm, total dimensions: 2300 mm x 1100 mm x 1500 mm. Incomplete. Technical condition unknown. Including frame for knives.	1000
56	NN cabinet for knives	S/s cabinet with 4x 6 compartments for knives, dimensions: 1600 mm x 700 mm x 1550 mm.	400
57	Trabo	Trabo s/s computer cabinet, dimensions: 500 mm x 530 mm x 1820 mm.	50
58	Trabo	Trabo s/s computer cabinet with Henk Maas Scales indicator, type: ISC-V, maximum: 1500 kg, minimum: 10 kg, e - 0.5 kg, dimensions: 500 mm x 530 mm x 1820 mm.	100
59	Wolf Verpackungsmaschinen GmbH	Wolf Verpackungsmaschinen GmbH vertical form- fill- and seal machine, type: VPP-350, serial number: 2.05.027, year of construction: 2005, SmartDate barcode printer, type: X60, diameter filling pipe: 220 mm, vertical seal length: 500 mm, horizontal seal length: 400 mm, film width: 770 mm, total dimensions: 2050 mm x 1760 mm x 2280 mm.	1500
60	NN elevating belt	V-elevating belt, s/s frame, plastic belt with grippers, belt width: 600 mm, total dimensions: 9000 mm x 1000 mm x 1700 mm.	1500
61	NN elevating belt	V-elevating belt, s/s frame, plastic belt with grippers, belt width: 600 mm, total dimensions: 9000 mm x 1000 mm x 1700 mm.	1500
63	Foodlife	Foodlife mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 400 mm, divider height: 50 mm, elevating height: 1730 mm, distance between dividers: 400 mm, total dimensions: 3500 mm x 700 mm x 2000 mm.	400
64	Foodlife	Foodlife tumbler, type: Mixingdrum, serial number: 411.0001, 400 V 3 Ph, 50 Hz, 2.2 kW, dimensions: 3300 mm x 1780 mm x 2900 mm.	1500
65	Hitec / Foodlife	Hitec / Foodlife double lane decoring machine, type: CABRO TWIN SL V, serial number: 2013-0228/WN 1095, year of construction: 2014, 23 kW, maximum product diameter: 230 mm, total dimensions: 3900 mm x 1800 mm x 2520 mm. Including pallet with various parts.	2500



Nr	Title	Description	Start €
66	Omori	Omori mobile stretchwrapper, model: STC-I, minimal tray dimensions: 100 mm x 80 mm x 15 mm, maximum tray dimensions: 350 mm x 180 mm x 60 mm, maximum product height: 80 mm, film width: 220 - 450 mm, plastic infeed belt, belt width: 170 mm, plastic outfeed belt, belt width: 210 mm, total dimensions: 3400 mm x 800 mm x 1500 mm. Including pallet with 22 Linpac rolls of stretch film, model: PREMIUM SLA 200, film width: 380 mm, total dimensions: 1200 mm x 800 mm x 1000 mm.	500
67	Gebr. Creemers B.V.	Gebr. Creemers B.V. air compressor, type: ZKT 600/F, fabrication number: 49889 / 100, year of construction: 1990, maximum pressure: 12 bar, 4.0 kW, dimensions: 1200 mm x 800 mm x 950 mm.	100
68	Loma Systems	Loma Systems metal detector head, model: IQ3+E ST, head serial number: QEU55-25-38699D, year of construction: 2017, 85 - 265 V, 50-60 Hz, clearance: 550 mm x 250 mm, coil gap: 190 mm, Rx distance: 295 mm, total dimensions: 1050 mm x 400 mm x 600 mm. Including 2 switch cabinets, dimensions: (2x) 400 mm x 550 mm x 230 mm and 2 drum motors.	500
69	Hermesen RVS	Hermesen RVS mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 600 mm, divider height: 80 mm, distance between dividers: 300 mm, elevating height: 1450 mm, total dimensions: 3800 mm x 1100 mm x 1600 mm.	750
70	Hitec	Hitec double lane elevating belt with dividers, type: Outfeed conveyor Z type, serial number: 2013-0228/ WN1098, year of construction: 2014, 0.37 kW, s/s frame, plastic belt, belt width: 1000 mm, divider height: 80 mm, distance between dividers: 270 mm, elevating height: 1900 mm, total dimensions: 4800 mm x 1300 mm x 2100 mm.	1000
71	NN platform	Aluminium working platform, 1-side wheels, working height: 750 mm, dimensions: 2000 mm x 600 mm x 1800 mm.	100
72	NN platform	Aluminium working platform, 1-side wheels, working height: 750 mm, dimensions: 2000 mm x 600 mm x 1800 mm.	100
73	Henk Maas Scales	Henk Maas Scales weighing scale with indicator, type: ISC-V, serial number: 717750123, 230 V, maximum: 3 kg, minimum: 2 gram, e - 0.1 gram, dimensions scale: 300 mm x 300 mm, total dimensions: 300 mm x 400 mm x 450 mm. Including additional Henk Maas Scales indicator.	100
74	NN turning table	S/s mobile turning table, diameter table: 1200 mm, height table: 870 mm.	250
75	Hitec		750



Nr	Title	Description	Start €
		Hitec double transport belt with mobile working platform, type: In-feed conveyor / Afvalband, year of construction: 2014, s/s frame, plastic belt, belt width: 320 mm, total dimensions: 5500 mm x 960 mm x 2400 mm, s/s mobile working platform with plastic gratings, dimensions platform: 2200 mm x 730 mm x 1530 mm.	
76	Carsoe	Carsoe tray denester, type/model: ANYTRAY BUFFER 1500 LEANONE RIGHT PNEUMATIC, year of construction: 2022, 1 x 230 V, 50 Hz, 0.46 kW, plastic belt, belt width: 270 mm, Carsoe tray dispenser, type/model: ANYTRAY LEANONE DENESTER 178 x 122 B S 2.0, year of construction: 2022, total dimensions: 1900 mm x 700 mm x 1700 mm.	1000
77	Carsoe	Carsoe tray denester, type/model: ANYTRAY BUFFER 1500 CLEANLINE RIGHT, year of construction: 2021, 1 x 230 V, 50 Hz, 0.46 kW, plastic belt, belt width: 270 mm, Carsoe tray dispenser, type/model: ANYTRAY LEANONE DENESTER 221 x 138 B, year of construction: 2021, total dimensions: 1900 mm x 700 mm x 1700 mm.	1000
78	Carsoe	Carsoe tray denester, type/model: ANYTRAY DENESTER, year of construction: 2011, plastic belt, belt width: 340 mm, total dimensions: 2500 mm x 600 mm x 1930 mm. Switch cabinet incomplete.	250
79	Eillert	Eillert mobile V-elevating belt, type: TRT-4300, machine number: 512, year of construction: 2009, 400 V, 3 Ph, 1.1 A, 0.37 kW, plastic belt, belt width: 490 mm, elevating height: 1250 mm, total dimensions: 4600 mm x 800 mm x 1400 mm.	400
80	Eillert	Eillert mobile elevating belt with infeed hopper, type: TR 3000, 230 V, 1.6 A, plastic belt, belt width: 280 mm, elevating height: 1450 mm, total dimensions: 2900 mm x 700 mm x 1700 mm.	400
81	Hermesen RVS	Hermesen RVS mobile elevating belt, s/s frame, plastic belt, belt width: 465 mm, elevating from 1000 mm to 1800 mm, total dimensions: 4400 mm x 900 mm x 1950 mm.	500
82	NN weighing and dosing hopper	Weighing and dosing hopper, working width hopper: 330 mm, total dimensions: 900 mm x 750 mm x 1520 mm, pallet with switch cabinet, dimensions: 600 mm x 800 mm x 250 mm.	250
83	Felcon	Felcon vegetable centrifuge, type: 80A1, number: 2000272-80A1, year of construction: 2021, 400 V, 50 Hz, 2.2 kW, weight: 420 kg, dimensions: 800 mm x 1300 mm x 1080 mm.	1000
84	Multivac	Multivac traysealer, type: T300, serial number: 201909, year of construction: 2014, 400/230 V, 3 Ph, 50 Hz, 17.5 A, 3.6 kW, film width: 360 mm, dye: 290	12500



Nr	Title	Description	Start €
		mm x 220 mm, plastic rollers, roller width: 460 mm, total dimensions: 2700 mm x 1250 mm x 1800 mm. Without vacuum pump.	
85	Loma Systems	Loma Systems metal detector with rejector, type: IQ ² , serial number: MDO4EU-35400, year of construction: 2004, plastic mesh belt, belt width: 405 mm, clearance: 450 mm x 150 mm, total dimensions: 1200 mm x 1000 mm x 1150 mm.	950
86	Kronen	Kronen vegetable washer, dimensions tub: 1500 mm x 500 mm x 550 mm, gutter width: 480 mm, total dimensions: 2750 mm x 930 mm x 1500 mm.	2500
87	Marel	2 Marel labellers, 1 bottom labeller, type: model: Concept 500, serial number: 10422443, year of construction: 2019, 230 V, 50/60 Hz, 4 A, plastic belt, belt width: (2x) 250 mm, total dimensions: 1220 mm x 850 mm x 1140 mm, 1 top and bottom labeller, model: Concept 500, serial number: LA0730, year of construction: 2017, 230 V, 50/60 Hz, 4 A, plastic belt, belt width: 110 mm, total dimensions: 1200 mm x 750 mm x 1760 mm. Incomplete.	500
88	AEW Delford	AEW Delford top and bottom labeller, model: Concept 500, serial number: LA0365, year of construction: 2008, 220 V, 50/60 Hz, 3/6 A, weight: 220 kg, plastic belts, belt width: (2x) 200 mm, total dimensions: 1320 mm x 700 mm x 1740 mm.	250
89	Multivac	Multivac mobile traysealer, type: T250, serial number: 141145, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 27/32 A, 5.2 kW, dye: (9x) Ø 87 mm, Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m ³ per hour, total dimensions: 770 mm x 1220 mm x 1640 mm. Incomplete. Technical condition unknown.	500
90	Sealpac	Sealpac traysealer, type: 750, serial number: TVG 04-2491-01, year of construction: 2012, 400/230 V, 3 Ph, 50-60 Hz, 6.5 kW, weight: 800 kg, film width: 182 mm, dye: (5x) Ø 112 mm, total dimensions: 3530 mm x 750 mm x 1900 mm.	1000
91	Sealpac	Sealpac traysealer, type: 750, serial number: TVG 04 1244 01, year of construction: 2005, 400/230 V, 3 Ph, 6.5 kW, weight: 800 kg, dye: (5x) 112 mm, total dimensions: 3020 mm x 800 mm x 1880 mm.	1000
92	Marel	Marel bottom labeller, model: Concept 500, serial number: 10410586, year of construction: 2018, 230 V, 50/60 Hz, 4 A, plastic belts, belt width: (4x) 110 mm, total dimensions: 1300 mm x 780 mm x 1260 mm.	500
93	CEIA S.p.A.	CEIA S.p.A. mobile metal detector with rejector, model: T/MS21, serial number: 21400209036, year of construction: 2014, 200-240 V, 50/60 Hz, 11.4 A, plastic belt, belt width: 400 mm, clearance: 450 mm x	2500



Nr	Title	Description	Start €
		80 mm, total dimensions: 2000 mm x 1000 mm x 1770 mm. Rejector incomplete. Last calibration: 22-05-2025.	
94	Sartorius	Sartorius mobile metal detector with rejector, type: BMK(4) 150x35.6 + MDP Plus-C, serial number: 14012603, year of construction: 2009, 400 V, 50 Hz, 300 VA, plastic mesh belt, belt width: 350 mm, clearance: 400 mm x 165 mm, total dimensions: 2080 mm x 1450 mm x 2070 mm.	1500
95	Marel	Marel top and bottom labeller with rejector, model: Concept 500, serial number: LA0699, year of construction: 2016, 230 V, 50/60 Hz, 4 A, plastic belts, belt width: (4x) 110 mm, total dimensions: 1300 mm x 800 mm x 1810 mm.	250
96	Loma Systems	Loma Systems metal detector with rejector, type: IQ ² , serial number: MDO4EU-35399, year of construction: 2004, plastic mesh belt, belt width: 405 mm, clearance: 450 mm x 150 mm, total dimensions: 1200 mm x 1000 mm x 1150 mm.	950
97	Donaldson / ULTRAFILTER S.L.	Donaldson / ULTRAFILTER S.L. water chiller, model: ultracool 0040 SP, serial number: 48353, refrigerant: R-134a / 1.6 kg, dimensions: 620 mm x 750 mm x 1170 mm.	150
98	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2370 mm x 480 mm x 960 mm.	250
99	Sormac	Sormac transport belt, s/s frame, plastic belt, belt width: 175 mm, total dimensions: 2100 mm x 560 mm x 750 mm.	150
100	NN roller conveyor	Electric driven 90° curve roller conveyor, s/s frame, plastic rollers, roller width: 540 mm, total dimensions: 1800 mm x 1000 mm x 980 mm.	250
101	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 285 mm, divider height: 30 mm, elevating height: 1670 mm, total dimensions: 2800 mm x 780 mm x 1700 mm.	250
102	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 85 mm, total dimensions: 2530 mm x 690 mm x 1200 mm.	250
103	ACB Solutions	ACB Solutions roller conveyor, machine number: SW0041169, s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 1870 mm x 560 mm x 990 mm.	150
104	Marvu	Marvu s/s mobile turning table, type: 700, serial number: 740-4, year of construction: 2020, 230-400 V, 50 Hz, 1.27-0.73 A, 0.18 kW, weight: 125 kg, Ø table:	500



Nr	Title	Description	Start €
		1250, height table: 850 mm total dimensions: 1290 mm x 1400 mm x 1050 mm.	
106	Eillert	Eillert mobile elevating belt, type: TR 2700, machine number: 2001-19, s/s frame, plastic belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 2680 mm x 850 mm x 1680 mm.	250
107	Carsoe	Carsoe buffer belt, type: Buffer Light 2000, serial number: SO-11178, year of construction: 2014, 230 V, 1 Ph, 0.12 kW, 7 bar, plastic belt, belt width: 340 mm, total dimensions: 2030 mm x 550 mm x 1720 mm.	500
108	CEIA S.p.A.	CEIA S.p.A. metal detector on elevating belt with rejector, model: THS/M221, serial number: 21600202065, plastic belt, belt width: 400 mm, clearance: 450 mm x 160 mm, total dimensions: 4150 mm x 1000 mm x 1200 mm. Last calibration: 03-01-2025.	1500
109	ALUP Kompressoren GmbH	ALUP Kompressoren GmbH air dryer, type: ADQ 36(1), serial number: ITJ506027, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 0.236 kW, refrigerant: R513A / 0.17 kg, dimensions: 350 mm x 500 mm x 450 mm.	150
110	Fiac S.P.A. / Michelin	Fiac S.P.A. / Michelin air compressor, serial number: 421005677, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 8.5 A, 5.5 kW, weight: 145 kg, maximum pressure: 15 bar, volume pressure vessel: 270 litre, dimensions: 1750 mm x 500 mm x 1020 mm.	250
111	ALUP Kompressoren GmbH	ALUP Kompressoren GmbH oil condensate separator, type: OWS 18, number: SIR0049507, year of construction: 2021, dimensions: 280 mm x 380 mm x 480 mm.	100
112	Becker	Becker vacuum pump on plastic rollie, type: VT 4.40, number: A 2098338, year of construction: 2006, capacity: 40 m ³ per hour, dimensions: 650 mm x 450 mm x 930 mm.	75
113	Wilden Pump	Wilden Pump membrane pump on s/s trolley, dimensions: 750 mm x 400 mm x 930 mm.	400
114	NN centrifugal pump	Centrifugal pump on s/s trolley, dimensions: 600 mm x 850 mm x 960 mm.	100
115	Busch	Busch vacuum pump on s/s frame, type: RA 0302 D 5Z3, serial number: C1623000315, year of construction: 2016, capacity: 300 m ³ per hour, dimensions: 1050 mm x 650 mm x 580 mm.	250
116	Sulzer	Sulzer shredder, model: 30005-0018-DI, serial number: UK21374-WL, year of construction: 2022, capacity: 223 m ³ per hour, working width: 460 mm, total dimensions: 1500 mm x 340 mm x 240 mm.	250
117	Sulzer	Sulzer shredder, model: 30005-0018-DI, serial number: UK22247-1-1, year of construction: 2022, capacity: 223 m ³ per hour, working width: 460 mm, dimensions	500



Nr	Title	Description	Start €
		crate: 1100 mm x 550 mm x 600 mm. Never used. Without motor.	
118	Busch	Busch vacuum pump in s/s trolley, type: 063-132, number: 311058, capacity: 63 m ³ per hour, dimensions: 1050 mm x 500 mm x 850 mm.	100
119	Komatech	Komatech transport belt, s/s frame, plastic belts, belt width: 230 mm and 550 mm, total dimensions: 5550 mm x 920 mm x 1530 mm.	950
120	Kärcher	Kärcher vacuum sweeper, model: KM 100/100 BAT, serial number: 011712, year of construction: 2009, DC: 24 V, P= 2050 W, weight: 660 kg, dimensions: 1900 mm x 900 mm x 1280 mm. Battery need to be replaced.	400
121	AllScales	AllScales s/s floor weighing scale, dimensions: 1500 mm x 1500 mm.	400
122	NN floor weighing scale	S/s floor weighing scale with switch cabinet with Rittal control panel, dimensions scale: 1500 mm x 1500 mm, total dimensions: 1900 mm x 1700 mm x 380 mm, dimensions switch cabinet: 970 mm x 470 mm x 2290 mm.	500
123	FoodLife	FoodLife elevating belt with sieve belt, type: conveyor, serial number: 610.0012, year of construction: 2018, 0.37 kW, weight: 550 kg, s/s frame, plastic sieve belt, belt width: 540 mm, elevating height: 2000 mm, total dimensions: 8700 mm x 1350 mm x 2250 mm.	1500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

