



**Industrial
Auctions**

**1993: Online auction machinery and inventory due
to company closure Karl Kemper Convenience
GmbH on behalf of Progressu GmbH in Borken
(DE)**

END DATE
26 November 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	26 November 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	09 December 2025 from 09:00 till 16:00 10 December 2025 from 09:00 till 16:00 For more information regarding dismantling / transport of the lots, you can contact Bas Schellekens, bas@industrial-auctions.com .
Pick up address	Siemensstraße 11 46325 Borken Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN meat bin	S/s meat bin, volume: 200 liter.	100
2	Kilia	Kilia cutter with lifter for 200 liter meat bins and ejector, type: 325 L K 4000 Express AC, machine number: 89814074, year of construction: 1998, 400 V, 50 Hz, 250 A, 97 kW, machine weight: ca 5200 kg, volume bowl: 325 liter, total dimensions: 2700 mm x 3600 mm x 2600 mm, s/s switch cabinet, dimensions: 1480 mm x 500 mm x 2000 mm, pallet with additional knives.	7500
3	NN knife basket	S/s knife basket, dimensions: 150 mm x 100 mm x 500 mm.	10
4	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
5	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 1000 mm.	25
6	NN hygiene equipment	2 s/s pegs with s/s shovel and plastic broom, length pegs: 600 mm and 150 mm, s/s hose reel with hose, dimensions hose reel: 500 mm x 300 mm x 400 mm.	25
7	NN frame with plastic crate	S/s frame with plastic crate, dimensions: 610 mm x 410 mm x 1050 mm.	25
8	Seydelmann	Seydelmann grinder, type: AU 200, machine number: 09916-1, year of construction: 2009, 400 V, 50 Hz, 98 A, 55 kW, diameter plate: 200 mm, total dimensions: 1800 mm x 1650 mm x 2370 mm.	15000
9	NN protection pole	S/s protection pole, diameter: 110 mm, height: 1600 mm.	20
10	NN curtains	Plastic curtains, dimensions: 1800 mm x 2550 mm.	50
11	Nita Hygiene	Nita Hygiene s/s sink, knee control, dimensions: 500 mm x 450 mm x 700 mm, s/s paper dispenser, dimensions: 280 mm x 250 mm x 380 mm, 2 s/s soap dispensers.	75
12	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
13	Magurit GmbH	Magurit GmbH frozen block cutter with lifting platform, model: FROMAT, type: 074-012, machine number: 4097, year of construction: 1995, 380 V, 10 kW, maximum block size: 670 mm x 600 mm x 550 mm, working width: 730 mm, total dimensions frozen block cutter: 1800 mm x 1050 mm x 1900 mm, total dimensions lifting platform: 1200 mm x 1100 mm x 2610 mm.	5000
14	NN meat bin	S/s meat bin, volume: 200 liter.	100
15	NN meat bin	S/s meat bin, volume: 200 liter.	100
16			12500



Nr	Title	Description	Start €
	Tetra Laval Convenience Food GmbH	Tetra Laval Convenience Food GmbH grinder with lifter for meat bins, type lifter: Besch. machine number: 393/162, year of construction: 1997, lifting height: 1950 mm, total dimensions lifter: 900 mm x 900 mm x 2900 mm, type grinder: AM200, machine number: 361/125, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 130 A, plate diameter: 200 mm, total dimensions grinder: 2550 mm x 1150 mm x 1800 mm, s/s tool trolley, dimensions: 1200 mm x 700 mm x 1200 mm, pallet with additional knives and plates.	
17	Mettler Toledo GmbH	Mettler Toledo GmbH floor weighing scale with indicator, type indicator: ICS435i, serial number: B824975687, 100-240 V, 50/60 Hz, 300 mA, dimensions scale: 1500 mm x 1250 mm, dimensions indicator: 250 mm x 80 mm x 150 mm. S/s outer frame of floor weighing scale is not included.	500
18	NN frame	S/s wall mounted frame, dimensions: 320 mm x 230 mm x 330 mm.	10
19	NN writing desk	S/s wall mounted writing desk, dimensions: 540 mm x 600 mm x 200 mm.	25
20	NN peg and frame	S/s wall mounted peg and frame, dimensions frame: 410 mm x 440 mm x 60 mm, length peg: 350 mm.	10
21	GEA	GEA teflon belt grill, type: TWG2400/600, machine number: 685, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 190 A, 126 kW, 2750 kg, Teflon belt, belt width: 650 mm, total dimensions: 4000 mm x 1900 mm x 2600 mm.	17500
22	NN meat bin	S/s meat bin, volume: 200 liter.	100
23	Carnitech a/s	Carnitech a/s mobile lifter for 200 liter meat bins, type: L25T, number: 663700, year of construction: 1996, 400 V, 3 Ph, 50 Hz, .18 A, 0.55 kW, lifting height: 2100 mm, total dimensions: 1300 mm x 1400 mm x 2900 mm.	1500
24	Alco Food Machines GmbH	Alco Food Machines GmbH double shaft paddle mixer, type: AMP 1600, serial number: 10701208, year of construction: 1999, 380 V, 50 Hz, (2x) 7.5 kW, machine weight: 1750 kg, volume: 1600 liter, inside dimensions: 1600 mm x 1150 mm x 950 mm, total dimensions: 2800 mm x 1500 mm x 2000 mm.	5000
25	NN platform	S/s platform with stairs, working height: 830 mm, total dimensions: 1750 mm x 700 mm x 1830 mm.	250
26	NN apron hangers	S/s wall mounted frame with s/s apron hangers, dimensions frame: 1200 mm x 800 mm, dimensions each hanger: 1100 mm x 750 mm.	75



Nr	Title	Description	Start €
27	NN protection poles	3 s/s protection poles, diameter: (3x) 90 mm, height: (3x) 780 mm.	30
28	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
29	Thermofin GmbH	Thermofin GmbH evaporator, model: TGP.2-045-22-E-L-WE-07, unit number: 005, year of construction: 2022, 230 V, 0.52 kW, maximum working pressure: 15 bar, medium temperature allowable - propylene glycol: TS - 20/+60 (34%) 60C, empty weight: 220 kg, dimensions: 2400 mm x 2000 mm x 800 mm.	500
30	NN protection frame	S/s protection frame, dimensions: 1650 mm x 120 mm x 800 mm, s/s protection pole, diameter: 120 mm, height: 800 mm.	50
31	EMS	EMS refrigerated sliding door, type: GSL-1-FLG, number: 10207861/1, year of construction: 2023, thickness door: 120 mm, dimensions door: 1700 mm x 2500 mm, length rails: 3000 mm.	400
32	NN curtains	Plastic curtains, dimensions: 1800 mm x 2600 mm.	50
33	Jungheinrich	Jungheinrich steel pallet rack consisting of: 4 uprights, dimensions: (4x) 1230 mm x 2750 mm, 4 beams, beam length: (4x) 2800 mm.	100
34	Thermofin GmbH	Thermofin GmbH evaporator, type: TAN. 2-040-12-E-N-W5-12-HG LKS, year of construction: 11/2020, 230 V, 0.40/0.50 kW, temperature range: -25/60°C, 2 fans, dimensions: 1800 mm x 600 mm x 600 mm.	250
35	NN protection frame	S/s protection frame, dimensions: 1650 mm x 120 mm x 800 mm, 2 s/s protection poles, diameter: (2x) 120 mm, height: (2x) 800 mm.	50
36	EMS	EMS refrigerated sliding door, type: GSL-120, number: 10204698/8.1, year of construction: 2022, thickness door: 120 mm, dimensions door: 1700 mm x 2485 mm, length rails: 3000 mm.	400
37	NN curtains	Plastic curtains, dimensions: 1800 mm x 2600 mm.	50
38	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack costing of: 4 uprights, dimensions: (4x) 1000 mm x 2020 mm, 4 beams, length: (4x) 4500 mm.	100
39	Thermofin GmbH	Thermofin GmbH evaporator, type: TAN. 2-040-12-E-N-W5-12-HG RHS, unit number: 001, year of construction: 11/2020, 230 V, 0.40/0.50 kW, temperature range: -25/60°C, 2 fans, dimensions: 1800 mm x 600 mm x 600 mm.	250
40	NN protection poles	3 s/s protection poles, diameter: (3x) 120 mm, height: (3x) 800 mm.	30
41	EMS		400



Nr	Title	Description	Start €
		EMS refrigerated sliding door, type: KSL-1-FLG, number: 10207861/4, year of construction: 2023, thickness door: 80 mm, dimensions door: 1700 mm x 2500 mm, length rails: 3000 mm.	
42	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-GDT 040B / 2B, production number: 6447610, year of construction: 1994, maximum working pressure: 28 bar, maximum working temperature: 100C, volume: 17 liter, 2 fans, dimensions: 1200 mm x 1000 mm x 600 mm.	250
43	NN frame	S/s frame for pallet boxes, dimensions: 1250 mm x 1050 mm x 860 mm.	150
44	NN pallet rack	Steel pallet rack consisting of: 3 uprights, dimensions: (3x) 1220 mm x 2700 mm, 4 beams, length: (2x) 1900 mm and (2x) 2800 mm.	75
45	NN protection poles	4 s/s protection poles, diameter: (4x) 120 mm, height: (4x) 800 mm.	40
46	EMS	EMS refrigerated sliding door, type: KSL-1-FLG, number: 10207861/3, year of construction: 2023, thickness door: 80 mm, dimensions door: 1700 mm x 2500 mm, length rails: 3000 mm.	400
47	NN protection pole	2 s/s protection poles, diameter: 120 mm, height: 800 mm.	20
48	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, year of construction: 1994, 2 fans, dimensions: 1100 mm x 500 mm x 650 mm.	250
49	NN protection poles	4 s/s protection poles, diameter: (4x) 120 mm, height: (4x) 800 mm.	40
50	EMS	EMS refrigerated sliding door, type: KSL-080, number: 10204698/2.1, year of construction: 2022, thickness door: 80 mm, dimensions door: 1710 mm x 2520 mm, length rails: 3000 mm.	400
51	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, year of construction: 1994, 2 fans, dimensions: 1200 mm x 1000 mm x 600 mm.	250
52	NN protection poles	3 s/s protection poles, diameter: (3x) 120 mm, height: (3x) 800 mm.	30
53	EMS	EMS refrigerated sliding door, type: KSL-1-FLG, number: 10207891/2, year of construction: 2023, thickness door: 80 mm, dimensions door: 1700 mm x 2500 mm, length rails: 3000 mm.	400
54	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHF 045.2H/27-ENW50.E, serial number: 400/1284050.0001, year of construction: 2010, temperature range: 100/-50°C, 2 fans, dimensions: 1200 mm x 1000 mm x 600 mm.	250
55	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of: 9 uprights, dimensions: (9x) 1100	150



Nr	Title	Description	Start €
		mm x 2000 mm, 14 beams, length: (12x) 2650 mm and (2x) 3500 mm.	
56	NN protection poles	4 s/s protection poles, diameter: (4x) 120 mm, height: (4x) 800 mm.	40
57	EMS	EMS refrigerated sliding door, type: GSL-1-FLG, number: 10207861/5, year of construction: 2023, thickness door: 120 mm, dimensions door: 1700 mm x 2500 mm, length rails: 3000 mm.	400
58	Mettler Toledo GmbH	Mettler Toledo GmbH floor weighing scale with indicator, type indicator: ICS439d, 100-240 V, 50/60 Hz, 300 mA, dimensions scale: 1500 mm x 1250 mm, dimensions indicator: 250 mm x 80 mm x 150 mm. S/s outer frame of floor weighing scale is not included.	500
59	NN cabinet	S/s wall mounted cabinet, dimensions: 390 mm x 200 mm x 550 mm.	25
60	NN waste bag holders	2 s/s waste bag holders, foot control, dimensions: 500 mm x 400 mm x 900 mm and 500 mm x 400 mm x 1000 mm.	50
61	HM / Vikan	S/s pegs with 2 plastic shovels and 2 squeegees, length peg: 800 mm and 200 mm.	25
62	NN platform and rollie	S/s rollie, dimensions: 620 mm x 420 mm x 150 mm, s/s platform, dimensions: 510 mm x 400 mm x 220 mm.	10
63	NN curtains	Plastic curtains, dimensions: 1800 mm x 2510 mm.	50
64	Hoegger	Hoegger meat press, type: IP 320, fabrication number: 01-064, year of construction: 2002, 50/60 Hz, 14 kW, chamber dimensions: 770 mm x 140 mm x 110 mm, total dimensions: 2350 mm x 750 mm x 1700 mm, with outfeed belt, plastic belt with dividers, belt width: 600 mm, divider height: 20 mm, distance between dividers: 300 mm, total dimensions: 2000 mm x 1100 mm x 1200 mm. Mechanical revision in 2024.	6000
65	NN tables	2 mobile tables, s/s frame, plastic top, dimensions: (2x) 1000 mm x 1000 mm x 950 mm.	150
66	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicing line consisting of: Weber Maschinenbau GmbH infeed belt, type: CCQ-200, number: CCQ 604-565, year of construction: 05/2013, weight: 285 kg, plastic belt with dividers, belt width: 500 mm, divider height: 25 mm, total dimensions: 1300 mm x 1000 mm x 1930 mm. Weber Maschinenbau GmbH product scanner, type: CPS100, number: CPS01001-10005, year of construction: 2016, weight: 720 kg, plastic belt, belt width: 520 mm, total dimensions: 1500 mm x 950 mm x 1950 mm. Weber Maschinenbau	25000



Nr	Title	Description	Start €
		GmbH slicer, type: CCS 604 A 200, number: CCS 604-565, year of construction: 06/2013, 400 V, 50 Hz, 10 kW, 6 bar, 80 l/min, weight: 2300 kg, plastic belt, belt width: 440 mm, string outfeed belt, belt width: 330 mm, total dimensions: 4000 mm x 1350 mm x 2450 mm.Weber Maschinenbau GmbH checkweigher, type: CCW-100, number: CCW 604-565, year of construction: 06/2013, string belt, belt width: 350 mm, total dimensions: 550 mm x 600 mm x 1050 mm.Weber Maschinenbau GmbH dividing belt, type: CCR 100, number: CCR 604-565, year of construction: 05/2013, weight: 165 kg, string belt, belt width: 350 mm, total dimensions: 500 mm x 600 mm x 1100 mm.s/s tool trolley with various parts, amongst other knives, grippers and belts. Complete revision in 2023.	
67	Terbahl Edelstahlverarbeitung GmbH	Terbahl Edelstahlverarbeitung GmbH mobile transport belt, type: 092158 001, year of construction: 06/2022, plastic belt, belt width: 395 mm, total dimensions: 1100 mm x 700 mm x 1000 mm.	400
68	Alco Food Machines GmbH	Alco Food Machines GmbH mobile flattener, type: ASP 400 HDN, serial number: 03152230, year of construction: 2019, 400 V, 50 Hz, 16 A, 4 kW, weight: 570 kg, s/s mesh belt, belt width: 400 mm, plastic belt, belt width: 410 mm, total dimensions: 2200 mm x 800 mm x 1450 mm.	5000
69	NN meat bin	S/s meat bin, volume: 200 liter.	100
70	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and portioning device, type: VF616, number: 16798, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 8.7 A, 6 kW, Busch vacuum pump, type: KC 0016 E 3Z0, number: 120028941, capacity: 16 m ³ per hour, s/s filling pipe and portioning device, dimensions: 2100 mm x 1400 mm x 1910 mm, s/s tool trolley, dimensions: 1000 mm x 700 mm x 1200 mm.	15000
71	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector, serial number: 19/328, diameter clearance: 110 mm, total dimensions: 860 mm x 500 mm x 1500 mm. Last calibration - 15.05.2024.	1000
72	NN sorting table	Sorting table, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 9500 mm x 1050 mm x 900 mm.	1500
73	NN chairs	6 chairs on s/s frames, dimensions: (6x) 500 mm x 450 mm x 1150 mm.	300
74	NN chairs	Chair, dimensions: 400 mm x 500 mm x 850 mm.	10



Nr	Title	Description	Start €
75	NN screen	S/s mobile screen with plastic curtains, dimensions: 2200 mm x 1500 mm x 1930 mm.	100
76	NN chairs	3 chairs on s/s frames, dimensions: (3x) 500 mm x 450 mm x 1150 mm.	150
77	Frigoscandia	Frigoscandia Gyrocompact® spiral freezer, model: GC P 42-09-25-06, number: 470372, North-North, refrigerant: NH3, 25 floors, Frigobelt s/s mesh belt, total belt width: 420 mm, netto belt width: 375 mm, infeed height: 560 mm, outfeed height: 2900 mm, Güntner evaporator, number: 101167571, year of construction evaporator: 2021, volume: 300.9 liter, temperature range: -50/+150°C, total dimensions: 8000 mm x 2450 mm x 3500 mm.	15000
78	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 350 mm, total dimensions: 8000 mm x 400 mm x 350 mm.	400
79	NN de-elevating belt	De-elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 80 mm, distance between dividers: 350 mm, total dimensions: 1800 mm x 850 mm x 2500 mm.	400
80	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 2000 mm x 750 mm x 950 mm.	400
81	Mettler Toledo Safeline	Mettler Toledo Safeline mobile metal detector, machine number: S00018205, year of construction: 09-2021, 230-380 V, 50 Hz, clearance: 550 mm x 170 mm, plastic belt, belt width: 500 mm, total dimensions: 1600 mm x 1050 mm x 1450 mm.	2500
82	Joy Conveyor Co.,LTD	Joy Conveyor Co.,LTD s/s turning table, year of construction: 2018, 220 V, 50 Hz, 2 A, 0.37 kW, weight: 250 kg, diameter table: 1200 mm, height table: 750 mm.	500
83	Soco System	Soco System box closing machine, top and bottom taper, plastic rollers, roller width: 700 mm and 310 mm, total dimensions: 3800 mm x 800 mm x 1580 mm.	250
84	Sartorius	Sartorius weighing scale, indicator type: CIS1, number: 23311342, scale type: BAPS1-3DC-LCE, number: 23311347, maximum: 6 kg, dimensions: 320 mm x 300 mm x 500 mm.	50
85	NN table	S/s table, dimensions: 600 mm x 500 mm x 840 mm.	25
86	NN table	S/s table with plastic top, dimensions: 600 mm x 400 mm x 790 mm.	25
87	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 800 mm x 800 mm x 500 mm.	100



Nr	Title	Description	Start €
88	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 800 mm x 800 mm x 500 mm.	100
89	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 800 mm x 800 mm x 500 mm.	100
90	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 800 mm x 800 mm x 500 mm.	100
91	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 1000 mm.	25
92	NN meat bin	S/s meat bin, volume: 200 liter.	100
93	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF630, number: 28079, year of construction: 2010, 400 V, 50 Hz, 18.0 A, 12.5 kW, Busch vacuum pump, type: KB 0040 D IZO, serial number: DEM122060546, year of construction: 2002, capacity: 48 m ³ per hour, dimensions: 2000 mm x 1400 mm x 2200 mm. Complete overhauled by Handtmann in 2022.	20000
94	NN dispensers	S/s paper dispenser, dimensions: 280 mm x 250 mm x 580 mm, plastic hair net dispenser: 270 mm x 110 mm x 410 mm.	25
95	Höfelmeyer	Höfelmeyer weighing scale, type indicator: HTF SY01/HTF60E, serial number: 1611767/6112726, type scale: HIKDC-E-C39K-HTF60E, serial number: 6112726, 230 V, 50/60 Hz, maximum weight: 3/6 kg, minimum weight: 0.01/0.002 kg, e= 0.000./0.0005 kg, dimensions: 370 mm x 320 mm x 550 mm.	50
96	NN frame	S/s wall mounted frame, dimensions: 450 mm x 450 mm x 180 mm.	10
97	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
98	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
99	NN curtains	Plastic curtains, dimensions: 1800 mm x 2600 mm.	50
100	NN curtains	Plastic curtains, dimensions: 1550 mm x 2550 mm.	50
101	Selo	Selo slicer, type: SL slicer, number: 018, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4 kW, working width: 600 mm, plastic belt, belt width: 560 mm, total dimensions: 1600 mm x 1350 mm x 2150 mm.	6000
102	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
103	NN table	S/s table with plastic top, dimensions: 960 mm x 720 mm x 860 mm.	25



Nr	Title	Description	Start €
104	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
105	NN table	S/s table, dimensions: 960 mm x 450 mm x 900 mm.	25
106	NN hose	Plastic hose.	25
107	NN sink	S/s sink, knee control, dimensions: 500 mm x 450 mm x 700 mm, s/s paper dispenser, dimensions: 280 mm x 250 mm x 580 mm, 2 Mohn s/s soap dispensers.	100
108	NN table	S/s table, dimensions: 800 mm x 350 mm x 800 mm.	25
109	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
110	NN sole cleaner	S/s sole cleaner, brush length: 300 mm, total dimensions: 500 mm x 620 mm x 1300 mm.	100
111	NN curtains	Plastic curtains, dimensions: 1800 mm x 2600 mm.	50
112	NN protection pole	S/s protection pole, diameter: 120 mm, height: 800 mm.	10
113	NN curtains	Plastic curtains, dimensions: 1950 mm x 2550 mm.	50
114	NN curtains	Plastic curtains, dimensions: 1800 mm x 2600 mm.	50
115	NN protection poles	2 s/s protection poles, diameter: (2x) 120 mm, height: (2x) 800 mm.	20
116	NN curtains	Plastic curtains, dimensions: 1550 mm x 2550 mm.	50
117	EMS	EMS refrigerated sliding door, type: GSL-120, number: 10204698/6.1, year of construction: 2022, thickness door: 120 mm, dimensions door: 1500 mm x 2500 mm, length rails: 3000 mm.	400
118	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-GHT 040B/2B, number: 6447610, year of construction: 1994, maximum working pressure: 28 bar, maximum / minimum temperature: + 100°C / - 60 °C, volume: 17 liter, 2 fans, dimensions: 1100 mm x 600 mm x 700 mm.	250
119	EMS	EMS refrigerated sliding door, type: GSL-120, number: 10204698/5.1, year of construction: 2022, thickness door: 120 mm, dimensions door: 1500 mm x 2500 mm, length rails: 3000 mm.	400
120	NN protection pole	S/s protection poles, diameter: 120 mm, height: 800 mm.	10
121	NN meat bins	16 s/s meat bins, volume: (16x) 200 liter.	1600
122	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-GDT 050A/210, number: 6447610, year of construction: 1994, maximum working pressure:	250



Nr	Title	Description	Start €
		28 bar, maximum / minimum temperature: + 100°C / - 60 °C, 2 fans, dimensions: 2000 mm x 1500 mm x 700 mm.	
123	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 450 mm x 300 mm x 250 mm.	10
124	Sartorius	Sartorius weighing scale, indicator type: CAIS1-V1, scale type: CAAPS1-30ED-NCE, number: 32266754, 100-240 V, 50/60 Hz, 15 VA, dimensions scale: 400 mm x 300 mm x 100 mm, dimensions indicator: 300 mm x 200 mm x 200 mm.	50
125	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, model indicator: ICS226, maximum weight: 6 kg, d= 2 g, 100-240 V, 50-60 Hz, 1.0 A, dimensions: 320 mm x 340 mm x 360 mm.	50
126	NN table	Mobile table, s/s frame, plastic worktop, dimensions: 1200 mm x 1000 mm x 1000 mm.	75
127	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
128	NN sink	S/s sink, dimensions: 410 mm x 350 mm x 500 mm, s/s paper dispenser, dimensions: 280 mm x 250 mm x 580 mm, 2 s/s soap dispensers.	75
129	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	25
130	EMS	EMS refrigerated sliding door, type: GSL-120, number: 10204698/7.1, year of construction: 2022, thickness door: 120 mm, dimensions door: 1010 mm x 2100 mm, length rails: 2000 mm.	250
131	NN tub	S/s mobile tub, dimensions: 1450 mm x 750 mm x 800 mm.	100
132	NN rollies	2 s/s rollies, dimensions: (2x) 670 mm x 430 mm x 160 mm.	15
133	NN trolley	S/s trolley, dimensions: 1100 mm x 460 mm x 1070 mm.	25
134	NN trolley	S/s trolley, dimensions: 1050 mm x 500 mm x 850 mm.	25
135	NN trolleys	5 s/s trolleys, dimensions: (5x) 1150 mm x 500 mm x 950 mm.	100
136	NN trolley	S/s trolley, dimensions: 1250 mm x 700 mm x 950 mm.	25
137	Thermofin GmbH	Thermofin GmbH evaporator, model: TAN.2-040-13-E-N-W5-12-HG LHS, unit number: 001, year of construction: 11/2020, 230 V, 0.75 kW, maximum working pressure: 25 bar, tube volume: 21.2 liter, 3 fans, dimensions: 2200 mm x 600 mm x 600 mm.	300
138	Thermofin GmbH	Thermofin GmbH evaporator, model: TAN.2-040-13-E-N-W5-12-HG RHS, unit number:	300



Nr	Title	Description	Start €
		001, year of construction: 11/2020, 230 V, 0.60 / 0.75 kW, maximum working pressure: 25 bar, volume: 21.2 liter, 3 fans, dimensions: 2200 mm x 600 mm x 600 mm.	
139	Cool It	Cool It refrigerated sliding door, 220 V, 50 Hz, 90 W, thickness door: 200 mm, dimensions door: 1100 mm x 2150 mm, rail length: 2000 mm.	100
140	NN writing desk	S/s mobile writing desk, dimensions: 600 mm x 500 mm x 1200 mm.	75
141	NN protection poles	2 s/s protection poles, diameter: (2x) 90 mm, height: (2x) 860 mm.	20
142	Nita Hygiene	Nita Hygiene s/s sink, knee control, dimensions: 500 mm x 450 mm x 700 mm, s/s paper dispenser, dimensions: 280 mm x 250 mm x 380 mm, 2 s/s soap dispensers.	100
143	NN can opener	S/s table with can opener, dimensions: 700 mm x 400 mm x 800 mm.	50
144	NN protection pole	S/s protection pole, diameter: 120 mm, height: 800 mm.	10
145	NN platform with stairs	S/s platform with stairs, working height: 790 mm, total dimensions: 1530 mm x 620 mm x 1780 mm.	250
146	Risco	Risco double shaft paddle mixer with lifter for 200 liter meat bins, model: RS 1300, serial number: 1395007, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 15 kW, volume: 1300 liter, lifting height: 1900 mm, dimensions lifter: 1200 mm x 650 mm x 2750 mm, dimensions mixer: 3100 mm x 1100 mm x 1800 mm.	3500
147	NN ventilation unit	S/s ventilation unit, dimensions: 800 mm x 800 mm x 2100 mm, s/s switch cabinet, dimensions: 500 mm x 300 mm x 500 mm.	500
148	NN frames	2 s/s wall mounted frames, dimensions: 1300 mm x 300 mm x 100 mm and 620 mm x 300 mm.	25
149	Mettler Toledo GmbH	Mettler Toledo GmbH floor weighing scale with indicator, type indicator: ID7, serial number: 2281302, 100-240 V, 50/60 Hz, dimensions scale: 1200 mm x 1050 mm x 100 mm, dimensions indicator: 340 mm x 150 mm x 200 mm.	400
150	NN evaporator	Evaporator, 2 fans, dimensions: 1200 mm x 1100 mm x 700 mm.	150
151	NN hygiene equipment	2 s/s pegs with plastic broom and plastic scoop, length pegs: (2x) 450 mm.	10
152	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	25
153	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: DIVIDER ORBITAL, machine number: 055005.161076.114311, year of construction: 2012, 190-240 V, 3 Ph, 50/60 Hz, 9 A, 4.8 kW,	6000



Nr	Title	Description	Start €
		weight: 820 kg, plastic outfeed belt, belt width: 410 mm, total dimensions: 3800 mm x 1100 mm x 2180 mm.	
154	NN table	S/s mobile table, dimensions: 1300 mm x 800 mm x 1000 mm.	150
155	Henkelman	Henkelman mobile double chamber vacuum machine, type: Titaan 2-90, machine number: HTN101, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 21 A, 7 kW, seal length: (4x) 840 mm, chamber dimensions: (2x) 890 mm x 1150 mm, plastic belt, belt width: (2x) 800 mm, total dimensions: 2400 mm x 1000 mm x 1400 mm. Without vacuum pump.	5000
156	Joni A/S	Joni A/S double cooking vessel with agitators and scrapers, model: OptiMix, year of construction: 2011, volume: (2x) 150 liter, 400 V, 3 Ph, 50 Hz, 8 A, 2.3 kW, heating: external steam generator, dimensions: 3500 mm x 900 mm x 1300 mm, s/s extractor hood, dimensions: 3350 mm x 1100 mm x 800 mm.	2500
157	NN evaporator	Evaporator, 2 fans, dimensions: 1200 mm x 1100 mm x 700 mm.	100
158	NN trolley	S/s trolley, dimensions: 1150 mm x 600 mm x 750 mm.	10
159	Silverson	Silverson mobile mixer used for meat bins, dimensions: 900 mm x 900 mm x 2000 mm.	500
160	NN meat bin	S/s meat bin, volume: 200 liter.	100
161	NN curtains	Plastic curtains, dimensions: 2400 mm x 2600 mm.	50
162	NN protection frames	S/s protection frame, dimensions: 2450 mm x 120 mm x 800 mm, s/s protection pole, diameter: 120 mm, height: 800 mm.	50
163	EMS	EMS refrigerated sliding door, type: KSL-080, number: 10204698/3.1, year of construction: 2022, thickness door: 80 mm, dimensions door: 1705 mm x 2505 mm, length rails: 3000 mm.	400
164	NN curtains	Plastic curtains, dimensions: 1850 mm x 2640 mm.	50
165	Mettler Toledo GmbH	Mettler Toledo GmbH floor weighing scale with indicator, type indicator: ID7, serial number: 2259738, 100-240 V, 50/60 Hz, 480 mA, dimensions scale: 1500 mm x 1250 mm, dimensions indicator: 340 mm x 150 mm x 200 mm. S/s outer frame of floor weighing scale is not included.	500
166	NN meat bin	S/s meat bin, volume: 200 liter.	100
167	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF630, number: 32639,	20000



Nr	Title	Description	Start €
		year of construction: 2013, 400 V, 3 Ph, 50 Hz, 18.0 A, 12.5 kW, Busch vacuum pump, type: KB 0040 D, serial number: 03040978, capacity: 48 m ³ per hour, dimensions: 2000 mm x 1400 mm x 2200 mm.	
168	Poly-Clip System GmbH	Poly-Clip System GmbH mobile double clipper, type: FCA3430, dimensions: 1750 mm x 1200 mm x 1800 mm.	12500
169	NN meat bin	S/s meat bin, volume: 200 liter.	100
170	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF630, number: 28087 S, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 18.0 A, 12.5 kW, Busch vacuum pump, dimensions: 1800 mm x 1400 mm x 2200 mm.	20000
171	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector with rejecter, diameter pipe: 80 mm, total dimensions: 980 mm x 600 mm x 1600 mm. Missing pipe.	1000
172	Poly-Clip System GmbH	Poly-Clip System GmbH mobile double clipper, type: ICA, number: 701, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 4.0 kW, plastic outfeed belt, belt width: 180 mm, total dimensions: 2650 mm x 1000 mm x 1920 mm.	12500
173	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, year of construction: 1994, 2 fans, dimensions: 1500	250
174	NN curtains	Plastic curtains, dimensions: 1900 mm x 2600 mm.	50
175	EMS	EMS refrigerated sliding door, thickness door: 80 mm, dimensions door: 1820 mm x 2600 mm, length rails: 3000 mm.	400
176	NN protection poles	2 s/s protection poles, diameter: (2x) 100 mm, height: (2x) 800 mm.	20
177	NN protection poles	2 s/s protection poles, diameter: (2x) 100 mm, height: (2x) 800 mm.	20
178	NN curtains	Plastic curtains, dimensions: 1800 mm x 2550 mm.	50
179	NN meat bin	S/s meat bin, volume: 200 liter.	100
180	Elpress	Elpress meat bin washer for 200 and 300 liter meat bins, model: ENW-20, type: 83103005, serial number: 43730, year of construction: 2023-8, 400 V, 3 Ph, 50 Hz, 25 A, 9 kW, capacity: maximum 20 meat bins per hour, tank capacity: 400 liter, dimensions: 3660 mm x 1400 mm x 2100 mm.	10000
181	NN hygiene equipment	S/s peg with 2 plastic scoops, broom and squeegee.	10
182	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25



Nr	Title	Description	Start €
183	NN hoses	2 plastic hoses with 1 spraying pistol.	50
184	NN curtains	Plastic curtains, dimensions: 1800 mm x 2600 mm.	50
185	Elpress	Elpress crate washing and drying machine with infeed and outfeed roller conveyors, type: 83101150, serial number: 43729, year of construction: 2023-8, 400 V, 3 Ph, 50 Hz, 32 A, 12 kW, maximum temperature: 70°C, plastic rollers, roller width: 700 mm, clearance: 750 mm x 470 mm, dimensions crate washer: 2500 mm x 1000 mm x 1650 mm, dimensions crate dryer: 1950 mm x 1450 mm x 2800 mm.	10000
186	NN cabinet	S/s cabinet with 5 jerry cans of cleaning chemicals, dimensions cabinet: 950 mm x 500 mm x 2150 mm.	250
187	NN rack	S/s rack with various s/s bins, plastic lids and hygiene material, dimensions rack: 1200 mm x 750 mm x 1800 mm.	50
188	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	25
189	Denios	4 Denios plastic cabinets with 3 earmuffs, dimensions: (4x) 230 mm x 120 mm x 230 mm.	50
190	Plum	Plum eye wash and s/s peg with aprons, length peg: 350 mm.	25
191	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH evaporator, type: DEB 071D DECKEN-LUFTKÜHLER, fabrication number: 554280 / 0100 / 2001 / 7272134 / 1, 230 V, 1 Ph, 50/60 Hz, 73 W, volume: 2.8 liter, temperature range: 100/-40°C, dimensions: 1050 mm x 750 mm x 250 mm.	50
192	NN curtains	Plastic curtains, dimensions: 2400 mm x 2600 mm.	50
193	Mettler Toledo GmbH	Mettler Toledo GmbH floor weighing scale with indicator, serial number: 2966202, 100-240 V, maximum weight: 1500 kg, minimum weight: 10 kg, e= 0.5 kg, dimensions scale: 1500 mm x 1250 mm, dimensions indicator: 250 mm x 80 mm x 150 mm. S/s outer frame of floor weighing scale is not included.	500
194	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 1000 mm.	25
195	Weisser	Weisser can opener, type: D066/2, fabrication number: 44240119, 400 V, 140/200 W, dimensions: 400 mm x 400 mm x 1350 mm.	150
196	Flux	Flux switching amplifier, type: FSV 100, number: FSV8423, 220-240 V, 50-60 Hz, 4 A, dimensions: 200 mm x 200 mm x 400 mm.	100
197	NN sink		100



Nr	Title	Description	Start €
		S/s sink, knee control, dimensions: 500 mm x 450 mm x 700 mm, s/s paper dispenser, dimensions: 280 mm x 250 mm x 380 mm, 2 s/s soap dispensers.	
198	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
199	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, model indicator: IND236, maximum weight: 15 kg, d= 2 g, dimensions indicator: 220 mm x 200 mm x 170 mm, dimensions scale: 300 mm x 240 mm x 80 mm.	50
200	NN knife basket	S/s knife basket, dimensions: 150 mm x 100 mm x 500 mm.	25
201	Coral S.p.A.	Coral S.p.A. air filtration system, model: F 200/ ASS, number: 2050000086, year of construction: 06/2016, 230 V, 50 Hz, 0.37 kW, dimensions: 600 mm x 450 mm x 750 mm.	150
202	NN table	S/s table, dimensions: 1750 mm x 400 mm x 900 mm.	50
203	Tork	Tork paper dispenser, dimensions: 250 mm x 210 mm x 260 mm.	5
204	NN tub	S/s rollie with plastic tub, dimensions: 560 mm x 560 mm x 750 mm.	10
205	NN pallets and buckets	2 plastic pallets with 2 plastic buckets, dimensions pallets: (2x) 800 mm x 600 mm x 150 mm, dimensions buckets: (2x) Ø 370 mm x 400 mm.	25
206	NN cabinet	S/s wall mounted cabinet, dimensions: 600 mm x 250 mm x 570 mm.	25
207	NN rack with storage bins	Steel rack with 16 plastic storage bins, dimensions rack: 1050 mm x 450 mm x 2010 mm.	10
208	NN hygiene equipment	2 s/s pegs with 2 plastic squeegees, hand brush and 2 scoops, length peg: 450 mm and 650 mm, s/s hose reel, dimensions: 400 mm x 300 mm x 600 mm.	25
209	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
210	NN office inventory	Steel office table, dimensions: 1600 mm x 1800 mm x 750 mm, wooden cabinet, dimensions: 1600 mm x 440 mm x 940 mm, steel trolley, dimensions: 750 mm x 500 mm x 750 mm.	75
211	Wero	Wero first aid kit, dimensions: 500 mm x 130 mm x 210 mm.	10
212	Sutor GmbH	Sutor GmbH light, type: JobLux 90 LED, 230 V, 50/60 Hz, dimensions: 150 mm x 120 mm x 350 mm.	10
213	Obi Merchandise Center GmbH	Obi Merchandise Center GmbH fan, dimensions: 400 mm x 300 mm x 1400 mm.	10



Nr	Title	Description	Start €
214	NN rack	Steel rack, dimensions: 1000 mm x 500 mm x 2000 mm.	10
215	NN curtains	Plastic curtains, dimensions: 1800 mm x 2600 mm.	50
216	NN rollies	3 s/s rollies, dimensions: (3x) 450 mm x 450 mm x 160 mm.	15
217	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
218	NN waste container	Steel mobile waste container, dimensions: 830 mm x 560 mm x 910 mm.	10
219	NN trolley	S/s trolley, dimensions: 750 mm x 530 mm x 930 mm.	25
220	NN writing desk	S/s writing desk, dimensions: 620 mm x 500 mm x 1250 mm.	75
221	NN rollie	S/s rollie, dimensions: 660 mm x 420 mm x 170 mm.	10
222	NN rollie	S/s rollie, dimensions: 890 mm x 620 mm x 200 mm.	10
223	NN buckets and crates	Plastic pallet with 9 plastic crates and 7 buckets, dimensions: 1200 mm x 800 mm x 1100 mm.	10
224	NN rack	Steel rack, dimensions: 1350 mm x 640 mm x 2000 mm.	10
225	NN frame	S/s wall mounted frame, dimensions: 600 mm x 350 mm x 120 mm.	10
226	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of: 11 uprights, dimensions: (8x) 1000 mm x 1800 mm, (3x) 1100 mm x 3150 mm, 20 beams, length: (16x) 2700 mm, (4x) 1700 mm.	150
227	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	25
228	Büfa	3 plastic pallets with 59 Büfa jerry cans with cleaning chemicals, dimensions: (3x) 1200 mm x 800 mm x 700 mm.	150
229	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	25
230	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4NES-12Y-40P, serial number: 1692510508, 380-420 V, 50/70 Hz, 15.9/25.2 A, capacity: 56.2/79.5 m³ per hour, dimensions: 600 mm x 300 mm x 500 mm, switch cabinet, dimensions: 600 mm x 250 mm x 600 mm.	150
231	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
232	NN hose reel	S/s hose reel, dimensions: 400 mm x 300 mm x 600 mm.	10
233	NN curtains	Plastic curtains, dimensions: 2600 mm x 2400 mm.	50



Nr	Title	Description	Start €
234	NN frame	S/s wall mounted frame, dimensions: 560 mm x 500 mm x 720 mm.	10
235	Mediotec	Mediotec s/s insect killer, dimensions: 450 mm x 350 mm x 150 mm.	25
236	NN evaporator	Evaporator, 2 fans, dimensions: 1200 mm x 700 mm x 450 mm.	100
237	NN protection poles	2 s/s protection poles, diameter: (2x) 100 mm, height: (2x) 800 mm.	20
238	Cool It	Cool It s/s refrigerated sliding door, type: SF-8, year of construction: 2008, thickness door: 80 mm, dimensions door: 2300 mm x 2530 mm, length rails: 4000 mm.	300
239	Van Oirschot Roestvrijstaal BV	Van Oirschot Roestvrijstaal BV tilting device for pallet boxes, dimensions: 1500 mm x 1100 mm x 1200 mm.	1500
240	Van Oirschot Roestvrijstaal BV	Van Oirschot Roestvrijstaal BV tilting device for pallet boxes, maximum: 900 kg, dimensions: 1500 mm x 1100 mm x 1200 mm.	1500
241	Walter Roller GmbH & Co	Walter Roller GmbH & Co evaporator, type: HVI 761 N, serial number: 23 257 610 0001, 400 V, 3 Ph, 50 Hz, 580 W, refrigerant: Fluid G2, temperature range: -40/100°C, 1 fan, dimensions: 1400 mm x 800 mm x 1200 mm.	300
242	NN protection frames	S/s protection frame, dimensions: 1050 mm x 120 mm x 800 mm, 2 s/s protection poles, diameter: (2x) 120 mm, height: (2x) 800 mm.	75
243	Fessmann GmbH	Fessmann GmbH double cooking chamber, type: T3000 624 2W, number: 155/156, year of construction: 2019, 2330/400 V, 50 Hz, 6/74 kW, inside dimensions: (2x) 2300 mm x 1350 mm x 2250 mm, total dimensions: (2x) 3000 mm x 2400 mm x 3200 mm, 2 s/s control cabinets, dimensions: (2x) 360 mm x 180 mm x 700 mm.	4000
244	NN cooking trolleys	5 s/s cooking trolleys used for cabbage, 14 floors each, dimensions: (5x) 1040 mm x 500 mm x 1900 mm.	250
245	NN cooking trolleys	6 s/s cooking trolleys used for cabbage, 14 floors each, dimensions: (6x) 1040 mm x 500 mm x 1900 mm.	300
246	NN cooking trolleys	6 s/s cooking trolleys used for cabbage, 14 floors each, dimensions: (6x) 1040 mm x 500 mm x 1900 mm.	300
247	NN cooking trolleys	8 s/s cooking trolleys used for cabbage, 14 floors each, dimensions: (8x) 1040 mm x 500 mm x 1900 mm.	400
248	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
249	EMS		400



Nr	Title	Description	Start €
		EMS refrigerated sliding door, thickness door: 80 mm, dimensions door: 2400 mm x 2600 mm, length rails: 5000 mm.	
250	NN curtains	Plastic curtains, dimensions: 2600 mm x 2400 mm.	50
251	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
252	Mohn GmbH	Mohn GmbH tilting device for pallet boxes, type: SL-I/B-LSO, machine number: 22-61805/1, year of construction: 2022/5, 400 V, 3 Ph, 50/60 Hz, 2.2 kW, capacity: 1000 kg, clearance: 1200 mm x 1300 mm, total dimensions: 1900 mm x 1700 mm x 1700 mm.	2000
253	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 700 mm, total dimensions: 3400 mm x 800 mm x 1550 mm.	750
254	NN platform	S/s platform, dimensions: 1200 mm x 1000 mm x 170 mm.	75
255	NN platform	S/s platform, dimensions: 680 mm x 390 mm x 200 mm.	25
256	Hilge	Hilge centrifugal pump, type: EURO-HYGIA-B-SUPER-II/10C, number: 23/96/113335, 400/690 V, 50 Hz, 7.1/4.1 A, 3 kW, capacity: 35 m ³ per hour, dimensions: 600 mm x 300 mm x 450 mm.	100
257	NN tub	S/s tub with plastic outfeed belt, inside dimensions: 2300 mm x 750 mm x 530 mm, plastic mesh belt, belt width: 670 mm, total dimensions: 3200 mm x 830 mm x 900 mm.	250
258	NN platform	S/s platform with stairs, working height: 1000 mm, total dimensions: 3400 mm x 700 mm x 1950 mm.	250
259	NN cabbage corer	Cabbage corer, diameter input: 150 mm, s/s belt, belt width: (2x) 100 mm, s/s outfeed slide, total dimensions: 2950 mm x 1150 mm x 2810 mm.	1500
260	NN cabbage cooking line	Cabbage cooking line consisting of: infeed belt, s/s frame, plastic belt, belt width: 1420 mm, total dimensions: 3100 mm x 1600 mm x 1050 mm. cooking belt with pricking system, s/s mesh belt, belt width: 1460 mm, total dimensions: 4100 mm x 2600 mm x 3600 mm and 3400 mm x 2200 mm x 1700 mm. outfeed belt, plastic mesh belt, belt width: 1420 mm, total dimensions: 4700 mm x 2000 mm x 2570 mm. outfeed table, dimensions: 1450 mm x 1300 mm x 1100 mm. 4 circulation pumps 3 s/s switch cabinets.	15000
261	NN sorting belt	Sorting belt, s/s frame, plastic belt, belt width: (3x) 300 mm, total dimensions: 17000 mm x 1100 mm x 1100 mm.	1500
262	NN table		50



Nr	Title	Description	Start €
		S/s table, dimensions: 600 mm x 500 mm x 900 mm.	
263	NN table	S/s table, dimensions: 830 mm x 440 mm x 860 mm.	50
264	NN table	S/s table, dimensions: 700 mm x 500 mm x 900 mm.	50
265	NN table	S/s table, dimensions: 700 mm x 500 mm x 900 mm.	50
266	NN table	S/s table, dimensions: 700 mm x 500 mm x 900 mm.	50
267	NN table	S/s table, dimensions: 600 mm x 500 mm x 900 mm.	50
268	NN table	S/s table, dimensions: 700 mm x 500 mm x 900 mm.	50
269	NN table	S/s table, dimensions: 600 mm x 500 mm x 900 mm.	50
270	NN platform	S/s platform with stairs, working height: 1300 mm, total dimensions: 3300 mm x 700 mm x 2200 mm.	250
271	NN meat bin	S/s meat bin, volume: 200 liter.	100
272	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and portioning device, type: VF612K, number: 26937, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 6.5 A, 4.5 kW, operating hours: 11273.1 hours, Busch vacuum pump, type: KC 0016 E, capacity: 19 m ³ per hour, s/s filling pipe and portioning device, dimensions: 1800 mm x 1300 mm x 1920 mm, s/s tool trolley, dimensions: 850 mm x 650 mm x 1000 mm.	15000
273	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector with rejecter, diameter pipe: 100 mm, total dimensions: 900 mm x 600 mm x 1500 mm.	1000
274	Mettler Toledo GmbH	2 Mettler Toledo GmbH weighing scales, model: (2x) ICS226, 100-40 V, 50/60 Hz, 0.1 A, maximum weight: 6 kg, d= 2 g, dimensions: (2x) 350 mm x 320 mm x 400 mm.	100
275	Scanvaegt	Scanvaegt weighing scale, maximum weight: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, dimensions: 300 mm x 300 mm x 450 mm.	50
276	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, model: ICS226, 100-240 V, 50/60 Hz, 0.1 A, maximum weight: 6 kg, d= 2 g, dimensions: 350 mm x 320 mm x 400 mm.	50
277	Scanvaegt	Scanvaegt weighing scale, maximum weight: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, dimensions: 300 mm x 300 mm x 450 mm.	50
278	Mettler Toledo GmbH	2 Mettler Toledo GmbH weighing scales, model: (2x) ICS226, 100-40 V, 50/60 Hz, 0.1 A, maximum	100



Nr	Title	Description	Start €
		weight: 6 kg, d= 2 g, dimensions: (2x) 350 mm x 320 mm x 400 mm.	
279	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, model: BBA439check - A6, maximum weight: 6 kg, dimensions: 350 mm x 320 mm x 400 mm.	50
280	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, model: ICS226, 100-240 V, 50/60 Hz, 0.1 A, maximum weight: 6 kg, d= 2 g, dimensions: 350 mm x 320 mm x 400 mm.	50
281	Sartorius	Sartorius weighing scale, type: CAPS1-3DC-LCE, maximum weight: 6 kg, dimensions: 320 mm x 320 mm x 500 mm.	50
282	Scanvaegt	Scanvaegt weighing scale, maximum weight: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, dimensions: 300 mm x 300 mm x 450 mm.	50
283	Mettler Toledo GmbH / Sartorius	Mettler Toledo GmbH / Sartorius weighing scale, type: R1.S0, dimensions: 3501 mm x 320 mm x 400 mm.	50
284	SysTec Systemtechnik und Industrieautomation GmbH	SysTec Systemtechnik und Industrieautomation GmbH weighing scale, type: IT1 / IT1-AC, serial number: 2307256, 110-240 V, 50-60 Hz, 0.25-0.1 A, weighing scale: 320 mm x 320 mm x 500 mm.	50
285	Sartorius	2 Sartorius weighing scales, (1x) type: CAPS1-3DC-LCE, maximum weight: 6 kg, minimum weight: 20 g, e=d= 1 g and (1x) type: CAAPS1-6DC-NCE, dimensions: (2x) 320 mm x 320 mm x 500 mm.	100
286	Scanvaegt	Scanvaegt weighing scale, maximum weight: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, dimensions: 300 mm x 300 mm x 450 mm.	50
287	Sartorius	Sartorius weighing scale, type: CAPS1-3DC-LCE, maximum weight: 6 kg, dimensions: 320 mm x 320 mm x 500 mm.	50
288	Mettler Toledo GmbH	4 Mettler Toledo GmbH weighing scales, model: (4x) ICS226, 100-40 V, 50/60 Hz, 0.1 A, maximum weight: 6 kg, d= 2 g, dimensions: (4x) 350 mm x 320 mm x 400 mm.	200
289	Sartorius	Sartorius weighing scale, type: CAAPS1-6DC-NCE, maximum weight: 3/6 kg, d=1/2 g, dimensions: 320 mm x 320 mm x 500 mm.	50
290	Scanvaegt	Scanvaegt weighing scale, indicator type: 411, serial number: BOW00581 D, load receptor, type: 1025.15.03.MK2, serial number: BOW00581, maximum weight: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, dimensions: 300 mm x 300 mm x 450 mm.	50
291	Höfelmeyer	Höfelmeyer weighing scale, model: HIK6DC-E-C39K-HTF200, serial number: 6111839, maximum	50



Nr	Title	Description	Start €
		weight: 3/6 kg, d=0.001/0.002 kg, dimensions: 320 mm x 350 mm x 500 mm.	
292	NN chairs	12 chairs on s/s frames, dimensions: (12x) 350 mm x 380 mm x 1100 mm.	350
293	NN chairs	9 chairs on s/s frames, dimensions: (9x) 350 mm x 380 mm x 1100 mm.	250
294	NN chairs	3 chairs on s/s frames, dimensions: (3x) 500 mm x 450 mm x 1150 mm.	150
295	NN sorting belt	Sorting belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 7700 mm x 1700 mm x 900 mm.	750
296	NN chairs	4 chairs on s/s frames, dimensions: (4x) 400 mm x 500 mm x 850 mm.	100
297	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale with label printer, type: ID7, serial number: 2414683, 100-240 V, 50/60 Hz, 480-240 mA, dimensions: 420 mm x 470 mm x 500 mm.	75
298	Urschel Laboratories Inc.	Urschel Laboratories Inc. comitrol processor, model: 3600, serial number: 2217, working width: 80 mm, distance between knives: 7 mm, total dimensions: 750 mm x 800 mm x 1700 mm.	3500
299	NN chairs	Chair on s/s frame, dimensions: 500 mm x 400 mm x 1150 mm.	50
300	NN table	S/s table, dimensions: 1150 mm x 600 mm x 800 mm.	100
301	NN chairs	Chair on s/s frame, dimensions: 500 mm x 400 mm x 1150 mm.	50
303	NN chairs	3 chairs on s/s frames, dimensions: (3x) 400 mm x 500 mm x 850 mm.	75
304	NN curve conveyor	90° mobile curve conveyor, s/s frame, plastic mesh belt, belt width: 270 mm, total dimensions: 3100 mm x 2800 mm x 1150 mm.	500
305	NN sockets	S/s gutter with 45 electric sockets, length: 17000 mm.	250
306	NN protection rack	S/s protection rack, dimensions: 1550 mm x 800 mm.	25
307	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 350 mm x 160 mm x 200 mm.	25
308	NN hygiene equipment	S/s peg with s/s pitchfork and s/s shovel, length peg: 500 mm.	25
309	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
310	NN hygiene equipment	S/s peg with plastic broom and squeegee, length peg: 500 mm.	25
311	NN swing door	S/s swing door with plastic curtain, dimensions: 800 mm x 2500 mm.	25
312	NN waste bag holder		25



Nr	Title	Description	Start €
		S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	
313	EMS	EMS refrigerated sliding door, thickness door: 80 mm, dimensions door: 1200 mm x 2580 mm, length rails: 3850 mm.	250
314	NN protection poles	2 s/s protection poles, diameter: (2x) 110 mm, height: (1x) 800 mm and (1x) 1800 mm.	20
315	Thermofin GmbH	Thermofin GmbH evaporator, model: TAN.2-045-11-E-N-W5-07-LHS, article number: HY1 010 036, year of construction: 2017, 230 V, 0.6 kW, tube volume: 11.9 liter, medium temperature: -30°/ + 120C, empty weight: 90 kg, 1 fan, dimensions: 1300 mm x 700 mm x 900 mm.	150
316	NN hygiene equipment	S/s peg with plastic squeegee and s/s shovel, length peg: 610 mm.	25
317	NN curtains	Plastic curtains, dimensions: 1800 mm x 2600 mm.	50
318	NN sink	S/s sink with 1 faucet, knee control, dimensions sink: 410 mm x 360 mm x 500 mm, 2 s/s soap dispensers and s/s paper dispenser, dimensions: 300 mm x 250 mm x 400 mm.	75
319	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
320	Vikan	S/s peg with Vikan squeegee, length peg: 1000 mm.	25
321	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
322	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
323	NN curtains	Plastic curtains, dimensions: 1000 mm x 2600 mm.	50
324	NN sink	S/s sink with 1 faucet, knee control, dimensions sink: 500 mm x 450 mm x 690 mm, 2 Mohn s/s soap dispensers and s/s paper dispenser, dimensions: 300 mm x 250 mm x 400 mm and s/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	100
325	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
326	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 4600 mm x 500 mm x 840 mm.	400
327	Terbahl Edelstahlverarbeitung GmbH	Terbahl Edelstahlverarbeitung GmbH 90°mobile curve conveyor, type: 103148, year of construction: 2023, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2700 mm x 1700 mm x 900 mm.	500



Nr	Title	Description	Start €
328	NN curve conveyor	90°mobile curve conveyor, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 3800 mm x 2100 mm x 1800 mm.	500
329	Terbahl Edelstahlverarbeitung GmbH	Terbahl Edelstahlverarbeitung GmbH 180°curve conveyor, type: 108258, year of construction: 2024, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2700 mm x 1700 mm x 900 mm.	750
330	Höfelmeyer	Höfelmeyer weighing scale, modell: HIK6DC-E-C39K-HTF200, serial number: 6112373, maximum: 3 / 6 kg, d - 0.001 kg / 0.002 kg, dimensions scale: 320 mm x 240 mm, total dimensions: 320 mm x 350 mm x 520 mm.	50
331	Ohaus Corporation	Ohaus Corporation weighing scale, model scale: i-D15C1R, serial number: 8344281892, model indicator: i-DT33XW, 100-240 V, 1 Ph, 50/60 Hz, 0.5 A, maximum: 15 kg, d = 0.002 kg, dimensions scale: 350 mm x 310 mm, total dimensions: 350 mm x 310 mm x 400 mm.	50
332	Ohaus Corporation	Ohaus Corporation weighing scale, model scale: i-D15C1R, serial number: 8344281894, model indicator: i-DT33XW, 100-240 V, 1 Ph, 50/60 Hz, 0.5 A, maximum: 15 kg, d = 0.002 kg, dimensions scale: 350 mm x 310 mm, total dimensions: 350 mm x 310 mm x 400 mm.	50
333	Scanvaegt	Scanvaegt weighing scale, indicator type: 411, serial number: BOW00583 D, load receptor, type: 1025.15.03 MK2, serial number: BOW00583, maximum: 3 kg, minimum: 0.02 kg, e = 0.001 kg, dimensions scale: 300 mm x 200 mm, total dimensions: 300 mm x 320 mm x 480 mm.	50
334	Ohaus Corporation	Ohaus Corporation weighing scale, model scale: i-D15C1R, serial number: 8344290786, model indicator: i-DT33XW, 100-240 V, 1 Ph, 50/60 Hz, 0.5 A, maximum: 15 kg, d = 0.002 kg, dimensions scale: 350 mm x 310 mm, total dimensions: 350 mm x 310 mm x 400 mm.	50
335	Höfelmeyer	Höfelmeyer weighing scale, modell: HIK6DC-E-C39K-HTF200, serial number: 6111844, maximum: 3 / 6 kg, d - 0.001 kg / 0.002 kg, dimensions scale: 320 mm x 240 mm, total dimensions: 320 mm x 350 mm x 520 mm.	50
336	Mohn GmbH	Mohn GmbH s/s cabinet, 3 floors, dimensions: 960 mm x 500 mm x 2170 mm.	150
337	NN rack	S/s rack, 4 floors, dimensions: 1050 mm x 520 mm x 2100 mm.	150
338	NN curtains	Plastic curtains, dimensions: 2100 mm x 2650 mm.	50
339	NN paper dispenser		10



Nr	Title	Description	Start €
		S/s paper dispenser, dimensions: 300 mm x 260 mm x 370 mm.	
340	NN dispenser	Plastic wall dispenser, dimensions: 300 mm x 100 mm x 420 mm.	10
341	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
342	NN cabinet	S/s cabinet, dimensions: 950 mm x 500 mm x 2300 mm.	150
343	NN writing desk	S/s mobile writing desk, dimensions: 610 mm x 550 mm x 1300 mm.	75
344	NN curtains	Plastic curtains, dimensions: 1850 mm x 2600 mm.	50
345	Thermofin GmbH	Thermofin GmbH evaporator, model: TGP.2-045-22-E-L-WE-07, unit number: 001, year of construction: 2022, 230 V, 0.52 kW, maximum working pressure: 15 bar, medium temperature allowable - propylene glycol: TS - 20/+60 (34%) 60C, empty weight: 220 kg, dimensions: 2400 mm x 2000 mm x 800 mm.	500
346	Thermofin GmbH	Thermofin GmbH evaporator, model: TGP.2-045-22-E-L-WE-07, unit number: 004, year of construction: 2022, 230 V, 0.52 kW, maximum working pressure: 15 bar, medium temperature allowable - propylene glycol: TS - 20/+60 (34%) 60C, empty weight: 220 kg, dimensions: 2400 mm x 2000 mm x 800 mm.	500
347	Thermofin GmbH	Thermofin GmbH evaporator, model: TGP.2-045-22-E-L-WE-07, unit number: 003, year of construction: 2022, 230 V, 0.52 kW, maximum working pressure: 15 bar, medium temperature allowable - propylene glycol: TS - 20/+60 (34%) 60C, empty weight: 220 kg, dimensions: 2400 mm x 2000 mm x 800 mm.	500
348	Thermofin GmbH	Thermofin GmbH evaporator, model: TGP.2-045-22-E-L-WE-07, unit number: 002, year of construction: 2022, 230 V, 0.52 kW, maximum working pressure: 15 bar, medium temperature allowable - propylene glycol: TS - 20/+60 (34%) 60C, empty weight: 220 kg, dimensions: 2400 mm x 2000 mm x 800 mm.	500
349	Boge Kompressoren	Boge Kompressoren screw air compressor, type: SLF 51-3, machine number: 5146873, year of construction: 01-2020, volume: 2.30 - 7.16 m ³ / minute, 8 bar, 2520 rates per minute, motor power: 37 + 1.10 kW, total dimensions: 2000 mm x 1100 mm x 1950 mm.	1500
350	NN hoses	3 s/s pegs with plastic hoses, length pegs: (3x) 270 mm.	25



Nr	Title	Description	Start €
351	Denios	3 Denios plastic drip trays, dimensions: (3x) 1200 mm x 830 mm x 350 mm. 1 is missing top cover.	75
352	NN hoses	Plastic EURO-H1 pallet with various plastic hoses, dimensions pallet: 1200 mm x 800 mm x 500 mm.	75
353	Plum	Wall mounted cabinet with Plum eye wash kit, dimensions: 220 mm x 100 mm x 280 mm.	10
354	Boge Kompressoren	Boge Kompressoren screw air compressor, type: S 20-2, machine number: 5024583, year of construction: 2008, volume: 2.57 m ³ / minute, 8 bar, 3000 rates per minute, motor power: 15 kW, total dimensions: 1200 mm x 900 mm x 1160 mm.	500
355	Boge Kompressoren	Boge Kompressoren screw air compressor, type: S 20-2, machine number: 5024764, year of construction: 2008, volume: 2.57 m ³ / minute, 8 bar, 3000 rates per minute, motor capacity: 15 kW, total dimensions: 1200 mm x 900 mm x 1160 mm.	500
356	Drukomat	Drukomat 15 oil-water separator, dimensions: 700 mm x 550 mm x 1200 mm.	75
357	Lohenner GmbH & Co.	Lohenner GmbH & Co. pressure vessel, production number: 63849/1, year of construction: 1995, maximum working pressure: 11 bar, volume: 3000 liter, diameter: 1200 mm, height: 3400 mm.	500
358	Parker Hiross	Parker Hiross air dryer on s/s frame, model: SPE080-A2301DF14EXS, serial number: 399771440002, 230 V, 1 Ph, 50/60 Hz, 8.6 A, 1.51 kW, refrigerant: R134a, 0.600 kg, dimensions: 450 mm x 750 mm x 1300 mm. Including 2 Parker Zander filters, model: GL11A / GL11XLH, year of construction: 2014, volume: 2.0 dm ³ and Airleader Easy switch cabinet.	250
359	NN spraying trolley	S/s spraying trolley, dimensions: 1350 mm x 800 mm x 1100 mm.	75
360	Grundfos	Grundfos circulation pump, type: CRNE10-9 J-P-T-E-HQQE, 50/60 Hz, capacity: 9.0 m ³ per hour, maximum working pressure: 25 bar, maximum working temperature: 120C, 4258 rates per minutes, dimensions: 400 mm x 400 mm x 1150 mm.	350
361	Grundfos	Grundfos circulation pump, type: CRNE5-9 N-FGJ-A-E-HQQE, 50/60 Hz, capacity: 6.9 m ³ per hour, maximum working pressure: 25 bar, maximum working temperature: 120C, 3501 rates per minutes, dimensions: 300 mm x 300 mm x 850 mm.	250
362	Dibo Cleaning Systems	Dibo Cleaning Systems s/s storage bin for water, dimensions: 720 mm x 500 mm x 1450 mm.	150
363	Denios		150



Nr	Title	Description	Start €
		Denios plastic drip tray, type: Poly Safe Euro, year of construction: 2010, volume: 200 liter, capacity: 500 kg, dimensions: 1230 mm x 830 mm x 370 mm.	
364	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm.	25
365	NN hoses	7 steel and s/s hose reels with various hoses and pistols.	150
366	NN cabinets and rack	S/s cabinet, dimensions: 600 mm x 500 mm x 1800 mm, steel cabinet, dimensions: 1000 mm x 500 mm x 1900 mm and steel rack, 5 floors, dimensions: 1060 mm x 340 mm x 2000 mm. Including content.	50
367	HVS Henniger	HVS Henniger s/s air filtering tank with 2 blowers and switch cabinet, diameter tank: 2500 mm, height tank: 8150 mm, dimensions switch cabinet: 800 mm x 300 mm x 1000 mm.	3500
368	NN hose with pistol	Plastic hose with pistol.	25
369	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
370	NN table	S/s table with plastic worktop, thickness worktop: 35 mm, total dimensions: 600 mm x 400 mm x 800 mm.	25
371	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. teflon belt grill, type: BG 3600 / 600, machine number: 550, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 48 A, 22 kW, weight: 4140 kg, maximum capacity elements: 6 x 27 kW, heating: thermic oil, oil volume: 120 dm ³ , teflon belt, belt width: 643 mm, total dimensions: 6600 mm x 1700 mm x 2650 mm, switch cabinet, dimensions: 1070 mm x 450 mm x 2100 mm, valve station, dimensions: 1600 mm x 900 mm x 3000 mm, thermic oil station with Allweiler thermic oil pump, type: NBT 32-200, dimensions: 1300 mm x 800 mm x 2700 mm.	7500
372	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. mobile mesh belt, type: TG 3250/600R, machine number: 1078, 380 V, 3 Ph, 50 Hz, 0.18 kW, 120 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 3150 mm x 800 mm x 1000 mm.	1500
373	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. steam heated twin drum spiral oven, type: STS 600/10-100, machine number: STS 600/10-100-46, 380 V, 3 Ph, 50 Hz, 56.73 A, 26.81 kW, weight: 14750 kg, 2 x 5 floors, total belt width: 660 mm, usable belt width: 600 mm, s/s mesh outfeed belt, belt width: 600 mm, total dimensions spiral oven: 9250 mm x 3900 mm x 4300 mm, dimensions switch cabinet: 2000 mm	25000



Nr	Title	Description	Start €
		x 400 mm x 2000 mm. Covers spiral oven damaged at lifting points.	
374	NN mesh belt	S/s mobile mesh belt with dryer, belt width: 500 mm, total dimensions: 4200 mm x 800 mm x 1250 mm.	1500
375	JBT Frigoscandia	JBT Frigoscandia GYRoCOMPACT® spiral freezer, model: GC 60/2-10-34-20 NN CCR, manufacturing number: 10220154, year of construction: 2019, North-North, Counter Clockwise Rotation, refrigerant: NH3, Frigoscandia LVS-cooling system, Frigobelt s/s self stacking belt, total belt width: 680 mm, usable belt width: 600 mm, 34 floors, maximum product height: 85 mm, infeed height: 730 mm, outfeed height: 4400 mm, Güntner s/s evaporator block, total dimensions spiral freezer: 4300 mm x 8700 mm x 5300 mm, JBT / Nilfisk Food Pegasus PZE-M2 Hybrid cleaning system, 3 x 400 V, 50 Hz, maximum: 100 liter per minute.	150000
376	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 5500 mm x 500 mm x 1700 mm.	350
377	NN platform	S/s platform with stairs and gratings, dimensions: 3000 mm x 2500 mm x 3860 mm.	500
378	NN table	S/s table with plastic worktop, thickness worktop: 35 mm, total dimensions: 600 mm x 400 mm x 800 mm.	25
379	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, model: ICS226, 100-240 V, 50/60 Hz, 0.1 A, maximum weight: 6 kg, d= 2 g, dimensions: 350 mm x 320 mm x 400 mm.	50
380	NN meat bin	S/s meat bin, volume: 200 liter.	100
381	CFS	CFS mobile lifter for 200 liter meat bins, machine type: LFT (R), machine number: 1642, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.55 kW, 310 kg, elevating height: 2200 mm (adjustable), total dimensions: 1200 mm x 1300 mm x 3000 mm.	1500
382	GEA Food Solutions Bakel B.V.	GEA Food Solutions Bakel B.V. forming machine, type: GEA MultiFormer 400, machine number: E022110205415, year of construction: 2021, 380-415 V, 3 Ph, 50 Hz, 15.4 A, 8 kW, s/s mesh belt, belt width: 400 mm, dimensions forming machine: 3100 mm x 1000 mm x 2700 mm, including 2 pallets with forming plates, s/s rack with 2 additional outfeed belts, belt widths: 400 mm, dimensions rack: 1350 mm x 600 mm x 2100 mm, GEA tool trolley, dimensions: 1200 mm x 700 mm x 950 mm.	25000
383	Stork Titan B.V.		5000



Nr	Title	Description	Start €
		Stork Titan B.V. mobile breading machine, machine: RotoCrumb, model: TRC 630 TD 2112, type: 4780626AA, serial number: 10061097, year of construction: 2007, s/s mesh belt, belt width: 630 mm, total dimensions: 3600 mm x 1600 mm x 2100 mm.	
384	NN platform	S/s platform used for IBC-tanks, working height: 1800 mm, total dimensions: 1200 mm x 1500 mm x 2800 mm.	250
385	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. fryer, type: BR 3000 / 600, machine number: 1316, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 4.6 A, 1.5 kW, weight: 2450 kg, s/s mesh belt, belt width: 600 mm, frying length: 3000 mm, heating: thermic oil, manual hoists, total dimensions: 5400 mm x 1600 mm x 3200 mm, valve station, dimensions: 2200 mm x 600 mm x 2600 mm, thermic oil station with thermic oil pump, dimensions: 1300 mm x 800 mm x 2700 mm and s/s cabinet with 2 Ansul fire extinguishers, dimensions cabinet: 600 mm x 210 mm x 750 mm.	12500
386	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. s/s oil tank, diameter: 1100 mm, height: 3200 mm.	1250
387	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. mobile s/s mesh belt with covers, model: NGT 5000/600, serial number: 12, 380 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 600 mm, total dimensions: 6900 mm x 900 mm x 1150 mm.	1500
388	NN de-elevating belt	S/s mesh de-elevating belt, belt width: 330 mm, total dimensions: 2000 mm x 800 mm x 850 mm. Height adjustable.	250
389	NN platform	S/s platform with both sides stairs, total dimensions: 3700 mm x 550 mm x 1750 mm.	250
390	Frigoscandia	Frigoscandia Gyrocompact® spiral freezer, model: GCP 42, North-North, 24 floors, Frigobelt s/s mesh belt, total belt width: 420 mm, netto belt width: 375 mm, infeed height: 590 mm, outfeed height: 2950 mm, R. RAFFEL evaporator, type: GC 42, year of construction: 1994, volume: 648 liter, total dimensions including infeed belt: 2500 mm x 8100 mm x 3600 mm, total dimensions without outfeed belt: 2500 mm x 5400 mm x 3600 mm.	10000
391	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 350 mm, total dimensions: 1700 mm x 500 mm x 450 mm.	250
392	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
393	NN writing desk		75



Nr	Title	Description	Start €
		S/s mobile writing desk, dimensions: 610 mm x 650 mm x 1400 mm.	
394	Novoferm GmbH	Novoferm GmbH electric shutter door, product: Economic Food, serial number: 5730, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 1.1 A, dimensions door: 1700 mm x 3000 mm.	400
395	NN protection poles	2 s/s protection poles, diameter: (2x) 110 mm, height: (2x) 800 mm.	20
396	NN table	S/s table, 2 floors, dimensions: 450 mm x 450 mm x 700 mm.	25
397	NN curtains	Plastic curtains, dimensions: 1550 mm x 2650 mm.	50
398	NN sink	S/s sink, 1 faucet, knee control, dimensions: 500 mm x 450 mm x 750 mm, s/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 900 mm, 2 Mohn s/s soap dispensers, s/s paper dispenser and s/s protection pole.	150
399	NN cabinet	S/s wall mounted cabinet, dimensions: 600 mm x 280 mm x 700 mm.	25
400	NN curtains	Plastic curtains, dimensions: 1300 mm x 2580 mm.	50
401	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 4200 mm x 750 mm x 400 mm.	200
402	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, belt length: 2930 mm, total dimensions: 4000 mm x 600 mm x 300 mm.	200
403	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 380 mm, dividers height: 40 mm, distance between dividers: 350 mm, elevating height: 2550 mm, total dimensions: 4600 mm x 800 mm x 2700 mm.	400
404	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 380 mm, dividers height: 60 mm, distance between dividers: 350 mm, elevating height: 3400 mm, total dimensions: 4500 mm x 800 mm x 3600 mm.	400
405	PREWA Verpackungsmaschinenbau GmbH	PREWA Verpackungsmaschinenbau GmbH 4-lanes linear weigher with transport belt, type: PRZ 1X4, number: 998\1, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 16 A, plastic belt, belt width: 550 mm, gutter length: (4x) 960 mm, basket: 600 mm x 330 mm x 320 mm, Siemens AG weighing cells, type: (3x) SIWAREX WL 230, total dimensions: 3870 mm x 1000 mm x 1370 mm. S/s switch cabinet dimensions: 1160 mm x 350 mm x 1000 mm.	1500
406		PREWA Verpackungsmaschinenbau GmbH vertical bag form-, fill-, and seal machine, type: 45/50MF,	3500



Nr	Title	Description	Start €
	PREWA Verpackungsmaschinenbau GmbH	number: 998, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 16 A, filling pipe clearance: 240 mm x 180 mm, vertical seal length: 500 mm, horizontal seal length: 470 mm, film width: 830 mm, Markem-Imaje barcode printer, type: smartdate 5, serial number: GJ1054474, year of construction: 2010, 100/230 V, 1 Ph, 50/60 Hz, 2.0/1.0 A, total dimensions: 3300 mm x 1570 mm x 2510 mm. Including extra filling pipe, diameter pipe: 160 mm.	
407	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 550 mm, elevating height: 1100 mm, total dimensions: 2400 mm x 830 mm x 1180 mm.	300
408	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 340 mm, total dimensions: 5160 mm x 480 mm x 1000 mm.	250
409	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 3350 mm x 550 mm x 1130 mm.	175
410	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 310 mm, dividers height: 30 mm, distance between dividers: 370 mm, total dimensions: 2750 mm x 650 mm x 1900 mm. Including funnel, dimensions: 800 mm x 600 mm x 2130 mm.	400
411	Multipond	Multipond 14-heads multihead weigher, type: MP 1424-D, serial number: M: 860, year of construction: 1995, 230 V, 50 Hz, basket: 220 mm x 180 mm x 200 mm, maximum weighing capacity total: N x 6000 gram, maximum weighing capacity single: 2500 gram, e-total = 2 gram, total dimensions: 1670 mm x 1450 mm x 1700 mm.	2500
412	NN platform	S/s platform, (1x) 10 steps, (1x) 9 steps, working height: 2220 mm, total dimensions: 6050 mm x 7750 mm x 3200 mm.	1500
413	Kopas Verpackungsmaschinen GmbH	Kopas Verpackungsmaschinen GmbH vertical bag form-, fill-, and seal machine, type: JK 360 FM, machine number: 265, year of construction: 11/2005, 400 V, 3 Ph, 50 Hz, 11.5 kW, vertical seal length: 500 mm, horizontal seal length: 380 mm, film width: 780 mm, VideoJet barcode printer, model: 8.4 CLARITY, total dimensions: 2200 mm x 1700 mm x 1920 mm. Missing filling pipe.	1500
414	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 500 mm, dividers height: 30 mm, distance between dividers: 420 mm, elevating height: 900 mm, total dimensions: 2700 mm x 800 mm x 1100 mm.	400



Nr	Title	Description	Start €
415	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 340 mm, total dimensions: 3970 mm x 500 mm x 910 mm.	200
416	Höfelmeyer	Höfelmeyer weighing scale, type: HTF600E, serial number: 1301092, 230 V, 50/60 Hz, dimensions scale: 320 mm x 240 mm, total dimensions: 350 mm x 390 mm x 560 mm.	50
417	NN table	Table with plastic worktop, s/s frame, dimensions: 620 mm x 420 mm x 770 mm.	25
418	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 450 mm x 900 mm.	25
419	NN hygiene equipment	3 s/s pegs with 3 squeegees, 1 plastic broom, length pegs: 150 mm.	25
420	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 450 mm x 900 mm.	25
421	NN peg	S/s peg, dimensions: 600 mm x 140 mm x 220 mm.	25
422	Mediotec	Mediotec s/s insect killer, dimensions: 500 mm x 350 mm x 160 mm.	25
423	NN paper dispenser	S/s paper dispenser, dimensions: 470 mm x 290 mm x 420 mm.	10
424	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 450 mm x 900 mm.	25
425	NN dispenser	Plastic wall dispenser, dimensions: 300 mm x 100 mm x 420 mm.	10
426	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, dimensions: 1580 mm x 1500 mm x 550 mm.	250
427	NN paper dispenser	S/s paper dispenser, dimensions: 470 mm x 290 mm x 420 mm and 140 mm x 100 mm x 250 mm.	25
428	NN curtains	Plastic curtains, dimensions: 2500 mm x 2500 mm.	50
429	NN protection pole	S/s protection pole, diameter: 120 mm, height: 800 mm.	10
430	Itec GmbH	Itec GmbH hygiene station consisting of: sole cleaner, hand disinfection unit and tourniquet, type: 23700, number: 0113, year of construction: 11/99, 230 V, 50 Hz, 0.1 kW, brush length: (2x) 1600 mm, total dimensions: 2500 mm x 1200 mm x 1900 mm.	1500
431	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 450 mm x 900 mm.	25
432	NN curtains	Plastic curtains, dimensions: 1350 mm x 2050 mm.	50
433	NN curtains	Plastic curtains, dimensions: 860 mm x 2050 mm.	50
434	NN table	S/s table, dimensions: 1400 mm x 600 mm x 840 mm.	50
435	Fa. Terbahl		250



Nr	Title	Description	Start €
		Fa. Terbahl 90° mobile curve conveyor, type: S-Band TR-12-091/J1274, number: 99914/2, year of construction: 2/03, 230/400 V, 0.55 kW, plastic mesh belt, belt width: 280 mm, total dimensions: 1750 mm x 1200 mm x 890 mm.	
436	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2660 mm x 500 mm x 930 mm.	150
437	NN table	S/s table, dimensions: 1400 mm x 600 mm x 840 mm.	50
438	Mettler Toledo GmbH	Mettler Toledo GmbH mobile metal detector, type: Metalldetektor, serial number: C129200272, year of construction: 09-2021, plastic belt, belt width: 500 mm, clearance: 550 mm x 170 mm, total dimensions: 1600 mm x 1200 mm x 1430 mm.	2500
439	Joy Conveyor Co.,LTD	Joy Conveyor Co.,LTD s/s turning table, number: 10851 D, year of construction: 2010, 220 V, 50 Hz, 2 A, 0.37 kW, diameter table: 1200 mm, height table: 800 mm.	500
440	Soco System	Soco System box closing machine, model: T-10, machine number: 18-416-T10, week of construction: 33/2018, 400 V, 3 Ph, 50 Hz, 1.5 A, top and bottom taper, plastic rollers, roller width: 700 mm and 310 mm, total dimensions: 5200 mm x 900 mm x 1610 mm.	250
441	Sartorius	Sartorius weighing scale, scale type: CAAPS1-3DC-BCE, number: 27407895, scale dimensions: 320 mm x 240 mm, total dimensions: 320 mm x 300 mm x 350 mm.	50
442	NN table	S/s table with plastic worktop, dimensions: 650 mm x 650 mm x 1120 mm.	25
443	NN table	S/s table with plastic worktop, dimensions: 620 mm x 420 mm x 820 mm.	25
444	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 340 mm, total dimensions: 5220 mm x 650 mm x 1150 mm.	250
445	Mettler Toledo GmbH	Mettler Toledo GmbH mobile metal detector, type: Metalldetektor, serial number: C124963494, year of construction: 08-2021, plastic belt, belt width: 490 mm, clearance: 550 mm x 310 mm, total dimensions: 1750 mm x 1150 mm x 1500 mm.	2500
446	Joy Conveyor Co.,LTD	Joy Conveyor Co.,LTD s/s turning table, year of construction: 2010-11-18, 220 V, 50 Hz, 2 A, 0.37 kW, diameter table: 1200 mm, height table: 800 mm.	500
447	Soco System		250



Nr	Title	Description	Start €
		Soco System box closing machine, model: T-10, machine number: 18-417-T10, week of construction: 33/2018, 400 V, 3 Ph, 50 Hz, 1.5 A, top and bottom taper, plastic rollers, roller width: 700 mm and 310 mm, total dimensions: 5200 mm x 900 mm x 1610 mm.	
448	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, indicator model: ICS226, number: 8908276084, 100/240 V, 50/60 Hz, 0.1 A, scale dimensions: 230 mm x 230 mm, total dimensions: 340 mm x 340 mm x 380 mm.	50
449	NN table	S/s table with plastic worktop, dimensions: 600 mm x 400 mm x 780 mm.	25
450	NN curtains	Plastic curtains, dimensions: 840 mm x 2050 mm.	50
451	NN curtains	Plastic curtains, dimensions: 840 mm x 2050 mm.	50
452	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
453	NN curtains	Plastic curtains, dimensions: 710 mm x 2100 mm.	50
454	NN table	S/s table, dimensions: 810 mm x 350 mm x 830 mm.	25
455	NN table	S/s table, dimensions: 600 mm x 450 mm x 700 mm.	25
456	NN table	S/s table, dimensions: 1000 mm x 1000 mm x 880 mm.	50
457	NN ear protection cabinet	5 plastic ear protection cabinet, dimensions: (5x) 240 mm x 120 mm x 230 mm. Including 3 ear protectors.	25
458	Denios	Denios plastic eye protection cabinet with 12 places, dimensions: 240 mm x 200 mm x 300 mm. Including 5 safety glasses.	10
459	NN gloves and caps	Plastic frame with gloves and caps, dimensions: 270 mm x 100 mm x 410 mm.	10
460	NN table	S/s table with plastic worktop, dimensions: 1200 mm x 700 mm x 760 mm.	50
461	NN writing desk	S/s writing desk, inside dimensions: 500 mm x 600 mm x 180 mm, total dimensions: 540 mm x 610 mm x 1235 mm. Including content.	75
462	NN paper dispenser	S/s paper dispenser, dimensions: 280 mm x 250 mm x 370 mm.	10
463	Max Dörr	Max Dörr mobile 45° curve conveyor, model: 90/320/850 R, machine number: 294/7096, plastic belt, belt width: 400 mm, total dimensions: 1800 mm x 900 mm x 970 mm.	250
464	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
465	NN eye and hand protection cabinet		10



Nr	Title	Description	Start €
		Plastic eye and hand protection cabinet, dimensions: (2x) 240 mm x 120 mm x 120 mm. Including gloves.	
466	Heuer	Heuer pallet wrapper, type: Light.15SE.010.0.101.0.2, year of construction: 10/2003, diameter turning device: 1650 mm, film width: 500 mm, total dimensions: 3000 mm x 1850 mm x 2750 mm.	1250
467	NN film roll holder	S/s wall mounted film roll holder, film width: 1220 mm, total dimensions: 1350 mm x 200 mm x 120 mm.	25
468	Kohlhoff	Kohlhoff sole cleaner, type: SORM/H, 400 V, 50/60 Hz, 65 lp, minimum pressure: 4 bar, maximum pressure: 6 bar, brush length: 300 mm, total dimensions: 700 mm x 650 mm x 1120 mm.	250
469	NN sink	S/s sink, knee control, dimensions: 500 mm x 450 mm x 700 mm, s/s paper dispenser, dimensions: 280 mm x 260 mm x 400 mm, s/s waste bag holder, foot control, dimensions: 500 mm x 450 mm x 900 mm, 2 s/s soap dispensers.	150
470	Novoform GmbH	Novoform GmbH electric shutter door, type: T 100 R, 230 V, 1 Ph, 50/60 Hz, 10 A, 54 lp, 1.5 kW, 42 W, dimensions: 1680 mm x 2520 mm.	400
471	NN table	S/s table with plastic worktop, dimensions: 1200 mm x 800 mm x 910 mm.	150
472	Ishida	Ishida X-ray machine, model: IX-GN-4044, serial number: 100237607, year of construction: November 2016, 230 V, 1 Ph, 50/60 Hz, 5.5 A, plastic belt, belt width: 430 mm, clearance: 500 mm x 150 mm, total dimensions: 950 mm x 900 mm x 2000 mm.	5000
473	NN table	Mobile s/s table with plastic worktop, dimensions: 500 mm x 600 mm x 880 mm.	25
474	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: DGN 041A/24, number: 400/504062.1, year of construction: 2003, maximum pressure: 16 bar, minimum pressure: -1 bar, maximum temperature: 95°C, minimum temperature: -50°C, volume: 13 liter, 2 fans, fan type: VT0323, dimensions: 1900 mm x 1800 mm x 500 mm.	250
475	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: DGN 041A/14, number: 400/504061.1, year of construction: 2003, maximum pressure: 16 bar, minimum pressure: -1 bar, maximum temperature: 95°C, minimum temperature: -50°C, volume: 7 liter, 1 fan, fan type: VT0323, dimensions: 1600 mm x 1050 mm x 500 mm.	200
476			25



Nr	Title	Description	Start €
	NN plates for vacuum machine	4 plastic plates for vacuum machine, dimensions: (4x) 860 mm x 280 mm x 50 mm.	
477	NN plastic plates	2 plastic plates, dimensions: (2x) 760 mm x 470 mm x 55 mm.	25
478	NN couplings	2 plastic crate with large amount of different sizes couplings, dimensions: (2x) 760 mm x 470 mm x 55 mm.	25
479	NN worktops	11 plastic worktops, dimensions: (2x) 600 mm x 400 mm x 22 mm, (2x) 600 mm x 400 mm x 26 mm, (2x) 600 mm x 400 mm x 28 mm, (2x) 600 mm x 400 mm x 30 mm, (1x) 600 mm x 400 mm x 320 mm, (1x) 600 mm x 400 mm x 34 mm, (1x) 600 mm x 400 mm x 36 mm.	100
480	NN brush	Brush, diameter brush: 320 mm, length: 600 mm.	50
481	NN filters	4 s/s filters used for cabbage cooking line, diameter filters: (4x) 150 mm, (4x) length: 880 mm.	100
482	NN pipes	Large amount of different sizes s/s and plastic pipes.	250
483	NN rack with curtain	Steel rack with curtain, dimensions: 2170 mm x 750 mm x 2110 mm.	25
484	NN racks with machine parts	2 aluminum racks with large amount of different parts, dimensions: (1x) 1060 mm x 550 mm x 2000 mm, (1x) 2070 mm x 540 mm x 2000 mm. Amongst other s/s mesh belt, plastic rollers for roller conveyors, drum motor.	150
485	Denios	8 Denios plastic eye and ear protection cabinet, dimensions: (6x) 220 mm x 200 mm x 310 mm.	40
486	NN paper dispenser	Plastic paper dispenser, dimensions: 250 mm x 240 mm x 350 mm.	10
487	NN hair cap dispenser	2 s/s hair net dispensers, dimensions: (2x) 200 mm x 180 mm x 550 mm.	25
488	Witte + Sutor GmbH	Witte + Sutor GmbH led light, model: JobLux 90 LED, number: 451041, 230 V, 50/60 Hz, dimensions: 140 mm x 200 mm x 350 mm.	10
489	NN office inventory	Office inventory, consisting of: (3x) office tables, (2x) cabinets and drawers.	100
490	Mettler Toledo GmbH	Mettler Toledo testers for metal detector, dimensions: 340 mm x 280 mm x 80 mm.	25
491	NN cabinets	2 wooden office cabinets, dimensions: (1x) 1610 mm x 440 mm x 1130 mm, (1x) 1600 mm x 440 mm x 1200 mm. Content not included.	50
492	NN cups	2 pallets with plastic cups, 26 boxes, each box: 396 pieces, each plastic cup dimensions: 275 mm x 130 mm x 55 mm, total dimensions: (1x) 1200 mm x 800 mm x 1810 mm, (1x) 1200 mm x 800 mm x 1420 mm.	50



Nr	Title	Description	Start €
493	NN carton boxes	Pallet with large amount of carton boxes, box dimensions: 330 mm x 290 mm x 220 mm, total dimensions: 1230 mm x 1010 mm x 1270 mm.	50
494	Taihe	1 pallet with large amount of Taihe 25 kg citric acid monohydrate bags, dimensions: 1200 mm x 1000 mm x 650 mm.	50
495	NN film	5 plastic film rolls, film width: (4x) 830 mm, (1x) 1210 mm.	25
497	NN packaging materials	Steel rack with various packaging materials, amongst other bags and labels, dimensions rack: 2070 mm x 540 mm x 2500 mm.	100
498	NN protection frames	5 steel protection frames, dimensions: (2x) 2040 mm x 200 mm x 600 mm, (3x) 1060 mm x 160 mm x 620 mm.	150
499	NN protection poles	3 s/s protection poles, diameter: (3x) 120 mm, height: (3x) 800 mm.	30
500	Cool it	Cool it refrigerated sliding door, type: SR-12H, number: 20 011667 001 01, year of construction: 2020, 230 V, 50/60 Hz, thickness door: 250 mm, dimensions door: 1380 mm x 2280 mm, rail length: 2950 mm.	300
501	Crocco	Crocco evaporator, model: KP 64 E, 230 V, 3.3 A, 690 W, 3 fans, total dimensions: 1600 mm x 900 mm x 300 mm.	100
502	NN rack	3 aluminium racks, 5 floors, dimensions: (1x) 5100 mm x 390 mm x 2000 mm, (2x) 1060 mm x 390 mm x 2000 mm.	150
503	Bitzer Kühlmaschinenbau GmbH	2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (1x) 4FC-3.2Y-40S, (1x) 4VCS-10.2Y-40P, serial number: (1x) 1678807517, (1x) 1678808449, 220/240/380/420 V, 50 Hz, 21 A, capacity: (1x) 34.7/41.9 m³ per hour, (1x) 18.1/21.8 m³ per hour, dimensions: 2000 mm x 1000 mm x 400 mm. Including switch cabinet.	250
504	Zarges GmbH	Zarges GmbH aluminium ladder, 10 steps, dimensions: 800 mm x 60 mm x 3020 mm.	75
505	Zarges GmbH	Zarges GmbH aluminium ladder, 8 steps, dimensions: 350 mm x 60 mm x 2480 mm.	75
506	Zarges GmbH	Zarges GmbH aluminium ladder, (2x) 9 steps, dimensions: 560 mm x 200 mm x 2800 mm.	75
507	Zarges GmbH	Zarges GmbH aluminium ladder, 8 steps, dimensions: 640 mm x 140 mm x 2940 mm.	75
508	NN curtains	Plastic curtains, dimensions: 2540 mm x 2100 mm.	50
509	Niverplast	Niverplast mobile s/s bag holder, dimensions: 630 mm x 550 mm x 1260 mm.	25
510	NN rack		25



Nr	Title	Description	Start €
		Aluminium rack, 2 floors, dimensions: 2070 mm x 540 mm x 2010 mm.	
511	NN bag taper	9 tapers, dimensions: (9x) 300 mm x 200 mm x 250 mm. Including box with extra tape, box dimensions: 330 mm x 230 mm x 300 mm.	25
512	Hacona	Hacona seal bar, type: C-320, serial number: 33722, 230 V, 0.8 A, 175 W, seal bar length: 330 mm, total dimensions: 480 mm x 100 mm x 170 mm.	25
513	Soco System	3 Soco System steel tapers for box closing machine, dimensions: (3x) 400 mm x 100 mm x 480 mm.	25
514	Mediotec	2 Mediotec s/s insect killers, dimensions: 700 mm x 300 mm x 150 mm.	50
515	CSB-System	CSB-System s/s computer cabinet with scanner, dimensions: 520 mm x 480 mm x 900 mm and s/s cabinet, dimensions: 300 mm x 190 mm x 400 mm.	150
516	NN protection poles	3 s/s protection poles, diameter: (3x) 120 mm, height: (3x) 800 mm.	30
517	EMS	EMS refrigerated sliding door, type: GSL-120, number: 10204698/1, year of construction: 2022, thickness door: 220 mm, dimensions door: 1745 mm x 2300 mm, length rails: 3900 mm.	300
518	NN curtains	Plastic curtains, dimensions: 1920 mm x 2400 mm.	50
519	NN rack	S/s rack, 6 floors, total dimensions: 1980 mm x 590 mm x 2100 mm.	50
524	Goedhart	Goedhart evaporator, type: ZFS 135012, number: 97-4589-010, year of construction: 1997, refrigerant: NH3, maximum temperature: 50°C, minimum temperature: -40°C, tube volume: 90 dm ³ , 3 fans, dimensions: 2950 mm x 1200 mm x 780 mm.	250
525	NN hose with pistol	Hose with pistol.	25
526	Mohn GmbH	Mohn GmbH hygiene station with tourniquet, sole cleaner and hand disinfection unit, machine number: 22-61805/2, year of construction: 2022/05, 400 V, 3 Ph, 0.6 kW, brush length: (2x) 1580 mm, total dimensions: 2600 mm x 1040 mm x 1830 mm.	2500
527	Elpek	Elpek tourniquet with hand disinfection unit, dimensions: 1150 mm x 980 mm x 1380 mm.	250
528	NN pegs	S/s frame with pegs, 25 pegs, dimensions: 4700 mm x 830 mm x 1860 mm.	50
529	NN pegs	S/s frame with pegs, 14 pegs, dimensions: 2860 mm x 830 mm x 1860 mm.	50



Nr	Title	Description	Start €
530	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 450 mm x 900 mm.	25
531	NN frame	S/s wall mounted frame, dimensions: 1560 mm x 250 mm x 1640 mm.	10
532	Dyson	S/s sink with 6 faucets and 4 Dyson hand dryers, type hand dryers: (4x) HU03 HV, number: E4T-XD-MMA0335A, E4T-XD-RAA3200A, E4T-XD-NGA0334A, E4T-XD-RGA7091A, 200/240 V, 50/60 Hz, 900 W, 24 lp, total dimensions: 1850 mm x 980 mm x 1360 mm.	500
533	NN cabinets	4 plastic cabinets for hair nets, dimensions: (3x) 200 mm x 150 mm x 380 mm, (1x) 300 mm x 130 mm x 320 mm.	10
534	NN frame	S/s wall mounted frame, dimensions: 1380 mm x 350 mm x 120 mm.	10
535	Mediotec	Mediotec s/s insect killer, dimensions: 500 mm x 350 mm x 160 mm.	25
536	NN mirror	Mirror, dimensions: 500 mm x 600 mm.	10
537	NN trolley	S/s trolley, 13 floors, floor dimensions: 970 mm x 500 mm, total dimensions: 1040 mm x 500 mm x 1790 mm.	50
538	NN hygiene equipment	Hygiene equipment, consisting of:(1x) mirror, dimensions: 600 mm x 390 mm, 3 s/s soap dispensers, dimensions: (3x) 280 mm x 100 mm x 350 mm, (1x) paper dispenser, dimensions: 240 mm x 220 mm x 370 mm.	50
539	NN lockers	12 steel lockers, inside dimensions: (24x) 480 mm x 400 mm x 1620 mm, total dimensions: (12x) 500 mm x 820 mm x 2300 mm.	300
540	NN lockers	Steel locker, inside dimensions: (8x) 470 mm x 280 mm x 920 mm, total dimensions: 1180 mm x 500 mm x 2300 mm.	25
541	NN hygiene equipment	Hygiene equipment, consisting of: 2 mirrors, dimensions: (2x) 900 mm x 390 mm, 3 s/s soap dispenser, dimensions: (3x) 270 mm x 100 mm x 330 mm, 2 paper dispensers, dimensions: (2x) 240 mm x 220 mm x 350 mm.	50
542	NN rack	Aluminium rack, 8 floors, total dimensions: 4360 mm x 360 mm x 2010 mm. Including some shoes and boots.	100
543	NN rack	Aluminium rack, 8 floors, total dimensions: 2810 mm x 360 mm x 350 mm.	50
544	NN lockers	6 steel lockers, inside dimensions: (30x) 330 mm x 470 mm x 1670 mm, total dimensions: (6x) 1530 mm x 500 mm x 2350 mm.	150
545	NN lockers	Steel locker, inside dimensions: (8x) 470 mm x 280 mm x 920 mm, total dimensions: 1180 mm x 500 mm x 1950 mm.	25



Nr	Title	Description	Start €
546	NN lockers	9 steel lockers, inside dimensions: (18x) 480 mm x 400 mm x 1620 mm, total dimensions: (9x) 500 mm x 820 mm x 2300 mm.	225
547	NN lockers	9 steel lockers, inside dimensions: (18x) 480 mm x 400 mm x 1620 mm, total dimensions: (9x) 500 mm x 820 mm x 2300 mm.	225
548	NN lockers	6 steel lockers, inside dimensions: (30x) 330 mm x 470 mm x 1670 mm, total dimensions: (6x) 1530 mm x 500 mm x 2350 mm.	150
549	NN hygiene equipment	Hygiene equipment, consisting of: 3 mirrors, dimensions: (2x) 1200 mm x 390 mm, (1x) 600 mm x 390 mm, 6 soap dispenser, dimensions: (6x) 270 mm x 100 mm x 330 mm, 1 paper dispensers, dimensions: (1x) 240 mm x 220 mm x 350 mm, 1 plastic waste bag holder, dimensions: (1x) 380 mm x 350 mm x 750 mm.	150
550	NN rack	Rack, 6 floors, total dimensions: 810 mm x 340 mm x 2010 mm.	25
551	NN racks	Steel and s/s mobile rack, dimensions: (2x) 1060 mm x 500 mm x 1620 mm.	25
552	Miele	Miele dryer, model: TDA150 C, type: HT19-2, number: 55/125181667, 220/230 V, 50 Hz, 16 A, 2.65/2.85 kW, maximum 15 W, total dimensions: 570 mm x 600 mm x 850 mm.	50
553	Bosch	Bosch washing machine, type: WNM64, number: WGG244M90/01, dimensions: 600 mm x 600 mm x 850 mm.	50
554	NN lockers	Steel locker, inside dimensions: (8x) 470 mm x 280 mm x 920 mm, total dimensions: 1180 mm x 500 mm x 2300 mm.	25
555	NN waste bag holders	4 plastic waste bag holders, dimensions: (2x) 380 mm x 350 mm x 750 mm, (2x) 370 mm x 320 mm x 770 mm.	20
556	NN tables	10 tables with 29 chairs, table dimensions: (6x) 1200 mm x 800 mm x 720 mm, (4x) 800 mm x 800 mm x 720 mm.	100
557	Magnetoplan	Magnetoplan announcement board with letterbox, dimensions announcement board: 900 mm x 70 mm x 1130 mm, dimensions letterbox: 360 mm x 150 mm x 310 mm.	25
558	NN tables	2 tables with 7 chairs, table dimensions: (2x) 1250 mm x 800 mm x 720 mm.	25
559	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 300 mm x 380 mm x 800 mm.	10
560	Mohn GmbH	Mohn GmbH s/s soap dispenser, dimensions: 280 mm x 100 mm x 350 mm	10
561	ATB	ATB electromotor, model: RF 18.5/2-75, 41 A, 22 kW, dimensions: 740 mm x 340 mm x 500 mm.	75



Nr	Title	Description	Start €
562	JBT FoodTech	Pallet with 12 jerrycans with JBT FoodTech synthetic gear oil, FORMULA 420 GEAR, total dimensions pallet: 1200 mm x 800 mm x 540 mm.	100
563	Yale	Yale chain hoist, model: GH, serial number: GH 32287, year of construction: 1998, chain falls: 1 / 2, capacity: 250 / 500 kg, dimensions: 480 mm x 170 mm x 250 mm.	100
564	NN fans	Pallet with 2 fans, dimensions: Ø 740 mm x 200 mm and Ø 520 mm x 200 mm.	50
565	Michelin	4 Michelin tires with rims, size: 205 / 60 R16.	50
566	Dertec	Dertec stainless steel hygienic washdown motor, serial number: 50019731, year of construction: 08-02-2022, weight: 13 kg, 230-400 V, 0,95-1,65 A, 0,37 kW, dimensions: 400 mm x 320 mm x 110 mm.	50
567	Wilo	2 Wilo circulation pumps, type: MVIS806-1/16/K/ 3-400-50-2, 230/400 V, 3 Ph, 50 Hz, 9.7/5.6 A, capacity: 8 m³ per hour, dimensions: 250 mm x 200 mm x 580 mm.	100
568	Nord Drivesystems	Nord Drivesystems electromotor, type: SK 673.1F-90LP/4 CUS TF, 202600670-200, year of construction: 2019, dimensions: 600 mm x 150 mm x 250 mm.	50
569	NN table tops	2 plastic table tops, dimensions: (2x) 1200 mm x 1000 mm x 15 mm.	50
570	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 1000 mm.	25
571	Nieros	Nieros s/s sink, knee control, dimensions: 500 mm x 450 mm x 700 mm, s/s paper dispenser, dimensions: 280 mm x 250 mm x 580 mm, 2 s/s soap dispensers.	75
572	Itec GmbH	Itec GmbH sole cleaner, type: 2385, serie: 019, year of construction: 1993, 380 V, 50 Hz, 0.25 kW, maximum pressure: 6 bar, maximum temperature: 45 °C, brush length: 300 mm, total dimensions: 660 mm x 480 mm x 1070 mm.	250
573	NN screen	S/s mobile screen with plastic curtains, dimensions: 4000 mm x 550 mm x 1940 mm.	100
574	OEG Gerätebau	OEG Gerätebau single-line suction pump unit for supplying up to six oil burners, model: SE 200, serial number: 00045M668, 230 V, 50 Hz, 2.4 A, capacity: 180 liter per hour, dimensions: 680 mm x 400 mm x 730 mm.	150
575	CSB-System	CSB-System control panel, dimensions: 700 mm x 270 mm x 400 mm.	50
576	NN switch cabinets	2 switch cabinets, dimensions: 500 mm x 300 mm x 500 mm and 300 mm x 200 mm x 400 mm.	50
577	NN protection frames		150



Nr	Title	Description	Start €
		Pallet with 7 protection frames, length: (4x) 1050 mm, (2x) 1950 mm and 1 corner.	
578	NN hoses	Pallet with 5 hoses.	150
579	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
580	NN writing desk	S/s writing desk, dimensions: 610 mm x 420 mm x 1180 mm.	75
581	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 1000 mm.	25
582	NN film roll holder	S/s wall mounted film roll holder, dimensions: 1520 mm x 180 mm x 150 mm. Including plastic film roll, width: 1200 mm.	25
583	NN frame	S/s mobile frame with holder for 2x E2-crates, dimensions: 1420 mm x 880 mm x 800 mm. Missing plastic worktop.	100
584	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 470 mm x 940 mm.	25
585	NN frame	S/s mobile frame with holder for 2x E2-crates, dimensions: 1420 mm x 880 mm x 800 mm. Missing plastic worktop.	100
586	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 470 mm x 940 mm.	25
587	Labelmate	S/s trolley with Labelmate label rewinder, type: 4065-005, serial number: 13009, dimensions: 320 mm x 220 mm x 240 mm, dimensions trolley: 770 mm x 620 mm x 1070 mm.	25
588	Mettler-Toledo GmbH	Mettler-Toledo weighing scale on s/s frame, type indicator: IND930SQC Desk, serial number: C037033642, 100-240 V, 50/60 Hz, 650-275 mA, maximum weight: 3/6/15 kg, minimum weight: 0.02 kg, e= 1/2/5 gram, dimensions scale: 350 mm x 280 mm, total dimensions: 1000 mm x 450 mm x 1170 mm. Screen damaged.	150
589	NN curtains	Plastic curtains, dimensions: 1800 mm x 2550 mm.	50
590	K+G Wetter	K+G Wetter grinder, type: AW E 130, machine number: 404/1062, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 20 A, 9 kW, plate diameter: 130 mm, total dimensions: 1500 mm x 800 mm x 1300 mm. Including crate with plates and knives.	3500
591	NN table	S/s table, dimensions: 600 mm x 500 mm x 800 mm.	25
592	GGM Gastro GmbH	GGM Gastro GmbH mobile double shaft paddle mixer, model: MM 135, serial number: M135.2.0422-010, year of construction: 2022, 380 V, 50-60 Hz, 1.5 kW, capacity: 100 kg / 100 liter, dimensions: 1100 mm x 700 mm x 1400 mm.	1000



Nr	Title	Description	Start €
593	NN table	S/s mobile table, plastic top, dimensions: 1200 mm x 600 mm x 830 mm.	50
594	NN hose reels	2 s/s wall mounted hose reels, dimensions: (2x) 250 mm x 200 mm x 250 mm. Including hoses.	25
595	NN infeed slide	S/s mobile infeed slide, dimensions: 1350 mm x 880 mm x 1300 mm.	150
596	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: PI 100, machine number: 23492, 380 V, 32 A, 100 needles, plastic mesh belt, belt width: 580 mm, clearance: 600 mm x 210 mm, total dimensions: 2450 mm x 1350 mm x 2200 mm. Including Günther Maschinenbau GmbH filter tub, type: GRF 400R, machine number: 23 492, 380 V, dimensions filter tub: 2100 mm x 700 mm x 770 mm and s/s trolley with parts, dimensions trolley: 1040 mm x 550 mm x 1930 mm.	2500
597	NN table	S/s table, dimensions: 1200 mm x 700 mm x 940 mm.	150
598	Challenge RMF	Challenge RMF vacuum tumbler with lifter for 200 liter meat bins, type: MM-2/LD-2, machine number: 5092, year of construction: 1995, dimensions drum: Ø 1300 mm x 2700 mm, Busch vacuum pump, model: KB 0040 D, year of construction: 2022, capacity: 40 m³ per hour, total dimensions: 4000 mm x 2050 mm x 1950 mm.	1500
599	NN sink	S/s sink, knee control, dimensions: 500 mm x 450 mm x 700 mm, s/s paper dispenser, dimensions: 280 mm x 250 mm x 580 mm, 2 s/s soap dispensers.	150
600	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 1000 mm.	25
601	NN hose reel	S/s wall mounted hose reel, dimensions: 250 mm x 200 mm x 250 mm. Including hose.	10
602	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
603	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, name: S-GHF 045.2F/14-ANW50.E, serial number: 404572110/26.03982, year of construction: 2017, 2.2 A, volume: 4.8 liter, dimensions: 1350 mm x 600 mm x 620 mm.	150
604	NN curtains	Plastic curtains, dimensions: 2000 mm x 2050 mm. Including s/s sliding rails, length rails: 3850 mm.	50
605	NN writing desk	S/s mobile writing desk, dimensions: 630 mm x 610 mm x 1260 mm.	75
606	NN waste bag holder	S/s waste bag holder, foot control, dimensions: 500 mm x 400 mm x 1000 mm.	25
607	NN protection pole		10



Nr	Title	Description	Start €
		S/s protection pole, diameter: 120 mm, height: 800 mm.	
608	Kelvion	Kelvion evaporator, 1 fan, type/model: KSC-301-3RE-HX32-1, number: 4661.30-31.P, year of construction: 2021, 230 V, 1 Ph, 50/60 Hz, 1.6 kW, volume: 1.8 liter, dimensions: 800 mm x 450 mm x 400 mm.	100
609	Ftnon	FTNON onion peeling line, consisting of: Allen Bradley infeed bunker, plastic belt, belt width: 450 mm, infeed clearance: 1170 mm x 480 mm, total dimensions: 1500 mm x 1020 mm x 2300 mm. Ftnon onion peeler, type: 20062658, machine number: 12170728, year of construction: 2018, plastic belt with dividers, belt width: 300 mm, dividers height: 70 mm, dividers length: 130 mm, distance between dividers: 230 mm, clearance: 200 mm x 240 mm, diameter circular saw: (2x) 200 mm, total dimensions: 5850 mm x 1220 mm x 2300 mm. Inspection conveyor, plastic belt, belt width: 280 mm, plastic rollers, roller length: 2500 mm, total dimensions: 3100 mm x 950 mm x 1230 mm. Elevating belt, plastic belt with dividers, belt width: 360 mm, dividers height: 50 mm, distance between dividers: 200 mm, elevating height: 1600 mm, total dimensions: 2450 mm x 640 mm x 1920 mm.	15000
610	Glass	Glass mobile flattener, model: SPR 420, number: 2218, plastic belts, belt width: (2x) 420 mm, s/s mesh outfeed belt, belt width: 400 mm, total dimensions: 2200 mm x 710 mm x 1600 mm.	1500
611	NN meat ball roller	Meat ball roller used for 400 MM forming machine, s/s mesh belt, belt width: 400 mm, total dimensions: 2500 mm x 770 mm x 1930 mm.	500
612	NN frame	S/s frame with 2 plastic plates, dimensions: 650 mm x 410 mm x 80 mm.	25
613	NN infeed slide	S/s mobile infeed slide, dimensions: 1450 mm x 1060 mm x 1230 mm.	150
614	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. mobile batter mixer, type: MK 200 V, machine number: 638, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 5.5 A, 1.37 kW, weight: 148 kg, volume: 200 liter, dimensions: 1050 mm x 800 mm x 1340 mm.	1500
615	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. mobile coating machine, type: ER400, number: 1206, year of construction: 1995, s/s mesh belt, belt width: 400 mm, total dimensions: 1800 mm x 700 mm x 2050 mm.	1500
616	NN transport belt		250



Nr	Title	Description	Start €
		Mobile transport belt, s/s frame, plastic mesh belt, belt width: 290 mm, total dimensions: 1800 mm x 900 mm x 1400 mm.	
617	Nock Maschinenbau GmbH	Nock Maschinenbau GmbH mobile strip cutter, type: CB435 4E, machine number: 1455980, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.73 kW, plastic belt, belt width: 370 mm, working width: 430 mm, 19 knives, distance between knives, 15 mm, total dimensions: 1670 mm x 720 mm x 1480 mm.	3000
618	FAM	FAM mobile dicer, type: P.M.D-2D, number: 5197, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 7.5 kW, weight: 450 kg, plastic belt, belt width: 270 mm, 29 knives, distance between knives: 7 mm, total dimensions: 2400 mm x 850 mm x 1680 mm. Including s/s tool trolley, dimensions trolley: 900 mm x 550 mm x 970 mm.	2500
619	Mettler Toledo Safeline / Loma Systems	Mettler Toledo Safeline / Loma Systems metal detector, serial number: EMC50744-01818D, year of construction: 2005, 380 V, 3 Ph, 50 Hz, 1.2 A, plastic mesh belt, belt width: 500 mm, clearance: 550 mm x 140 mm, total dimensions: 2300 mm x 1100 mm x 1200 mm.	2500
620	Thompson Meat Machinery	Thompson Meat Machinery mobile mixer-grinder, type: 3200, serial number: 3200-M-12, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 25 A, 11.4 kW, 1445 rates per minute, volume: 300 liter, plate diameter: 130 mm, total dimensions: 1560 mm x 1500 mm x 1800 mm.	3500
622	NN pegs	S/s wall mounted frame with 5 pegs, dimensions: 1000 mm x 260 mm x 60 mm.	10
623	NN kitchen inventory	Kitchen inventory, consisting of: s/s pan, s/s whisk and s/s scraper.	25
624	NN hose reel	S/s wall mounted hose reel, dimensions: 250 mm x 200 mm x 250 mm.	10
625	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH evaporator, 4 fans, type/model: DPA 044 DECKEN-LUFTK COMFORT, article number: 2124.044, year of construction: 2002, 230 V, 1 Ph, 50 Hz, volume: 14.60 liter, dimensions: 2600 mm x 900 mm x 250 mm.	250
626	Mediotec	Mediotec s/s insect killer, dimensions: 700 mm x 300 mm x 150 mm.	25
627	NN wall frame	Plastic wall mounted frame, dimensions: 250 mm x 200 mm x 250 mm.	10
628	Walter Roller GmbH & Co	Walter Roller GmbH & Co evaporator, type: HVST 806, 1 fan, dimensions: 780 mm x 500 mm x 530 mm.	50
629	Walter Roller GmbH & Co		50



Nr	Title	Description	Start €
		Walter Roller GmbH & Co evaporator, type: HVST 806, 1 fan, dimensions: 780 mm x 500 mm x 530 mm.	
630	NN protection pole	S/s protection pole, diameter: 120 mm, height: 800 mm.	10
631	NN office inventory	Office inventory, consisting of: 2 desks, dimensions: 1500 mm x 750 mm x 760 mm and 1600 mm x 800 mm x 760 mm, 4 cabinets, dimensions: 750 mm x 420 mm x 730 mm, 1200 mm x 420 mm x 930 mm, 1500 mm x 500 mm x 1950 mm and 930 mm x 500 mm x 1950 mm and 2 office chairs.	100
632	NN coat hangers	3 s/s wall mounted coat hangers, 5 pegs each hanger, total dimensions: (3x) 650 mm x 110 mm x 160 mm.	10
633	NN bolts and nuts	Steel cabinet with large amount of various bolts and nuts, dimensions cabinet: 1100 mm x 540 mm x 1950 mm and steel locker, dimensions locker: 1230 mm x 500 mm x 1850 mm.	75
634	NN parts	3 racks with large amount of parts, among others: s/s mesh belts, belt width: 620 mm / 600 mm / 500 mm / 400 mm / 320 mm, various electro motors, drum motors, plastic belts, belt width: 400 mm, wheels, gearings, dimensions racks: (2x) 4000 mm x 500 mm x 2000 mm and 4000 mm x 300 mm x 2000 mm.	1250
635	NN oil and lubricant	Rack with large amount of various oils and lubricants, dimensions rack: 2000 mm x 400 mm x 2500 mm.	50
636	Seine / In-Lab	Seine plastic tub used for demi water, dimensions tub: 450 mm x 350 mm x 500 mm with In-Lab water filter, model: Aquademat.	25
637	NN parts	2 racks with large amount of parts, among others: 2 Visolux lasers, sockets, cables, various motors, frequency convertors and light fixtures, dimensions racks: 2000 mm x 600 mm x 2600 mm and 3000 mm x 400 mm x 2000 mm.	750
638	Still	Still electrical pallet lifter, fork length: 1200 mm, total dimensions: 1820 mm x 740 mm x 1400 mm. Including Tricom battery charger, type: E 230 G 24/40 Wa.	500
639	Linde Material Handling	Linde Material Handling electric pallet lifter, fork length: 1150 mm, distance between forks: 180 mm, fork width: 540 mm, lifting height: 1810 mm, total dimensions: 1900 mm x 730 mm x 1380 mm. Including LifeTech battery charger.	500
640	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00281, year of	500



Nr	Title	Description	Start €
		construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 2010 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including Enersys S.A.R.L battery charger.	
641	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00285, year of construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 1710 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including Enersys S.A.R.L battery charger.	500
642	Jungheinrich	Jungheinrich electrical pallet lifter, fork length: 1180 mm, total dimensions: 2130 mm x 740 mm x 1400 mm. Including Jungheinrich battery charger, 24 V.	500
643	Tork / Gebra	Tork paper dispenser and Gebra safety box for glasses.	10
644	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00280, year of construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 2010 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including Enersys S.A.R.L battery charger.	500
645	Gaerner	Gaerner steel cabinet, dimensions: 950 mm x 420 mm x 1950 mm.	25
646	Jungheinrich	Jungheinrich pallet lifter, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1550 mm x 550 mm x 1230 mm.	75
647	Yale	Yale chain hoist, model: GH, serial number: GH 11787R, year of construction: 1990, chain falls: 1 / 2, capacity: 250 / 500 kg, dimensions: 480 mm x 170 mm x 250 mm.	75
648	Bartscher GmbH	Bartscher GmbH insect killer, model: IV-65, serial number: 4500054547, year of construction: 09/2022, 220-240 V, 50-60 Hz, 45 W, dimensions: 650 mm x 100 mm x 370 mm.	10
649	NN grease pumps	3 grease pumps.	10
650	NN welding table	Steel welding table, dimensions: 1500 mm x 1000 mm x 810 mm.	150
651	NN grids and gutters	Pallet with s/s grids and s/s gutters, total dimensions: 1200 mm x 800 mm x 300 mm.	100
652	NN drains	Pallet with 3 s/s drains, total dimensions: 2050 mm x 1000 mm x 810 mm.	100



Nr	Title	Description	Start €
653	NN welding table	Steel welding table, dimensions: 1760 mm x 1080 mm x 820 mm.	150
654	Sabroe	Sabroe screw cooling compressor, type: SAB 83, number: 129957, year of construction: 2004, volume: 1603 m ³ per hour, refrigerant: R717 / NH3, nominal speed: 3600 U/min, dimensions: 3900 mm x 1250 mm x 2150 mm.	3500
655	York Refrigeration	York Refrigeration screw cooling compressor, type: SAB 83, number: 118957, year of construction: 2001, volume: 1331 m ³ per hour, refrigerant: R717 / NH3, nominal speed: 2950 RPM, dimensions: 3150 mm x 1300 mm x 1600 mm. Including pressure vessel, volume: 675 liter, dimensions vessel: 800 mm x 800 mm x 2150 mm.	3500
656	ABB Stal Refrigeration	ABB Stal Refrigeration screw cooling compressor, type: S26B, number: 119688, year of construction: 1994, refrigerant: NH3, dimensions: 1550 mm x 1450 mm x 2400 mm.	2500
657	Stal Refrigeration AB	Stal Refrigeration AB screw cooling compressor, type: SVA26E E0E CDC 0BB, number: U108404, year of construction: 1991, volume: 700 m ³ per hour, refrigerant: NH3, type compressor: S26A-25, dimensions: 1600 mm x 1000 mm x 2420 mm.	2500
658	Stal-Astra GmbH	Stal-Astra GmbH insulated steel NH3 separation vessel, type: NH3 ABSCHIEDER, serial number: 91 1574/2, year of construction: 1991, volume: 4300 liter, medium: NH3, dimensions: 4100 mm x 1400 mm x 1400 mm. Including ammonia pumps.	1500
659	Stal-Astra GmbH	Stal-Astra GmbH insulated steel NH3 separation vessel, type: NH3 ABSCHIEDER, serial number: 91 1574/1, year of construction: 1991, volume: 3000 liter, medium: NH3, dimensions: 4100 mm x 1100 mm x 1100 mm. Including ammonia pumps.	1500
660	Arctos	Arctos de-aerating device, type: ARLEX ND, manufacturer number: 32210, ARLEX (ND) 074, year of construction: 2018, refrigerant: R717, dimensions: 570 mm x 400 mm x 1100 mm.	250
661	NN switch cabinet	Switch cabinet for complete cooling installation with Siemens HMI control panel, dimensions: 4800 mm x 630 mm x 2200 mm.	1500
662	Rittal / WEG	Rittal switch cabinet with WEG frequency convertor, dimensions: 1000 mm x 600 mm x 2280 mm.	500
663	Linn-Pumpen GmbH	Linn-Pumpen GmbH flexible impeller pump on steel trolley, dimensions trolley: 980 mm x 500 mm x 1000 mm.	150
664	Denios	Denios steel safety container, type: SteelSafe 1 F S, serial number: 0121, year of construction: 2022,	150



Nr	Title	Description	Start €
		material: 1.0038, load capacity: 400 kg, sump volume: 220 liter, gross sump volume: 240 liter, dimensions: 850 mm x 700 mm x 2000 mm.	
665	Zarges GmbH	Zarges GmbH ladder, 12 steps, weight: 7.1 kg, capacity: 150 kg, dimensions: 350 mm x 60 mm x 3610 mm.	75
666	Gebra	Gebra wall mounted dispenser for ear protection, dimensions: 220 mm x 100 mm x 210 mm.	5
667	Sabroe	Sabroe reciprocating piston cooling compressor, type: SMC112L, number: 164069, year of construction: 2019, speed: 1500 m ³ per hour, volume: 848 m ³ per hour, refrigerant: R717, dimensions: 3350 mm x 1300 mm x 1520 mm. Switch cabinet, dimensions: 500 mm x 410 mm x 2180 mm.	7500
668	NN rack	Aluminium rack with large amount of different parts, among others: Danfoss thermometers and Mann filters.	150
669	Unicraft	Unicraft mobile fan, type: MV 50, serial number: 0125, year of construction: 2020, 230 V, 1100 W, dimensions: 680 mm x 480 mm x 740 mm.	25
670	NN rack	Aluminium rack with large amount of different parts, among others: Hygel jerry cans, drip tray, drip tray type: CW2, number: 5930193, year of construction: 2022, volume: 200 liter, dimensions: 1250 mm x 870 mm x 340 mm, dimensions rack: 640 mm x 1060 mm x 2020 mm.	100
671	FSP-Tech GmbH	FSP-Tech GmbH eye safety shower, serial number: 112 XXXX, year of construction: 2019, 230 V, 175 W, 10 bar, dimensions: 950 mm x 370 mm x 460 mm.	75
672	NN drip tray	Steel drip tray, dimensions: 1360 mm x 1300 mm x 2250 mm. Without IBC tank.	100
673	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 750 mm x 350 mm x 750 mm.	75
674	NN rack	Aluminium rack with large amount of different parts, among others: fans, switch cabinets, dimensions: 3820 mm x 440 mm x 2010 mm.	150
675	MAN	MAN truck, type: 669, number: TGA 26.430, year of construction: 1999, fuel: Diesel, weight: 26000 kg, Schmidt Cargobull Technik cooling truck box body, type: MKO, year of construction: 2007, Thermo King cooling unit, model: T-1000R, capacity: 37 pallets, total dimensions: 10050 mm x 2800 mm x 3860 mm.	7500
676	2G Energietechnik GmbH	2G Energietechnik GmbH generator in container, type: agenitor 406, serial number: CO0913C-ELLB-250614, year of construction: 2013, 400 V,	17500



Nr	Title	Description	Start €
		50 Hz, 361 A, 250 kW, machine weight: 5260 kg, dimensions generator: 4600 mm x 1400 mm x 2300 mm, 2 Roth steel tanks, double jacketed, model: DWT plus 3, type: 1000, volume: 1000 liter, Neostar roof condenser, 1 fan, total dimensions container: 9500 mm x 2950 mm x 3000 mm. Including exhaust pipes and chimney.	
677	NN tank	Isolated steel tank, dimensions: 3000 mm x 3000 mm x 8890 mm.	1500
678	Lennox	Lennox roof condenser, model: FC SN08DL01D2 1C4 25 B, serial number: CR0088, 400 V, 3 Ph, 50/60 Hz, 1 fan, dimensions: 2320 mm x 1230 mm x 1170 mm.	250
679	Lennox	Lennox roof condenser, model: FC SN08DL01D2 1C4 25 B, serial number: CR0089, 400 V, 3 Ph, 50/60 Hz, 1 fan, dimensions: 2320 mm x 1230 mm x 1170 mm.	250
680	NN 40ft container	40ft container, type: SC40-37B, year of construction number: KSCF 92000, dimensions: 12190 mm x 2440 mm x 2590 mm. Without content.	1500
681	NN safety cabinet	Steel safety cabinet with drip tray, dimensions: 1440 mm x 1420 mm x 1620 mm. Including content.	150
682	Denios	Denios steel safety cabinet, type: SteelSafe 2L, serial number: 100664423-007, year of construction: 2022, load capacity: 4000 kg, sump volume: 1000 liter, dimensions: 2750 mm x 1400 mm x 1870 mm. Including content.	250
683	Graf	Graf filling cabinet, number: 007347, year of construction: 2023, volume: 475 liter, dimensions: 2500 mm x 600 mm x 600 mm.	1000
684	NN beams	8 steel beams for pallet rack, length: (8x) 2650 mm.	50
685	Jungheinrich	Jungheinrich steel pallet rack, type: S, number: 1112017504, year of construction: 2007, consisting of: 5 uprights, dimensions: (5x) 1100 mm x 90 mm x 2700 mm, 16 beams, beam length: (16x) 2880 mm, total dimensions: 11620 mm x 1100 mm x 2700 mm. IBC tanks not included.	150
686	Bosch	Bosch steam boiler installation built-in container, consisting of: Bosch steam boiler, type: ECO1, serial number: 1112540, year of construction: 09/2013, maximum pressure: 31 bar, test pressure: 56 bar, maximum temperature: 238°C, volume: 27 liter, Bosch boiler tank, type: UL-S 1250, serial number: 115369, year of construction: 09/2013, maximum pressure: 10	15000



Nr	Title	Description	Start €
		bar, test pressure: 19 bar, maximum temperature: 184°C, steam capacity: 1250 kg per hour, volume: 2320 liter, Max Weishaupt GmbH burner, type burner: WN-G10/4-A, number: 40193448, year of construction: 2013, capacity: 1250 kW, gas type: N, dimensions: 4100 mm x 1800 mm x 2430 mm. Dehaust plastic tank, volume: 2000 liter, dimensions: 2050 mm x 720 mm x 1650 mm, reverse osmose unit, type: UO 1200 ND, number: 381121, year of construction: 2013, 400 V, 50 Hz, 2.2 kW, minimum temperature: 5°C, maximum temperature: 35°C, dimensions: 700 mm x 640 mm x 1600 mm. Grundfos circulation pump, type: GT-H-60 H, model number: PWB-9FS-60LH, serial number: 000961, year of construction: 2013, dimensions: 500 mm x 350 mm x 800 mm. Georg Hagelschuer insulated tank, name: Speisewasserbehälter, number: 13-00934-B01, year of construction: 2013, volume: 1000 liter, working pressure: 0.5 bar, working temperature: 110°C, dimensions: 1950 mm x 1000 mm x 1050 mm. Including Udo Blaschczok GmbH chimney, diameter: 350 mm, height: 10000 mm. Total dimensions container: 10000 mm x 3000 mm x 3200 mm.	
687	HTT Energy GmbH / Weishaupt GmbH	HTT thermic oil installation consisting of: HTT Energy GmbH thermic oil boiler, type: Wtö 300-30-1-H, serial number: 8.1.4456, year of construction: 2013, 300 kW, 15.9m³ per hour, volume: 155 V, maximum temperature: 300°C, maximum operation temperature: 300°C, maximum pressure: 10 bar, Max Weishaupt GmbH burner, burner type: WM-G10/2-A, number: 40192808, year of construction: 2013, capacity: 630 kW, gas: N, dimensions: 2380 mm x 1100 mm x 1350 mm. HTT Energy GmbH thermic oil tank, type: SAB 1000-1-0.5-H, number: 6.5.1514, year of construction: 2013, volume: 1000 liter, maximum temperature: 300°C, maximum operation temperature: 300°C, maximum pressure: 0.5 bar, test pressure: 0.55 bar, dimensions: 1950 mm x 850 mm x 1060 mm. Rittal switch cabinet, dimensions: 1000 mm x 570 mm x 750 mm. KSB circulation pump for thermic oil, type: ETANORM SYT 032-200 SYT8, diameter: 193 mm, dimensions: 920 mm x 300 mm x 380 mm. Batiscaphe Chimney	7500
688	NN heat exchanger tubes	2 s/s heat exchanger tubes, dimensions: (2x) 1250 mm x 180 mm x 180 mm.	200



Nr	Title	Description	Start €
689	NN tanks	3 isolated tanks for warm water, dimensions: (3x) Ø 1100 mm x 1900 mm.	1500
690	Apparatebau Wärmetechnik GmbH	2 Apparatebau Wärmetechnik GmbH heat exchangers, type: V125/2/2, number: 8272, year of construction: 2009, maximum pressure: 10 bar, volume: 5/14 liter, dimensions: (2x) 1600 mm x 550 mm x 350 mm.	500
691	HTT Energy GmbH	HTT Energy GmbH container, dimensions: 8900 mm x 3000 mm x 2600 mm.	1500
692	NN cooling compressor	Cooling compressor, dimensions: 500 mm x 420 mm x 480 mm.	150
693	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG roof condenser, 2 fans, dimensions: 2250 mm x 1150 mm x 1100 mm.	350
694	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH roof condenser, type: CA.05-1X2G OHNE VENT .E. LAGERP, number: 3030.05G12, year of construction: 2010, 2 fans, dimensions: 2500 mm x 950 mm x 930 mm.	400
695	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH roof condenser, type: CA.05-1X1G OHNE VENT .E. LAGERP, number: 3030.05G11, year of construction: 2010, 1 fans, dimensions: 1400 mm x 900 mm x 930 mm.	250
696	Evapco Europe BVBA	Evapco Europe BVBA evaporative condenser, model: 4x12-10R/37T, serial number: 17-816266-B, year of construction: 2017, 1 fan, volume: 613 liters, fluid: R-717, working pressure: -1/24.0 bar, design temperature: -10°C to +140°C, minimum/maximum working temperature: -10°C to +120°C, dimensions: 3650 mm x 2400 mm x 4500 mm.	7500
697	Evapco Europe BVBA	Evapco Europe BVBA evaporative condenser, model: 4x12-8R/37T, serial number: 16-795613, year of construction: 2016, 2 fans, volume: 496 liters, fluid: R-717, working pressure: 24.0 bar, design temperature: -10°C to +140°C, minimum/maximum working temperature: -10°C to +120°C, dimensions: 3700 mm x 1600 mm x 3070 mm.	5000
698	NN dispensers	2 s/s hair net dispensers, dimensions: (2x) 200 mm x 180 mm x 550 mm, mirror, dimensions: 500 mm x 600 mm, peg, length: 1200 mm.	25
699	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH galvanized rack, 5 floors, dimensions: 1600 mm x 440 mm x 2000 mm. Including content, amongst other: Foodline EW-Armstulpen.	75
700	NN first aid bed	First aid bed with chair, dimensions bed: 1900 mm x 660 mm x 720 mm.	25
701	Barrex Lagertechnik GmbH		75



Nr	Title	Description	Start €
		Barrex Lagertechnik GmbH galvanized rack, 6 floors, dimensions: 2070 mm x 550 mm x 2500 mm. Including printed and unprinted labels.	
702	NN first aid cabinet	Steel first aid cabinet, dimensions: 600 mm x 520 mm x 1800 mm.	25
703	NN office inventory	Office inventory, among others: office table, dimensions: 2000 mm x 1200 mm x 720 mm, 2 wooden cabinets, dimensions: (1x) 600 mm x 440 mm x 1920 mm, (1x) 400 mm x 420 mm x 2080 mm, heater, dimensions: 650 mm x 200 mm x 430 mm.	50
704	NN office inventory	Office inventory, among others: office tables, cabinets and chair.	50
705	Korona	Korona microwave, type: Y42, 230 V, 50 Hz, 700/1150 W, dimensions: 430 mm x 300 mm x 270 mm.	5
706	NN rack	Aluminium rack, 6 floors, dimensions: 2070 mm x 330 mm x 2000 mm.	25
707	NN table	Steel table with wooden top, dimensions: 1300 mm x 650 mm x 740 mm.	5
708	NN office inventory	Office inventory, among others: office table, dimensions: 1850 mm x 1250 mm x 730 mm, chair, board, shredder and cabinets.	50
709	NN office inventory	Office inventory, among others: office table, dimensions: 1600 mm x 800 mm x 710 mm, HSM shredder, model: HSM 125.2, serial number: 220074176, 230 V, 50 Hz, 2 A, 460 W, cut: 3.9 mm, dimensions: 440 mm x 350 mm x 770 mm, board, dimensions: 900 mm x 10 mm x 1200 mm.	25
710	NN cabinets	3 wooden cabinets, dimensions: (2x) 1200 mm x 430 mm x 1150 mm and 1000 mm x 450 mm x 650 mm.	75
711	NN lockers	2 steel lockers, (1x) 4 doors, inside dimensions: (4x) 390 mm x 470 mm x 1730 mm, (1x) total dimensions: 1600 mm x 520 mm x 1800 mm, (1x) 8 doors, inside dimensions: (8x) 470 mm x 340 mm x 1670 mm, total dimensions: (1x) 2450 mm x 500 mm x 1850 mm.	75
712	NN soap dispenser	S/s soap dispenser, dimensions: 260 mm x 100 mm x 360 mm.	10
713	NN tub	Plastic tub, dimensions: 530 mm x 600 mm x 570 mm.	10
714	NN racks	3 racks, dimensions: (1x) 1610 mm x 410 mm x 1800 mm, (1x) 2070 mm x 320 mm x 1850 mm, (1x) 2080 mm x 540 mm x 2000 mm.	75
715	NN racks	3 racks, dimensions: (1x) 3080 mm x 540 mm x 2000 mm, (1x) 2060 mm x 540 mm x 2000 mm, (1x) 4080 mm x 440 mm x 2000 mm.	75



Nr	Title	Description	Start €
716	Zebra	Zebra label printer, model: 170XIIIltm, serial number: 7079784, dimensions: 600 mm x 300 mm x 400 mm.	25
717	NN rack	Aluminium rack, 4 floors, total dimensions: 1060 mm x 440 mm x 1850 mm.	25
718	NN cabinet	Wooden cabinet, 4 floors, total dimensions: 800 mm x 420 mm x 1210 mm.	5
719	NN table with benches	Wooden table with benches, table dimensions: 1700 mm x 800 mm x 760 mm, benches dimensions: (2x) 1900 mm x 540 mm x 840 mm.	75
720	GEA Küba	GEA Küba roof condenser, model: AXL 40 L 1/2 V, number: 90532/ 10/1 /92, 2 fans, dimensions: 1880 mm x 730 mm x 1000 mm.	250
721	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 830 mm x 700 mm x 680 mm.	75
722	DWM Copeland	DWM Copeland cooling compressor, model: D2DL3-40X-AWM/C, serial number: 1973705, year of construction: 2002, 380/420 V, 3 Ph, 50 Hz, 50/55 A, maximum pressure: 28/22.5 bar, dimensions: 1500 mm x 1170 mm x 770 mm.	150
723	Tecumseh	Tecumseh cooling compressor, model: TAGT4537Y HR, serial number: 18G24 141717 3H80730211, 400/440 V, 3 Ph, 50/60 Hz, 6.03/7 A, refrigerant: R-513A, dimensions: 600 mm x 600 mm x 540 mm.	75
724	Tecumseh	Tecumseh cooling compressor, model: TFH4518Y, serial number: 7566630100, 400/440 V, 3 Ph, 50/60 Hz, 3.3/3.4 A, refrigerant: R-134A, dimensions: 600 mm x 480 mm x 450 mm.	75
725	Rational	Rational combi steamer, 6 floors, floor dimensions: 540 mm x 330 mm, total dimensions: 900 mm x 760 mm x 1550 mm.	400
726	ALTO-Shaam	ALTO-Shaam combi steamer, model: 6.10 ESIN/SK, serial number: 762777-000, 380/415 V, 3 Ph, 50 Hz, 11700 W, 6 floors, floor dimensions: 500 mm x 330 mm, total dimensions: 900 mm x 850 mm x 710 mm.	500
727	NN kitchen	Complete s/s kitchen, consisting of: Fryer, inside dimensions: 320 mm x 300 mm, Induction plate, plate dimensions: 580 mm x 490 mm, Isytech dishwasher, crate dimensions: 500 mm x 500 mm, dimensions dishwasher: 730 mm x 570 mm x 1040 mm, S/s extractor hood, dimensions: 2860 mm x 900 mm x 650 mm, S/s wall mounted cabinet, dimensions: 1430 mm x 400 mm x 600 mm, S/s sink, dimensions: 1470 mm x 700 mm x 930 mm, Counter, dimensions: 3300 mm x 800 mm x 910 mm.	1500



Nr	Title	Description	Start €
728	MIVEG GmbH	MIVEG GmbH skewering machine, dimensions: 530 mm x 230 mm x 170 mm.	75
729	NN tables	2 tables with 6 chairs, table dimensions: (2x) 1200 mm x 800 mm x 720 mm.	50
730	NN frames	5 aluminium frames, dimensions: (5x) 600 mm x 400 mm x 110 mm.	10
731	NN office inventory	Office inventory, among others: 3 office tables, dimensions: (1x) 1800 mm x 1000 mm x 720 mm, (1x) 2000 mm x 1200 mm x 720 mm, (1x) 1200 mm x 800 mm x 720 mm, different sizes cabinets.	100
732	NN white board	White board, dimensions: 1500 mm x 30 mm x 1000 mm.	10
733	Bosch	Bosch freezer, 6 floors, dimensions: 590 mm x 600 mm x 1460 mm.	75
734	NN rack	Aluminium rack with spices, 5 floors, dimensions: 1060 mm x 650 mm x 2000 mm.	25
735	Treif Maschinenbau GmbH	4 knives for Treif Maschinenbau GmbH slicer, dimensions: (4x) 550 mm x 350 mm.	100
736	Denios	7 Denios safety cabinets, dimensions: 240 mm x 200 mm x 300 mm.	35
737	NN hoses	3 hose reels with hoses, hydraulic hoses and electric cable.	50
738	NN table	S/s table, dimensions: 920 mm x 450 mm x 660 mm.	25
739	NN cable gutters	Various cable gutters, different lengths.	25
740	NN frames for stairs	2 frames for stairs, dimensions: 1200 mm x 860 mm.	50
741	NN lids for meat bins	3 s/s lids for meat bins, dimensions: (3x) 700 mm x 750 mm.	75

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

