



**Industrial  
Auctions**

**2001: Online auction machinery and inventory for  
the food industry due to closing production location  
Struik in Voorthuizen (NL)**

**END DATE**  
03 December 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	03 December 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	16 December 2025 from 09:00 till 16:00 hrs. Some lots can only be dismantled once the building is demolished. For more information, please contact: <a href="mailto:frank@industrial-auctions.com">frank@industrial-auctions.com</a>
Pick up address	Voorthuizerweg 9 3862 PZ Nijkerk Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Nieros	Nieros s/s sink with s/s table, knee control, total dimensions: 1430 mm x 450 mm x 680 mm. Including 2 s/s soap dispensers and s/s paper dispenser.	50
2	NN writing desk	S/s wall mounted writing desk and s/s clipboard, dimensions writing desk: 600 mm x 500 mm x 200 mm.	25
3	NN tool rack	S/s wall mounted frame for tools, dimensions: 980 mm x 210 mm x 120 mm.	5
4	NN clipboard	S/s wall mounted clipboard, dimensions: 1000 mm x 450 mm.	5
5	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel and plastic fire extinguisher cabinet, dimensions fire hose reel: 730 mm x 180 mm x 940 mm, dimensions fire extinguisher cabinet: 320 mm x 270 mm x 830 mm. Fire extinguisher is missing.	50
6	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
7	NN hose	Hose with Gardena control unit, dimensions: 500 mm x 230 mm x 200 mm.	10
8	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	10
9	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
10	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: HS9030GHY, serial number: NL62313, year of construction: 11-2019, door size: 2500 mm x 3600 mm.	500
11	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
12	Kelvion	Kelvion evaporator, 2 fans, dimensions: 2200 mm x 600 mm x 700 mm.	100
13	Kelvion	Kelvion evaporator, 2 fans, dimensions: 2200 mm x 600 mm x 700 mm.	100
14	Vaporcord/Alim	Vaporcord/Alim hose, Ø hose: 50 mm.	5
15	Legamaster	Legamaster whiteboard, dimensions: 1800 mm x 900 mm x 25 mm.	5
16	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electrical high speed shutter door, type: HS9030GHY, serial number: NL66136, year of construction: 11-2020, door size: 3500 mm x 3250 mm.	500
17	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
18	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
19	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
20	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
21	Gloria Smeba/BTN		50



Nr	Title	Description	Start €
		S/s cabinet with Gloria Smeba fire hose reel and plastic cabinet with BTN fire extinguisher , dimensions fire hose reel: 730 mm x 180 mm x 940 mm, dimensions fire extinguisher cabinet: 320 mm x 270 mm x 830 mm.	
22	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
23	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electrical high speed shutter door, type: HS9030GHY, serial number: NL63149C, year of construction: 01-2020, door size: 2600 mm x 2400 mm.	500
24	Efaflex	Efaflex electrical roller door, door size: 2400 mm x 2700 mm.	400
25	NN cabinet	Plastic fire extinguisher cabinet, dimensions: 320 mm x 270 mm x 830 mm. Fire extinguisher is missing.	5
26	Efaflex	Efaflex roller door, door size: 2400 mm x 2950 mm.	400
27	Efaflex	Efaflex roller door, door size: 2400 mm x 2700 mm.	400
28	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
29	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: HS9030GHY, serial number: NL63149B, year of construction: 1-2020, door size:	500
30	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: HS9030GHY, serial number: NL63149A, year of construction: 1-2020, door size: 2400 mm x 2500 mm.	500
31	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB roller door, door size: 1800 mm x 2450 mm.	400
32	NN safety shower	Safety shower, dimensions: 340 mm x 700 mm x 2440 mm.	10
33	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
34	GEA Happel Klimatechnik GmbH	GEA Happel Klimatechnik GmbH heater, type/model: M311A BA4, serial number: 0700518800004, year of construction: 2001, 230 V, 1 Ph, 50 Hz, 0.89 A, 190 W, dimensions: 500 mm x 400 mm x 850 mm.	50
35	NN table and chairs	Table with 12 chairs, dimensions table: Ø 1200 mm x 750 mm, dimensions chairs: (12x) 500 mm x 560 mm x 780 mm.	25
36	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
37	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
38	Efaflex	Efaflex electrical high speed shutter door, door size: 2400 mm x 2600 mm. Technical condition unknown.	500
39	NN door	Wooden door, dimensions: 900 mm x 2110 mm.	10
40	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electrical high speed shutter door, door size: 2200 mm x 2700 mm.	500



Nr	Title	Description	Start €
41	NN sink	S/s sink, 4 faucets, sensor control, dimensions: 2050 mm x 450 mm x 650 mm. Including 3 s/s soap dispenser, 2 soap dispensers and a s/s waste bag holder.	100
42	Legamaster	Legamaster whiteboard, dimensions: 1800 mm x 900 mm x 25 mm.	5
43	NN door	S/s door, dimensions: 1020 mm x 1080 mm.	75
44	Hurks Inducon	Hurks Inducon electrical roller door, number: 752, year of construction: 2001, door size: 2380 mm x 2390 mm.	400
45	Frigotronic	Frigotronic evaporator, 3 fans, dimensions: 3000 mm x 1600 mm x 500 mm.	150
46	Frigotronic	Frigotronic evaporator, 3 fans, dimensions: 3000 mm x 1600 mm x 500 mm.	150
47	BTN	S/s cabinet with BTN fire hose reel and plastic fire extinguisher cabinet, dimensions fire hose reel: 730 mm x 180 mm x 940 mm, dimensions fire extinguisher cabinet: 320 mm x 270 mm x 830 mm. Fire extinguisher is missing.	50
48	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: RR300 FOOD, serial number: 000000002810000415, year of construction: 24-04-2017, 400 V, 3 Ph, 50 Hz, 3 kva, door size: 2400 mm x 2800 mm.	500
49	Frigotronic	Frigotronic evaporator, 2 fans, dimensions: 2400 mm x 1800 mm x 400 mm.	150
50	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
51	Nieros	Nieros s/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm. Including s/s soap dispenser, s/s paper dispenser and Gardena control box.	50
52	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: HS9110PHY, serial number: NL59633C, year of construction: 04-2019, door size: 3050 mm x 3000 mm.	500
53	Gloria Smeba/BTN	S/s cabinet with Gloria Smeba fire hose reel and plastic cabinet with BTN fire extinguisher, dimensions fire hose reel: 730 mm x 180 mm x 940 mm, dimensions fire extinguisher cabinet: 320 mm x 270 mm x 830 mm.	50
54	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
55	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
56	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: RR300 FOOD, serial number: 00000002810000413, year of construction: 05-05-2017, 400 V, 3 Ph, 50 Hz, door size: 2400 mm x 2600 mm.	500
57	Automotion Systems AB	Automotion Systems BV lidding machine, type: MER 119, year of construction: 2007, 400 V, 16 A, 5 kW, 5 bar,	500



Nr	Title	Description	Start €
		diameter lids: 105 mm, dimensions: 1900 mm x 1300 mm x 2000 mm.	
58	NN bar tables	2 s/s bar tables, dimensions: (2x) Ø 600 mm x 1090 mm.	20
59	Frigotronic	Frigotronic evaporator, 2 fans, dimensions: 2200 mm x 1800 mm x 450 mm.	150
60	NN office inventory	Office inventory consisting of: 21 chairs, coat racks, display cabinet, trolley with crates, cabinet.	25
61	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: RR300 FOOD, serial number: 00000002810000403, year of construction: 02-03-2017, 400 V, 3 Ph, 50 Hz, door size: 3000 mm x 3400 mm.	500
62	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
63	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
64	Frigotronic	Frigotronic evaporator, 2 fans, dimensions: 2000 mm x 1800 mm x 450 mm.	150
65	Frigotronic	Frigotronic evaporator, 2 fans, dimensions: 2000 mm x 1800 mm x 450 mm.	150
66	NN lockers	16 lockers, (13x) 3-doors, dimensions: (13x) 900 mm x 500 mm x 1840 mm, (3x) 16-doors, dimensions: (3x) 600 mm x 500 mm x 1950 mm. Keys are missing	75
67	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: RR300 FOOD, serial number: 00000002810000414, year of construction: 15-05-2017, 400 V, 3 Ph, 50 Hz, door size: 2500 mm x 2570 mm.	500
68	Alfa Laval	Alfa Laval evaporator, 2 fans, dimensions: 2000 mm x 800 mm x 650 mm.	75
69	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electrical high speed shutter door, type: HS9030GHY, serial number: NL59633A, year of construction: 04-2019, door size: 3000 mm x 3000 mm.	500
70	NN cabinet	Plastic fire extinguisher cabinet, dimensions: 320 mm x 270 mm x 830 mm. Fire extinguisher is missing.	5
71	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
72	NN doors	3 doors, dimensions: (3x) 940 mm x 2120 mm.	30
73	NN sink and cabinet	S/s sink, dimensions: 2100 mm x 900 mm x 940 mm, dimensions cabinet: 2170 mm x 340 mm x 920 mm.	50
74	Pego	4 Pego controllers for cooling system, type: 202 Expert, dimensions: (4x) 265 mm x 180 mm x 100 mm.	50
75	NN paper dispenser	S/s paper dispenser, dimensions: 275 mm x 210 mm x 400 mm.	5
76	NN server cabinet	Steel server cabinet, dimensions: 600 mm x 600 mm x 750 mm.	10
77	Msafe	Msafe eye-wash.	5
78	NN safety shower		25



Nr	Title	Description	Start €
		Safety shower, dimensions: 460 mm x 640 mm x 2380 mm.	
79	Nieros	Nieros s/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm. Including s/s soap dispenser, s/s waste bag holder and s/s paper dispenser.	50
80	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electrical high speed shutter door, type: HS9030GHY, serial number: NL59633B, year of construction: 4-2019, door size: 3000 mm x 3050 mm.	500
81	NN writing desk	S/s wall mounted writing desk and s/s clipboard, dimensions cabinet: 600 mm x 500 mm x 200 mm.	25
82	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
83	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
84	NN hose	Steel hose reel with plastic hose, dimensions hose reel: 580 mm x 200 mm x 1200 mm.	10
85	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
86	Saval	S/s cabinet with Saval fire hose reel and plastic fire extinguisher cabinet, dimensions fire hose reel: 730 mm x 180 mm x 940 mm, dimensions fire extinguisher cabinet: 320 mm x 270 mm x 830 mm. Fire extinguisher is missing.	50
87	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
88	NN hose	Steel hose reel with plastic hose, dimensions hose reel: 580 mm x 200 mm x 900 mm.	10
89	NN cabinet	S/s cabinet, dimensions: 800 mm x 420 mm x 1200 mm.	50
90	Nieros	Nieros s/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm. Including s/s soap dispenser and s/s paper dispenser.	50
91	NN switch cabinet	Switch cabinet, dimensions: 440 mm x 170 mm x 630 mm.	10
92	Nieros	Nieros s/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm. Including s/s soap dispenser, s/s paper dispenser and s/s cabinet, dimensions: 810 mm x 450 mm x 1200 mm.	100
93	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
94	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
95	BTN	Plastic cabinet with BTN fire extinguisher, dimensions: 320 mm x 270 mm x 830 mm.	10
96	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electrical high speed shutter door, door size: 3000 mm x 3300 mm.	500
97	NN wall panels		150





Nr	Title	Description	Start €
		Wall panels with windows, dimensions 3400 mm x 130 mm x 4160 mm.	
98	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
99	Gloria Smeba	Gloria smeba fire extinguisher, dimensions: 150 mm x 150 mm x 680 mm.	10
100	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
101	Velco	S/s cabinet with Velco fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
102	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
103	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
104	NN cabinet	S/s cabinet, dimensions: 800 mm x 200 mm x 900 mm.	25
105	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
106	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
107	NN safety shower	Safety shower, dimensions: 430 mm x 500 mm x 2350 mm.	25
108	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electrical high speed shutter door, door size: 2380 mm x 3700 mm.	500
109	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
110	Hurks Inducon	Hurks Inducon electrical roller door, number: 754, year of construction: 2001, door size: 2380 mm x 2850 mm.	400
111	Nieros	Nieros s/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm. Including s/s soap dispenser and s/s paper dispenser.	50
112	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
113	NN switch cabinet	Switch cabinet, dimensions: 440 mm x 170 mm x 630 mm.	10
114	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel and plastic cabinet with Gloria Smeba fire extinguisher, dimensions fire hose reel: 730 mm x 180 mm x 940 mm, dimensions fire extinguisher cabinet: 320 mm x 270 mm x 830 mm.	50
115	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 220 mm x 380 mm.	25
116	NN door	Door, dimensions: 880 mm x 2110 mm.	10
117	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
118	Hurks Inducon	Hurks Inducon electrical roller door, number: 755, year of construction: 2001, door size: 1800 mm x 2200 mm.	400
119	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel and plastic fire extinguisher cabinet, dimensions fire hose reel: 730	50





Nr	Title	Description	Start €
		mm x 180 mm x 940 mm, dimensions fire extinguisher cabinet: 320 mm x 270 mm x 830 mm. Fire extinguisher is missing.	
120	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB steel roller door, door width: 1700 mm, door height: 2150 mm.	400
121	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
122	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: HS9030GHY, serial number: NL63527, year of construction: 2-2020, door size: 2130 mm x 2800 mm.	500
123	NN water fountain	Water fountain, dimensions: 350 mm x 270 mm x 1200 mm.	25
124	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm. Including Scanio Flow-Equipment A/S mixing station for foam, type: S1000.	75
125	Nieros	Nieros s/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm. Including s/s paper dispenser.	50
126	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 930 mm x 2110 mm.	75
127	NN server cabinet	Steel server cabinet, dimensions: 600 mm x 810 mm x 2100 mm.	50
128	Esser	Esser smoke detection system, type: FFAST LT-200 EB, dimensions: 1150 mm x 300 mm x 850 mm.	200
129	Hurks Inducon	Hurks Inducon electrical roller door, number: 921, year of construction: 2002, door size: 3000 mm x 3800 mm.	400
130	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 960 mm x 2110 mm.	75
131	Velco	S/s cabinet with Velco fire hose reel, dimensions: 790 mm x 230 mm x 790 mm.	50
132	Franke	Franke s/s sink with 2 faucets, sensor control, dimensions: 1400 mm x 500 mm x 300 mm and water fountain, dimensions water fountain: 350 mm x 250 mm x 1200 mm. Including 2 s/s soap dispensers and s/s paper dispensers.	50
133	NN doors	7 doors, dimensions: (7x) 925 mm x 2125 mm.	70
134	Festo	Steel rack with various Festo pressure regulators, dimensions rack: 1570 mm x 620 mm x 2110 mm.	25
135	Franke	Franke s/s sink with 3 faucets, sensor control, dimensions: 2700 mm x 500 mm x 200 mm. Including 3 mirrors, 2 s/s soap dispensers and 2 s/s paper dispensers.	50
136	NN cabinet	Cabinet, 850 mm x 500 mm x 1980 mm.	5
137	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 970 mm x 2130 mm.	75
138	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 970 mm x 2130 mm.	75
139	Gloria Smeba		50



Nr	Title	Description	Start €
		S/s cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	
140	Sistec	2 Sistec steel fire-resistant filing cabinets, dimensions: 950 mm x 500 mm x 1950 mm. Missing key.	125
141	Franke	Franke s/s sink with 2 faucets, sensor control, dimensions: 1400 mm x 500 mm x 300 mm. Including mirror, s/s soap dispenser and s/s paper dispenser.	50
142	NN switch cabinet	S/s switch cabinet, dimensions: 1820 mm x 470 mm x 1800 mm.	100
143	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 970 mm x 2130 mm.	75
144	NN door	Door, dimensions: 920 mm x 2130 mm.	10
145	Hurks Inducon	Hurks Inducon electrical roller door, number: 4049, door size: 3050 mm x 3100 mm.	400
146	NN control cabinet	Control cabinet used for fire alarm, dimensions: 365 mm x 230 mm x 110 mm.	50
147	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
148	NN heater	Heater, dimensions: 700 mm x 500 mm x 700 mm.	50
149	NN doors	Double door, dimensions: 1880 mm x 2130 mm.	20
150	NN welding table	Steel welding table, dimensions: 2500 mm x 1440 mm x 910 mm.	100
151	AEG	AEG sanding machine, model: EWSL 200/420 number: 87 6/3741, 220 V, 1 Ph, 50 Hz, 3.6 A, 420 W, dimensions: 480 mm x 300 mm x 1180 mm.	50
152	Muhr und Bender	Muhr und Bender metal cutter, model: 3S/6R, dimensions: 850 mm x 200 mm x 2020 mm.	25
153	NN cabinets	2 cabinets, dimensions: 1030 mm x 500 mm x 2220 mm and 700 mm x 500 mm x 2180	5
154	Butzbach	Butzbach high speed shutter door, type: 5000, year of construction: 01-95, door width: 3200 mm, door height: 3000 mm.	400
155	Msafe	Msafe eye-wash.	5
156	NN switch cabinet	Steel switch cabinet, dimensions: 760 mm x 600 mm x 2250 mm.	10
157	KSB	4 Centrifugal pumps, dimensions: (2x) 700 mm x 300 mm x 350 mm, (1x) 500 mm x 250 mm x 300 mm and 1 KSB centrifugal pump, dimensions: 800 mm x 300 mm x 700 mm.	600
158	NN pump system for iron removal installation	Pump system for de-iron removal installation, consisting of: pressure vessel, dimensions: 450 mm x 450 mm x 900 mm, 4 Stork and SPX Flow centrifugal pumps, dimensions: (4x) 1100 mm x 450 mm x 500 mm, 6 Endress+Hauser flowmeters, dimensions: (6x) 400 mm x 220 mm x 170 mm and switch cabinet, dimensions: 900 mm x 590 mm x 2100 mm.	1250
159	Josef Jasper		3500



Nr	Title	Description	Start €
		2 Josef Jasper steel water filter tanks for de-iron removal installation, serial number: 17170.1, year of construction: 2017, empty weight: 5750 kg, maximum filling compound: 25000 kg, 2 Endress+Hauser flowmeters, dimensions tanks: (2x) 2600 mm x 2600 mm x 5000 mm. Screen from display is missing. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	
160	Gerhard Weber Kunststoff-Verarbeitung GmbH	Gerhard Weber Kunststoff-Verarbeitung GmbH plastic buffer tank, serial number: 12.2.116732/17.1432, year of construction: 2017, volume: 45 m <sup>3</sup> , dimensions: ø 3600 mm x 4660 mm. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	1000
161	Gerhard Weber Kunststoff-Verarbeitung GmbH	Gerhard Weber Kunststoff-Verarbeitung GmbH plastic buffer tank, serial number: 12.2.116732/17.1432, year of construction: 2017, volume: 45 m <sup>3</sup> , dimensions: ø 3600 mm x 4660 mm. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	1000
162	Duijvelaar Pompen	Duijvelaar Pompen centrifugal pump, type: DPNM 100-160, serial number: B171045, year of construction: 2017, Q: 17 m <sup>3</sup> /h, H: 15 m, dimensions: 820 mm x 380 mm x 500 mm.	150
163	Gebrüder Heyl	Gebrüder Heyl water analyser, type: Testomat 2000 Fe, serial number: 257 760, 230 V, 50/60 Hz, 30 W, dimensions: 400 mm x 160 mm x 450 mm.	150
164	Robusch	Robusch blower unit, type: ES 35/2C, factory number: 1710000, year of construction: 2017, capacity: 6.28/2.3 m <sup>3</sup> /min, weight: 525 kg, dimensions: 1200 mm x 1200 mm x 1300 mm.	500
165	NN oil reservoir	Oil reservoir with Saer pump unit, dimensions: 1000 mm x 290 mm x 600 mm.	20
166	NN sockets	4 sockets.	20
167	Velco	S/s cabinet with Velco fire hose reel, dimensions: 680 mm x 230 mm x 890 mm.	50
168	Lödige	Lödige goods elevator, inside dimensions: 1360 mm x 1690 mm x 2000 mm.	500
169	NN office inventory	Various office inventory.	50
170	NN greasing cabinet	Steel greasing cabinet, dimensions: 730 mm x 500 mm x 1100 mm.	25
171	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 340 mm x 750 mm.	10
172	Albany Door Systems	Albany Door Systems electrical high speed shutter door, type: R290E, serial number: 5913815, year of construction: 2004, 400 V, 3 Ph, 50 Hz, door width: 2800 mm, door height: 3000 mm.	400
173	NN sink		25



Nr	Title	Description	Start €
		S/s sink, dimensions: 700 mm x 500 mm x 1200 mm. Including s/s soap dispenser and s/s paper dispenser.	
174	NN sink	S/s sink, dimensions: 430 mm x 400 mm x 600 mm.	10
175	NN filter set	Filter set consisting of 4 filter units, dimensions: (4x) 1600 mm x 340 mm x 500 mm. 1 pneumatic part is missing.	400
176	Reflex	2 Reflex steel pressure vessels, (1x) model: Refix DE 100, serial number: 20V062990083, volume: 100 litres, dimensions: Ø 400 mm x 750 mm and (1x) Ø 400 mm x 750 mm.	50
177	Ritter	Ritter s/s cool water tank, Ø tank: 2150 mm, total dimensions: 2150 mm x 5300 mm x 2500 mm. Including switch cabinet, dimensions switch cabinet: 600 mm x 280 mm x 380 mm.	1250
178	Endress + Hauser	Endress + Hauser flowmeter, model: PROMAG W / PROMAG 50, serial number: J90D3719000, DN 100 DIN, PN16 DN100, dimensions: 180 mm x 250 mm x 500 mm.	100
179	NN tank	S/s tank, dimensions tank: 1140 mm x 530 mm x 640 mm, total dimensions: 1140 mm x 530 mm x 1450 mm.	100
180	ARI	ARI valve with Siemens actuator, DN 65, dimensions: 280 mm x 170 mm x 920 mm.	75
181	NN table	Table, dimensions: 1500 mm x 650 mm x 750 mm.	5
182	Ritter	Ritter s/s cool water tank, Ø tank: 2000 mm, total dimensions: 2150 mm x 2000 mm x 2580 mm. Including switch cabinet, dimensions switch cabinet: 600 mm x 200 mm x 600 mm.	1250
183	Alfa Laval	Alfa Laval plate heat exchanger, type: M15-BFM8, manufacturing number: 30103-25741, year of construction: 2001, maximum pressure: 10.0 bar, maximum temperature: 100°C, dimensions: 500 mm x 600 mm x 1900 mm.	300
184	Bürkert/ARI	4 ARI valves with Siemens actuator, DN 40 PN16, dimensions: (4x) 600 mm x 300 mm x 200 mm.	300
185	Flex Coil A/S	Flex Coil A/S chiller, dimensions: 680 mm x 680 mm x 800 mm.	150
186	Reflex	Reflex steel pressure vessel, model: Refix DE 100, serial number: 20V062990021, volume: 100 litres, dimensions: Ø 480 mm x 850 mm.	25
187	Endress + Hauser	Endress + Hauser flowmeter, model: PROMAG 500, serial number: R71FCA19000, dimensions: 100 mm x 200 mm x 350 mm.	100
188	NN isolated tank	Isolated hot water tank, Ø tank: 2300 mm, total dimensions: 4200 mm x 2300 mm x 2400 mm. Including s/s switch cabinet, dimensions switch cabinet: 600 mm x 200 mm x 390 mm.	1000
189	NN isolated tank	Isolated hot water tank, Ø tank: 2400 mm, total dimensions: 5000 mm x 2400 mm x 2500 mm. Including	1000



Nr	Title	Description	Start €
		s/s switch cabinet, dimensions switch cabinet: 590 mm x 220 mm x 370 mm.	
190	Endress + Hauser	Endress + Hauser flowmeter, model: PROMAG 30 F, serial number: TE 264047, dimensions: 180 mm x 220 mm x 400 mm.	125
191	Reflex	Reflex steel pressure vessel, model: Refix DE, serial number: 10 K 1005 60050, volume: 100 litres, dimensions: Ø 480 mm x 850 mm.	25
192	Alfa Laval	Alfa Laval plate heat exchanger, type: M6-FG, manufacturing number: 30103-29906, year of construction: 2001, volume: 41.7 litres, maximum pressure: 10.0 bar, maximum temperature: 100°C, dimensions: 700 mm x 320 mm x 1200 mm.	400
193	Alfa Laval	Alfa Laval plate heat exchanger, type: M6-FG, manufacturing number: 30103-29907, year of construction: 2001, volume: 41.7 litres, maximum pressure: 10.0 bar, maximum temperature: 100°C, dimensions: 700 mm x 320 mm x 1200 mm.	400
194	Burkert	2 Burkert valve with various Econosto valves , dimensions: 600 mm x 150 mm x 200 mm.	150
195	Endress + Hauser	Endress + Hauser flowmeter, model: PROMAG 50, serial number: 57018119000, 85-260 V, 50-60 Hz, dimensions: 300 mm x 220 mm x 400 mm.	125
196	NN tank	S/s tank, Ø tank: 2200 mm, total dimensions tank: 3400 mm x 2200 mm x 2400 mm. Including s/s switch cabinet, dimensions switch cabinet: 590 mm x 220 mm x 370 mm.	1250
197	Sterling Fluid Systems S.A.	Sterling Fluid Systems S.A. centrifugal pump, type: ZLKD 080200, dimensions: 1000 mm x 360 mm x 580 mm.	150
198	Rittal	Rittal s/s switch cabinet, dimensions: 2830 mm x 600 mm x 2150 mm.	350
199	ARI	ARI with Siemens actuator valve, dimensions: 1000 mm x 350 mm x 300 mm.	75
200	NN switch cabinets	2 s/s switch cabinets, dimensions: (1x) 600 mm x 300 mm x 600 mm and (1x) 380 mm x 210 mm x 370 mm.	100
201	Siemens	Siemens flowmeter, model: SITRANS F M MAGFLO, serial number: N1B9090471, 24 V, 50/60 Hz, 10 W, dimensions: 200 mm x 130 mm x 350 mm.	125
202	Saval	Steel cabinet with Saval fire hose reel , dimensions: 730 mm x 140 mm x 950 mm.	50
203	NN pallet racks	3 pallet racks, consisting of: 18 uprights, dimensions uprights: 1200 mm x 2100 mm, 80 beams, length beams: (70x) 2700 mm and (10x) 1200 mm.	150
204	Visser Nederland	4 Visser Nederland centrifugal pumps, dimensions: (4x) 620 mm x 300 mm x 520 mm.	200
205	SEW/Tramec/Elsto	Various motors, gear and parts which among others SEW, Tramec and Elsto.	25



Nr	Title	Description	Start €
206	SPX Flow/Hoyer	SPX Flow and Hoyer centrifugal pumps. One motor missing.	150
207	Leroy Somer	Leroy Somer motor, dimensions: 600 mm x 300 mm x 350 mm.	25
208	Leroy Somer/Roter	Leroy Somer and Roter motor.	50
209	SEW/Nord	Various motors which among others: SEW and Nord.	100
210	Roter/WEG	Various motors which among others WEG and Roter.	50
211	Jongia NV/VEM	Various motors which among others VEM and Jongia NV.	50
212	Roter/WEG	Various motors which among others WEG and Roter.	50
213	Mennekes	7 Mennekes sockets.	35
214	NN parts	Crate with various parts for motors, dimensions: 600 mm x 400 mm x 300 mm.	10
215	Bonfiglioli Riduttori S.p.A./Roter	Various motors which among others Bonfiglioli Riduttori S.p.A. and Roter.	50
216	Salmson	Salmson centrifugal pump, type: SIL208-13/5.5-C5-N69-SP, serial number: 069 20639859 0001, 400 V, 50 Hz, 5.5 kW, PN: 16, dimensions: 720 mm x 450 mm x 300 mm.	150
217	Sterling Fluid Systems B.V.	Sterling Fluid Systems B.V. centrifugal pump, type: INBLOC 65-125, dimensions: 350 mm x 250 mm x 700 mm.	50
218	NN tube	Plastic tube, diameter tube: 220 mm, total dimensions: 1130 mm x 1200 mm x 500 mm.	10
219	Nordmann Engineering	Nordmann Engineering humidifier, dimensions: 400 mm x 200 mm x 660 mm.	50
220	NN filters	Steel rack with various filters, dimensions: 4050 mm x 800 mm x 2150 mm.	50
221	NN switch cabinet	Switch cabinet, dimensions: 1600 mm x 600 mm x 2100 mm.	150
222	Legamaster	Legamaster whiteboard, dimensions: 1200 mm x 900 mm x 10 mm and wooden cabinet, dimensions: 700 mm x 600 mm x 1200 mm.	10
223	NN white boards	2 white boards, dimensions: (1x) 910 mm x 1210 mm x 10 mm, (1x) 1010 mm x 1020 mm x 10 mm.	10
225	NN server cabinets	2 server cabinets, dimensions: (2x) 1010 mm x 800 mm x 2300 mm.	200
226	NN desk	Desk with chair, dimensions: 2020 mm x 1200 mm x 740 mm.	10
227	NN desks	4 desks, dimensions: (4x) 1600 mm x 1800 mm x 610 mm.	25
228	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 600 mm.	25
229	Gloria Smeba	Steel cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
230	NN electrical parts	Large amount of light fixtures and electrical parts. Including steel racks.	150
231	Sistec	Sistec steel fire-resistant cabinet, dimensions: 1260 mm x 550 mm x 1950 mm.	75



Nr	Title	Description	Start €
232	NN display	Display, model: MTS 10, dimensions: 310 mm x 240 mm x 110 mm.	10
233	Mauer Assa Abloy	4 Mauer Assa Abloy steel cabinets, dimensions: (4x) 1000 mm x 450 mm x 1980 mm.	100
234	Gloria Smeba	Steel cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
235	NN lights	18 lightning fixtures.	100
236	Lampe Group	6 boxes with Lampe Group bag filters.	5
237	Libert	8 Libert paint buckets, (8x) 4 litres.	5
238	NN whiteboard	Whiteboard, dimensions: 2410 mm x 1210 mm x 10 mm.	5
239	Grundfos/Flamco	Steam converter installation, consisting of: 3 Grundfos pumps, 2 Flamco pressure vessels, various valves and isolated pipes, total dimensions: 4300 mm x 2000 mm.	250
240	NN cabinets	Steel cabinet, dimensions: 1000 mm x 450 mm x 1950 mm.	5
241	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 970 mm x 2130 mm.	75
242	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant sliding door, door dimensions: 2780 mm x 3120 mm.	400
243	Assa Abloy	Assa Abloy steel roller door, door width: 1700 mm, door height: 2150 mm.	400
244	NN sinks	2 s/s sinks, knee control, dimensions: (2x) 480 mm x 460 mm x 550 mm, s/s soap dispenser, s/s paper dispenser.	25
245	Velco	Steel cabinet with Velco fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
246	NN stairs	Steel stairs, hight to floor: 5000 mm, total dimensions: 1370 mm x 7400 mm x 6200 mm	300
247	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 970 mm x 2130 mm.	75
248	Hurks Inducon	Hurks Inducon electrical roller door, number: 922, year of construction: 2002, door size: 3000 mm x 3000 mm.	400
249	Saval	S/s cabinet with Saval fire hose reel, dimensions: 740 mm x 350 mm x 1760 mm.	50
250	Nederman	Nederman s/s hose reel, dimensions: 700 mm x 350 mm x 700 mm.	50
251	NN sink	S/s sink, dimensions: 450 mm x 450 mm x 670 mm, s/s water fountain, dimensions: 360 mm x 270 mm x 1200 mm, s/s soap dispenser.	50
252	NN switch cabinet	S/s switch cabinet, dimensions: 1800 mm x 510 mm x 1910 mm.	50
253	Flexbimec	Flexbimec s/s hose reel with plastic hose, dimensions hose reel: 550 mm x 220 mm x 500 mm.	50
254	Kiwi Hesta	2 Kiwi Hesta heaters, type: HSS-161-50-1000-0.18, dimensions: (2x) 500 mm x 400 mm x 700 mm.	100
255	Velco	Steel cabinet with Velco fire hose reel, dimensions: 680 mm x 230 mm x 890 mm.	50





Nr	Title	Description	Start €
256	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
257	NN waste containers	2 plastic waste containers, dimensions: (1x) 570 mm x 710 mm x 1050 mm and (1x) 470 mm x 550 mm x 920 mm.	20
258	NN air curtain	Air curtain, dimensions: 4500 mm x 500 mm x 800 mm.	150
259	NN stairs	Steel stairs, height to floor: 2750 mm, total dimensions: 3100 mm x 1500 mm x 3650 mm.	50
260	Albany Door Systems BV	Albany Door Systems BV high speed shutter door, type: Rapid Roll 600, serial number: 8583841, year of construction: 2007, 400 V, 3 Ph, door size: 4600 mm x 4500 mm.	500
261	NN warning signs	2 warning signs, dimensions: (2x) 300 mm x 40 mm x 2000 mm.	10
262	NN parts	2 pallets and 2 pallet boxes with various parts.	50
263	NN waste containers	2 plastic waste containers, dimensions: (1x) 570 mm x 710 mm x 1050 mm and (1x) 470 mm x 550 mm x 920 mm.	20
264	NN cleaning equipment	Various cleaning equipment.	10
265	NN writing desk	S/s wall mounted writing desk with s/s clipboard and s/s cabinet, dimensions writing desk: 1000 mm x 530 mm x 730 mm, dimensions cabinet: 380 mm x 240 mm x 600 mm.	25
266	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
267	Euro Fire	Euro Fire fire hose reel, dimensions: Ø 560 mm x 140 mm.	50
268	NN server cabinet	Server cabinet, dimensions: 850 mm x 1010 mm x 800 mm x 2300 mm.	50
269	DGS	DGS pallet conveyor, dimensions: 1250 mm x 2500 mm x 500 mm.	100
270	NN pallet rack	Pallet rack, consisting of: 24 uprights, height: (24x)2570 mm, 222 beams, beam length: (222x) 2710 mm.	250
271	Kiwi Hesta	Kiwi Hesta heater, type: HSS-161-50-1000-0.18, dimensions: 500 mm x 400 mm x 700 mm.	50
272	Lohenner GmbH & Co	Lohenner GmbH & Co pressure vessel, number: 61781, year of construction: 1994, capacity: 500 litres, max. pressure 1.1 bar, dimensions: Ø 600 mm x 2080 mm.	25
273	NN pallet boxes	4 pallet boxes, dimensions: (4x) 1000 mm x 1200 mm x 720 mm.	100
274	NN office inventory	Office inventory, consisting of: 6 table blades, frames, and industrial light.	10
275	Rosengrens	Rosengrens safe.	25
276	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
277	NN switch cabinet		10



Nr	Title	Description	Start €
		S/s switch cabinet, dimensions: 750 mm x 750 mm x 300 mm.	
278	NN fan	Fan, dimensions: 460 mm x 400 mm x 1020 mm.	5
279	NN loading ramp	Loading ramp, dimensions: 2480 mm x 2070 mm x 600 mm.	50
280	NN trolley	S/s trolley with plastic crates, dimensions: 800 mm x 700 mm x 1700 mm.	25
281	NN trolley	Steel trolley, dimensions: 500 mm x 700 mm x 1100 mm.	10
282	NN parts	Pallet box with parts, dimensions: 1200 mm x 1000 mm x 600 mm.	25
283	NN server cabinet	S/s server cabinet, dimensions: 600 mm x 500 mm x 750 mm.	25
284	Holland Heater	2 Holland Heater hot air heaters, type: HH 80, dimensions: (2x) 580 mm x 1560 mm x 780 mm.	300
285	Holland Heater	2 Holland Heater hot air heaters, type: HH 80, dimensions: (2x) 580 mm x 1560 mm x 780 mm.	300
286	Holland Heater	2 Holland Heater hot air heaters, type: HH 80, dimensions: (2x) 580 mm x 1560 mm x 780 mm.	300
287	NN pallet rack	51 pallet rack uprights, height: (44x) 4800 mm and (7x) 5000 mm.	150
288	G.R. Veerman	G.R. Veerman autoclave, year of construction: 1933, inside dimensions: Ø 1000 mm x 1650, dimensions autoclave: 1700 mm x 1250 mm x 2400 mm.	100
289	Kiwi Hesta	Kiwi Hesta heater, type: HSS-161-50-1000-0.18, dimensions: 500 mm x 400 mm x 700 mm.	50
290	NN tables and chairs	11 Tables with 43 chairs, dimensions table: (11x) 1600 mm x 800 mm x 740 mm, dimensions chair: (43x) 560 mm x 510 mm x 780 mm.	50
291	Nederman	Nederman s/s hose reel, serial number: 886, bore: Ø 12.5 mm (1/2"), maximum pressure: 10 Mpa, maximum length: 25 meter, dimensions hose reel: 700 mm x 350 mm x 700 mm.	10
292	Assa Abloy	Assa Abloy electrical high speed shutter door, door width: 3000 mm, door height: 3300 mm.	500
293	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
294	NN sink	S/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm, s/s water fountain, dimensions: 360 mm x 270 mm x 1200 mm, s/s soap dispenser, s/s paper dispenser.	50
295	NN door	Wooden door, dimensions: 940 mm x 2120 mm.	10
296	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 970 mm x 2130 mm.	75
297	GEA	GEA heater, dimensions: 700 mm x 600 mm x 700 mm.	75
299	NN protection frames	4 s/s protection frames, lengths: 10500 mm, 8500 mm and (2x) 4600 mm.	100
300	GEA	GEA heater, dimensions: 700 mm x 600 mm x 700 mm.	50



Nr	Title	Description	Start €
301	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
302	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
303	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electrical high speed shutter door, door size: 3000 mm x 2990 mm.	500
304	GEA	GEA heater, dimensions: 700 mm x 600 mm x 700 mm.	50
305	NN hygiene trolley	S/s hygiene trolley with flow meter and 2 hoses, dimensions: 1150 mm x 770 mm x 800 mm.	175
306	NN sink	S/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm, 2 s/s soap dispensers, s/s paper dispenser.	50
307	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
308	NN sliding door	Sliding door, rail length: 4000 mm, door dimensions: 2040 mm x 2750 mm x 90 mm.	50
309	Gloria Smeba	Steel cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
310	MEWA	MEWA plastic container, dimensions: 580 mm x 580 mm x 900 mm.	10
311	NN parts	Steel pallet racks with large amount of various parts, dimensions racks: (2x) 8500 mm x 1010 mm x 2700 mm.	150
312	Metabo	Metabo cut-off saw, type: KS 216 M Lasercut, serial number: 1117874917, dimensions: 520 mm x 470 mm x 350 mm.	50
313	Kohlhoff	Kohlhoff boot cleaning station, type: Primus, machine number: 69139, 230 V, 3 Ph, 50 Hz, 0.1 kW, dimensions: 520 mm x 420 mm x 1000 mm.	100
314	NN sink	S/s sink, 4 faucets, knee control, dimensions: 2100 mm x 500 mm x 600 mm. Including 2 s/s soap dispenser, 2 s/s paper dispenser, 2 mirrors and Scanio flow-equipment hand sanitizer dispenser, type: Manotizer, serial number: 28470, dimensions Scanio Flow-equipment: 440 mm x 220 mm x 380 mm.	100
315	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 610 mm x 2100 mm.	50
316	NN isolated tank	Steel insulated tank with pump installation, consisting of : 3 Grundfos circulation pumps and 2 Lowara centrifugal pumps, total dimensions: 5600 mm x 21600 mm x 3400 mm. Including switch cabinet.	750
317	NN drip tray	Steel drip tray with plastic waste container, dimensions drip tray: 1200 mm x 1200 mm x 270- mm, dimensions waste container: 600 mm x 700 mm x 1020 mm.	10
318	NN stairs	Steel stairs, height to floor: 2460mm, total dimensions: 3660 mm x 1030 mm x 3700 mm.	200
319	Albany Door Systems BV	Albany Door Systems BV high speed shutter door, type: RR 300 Plus, serial number: 8538363, year of	75



Nr	Title	Description	Start €
		construction: 2007, 400 V, 3 Ph, door size: 3000 mm x 2950 mm. Incomplete, technical condition unknown.	
320	Honeywell Faast	Steel switch cabinet with Honeywell Faast notifier fire system, dimensions: 800 mm x 300 mm x 600 mm.	100
321	Kiwi Hesta	Kiwi Hesta heater, model: HSRA-161-50-1000, number: 14024, year of construction: 2017, capacity: 19.1 kW, airflow: 1480 m³/h, dimensions: 800 mm x 550 mm x 900 mm.	100
322	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
323	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: RR350E, serial number: 000000001600000014, year of construction 2010, 400 V, 3 Ph, 50 Hz, door dimensions: 2170 mm x 3630 mm.	500
324	Velco	S/s cabinet with Velco fire hose reel, dimensions: 850 mm x 180 mm x 950 mm.	50
325	NN safety shower	Safety shower, dimensions: 420 mm x 650 mm x 1420 mm.	25
326	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
327	Velco/BTN	S/s cabinet with Velco fire hose reel and plastic cabinet with BTN fire extinguisher, dimensions fire hose reel: 850 mm x 180 mm x 950 mm, dimensions fire extinguisher cabinet: 400 mm x 200 mm x 800 mm.	75
328	NN paper dispenser	S/s paper dispenser, dimensions: 390 mm x 210 mm x 460 mm.	5
330	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: HS9030GHY, serial number: NL62398, year of construction: 11-2019, door size: 1950 mm x 2600 mm.	500
331	Velco/BTN	S/s cabinet with Velco fire hose reel and s/s cabinet with BTN fire extinguisher, dimensions fire hose reel: 850 mm x 180 mm x 950 mm, dimensions fire extinguisher cabinet: 400 mm x 200 mm x 800 mm.	75
332	NN switch cabinets	4 s/s switch cabinets, dimensions: (2x) 200 mm x 300 mm x 190 mm, (1x) 300 mm x 380 mm x 210 mm, (1x) 400 mm x 400 mm x 240 mm.	5
333	NN sink	S/s sink, knee control, dimensions: 490 mm x 460 mm x 800 mm.	25
334	Albany Door Systems BV	Albany Door Systems BV high speed shutter door, type: RR 300 Plus, serial number: 8538367, year of construction: 2007, 400 V, 3 Ph, door size: 2500 mm x 3700 mm.	500
335	Rittal	Rittal server cabinet, dimensions: 600 mm x 580 mm x 470 mm.	25
336	Eflo	Eflo evaporator, 4 fans, dimensions: 3700 mm x 900 mm x 1000 mm.	200
337	NN sink		25



Nr	Title	Description	Start €
		S/s sink, knee control, dimensions: 490 mm x 460 mm x 800 mm. Including 2 s/s soap dispenser and 1 s/s paper dispenser.	
338	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
339	Albany Door Systems BV	Albany Door Systems BV high speed shutter door, type: RR 300 Plus, serial number: 8538366, year of construction: 2007, 400 V, 3 Ph, door size: 2500 mm x 3500 mm.	350
340	Seuster KG	Seuster KG high speed shutter door, type: S2020SEL, serial number: 0410-01504380010101, year of construction: 2022, 400 V, 3 Ph, door size: 2985 mm x 3410 mm.	500
341	Eflo	Eflo evaporator, 2 fans, dimensions: 1700 mm x 800 mm x 650 mm.	150
342	Velco	Plastic cabinet with Velco fire extinguisher, dimensions: 330 mm x 240 mm x 600 mm.	10
343	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
344	Albany Door Systems BV	Albany Door Systems BV high speed shutter door, type: RR 300 Plus, serial number: 8538364, year of construction: 2007, 400 V, 3 Ph, door size: 2500 mm x 3500 mm.	500
345	NN evaporator	Evaporator, 1 fan, dimensions: 600 mm x 900 mm x 600 mm.	75
346	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB high speed shutter door, type: HS9030GHY, serial number: NL60894, year of construction: 07-2019, door size: 2500 mm x 3500 mm.	500
347	NN evaporator	Evaporator, 1 fan, dimensions: 1800 mm x 800 mm x 600 mm.	75
348	NN switch cabinets	2 s/s switch cabinets, dimensions: (1x) 1600 mm x 400 mm x 2550 mm, (1x) 1170 mm x 1300 mm x 380 mm.	50
349	NN sink	S/s sink, dimensions: 1200 mm x 600 mm x 1000 mm. Including 2 soap dispensers and s/s paper dispenser.	50
350	NN safe	Steel safe, dimensions: 650 mm x 500 mm x 1230 mm.	75
351	NN water fountain	Water fountain, dimensions: 360 mm x 270 mm x 1240 mm.	25
352	NN refrigerator	Refrigerator/freezer combination, dimensions: 550 mm x 550 mm x 1400 mm.	5
353	NN office inventory	Office inventory, consisting of: 8 tables, dimensions: (8x) 1200 mm x 600 mm x 750 mm, cabinet, dimensions: 1000 mm x 450 mm x 1950 mm, 7 chairs.	25
354	NN laboratory equipment	Laboratory equipment, consisting of: 4 laboratory counters, dimensions: 2500 mm x 1200 mm x 960 mm, 2500 mm x 1200 mm x 920 mm, 2000 mm x 1400 mm x 920 mm and 2000 mm x 1530 mm x 920 mm, 2 laboratory counters with double sink, dimensions: (2x)	250



Nr	Title	Description	Start €
		4300 mm x 650 mm x 950 mm, laboratory counter with gas stove, dimensions: 8000 mm x 800 mm x 960 mm, laboratory counter with 4 sinks, dimensions: 3050 mm x 1530 mm x 920 mm, 3 fume hoods, dimensions: (3x) 1500 mm x 800 mm x 2850 mm.	
355	NN office inventory	Office inventory, consisting of: 2 desks, dimensions: (2x) 2000 mm x 900 mm x 770 mm, cabinet, dimensions: 1000 mm x 450 mm x 1950 mm, Intimus paper shredder, dimensions: 600 mm x 380 mm x 770 mm, white board, dimensions: 1200 mm x 900 mm x 10 mm.	50
356	NN filing cabinet	Filing cabinet, dimensions: 8400 mm x 480 mm x 2800 mm.	25
357	Schäfer IT-Systems	3 Schäfer IT-Systems mobile steel computer cabinets, dimensions: (3x) 615 mm x 770 mm x 1920 mm.	150
358	Mark/Sinus	(2x) mark heaters, type: ECOFAN W 42, serial numbers: P8103022 and Za8100412, 230 V, 1 Ph, 0.65/1.2 A, 0.12/0.15 kW, dimensions: (2x) 560 mm x 640 mm x 200 mm, (1x) Sinus Jevi heater, type: WBK 3, 230 V, 13.5 A, 3000 W, dimensions: 420 mm x 230 mm x 280 mm, (1x) Sinus Bobe heater, 230 V, 2000 W, dimensions: 380 mm x 220 mm x 500 mm.	100
359	NN sink	S/s table with sink, dimensions: 2250 mm x 610 mm x 900 mm.	50
360	Mark	Mark heater, type: Eco Fan 101H, serial number: Q6101247, year of construction: 2011, 230 V, 50 Hz, 0.89 A, weight: 20 kg, dimensions: 450 mm x 450 mm x 320 mm.	25
361	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 960 mm x 2110 mm.	75
363	Overtoom	Overtoom steel rack with wooden floors, dimensions: 2250 mm x 400 mm x 2100 mm.	10
364	NN office inventory	Office inventory, consisting of: table, dimensions: 1100 mm x 500 mm x 680 mm, desk, dimensions: 2000 mm x 1300 mm x 800 mm, Sistec steel fire-resistant filing cabinet, dimensions: 1260 mm x 550 mm x 1950 mm, white board, dimensions: 2400 mm x 960 mm x 20 mm, steel cabinet, dimensions: 1000 mm x 450 mm x 1950 mm.	25
365	NN office inventory	Office inventory, display, floor dimensions: 400 mm x 400 mm, total dimensions: 435 mm x 435 mm x 1755, Rexel paper shredder, model: P330 office shredder, 230 V, 50 Hz, 3 A, dimensions: 470 mm x 370 mm x 880 mm.	25
366	NN cabinets	(1x) Sistec steel fire-resistant filing cabinet, dimensions: 1260 mm x 600 mm x 1950 mm, (1x) steel cabinet with sliding doors, dimensions: 120 mm x 470 mm x 1950 mm.	75
368	NN display	Glass display, floor dimensions: 400 mm x 400 mm, total dimensions: 435 mm x 435 mm x 1755.	10



Nr	Title	Description	Start €
369	Derametaal	Derametaal steel safe, dimensions: 670 mm x 550 mm x 1200 mm.	75
370	Endress + Hauser	Endress + Hauser stationary sampler for liquid media, model: Liquistation CSF33, serial number: P6002705D00, firmware version: 06.06.08, dimensions: 750 mm x 620 mm x 1250 mm.	250
371	NN office inventory	6 desks and 1 cabinet, dimensions cabinet: 1500 mm x 500 mm x 1950 mm, dimensions desks: (2x) 1000 mm x 2000 mm x 760 mm, (1x) 1800 mm x 1600 mm x 760 mm, (1x) 1700 mm x 1200 mm x 760 mm, (1x) 1800 mm x 800 mm x 740 mm, (1x) 2400 mm x 1800 mm x 750 mm.	25
372	Sistec	Sistec steel fire-resistant filing cabinet, dimensions: 1260 mm x 550 mm x 1950 mm.	75
373	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 980 mm x 2150 mm.	75
374	Rittal	Rittal server cabinet, dimensions: 850 mm x 820 mm x 2320 mm.	50
375	Grundfos	Grundfos centrifugal pump, dimensions: 320 mm x 240 mm x 620 mm.	50
376	NN office inventory	Office inventory consisting of: 3 desks, 4 chairs, 1 table, 2 cabinets.	150
377	Sistec	2 Sistec steel fire-resistant filing cabinets, dimensions: (2x) 950 mm x 500 mm x 1950 mm.	150
378	NN reception inventory	Reception inventory consisting of: 2 cabinets, 1 desk, 1 sink.	250
379	NN lamp	Ceiling lamp, 16 light bulbs.	25
380	NN office inventory	Office inventory consisting of: 3 cabinets, dimensions: (1x) 1600 mm x 420 mm x 760 mm, (2x) 800 mm x 430 mm x 2400 mm, 1 desk, dimensions: 1600 mm x 2400 mm x 770 mm, 1 chair.	25
381	NN stairs	Wooden stairs, dimensions: 1480 mm x 3250 mm x	150
382	NN kitchen inventory	Complete kitchen inventory.	150
383	NN filing cabinet	Filing cabinet, dimensions: 510 mm x 760 mm x 1370 mm.	50
384	Velco	Steel cabinet with Velco fire hose reel and Velco fire extinguisher, dimensions fire hose reel: 850 mm x 180 mm x 950 mm.	50
385	NN safes	(1x) fire king safe, dimensions: 530 mm x 800 mm x 1340 mm, (1x) Derametaal safe, dimensions: 670 mm x 550 mm x 1970 mm.	150
386	Optoma	Optoma beamer with screen, dimensions screen: 2100 mm x 1600 mm.	75
387	NN displays	2 Glass displays, floor dimensions: 400 mm x 400 mm, (2x) total dimensions: 435 mm x 435 mm x 1755.	50
388	NN display	2 Glass displays, floor dimensions: 400 mm x 400 mm, (2x) total dimensions: 435 mm x 435 mm x 1755.	50





Nr	Title	Description	Start €
389	Derametaal	Derametaal steel safe, dimensions: 950 mm x 550 mm x 1950 mm.	75
390	NN table	Table with 3 chairs, table dimensions: 1600 mm x 800 mm x 770 mm.	10
391	NN kitchen inventory	Kitchen inventory consisting of: s/s kitchen counter with double sink, dimensions: 3400 mm x 1370 mm x 900 mm, s/s kitchen counter with ETNA gas heated 4 burner stove, dimensions: 3400 mm x 700 mm x 1000 mm, s/s kitchen counter, dimensions: 3000 mm x 700 mm x 900 mm, wall mounted s/s cabinet, dimensions: 900 mm x 360 mm x 610 mm, 2 extraction hoods, dimensions: (1x) 1400 mm x 1100 mm x 760 mm, (1x) 1000 mm x 700 mm x 750 mm.	300
392	NN tables	2 tables, dimensions: (1x) 1600 mm x 800 mm x 760 mm, (1x) 1800 mm x 800 mm x 760 mm.	25
393	Sistec	2 Sistec steel fire-resistant filing cabinets, dimensions: (2x) 1260 mm x 550 mm x 1950 mm.	150
394	Sistec	3 Sistec steel fire-resistant filing cabinets, dimensions: (3x) 1260 mm x 550 mm x 1950 mm.	225
395	Sistec	1 Sistec steel fire-resistant filing cabinet, dimensions: (1x) 1260 mm x 550 mm x 1950 mm.	75
396	NN table	Oval table with 4 chairs, dimensions table: 2400 mm x 1200 mm x 730 mm.	10
397	Legamaster	2 legamaster white boards, dimensions: (2x) 1200 mm x 900 mm x 10 mm.	10
398	NN display	Glass display, 5 floors, floor dimensions: 450 mm x 450 mm, total dimensions: 490 mm x 490 mm x 1830 mm.	25
399	NN coat rack	Steel coat rack.	10
400	Nan letterboxes	2 s/s letter boxes, dimensions: (2x) 370 mm x 130 mm x 370 mm.	20
401	Maas International	Maas International card charging device, dimensions: 250 mm x 370 mm x 1830 mm.	25
402	NN kitchen counters	2 Mobile s/s kitchen counters, dimensions: 1600 mm x 700 mm x 1500 mm. Including microwave.	100
403	NN table	S/s table, dimensions: Ø 900 mm x 1100 mm.	25
404	NN presentation desk	Wooden presentation desk, dimensions: 950 mm x 1300 mm x 1400 mm.	25
405	NN canteen tables	22 canteen tables, dimensions: (22x) 1800 mm x 900 mm x 750 mm, including 35 chairs.	150
406	NN kitchen inventory	Canteen kitchen inventory, consisting of: Smeva BV refrigerated showcase, type: performer cold-trade, id number: 2001/309187, year of construction: 3-10-01, 240 V, 50 Hz, refrigerant: r 404 a, dimensions: 2500 mm x 1100 mm x 2500 mm, s/s kitchen counter with sink, dimensions: 1600 mm x 700 mm x 900 mm, wall mounted s/s cabinet, dimensions: 1350 mm x 360 mm x 610 mm, MKN kitchen counter, consisting of: double	1000



Nr	Title	Description	Start €
		fryer, type: 1220303-02, machine number: 269801, 400 V, 3 Ph, 12.0 kW, cooking plate, type: 1221103-02, machine number: 178401, 400 V, 3 Ph, 7.2 kW, double cooking plate, type: 1223201-01, machine number: 124701, 400 V, 3 Ph, 5.2 kW, total dimensions: 2200 mm x 700 mm x 900 mm, Lainox combi steamer, type: CE105M, number: 046284101JANLLXMA, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 6.15 kW, 150-500 Kpa, 5 floors, dimensions each floor: 535 mm x 310 mm, total dimensions: 800 mm x 750 mm x 1400 mm, s/s extraction hood, dimensions: 3300 mm x 950 mm x 500 mm, s/s kitchen counter with sink, dimensions: 3250 mm x 700 mm x 900 mm, wall mounted s/s cabinet, dimensions: 1900 mm x 360 mm x 610 mm, canteen counter with heated showcase, dimensions: 7800 mm x 1500 mm x 1620 mm, Smeva BV refrigerated showcase, type: performer cold-trade, id number: 2001/309186, year of construction: 3-10-01, 240 V, 50 Hz, refrigerant: r 404 a, dimensions: 2500 mm x 1100 mm x 2500 mm.	
407	NN signs	2 wet floor signs.	5
408	Oasis	Oasis drink water dispenser, model: P1PVCDKY, serial number: 1728P29965, 220-240 V, 1 Ph, 50/60 Hz, 0.8 A, 100 W, 300 kPa, refrigerant: R134a/60 gram, dimensions: 320 mm x 380 mm x 1150 mm.	25
409	NN coat rack	Steel coat rack, dimensions: 1500 mm x 600 mm x 1500 mm.	10
410	NN cabinet	Wooden cabinet, dimensions: 1720 mm x 950 mm x 2580 mm.	10
411	NN waste container	Plastic waste container, capacity: 120 litres, dimensions: 480 mm x 560 mm x 900 mm.	10
412	NN table	Table, dimensions: Ø 700 mm x 1140 mm.	10
413	NN sliding wall	Sliding wall.	250
414	NN door	S/s fire-resisting door, dimensions: 990 mm x 2160 mm.	75
415	Noha	Steel cabinet with Noha fire hose reel, dimensions: 850 mm x 140 mm x 850 mm.	50
416	NN protection railings	5 steel protection railings.	150
417	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 960 mm x 2110 mm.	75
418	NN cabinets	2 cabinets, dimensions: (2x) 690 mm x 600 mm x 1800 mm.	50
419	Daalderop	Daalderop boiler, type: 07.14.18.053, serial number: 0123276, 220-240 V, 1500 W, dimensions: 500 mm x 500 mm x 1100 mm.	50
420	NN paper dispenser	S/s paper dispenser, dimensions: 275 mm x 210 mm x 400 mm.	5
421	NN office inventory		10



Nr	Title	Description	Start €
		Office inventory, consisting of: 1 desk, dimensions: 1600 mm x 750 mm x 760 mm, 2 cabinets, dimensions: 1030 mm x 410 mm x 2080 mm.	
422	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB fire-resistant door, dimensions: 1000 mm x 2110 mm.	75
423	NN sink	S/s sink, dimensions: 2100 mm x 500 mm x 400 mm.	50
424	NN toilet dividers	3 s/s toilet dividers.	50
425	Kupan	Kupan wooden toilet wall with 3 doors.	100
426	NN sink	S/s sink, dimensions: 1400 mm x 500 mm x 400 mm.	50
427	Kupan	Kupan wooden toilet wall with 2 doors.	100
428	NN sink	S/s sink, dimensions: 2100 mm x 500 mm x 400 mm.	50
429	Kupan	Kupan wooden toilet wall with 4 doors.	100
430	NN sink	S/s sink, dimensions: 1400 mm x 500 mm x 400 mm.	50
431	Kupan	Kupan wooden toilet wall with 2 doors.	100
432	Gloria Smeba/Velco	Steel cabinet with Gloria Smeba fire hose reel and Velco fire extinguisher, dimensions fire hose reel: 730 mm x 180 mm x 940 mm.	50
433	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB double s/s fire-resistant door, dimensions: 1880 mm x 2360 mm.	150
434	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB fire-resistant door, dimensions: 970 mm x 2150 mm.	75
435	Nieros	Nieros s/s sink with faucet, dimensions: 450 mm x 450 mm x 660 mm.	50
436	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
437	Gloria Smeba/Velco	Steel cabinet with Gloria Smeba fire hose reel and Velco fire extinguisher, dimensions fire hose reel: 730 mm x 180 mm x 940 mm.	50
438	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB fire-resistant door, dimensions: 970 mm x 2150 mm.	75
439	NN doors	15 doors, dimensions: (15x) 940 mm x 2110 mm.	150
440	NN doors	2 s/s fire-resistant door, dimensions: (2x) 920 mm x 2110 mm.	150
441	NN door	Double steel fire-resistant door, dimensions: 2040 mm x 2130 mm.	100
442	Noha	Steel cabinet with Noha fire hose reel, dimensions: 850 mm x 140 mm x 850 mm.	50
443	Gloria Smeba	Steel cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
444	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 940 mm x 2100 mm.	75
445	Nieros	Nieros sink with 2 faucets, dimensions: 1050 mm x 460 mm x 660 mm.	50
446	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 970 mm x 2130 mm.	75
447	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB s/s fire-resistant door, dimensions: 970 mm x 2130 mm.	75



Nr	Title	Description	Start €
448	Nieros	Nieros s/s sink with faucet, dimensions: 450 mm x 450 mm x 660 mm.	50
449	NN protection frames	15 protection frames.	250
450	NN switch cabinet	Steel switch cabinet, dimensions: 4000 mm x 670 mm x 2090 mm.	250
451	NN switch cabinet	Steel switch cabinet, dimensions: 1600 mm x 580 mm x 2090 mm.	250
452	Knapsack	Knapsack steel waste bag holder, dimensions: 530 mm x 530 mm x 1310 mm.	10
453	GEA Happel Klimatechnik GmbH	GEA Happel Klimatechnik GmbH heater, type: M322A.BA4, serial number: 07000515030005, year of construction: 2001, 1x230 V, 50 Hz, 1.60 A, 330 W, dimensions: 600 mm x 600 mm x 550 mm.	50
454	Gloria Smeba	Steel cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	50
455	NN power supply unit	S/s cabinet with power supply unit, dimensions: 500 mm x 260 mm x 700 mm.	25
456	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
457	Velco	Plastic cabinet with Velco fire-extinguisher, dimensions: 300 mm x 260 mm x 670 mm.	10
458	Metaflex	Metaflex s/s refrigeration sliding door, dimensions door: 2130 mm x 3000 mm, thickness: 280 mm, rail length: 5500 mm.	400
459	NN curtains	Plastic curtains, dimensions: 2000 mm x 2800 mm.	25
460	NN evaporators	4 evaporators, 3 fans each, dimensions: (4x) 2800 mm x 800 mm x 800 mm.	400
461	Berkel Prior BV	Berkel Prior BV floor weighing scale, type: 2343, serial number: 056206, 110-240 V, 50/60 Hz, 0.2 A, dimensions: 2100 mm x 1620 mm.	150
462	Velco	Plastic cabinet with Velco fire-extinguisher, dimensions: 300 mm x 260 mm x 670 mm.	10
463	Metaflex	Metaflex s/s refrigeration sliding door, dimensions door: 2130 mm x 3000 mm, thickness: 280 mm, rail length: 5500 mm.	400
464	NN curtains	Plastic curtains, dimensions: 2000 mm x 2800 mm.	25
465	NN evaporators	4 evaporators, 4 fans each, dimensions: (4x) 2500 mm x 700 mm x 700 mm.	400
466	ABAC	ABAC air compressor, type: SPINN4 E 200, serial number: ITJ577008, year of construction: 2021 400 V, 3 Ph, 50 Hz, 4 kW, refrigerant: R513A, dimensions: 1370 mm x 560 mm x 1310 mm.	750
467	Logitrans	Logitrans steel pallet lifter, type: HS1000/1600, number: 741456, year of construction: 1997, capacity: 1000 kg, fork length: 1150 mm, total dimensions: 1500 mm x 630 mm x 1930 mm.	100
468	F.Dick		25



Nr	Title	Description	Start €
		F.Dick piston filler, 15 litres, dimensions: 400 mm x 420 mm x 830 mm.	
469	NN trolley	Steel trolley with 4 plastic crates, 5 floors, dimensions crate: (4x) 445 mm x 800 mm x 180 mm, total dimensions: 545 mm x 825 mm x 1390 mm.	25
470	Derby	Derby freezer, type: 1422-4J5A, serial number: 0006262601, 230 V, 50 Hz, 2.04 A, refrigerant: R134A/ 0.210 kg, inside dimensions: 530 mm x 1380 mm x 680 mm, total dimensions: 1500 mm x 650 mm x 960 mm.	25
471	Franke	Franke oven, type: UL 1/1 SE, serial number: 534005, 380 V, 3 Ph, 50 Hz, 10.2 kW, dimensions: 910 mm x 750 mm x 1430 mm.	150
472	NN table	S/s table, dimensions: Ø 900 mm x 1100 mm.	50
473	NN waste bins	3 s/s waste bins, dimensions: (3x) 450 mm x 420 mm x 950 mm.	50
474	NN sink	S/s sink, dimensions: 800 mm x 700 mm x 980 mm.	25
475	NN can opener	S/s can opener, working diameter: 145 mm, total dimensions: 880 mm x 540 mm x 1760 mm.	50
476	NN sink	S/s sink, cabinet and table, dimensions sink: 1800 mm x 700 mm x 270 mm, dimensions cabinet: 1400 mm x 400 mm x 620 mm, dimensions table: 2000 mm x 800 mm x 930 mm.	100
477	NN truck sails	2 sails for trucks.	20
478	NN crates	Pallet with 36 plastic crates, dimensions: 1200 mm x 800 mm x 1320 mm.	25
479	NN rollies	Pallet with 13 rollies, dimensions rollies: (13x) 860 mm x 460 mm x 160 mm.	50
480	NN pipes	Trolley with various plastic piping.	25
481	Pro Garden	9 Pro Garden rechargeable lights, dimensions: (9x) Ø 300 mm x 510 mm.	25
482	NN parts for roller door	Pallet with parts for roller doors.	25
483	Inhospa	Inhospa cooking kettle with agitator, model: AMC 80, serial number: 20210628268C80ELE, year of construction: 28-06-2021, 380/400 V, 3 Ph, 10.5 kW, volume: 80 litres, dimensions: 1020 mm x 620 mm x 1530 mm.	350
484	NN au-bain marie	S/s mobile au-bain marie, inside dimensions: (3x) 305 mm x 510 mm x 220 mm, total dimensions: 1140 mm x 560 mm x 900 mm.	50
485	NN meat bins	(2x) s/s 200 litres meat bins with cover, dimensions: (2x) 690 mm x 740 mm x 770 mm.	100
486	EFM Machinery	EFM Machinery mobile semi-automatic piston filling machine used for filling buckets, type: V1100, serial number: 21180, year of construction: 2022, 230 V, 50 Hz, 0.12 kW, 6 bar, dimensions: 1000 mm x 500 mm x 1500 mm.	2500



Nr	Title	Description	Start €
487	NN tub	Mobile s/s tub, dimensions: 1570 mm x 490 mm x 780 mm.	150
488	EFM Machinery	EFM Machinery mobile closing conveyor for buckets, type: AANROLBAND, serial number: 21181, year of construction: 2022, 230/400 V, 50 Hz, 0.4 kW, belt width: 250 mm, roll width: 300 mm, total dimensions: 2030 mm x 710 mm x 1700 mm.	1500
489	Paul Leibinger GmbH & Co. KG	Paul Leibinger GmbH & Co. KG mobile inkjet printer, type: JET2neoS, serial number: LJ-421782, year of construction: 2021, 100-240 V, 1 Ph, 50-60 Hz, 50 VA, 0.4 A, dimensions: 650 mm x 650 mm x 1460 mm.	500
490	Mesutronic	Mesutronic mobile metal detector, type: MN 7.0 Cl 350/275, serial number: 2022-1287-Cl, year of construction: 2022, belt width: 300 mm, clearance: 350 mm x 225 mm, total dimensions: 1500 mm x 800 mm x 1320 mm.	5000
491	EFM Machinery	EFM Machinery mobile turning table with plastic worktop, type: AF1200, serial number: 21191, year of construction: 2022, 400 V, 50 Hz, 0.18 A, diameter table top: 1200 mm, total dimensions: 1220 mm x 1220 mm x 990 mm.	1000
492	NN counter	S/s kitchen counter, dimensions: 2500 mm x 700 mm x 940 mm.	50
493	NN sink	S/s double sink, dimensions: 2200 mm x 700 mm x 910 mm.	50
494	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2EC-3.2Y-40S, serial number 1270800628, 380-420 / 440-480 V, 3 Ph, 50/60 Hz, 12 A, 11.4/13.7 m³ per hour, dimensions: 1000 mm x 700 mm x 560 mm.	50
495	Bizerba	Bizerba slicer, type: SE 8, 220 V, 50 Hz, 1.7 A, 0.300 kW, dimensions: 600 mm x 630 mm x 500 mm.	50
496	NN buckets	6 buckets filled with concrete, dimensions: (6x) Ø 265 mm x 280 mm.	10
497	NN wheels	Pallet with wheels, dimensions: 1200 mm x 800 mm x 400 mm.	25
498	NN chairs	Trolley with 35 chairs, dimensions: 1510 mm x 700 mm x 2160 mm.	25
499	NN back seat	Back seat of a car, dimensions: 1000 mm x 1260 mm x 1100 mm.	10
500	NN buckets	8 buckets filled with concrete, dimensions: (8x) Ø 265 mm x 280 mm.	10
501	NN profiles	Pallet with steel H-profiles, dimensions: 1200 mm x 800 mm x 450 mm.	25
502	NN lights	Pallet with 4 lights, dimensions: 1300 mm x 1000 mm x 850 mm.	10
503	Bock	Bock cooling compressor, type: HGX3/235-4, number: AK25221A008, 220-240/380-420 V, 3 Ph, 50 Hz, 18/10	75



Nr	Title	Description	Start €
		A, 20.3 m <sup>3</sup> per hour, dimensions: 800 mm x 750 mm x 560 mm.	
504	Cleanfix	Cleanfix floor scrubbing machine, type: RA 410, number: 8435 011, 230-240 V, 50 Hz, 1300 W, dimensions: 420 mm x 1050 mm x 940 mm.	25
505	NN bar table tops	Pallet with 21 bar table tops, dimensions: (21x) Ø 870 mm x 30 mm.	10
506	Silver King	Silver king drink dispenser, type: Beverage cooler, model: SK10MAJ, serial number: SACE15521A dimensions: 440 mm x 640 mm x 800 mm.	50
507	Nicem	Nicem cutlery polisher, model: BELT22, year of construction: 2012, 230 V, 0.7 A, 30 W, weight: 32 kg, plastic belt, belt width: 220 mm, dimensions: 600 mm x 1050 mm x 1300 mm.	150
508	NN tubes	Plastic tube, Ø tube: 490 mm, total dimensions: 800 mm x 490 mm x 1780 mm.	5
509	Franke	Franke coffee machine, dimensions: 340 mm x 640 mm x 600 mm.	5
510	NN flower pots	9 flower pots, dimensions: (9x) 670 mm x 700 mm x 1100 mm.	90
511	NN construction	Pallet with s/s frames, dimensions: 1200 mm x 2140 mm x 950 mm.	75
512	MKN	MKN grill plate, type: 1203803, serial number: 20201631, dimensions grill: 705 mm x 545 mm, total dimensions: 800 mm x 700 mm x 720 mm.	150
513	MKN	MKN kitchen equipment, consisting of: MKN induction plate, type: 2123111, serial number: 12208942, year of construction: 2012, 400-440 V, 3 Ph, 10 kW, dimensions: 500 mm x 700 mm x 900 mm, MKN fryer, type: 2120321, serial number: 12209016, year of construction: 2012, 400 V, 3 Ph, 6 kW, dimensions: 400 mm x 700 mm x 900 mm, MKN griddle, type: 2122507S, serial number: 12208966, year of construction: 2012, 400 V, 3 Ph, 57.2 kW, MKN kitchen counter, dimensions: 600 mm x 700 mm x 900 mm.	150
514	MKN	MKN 4-pits stove, type: 2163404-06, serial number: 09407454, gas heated, dimensions: 800 mm x 700 mm x 850 mm.	200
515	MKN	MKN grill plate, 1321130S, serial number: 20200739, year of construction: 2020, 380-415 V, 3 Ph, 50/60 Hz, 10.8 kW, dimensions grill: 715 mm x 545 mm, total dimensions: 600 mm x 700 mm x 800 mm.	150
516	MKN	MKN grill plate, type: 1222507, serial number: 20200320, year of construction: 2020, 380-415 V, 3 Ph, 50/60 Hz, 7.2 kW, inside dimensions: 515 mm x 545 mm x 100 mm, total dimensions: 600 mm x 700 mm x 800 mm.	150
517	Toyota		350





Nr	Title	Description	Start €
		Toyota electric pallet lifter with charger, type: LWE160, number: 6522526, year of construction: capacity: 1600 kg, fork length: 1000 mm, total dimensions: 510 mm x 320 mm x 400 mm, dimensions charger: 510 mm 320 mm x 400 mm.	
518	Jungheinrich	Jungheinrich electric pallet lifter, type: HC 110, serial number: 82501690, year of construction: 2013, 12 V, 1.5 kW, capacity: 1000 kg, fork length: 1000 mm, total dimensions: 1760 mm x 770 mm x 1780 mm.	400
519	Bayha & Strackbein G.m.b.H	Bayha & Strackbein G.m.b.H cooking kettle, type: KD 50 E, 220 V, inside dimensions: 400 mm x 400 mm, total dimensions: 630 mm x 660 mm x 900 mm.	75
520	CAS	2 CAS weighing scales, (1x) model: PRII-15CD, serial number: 19154905, year of construction: 2019, 6 V, 0.5 A, 0.3 W, dimensions: 340 mm x 360 mm x 110 mm, (1x) model: SW-1S PLUS, serial number: 150852996, year of construction: 2015, 9 V, dimensions: 240 mm x 280 mm x 140 mm.	10
521	Medoc S.A.	Medoc S.A. bandsaw, model: BETA-250 CE, year of construction: 1998, 220/380 V, 3 Ph, 50 Hz, 5.0/2.9 A, dimensions: 700 mm x 720 mm x 1120 mm.	300
522	NN cabinets	3 s/s cabinets, dimensions: (1x) 1250 mm x 420 mm x 700 mm, (1x) 1400 mm x 500 mm x 600 mm, (1x) 2000 mm x 400 mm x 590 mm.	75
523	NN sink	S/s sink with faucet, dimensions: 1500 mm x 470 mm x 1600 mm.	50
524	NN sinks	2 double sinks with faucet, dimensions: (1x) 2000 mm x 700 mm x 980 mm, (1x) 2000 mm x 700 mm x 1900 mm.	150
525	Alexanderwerk	Alexanderwerk cutter/grinder, type: SZN45/114, number: 6072, 380 V, 50 Hz, 11.4 A, 5.5 kW, Ø bowl: 800 mm, Ø plate: 113 mm, total dimensions: 1500 mm x 900 mm x 1090 mm. Technical condition unknown.	750
526	Rex-Maschinen	Rex-Maschinen piston filler, type: FN 20, number: 7414, 380 V, 50 Hz, 3.7 A, 1.5 kW, dimensions: 720 mm x 480 mm x 1000 mm. Including crate with extra parts. Technical condition unknown.	250
527	Still	Still electrical forklift truck, type: R 60-16l, serial number: 516033000530, year of construction: 2001, capacity: 1600 kg, weight without battery: 3200 kg, min/ max battery weight: 1178/1302 kg, for length: 1000 mm, total dimensions: 3040 mm x 1120 mm x 2170 mm, including battery charger, dimensions: 410 mm x 320 mm x 510 mm.	1500
528	NN wooden plates	4 steel trolleys with large amount of wooden plates.	200
529	NN packaging materials	Pallet with various packaging materials, dimensions: 1200 mm x 690 mm x 2410 mm.	10
530	NN office tables	4 office tables, dimensions: (4x) 1200 mm x 690 mm x 830 mm.	25



Nr	Title	Description	Start €
531	Strautmann	Strautmann carton baler, type: EK 700, serial number: 5750.99, year of construction: 1999, 230 V, 50 Hz, 1.5 kW, dimensions: 980 mm x 660 mm x 2400 mm.	300
532	NN fire extinguishers	14 fire extinguishers.	140
533	NN advertisement board	Schrobblér advertisement board, dimensions: 740 mm x 600 mm x 440 mm.	5
534	NN protection frames	Steel protection frames, approximately 80 meters.	300
535	NN wall panels	Wall panels with 3 doors, dimensions: 2460 mm x 2900 mm.	150
536	Velco	Plastic cabinet with Velco fire extinguisher, dimensions: 320 mm x 270 mm x 830 mm.	10
537	Metaflex	Metaflex s/s refrigeration sliding door, serial number: 0577, dimensions door: 2460 mm x 2700 mm, thickness: 130 mm, rail length: 5000 mm.	250
538	NN curtains	Plastic curtains, dimensions: 2400 mm x 2900 mm.	10
539	NN sink	S/s sink, knee control, dimensions: 490 mm x 460 mm x 1120 mm. Including s/s soap dispenser and s/s paper dispenser.	50
540	Berkel Prior BV	Berkel Prior BV floor weighing scale, type: 2343, serial number: 056196, 110-240 V, 50/60 Hz, 0.2 A, dimensions: 1500 mm x 1240 mm, dimensions cabinet: 1020 mm x 700 mm x 1750 mm.	150
541	NN lockers	2 lockers, dimensions: (1x) 530 mm x 450 mm x 1950 mm, (1x) 300 mm x 500 mm x 1800 mm.	5
542	NN server cabinet	Server cabinet, dimensions: 600 mm x 570 mm x 1020 mm.	50
543	NN switch cabinet	Steel switch cabinet, dimensions: 600 mm x 210 mm x 590 mm.	25
544	Bitzer Kühlmaschinenbau GmbH	2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 6H2, 400 V, 42.2 A, 22 kW, refrigerant: R507, dimensions: 900 mm x 1400 mm x 700 mm, including switch cabinet, dimensions: 1000 mm x 320 mm x 1200 mm.	500
545	Metaflex	Metaflex s/s refrigeration sliding door, serial number: 0577, dimensions door: 2120 mm x 3140 mm, thickness: 170 mm, rail length: 4300 mm.	250
546	NN wall panels	Wall panel with 2 doors, dimensions: 3000 mm x 3000 mm x 4400 mm.	100
547	Helpman	2 Helpman evaporators, 3 fans, dimensions: (2x) 2800 mm x 800 mm x 800 mm.	200
548	NN pallet racks	Steel pallet racks, consisting of: 12 uprights, dimensions: 960 mm x 4500 mm, 28 beams, length: 3300 mm.	150
549	NN plastic curtains	Plastic curtains, dimensions: 2400 mm x 2900 mm.	10
550	Numatic	Numatic plastic hygiene trolley, dimensions: 1300 mm x 560 mm x 1000 mm.	5
551	NN frames	Pallet with steel frames, dimensions pallet: 1800 mm x 1100 mm x 1000 mm.	10



Nr	Title	Description	Start €
552	NN air outlet channels	2 steel air outlet channels, dimensions: (2x) 1000 mm x 1000 mm x 1300 mm.	5
553	NN air fan	Pallet with air fans, dimensions pallet: 1200 mm x 800 mm x 800 mm.	25
554	NN parts	Pallet with various parts, among others: air fans, clock, plastic curtains, insect killer, etc, dimensions: (2x) 1200 mm x 800 mm x 800 mm.	50
555	NN switch cabinets	2 pallets with various s/s and plastic switch cabinets, dimensions: (2x) 1200 mm x 800 mm x 1500 mm.	100
556	NN switch cabinets	Pallet with various steel switch cabinets, dimensions: 1200 mm x 800 mm x 1500 mm.	25
557	Mitsubishi	Pallet with 2 Mitsubishi indoor air-conditioning units, model: MSZ-HR35VF, serial number: 0E017332TR, year of construction: 2020, dimensions pallet: 1200 mm x 800 mm x 400 mm.	50
558	NN hose reels	Pallet with 2 s/s hose reels with hose, dimensions pallet: 1200 mm x 800 mm x 800 mm.	100
559	Nederman	Pallet with 3 Nederman s/s hose reels with hose, dimensions pallet: 1200 mm x 800 mm x 800 mm.	125
560	EWK	EWK autoclave, factory number: 151010, year of construction: 1970, 400 Va, 220°C, 50 / 8 litres, dimensions: 600 mm x 600 mm x 1900 mm.	100
561	NN doors	2 pallets with various wooden doors, dimensions pallets: (2x) 2200 mm x 1030 mm x 500 mm.	25
562	NN sink	S/s double sink, sensor controlled, dimensions: 2060 mm x 460 mm x 650 mm, Kohlhoff sole cleaner, type: Primus 2-W, machine number: 806414, year of construction: 01/2014, s/s paper dispenser, plastic paper dispenser, 3 s/s soap dispenser and mirror.	100
563	NN fan	2 pallets with fan and air outlet, dimensions pallets: (2x) 1200 mm x 1000 mm x 1150 mm.	50
564	Nefit	Pallet with 2 Nefit boilers, dimensions pallet: 1200 mm x 1000 mm x 1300 mm.	25
565	NN pallet with parts	Pallet with parts, dimensions 1200 mm x 800 mm x 600 mm.	10
566	Grundfos	Pallet with Grundfos centrifugal pump and valve, dimensions pallets: 1200 mm x 800 mm x 600 mm, pallet with parts, dimensions 1200 mm x 800 mm x 600 mm.	25
567	Camfil Farr	Camfil Farr air filter unit, type: FCBL 1X2 HF CL.C ATEX L650, dimensions: 2460 mm x 720 mm x 1000 mm and 2700 mm x 840 mm x 1400 mm.	200
568	NN pallet boxes	6 plastic pallet boxes, dimensions: (7x) 1200 mm x 1000 mm x 720 mm.	60
569	NN hydraulic unit	Hydraulic unit, dimensions: 360 mm x 360 mm x 710 mm.	10
570	NN expansion vessel		10



Nr	Title	Description	Start €
		Steel expansion vessel, dimensions: Ø 620 mm x 1300 mm.	
571	Nomafa	4 pallets with various Nomafa electrical high speed shutter doors, dimensions pallets: (4x) 3600 mm x 1200 mm x 600 mm.	600
572	PestWest Electronics Ltd	PestWest Electronics Ltd insect killer, type: Chameleon 1x2, dimensions: 470 mm x 300 mm x 100 mm.	5
573	Knapzak	Knapzak steel waste bag holder, dimensions: 570 mm x 600 mm x 1340 mm.	10
574	NN protection poles	Plastic pallet box with various s/s protection poles, dimensions pallet box: 1200 mm x 1000 mm x 760 mm.	50
575	Grasso	2 Grasso steel pressure vessels, volume: 1000 litres, dimensions: (2x) Ø 800 mm x 2300 mm.	300
576	NN office inventory	Various office inventory.	10
577	NN table	S/s table, dimensions: 2100 mm x 600 mm x 1100 mm.	25
578	Metaflex	Metaflex s/s refrigeration sliding door, serial number: 0577, dimensions door: 2120 mm x 3140 mm, thickness: 170 mm, rail length: 4300 mm.	250
579	Helpman	2 Helpman evaporators, 3 fans each, dimensions: (2x) 2800 mm x 800 mm x 800 mm.	200
580	NN tub	S/s tub with salt, dimensions: 480 mm x 320 mm x 410 mm.	10
581	Helpman	Helpman condenser, 2 fans, dimensions: 2600 mm x 800 mm x 1400 mm.	350
582	Bitzer Kühlmaschinenbau GmbH	2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 6GE-34Y-40P, serial number: 1693010962, 42.2 A, 22 kW, 65.5 A, 127/153 m³/h, refrigerant: R449A, dimensions: 1270 mm x 850 mm x 1120 mm and 1080 mm x 1000 mm x 960 mm, including switch cabinet, dimensions: 1000 mm x 320 mm x 1200 mm.	500
583	Bitzer Kühlmaschinenbau GmbH	2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 6H-35.2Y-40P, serial number: 1678811047 and 1679008231, refrigerant: R449A, dimensions: 900 mm x 1400 mm x 700 mm. Including switch cabinet.	500
584	NN R407F refrigerant	7 steel cylinders with R407F refrigerant, dimensions: Ø 300 mm x 1150 mm.	350
585	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6G.2, serial number: 391026, 78.7-153.0 m³/h, dimensions: 600 mm x 350 mm x 480 mm. Incomplete, technical condition unknown.	25
586	Helpman	Helpman condenser, 4 fans, dimensions: 3700 mm x 2400 mm x 1400 mm.	400
587	NN building with roller door	Building with steel structure, panels and roller door, dimensions: 16000 mm x 8000 mm x 8000 mm.	2500
588	Gardner Denver Deutschland GmbH	Gardner Denver Deutschland GmbH air compressor, ID number: CD10008667003, year of construction: 02/2012, 400 V, 3 Ph, 50 Hz, 47 A, 22 kW, flow rate: 3.21	1000



Nr	Title	Description	Start €
		m <sup>3</sup> /min, stage pressure: 10 bar, suction pressure: 1.0 bar, dimensions: 870 mm x 670 mm x 1170 mm, Beko Technologies GmbH air dryer, model: Drypoint RA40, serial number: 090000164/09, year of construction: 2009, 230-240 V, 1 Ph, 50 Hz, 3.9 kW, 10 A, refrigerant: R404A/0.48 kg, dimensions: 480 mm x 510 mm x 820 mm, BMT steel pressure vessel, fabrication number: AV2011/114, year of construction: 1998, volume: 2000 litres, dimensions: 2000 litres, dimensions: Ø 1200 mm x 2400 mm.	
589	MPS	MPS polymer preparation system, dimensions: 2000 mm x 900 mm x 1800 mm.	500
590	MPS Meat Processing Systems	MPS Meat Processing Systems switch cabinet for water treatment, dimensions: 2400 mm x 500 mm x 2150 mm.	500
591	NN switch cabinet for water treatment	S/s switch cabinet for water treatment, dimensions: 800 mm x 400 mm x 2000 mm.	150
592	NN server cabinet	S/s server cabinet , dimensions: 590 mm x 480 mm x 470 mm.	25
593	Daalderop	Daalderop hot water boiler, dimensions: 290 mm x 270 mm x 450 mm.	5
594	NN lobe pump	Lobe pump, dimensions: 1000 mm x 450 mm x 450 mm.	100
595	Stork Aqua	Stork Aqua drum screen filter, filter width: 1900 mm, total dimension: 2000 mm x 2200 mm x 3400 mm.	1500
596	Waterkracht	Waterkracht Hydrojet high pressure pump unit, dimensions: 750 mm x 1300 mm x 1500 mm, including control panel, dimensions: 370 mm x 210 mm x 370 mm and switch cabinet, dimensions: 750 mm x 300 mm x 750 mm.	250
597	NN sink	S/s sink with faucet, dimensions: 450 mm x 450 mm x 650 mm.	25
598	Gloria Smeba	S/s cabinet with Gloria Smeba fire hose reel, dimensions: 730 mm x 180 mm x 940 mm.	25
599	NN hose reel	Hose reel with hose, dimensions: Ø 550 mm x 200 mm.	50
600	Stork Aqua	Stork Aqua s/s dissolved air flotation unit, dimensions: 12000 mm x 3900 mm x 2650 mm, including s/s platform with stairs, dimensions: 3100 mm x 3000 mm x 2400 mm. Situated in the basement, concrete floor panels first have to be removed before it can be lifted out.	4000
601	Seepex GmbH	Seepex GmbH progressive cavity pump, type: BN 17-12, year of construction: 2020, dimensions: 1900 mm x 350 mm x 600 mm.	250
602	NN influent pumps	Skid with 2 influent pumps, dimensions: 1100 mm x 1200 mm x 1900 mm.	200
603	Siemens	Siemens flowmeter, model: SITRANS F M MAG 5100 W/ SITRANS F M MAGFLO MAG6000, dimensions: 300 mm x 300 mm x 500 mm.	150



Nr	Title	Description	Start €
604	NN waterpump	Waterpump, dimensions: 250 mm x 250 mm x 600 mm.	75
605	NN cabinet	S/s wall mounted cabinet, dimensions: 590 mm x 210 mm x 790 mm.	25
606	NN fire extinguisher cabinet	Plastic fire extinguisher cabinet, dimensions: 320 mm x 270 mm x 830 mm, fire extinguisher is missing.	5
607	Nederman	Nederman s/s hose reel with hose, dimensions: 550 mm x 200 mm x 550 mm.	50
608	NN waterpump	Waterpump, dimensions: 250 mm x 250 mm x 600 mm.	75
609	NN influent pumps	Skid with 2 influent pumps and KSB water pump, dimensions: 1600 mm x 1300 mm x 1900 mm, including s/s wall mounted switch cabinet, dimensions: 590 mm x 810 mm x 380 mm.	250
610	NN steel stairs	Steel stairs, height floor: 4500 mm, total dimensions: 3300 mm x 2700 mm x 4500 mm.	250
611	Industrial Storage Systems	Industrial Storage Systems steel aeration tank, diameter: 15000 mm, height: 4000 mm.	2500
612	NN valve	S/s cabinet with valve, dimensions: 1110 mm x 610 mm x 1180 mm.	75
613	Industrial Storage Systems	Industrial Storage Systems steel aeration tank, diameter: 15000 mm, height: 4000 mm.	2500
614	NN valve	S/s cabinet with valve, dimensions: 1110 mm x 610 mm x 1180 mm.	75
615	Industrial Storage Systems	Industrial Storage Systems steel influent buffer tank, type: 5.5x11, project number: 59333, year of construction: 2011, volume: 680 m <sup>3</sup> , maximum temperature: 40°C, medium: water, diameter: 10000 mm, height: 6000 mm.	3000
616	Industrial Storage Systems	Industrial Storage Systems steel effluent buffer tank, diameter: 20000 mm, height: 1400 mm.	1750
617	NN part for water treatment	Steel rack with parts for water treatment, dimensions: 1030 mm x 420 mm x 2100 mm.	25
618	NN switch cabinet for water treatment	Switch cabinet for water treatment, dimensions: 2400 mm x 500 mm x 2000 mm.	200
619	NN platform with stairs	Steel platform with stairs, working height: 4050 mm, total dimensions: 21000 mm x 17000 mm x 4150 mm.	1000
620	J.E. StorkAir	(4x) J.E. StorkAir rooftop fans, dimensions: 1000 mm x 1000 mm x 900 mm, 500 mm x 500 mm x 400 mm and (2x) 600 mm x 600 mm x 500 mm.	100
621	Refle	Refle cooling condensing unit, dimensions: 750 mm x 470 mm x 500 mm. Situated on the roof.	25
622	Alfa Laval	Alfa Laval condenser, 10 fans, type: BDDRE1005CD56 P SW, serial number: 30/259-101660-01, year of construction: 2012, volume: 265.5 liters, TS: -40/110 °C, PS: -1/9 bar, refrigerant: Brine, empty weight: 1700 kg, on steel frame with switch cabinet, dimensions: 13000 mm x 2400 mm x 2300 mm. Situated on the roof. Can be	1250

Nr	Title	Description	Start €
		picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	
623	Helpman	Helpman condenser, 2 fans, dimensions: 3700 mm x 1020 mm x 1400 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	400
624	Helpman	Helpman condenser, 2 fans, dimensions: 3700 mm x 1020 mm x 1400 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	400
625	Helpman	Helpman condenser, 2 fans, dimensions: 3700 mm x 1020 mm x 1400 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	400
626	Helpman	Helpman condenser, 2 fans, dimensions: 3700 mm x 1020 mm x 1400 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	400
627	J.E. StorkAir	J.E. StorkAir rooftop fan, dimensions: 1100 mm x 1100 mm x 1600 mm.	25
628	J.E. StorkAir	J.E. StorkAir rooftop fan, dimensions: 1100 mm x 1100 mm x 1600 mm.	25
629	J.E. StorkAir	J.E. StorkAir rooftop fan, dimensions: 550 mm x 550 mm x 600 mm.	25
630	Toshiba	Toshiba outside air-conditioning unit, model: RAV-SP1404AT8-E, serial number: 204B0073, year of construction: 2012, 380-415 V, 3 Ph, 50 Hz, 10.61 kW, 16.4 A, refrigerant: R410A/3.1 kg, dimensions: 900 mm x 350 mm x 1300 mm. Situated on the roof.	50
631	J.E. StorkAir	J.E. StorkAir rooftop fan, dimensions: 1500 mm x 1500 mm x 700 mm.	25
632	J.E. StorkAir	J.E. StorkAir rooftop fan, dimensions: 900 mm x 900 mm x 800 mm.	25
633	J.E. StorkAir	J.E. StorkAir rooftop fan, dimensions: 600 mm x 600 mm x 600 mm.	25
634	J.E. StorkAir	(4x) J.E. StorkAir rooftop fan, dimensions: (4x) 1200 mm x 1200 mm x 900 mm. Situated on the roof.	100
635	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit, type: LH84/4FC-5.2Y-40S, serial number: 1674700126, dimensions: 3700 mm x 1000 mm x 1000 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	350
636	Maneurop	Maneurop condensing unit, year of construction: 1994, refrigerant: R134A, dimensions: 3700 mm x 1000 mm x 1000 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	350





Nr	Title	Description	Start €
637	Friga Systems B.V. / Bitzer Kühlmaschinenbau GmbH	Friga Systems B.V. condensing unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4DC-7.2Y-40S, serial number: 1682713465, capacity: 26.9/32.4 m³/h, dimensions: 2950 mm x 1200 mm x 1200 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	500
638	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit, type: 2CC-3.2Y-40S, serial number: 1682714685, dimensions: 3700 mm x 1000 mm x 1000 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	350
639	Askové B.V.	Steel platform with Askové B.V. gas scrubber, type: CFS, size: 2400-6, year of construction: February 1996, material: HPE, gas flow: 460 m³/h, design pressure: 2000 Pa, operating temperature: 30 °C, content: 2.3m³ liquid, total dimensions: 13000 mm x 5000 mm x 5300 mm. Situated on the roof.	1000
640	J.E. StorkAir	(3x) J.E. StorkAir rooftop fan, dimensions: (2x) 700 mm x 700 mm x 600 mm and (1x) 700 mm x 700 mm x 600 mm. One fan is incomplete.	75
641	Modine CIS Italy S.r.l.	Modine CIS Italy S.r.l. condenser, 2 fans, model: KCE62M4V07, serial number: BS201800380, year of construction: 19/02/2018, 230 V, 1 Ph, 50 Hz, 1200 W, 5.24 A, PS: 35 bar, volume: 23 litres, dimensions: 2600 mm x 1060 mm x 1100 mm. Situated on the roof.	150
642	J.E. StorkAir	(3x) J.E. StorkAir rooftop fan, dimensions: 1200 mm x 1200 mm x 600 mm and (2x) 700 mm x 700 mm x 600 mm.	75
643	J.E. StorkAir	(3x) J.E. StorkAir rooftop fan, dimensions: (2x) 900 mm x 900 mm x 700 mm and (1x) 700 mm x 700 mm x 600 mm.	75
644	J.E. StorkAir	(6x) J.E. StorkAir rooftop fan, dimensions: (6x) 900 mm x 900 mm x 700 mm.	150
645	Verhulst	Verhulst air treatment cabinet, type: VKT 0807, year of construction: 2001, airflow: 8.06 m³/s, dimensions: 11500 mm x 3800 mm x 2800 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	1000
646	IBK Compac BV	IBK Compac BV water chiller, type: TC/SRAT-1402/B, ID number: I10-17050-01, year of construction: 2002, refrigerant: R407c/48 kg, dimensions: 5600 mm x 5400 mm x 3750 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	3500
647	Mitsubishi		50



Nr	Title	Description	Start €
		Mitsubishi outside air-conditioning unit, model: FDC140VSA, serial number: AD6100548UF, refrigerant: R410A/3.8 kg, dimensions: 960 mm x 390 mm x 860 mm. Situated on the roof.	
648	Modine CIS Italy S.r.l.	Modine CIS Italy S.r.l. condenser, 1 fan, model: TKE451J4, serial number: CH202100716, year of construction: 05/08/2021, PS: 35 bar, TS max/min: 125/-40 °C, capacity: 3 litres, dimensions: 1000 mm x 730 mm x 800 mm. Situated on the roof.	150
649	Copeland Scroll	Copeland Scroll outside air-conditioning unit, year of construction: 2019, refrigerant: 2449A/6.0 kg, dimensions: 950 mm x 400 mm x 1250 mm. Situated on the roof.	100
650	Copeland Scroll	Copeland Scroll outside air-conditioning unit, year of construction: 2019, refrigerant: 2449A/6.0 kg, dimensions: 950 mm x 400 mm x 1250 mm. Situated on the roof.	100
651	LG	(2x ) LG outside air-conditioning unit, dimensions: 950 mm x 350 mm x 1390 mm and 870 mm x 350 mm x 1200 mm. Situated on the roof.	50
652	J.E. StorkAir	(2x) J.E. StorkAir rooftop fan, dimensions: (2x) 1000 mm x 1000 mm x 800 mm.	50
653	J.E. StorkAir	J.E. StorkAir rooftop fan, dimensions: 1000 mm x 1000 mm x 800 mm.	25
654	Mitsubishi	Mitsubishi outside air-conditioning unit, model: FDC140VSA-W, serial number: AG2301299RF, refrigerant: R32(675)/3.8 kg, dimensions: 960 mm x 390 mm x 860 mm. Situated on the roof.	50
655	LG	LG outside air-conditioning unit, model: UU49W U32, refrigerant: R410A/3.4 kg, dimensions: 950 mm x 350 mm x 1390 mm. Situated on the roof.	50
656	Frigotronic	Frigotronic condensing unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, type: CHTCU120/2 SCR R507 V=28 Z=42, ID number: 0018618, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 9 kW, 12 bar, refrigerant: R507, weight: 771 kg, dimensions: 2500 mm x 800 mm x 2000 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	250
657	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH Ecostar condensing unit, type: LHV7E/4DE-7.F3Y-40S, serial number: 1600512938, refrigerant: R449A, dimensions: 1350 mm x 690 mm x 1670 mm. Situated on the roof.	250
658	Modine CIS Italy S.r.l.	Modine CIS Italy S.r.l. condenser, 2 fans, model: KCE52J3V07, serial number: BS201701738, year of construction: 23/08/2017, 230 V, 1 Ph, 50-60 Hz, 6-7.76 A, PS: 35 bar, capacity: 11 litres, dimensions: 2150 mm x 770 mm x 1150 mm. Situated on the roof.	150



Nr	Title	Description	Start €
659	Bitzer Kühlmaschinenbau GmbH	Condensing unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4CC-6.2Y-40S, serial number: 1682114854, capacity: 32.5/39.2 m³/h, dimensions: 1300 mm x 1100 mm x 800 mm. Situated on the roof.	150
660	J.E. StorkAir	(3x) J.E. StorkAir rooftop fan, dimensions: (2x) 600 mm x 600 mm x 500 mm and (1x) 800 mm x 800 mm x 600 mm.	75
661	Verhulst	Verhulst air treatment cabinet, type: VKT 0604, year of construction: 2001, airflow: 2.5 m³/s, dimensions: 9100 mm x 3000 mm x 2100 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	1000
662	Verhulst	Verhulst air treatment cabinet, type: VKT 0604, year of construction: 2001, airflow: 1.94 m³/s, dimensions: 9100 mm x 3000 mm x 2100 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	1000
663	Refra	Refra refrigeration unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, model: Bcase 13E025S, serial number: 10545035, year of construction: 2018/07, 400 V, 3 Ph, 50 Hz, 29.0 A, 48.5 m³/h, PS: 18.0/27.5 bar, refrigerant: R449A/54.7 kg, net weight: 495 kg, dimensions: 1950 mm x 995 mm x 1575 mm. Situated on the roof. Can be picked-up at a later date as soon as the building will be demolished next year, a date for this is yet unknown.	1250
664	Speck- Kolbenpumpenfabrik	Mobile high pressure pump unit with Speck-Kolbenpumpenfabrik high pressure pump, type: P41/58-110, number: 186871, year of construction: 04/97, Q: 85.2 l/min P: 11.50 kW, Pmax: 110 bar, Tmax: 70 °C, dimensions: 1300 mm x 600 mm x 900 mm.	250
665	Kremer	Kremer high pressure cleaner, model: KR-5300HW, 400 V, 3 Ph, 50 Hz, 7.3 kW, 1450 rpm, max 15 l/min, dimensions: 1500 mm x 1000 mm x 1700 mm.	250
666	NN well with control cabinet and pump	Concrete well with control cabinet and pump, dimensions: 2080 mm x 1070 mm.	1000
667	Optex	6 s/s frames with Optex alarm sensors, dimensions: (6x) 100 mm x 130 mm x 505 mm.	150
668	NN canopy with shed	Canopy with shed, dimensions: 13600 mm x 4700 mm x 3200 mm.	250
669	NN window frames	29 plastic window frames with double glazing, dimensions: 1120 mm x 1340 mm and 3350 mm x 1340 mm.	1000
670	NN emergency lights	Approximately 20 emergency lights.	200
671	NN steam valves	2 steam valves.	100
672	Assa Abloy	Canopy with Assa Abloy overhead door.	400
673		(22x) Silensys, Mitsubishi, Carrier, Panasonic, LG and Toshiba outside air-conditioning units. When they are	550

Nr	Title	Description	Start €
	Silensys/Mitsubishi/ Carrier/Panasonic/ LG/Toshiba	still available, the inside units can also be taken, they might not all be there anymore.	
674	Dohmeyer/CES	Dohmeyer/CES spiral cooler/freezer, year of construction: 2011 (completely overhauled by the company CES in 2017), 400 V, 36 kW, refrigerant: CO2, cooling capacity: 208 kW/61.17 tons, maximum production capacity: approximately 1.500 kg/h (depending on the product data), North-South configuration, counter clockwise rotation, infeed height: 920 mm, outfeed height: 920 mm, type of belt: s/s Ashworth belt type Omni-Grid 100 B24-12-17, bruto belt width: 600 mm, effective belt width: 550 mm, maximum product height: 120 mm, 16 tiers per drum, total 32 pieces, effective belt length: 374 m, drum diameter outside: 2720 per drum, adjustable band speed: between minimum 3m/min and maximum 7m/min, (6x) Kelvion s/s and aluminium cooling evaporators, (6x) Kelvion s/s and aluminium blast freeze evaporators, s/s switch cabinet with Siemens S7/Simatic touchscreen, belt cleaning unit, Bitzer Kühlmaschinenbau GmbH CO2 – transcritical DX cooling/freezing system built in a low noise container, total dimensions: 8750 mm x 7250 mm x 5100 mm. Located on another location, pick-up in consultation with Industrial Auctions BV.	125000

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.



9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]




## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

