



**Industrial
Auctions**

**2003: Online auction machinery for the food
industry in Tegelen (NL)**

END DATE
04 December 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	04 December 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	11 December 2025 from 09:00 till 16:00 hrs.
Pick up address	Kaldenkerkerweg 5 5932 CS Tegelen Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Seydelmann	Seydelmann mixer-grinder with lifter for 200 litre meat bins, type: MG160B, machine number: 93382-1, 380 V, 50 Hz, 70 A, plate diameter: 160 mm, total dimensions: 2800 mm x 2100 mm x 2530 mm.	5000
2	Seydelmann	Seydelmann grinder, type: WD114, machine number: 12860, year of construction: 2012, 400 V, 50 Hz, 18 A, 6 kW, weight: 300 kg, plate diameter: 114 mm, total dimensions: 1150 mm x 700 mm x 1150 mm.	2500
3	Kramer + Grebe	Kramer + Grebe grinder, type: WW 114, machine number: 276/1120, plate diameter: 114 mm, total dimensions: 1000 mm x 700 mm x 1150 mm.	1500
4	Risco S.p.A.	Risco S.p.A. double shaft paddle mixer, model: RS 750, serial number: 1205004, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 7.8 kW, weight: 1010 kg, volume: 750 liter, dimensions: 2760 mm x 1170 mm x 1720 mm.	4000
6	Risco S.p.A.	Risco S.p.A. double shaft paddle mixer, model: RS 750, serial number: 1207001, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 7.8 kW, weight: 1010 kg, volume: 750 liter, dimensions: 2760 mm x 1170 mm x 1820 mm.	4000
7	Meissner	Meissner cutter, type: PSM45, number: 119 8382, overhauled in 2011, 400 V, 3 Ph, 50 Hz, 32 A, s/s bowl, volume bowl: 45 liter, dimensions: 1150 mm x 1060 mm x 1200 mm. Including extra knife sets.	1500
8	Unitherm Food Systems	Unitherm Food Systems belt grill, model: infra-red grill, s/s mesh belt, belt width: 1000 mm, total dimensions: 2120 mm x 1480 mm x 1680 mm.	2500
9	MPE	MPE mobile traysealer, model: SL 1200, serial number: 1108, year of construction: 2013, 415 V, 3 Ph, 50 Hz, dimensions dye: 190 mm x 145 mm, total dimensions: 2750 mm x 780 mm x 1230 mm.	1500
10	MPE	MPE mobile traysealer, model: SL 1200, serial number: 1109, year of construction: 2013, 415 V, 3 Ph, 50 Hz, dimensions dye: 190 mm x 145 mm, total dimensions: 2750 mm x 780 mm x 1230 mm. Damaged.	500
11	Kronen	Kronen mobile vegetable spiral cutting machine, type: SPIRELLO SP150, number: 199, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 0.9 kW, clearane: Ø 75 mm, total dimensions: 1100 mm x 600 mm x 1700 mm.	3000
12	Carpigiani	Carpigiani mobile ice cream machine, model: EVD 3 P/F, serial number: IC92070, 400 V, 3 Ph, 50 Hz, 25 A, 5.4 kW, refrigerant: R-404A, 1.1 kg, dimensions: 510 mm x 880 mm x 1780 mm. Incomplete.	500
13	Carpigiani	Carpigiani mobile ice cream machine, model: EVD 3 P/F, serial number: IC90059, 400 V, 3 Ph, 50 Hz, 25 A, 5.4 kW, refrigerant: R-404A, 1.1 kg, dimensions: 510 mm x 880 mm x 1780 mm. Incomplete.	500
14	Carpigiani		500



Nr	Title	Description	Start €
		Carpigiani mobile ice cream machine, model: EVD 3 P/F, serial number: IC90060, 400 V, 3 Ph, 50 Hz, 25 A, 5.4 kW, refrigerant: R-404A, 1.1 kg, dimensions: 510 mm x 880 mm x 1780 mm. Incomplete.	
15	Carpigiani	Carpigiani mobile ice cream machine, model: EVD 3 P/F, serial number: IC92071, 400 V, 3 Ph, 50 Hz, 25 A, 5.4 kW, refrigerant: R-404A, 1.1 kg, dimensions: 510 mm x 880 mm x 1780 mm. Incomplete.	500
16	Wernsen	Wernsen s/s mover, type: HW 30, number: 300.0008, year of construction: 2021, capacity: 3000 kg, weight: 285 kg, dimensions: 1600 mm x 600 mm x 1050 mm.	500
17	Nieros	Nieros sole cleaner, type: DR/1000, serial number: N3B47-13, year of construction: 11/2011, 400 V, 3 Ph, 50 Hz, 0.45 kW, brush lenght: (2x) 800 mm, total dimensions: 1900 mm x 800 mm x 1420 mm.	1000
18	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH piston filler, type: KOMPAKTA-2, machine number: K2-30-411293, 380 V, 50 Hz, dimensions: 760 mm x 700 mm x 1240 mm. Including box with parts.	1900
19	NN vibrating gutter	S/s vibrating gutter with sieve, type: SP 16.8-S, number: 550 0002, year of construction: 2012, total dimensions: 1900 mm x 1300 mm x 1100 mm.	1000
20	NN vibrating gutter	S/s vibrating gutter with sieve, type: SP 16.8-S, number: 550 0001, year of construction: 2012, total dimensions: 1900 mm x 1300 mm x 1000 mm.	1000
21	Interpac	Interpac mobile depositor, type: inter DOS 2, machine number: WK 116/04, year of construction: 2005, 400 V, 3 Ph, 16 A, 2 heads, diameter outfeed: (2x) 30 mm, total dimensions: 2250 mm x 1200 mm x 2350 mm. Incomplete.	500
22	RVS NON FERRO	RVS NON FERRO mobile filtration pump unit, number: 46172-TK01, year of construction: 2016, dimensions tank: Ø 600 mm x 620 mm, total dimensions: 2900 mm x 1100 mm x 2400 mm.	500
23	Hidro Mechanika	Hidro Mechanika heating tank on steel frame with Alfa Laval plate heat exchanger, type heating tank: HCLK-50-16, year of construction 1999, 4 kW, type heat exchanger: M3-FG, number: 30104-54430, year of construction: 1997, volume: 1liter, dimensions tank: Ø 700 mm x 1100 mm, total dimensions: 1300 mm x 1100 mm x 1600 mm.	400
24	NN tub	Mobile s/s tub with drain, dimensions: 1400 mm x 660 mm x 1120 mm.	50
25	Handtmann	Handtmann vacuum filling machine, type: VF50, dimensions: 860 mm x 560 mm x 1630 mm. Incomplete, technical condition unknown.	2500
26	Key Technology BV	Key Technology BV vibrating gutter, type: MVIID, number: 176406 2, year of construction: 2007, gutter	1000



Nr	Title	Description	Start €
		width: (3x) 100 mm, total dimensions: 2550 mm x 620 mm x 1800 mm.	
27	Bag Turgi	Bag Turgi mobile lamp, type: HGI-TS2000W/D/S, serial number lamp: 6-4329-2000, serial number projector: 7-4003-1237, including control panel with hour counter, 2000 W, dimensions: 500 mm x 500 mm x 1400 mm.	40
28	NN infeed bunker	S/s infeed bunker, dimensions: 1000 mm x 1000 mm x 1050 mm.	150
29	Key Technology Inc.	Key Technology Inc. vibrating gutter, model: 427281-1, serial number: 99-46401, dimensions: 2080 mm x 1000 mm x 700 mm.	1000
30	Hainan Tingli	28 Hainan Tingli solar panels, model: YL245P-29b, maximum power: 245 Watt, dimensions: 1650 mm x 990 mm x 1250 mm.	300
31	NN disinfection unit	Hand disinfection unit, dimensions: 380 mm x 380 mm x 1300 mm.	10
32	Kronen	Kronen mobile vegetable slicer, type: SPIRELLO S021-1001, serial number: 021-023, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 0.3 kW, dimensions: 1000 mm x 600 mm x 1200 mm.	3000
33	Vemag	Vemag mobile linking machine, model: LPG 202, number: 2020269, 220/240/400/460/575 V, 3 Ph, 50/60 Hz, 10 A, 3.5 kW, dimensions: 1350 mm x 1850 mm x 1530 mm. Including spare parts.	1300
34	NN roller conveyor	Roller conveyor, plastic belt, belt width: 240 mm, clearance: 300 mm x 50 mm, roller width: 280 mm, total dimensions: 3000 mm x 620 mm x 960 mm.	200
35	NN table	S/s table, dimensions: 760 mm x 720 mm x 510 mm.	20
36	NN transport belt	S/s mobile transport belt, dimensions: 3600 mm x 550 mm x 950 mm. Incomplete, belt and motor are missing.	100
37	VWR	VWR incubator, type: INCU-Line 180 Prime, serial number: ILV18190021, 230 V, 50-60 Hz, 650 W, dimensions: 760 mm x 650 mm x 1050 mm.	200
38	NN infeed bunker	S/s infeed bunker, dimensions: 800 mm x 750 mm x 1400 mm.	100
39	Cryovac	Cryovac shrink tunnel, model: CJ51T RH, serial number: 02073, year of construction: 1994, 380 V, 50 Hz, 23 A, 15 kW, plastic roller conveyor, roller width: 300 mm, clearance: 300 mm x 100 mm, total dimensions: 2100 mm x 900 mm x 1300 mm.	500
40	NN part for clipper	Part for clipper, dimensions: 1300 mm x 1000 mm x 570 mm.	50
41	Spaleck	S/s platform with Spaleck vibrating gutter, type: SFDU 120-70-1000, fabrication number: 153316, year of construction: 2006, gutter width: 120 mm, working height platform: 1220 mm, total dimensions: 1800 mm x 1800 mm x 2400 mm.	400



Nr	Title	Description	Start €
42	NN tank	S/s tank with 3 valves, dimensions: 1300 mm x 600 mm x 1000 mm.	150
43	Funk	Funk ice machine, type: F800, number: 0773/19, 400 V, 3 Ph, 50 Hz, 4.5 A, refrigerant: R449a / 3 kg, dimensions: 1000 mm x 700 mm x 1000 mm.	500
44	Avery Dennison	Avery Dennison labelling machine, type: ALS206, year of construction: 2014, 60/50 Hz, 4/2 A, dimensions: 1200 mm x 800 mm x 1750 mm.	500
46	TBS-Pack GmbH	TBS-Pack GmbH mobile flow packer, model: FWH-400, serial number: 160229, 220 V, 3.2 kW, seal width: 200 mm, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 850 mm x 1520 mm.	3000
47	NN sandblaster	10 gallon sandblaster, model: XH-T1010, serial number: T11602-023, dimensions: 500 mm x 500 mm x 900 mm.	50
48	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0400050, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 21 A, dye: (1x) 290 mm x 225 mm, plastic rollers, roller width: 480 mm, total dimensions: 2300 mm x 900 mm x 1780 mm.	2000
49	Still	Still electric pallet lifter, type: EGU 20, serial number: 710119021229, year of construction: 2000, capacity: 2000 kg, weight: 535 kg, working hours: 3535 hour, fork length: 1150 mm, maximum lifting height: 200 mm, total dimensions: 1800 mm x 700 mm x 1400 mm. Including Polar battery charger.	250
50	NN dicer	Manual dicer, dimensions: 550 mm x 220 mm x 600 mm.	100
51	JA+F	JA+F lifter for boxes, type: 260/l, fabrication number: 98041C, year of construction: 1998, plastic infeed belt, belt width: 120 mm, dimensions lifting divider: 400 mm x 230 mm x 100 mm, plastic rollers, roller width: 280 mm, total dimensions: 2500 mm x 1300 mm x 3000 mm.	200
52	Thuringer Fleischereimaschinen	Thuringer Fleischereimaschinen vertical frozen block cutter, type: VFC-P500, machine number: 017, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 12 A, 5.5 kW, dimensions: 1160 mm x 1330 mm x 2550 mm.	500
53	Zebra	Zebra label printer, model: S4M, serial number: 03C06260385, 90-264 V, 47-63 Hz, 3 A, 100 W, dimensions: 460 mm x 260 mm x 300 mm.	10
54	NN coat rack	Aluminium coat rack.	10
55	Brökelmann	Brökelmann s/s sink with faucet, item number: 5320100, year of construction: 10-11-2011, weight: 7 kg, dimensions: 550 mm x 450 mm x 400 mm.	10
56	Blubird	Blubird hose reel with hose, dimensions: 400 mm x 200 mm x 400 mm.	50
57	NN hygiene equipment	Hygiene equipment.	5



Nr	Title	Description	Start €
58	Square	Square metal detector, model: SDII3012WH, serial number: M097201671, 100-240 V, 50/60 Hz, plastic belt, belt width: 250 mm, clearance: 300 mm x 110 mm, total dimensions: 1800 mm x 640 mm x 1320 mm.	400
59	Espera	Espera labelling machine, model: ES 1000, type: ES 1210, 230 V, 50-60 Hz, 3 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 1300 mm x 700 mm x 1750 mm.	1500
60	Brennenstuhl	2 Brennenstuhl hose reels with electric cable, model: KT A92 N315, 230 V, unrolled: 3500 W, rolled: 1000 W, length: (2x) 11 meter.	40
61	NN sink	S/s sink with faucet, dimensions: 360 mm x 300 mm x 400 mm.	10
62	Pökomat	Pökomat mobile injector, model: P20/310SL, serial number: 20116.1, 400 V, 6.4 A, 2600 W, 20 needles, weight: 300 kg, s/s mesh belt, belt width: 300 mm, clearance: 310 mm x 250 mm, total dimensions: 1900 mm x 700 mm x 2200 mm.	500
63	NN foam unit	Foam unit, dimensions: 400 mm x 400 mm x 1000 mm.	25
64	BBC Technologies	BBC Technologies packaging table with 2-level transport belts, product: 3TPT, model: 80052, serial number: 116028, plastic belt, belt width: (2x) 410 mm, total dimensions: 3900 mm x 1000 mm x 1150 mm.	800
65	BBC Technologies	BBC Technologies packaging table with 2-level transport belts, product: PT3T, model: 80052, serial number: 117554, plastic belt, belt width: (2x) 410 mm, total dimensions: 3900 mm x 1000 mm x 1150 mm.	800
66	MSF-Technik	MSF-Technik mobile turning table, s/s top, steel frame, dimensions: ø 1500 mm x 900 mm.	400
67	MSF-Technik	MSF-Technik turning table, type: FD 370 KR IP54, 230 V, 3 Ph, 50/60 Hz, 0-250 Hz, s/s top, steel frame, dimensions: ø 1500 mm x 1030 mm.	400
68	GSE	GSE weighing scale with indicator, model: 550i, serial number: 157461, 230 V, 50/60 Hz, 0.5 A, maximum weight: 15 kg, minimum weight: 100 gram, e= - 5 gram, dimensions: 480 mm x 400 mm x 630 mm.	50
69	Hameg AG	Hameg AG oscilloscope, type: HM 312, dimensions: 400 mm x 200 mm x 300 mm.	30
70	Sunex	Sunex filling and rinding pump, type: SN1, 230 V, 50 Hz, capacity: 3800 litre per hour, dimensions: 400 mm x 200 mm x 450 mm.	40
71	NN strip cutter	Strip cutter, working width: 200 mm, distance between knives: 2 mm, total dimensions: 500 mm x 170 mm x 300 mm.	50
72	Seydelmann	Seydelmann double shaft ribbon mixer, type: MR 600, machine number: 16 670-1, year of construction: 2016, 400 V, 50 Hz, 40 A, 18 kW, weight: 1250 kg, volume: 600 litre, dimensions: 2000 mm x 1500 mm x 1960 mm.	8000



Nr	Title	Description	Start €
		Including s/s platform, dimensions: 1450 mm x 920 mm x 1900 mm.	
73	Eckert	Eckert case erector, type: TRAYAUFRICHTER, machine number: 153, year of construction: 1998, plastic belt, belt width: 130 mm, 30 mm, Nordson glue unit, total dimensions: 3200 mm x 1500 mm x 2260 mm.	500
74	NN transport belts	Plastic crate with various plastic belts, belt width: (2x) 150 mm and (3x) 130 mm.	50
75	Sealpac	Sealpac thermoformer, type: RE25, machine number: 2500161, year of construction: 2009, 240/400 V, 3 Ph, 50 Hz, 30 A, 12 kW, film width: 450 mm, dye: 390 mm x 350 mm, plastic outfeed belt, belt width: 400 mm, total dimensions: 8700 mm x 1100 mm x 2150 mm.	3500
76	Soehline	Soehline weighing with indicator, serial number: 7390.131700580, 100-240 V, 50-60 Hz, 400 mA, maximum weight: 6/15 kg, minimum weight: 40/100 gram, e= 2/5 gram, dimensions weighing scale: 310 mm x 270 mm x 80 mm.	100
77	NN electric plugs	Crate with various plugs.	30
78	NN mesh belt	Plastic mesh belt, belt width: 500 mm.	20
79	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH heated showcase, dimensions: 1100 mm x 750 mm x 540 mm.	200
80	NN turning table	Turning table, s/s top, steel frame, dimensions: ø 2000 mm x 910 mm.	600
81	NN heating cabinet	S/s heating cabinet, dimensions: 1050 mm x 600 mm x 560 mm.	150
82	D&T Products	D&T; Products coffee machine, type: FD520, 230 V, 50 Hz, 2800 W, 6 bar, dimensions: 450 mm x 360 mm x 700 mm.	20
83	Bartscher	Bartscher grill, model: 100.512, number: 5282, year of construction: 1996, 400 V, 2 Ph, 50/60 Hz, 3.9 kW, dimensions: 660 mm x 540 mm x 580 mm.	20
84	Bartscher	Bartscher rotisserie grill, serial number: 00634, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 5 kW, 3 baskets, dimensions baskets: (3x) 570 mm x 140 mm, total dimensions: 880 mm x 450 mm x 710 mm.	75
85	Küppersbusch	Küppersbusch grill, 2 floors, dimensions floors: (2x) 460 mm x 420 mm, total dimensions: 730 mm x 570 mm x 520 mm.	150
86	NN stove	4-pits electric stove, dimensions: 800 mm x 700 mm x 60 mm.	40
87	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH fryer, type: ROFRY, serial number: RF-100-0398-1305, year of construction: 03-98, 400 V, 3 Ph, 50 Hz, 21 A, 14.5 kW, dimensions basket: 200 mm x 200 mm x 210 mm, total dimensions: 660 mm x 600 mm x 700 mm.	75
88	Alto-Shaam Inc.	Alto-Shaam Inc. cook and hold oven, model: AS-3000, serial number: 5421-33-492, 200-240 V, 50/60 Hz, 3000	40



Nr	Title	Description	Start €
		W, 11 floors, dimensions floors: (11x) 530 mm x 630 mm, total dimensions: 900 mm x 770 mm x 640 mm.	
89	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH rotisserie grill, model: Convex, RT Serie, 6 baskets, dimensions basket: (6x) 460 mm x 170 mm, total dimensions: 800 mm x 700 mm x 910 mm.	200
90	Criosbank Refrigeration	Criosbank Refrigeration mobile refrigerated showcase, model: ARTEMIS PJ32I/E9005IS/S/F, serial number: AM06001690, 230 V, 1 Ph, 50 Hz, 6.7 A, refrigerant: R404A / 1 kg, inside dimensions: 1250 mm x 1050 mm x 240 mm, total dimensions: 1300 mm x 1150 mm x 920 mm.	50
91	NN inliner	Inliner, plastic belt, belt width: 380 mm, total dimensions: 1900 mm x 700 mm x 1000 mm.	300
92	Bizerba	Bizerba metal detector with rejector, type: GLS 350/200/150/290, serial number: 2003-02-0474, year of construction: 2003, 230 V, 50/60 Hz, 0.5 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 170 mm, total dimensions: 1300 mm x 1250 mm x 1140 mm.	300
93	NN plastic crates	Approximately 60 foldable plastic crates, dimensions: 590 mm x 380 mm x 260 mm.	30
94	NN roller conveyors	3 mobile roller conveyors, plastic rollers, roller width: 540 mm, total dimensions: 4000 mm x 600 mm x 880 mm, (2x) 3050 mm x 600 mm x 880 mm.	450
95	NN work table	Work table with s/s top, dimensions: 2000 mm x 700 mm x 900 mm.	75
96	SEW/ABB	SEW and ABB motor.	40
97	NN rollies	12 rollies, 9 steel rollies, dimensions: (9x) 820 mm x 600 mm x 200 mm and 3 plastic rollies, dimensions: (3x) 760 mm x 420 mm x 180 mm.	75
98	NN traysealer	Traysealer, model: QDF95-2, film width: 230 mm, dye: 210 mm x 160 mm, total dimensions: 630 mm x 410 mm x 800 mm.	500
99	Cool Compact	Cool Compact refrigerator, inside dimensions: 1280 mm x 500 mm x 680 mm, total dimensions: 1640 mm x 860 mm x 1460 mm.	200
100	Lowara	2 Lowara centrifugal pumps, dimensions: 900 mm x 300 mm x 440 mm and 750 mm x 300 mm x 480 mm.	60
101	Polaris	Polaris s/s refrigerated counter, type: KSTP 03 710 DX, serial number: BN020084275, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 300 W, refrigerant: R404a, dimensions: 700 mm x 1560 mm x 900 mm.	200
102	Ilapak s.p.a.	Ilapak s.p.a. flowpacker, type: UNO, serial number: 019 97, year of construction: 1997, 380 V, 50 Hz, 5000 W, plastic belt with dividers, distance between dividers: 430 mm, plastic belt, belt width: 220 mm, total dimensions: 6700 mm x 1350 mm x 1490 mm.	1500
103	NN knives	Various knives for vegetable cutter.	400



Nr	Title	Description	Start €
104	Alto-Shaam Inc.	Alto-Shaam Inc. heated showcase, dimensions: 1230 mm x 660 mm x 780 mm.	40
105	Beer	Beer mobile au-bain-marie, dimensions: 800 mm x 660 mm x 1300 mm.	100
106	L Systems	L Systems insect killer, dimensions: 700 mm x 180 mm x 350 mm.	20
107	NN shutter door	Shutter door, door width: 2200 mm, door height: 2800 mm.	200
108	NN server cabinet	Steel server cabinet, dimensions: 1000 mm x 800 mm x 2120 mm.	75
109	NN cabinet	S/s mobile cabinet, dimensions: 800 mm x 800 mm x 900 mm.	50
110	Julabo	2 Julabo refrigerating/heating circulator, type: MP-BASIS, 230 V, 50/60 Hz, 2100 Watt, dimensions: 320 mm x 300 mm x 330 mm.	100
111	Cryovac	Cryovac dip tank, model: ST77 RHS, serial number: A51600512, year of construction: 2000, 380/415 V, 50 Hz, 16 A, 4 kW, 6 bar, clearance: 800 mm x 300 mm, s/s mesh belt, belt width: 720 mm, total dimensions: 1200 mm x 1350 mm x 2000 mm.	400
112	MR	MR checkweigher with rejector, model: DACS-W-030-SB/WP-I-N(CTS), serial number: 560588, year of construction: 09/2010, 230 V, 1 Ph, 50 Hz, 2 A, maximum weight: 3000 g, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 1000 mm x 1500 mm.	400
113	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 2020 mm x 440 mm x 910 mm.	80
114	Siat S.p.a.	Siat S.p.a. mobile box closing machine with top and bottom taper, model: SM11/89, serial number: 19967, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, dimensions: 1560 mm x 900 mm x 1660 mm.	150
115	Wipotec	Wipotec labelling machine, serial number: 0003733, year of production: 2006, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 650 mm x 1800 mm.	100
116	Vacuubrand	Vacuubrand vacuum pump, type: ME 4C, serial number: 26005306, year of construction: 2003, capacity: 3.6 m ³ per hour, dimensions: 300 mm x 260 mm x 200 mm.	50
117	Valko	Valko traysealer on s/s trolley, film width: 340 mm, dye: 260 mm x 155 mm and 150 mm x 120 mm, total dimensions traysealer: 700 mm x 450 mm x 540 mm, total dimensions trolley: 840 mm x 560 mm x 1400 mm.	500
118	NN paraffin bath	Mobile paraffin bath, dimensions: 1250 mm x 600 mm x 1050 mm.	75
119	NN filling head	Mobile frame with filling head, 8x4 filling heads, dimensions: 740 mm x 400 mm x 1500 mm.	75



Nr	Title	Description	Start €
120	Tarrington House	Tarrington House raclette grill, type: RG2081 RE, dimensions box: 200 mm x 620 mm x 320 mm.	50
121	Tristar	Tristar coffee machine, type: CM-1244, dimensions box: 220 mm x 240 mm x 510 mm.	10
122	Krups	Krups handmixer, type: GN5021, dimensions box: 170 mm x 260 mm x 200 mm.	40
123	CleanAir	CleanAir laminar flow cabinet, dimensions: 2600 mm x 1200 mm x 2300 mm.	500
124	NN screen	Mobile plastic screen, dimensions: 3100 mm x 700 mm x 1940 mm.	50
125	Höfelmeyer	Höfelmeyer indicator for weighing scale, model: HKW2843HE-C7.55-A-3.75-S, serial number: 6113276, year of construction: 2018, 400 V, 50 Hz, 1.55 kVA, weighing range: 150 gram - 2500 gram, dimensions: 800 mm x 870 mm x 1850 mm.	200
126	Webomatic	Webomatic thermoformer, type: APS-ML 3000, machine number: A 65131J129, 400 V, 3 Ph, 50 Hz, 25 A, 11.5 kW, dye: (4x) 180 mm x 100 mm, film width: 420 mm, plastic belt, belt width: 360 mm, Busch vacuum pump, type: RA 0100 E 5A3, capacity: 100 m³ per hour, total dimensions: 3200 mm x 1000 mm x 1530 mm.	5000
127	Loma Systems	Loma Systems rejector belt, plastic belt, belt width: 250 mm, total dimensions: 900 mm x 1000 mm x 1160 mm.	100
128	NN dicer	Dicer, chamber dimensions: 100 mm x 100 mm, total dimensions: 1100 mm x 600 mm x 1000 mm.	500
129	Siat S.p.a.	Siat S.p.a. mobile box closing machine, model: SK2 A, serial number: 3131, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 W, plastic rollers, roller width: 500 mm, total dimensions: 1500 mm x 750 mm x 1500 mm.	75
130	Nock	Nock skinning and derinding machine, type: CB-460, machine number: 013400N93, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 1.75 kW, working width: 450 mm, plastic belt, belt width: 370 mm, total dimensions: 1000 mm x 750 mm x 1130 mm.	250
131	Weber	Weber mobile skinning and derinding machine, type: ASB 600/2, number: 1472, 400 V, 50 Hz, 0.7/0.85 kW, working width: 400 mm, plastic belt, belt width: 350 mm, total dimensions: 1200 mm x 750 mm x 1200 mm.	400
132	NN tub	Plastic tub on mobile s/s frame, dimensions: 1040 mm x 600 mm x 900 mm.	20
133	Bravilor Bonamat	Bravilor Bonamat coffee machine, dimensions: 600 mm x 300 mm x 220 mm.	20
134	Rühle	Rühle mobile traysealer, type: VR 1, number: 0149, year of construction: 2005, 230 V, 50 Hz, 1.5 kW, dye: 300 mm x 250 mm, total dimensions: 700 mm x 600 mm x 1700 mm.	750
135	Restomat		75

Nr	Title	Description	Start €
		Restomat grill, model: KFT-4E, number: 11098700, 220/380 V, 3 Ph, 50 Hz, grill dimensions: 500 mm x 350 mm, total dimensions: 600 mm x 400 mm x 400 mm.	
136	Imerial-Werke GmbH	Imerial-Werke GmbH 4-pits stove with oven, type: EHWF4010, fabrication number: 132/8310, year of construction: 1983, 380 V, 16000 Watt, electric heated, dimensions: 900 mm x 750 mm x 860 mm.	150
137	Talsa	Talsa mobile mixer, model: MIX 150 PT, serial number: 97544, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 14.55 A, 1.65 kW, s/s bowl, volume: 150 litre, total dimensions: 800 mm x 1100 mm x 1200 mm.	800
138	Maja	Maja mobile skinning and derinding machine, type: ESB 450, number: 37570, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 430 mm, belt width: 360 mm, total dimensions: 1160 mm x 750 mm x 1200 mm. Missing belt.	500
139	Meissner	Meissner cutter with grinder, steel bowl, s/s knives, plate diameter: 98 mm, total dimensions: 1300 mm x 900 mm x 1200 mm.	500
140	BBC Technologies	BBC Technologies mobile denester, model: 30581, serial number: 117538, dye: 150 mm x 120 mm, total dimensions: 1750 mm x 1040 mm x 1540 mm.	800
141	Bizerba	Bizerba hook weighing scale with indicator, maximum weight: 150 kg, minimum weight: 5 kg, e= 0.1 kg, dimensions: 600 mm x 700 mm x 1400 mm.	250
142	MK	MK mobile labelling machine, type: VST 2011-H-G, number: 200414103805001, year of construction: 20/07/2004, dimensions: 1250 mm x 900 mm x 1900 mm.	200
143	Möllervac	Möllervac mobile vacuum machine, type: SB 550-A, machine number: 209123902, 380 V, 3 Ph, 50 Hz, 6.3 A, 2.4 kW, seal length: (2x) 500 mm, dimensions chamber: 500 mm x 500 mm, Busch vacuum pump, type: RA 0063 B 5Z1, number: 371602/GMAT/KL, total dimensions: 680 mm x 600 mm x 1040 mm.	250
144	TSC	TSC label printer, model: TTP-346M Pro, serial number: MP314300081, 100-240 Vac, 50-60 Hz, 2 A, dimensions: 500 mm x 270 mm x 310 mm.	40
145	GGG	GGG conveyor toaster, model: TCT-01, serial number: CKGGG202105N1-029, 220-240 V, 50 Hz, 1940 W, s/s mesh belt, belt width: 250 mm, total dimensions: 520 mm x 440 mm x 420 mm.	400
146	Stephan	Stephan high speed cutter, type: TK 150, machine number: 714.539.01, year of construction: 1989, 380 V, 50 Hz, 14 kW, dimensions infeed: 350 mm x 220 mm, diameter drum: 560 mm, dimensions outfeed: 430 mm x 220 mm, total dimensions: 1880 mm x 1000 mm x 1730 mm. Missing knife.	2500



Nr	Title	Description	Start €
147	Rational	Rational combi steamer, 10 floors, floor dimensions: (10x) 540 mm x 320 mm, total dimensions: 900 mm x 840 mm x 1100 mm.	650
148	Talsa	Talsa mobile mixer, model: MIX 100P, serial number: 22402, year of construction: 2002, 390/225 V, 3 Ph, 50 Hz, 2.35/4.1 A, 0.75 kW, s/s bowl, volume: 100 litre, dimensions: 850 mm x 620 mm x 1000 mm.	1200
149	Panasonic	Panasonic microwave, type: NE-1630, 220 V, 50 Hz, 15.0 A, 2300 W, inside dimensions: 400 mm x 340 mm, total dimensions: 650 mm x 550 mm x 500 mm.	50
150	Bizerba	Bizerba pallet weighing scale with indicator and labelling machine, type indicator: GT-6M, number: 10722578, type labelling machine: GLP-W, number: 11000801, maximum weight: 6/15/30 kg, minimum weight: 40 gram, e= 2/5/10 gram, 230 V, 50 Hz, 0.65 A, dimensions scale: 1250 mm x 640 mm x 1850 mm, dimensions s/s cabinet: 650 mm x 640 mm x 1850 mm.	1500
151	Electrolux Professional SpA	Electrolux Professional SpA grill, model: RRV/E1 FR, serial number: 60400002, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 3.75 kW, dimensions: 700 mm x 360 mm x 880 mm.	100
152	Talsa	Talsa mobile mixer, model: MIX 80P, serial number: 274201, year of construction: 2008, 220/400 V, 3 Ph, 50 Hz, 2.35/4.1 A, 0.8 kW, s/s bowl, volume: 80 litre, total dimensions: 660 mm x 900 mm x 1100 mm.	800
153	Christen & Co.	Christen & Co. weighing scale, maximum capacity: 150 kg, dimensions scale: 600 mm x 660 mm, total dimensions: 900 mm x 630 mm x 2040 mm.	150
154	Mobepack Sistem	Mobepack Sistem knife sharpener, model: 11G-40, serial number: 04-01-092, year of construction: 2005, 380 V, 1 Ph, weight: 80 kg, dimensions: 600 mm x 570 mm x 800 mm. Incomplete.	50
155	Parry	Parry kitchen equipment, dimensions: 750 mm x 660 mm x 460 mm.	10
156	Parry	Parry kitchen equipment, dimensions: 610 mm x 450 mm x 300 mm.	10
157	NN filling machine	3 heads mobile filling machine, 3 funnels, dimensions funnel: Ø 200 mm x 500 mm, diameter output: 20 mm, total dimensions: 1220 mm x 950 mm x 1800 mm. Including 1 extra cylinder.	500
158	Dubois	Dubois foam unit, dimensions: 400 mm x 400 mm x 1100 mm.	50
159	NN trolley	S/s trolley, dimensions: 1020 mm x 650 mm x 1000 mm.	50
160	Bizerba	Bizerba weighing scale with indicator, type: KH II 800, serial number: 11387842, 120-240 V, 50/60 Hz, 0.7-0.35 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T= -6/15 kg, dimensions: 440 mm x 430 mm x 580 mm.	250



Nr	Title	Description	Start €
161	PMB	PMB fastpack packaging machine, dye: 210 mm x 160 mm, total dimensions: 850 mm x 470 mm x 400 mm.	30
162	PMB	PMB fastpack packaging machine, dye: 210 mm x 160 mm, total dimensions: 850 mm x 470 mm x 400 mm.	30
163	Barnstead	Box with colorimeter.	5
164	Mach	Mach heated tub, dimensions: 1000 mm x 530 mm x 350 mm.	10
165	Bizerba	Bizerba weighing scale with indicator, type: KH II 800, serial number: 11387843, 120-240 V, 50/60 Hz, 0.7-0.35 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T= -6/15 kg, dimensions: 440 mm x 430 mm x 580 mm.	250
166	Bizerba	Bizerba cash register system, consisting of; Bizerba screen, number: 11387840 and 11387838, dimensions: 560 mm x 450 mm x 650 mmCrate with Epson printer, model: M296A, serial number: T48F065975, Bizerba scanner and pay terminal, dimensions: 600 mm x 400 mm x 200 mmCash register, dimensions: 420 mm x 395 mm x 110 mm.	75
167	Hupfer	Hupfer mobile tray dispenser, model: KO/50-50, serial number: BL_3211813, year of construction: 28.07.2014, weight: 40.5 kg, clearance: 500 mm x 500 mm, total dimensions: 760 mm x 700 mm x 1100 mm.	50
170	Insectzap	Pallet with 9 Insectzap insect killers and 2 CRI-CRI insect killers.	40
171	Rhewa-Waagenfabrik	Rhewa-Waagenfabrik weighing scale with indicator and label printer, type weighing scale: 83sigma, number: 175403-1, dimensions scale: 350 mm x 280 mm x 90 mm, dimensions indicator: 330 mm x 230 mm x 90 mm, dimensions printer: 380 mm x 260 mm x 280 mm.	250
172	PI Electronique	PI Electronique label printer, type: TP16A, number: 109050501175, dimensions: 215 mm x 140 mm x 150 mm.	5
173	Bizerba	Bizerba weighing scale with indicator, model indicator: KF II, serial number: 11387841, 120-240 V, 50/60 Hz, 0.7-0.35 A, type weighing scale: 18 K D97-09-027, number: 1881255, maximum weight: 6 kg, minimum weight: 40 gram, e= 2 gram, dimensions scale: 370 mm x 300 mm and dimensions indicator: 440 mm x 300 mm x 130 mm.	100
174	ADE	ADE slicer, dimensions: 700 mm x 550 mm x 500 mm.	100
175	Bizerba	Bizerba slicer, type: VS 7, dimensions: 550 mm x 580 mm x 370 mm.	150
176	Rieber	Rieber mobile plate warmer and dispenser, plate diameter: 300 mm, total dimensions: 900 mm x 450 mm x 920 mm.	50
177	Rieber		50



Nr	Title	Description	Start €
		Rieber mobile plate warmer and dispenser, plate diameter: 300 mm, total dimensions: 900 mm x 450 mm x 920 mm.	
178	Rieber	Rieber refrigerated banquet trolley, 8 floors, dimensions floors: (8x) 570 mm x 330 mm, refrigerant: R134a, total dimensions: 650 mm x 470 mm x 760 mm.	75
179	Nilfisk	Nilfisk vacuum cleaner, dimensions: 700 mm x 700 mm x 1230 mm.	20
180	Citronix	2 Citronix inkjet printer, model: ci3200, serial number: 0516055K and 0516057N, 100-240 Vac, 50/60 Hz, 3.15 A, dimensions: (2x) 430 mm x 400 mm x 350 mm.	400
181	Parry	Parry 2 stove cooking plate, type: AS 9170, 240 V, 50 Hz, 12.5 A, 3 kW, plate diameter: 140 mm, total dimensions: 620 mm x 300 mm x 300 mm.	10
182	Cryovac	Cryovac flowpacker, model: CJ55, serial number: A91600109, year of construction: 1997, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: 200 mm, seal width: 330 mm, total dimensions: 5100 mm x 1400 mm x 1950 mm. Including crate with parts.	2500
183	Bizerba	Bizerba slicer, type: VS 12 F-W, number: 10331734, year of construction: 2007, 230/400 V, 3 Ph, 1,2/0.68 A, 0.270 kW, dimensions: 700 mm x 650 mm x 500 mm	150
184	NN autoclave	Autoclave, inside dimensions: 500 mm x 400 mm x 330 mm, diameter rings: 100 mm, total dimensions: 700 mm x 500 mm x 860 mm.	200
185	Vakona GmbH	Vakona GmbH injector, type: Ideal VA, machine number: 20499, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3 needles, dimensions: 360 mm x 80 mm x 130 mm.	75
186	Hinst	Hinst complete stainless steel, electric heated, washing machine for machine parts, type: 2-Kammer-TS-Anlage number: 98416, year of construction: 1998, inside dimensions: (2x) 800 mm x 880 mm x 850 mm, total dimensions: 2300 mm x 1500 mm x 2200 mm.	750
187	Dagama	Dagama injector, 1 needle, dimensions: 350 mm x 220 mm x 230 mm.	75
188	Bizerba	Bizerba slicer, model: VS 12, number: 2203346, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 600 mm x 540 mm x 420 mm. Defect.	50
189	DIVUS	DIVUS scale and scanner, dimensions scale: 300 mm x 270 mm x 100 mm, total dimensions: 630 mm x 600 mm x 1700 mm.	100
190	Bizerba	Bizerba automatic slicer, model: A 404, number: 1279375, 230/380 V, 3 Ph, 50 Hz, 1.8/1.1 A, dimensions: 900 mm x 800 mm x 770 mm. Incomplete, defect.	75
191	NN bag-filling machine	Bag-filling machine, diameter filling pipe: 60 mm, clearance bag holder: 130 mm x 40 mm, total dimensions: 1100 mm x 900 mm x 1800 mm.	250



Nr	Title	Description	Start €
192	DOSELEC	DOSELEC dosing machine, type: VOL1, serial number: 3005D2, year of construction: 09-2009, diameter hose: 40 mm, total dimensions: 1000 mm x 400 mm x 1340 mm.	150
193	AFC Air Filtration & Containment GmbH	AFC Air Filtration & Containment GmbH mobile vacuum cleaner, type: AFM 2KK-1.1CR, machine number: 538, year of construction: 11/2008, 230 V, 50 Hz, 2.4 A, 0.85 kW, weight: 150 kg, inside dimensions: 680 mm x 400 mm, dimensions vessel: Ø 250 mm x 300 mm, total dimensions: 950 mm x 430 mm x 1150 mm. Including 3 extra filters.	100
194	ME Schweißtechnik	ME Schweißtechnik mobile pressure vessel, serial number: 7500/677, year of construction: 1990, volume: 50 litre, maximum temperature: 50°C, dimensions: 670 mm x 560 mm x 900 mm.	125
195	Kärcher	Kärcher floor scrubbing machine, type: BD 450 BAT, number: 010343, year of construction: 1994, 24 V, 950 W, dimensions: 1200 mm x 700 mm x 900 mm. Missing brush.	150
196	Ballerstaedt	Ballerstaedt press, type: PN, number: 23780, year of construction: 2003, 220 V, 0.35 kW, diameter dye: 100 mm, total dimensions: 560 mm x 350 mm x 700 mm.	250
197	Gram Equipment	Gram Equipment ice cream extruder/forming, cutting with stick inserter, type: CUTTER, clearance input: 650 mm x 100 mm, dimensions pipe: 100 mm x 40 mm, total dimensions: 1400 mm x 1000 mm x 1850 mm.	500
198	Gram Equipment	Gram Equipment ice cream extruder/forming, cutting with stick inserter, type: CUTTER, clearance input: 650 mm x 100 mm, dimensions pipe: 100 mm x 40 mm, total dimensions: 1400 mm x 1000 mm x 1850 mm.	500
199	Pulsar	Pulsar mobile diaphragm metering pump, model: 25HJ, serial number: F457752-1, max capacity: 1.3 litre per hour, max pressure: 17.2 bar, dimensions: 1300 mm x 600 mm x 1200 mm.	100
200	ProMinent	ProMinent metering pump, type: BT4B1602PVT2000UA000000, serial number: 2013166149, 100-230 V, 50/60 Hz, 0.35-0.2 A, 12.2 W, capacity: 2.2 litre per hour, dimensions: 300 mm x 150 mm x 200 mm.	75
201	Grundfos	Grundfos mobile centrifugal booster pump, diameter in/output pipe: 50 mm, total dimensions: 800 mm x 700 mm x 1450 mm.	250
202	Ganzhorn + Stirn	Ganzhorn + Stirn filling machine, number: 452.67, output: Ø 20, dimensions funnel: Ø 320 mm x 670 mm, total dimensions: 700 mm x 600 mm x 1800 mm.	200
203	NN press	S/s press, dimensions press: 90 mm x 70 mm, total dimensions: 200 mm x 200 mm x 400 mm.	75
204	Gardner Denver		100



Nr	Title	Description	Start €
		Gardner Denver vacuum pump, model: V-VGD 10 (01), serial number: SC10500841006, year of construction: 2024, capacity: 10/12 m³ per hour, dimensions: 440 mm x 280 mm x 280 mm.	
205	NN sprayer	Sprayer, dimensions: 650 mm x 360 mm x 520 mm.	50
206	Turbo Systems	Turbo Systems mobile dosing and filling machine, dimensions funnel: 700 mm x 400 mm x 500 mm, diameter output pipe: (6x) 20 mm, total dimensions: 1000 mm x 950 mm x 1900 mm.	750
207	NN heating element	S/s heating element, dimensions: 3100 mm x 700 mm x 1000 mm.	400
208	Poly-Clip System Corporation	Poly-Clip System Corporation bag blower, type: PL-100, serial number: 111569306, 80 PSI, clearance: 60 mm 60 mm, total dimensions: 440 mm x 400 mm x 900 mm.	50
209	Regal	Regal denester with vibration gutter, type: 14000, serial number: 139, year of construction: 9-98, 240 V, 1 Ph, 50 Hz, dimensions gutter: (2x) 360 mm x 70 mm, dimensions funnel output: 90 mm x 90 mm x 230 mm, dimensions funnel input: 40 mm x 30 mm x 450 mm, total dimensions: 1200 mm x 600 mm x 2100 mm.	400
210	MTSA	MTSA bottle closing machine, serial number: 400574, year of construction: 2005, diameter head: 100 mm, total dimensions: 830 mm x 500 mm x 1600 mm.	250
211	Grassair	Part for Grassair dryer, type: ADC-SFX, serial number: 1057367/1, year of construction: 2000, 230 V, 50-60 Hz, dimensions: 340 mm x 340 mm x 100 mm.	50
212	Essor	Essor gluing machine, machine number: 016/1287, year of construction: 1996, 230 V, working width: 50 mm, total dimensions: 400 mm x 400 mm x 320 mm.	50
213	Ystal	Ystal mobile pump, dimensions: 600 mm x 400 mm x 1000 mm. Incomplete.	200
215	Unox	Unox oven, type: XEFT-04EU-ELDV, serial number: 2019A0006215, 380-415 V, 3 Ph, 6.9 kW, weight: 57 kg, 4 floors, floor dimensions: 605 mm x 370 mm, total dimensions: 800 mm x 840 mm x 480 mm.	480
216	EKA	EKA oven, model: KF 937 D UD, serial number: 4012008464, 220-230 V, 50/60 Hz, 3.7 kW, 3 floors, floor dimensions: 395 mm x 370 mm, total dimensions: 790 mm x 710 mm x 470 mm.	150
217	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH box stacker, machine number: 1012307, year of construction: 2015, working width: 385 mm x 580 mm, total dimensions: 1720 mm x 1020 mm x 2900 mm.	500
218	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH box turner, machine number: 1012307, year of construction: 2015, working width: 620 mm x 280 mm, total dimensions: 750 mm x 675 mm x 1480 mm.	100
219	NN dyes		200



Nr	Title	Description	Start €
		Pallet with 3 dyes for traysealer, dimensions dye: (2x) 200 mm x 125 mm and (1x) Ø 70 mm, total dimensions: 400 mm x 350 mm x 250 mm, 420 mm x 350 mm x 200 mm and 400 mm x 240 mm x 200 mm.	
220	Roxell	Roxell dosing unit, serial number: 351745, diameter pipe: 100 mm and 85 mm, total dimensions: 810 mm x 250 mm x 390mm.	50
221	Nerimotori	Nerimotori motor, dimensions: 330 mm x 230 mm.	20
222	Smits Techniek	Smits Techniek dosing and weighing unit, type: EWM120, serial number: 18-13-2011-7, year of construction: 2011, dimensions: 1000 mm x 920 mm x 3900 mm.	380
223	Smits Techniek,	Smits Techniek dosing and weighing unit, type: EWM120, serial number: 48-13-2015-09, year of construction: 2015, dimensions: Ø (2x) 85 mm, total dimensions: 1200 mm x 1100 mm x 4000 mm.	190
224	NN dosing unit	Dosing unit, diameter pipe: 75 mm and (6x) 90 mm, total dimensions: 880 mm x 450 mm x 980 mm.	240
225	Roxell	Roxell dosing unit, diameter pipe: 85 mm, total dimensions: 1060 mm x 250 mm x 210 mm.	50
226	NN pallet	Pallet with large amount spirals, dimensions: 1200 mm x 1200 mm x 1150 mm.	50
227	NN filter	Filter, dimensions pipe: Ø 65 mm Ø 50 mm and Ø 25 mm, total dimensions: 490 mm x 280 mm x 1600 mm.	50
228	NN infeed screw	Infeed screw, dimensions: Ø 155 mm, total dimensions: 3240 mm x 600 mm x 560 mm.	500
229	NN transport belt	Transport belt, s/s chain with dividers, divider height: 30 mm, distance between dividers: 350 mm, total dimensions: 7400 mm x 850 mm x 2270 mm.	500
230	Hettich	Hettich laboratory cabinet, type: PSC 1400, serial number: 202010544, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, 20-40 degrees, refrigerant: R134A, 6 floors, dimensions floor: (6x) 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	400
231	NN parts for thermoformer	Pallet with 2 presses for thermoformer, dimensions: (2x) 1000 mm x 720 mm x 130 mm. Never used.	1000
232	Hettich	Hettich laboratory cabinet, type: PSC 1400, serial number: 202010542, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, refrigerant: R134A, 8 floors, dimensions floor: (8x) 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	400
233	Ruhle	Ruhle vacuum tumbler with lift for 200 litre meat bin, type: MPR 500, number: 0401, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 24.9 A, 12.6 kW, refrigerant: R404A, Busch vacuum pump, serial number: 140040161, volume: 19 m3 per hour, total dimensions:	10000



Nr	Title	Description	Start €
		2000 mm x 1850 mm x 2320 mm. Including 3 tablets used as control panel.	
234	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning and derinding machine, type: ESB 4434 SH, serial number: C-01136, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 3.55 A, 1.5 kW, working width: 440 mm, distance between knives: 0.5 mm, total dimensions: 1600 mm x 800 mm x 1300 mm. Incomplete.	300
235	Combisteel	Combisteel refrigerated showcase, model: 7450.0815, serial number: 21080377, 230 V, 50 Hz, 3.9 A, 710 Watt, refrigerant: R290, net weight: 275 kg, dimensions shelf: (1x) 1950 mm x 300 mm, (1x) 1950 mm x 390 mm, total dimensions: 2020 mm x 700 mm x 1200 mm.	300
236	DEBAG	DEBAG double stacked oven, type Dila 5, serial number: D 317091, year of construction: 11/2012, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	300
237	Maja Maschinenfabrik	Maja Maschinenfabrik mobile strip cutter, type: ESB 4434 SH, serial number: C-01159, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3.55 A, 1.5 kW, working width: 440 mm, distance between knives: 0.5 mm, total dimensions: 1600 mm x 800 mm x 1300 mm. Incomplete, missing belts and knife.	300
238	DEBAG	DEBAG double stacked oven, type Dila 5, serial number: D 301967/D 301968, year of construction: 01/2014, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	300
239	DEBAG	DEBAG loading trolley for oven, type: ZBL000164-E, serial number: P-00-0756, 10 floors, floor dimensions: (10x) 620 mm x 355 mm, total dimensions: 765 mm x 530 mm x 1985 mm.	50
240	Wiesheu	Wiesheu loading trolley for oven, type: 18129130, year of construction: 11/2016, 14 floors, floor dimensions: (14x) 620 mm x 355 mm, total dimensions: 765 mm x 530 mm x 1985 mm.	50
241	Lutetia	Lutetia vacuum tumbler, number: 7257, dimensions: 2650 mm x 1500 mm x 2100 mm. Without vacuum pump.	3500
242	Lutetia	Lutetia vacuum tumbler, dimensions: 2800 mm x 1450 mm x 2100 mm. Without vacuum pump.	3500
243	Armour&Danforth	Armour&Danforth; cordless drill, type: TMX5773, 230 V, 50 Hz, dimensions: 190 mm x 60 mm x 190 mm.	50
244	Armour&Danforth	Armour&Danforth; cordless drill, type: TMX5773, 230 V, 50 Hz, dimensions: 190 mm x 60 mm x 190 mm.	25
245	Armour&Danforth	Armour&Danforth; cordless drill, type: TMX5773, 230 V, 50 Hz, dimensions: 190 mm x 60 mm x 190 mm.	25



Nr	Title	Description	Start €
246	Armour&Danforth	Armour&Danforth; impact drill, type: AD4406-016, 230 V, 50 Hz, dimensions: 270 mm x 70 mm x 240 mm.	50
247	Armour&Danforth	Armour&Danforth; impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm.	50
248	Armour&Danforth	Armour&Danforth; impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm.	50
249	Hoonved	Hoonved dishwasher, model: C 60 E, serial number: BD 593320605, 400 V, 3 Ph, 50 Hz, 16 A, 4.75 kW, dimensions crate: 460 mm x 460 mm x 85 mm, total dimensions: 600 mm x 600 mm x 815 mm.	100
250	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning and derinding machine, plastic belt, belt width: 390 mm, working width: 430 mm, total dimensions: 1200 mm x 870 mm x 1380 mm. Incomplete, missing outfeed belt.	300
251	Meiko	Meiko dishwasher, type DV 120 B, machine number: 58.795, 220 V, 3 Ph, 50 Hz, 38 A, 14 kW, inside dimensions: 520 mm x 520 mm, total dimensions: 850 mm x 800 mm x 1375 mm. Missing back panel.	100
252	DEBAG	DEBAG double stacked oven, type: Dila 5, serial number: D 315629/D 315630, year of construction: 04/2012, 400 V, 50 Hz, 16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1135 mm x 1050 mm x 1600 mm.	300
253	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 08/3645/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	300
254	Jac	Jac mobile bread slicer, model: SLD 450/11, machine number: 11/3433/02, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 40 knives, distance between knives: 11 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	350
255	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 11/0154/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 11 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	350
256	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 10/8055/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	350
257	Eloma	ES Eloma mobile proofer, 12 floors, floor dimensions: (12x) 600 mm x 400 mm, total dimensions: 1000 mm x 850 mm x 830 mm.	100



Nr	Title	Description	Start €
258	Maja	Maja skinning machine, type: SKS350, machine number: 21089, working width: 300 mm, total dimensions: 600 mm x 570 mm x 970 mm.	300
259	GS	GS splitting saw, working width: 420 mm, total dimensions: 1500 mm x 350 mm x 515 mm.	800
260	Weber	Weber skinning machine, working width: 500 mm, total dimensions: 770 mm x 650 mm x 1050 mm.	300
261	Hinst GmbH	Hinst complete stainless steel, electric heated, washing machine for machine parts. Consisting of 3 steps. Wash, after rinse and drying. Section 1: wash in hot water by dip and flushing, electric heated. Section 2: after rinse by dipping in hot water, electric heated. Circulation pump 0,25 kW. With automatic tank filling and level monitoring. Section 3: drying above the bath, by heat of the parts. Including hose for hand washing. Bath size: 60 x 40 x 25 cm. Complete with lifting device, roller conveyor, automatic mode. Total dimensions: 1600 x 2400 x 2300 mm.	750
262	NN smoke sticks	S/s trolley with approximately 350 smoke sticks, length smoke stick: 1000 mm, total dimensions: 700 mm x 700 mm x 1100 mm.	350
263	NN smoke sticks	S/s trolley with approximately 300 smoke sticks, length smoke stick: 1000 mm, total dimensions: 700 mm x 700 mm x 1100 mm.	300
264	NN smoke sticks	S/s trolley with approximately 300 smoke sticks, length smoke stick: 1000 mm, total dimensions: 700 mm x 700 mm x 1100 mm.	300
265	Rheon	Rheon mobile encrusting machine, name: CORNUCOPIA, model: KN 200, serial number: 039, year of construction: sept 1989, 415 V, 3 Ph, 50 Hz, 1.64 kW, plastic belt, belt width: 130 mm, total dimensions: 1240 mm x 800 mm x 1590 mm. Including crate and box with parts.	4000
266	Comenda	Comenda plate washer, type: LAV 1000, model: P1 13931/11/00, 380 V, 3 Ph, 50 Hz, 28.84 kW, 43 A, clearance: 385 mm x 35 mm, total dimensions: 2460 mm x 900 mm x 1950 mm.	600
267	NN frame	S/s frame, dimensions: 970 mm x 500 mm x 1215 mm.	50
268	Wiegand	Wiegand mobile binding machine, number: R 20 E/ 112401, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 1 kW, clearance: Ø 180 mm, total dimensions: 650 mm x 540 mm x 1340 mm. Missing 1 wheel.	250
269	GFL	GFL incubator, type: 7601, serial number: 10146101 D, 230 V, 50/60 Hz, 2.7 A, 0.65 kW, dimensions: 600 mm x 570 mm x 650 mm.	150
270	NN tank	S/s tank, inside dimensions: 600 mm x 600 mm x 730 mm, dimensions: 1200 mm x 800 mm x 1030 mm.	50
271	NN tank		50



Nr	Title	Description	Start €
		S/s tank, inside dimensions: 600 mm x 600 mm x 730 mm, dimensions: 1200 mm x 800 mm x 1030 mm.	
272	NN tank	S/s tank, inside dimensions: 600 mm x 600 mm x 730 mm, dimensions: 1200 mm x 800 mm x 1030 mm.	50
273	NN tank	S/s tank, inside dimensions: 600 mm x 600 mm x 730 mm, dimensions: 1200 mm x 800 mm x 1030 mm.	50
274	NN tank	S/s tank, inside dimensions: 600 mm x 600 mm x 730 mm, dimensions: 1200 mm x 800 mm x 1030 mm.	50
275	NN tank	S/s tank, inside dimensions: 600 mm x 600 mm x 730 mm, dimensions: 1200 mm x 800 mm x 1030 mm.	50
276	Silver King	Silver King milk dispenser, model: SKMAJ2, serial number: SBED163572A, 230 V, 50 Hz, 1.4 A, refrigerant: 134A, inside dimensions: (2x) 290 mm x 260 mm x 500 mm, total dimensions: 720 mm x 440 mm x 1000 mm.	150
277	Silver King	Silver King milk dispenser, model: SKMAJ2, serial number: SBED163469A, 230 V, 50 Hz, 1.4 A, refrigerant: 134A, inside dimensions: (2x) 290 mm x 260 mm x 500 mm, total dimensions: 720 mm x 440 mm x 1000 mm.	150
278	Tool-Temp	Tool-Temp temperature control unit, type: TT-162 E, serial number: 25-05688-4, (3x) 380/415 V, 50 Hz, 12'850 Watt, dimensions: 600 mm x 305 mm x 710 mm.	100
279	Tool-Temp	Tool-Temp temperature control unit, type: TT-157 E, serial number: 24-04522-111, (3x) 380/415 V, 50 Hz, 9'850 Watt, dimensions: 610 mm x 230 mm x 525 mm.	100
280	Tool-Temp	Tool-Temp temperature control unit, type: TT-180 c, serial number: 318-5457-2, year of construction: 2018, (3x) 380/415 V, 50 Hz, 9.85 kW, 9'850 Watt, weight: 55 kg, dimensions: 610 mm x 230 mm x 525 mm.	100
281	IEX	IEX mobile column, 43 litre, dimensions: Ø 220 mm, total dimensions: 900 mm x 900 mm x 1750 mm.	50
282	VEB Wägetechnik Rapido Radebeul	VEB Wägetechnik Rapido Radebeu weighing scale, model: Nagema Rapido, serial number: 35-012/012, year of construction: 1986, weight: 310, minimum weight: 10 kg maximum weight: 300 kg, e: 0.2 kg dimensions scale: 780 mm x 780 mm, total dimensions: 1370 mm x 780 mm x 1950 mm.	50
283	Wiegand	Wiegand mobile binding machine, number: R 20 E/ 113401, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 1 kW, clearance: Ø 180 mm, total dimensions: 650 m x 540 mm x 1340 mm.	250
284	Espera	Espera weighing and labelling machine with top and bottom labeller, model: ES 7000, plastic belts, belt width: 90 mm and 140 mm, total dimensions: 2500 mm x 750 mm x 2000 mm.	1500
285	Espera	Espera weighing and labelling machine with top and bottom labeller, model: ES 7000, plastic belts, belt width: 90 mm and 140 mm, total dimensions: 2360 mm x 800 mm x 1850 mm.	1500



Nr	Title	Description	Start €
286	Grundfos	Grundfos centrifugal pump installation with 4 pumps, model: PN-SA A-96512213-100004219, CRN15-16 SF-P-GI-E-HQQE, CRN15-17 A-P-A-E-HQQW and PN-SN A-96501958 10000877, capacity: 17 m³ per hour per pump, dimensions: 1300 mm x 1200 mm x 1860 mm.	400
287	Grundfos	Grundfos centrifugal pump, dimensions: 1700 mm x 400 mm x 300 mm.	150
288	Grundfos	Grundfos centrifugal pump, model: PN-SN A-96501958-10000506, capacity: 17 m³ per hour, dimensions: 1700 mm x 400 mm x 300 mm.	150
289	Grundfos	Grundfos filter for centrifugal pump, dimensions: 900 mm x 150 mm x 150 mm.	50
290	Maxx Packer	Maxx Packer mobile semi-automatic strapping machine, model: HUM-2M, serial number: 14101627, 220 V, 50/60 Hz, working width: 710 mm, total dimensions: 780 mm x 540 mm x 750 mm.	50
291	Cretel	Cretel mobile skinning machine, type: 746PX, serial number: CT460083, 230/400 V, 50 Hz, 2.7/4.7 A, 1.1 kW, working width: 460 mm, total dimensions: 750 mm x 750 mm x 1000 mm.	600
292	Grundfos	Grundfos filter for centrifugal pump, dimensions: 900 mm x 150 mm x 150 mm.	50
293	Grundfos	Grundfos centrifugal pump, type/model: NBG 80-65-160/150 AAF2AESBAQEYY1, capacity: 77.1 m³ per hour, dimensions: 700 mm x 300 mm x 340 mm.	150
294	Gardner Denver	Gardner Denver side channel blower, type: G_200, serial number: BN 10018136 bo 2, dimensions: 600 mm x 250 mm x 400 mm.	100
295	Grundfos	Grundfos centrifugal pump, dimensions: 700 mm x 300 mm x 340 mm.	150
296	Multivac	Multivac outfeed belts for thermoformer with cutting attachments for type: R515/535, plastic belt, belt width: (3x) 100 mm and (3x) 100 mm, dimensions: 1100 mm x 550 mm x 70 mm and 660 mm x 550 mm x 70 mm.	200
297	Ehbert	Ehbert blower, dimensions: 850 mm x 800 mm x 600 mm.	100
298	Ehbert	Ehbert blower, dimensions: 850 mm x 800 mm x 600 mm.	100
299	Edwards	Edwards booster pump, model: EH1200IND, serial number: 056101159, capacity: 1200 m³ per hour, weight: 149 kg, dimensions: 1000 mm x 430 mm x 430 mm.	100
300	Atlas Copco	Atlas Copco air compressor, type: LE 7 E, serial number: AML 026 950, year of construction: 1979, 10 bar, dimensions: 1200 mm x 800 mm x 1200 mm.	50
301	Busch	Busch booster pump, type: WV 0500 B OHI KAEA, number: PE01150201, year of construction: 1998,	200



Nr	Title	Description	Start €
		capacity: 500 m ³ per hour, dimensions: 880 mm x 350 mm x 530 mm.	
302	Busch	Busch vacuum pump, type: WP 1000 D 2HI MXII, number: C0138000521, year of construction: 2001, capacity: 1000 m ³ per hour, dimensions: 1000 mm x 340 mm x 250 mm. Incomplete.	25
303	Busch	Busch vacuum pump, type: NC 0400 B LZI ZZZZ, number: C0928000290, year of construction: 2000, capacity: 400 m ³ per hour, dimensions: 1100 mm x 600 mm x 600 mm x 700 mm.	250
304	Busch	Busch vacuum pump, type: WP 1000 D, number: C114000497, capacity: 1000 m ³ per hour, dimensions: 1100 mm x 600 mm x 700 mm.	100
305	Busch	Busch vacuum pump, type: RA 0100 B 5M3, number: 02023463, capacity: 100 m ³ per hour, dimensions: 900 mm x 370 mm x 360 mm.	100
306	Busch	Busch vacuum pump, type: RA 0100 E 501, number: 050029329, year of construction: 2005, capacity: 100 m ³ per hour, dimensions: 660 mm x 400 mm x 280 mm.	100
307	Busch	Busch vacuum pump, type: RA 0063 F 503, number: 130038544, year of construction: 2013, capacity: 63 m ³ per hour, dimensions: 600 mm x 430 mm x 300 mm.	250
308	Bell-Mark	Bell-Mark coding attachment for thermoformer, type: EasyPrint mlp, dimensions: 500 mm x 300 mm x 595 mm.	100
309	Edwards	Edwards vacuum pump, model: EH500A, total dimensions: 800 mm x 300 mm x 310 mm.	100
310	Busch	Busch vacuum pump, type: R5, dimensions: 300 mm x 300 mm x 200 mm.	50
311	Busch	Busch vacuum pump, dimensions: 1100 mm x 300 mm x 600 mm.	150
312	Edwards	Edwards booster pump, model: EH1200IND, serial number: 066069213, capacity: 1200 m ³ per hour, weight: 149 kg, dimensions: 1000 mm x 430 mm x 430 mm.	100
313	Busch	Busch vacuum pump, type: RA 0100 B 5M3, number: 01028-26, capacity: 100 m ³ per hour, dimensions: 900 mm x 370 mm x 360 mm.	200
314	Busch	Busch booster pump, type: WV1000 C 001, number: C1937000035, year of construction: 2019, capacity: 1000 m ³ per hour, weight: 250 kg, dimensions: 1000 mm x 400 mm x 450 mm.	250
315	Busch	Busch vacuum pump, type: RA 0100 E 5Z1, number: 070012867, year of construction: 2007, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 500 mm.	200
316	Busch	Busch vacuum pump, type: RA 0160 D 5ZI QLZZ, number: C0040000619, year of construction: 2000,	200



Nr	Title	Description	Start €
		capacity: 160 m ³ per hour, dimensions: 900 mm x 600 mm x 600 mm.	
317	NN plastic boxes	3 pallets with large amount of plastic boxes.	50
318	Ehbert	Ehbert blower, dimensions: 850 mm x 800 mm x 600 mm.	100
319	Brüel	Parts for Brüel crate washer, among others 60 meters of plastic chain.	200
320	Brüel	4 crates with parts for Brüel crate washer.	100
321	NN side channel vacuum pump	Side channel vacuum pump with s/s frame and covers, dimensions: 600 mm x 360 mm x 590 mm.	100
322	Brüel	Pallet box with parts for Brüel crate washer.	200
323	Brüel	Pallet box with parts for Brüel crate washer.	200
324	Siemens	Siemens touch screen, dimensions: 800 mm x 130 mm x 650 mm.	50
325	Weber	Parts for Weber thermoformer, dimensions: (3x) 800 mm x 400 mm x 470 mm.	100
326	Grundfos	Grundfos centrifugal pump, dimensions: 700 mm x 300 mm x 340 mm.	150
327	Witt-Gaserechnik	Witt-Gaserechnik gas mix station, type: KM 100-2 MEM, serial number: 71562, year of construction: 2006, gas: CO ₂ , dimensions: 340 mm x 340 mm x 220 mm.	30
328	Zodiac	3 Zodiac control panels.	150
329	Funke	Funke heat exchanger, type: Wärmeaustauscher TPL 00-L-8-11, serial number: 972786, year of construction: 07-2021, dimensions: 450 mm x 120 mm x 120 mm.	100
330	SEW	SEW frequency converter, type: MCS41A0040-5A3-4-00, dimensions: 330 mm x 120 mm x 160 mm.	50
331	Busch	Busch vacuum pump, type: WP 1000 D 2v1 MYXX, serial number: C11001000450, year of construction: 2011, capacity: 1000 m ³ per hour, dimensions: 980 mm x 320 mm x 220 mm.	200
332	Leybold	Leybold vacuum pump, type: VVS 25/80 (018), serial number: 152811, year of construction: 1994, capacity: 25/30 m ³ per hour, dimensions: 1060 mm x 350 mm x 580 mm.	50
333	Busch	Busch vacuum pump, type: PB 0008 C 000 RMXX, serial number: CZM125160033, year of construction: 2025, capacity: 9.6 m ³ per hour, dimensions: 350 mm x 200 mm x 200 mm.	100
334	Bürkert	2 Bürkert valves.	150
335	Weber	Weber infeed belt lift, type: CHB, number: 181, year of construction: 08-2009, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 1200 mm x 840 mm x 1650 mm.	500
336	Digi	Digi weighing scale & printer, type: SM-500EP, serial number: 09903694, 230 V, 50/60 V, 0.4 A, minimum weight: 40 gram, maximum weight: 6/15 kg, e=d=2/5	150



Nr	Title	Description	Start €
		gram, scale dimensions: 360 mm x 255 mm, total dimensions: 450 mm x 400 mm x 600 mm.	
337	NN cabinet	S/s cabinet, dimensions: 1200 mm x 780 mm x 2130 mm.	100
338	Multivac	Multivac mobile lift, type: HW, capacity: 300 kg, maximum lifting height: 1800 mm, weight: 112 kg, total dimensions: 1000 mm x 600 mm x 2200 mm.	250
339	NN lamp	Lamp, dimensions: 1300 mm x 300 mm x 1400 mm.	10
340	CFS	CFS traysealer with conveyor, type: TwinStar, machine number: 773-119, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 18 A, 12 kW, weight: 2200 kg, plastic belt, belt width: (2x) 150 mm, total dimensions: 4750 mm x 910 mm x 2350 mm. With conveyor belt, plastic mesh belt, belt width: (2x) 175 mm, total dimensions: 880 mm x 850 mm x 1800. Without rollies and dye set.	2000
341	Rational	Rational combisteamer, model: SCC201, serial number: E21SE06092076153, year of construction: 2006 400 V, 3 Ph, 50/60 Hz, 37 kW, electric heated, dimensions: 880 mm x 750 mm x 1040 mm.	1600
342	Strautmann	Strautmann baler, type: PP 1207, serial number: 533 02 596, year of construction: 2004, 400 V, 50 Hz, 9.2 kW, 580 kN, inside dimensions: 1190 mm x 680 mm x 1400 mm, total dimensions: 2400 mm x 1600 mm x 3100 mm.	2000
343	Strautmann	Strautmann baler, type: PP 1207, serial number: 533 02 062, year of construction: 2004, 400 V, 50 Hz, 9.2 kW, 580 kN, inside dimensions: 1190 mm x 680 mm x 1400 mm, total dimensions: 2400 mm x 1600 mm x 3100 mm.	2000
345	Tenderstar	Tenderstar mobile tenderizer, model: T.S.E., serial number: 200296, year of construction: 2000, 220/380 V, 3 Ph, 50 Hz, 6.4/3.7 A, 0.9 kW, working width: 400 mm, total dimensions: 920 mm x 850 mm x 1790 mm.	1250
346	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10220913, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B4-E2, serial number: 10220914, year of construction: 10/2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, dimensions: 765 mm x 530 mm x 1985 mm.	700
347	Cryovac	Cryovac belt vacuum machine, model: VS 95, serial number: A03800712, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 40 A, seal length: (2x) 1500 mm, plastic belt, belt width: 730 mm, Garden Denver vacuum pump, type: R-VWP 1500 (05), capacity: 1580 m³ per hour, total dimensions: 3700 mm x 1400 mm x 2200 mm, including suction device for rest film, dimensions: 1000 mm x 770 mm x 1500 mm.	2500
348	Handtmann		3500



Nr	Title	Description	Start €
		Handtmann vacuum filling machine with linking attachment, type: VF 50, number: 13354, year of construction: 2000, 420 V, 50 Hz, 11.6 A, 4 kW, dimensions: 1000 mm x 900 mm x 1800 mm.	
349	Delta Technics Engineering	Delta Technics Engineering evaporator, model: DSP-65, serial number: 01007, year of construction: 2007, 230 V, 50 Hz, 5 fans, dimensions, 2700 mm x 950 mm x 300 mm.	200
350	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-2 M, serial number: 28070, year of construction: 1997, gas: CO2/N2, dimensions: 400 mm x 310 mm x 300 mm.	75
351	NN cabinet	S/s cabinet, dimensions: 1150 mm x 630 mm x 1700 mm.	150
352	Siemens	Siemens control screen used for thermoformer, dimensions: 650 mm x 400 mm x 560 mm.	75
353	NN cabinet	S/s cabinet, dimensions: 1150 mm x 630 mm x 1700 mm.	150
354	Fortress	Fortress mobile metal detector with rejecter, model: FORTRESS PHANTOM, type: 4, serial number: E02107, clearance: 450 mm x 150 mm, plastic belt, belt width: 400 mm, total dimensions: 1900 mm x 1100 mm x 1420 mm.	1500
355	Multivac/Sesotec	Multivac/Sesotec mobile metal detector, type: GLS 350/250/125/289/143, serial number: 1003324, 400 V, 50/60 Hz, clearance: 340 mm x 200 mm, plastic belt, belt width: 290 mm, total dimensions: 1800 mm x 1250 mm x 1400 mm.	1000
356	Getränketechnik Grote & Blohm GmbH & Co. KG	Getränketechnik Grote & Blohm GmbH & Co. KG cooling unit, type: begleitkühlgerät BK20, serial number: NJ 158585, year of construction: 2013, 230 V, 50 Hz, 1.4 A, 250 W, refrigerant: R134a/120 g, dimensions: 380 mm x 300 mm x 340 mm.	100
357	Gamko	Gamko refrigerated cabinet, type: GM/212MU, year of construction: 2011, 220-240 V, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 1700 mm x 580 mm x 860 mm.	100
358	Avery Dennison	Avery Dennison label printer, type: 6405, serial number: 0831631001-6405, 100-240 V, 50-60 Hz, 3.2 A, dimensions: 500 mm x 320 mm x 310 mm.	5
359	Avery Berkel	Avery Berkel weighing scale, type: LC 116, serial number: 59009256, 220-240 V, 50-60 Hz, 250 mA, maximum weight: 60 kg, minimum weight: 0.4 kg, e=: 20 gram, T=: - 60 kg, dimensions: 600 mm x 400 mm x 160 mm.	50
360	Espera	Espera weighing and labelling machine with top and bottom labeller, type: ES 5000, year of construction: 2011, type weigher: ESW 2504, maximum weight: 6 kg, minimum weight: 40 gram, e= 2 gram, T= -6 kg, type	1500



Nr	Title	Description	Start €
		labelling units: ESD 564, plastic belt, belt width: 140 mm, total dimensions: 1800 mm x 800 mm x 1500 mm.	
365	Teko	Teko evaporator, mode: T1, serial number: 00289, year of construction: 2013, 230 V, 50 Hz, 3.0 A, dimensions: 930 mm x 500 mm x 800 mm.	40
367	NN roller conveyor	Roller conveyor with s/s frame and rollers, roller width: 500 mm, total dimensions: 1000 mm x 600 mm x 500 mm.	100
368	Hyfra GmbH	Hyfra GmbH cooling unit, type: Kälteanlage Chilly 35-400V-S, machine number: 13090287, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 5.4 A, 2.4 kW, refrigerant: R407C / 1.20 kg, dimensions: 800 mm x 600 mm x 580 mm.	100
370	Kronen	Kronen knife for GS 14, diameter: 560 mm.	25
371	Kronen	Kronen knife for GS 14, diameter: 560 mm.	25
372	Kronen	Kronen knife for GS 14, diameter: 560 mm.	25
378	Busch	Busch vacuum pump, type: CB 0220 C 1, number: 460239/OPXX/OC, year of construction: 1997, capacity: 220 m ³ per hour, dimensions: 1000 mm x 300 mm x 600 mm.	100
379	Soehnle	Soehnle floor weighing scale with indicators, 220 V, 50 Hz, maximum 600 kg, minimum 10 kg, e=d= 0.2 kg, dimensions: 1500 mm x 1250 mm x 80 mm.	400
380	NN vacuum pump	Vacuum pump, dimensions: 1100 mm x 300 mm x 600 mm.	100
381	Soehnle	Soehnle floor weighing scale and indicator, dimensions: 1250 mm x 1000 mm x 160 mm. Incomplete.	400
382	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 1697924, year of construction: 1995, 1450 rates per minute, capacity: 200 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	100
383	Grundfos	Pallet with 7 Grundfos single stage oil pumps, type: MTA120-250A-W-A-B, model: A, 220-440 V, 3 Ph, 50/60 Hz, 440-730 W, nominal flow rate: 100-120 l/min, pumping height: 7.2/9.8 m, dimensions: (7x) 590 mm x 220 mm x 260 mm.	500
384	Woodhead L.P.	Woodhead L.P. cable reel, serial number: 816758757 AB, year of construction: 102101, 600 VAC, 30 A, dimensions: 450 mm x 400 mm x 250 mm.	75
385	Kanon Loading Equipment B.V.	Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010733, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm.	75
386	Kanon Loading Equipment B.V.	Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010734, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm.	75
387	Flamco	2 Flamco degassing units, type: (2x) ENA 1, dimensions: (2x) 800 mm x 400 mm x 1400 mm.	200



Nr	Title	Description	Start €
388	VDL Delmas GmbH	VDL Delmas GmbH heat exchanger, type: S14A-IG16-43TKTL, serial number: 901-122316-08, year of construction: 2018, temperature range: 0 °C-80 °C, volume: 8 litres, dimensions: 500 mm x 350 mm x 1030 mm.	400
390	Busch	Busch vacuum pump, dimensions: 800 mm x 380 mm x 400 mm.	100
391	Gefi	Gefi vacuum pump, type: LC106-9603032/SF, serial number: 1924828, year of construction: 2018, dimensions: 700 mm x 300 mm x 500 mm.	100
397	Busch	Busch vacuum pump, dimensions: 980 mm x 350 mm x 630 mm.	100
399	Gardner Denver	Gardner Denver vacuum pump, type: VFS 201 (01) 100921-0117, number: 1783802, year of construction: 1996, capacity: 200 m³ per hour, dimensions: 980 mm x 300 mm x 440 mm.	100
400	Alfaco	Alfaco steel server cabinet, dimensions: 1000 mm x 800 mm x 2000 mm.	80
402	Busch	Busch vacuum pump, type: CB 0220 D, number: 04048231, year of construction: 2004, capacity: 220 m³ per hour, dimensions: 1000 mm x 550 mm x 600 mm.	100
403	Edwards	Edwards booster pump, model: EH500 HYD, serial number: 05618620, capacity: 500 m³ per hour, weight: 74 kg, dimensions: 740 mm x 300 mm x 250 mm.	100
404	Güntner	Güntner evaporator, type: S-GHDE 45/28, number: 6 328410, year of construction: 1993, 2 fans, dimensions: 1700 mm x 680 mm x 620 mm.	250
405	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), year of construction: 2008, 1450 rates per minute, capacity: 220 / 80 m³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	50
406	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), year of construction: 2008, 1450 rates per minute, capacity: 220 / 80 m³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	100
407	GEA Food Solutions Germany GmbH	GEA Food Solutions Germany GmbH labelling unit, type: LPM 108-12 LI, serial number: 18861281, year of construction: 2018, 30 V, 50-60 Hz, 12 A. dimensions: 850 mm x 350 mm x 600 mm.	100
409	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 2636069, year of construction: 2006, 230/400 V, 50 Hz, 19.7/11.4 A, 1450 rates per minute, capacity: 200 m³ per hour, dimensions: 960 mm x 300 mm x 600 mm.	100
410	Busch	Busch vacuum pump, type: CB 0220 C, number: 03025433, capacity: 220 m³ per hour, dimensions: 1250 mm x 350 mm x 600 mm.	100
411	Rietschle		100



Nr	Title	Description	Start €
		Rietschle vacuum pump, type: VCH 140 (05), serial number: 2363164, year of construction: 2003, capacity: 140 m ³ per hour, dimensions: 700 mm x 400 mm x 300 mm. Incomplete. Technical condition unknown.	
413	Denios AG	2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-002, year of construction: 2002, dimensions: (2x) 1650 mm x 430 mm x 350 mm.	50
414	Denios AG	2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-001, year of construction: 2002, dimensions: (2x) 1650 mm x 430 mm x 350 mm.	50
419	Busch	Busch vacuum booster pump, type: WP 0500 D 4V1, serial number: C1708000156, year of construction: 2017, capacity: 500 m ³ per hour, dimensions: 1000 mm x 350 mm x 320 mm.	200
420	Kreyenborg GmbH	Kreyenborg GmbH screen changer, type: K-SWE-050, machine number: 18489/A, year of construction: 1999, dimensions: 1200 mm x 600 mm x 1650 mm.	200
421	Busch	Busch vacuum booster pump, type: WP 1000 D 2VI MYXX, serial number: C0210000392, year of construction: 2002, capacity: 1000 m ³ per hour, dimensions: 950 mm x 350 mm x 350 mm.	150
426	Cafe Bar	Cafe Bar coffee machine, model: CB932NL/BK/L, 230 V, 50 Hz, 2.31 kW, dimensions: 500 mm x 250 mm x 460 mm.	20
430	Sogevac	Sogevac vacuum pump, dimensions: 700 mm x 400 mm x 300 mm.	100
431	NN pump	Pump, dimensions: 1000 mm x 500 mm x 300 mm.	100
433	Thermo Allen Coding	Thermo Allen Coding coding machine, dimensions: 550 mm x 200 mm x 200 mm.	50
436	Busch	Busch vacuum pump, type: CB 0220 D, serial number: 130083481, year of construction: 2013, capacity: 220 m ³ per hour, dimensions: 1000 mm x 350 mm x 600 mm.	100
437	Busch	Busch vacuum pump, dimensions: 900 mm x 400 mm x 500 mm.	100
440	NN rejector bin	S/s rejector bin, dimensions: 450 mm x 310 mm x 1100 mm.	25
442	NN vending machine	Vending machine, total dimensions: 840 mm x 670 mm x 170 mm.	100
444	Beckhoff	Beckhoff control panel, serial number: 3011207-001, year of construction: 2012, dimensions: 500 mm x 210 mm x 450 mm.	50
446	Busch	Busch vacuum pump, type: RC 0063 W 501, number: 060119488, year of construction: 2006, capacity: 60 m ³ per hour, dimensions: 600 mm x 400 mm x 300 mm.	150
447	Busch	Busch booster pump, type: WF 0500 D 4VI, C0533000075, year of construction: 2005, capacity: 500	250



Nr	Title	Description	Start €
		m ³ per hour, dimensions: 1000 mm x 350 mm x 350 mm.	
448	HYFRA Industriekuhlanlagen GmbH	HYFRA Industriekuhlanlagen GmbH mobile cooling unit, type: Kälteanlage Chilly 15-S, machine number: 13090516, year of construction: 2013, 230 V, 1 Ph, 50 Hz, refrigerant: R407C, dimensions: 700 mm x 500 mm x 500 mm.	100
449	Busch	Busch booster pump, dimensions: 900 mm x 360 mm x 400 mm.	150
450	Busch	Busch vacuum pump, type: RD 0200 A 5Z1, serial number: CHM122050243, year of construction: 2022, capacity: 160 m ³ per hour, dimensions: 900 mm x 600 mm x 600 mm.	400
452	Edwards	Edwards booster pump, dimensions: 1050 mm x 400 mm x 360 mm.	400
454	MK Gilze bv	MK Gilze BV control panel, dimensions panel: 520 mm x 370 mm.	50
455	MK Gilze BV	MK Gilze BV control panel, dimensions panel: 520 mm x 370 mm.	50
460	GEA	GEA thermoformer with film roll holder, type: PowerPak, serial number: 50560109, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 45 A, 30 kW, dye: (1x) 540 mm x 540 mm, total dimensions: 10000 mm x 1500 mm x 2200 mm. Without vacuum pump.	5000
461	Sealpac	Sealpac traysealer, type: SEALPAC A10, serial number: A10-01-2623, year of construction: 2013, 400/230 V, 3 Ph, 50/60 Hz, 15 kW, weight: 2700 kg, dimensions: 6000 mm x 1000 mm x 2000 mm. Without dye set.	500
462	Nordfels	Nordfels lasagna pick and place loader for thermoformer with 2 Stäubli robot arms, machine number: M19130, year of construction: 2019, 400 V, 3 Ph, weight: 2500 kg, type robot arms: TS2-80, dimensions: 2100 mm x 2100 mm x 2800 mm.	5000
463	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: (2x) 200 mm, total dimensions: 3000 mm x 1700 mm x 1120 mm.	500
464	NN tank	S/s tank with agitator, inside dimensions: 940 mm x 850 mm, total dimensions: 1330 mm x 1200 mm x 1800 mm.	500
465	Rational	Rational combisteamer, type: CMP 61G, serial number: G61MH16082540242, 230 V, 50/60 Hz, 13 kW, gas heated, 6 floor, floor dimensions: 550 mm x 330 mm, total dimensions: 860 mm x 800 mm x 820 mm.	1000
466	Rational	Rational combisteamer, type: CM 61, 400 V, 50/60 Hz, 10 kW, 6 floor, floor dimensions: 550 mm x 330 mm, total dimensions: 860 mm x 800 mm x 820 mm.	1000
467	Mado	Mado mobile grinder, model: OPTIMO, type: MEW 618, number: 30058, year of construction: 1998, 230/40 V, 3	1000



Nr	Title	Description	Start €
		Ph, 50 Hz, 11.1/6.4 A, 3 kW, plate diameter: 98 mm, total dimensions: 850 mm x 480 mm x 1200 mm.	
468	Frey	Frey vacuum filling machine, type: KONTI 50, machine number: K 50 0452463 GU, 400 V, 50 Hz, dimensions: 780 mm x 840 mm x 1650 mm.	1000
469	Rühle	Rühle mobile cooled vacuum tumbler, dimensions: 1300 mm x 950 mm x 1720 mm. Technical condition unknown.	1000
470	SAS NIJAL	SAS NIJAL mobile twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: T14, serial number: 1680405, year of construction: AVR-05, dimensions: 1500 mm x 1200 mm x 1770 mm.	1000
471	B.R.E.	B.R.E. breeding line consisting of mobile coating machine, type: E.W., serial number: 5235, year of construction: 2014, s/s mesh belt, belt width: 200 mm, dimensions coating machine: 1400 mm x 760 mm x 1400 mm and mobile breeding machine, type: PAN, serial number: 5236, year of construction: 2014, s/s mesh belt, belt width: 200 mm, dimensions breeding machine: 1500 mm x 760 mm x 1700 mm.	1500
472	Kallfass	Kallfass mobile shrink packaging machine, type: KC 5040/450 UNIVERSAL, machine number: VD 05.05.697, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 10.8 A, film width: 520 mm, seal length: 500 mm, plastic belt, belt width: 370 mm, clearance: 520 mm x 250 mm, total dimensions: 2550 mm x 1070 mm x 1300 mm.	750
473	Eillert B.V.	Eillert B.V. mobile slicer, type G3300, plastic belt, belt width: 240 mm, total dimensions: 2100 mm x 900 mm x 2250 mm. Kronen control system.	1250
474	Miele	Miele industrial dryer, model: PT 8807 G, serial number: 99946371, year of construction: 2011, 380-415 V, 50 Hz, 3 Ph, dimensions: 1300 mm x 1200 mm x 1600 mm.	500
475	Miele	Miele industrial dryer, model: PT 8807 G, serial number: 96108117, year of construction: 2010, 380-415 V, 50 Hz, 3 Ph, dimensions: 1300 mm x 1200 mm x 1600 mm.	500
476	Distform, S.L.	Distform, S.L.vacuum machine, model: TGM161E2, serial number: F20000812002, year of construction: 2020, 230 V, 50/60 Hz, 550 W, seal length: 400 mm, total dimensions: 570 mm x 500 mm x 430 mm.	250
477	Multivac	Multivac vacuum machine, seal length: 490 mm, Busch vacuum pump, total dimensions: 550 mm x 520 mm x 450 mm.	150
478	Marcelissen	Marcelissen elevating screw, machine number: 99.103.462, year of construction: 2018, dimensions infeed: 1000 mm x 800 mm x 750 mm, dimensions screw: ø 400 mm x 3200 mm, elevating height: 3200 mm, total dimensions: 1300 mm x 900 mm x 4100 mm.	2500



Nr	Title	Description	Start €
479	Rolly NRG	Rolly NRG floor scrubbing machine, dimensions: 700 mm x 400 mm x 1100 mm.	100
480	Ecolab	Ecolab mobile pressure vessel for foam, type: P3-topax-66, dimensions: 400 mm x 370 mm x 1100 mm.	100
481	Nilfisk	Nilfisk floor scrubbing machine, model: Scrubber-Dryer BA 611D, serial number: 3510131101235, 100-240 Vac, 50-60 Hz, 1.3 kW, dimensions: 1400 mm x 800 mm x 1080 mm.	500
482	NN dry ice cleaning machine	Mobile dry ice cleaning machine, model: P7X, production number: DGPQ202501040573, year of construction: 2025, 220 V, 50 Hz, 500 W, dimensions: 700 mm x 540 mm x 1000 mm.	1200
483	Caterpillar	Caterpillar electric forklift, fork length: 1150 mm, total dimensions: 2400 mm x 800 mm x 1500 mm. Including IEB battery charger, type: E 230 G 24/40 B1-FML Puls, dimensions: 360 mm x 240 mm x 240 mm.	300
484	NN pallets	7 plastic pallets, dimensions: (7x) 1200 mm x 800 mm.	50
485	EP Equipment	EP Equipment electric pallet lifter, fork length: 1150 mm, total dimensions: 1600 mm x 600 mm x 1230 mm.	250
486	CHEP	5 CHEP plastic pallets, dimensions: (5x) 1200 mm x 800 mm.	100
487	NN pallets	9 plastic pallets, dimensions: (9x) 1200 mm x 800 mm and 7 plastic stackable pallets, dimensions: (7x) 1200 mm x 800 mm.	80
488	NN battering machine	Mobile battering machine, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 900 mm x 1340 mm.	1750
489	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile breading machine, s/s mesh belt, belt width: 200 mm, total dimensions: 1600 mm x 900 mm x 1900 mm.	1750
490	Koppens	Koppens mobile pre-duster, type: PRM 400 M, machine number: PRM 400 M-1042, 380 V, 3 Ph, 50 Hz, 7.4 A, 2.45 kW, weight: 400 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2700 mm x 800 mm x 1800 mm.	2000
491	Seffelaar und Looyen GmbH	Seffelaar und Looyen GmbH mobile breading machine, s/s mesh belt, belt width: 400 mm, total dimensions: 1900 mm x 900 mm x 1800 mm.	1250
492	Bulldog	Bulldog mobile pre-duster, s/s mesh belt, belt width: 600 mm, total dimensions: 2300 mm x 1300 mm x 2000 mm. Never used.	1500
493	Alco Food Machines GmbH	Alco Food Machines GmbH mobile battering machine, type: ADT 400, serial number: 00707209, year of construction: 1998, 400 V, s/s mesh belt, belt width: 400 mm, total dimensions: 2300 mm x 1000 mm x 1200 mm.	1500
494	Formax	Formax mobile forming machine, model: PFM-6, serial number: 127, 420 V, 3 Ph, 50 Hz, 17 A, s/s mesh belt,	2500



Nr	Title	Description	Start €
		belt width: 180 mm, total dimensions: 2800 mm x 800 mm x 1800 mm. Incomplete.	
495	NN transport belt	Mobile transport belt, s/s mesh belt, belt width: 180 mm, total dimensions: 1100 mm x 500 mm x 1050 mm.	400
496	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile pre-duster, model: 200W ECONODUST M/C, serial number: ED 18/01/004, 380/415 V, 3 Ph, 50/60 Hz, 0.51 kW, s/s mesh belt, belt width: 220 mm, clearance: 220 mm x 120 mm, total dimensions: 1000 mm x 100 mm x 1930 mm.	1750
497	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile battering machine, model: 200W WEIR ECONOROB M/C, serial number: WER 18/01/003, 380/415 V, 3 Ph, 50/60 Hz, 0.88 kW, s/s mesh belt, belt width: 220 mm, total dimensions: 1400 mm x 650 mm x 1300 mm.	1750
498	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile battering machine, model: 200W DIP-ECONOROB M/C, serial number: ER 18/01/005, 380/415 V, 3 Ph, 50/60 Hz, 0.4 kW, s/s mesh belt, belt width: 220 mm, total dimensions: 1500 mm x 800 mm x 1200 mm.	1750
499	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile breeding machine, s/s mesh belt, belt width: 220 mm, total dimensions: 1500 mm x 800 mm x 1200 mm.	1750
500	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile fryer, s/s mesh belt, belt width: 220 mm, clearance: 220 mm x 80 mm, total dimensions: 3000 mm x 1200 mm x 2400 mm.	3000
501	NN transport belt	Transport belt, s/s mesh belt, belt width: 180 mm, total dimensions: 1100 mm x 500 mm x 1050 mm.	400
502	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile pre-duster, model: 200W ECONODUST M/C, serial number: ED 15/11/086, 380/415 V, 3 Ph, 50/60 Hz, 0.51 kW, s/s mesh belt, belt width: 220 mm, clearance: 220 mm x 120 mm, total dimensions: 1000 mm x 100 mm x 1930 mm.	1750
503	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile battering machine, s/s mesh belt, belt width: 220 mm, total dimensions: 1400 mm x 650 mm x 1300 mm.	1750
504	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile battering machine, model: 200W DIP-ECONOROB M/C, serial number: ER 15/11/087, 380/415 V, 3 Ph, 50/60 Hz, 0.4 kW, s/s mesh belt, belt width: 220 mm, total dimensions: 1500 mm x 800 mm x 1200 mm.	1750
505	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile breeding machine, s/s mesh belt, belt width: 220 mm, total dimensions: 1500 mm x 800 mm x 1200 mm.	1750
506	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile fryer, model: ECONOFRY M/C, serial number: EF 16/01/001, 380/415 V, 3 Ph, 50/60 Hz, 43.5 A, 23.86 kW, s/s mesh belt, belt	3000



Nr	Title	Description	Start €
		width: 220 mm, clearance: 220 mm x 80 mm, total dimensions: 3000 mm x 1200 mm x 2400 mm.	
507	Deca	Deca traysealer, type: MECA 900, serial number: S.M. 1201, year of construction: 2001, film width: 270 mm, dimensions dye: (2x) 200 mm x 140 mm, total dimensions: 1400 mm x 800 mm x 1800 mm. Including 2 pallets with parts, dimensions dyes: 220 mm x 150 mm, 280 mm x 180 mm, 320 mm x 270 mm.	300
508	Yamato Scale GmbH	Yamato Scale GmbH multihead weigher, model: ADW-508MWH, serial number: WEG000496, 8-heads, 220-240 V, 1 Ph, 50/60 Hz, 5 A, weighing range: 20-2000 g, maximum speed: 100 pieces per minute, dimensions: 1950 mm x 1500 mm x 2400 mm.	5000
509	D2 Food Systems Limited	D2 Food Systems Limited traysealer, serial number: 100M008, film width: 280 mm, dimensions dye: (2x) 200 mm x 130 mm, total dimensions: 1150 mm x 900 mm x 670 mm.	150
510	Zoin Refrigerazione Srl	Zoin Refrigerazione Srl mobile refrigerated showcase, model: HILL 100, serial number: 0636/18, year of construction: 2018, 230 V, 50 Hz, refrigerant: R404/0.300 kg, dimensions: 1070 mm x 800 mm x 1300 mm.	250
511	Multivac/Sesotec GmbH	Multivac/Sesotec GmbH metal detector with rejector, type: I310/GLS 500/200-GPT, year of construction: 2021, 100-240 V, 50/60 Hz, 0.8 A, plastic belt, belt width: 390 mm, clearance: 490 mm x 145 mm, total dimensions: 2050 mm x 1150 mm x 1400 mm.	3500
512	Leventi	Leventi mobile bread oven, type: bakermatic, serial number: 07110078, year of construction: 2007, 380/415 V, 3 Ph, 50/60 Hz, 6.5 kW, dimensions: 1700 mm x 850 mm x 1500 mm.	200
513	Burlodge	Burlodge hostess cart, serial number: BLC 104014, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 12 A, 7400 W, refrigerant: R134a/300 g, dimensions: 750 mm x 800 mm x 1450 mm.	100
514	Burlodge	Burlodge hostess cart, serial number: BLC 104018, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 12 A, 7400 W, refrigerant: R134a/300 g, dimensions: 750 mm x 800 mm x 1450 mm.	100
515	Rösen & Robbert	Rösen & Robbert bread slicer, type: 28 H47 01, machine number: 3580-1284, 380 V, 50 Hz, dimensions chamber: 800 mm x 185 mm x 170 mm, total dimensions: 1800 mm x 900 mm x 850 mm.	30
516	Autobar	Autobar coffee machine, dimensions: 850 mm x 700 mm x 1830 mm.	100
517	NN vending machine	Vending machine, dimensions: 800 mm x 870 mm x 1830 mm.	150
518	Kiremko		1500



Nr	Title	Description	Start €
		Kiremko multi-purpose cooking counter, type: HRF 2, serial number: 120187, year of construction: 2010, 230 V, 50 Hz, 30 kW, 3 deep fryers, grill plate, leakage tray and au-bain-marie, total dimensions: 1000 mm x 4150 mm x 1800 mm.	
519	Zanussi	Zanussi dishwasher, model: LS6EAH, serial number: 61200032, year of construction: 2006, 400 V, 3 Ph, 50 Hz, dimensions: 600 mm x 600 mm x 840 mm.	100
520	Electrolux	Electrolux dishwasher, dimensions: 640 mm x 600 mm x 850 mm.	100
521	Gastro M	Gastro M ice cube machine, inside dimensions: 320 mm x 320 mm x 150 mm, total dimensions: 470 mm x 400 mm x 710 mm.	150
522	Frymaster	Frymaster universal holding cabinet, model: UHCP4TP, serial number: 0802UH0388, 230 V, 1 Ph, 50/60 Hz, 13.3 A, 3050 W, 4 floors, dimensions floors: (4x) 600 mm x 450 mm x 60 mm, total dimensions: 645 mm x 550 mm x 645 mm.	100
524	Busch	Busch vacuum pump, type: RA 0100 F 503, number: 120072022, year of construction: 2012, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 270 mm.	150
525	Edwards	Edwards vacuum booster pump, model: EH1200 50 Hz HYD, serial number: 027450377, weight: 149 kg, dimensions: 1000 mm x 400 mm x 400 mm.	100
526	Busch	Busch vacuum pump, type: CB 0250 B, number: 060128842, year of construction: 2007, capacity: 250 m ³ per hour, dimensions: 1100 mm x 550 mm x 430 mm.	150
527	Busch	Busch vacuum pump, type: RA 0160 D 5Z1 GQZZ, number: C0637000129, year of construction: 2006, capacity: 150 m ³ per hour, dimensions: 900 mm x 500 mm x 500 mm.	150
528	Busch	Busch vacuum pump, type: RA 0100 F, number: 070038998, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 300 mm.	150
529	Busch	Busch vacuum pump, type: RA 0063 E 5Z1, number: 070004695, year of construction: 2007, capacity: 63 m ³ per hour, dimensions: 600 mm x 400 mm x 300 mm.	150
530	Busch	Busch vacuum pump, type: RA 0063 E 5Z1, number: 03033225, capacity: 63 m ³ per hour, dimensions: 600 mm x 400 mm x 300 mm.	150
531	Busch	Busch vacuum pump, type: RA 0063 E 5Z1, number: 05011543, year of construction: 2005, capacity: 63 m ³ per hour, dimensions: 600 mm x 400 mm x 300 mm.	150
532	Busch	Busch vacuum pump, type: RA 0100B 131, number: 73969, year of construction: 2016, capacity: 100 m ³ per hour, dimensions: 800 mm x 400 mm x 400 mm.	150
533	NN cooling unit		100



Nr	Title	Description	Start €
		Mobile cooling unit, dimensions: 600 mm x 750 mm x 600 mm.	
534	Busch	Busch vacuum pump, type: RA 0160 D 5Z1 VRXZ, number: C1244000168, year of construction: 2012, capacity: 150 m ³ per hour, dimensions: 900 mm x 500 mm x 400 mm.	150
535	Busch	Busch vacuum booster pump, type: WV 1000 B 001 KDCC, year of construction: 2001, dimensions: 1100 mm x 450 mm x 700 mm.	150
536	Busch	Busch vacuum pump, type: RA 0040 F 503, number: 110019247, year of construction: 2011, capacity: 40 m ³ per hour, dimensions: 650 mm x 300 mm x 400 mm.	100
537	Gardner Denver	Gardner Denver vacuum pump, type: VC 150 (75), number: 1026527655, year of construction: 2010, capacity: 150/180 m ³ per hour, dimensions: 750 mm x 400 mm x 600 mm.	150
538	NN transport belt	Transport belt, plastic belt, belt width: 250 mm, total dimensions: 800 mm x 330 mm x 100 mm.	75
539	Gardner Denver	Gardner Denver vacuum pump, type: VC 150 (76), number: 2865581, capacity: 100 m ³ per hour, dimensions: 700 mm x 420 mm x 300 mm.	150
540	Busch	Busch vacuum pump, type: RA 0100 B5M, number: 195004154, capacity: 100 m ³ per hour, dimensions: 800 mm x 350 mm x 400 mm.	100
541	Busch	Busch vacuum pump, type: RB 0021 C 3M5, serial number: DEM119410756, year of construction: 2019, capacity: 20 m ³ per hour, dimensions: 400 mm x 270 mm x 170 mm.	150
542	Busch	Busch vacuum pump, type: RA 0100 F 503, number: 120003316, year of construction: 2012, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 300 mm.	150
543	Busch	Busch vacuum booster pump, type: WV 1500 C 001, serial number: C1803000093, year of construction: 2018, capacity: 1800 m ³ per hour, dimensions: 1050 mm x 400 mm x 400 mm.	200
544	Busch	Busch vacuum pump, type: RA 0160 D, serial number: 5585248, capacity: 150 m ³ per hour, dimensions: 900 mm x 450 mm x 500 mm.	150
545	Rietschle	Rietschle vacuum pump, type: VFS 220.80 (01), number: 2751336, year of construction: 2007, capacity: 220/80 m ³ per hour, dimensions: 1030 mm x 600 mm x 700 mm.	150
546	Busch	Busch vacuum pump, type: RA 0160 D 5ZI QLZZ, number: C0203000182, year of construction: 2002, capacity: 150 m ³ per hour, dimensions: 850 mm x 540 mm x 500 mm.	100
547	Sabroe		950



Nr	Title	Description	Start €
		Sabroe screw compressor, type: SAB 128, serial number: 11228, year of construction: 1997, dimensions: 1500 mm x 2300 mm x 1900 mm.	
548	Multivac	Multivac thermoformer, type: R530, dimensions dye: (8x) 78 mm x 325 mm, plastic belt, belt width: 378 mm, total dimensions: 7660 mm x 1040 mm x 1870 mm. Including Busch vacuum pump, dimensions pump: 1100 mm x 370 mm x 7200 mm. Without rollies.	7500
549	Busch	Busch vacuum pump, type: 063-138, number: 405264, capacity: 63 m ³ per hour, dimensions: 680 mm x 400 mm x 300 mm.	50
550	Busch	Busch vacuum pump, type: WV 1500 C 001, number: C1902000009, year of construction: 2019, capacity: 1500 m ³ per hour, dimensions: 1070 mm x 600 mm x 500 mm.	300
551	Markem Imaje	Markem Imaje date printer, serial number: GJ17515810, year of construction: 20/12/17, dimensions: 700 mm x 420 mm x 400 mm.	100
552	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm, total dimensions: 2000 mm x 750 mm x 1800 mm. Including Espera control panel, model: ESC 964 and 2 frames for control panel, model: ESV 104, dimensions: (2x) 680 mm x 470 mm x 1100 mm and (1x) 680 mm x 470 mm x 1370 mm.	1500
553	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm, total dimensions: 2050 mm x 750 mm x 1800 mm. Including Espera controll panel, model: ESC 964 and Espera label printer, model: ESD 104, dimensions: 680 mm x 470 mm x 1370 mm and 680 mm x 580 mm x 1360 mm.	1500
554	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm, total dimensions: 2050 mm x 750 mm x 1800 mm. Including Espera control panel, model: ESC 964 and Espera label printer, model: ESD 104, dimensions: 680 mm x 470 mm x 1370 mm and 680 mm x 580 mm x 1360 mm.	1500
555	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm, total dimensions: 2050 mm x 750 mm x 1800 mm. Including Espera control panel, model: ESC 964 and Espera label printer, model: ESD 104, dimensions: 680 mm x 470 mm x 1370 mm and 680 mm x 580 mm x 1360 mm.	1500
556	NN transport belt		300



Nr	Title	Description	Start €
		Transport belt, chain belt, belt width: 20 mm, working width: 160 mm, total dimensions: 4950 mm x 700 mm x 1200 mm.	
557	NN transport belt	Transport belt, plastic mesh belt, belt width: 805 mm, total dimensions: 1350 mm x 1000 mm x 1050 mm.	200
558	NN transport belt	Transport belt, plastic mesh belt, belt width: 805 mm, total dimensions: 1300 mm x 1000 mm x 950 mm.	200
560	Handtmann	Handtmann linking attachment, type: 34-4, number: 1580, dimensions: 330 mm x 190 mm x 120 mm.	500
561	Handtmann	Handtmann linking attachment, type: 34-4, number: 1873, dimensions: 330 mm x 190 mm x 120 mm.	500
562	Handtmann	Handtmann linking attachment, type: 34-4, number: 3990, dimensions: 330 mm x 190 mm x 120 mm.	500
563	Handtmann	Handtmann linking attachment, type: 34-5, number: 13442, dimensions: 330 mm x 190 mm x 120 mm.	500
564	Handtmann	Handtmann linking attachment, type: 34-4, number: 274, dimensions: 330 mm x 190 mm x 120 mm.	500
565	MaDo	MaDo mobile portioning machine, type: POG 420, number: 30064, year of construction: 2000, working width: 180 mm, total dimensions: 580 mm x 480 mm x 1020 mm.	250
566	Kilia	Kilia mixer-grinder with lifter for 200 liter meat bins, type: G 160 2000 S, machine number: 29112031, year of construction: 1991, 380 V, 61/81 A, 28/35 kW, diameter plate: 160 mm, total dimensions: 2750 mm x 1750 mm x 2300 mm. Including switch cabinet, dimensions: 750 mm x 200 mm x 950 mm. Missing knives and plates.	4000
567	Nowicki	Nowicki injector, type: MH-280, number: 00501014, year of construction: 2001, 400 V, 3 Ph, 1.05 kW, weight: 1260 kg, clearance: 595 mm x 270 mm, s/s walking beam, total dimensions: 2800 mm x 1200 mm x 2150 mm. Including Nowicki filter tub, type: FBN-28012, number: 91601014, year of construction: 2001, 400 V, 3 Ph, weight: 185 kg, dimensions: 1880 mm x 800 mm x 850 mm and switch cabinet, dimensions: 1120 mm x 350 mm x 820 mm.	3000
568	Seydelmann	Seydelmann cutter, type: K90DC6, machine number: 94168-1, 380 V, 50 Hz, 130 A, volume: 90 liter, s/s bowl, type control panel: Micro-12, dimensions: 1330 mm x 2050 mm x 1600 mm.	4000
569	Markem-Imaje	2 Markem-Imaje smartdate 5 displays, dimensions: 250 mm x 270 mm x 200 mm and 260 mm x 190 mm x 160 mm.	40
570	Markem-Imaje	2 Markem-Imaje Smartdate 5 coding attachments, dimensions: 310 mm x 200 mm x 240 mm.	200
571	Multivac		50



Nr	Title	Description	Start €
		Multivac gas mix station, type: KM100-2M, numberL 2670, year of construction: 1990, dimensions: 360 mm x 320 mm x 260 mm.	
572	NN tubs	3 s/s tubs, dimensions: (3x) 890 mm x 720 mm x 510 mm.	150
573	Alco food-machines	Alco food-machines mobile transport belt, serial number: 0903210, year of construction: 1999, 380 V, 60 Hz, plastic mesh belt, belt width: 410 mm, total dimensions: 2440 mm x 835 mm x 900 mm.	150
574	Tak-Tribus	Tak-Tribus bacon slicer, type: SSE18, number: SSE180801, year of construction: 08-2018, 230 V, 50 Hz, 8 A, 1.5 kW, weight: 396 kg, knife width: 600 mm, total dimensions: 850 mm x 750 mm x 1880 mm.	500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

