



**Industrial
Auctions**

2007: Online auction food processing machinery,
cooling- and catering equipment in Eindhoven (NL)

END DATE
09 December 2025 12:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	09 December 2025 from 12:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	16 December 2025 from 09:00 till 16:00 hrs. 17 December 2025 from 09:00 till 16:00 hrs. 18 December 2025 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Epic Systems	Epic Systems mixing installation, model: 103, serial number: APS-1003-02, year of construction: 2019, 9.6 A, dimensions: 2400 mm x 3600 mm x 3000 mm. Lot located on other location in Breda, The Netherlands. Viewing and pick-up in consultation with Industrial Auctions.	10000
2	Rex	Rex vacuum filling machine, type: RVF 736, machine number: 7361060529, 400 V, 3 Ph, 50 Hz, 15 kW, dimensions: 1130 mm x 1020 mm x 1790 mm. Including s/s tool trolley and pallet with various parts, among others: Complete filling grinder with grinder, offset gearbox and turning gearbox.	20000
3	Hopman	Hopman deboning belt, s/s frame, plastic belts, belt width: (2x) 785 mm, 10 stations, dimensions stations: (10x) 990 mm x 450 mm, total dimensions: 8100 mm x 1800 mm x 2000 mm. Missing one worktop.	3500
4	NN shredder	Steel shredder, clearance: 1100 mm x 620 mm, total dimensions: 3550 mm x 920 mm x 1100 mm.	2000
5	Webomatic	Webomatic thermoformer, type: ML-C 5600, machine number: G6513XK126, 400 V, 3 Ph, 50 Hz, 30.5 kW, dimensions dye: (2x) 250 mm x 170 mm, plastic mesh outfeed belt, belt width: 365 mm, Busch vacuum pump, type: RA 0063 F 5K3, serial number: D14470589, year of construction: 2014, capacity: 63 m ³ per hour, total dimensions: 7650 mm x 1300 mm x 2150 mm. Including 3 trolleys with parts, dimensions trolleys: (3x) 650 mm x 500 mm x 1160 mm.	10000
6	Bizerba	Bizerba labeller with suction unit, 5 cassettes with labels, type: LDI 20, number: 16/3001, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including suction unit, dimensions suction unit: 1150 mm x 620 mm x 1100 mm. Including 2 extra cassettes.	2500
7	Bizerba	Bizerba labeller with suction unit, 4 cassettes with labels, type: LDI 20, number: 16/3025, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including suction unit, dimensions suction unit: 1150 mm x 620 mm x 1100 mm. Including 4 extra cassettes.	2500
8	Bizerba	Bizerba labeller, 5 cassettes with labels, type: LDI 20, number: 16/3018, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including 2 extra cassettes. Technical condition unknown.	2000
9	Bizerba	Bizerba labeller with suction unit, 7 cassettes with labels, type: LDI 20, number: 16/3036, year of construction:	2500



Nr	Title	Description	Start €
		2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including suction unit, dimensions suction unit: 1150 mm x 620 mm x 1100 mm. Technical condition unknown.	
10	Bizerba	Bizerba automatic camera inspection machine, model: BVS-1 evo, serial number: 10998653, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, 10 A, plastic belt, belt width: 300 mm, total dimensions: 760 mm x 930 mm x 1670 mm, dimensions control panel: 400 mm x 400 mm x 1280 mm.	1750
11	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF620, number: 14646, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 11.5 A, 8.0 kW, Busch vacuum pump, type: KB 0016, capacity: 16 m³ per hour, dimensions: 2130 mm x 1360 mm x 1950 mm.	12500
12	Handtmann	Handtmann mobile portioning and linking machine, type: 242-01, number: 501, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, dimensions: 2600 mm x 880 mm x 1780 mm. Including 2 tool trolleys, dimensions trolleys: 1050 mm x 750 mm x 1000 mm and 900 mm x 860 mm x 880 mm.	7500
13	Handtmann	Handtmann mobile hanging machine: 220-16, number: 763, year of construction: 1999, dimensions: 2600 mm x 570 mm x 1400 mm.	1500
14	NN stacker	S/s stacker, s/s rollers, roller width: from 250 mm to 150 mm, plastic string belt, belt width: (2x) 110 mm, total dimensions: 2500 mm x 1740 mm x 1770 mm. Incomplete.	1500
15	Fri-Jado BV/Bitzer Kühlmaschinenbau GmbH	Fri-Jado compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 2JHC-07K-40S, (3x) 4JTC-15K-40P, capacity: (2x) 3.48/4.18, (3x) 9.2/11 m³ per hour, dimensions: 2700 mm x 920 mm x 2350 mm.	2000
16	Fomaco	Fomaco s/s mobile continuous tumbler, diameter drum: 830 mm, total dimensions: 3750 mm x 1400 mm x 2400 mm. Including motor. Incomplete, missing hydraulic cylinder and pump.	950
17	Loma systems	Loma systems metal detector with rejector, model: IQ3, serial number: DMC70617-06042D, year of construction: 2007, 380 V, 3 Ph, 50 Hz, 1.2 A, plastic belt, belt width: 100 mm, clearance: 315 mm x 150 mm, total dimensions: 1530 mm x 770 mm x 1470 mm.	2500
18	NN switch cabinet	S/s switch cabinet, type: SOFPINSI, machine number: 05224, dimensions: 1100 mm x 350 mm x 850 mm.	150
19	NN switch cabinet	S/s switch cabinet, dimension: 760 mm x 320 mm x 760 mm.	150
20	NN scalding tank		750



Nr	Title	Description	Start €
		S/s scalding tank, inside dimensions: 940 mm x 1700 mm x 500 mm, total dimensions: 2170 mm x 1150 mm x 1190 mm.	
21	MKM techniek b.v.	MKM techniek b.v. mobile transport belt, serial number: 23342, year of construction: 2022, 400 V, 3 Ph, 50 Hz, s/s frame, plastic mesh belt, belt width: 150 mm, total dimensions: 3600 mm x 600 mm x 1120 mm.	350
22	FS Solutions	FS Solutions 45° curve conveyor, type: CS200SL, number: 3335, year of construction: 2011, s/s frame, plastic mesh belt, belt width: 190 mm, total dimensions: 1100 mm x 480 mm x 850 mm.	150
23	NN foldable roller conveyor	Mobile foldable roller conveyor, plastic rollers, roller width: 490 mm, total dimensions: 600 mm x 500 mm x 860 mm.	25
24	Teko/Bitzer Kühlmaschinenbau GmbH	Teko compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4DES-5Y-40S, capacity: 26.9/32.4 m³ per hour, dimensions: 1600 mm x 850 mm x 1000 mm.	1000
25	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 6HE-25Y-40P and 4EC-6.2Y-40S, capacity: 110.5/156.2 and 22.7/27.4 m³ per hour, dimensions: 1300 mm x 1180 mm x 1050 mm.	1000
26	Korimat	Korimat autoclave, type: KA160/2.5, fabrication number: 982501, year of construction: 1999, 230/400 V, 3 Ph, 9 kW, volume: 120 liter, dimensions: 1150 mm x 850 mm x 1300 mm.	2500
27	Mainca	Mainca cutter, type: CR-40, number: 1192, 380 V, 50 Hz, s/s bowl, volume: 40 liter, dimensions: 1220 mm x 900 mm x 700 mm.	2500
28	Delta Technics Engineering	Delta Technics Engineering evaporator, model: FMX268EO, serial number: CEN240200-23, 220 V, 50 Hz, 120 W, 1 fan, dimensions: 1200 mm x 900 mm x 700 mm. Technical condition unknown.	50
29	Delta Technics Engineering	Delta Technics Engineering evaporator, model: DS262, serial number: SIA160200-05, 220 V, 50 Hz, 2 fans, dimensions: 1450 mm x 850 mm x 400 mm.	200
30	Profoid / Bitzer Kühlmaschinenbau GmbH	Profoid compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 4CES-6Y-40S, and (3x) 4PCS-10.2Y-40P, refrigerant: R448A, 200 kg, dimensions: 2750 mm x 900 mm x 1950 mm. With vertical liquid receiver, dimensions: 580 mm x 480 mm x 1580 mm. Technical condition unknown. Copper pipings between compressors already been removed.	2000
31	Multivac	Multivac thermoformer, type: R140, machine number: 342, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 22 A, 7.5 kW, dye: (4x) 130 mm x 175 mm, plastic outfeed belt, belt width: 380 mm, with Busch vacuum pump, type: RA	15000



Nr	Title	Description	Start €
		0100 B, total dimensions: 4000 mm x 1050 mm x 1900 mm.	
32	Schutten Machines BV	Schutten Machines BV water cup filling and closing machine, model: TML-250-1 number: 01005, year of construction: 2002, diameter cutps: 75 mm, total dimensions: 4160 mm x 1690 mm x 2210 mm.	500
33	Jonge Poerink	Jonge Poerink 90° curve conveyor, type: RTSD 90/400-200, year of construction: 2019-04, plastic belt, belt width: 420 mm, total dimensions: 1260 mm x 780 mm x 900 mm.	200
34	Herma	Herma labelling machine, model: H400 16R, serial number: 21232248, year of construction: 2016, 100-240 V, 50-60 Hz, 400 W, dimensions: 550 mm x 500 mm x 1570 mm.	1250
35	Baader	Baader separator, type: 601, number: 120573, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 7.2 A, diameter perforations: 3 mm, diameter drum: 225 mm, total dimensions: 1100 mm x 800 mm x 1550 mm. With box with parts. Incomplete, missing belts.	5000
36	Rühle	Rühle GmbH injector with lifter for crates, 56 needles, s/s walking beam, beam width: 340 mm, total dimensions: 1700 mm x 900 mm x 2000 mm.	3000
37	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector with filter tub and pump, type: PI81-184 MC2R, machine number: 32 775, year of construction: 2011, 400 V, 63 A, 17.5 kW, plastic mesh belt, belt width: 450 mm, total dimensions: 2320 mm x 1300 mm x 2500 mm, dimensions filter tub: 1900 mm x 600 mm x 900 mm, dimensions pump: 1850 mm x 780 mm x 500 mm, dimensions filter system: 1100 mm x 740 mm x 760 mm.	3000
38	Eco Refrigerazione	Eco Refrigerazione evaporator, model: CTE063M6, serial number: AC200807951, year of construction: 08/05/2008, 230 V, 1 Ph, 50-60 Hz, 1.41 A, 225 W, 3 fans, dimensions: 1380 mm x 650 mm x 450 mm.	150
39	DWM Copeland	DWM Copeland cooling compressor, model: D2DL3-75X-AWM/D, serial number: 1886693, year of construction: 2001, capacity: 23.70 m³ per hour, dimensions: 900 mm x 800 mm x 630 mm.	100
40	Proseal	Proseal mobile traysealer, model: Fastpak F40, serial number: 1871, year of construction: 2009, 230 V, 50 Hz, plastic string belt, belt width: 175 mm, dimensions dye: (2x) 180 mm x 170 mm, total dimensions: 2350 mm x 860 mm x 1970 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 600 mm. Overhauled in 2023.	1500
41	Poly-clip System GmbH	Poly-clip System GmbH mobile double clipper, type: FCA 3461, plastic outfeed belt, belt width: 300 mm, total dimensions: 1350 mm x 1300 mm x 1950 mm. Including 2 crates with clips.	2000



Nr	Title	Description	Start €
42	Stephan	Stephan mobile microcutter, type: MCH-D50, machine number: 725.524.01, year of construction: 1999, 400 V, 50 Hz, 77 A, 45 kW, dimensions: 1900 mm x 1030 mm x 1150 mm. With box with knives.	5000
43	Henkovac	Henkovac mobile double chamber vacuum machine, type: FC 8160, serial number: 20030612, year of construction: 2003, 230 V, 3 Ph, 50 Hz, 31.0 A, 522 kg, seal length: (4x) 620 mm, Busch vacuum pump, type: RA 0150, capacity: 150 m³ per hour, dimensions chamber: 830 mm x 620 mm, total dimensions: 1650 mm x 1060 mm x 1150 mm.	2500
44	Espera	Espera mobile labelling machine, model: ESC 901, 230 V, 50-60 Hz, 2 A, dimensions: 1100 mm x 800 mm x 1670 mm.	750
45	Kronen	Kronen centrifuge, type: K 50-4, serial number: 589, year of construction: 1999, 230 V, 1 Ph, 50/60 Hz, 12 kW, clearance: Ø 420 mm x 360 mm, total dimensions: 900 mm x 600 mm x 1000 mm.	1000
46	Muvero	Muvero cooking vessel, inside dimensions: Ø 600 mm x 530 mm, total dimensions: 900 mm x 700 mm x 970 mm.	500
47	Altotek	Altotek case erecting and filling machine with FlexPicker, machine number: 754867, year of construction: 31/01-2003, 400 V, 3 Ph, 50 Hz, 35 A, Nordson glue unit, minimum box sizes: 175 mm x 115 mm x 100 mm, maximum box sizes: 350 mm x 250 mm x 250 mm, s/s chain conveyor with dividers, belt width: 200 mm, distance between dividers: 350 mm, divider height: 50 mm, plastic belts, belt width: 130 mm, total dimensions: 4500 mm x 2000 mm x 2600 mm. With ABB control panel and cabinet for robot, type: IRB340 M2000, serial number: 34-20212, year of construction: 19-08-2002, dimensions: 900 mm x 550 mm x 1100 mm.	4000
48	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 220, volume: 220 liter, Busch vacuum pump, type: KC 0010 E320, year of construction: 2010, capacity: 10 m³ per hour, serial number: CZM121311738, dimensions: 1170 mm x 920 mm x 1720 mm.	3000
49	NN tub	S/s tub, dimensions: 1450 mm x 670 mm x 800 mm.	50
50	MGM S.r.l.	MGM S.r.l. mobile traysealer, type: SVL I M, serial number: 19306, year of construction: 2019, 400 V, 8 A, dimensions dye: (2x) 220 mm x 170 mm, total dimensions: 1100 mm x 570 mm x 1350 mm.	1500
51	Henkelman	Henkelman mobile diptank, type: DT 60, machine number: DT0811048, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 A, 9 kW, inside dimensions: 600 mm x 500 mm x 180 mm, total dimensions: 850 mm x 700 mm x 1050 mm.	1000
52	Reich		500



Nr	Title	Description	Start €
		Reich bandsaw, model: 4205, number: 1034, 380 V, 50 Hz, 3.6 kW, dimensions table: 680 mm x 660 mm, total dimensions: 900 mm x 660 mm x 1580 mm.	
53	Henkovac / HFE vacuum systems bv	Henkovac / HFE vacuum systems bv mobile vacuum machine, model: 300, serial number: 20110978, year of construction: 2011, 380-400 V, 3 Ph, 50 Hz, 13 A, seal width: 800 mm and 500 mm, dimensions chamber: 750 mm x 500 mm, Busch vacuum pump, type: RA 0063 F 5K3, capacity: 63 m ³ per hour, total dimensions: 900 mm x 700 mm x 1060 mm.	750
54	BT	BT electric pallet lifter, type: SWE080L, number: 6277094, year of construction: 2013, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1800 mm x 750 mm x 1840 mm.	950
55	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 134.0261, year of construction: 1993, 220-240/380-460 V, 3 Ph, 50/60 Hz, 25/20 A, dimensions: 950 mm x 900 mm x 1700 mm.	4200
56	NN pallet	S/s pallet, dimensions: 1200 mm x 800 mm x 160 mm.	50
57	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: PIH 17, machine number: 29613, year of construction: 2006, 400 V, 16 A, 1.5 kW, 17 needles, plastic mesh belt, belt width: 240 mm, clearance: 260 mm x 180 mm, total dimensions: 1380 mm x 550 mm x 1650 mm.	2500
58	NN tub	S/s mobile tub, dimensions: 1560 mm x 740 mm x 860 mm.	50
59	Kilia	Kilia grinder, diameter plate: 110 mm, total dimensions: 1560 mm x 770 mm x 950 mm.	800
60	NN smoke sticks	S/s trolley with approximately 100 aluminium y-shaped smoke sticks, length each stick: 800 mm, dimensions trolley: 600 mm x 400 mm x 720 mm	100
61	Meissner	Meissner bowl cutter, steel bowl, s/s knives, dimensions bowl: Ø 760 mm x 140 mm, total dimensions: 1100 mm x 1000 mm x 1200 mm.	3500
62	NN tub	S/s tub, dimensions: 1450 mm x 670 mm x 800 mm.	50
63	Kolbe	Kolbe bandsaw, dimensions table: 880 mm x 820 mm, total dimensions: 1050 mm x 880 mm x 1780 mm.	650
64	Kramer + Grebe	Kramer + Grebe bowl cutter twin, type: SM/ZW, machine number: 275/121, year of construction: 1989, diameter plate: 102 mm, dimensions bowl: Ø 740 mm x 140 mm, total dimensions: 1580 mm x 1180 mm x 1110 mm.	5000
65	NN grinder	Grinder, diameter plate: 110 mm, total dimensions: 1250 mm x 680 mm x 1230 mm.	2500
66	Kramer + Grebe	Kramer + Grebe grinder, type: WW 130, machine number: 223/647/1, year of construction: 1988, diameter plate: 130 mm, total dimensions: 1150 mm x 900 mm x 1450 mm.	2500
67	Frey		4200



Nr	Title	Description	Start €
		Frey vacuum filling machine, type: KONTI-C50, machine number: KC 50 18 09 98, 400 V, 50 Hz, dimensions: 900 mm x 650 mm x 1610 mm.	
68	Rühle	Rühle dicer, model: SR 2 Turbo, number: 001, year of construction: 2005, 400 V, 50 Hz, 16 A, 6.5 kVA, dimensions chamber: 120 mm x 120 mm, plastic outfeed belt, belt width: 260 mm, total dimensions: 1950 mm x 1300 mm x 1550 mm.	4500
69	MKN	MKN cooking vessel, type: 2121401/00, machine number: 64293, 380 V, 3 Ph, 50 Hz, 10.0 kW, inside dimensions: 725 mm x 535 mm x 150 mm, total dimensions: 800 mm x 750 mm x 930 mm.	450
70	Kiremko	Kiremko fryer, inside dimensions: (2x) 440 mm x 400 mm x 150 mm and (3x) Ø 380 mm x 220 mm, total dimensions: 3630 mm x 980 mm x 1850 mm. Without rollie.	750
71	Kiremko	Kiremko fryer, type: Perfection, serial number: 20096925, year of construction: 06-2009, inside dimensions: 750 mm x 400 mm x 150 mm / 400 mm x 500 mm x 300 mm / 600 mm x 500 mm x 300 mm, total dimensions: 4450 mm x 950 mm x 1800 mm.	1000
72	Edertal	Edertal tenderizer, type: FM 35, number: 63 594, 400 V, 3 Ph, 50 Hz, 1.65 A, 600 W, clearance: 200 mm x 30 mm, total dimensions: 660 mm x 400 mm x 1260 mm.	450
73	Maja	Maja ice machine, type: SA 205, machine number: 27040, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 6.0 A, 1.15 kW, refrigerant: R404 A, 1.5 kg, dimensions: 850 mm x 800 mm x 1320 mm	350
74	Rudolf Schad	Rudolf Schad mobile binding machine, type: E85-1, number: N21, year of construction: 1993, dimensions: 940 mm x 850 mm x 1160 mm.	200
75	Jegerings	Jegerings dicer, type: PVP-300, serial number: 6.322.19036.002, 8 bar, clearance: 200 mm x 200 mm, dye's: (36x) 30 mm x 30 mm, total dimensions: 510 mm x 340 mm x 1120 mm.	450
76	Treif	Treif slicer, type: 180, machine number: 180101.61224.0278, 220/380 V, 3 Ph, 50 Hz, 4.5 A, dimensions chamber: 195 mm x 205 mm, total dimensions: 1670 mm x 720 mm x 1340 mm.	800
77	Townsend	Townsend mobile skinning machine, model: 7500, foot control, working width: 510 mm, total dimensions: 900 mm x 670 mm x 900 mm.	450
78	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 708, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, 1 HP, foot control, working width: 510 mm, total dimensions: 900 mm x 670 mm x 900 mm.	450
79	Kolbe	Kolbe mixer-grinder, type: MWE 52, machine number: 126 0293, year of construction: 2004, 400 V, 50 Hz,	4500



Nr	Title	Description	Start €
		15.2+2.8 A, 7.5+1.1 kW, diameter plate: 130 mm, total dimensions: 1370 mm x 800 mm x 1330 mm.	
80	NN sole cleaner	Sole cleaner, brush length: (2x) 800 mm, total dimensions: 2100 mm x 820 mm x 1230 mm.	450
81	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD hamburger forming machine on s/s trolley, model: C SERIES FORMATIC MACHINE, serial number: C4000/12/04/060, 220/240 V, 50 Hz, 1.1 kW, dimensions forming machine: 840 mm x 640 mm x 840 mm, dimensions trolley: 800 mm x 650 mm x 820 mm. Incomplete, technical condition unknown.	150
82	Panther Plast	Pallet with large amount of Panther Plast plastic spacers, dimensions each spacer: 1170 mm x 1000 mm x 50 mm.	100
83	Kohlhoff	Kohlhoff sole cleaner, type: SORM/H, number: 1024, 400 V, 3 Ph, 50 Hz, 0.09 kW, brush length: 150 mm, total dimensions: 650 mm x 550 mm x 1120 mm.	100
84	Dini Argeo	Dini Argeo weighing scale on s/s trolley, model: DFW-03, serial number: 91985, 220 V, 50-60 Hz, 15 W, maximum weight: 150 kg, e= 20 gram, dimensions scale: 500 mm x 600 mm, total dimensions: 600 mm x 600 mm x 1120 mm.	150
85	Omori	Omori flowpacker, model: S-5115A-BX-3S, serial number: WX100, year of construction: 04/2004, film width: 350 mm, seal width: 400 mm, plastic belt, belt width: 280 mm, total dimensions: 3850 mm x 1200 mm x 1740 mm.	750
86	NN tenderizer	Tenderizer, clearance: 420 mm x 140 mm, working width: 340 mm, total dimensions: 860 mm x 620 mm x 1500 mm.	350
87	Jenton Ariana	Jenton Ariana inliner, s/s frame, model: 103172-T102-A002, serial number: 1980-N01, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 10 A, plastic belts, belt width: 570 mm and (2x) 125 mm, total dimensions: 1650 mm x 820 mm x 1300 mm.	350
88	Jenton Ariana	Jenton Ariana inliner, s/s frame, model: 103172-T102-A001, serial number: 1979-N01, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 10 A, plastic belts, belt width: 570 mm and (2x) 125 mm, total dimensions: 1250 mm x 820 mm x 1250 mm.	350
89	Kohlhoff	Kohlhoff sole cleaner, type: Sohlenreiniger SORM/H, machine number: 318473.001.1, year of construction: 07/2021, 230 V, 1 Ph, 0.18 kW, brush length: 300 mm, total dimensions: 550 mm x 530 mm x 1020 mm.	150
90	Kohlhoff	Kohlhoff sole cleaner, type: Sohlenreiniger SORM/H, machine number: 315775.006, year of construction: 01/2021, 230 V, 1 Ph, 0.18 kW, brush length: 300 mm, total dimensions: 550 mm x 530 mm x 1020 mm.	150
91	Jansen Techniek	Jansen Techniek transport belt, s/s frame, model: SCHALENBAND, type: POS. 01A-2, number: 201801650, year of construction: 2018, plastic mesh belt, belt width:	250



Nr	Title	Description	Start €
		250 mm, total dimensions: 1900 mm x 1300 mm x 2040 mm.	
92	UNI-FOOD TECHNIC	UNI-FOOD TECHNIC mobile depositor, s/s frame, s/s mesh belt, belt width: 710 mm, total dimensions: 1900 mm x 1300 mm x 2040 mm.	850
93	Marel	Marel checkweigher and labeller, model: 9000, serial number: 10449319, maximum weight: 3000 kg, minimum weight: 40 gram, e= 2 gram, maximum tare: 900 gram, plastic belts: (2x) 140 mm and 200 mm, total dimensions: 1580 mm x 600 mm x 1600 mm and 1080 mm x 750 mm x 1790 mm.	450
94	Lets BV	Lets BV hygiene pump, type: VP103HF, serial number: 832208021, year of construction: 07/2019, dimensions: 1450 mm x 640 mm x 1800 mm.	350
95	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 290 mm, total dimensions: 1200 mm x 420 mm x 610 mm.	150
96	Bos Machinebouw	Bos Machinebouw 2-lane transport belt, type: Transportband cat-01, serial number: 21875-S-Transportband, year of construction: 26-01-2022, plastic mesh belts, belt width: (2x) 300 mm, total dimensions: 2050 mm x 1100 mm x 1900 mm.	750
97	Jansen Techniek	Jansen Techniek salmon rinsing tunnel, model: Zalmspelmachine Links, type: Spoelen en drogen van boven, number: 2020000540, year of construction: 2020, plastic mesh belt, belt width: 710 mm, total dimensions: 1700 mm x 1300 mm x 1730 mm.	1200
98	Food Techniek	Food Techniek mobile elevating belt, s/s frame, plastic belt, belt width: 700 mm, elevating height: 1300 mm, total dimensions: 1600 mm x 980 mm x 1300 mm.	650
99	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 800 mm, divider height: 80 mm, distance between dividers: 370 mm, elevating height: 1500 mm, total dimensions: 1500 mm x 1000 mm x 1670 mm.	900
100	Marel	Marel portion cutter, type: IPM3 X300, serial number: A016062, year of construction: 2002, 380-480 V, 3 Ph, 10 A, 4 kW, plastic belts, belt width: 270 mm, total dimensions: 3350 mm x 1050 mm x 1700 mm. Including crate with parts.	7500
101	NN table	Table, s/s frame, plastic top, dimensions: 1500 mm x 920 mm x 850 mm.	100
102	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 786, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 6 A, 3.5 kW, dimensions: 1360 mm x 740 mm x 1250 mm. Incomplete.	750
103	Marvu	Marvu 90° curve conveyor, s/s frame, plastic mesh belt, belt width: 350 mm, total dimensions: 3500 mm x 2300 mm x 1250 mm.	300



Nr	Title	Description	Start €
104	Multivac	Multivac thermoformer, type: R530, machine number: 498, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 42 A, 16 kW, film width: 422, dye: (4x) 220 mm x 182 mm, plastic belt, belt width: 380 mm, total dimensions: 6700 mm x 1050 mm x 2000 mm. Including extra parts.	5000
105	Jansen Techniek	Jansen Techniek mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 4050 mm x 850 mm x 1000 mm.	400
106	CSL SRL	CSL SRL pressure tank, type: 0060, number: 10467, year of construction: 2010, volume: 500 liter, max pressure: 11 bar, max temperature: 120 C°, dimensions: Ø 600 mm x 2170 mm.	350
107	Alco	Alco mobile flattening machine, type: ASP 250, serial number: 19301213, year of construction: 2002, 400 V, (2x) 0.18 kW, 260 kg, plastic belt, belt width: (1x) 245 mm, (1x) 250 mm, total dimensions: 1600 mm x 650 mm x 1410 mm. Technical condition unknown.	1000
108	Alco	Alco mobile breading machine, type: APT 250 N, serial number: 01798225, year of construction: 2015, 400 V, 50 Hz, 16 A, s/s mesh belt, belt width: (3x) 250 mm, total dimensions: 2200 mm x 900 mm x 1810 mm.	2000
109	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: AU 200 B, machine number: S9-20200-1257-17, year of construction: 2017, 400 V, 50 Hz, 107 A, 57 kW, weight: 1900 kg, diameter plate: 200 mm, total dimensions: 2700 mm x 2130 mm x 1790 mm.	40000
110	Ishida	Ishida checkweigher with rejector, model: QC220-VT-1B-F-R-HD-RL, serial number: 560011122, year of construction: 10/2016, 240 V, 1 Ph, 50 Hz, 5 A, weight: 450 kg, plastic belts, belt width: 220 mm, total dimensions: 1950 mm x 1000 mm x 1680 mm.	500
111	Tender Star	Tender Star mobile tenderizer, model: T.S.E. serial number: 2012344, year of construction: 2001, 220/380 V, 3 Ph, 50 Hz, 0.9 kW, clearance: 400 mm x 160 mm, total dimensions: 970 mm x 850 mm x 1800 mm.	750
112	Sealpac	Sealpac traysealer, type: Sealpac 350, serial number: TVG 0122901, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 1.5 kW, film width: 305 mm, dye: 300 mm x 260 mm, total dimensions: 4050 mm x 800 mm x 1850 mm.	1000
113	CFS	CFS mobile steaker, type: TRC 400 SCR, machine number: 141, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 135 kg, s/s mesh belt, belt width: 400 mm, working width: 400 mm, total dimensions: 1800 mm x 600 mm x 1230 mm.	650
114	Wilux	Wilux mobile labelling machine, type: LP-40/S, serial number: ZP/1501508, 230 V, 50/60 Hz, 125 W, plastic infeed belt, belt width: 40 mm, s/s rollers, roller width:	600



Nr	Title	Description	Start €
		125 mm, total dimensions: 2270 mm x 1200 mm x 1900 mm.	
115	Garos	Garos injector and tenderizer, type: 128/576 PLC, machine number: 39910026, 400/480 V, 50/60 Hz, 6 bar, weight: 1670 kg, 128 needles, clearance: 550 mm x 310 mm, s/s walking beam, beam width: 550 mm, total dimensions: 3200 mm x 920 mm x 2170 mm.	3000
116	NN curve conveyor	90° curve conveyor, plastic belt, belt width: 1200 mm, total dimensions: 3100 mm x 1600 mm x 1100 mm.	300
117	Atlas Copco	Atlas Copco mobile air compressor, 220 V, 1 Ph, 50 Hz, 7.3 A, 1.1 kW, dimensions: 730 mm x 370 mm x 900 mm.	300
118	NN denester	Denester, dimensions dye: (1x) 190 mm x 130 mm, (1x) 120 mm x 120 mm, total dimensions: 1265 mm x 770 mm x 1800 mm.	100
119	Bock	Bock condensing unit with cooling compressor, type: AM2/58-4S, number: W24452, year of construction: 1990, 220/380 V, 50 Hz, 5.4/3.1 A, capacity: 4.93 m³ per hour, dimensions: 650 mm x 550 mm x 630 mm.	50
120	TVM	TVM mobile portioning machine, plastic outfeed belt, belt width: 200 mm, total dimensions: 1700 mm x 1150 mm x 2100 mm.	400
121	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2JC-07.2Y-40S, serial number: 1676906585, capacity: 5.2/6.3 m³ per hour, total dimensions: 600 mm x 600 mm x 600 mm.	200
122	Frey	Frey vacuum filling machine, type: KONTI-EP80E, machine number: KEP80E/070800, 400 V, 50 Hz, dimensions: 950 mm x 700 mm x 1620 mm. Without rotor and vanes.	1000
123	Kramer + Grebe	Kramer + Grebe cutter with s/s switch cabinet, type: SM 65, machine number: 1 8/623/1 83, year of construction: 1983, 380/220 V, 3 Ph, 50 Hz, 53 A, steel bowl, volume: 65 liter, dimensions: 1600 mm x 1150 mm x 1400 mm, dimensions switch cabinet: 1000 mm x 300 mm x 850 mm. Including extra knives.	1500
124	NN curve conveyor	90° curve conveyor, plastic belt, belt width: 1200 mm, total dimensions: 2750 mm x 1700 mm x 1250 mm.	300
125	Proseal	Proseal dye for Proseal GT1V, model: Weizoplast 1-6 GM-50H, dimensions: 800 mm x 350 mm x 470 mm.	50
126	ALTech	ALTech mobile labelling machine, model: Albelt, serial number: 1903020022434, year of construction: 2019, 230 V, 1 Ph, 50/60 Hz, 800 W, plastic belt, belt width: 100 mm, total dimensions: 1600 mm x 1250 mm x 1970 mm.	3000
127	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 12164, year of construction: 1999, 400 V, 50 Hz, 14.4 A, 5.5 kW, Becker vacuum pump, type: U1.16SA-31, number: B3312970, year of construction: 2019, 16/19 m³ per hour, dimensions: 1650 mm x 1350 mm x 2100 mm.	2500



Nr	Title	Description	Start €
128	Marvu	Marvu transport belt, type: 250/324, serial number: 10075625, year of construction: 09-2019, 230-400 V, 50 Hz, 3.16-1.82 A, 0.62 kW, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 4000 mm x 650 mm x 1000 mm.	400
129	Hobart	Hobart crate washer, model: UWA 320, serial number: 86 16 0052, 380 V, 3 Ph, 50 Hz, 15.8 A, 7.75 kW, plastic belt, belt width: 770 mm, clearance: 900 mm x 660 mm, total dimensions: 3250 mm x 1340 mm x 1930 mm. Including in- and outfeed roller conveyor, plastic rollers, roller width: 500 mm, total dimensions roller conveyors: (2x) 2000 mm x 600 mm x 930 mm.	1000
130	Holac	Holac dicer, type: AUT 30, number: 202-30-35, year of construction: 2001, 400 V, 50 Hz, chamber: 175 mm x 160 mm, total dimensions: 2450 mm x 1600 mm x 2150 mm.	1500
131	Vemag	Vemag mobile linking machine, model: LPG208 Servo, number: 2080626, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 7 A, 4.5 kW, 517 kg, dimensions: 1500 mm x 850 mm x 1270 mm. Incomplete, without pipes and belts.	17500
132	NN switch cabinet	S/s switch cabinet, dimensions: 1300 mm x 560 mm x 2320 mm.	250
133	NN mesh belt	Mobile mesh belt, s/s frame, s/s mesh belt, belt width: 400 mm, total dimensions: 2200 mm x 600 mm x 1200 mm.	400
134	BL Products AB	BL Products AB vertical packaging machine, type: BLP-X9/S, serial number: X9/S-008, with Crizaf elevating belt with dividers, model: LD, serial number: 27905, year of construction: 06/2002, Rietschle side channel vacuum pump, type: SAP 150 (01), capacity: 150 m ³ per hour, belt width: 380 mm, distance between dividers: 150 mm, divider height: 100 mm, total dimensions: 3200 mm x 800 mm x 2900 mm.	1500
135	Inotec	Inotec mobile sausage cutter, type: WI 93 S3/1, machine number: 1310, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 5 A, 2 kW, dimensions: 1000 mm x 600 mm x 1150 mm.	1000
136	CFS	CFS traysealer, type: Twin Star, machine number: 773-116, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 18 A, 12 kW, 2200 kg, plastic mesh infeed belts, belt width: (2x) 170 mm, total dimensions: 4600 mm x 1100 mm x 2200 mm, 2100 mm x 600 mm x 1100 mm and 4000 mm x 1000 mm x 1100 mm. With pallet with spacers and 2 trolleys for changing dyes, dimensions pallet: 2000 mm x 1300 mm x 900 mm, dimensions trolleys: (2x) 1900 mm x 1100 mm x 1350 mm. Incomplete.	1000
137	TFT Solutions	3 s/s control cabinets with TFT Solutions control screens, dimensions: (3x) 600 mm x 400 mm x 950 mm.	75



Nr	Title	Description	Start €
138	TFT Solutions	2 s/s control cabinets with TFT Solutions control screens, dimensions: (2x) 600 mm x 400 mm x 950 mm.	50
139	TFT Solutions	S/s control cabinet with TFT Solutions control screen, dimensions: 600 mm x 400 mm x 950 mm.	25
140	TFT Solutions	S/s control cabinet with TFT Solutions control screen, dimensions: 600 mm x 400 mm x 950 mm.	25
141	CFS	CFS traysealer, type: Twin Star, machine number: 773-118, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 18 A, 12 kW, 2200 kg, plastic mesh infeed belts, belt width: (2x) 170 mm, total dimensions: 4600 mm x 1100 mm x 2200 mm, 2100 mm x 600 mm x 1100 mm and 4000 mm x 1000 mm x 1100 mm. With pallet with spacers and 2 trolleys for changing dyes, dimensions pallet: 2000 mm x 1300 mm x 900 mm, dimensions trolleys: (2x) 1900 mm x 1100 mm x 1350 mm. Incomplete.	1000
142	Lutetia	Lutetia injector, model: IMPB, number: 11353, year of construction: 2000, 400 V, 50 Hz, 6.5 A, 670 kg, s/s mesh belt, belt width: 370 mm, total dimensions: 2400 mm x 700 mm x 1900 mm. Incomplete.	500
143	ABB	ABB palletizing robot, type robot: IRB 640 M2000, serial number: 64Z-20274, year of construction: 2018/12/12, weight: 1950 kg, type control cabinet: IRC5 M2004, serial number: 6640-102812, year of construction: 2024/10/23, 400 V, 3 Ph, 50-60 Hz, 20 A, weight: 150 kg, dimensions robot: 1800 mm x 950 mm x 1900 mm, dimensions steel frame for robot: 1800 mm x 950 mm x 1300 mm, dimensions control cabinet: 700 mm x 580 mm x 900 mm, dimensions gripper: 600 mm x 550 mm x 600 mm.	5000
144	NN lifter for meat bins	Lifter for 120 liter meat bins, capacity: 350 kg, lifting height: 1550 mm, total dimensions: 2900 mm x 970 mm x 1150 mm.	1500
145	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double automatic clipper, type: DFC 8161, number: 12879, 380 V, 1 Ph, 50 Hz, 5/7 bar, plastic belt, belt width: 185 mm, total dimensions: 2200 mm x 1100 mm x 1950 mm.	500
146	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. vacuum filling machine with lifter for 200 liter meat bins, type: 595, machine number: 21598, year of construction: 2001, 400 V, 3 Ph, 50 Hz 18.2 A, dimensions: 1700 mm x 1400 mm x 1880 mm.	2500
147	NN loading system for autoclave trolleys	S/s (un)loading system for autoclave trolleys, dimensions platform: 700 mm x 800 mm, total dimensions: 840 mm x 1200 mm x 1050 mm.	150
148	H.Glass	H.Glass mobile vacuum tumbler, type: VSM 150, machine number: 2065, year of construction: 1999, 220/380 V, 1 Ph, 50 Hz, 1.12 kW, volume: 150 liter, Busch vacuum pump, type: 016-116, number: 343191, capacity: 16 m ³ per hour, total dimensions: 950 mm x 750 mm x 1400 mm.	500



Nr	Title	Description	Start €
149	Desa	Desa mobile tiltable mixer, type: D60, fabrication number: 0910, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 1.2 A, volume: 60 liter, dimensions: 840 mm x 500 mm x 980 mm.	500
150	Rühle	Rühle injector and tenderizer, type: IR 56, 56 needles, s/s walking beam, beam width: 290 mm, clearance: 340 mm x 150 mm, total dimensions: 1350 mm x 800 mm x 2030 mm.	1000
151	APV-Rannie	APV-Rannie homogenizer, number: 1-94-198, dimensions: 1300 mm x 900 mm x 1450 mm.	3000
152	Inject Star	Inject Star cooled vacuum tumbler, type: ES-800-COOL, number: K-101, year of construction: 1999, 400/230 V, 3 Ph, 50 Hz, 3.3 kW, volume: 800 liter, Rietschle vacuum pump, type: VCE 15, number: 1976467, capacity: 15/18 m ³ per hour, dimensions: 2550 mm x 1100 mm x 1600 mm. Including cooling unit, dimensions: 750 mm x 820 mm x 1300 mm.	3000
153	Pierre Guerin	Pierre Guerin homogenizer used for quark, type: ALM 10 LISSEUSE, number: B8180680, s/s tub, inside dimensions: Ø 700 mm x 700 mm, total dimensions: 1500 mm x 950 mm x 1900 mm.	1500
154	Mobility Engineering Limited	Mobility Engineering Limited transport belt, type: Merge Unit, serial number: CN9403879, year of construction: November 2009, plastic belt with rollers, belt width: 920 mm, total dimensions: 1850 mm x 1300 mm x 1315 mm.	150
155	Nijal	Nijal vacuum filling machine with lifter for 200 liter meat bins, type: PSV 330 N, serial number: 0790304, year of construction: March 2004, dimensions: 2050 mm x 1600 mm x 1950 mm.	750
156	Bastra	Bastra cooking vessel, type: 8110, year of construction: 2006, 230 V, 50 Hz, 1.5 kW, volume: 500 liter, gas heated, dimensions: 1700 mm x 1350 mm x 1100 mm.	500
157	Fillpack	Fillpack mobile infeed hopper, type: DV2, number: 90105, year of construction: 1999, plastic belt, belt width: 680 mm, gutter width: 210 mm, total dimensions: 840 mm x 900 mm x 1800 mm.	800
158	NN tumbler	S/s tumbler, dimensions tumbler: Ø 600 mm x 950 mm, total dimensions: 1050 mm x 800 mm x 1450.	400
159	Bizerba	Bizerba weighing and bottom labelling system with rejector, type: GLM-I, number: 10808032, 230 V, 50 Hz, 2.4 A, type Bizerba labeller: GLI, number: 10808031, plastic belt, belt width: (6x) 295 mm, total dimensions: 4300 mm x 1000 mm x 2130 mm.	1500
160	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile automatic clipper, type: FCA 3411, number: 84768, 380 V, 50 Hz, 4 A, 5/7 bar, dimensions: 1450 mm x 1400 mm x 2050 mm.	500
161	NN meat bins	3 s/s meat bins, volume: 120 liter, dimensions: (3x) 700 mm x 570 mm x 800 mm.	150



Nr	Title	Description	Start €
162	NN meat bins	3 s/s meat bins, volume: 200 liter.	150
163	Maja	Maja mobile skinning machine, working width: 430 mm, total dimensions: 860 mm x 760 mm x 1000 mm.	300
164	NN sieve	S/s sieve, sieve width: 600 mm, total dimensions: 1250 mm x 700 mm x 1930 mm.	400
165	Loma Systems	Loma Systems metal detector, model: IQ ³ , serial number: MC304-12529D, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 0.3 A, plastic belt, belt width: 400 mm, clearance: 450 mm x 200 mm, total dimensions: 1120 mm x 960 mm x 1370 mm.	500
166	Soco Systems	2 boxes with Soco Systems taper for box closing machine, dimensions: (2x) 420 mm x 80 mm x 220 mm.	40
167	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03 P, machine number: 0392 717, 380 V, 3 Ph, 50 Hz, 15 A, 10 kW, seal width: (1x) 1000 mm and (2x) 450 mm, Rietschle vacuum pump, type: CLFH 220 V (01), fabrication number: 1414623, year of construction: 1991, capacity: 220 m ³ per hour, total dimensions: 1130 mm x 750 mm x 1030 mm.	600
168	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: CLS 200, number: 60000011, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: 300 mm, clearance: 300 mm x 35 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm.	1000
169	Itec	Itec hand disinfection unit, type: 23700, number: 0240, year of construction: 04/01, 230 V, 50 Hz, 0.1 kW, dimensions: 560 mm x 640 mm x 320 mm.	50
170	Bastra	Bastra smoke generator for wood chips, type: BRN200, fabrication number: 1754, year of construction: 03-1991, 380-230 V, 3 Ph, 50 Hz, 2.8 kW, dimensions: 1000 mm x 750 mm x 1670 mm.	400
171	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 220, number: 64, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 16 A, 3 kW, Busch vacuum pump, type: KB 0010 E 300, serial number: CZM121311738, year of construction: 2021, capacity: 10 m ³ per hour, dimensions: 1300 mm x 1100 mm x 1800 mm.	1500
172	Herbert Industrial LTD	Herbert Industrial LTD pouch press, plastic belts, belt width: (2x) 45 mm and 300 mm, total dimensions: 1450 mm x 740 mm x 1850 mm.	250
173	Treif	Treif mobile dicer, type: 0803, machine number: 08032.66511.0880-1, year of construction: 1987, 380/220 V, 3 Ph, 50 Hz, 2.7/16 A, chamber: 85 mm x 85 mm, total dimensions: 1100 mm x 600 mm x 980 mm.	1000
174	Sartorius	Sartorius checkweigher, type: SYNUS 10, number: SYNUS2_0-24936597, year of construction: 2010, 230 V, 50 Hz, 400 VA, maximum weight: 2000 gram, minimum weight: 10 gram, e= 0.5 gram, d= 0.5 gram, T= -2000	500



Nr	Title	Description	Start €
		gram, Sartorius weighting cell, type weighing cell: WZGP-2-S, plastic belts, belt width: (3x) 300 mm, total dimensions: 1450 mm x 740 mm x 1850 mm.	
175	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, model: VC10, number: AS 116 RH, s/s rollers, roller width: 300 mm, chamber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	200
176	Bakon Food Equipment	Bakon Food Equipment mobile depositor, model: Multi Depositor, serial number: 29003, year of construction: 2019, inside dimensions: 1200 mm x 800 mm x 650 mm, total dimensions: 1600 mm x 850 mm x 1200 mm.	750
177	IMC	IMC can seamer, type: 178, serial number: 1081, diameter lids: 70 mm, total dimensions: 1050 mm x 1550 mm x 2100 mm.	1000
178	Treif	Treif mobile slicer, model: Fox-CE, type: 1821, machine number: 182103.61429.0340, year of construction: 1996, 380-220 V, 50 Hz, 4 A, 1.5 kW, 195 kg, dimensions chamber: 200 mm x 170 mm, total dimensions: 1900 mm x 720 mm x 1300 mm.	1500
179	NN vacuum machine	Belt vacuum machine, plastic belts, belt width: 400 mm, seal length: 1070 mm, dimensions chamber: 1070 mm x 500 mm, total dimensions vacuum machine: 1600 mm x 700 mm x 1050 mm, dimensions transport belt: 1450 mm x 900 mm x 1250 mm. Technical condition unknown, incomplete, electrical cabinet inside missing.	400
180	Henkovac	Henkovac mobile dip tank, dimensions: 950 mm x 760 mm x 1330 mm.	1000
181	Krages Hammer	Krages Hammer can seamer, machine number: 57/80505/2, diameter lids: 110, total dimensions: 110 mm x 1450 mm x 2100 mm.	1000
182	Blake & Boughton	Blake & Boughton weighing station with labelling machine, machine number: 83287, min/max kg: 0.4/60 kg, e= 0.02 kg, scale dimensions: 600 mm x 500 mm, total dimensions: 950 mm x 700 mm x 1880 mm.	150
183	NN meat bins	2 s/s meat bins, volume: 200 liter.	100
184	NN meat press	Mobile meat press, dimensions: 1800 mm x 600 mm x 950 mm.	400
185	NN meat press	Mobile meat press, diameter press: 100 mm, total dimensions: 1800 mm x 580 mm x 1460 mm.	750
186	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill-, and seal machine, type: 350 Vezet, machine number: 11249, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 A, 4.5 kW, seal width: 370 mm, total dimensions: 1700 mm x 2000 mm x 2300 mm. With 2 pallets with parts.	1000
187	NN cooking vessel	Cooking vessel, inside dimensions: 850 mm x 850 mm x 450 mm, total dimensions: 1050 mm x 1400 mm x 1000 mm.	400



Nr	Title	Description	Start €
188	Stephan	Stephan mixer, model: Bäcker-Boy, type: BB 100, number: 1267699, 380 V, 50 Hz, dimensions bowl: Ø 650 mm x 380 mm, total dimensions: 1200 mm x 1050 mm x 1100 mm.	400
189	Hoyer	Hoyer continuous ice-cream machine, type: KF400, serial number: 1139/65, dimensions: 1850 mm x 650 mm x 1650 mm.	500
190	NN spraying belt	Spraying belt, s/s belt, belt width: 590 mm, clearance: 550 mm x 440 mm, total dimensions: 1850 mm x 1300 mm x 1750 mm.	400
191	Windjammer Oy	Windjammer Oy pounding machine, model: Pound.O.Matic 800, 400 V, 3 Ph, 50 Hz, diameter pounder: 260 mm, total dimensions: 700 mm x 430 mm x 730 mm.	250
192	NN switch cabinet	Steel switch cabinet, dimensions: 3600 mm x 500 mm x 2200 mm.	1000
193	Garvens Automations GmbH	Garvens Automations GmbH metal detector with checkweigher with double rejectors, type: S3 combi, serial number: 330069, year of construction: 1999, 230 V, 50 Hz, weighing range: 20-3500 gram, e=d= 0.5 gram, T= - 3500 gram, plastic belt, belt width: 290 mm, clearance: 350 mm x 210 mm, total dimensions: 1300 mm x 700 mm x 1850 mm and 1100 mm x 950 mm x 1370 mm.	1000
194	Herco	Herco mobile pressure vessel for adding oxygen, type: MD 005-2, serial number: 521-149, year of construction: 2007, minimum/maximum working pressure: -1/+15 bar, minimum/maximum working temperature: 0/20 °C, volume: 109 liter, dimensions: 900 mm x 600 mm x 1100 mm.	200
195	Kilia	Kilia cutter with ejector and switch cabinet, model: 120 1 EX 2000S, machine number: 18710870, year of construction: 1987, 380 V, 57/68 A, 28/25 kW, steel bowl, volume: 120 liter, dimensions: 2050 mm x 1750 mm x 1950 mm, dimensions switch cabinet: 660 mm x 200 mm x 760 mm.	2000
196	NN pallet box	Plastic pallet box with large amount of electric parts, dimensions: 1200 mm x 1000 mm x 750 mm.	500
197	Multivac	Multivac mobile traysealer, type: T300, serial number: 152157, year of construction: 2011, 400/230 V, 3 Ph, 50 Hz, 21 A, 5.5 kW, s/s chain and pin conveyor, belt width: 470 mm, distance between dividers: 400 mm, divider height: 20 mm, dimensions dye: 280 mm x 240 mm, total dimensions: 3300 mm x 1150 mm x 1700 mm. With trolley with additional dye, dimensions: 1150 mm x 800 mm x 1150 mm.	7000
198	Dotec / Ingersoll	Dotec / Ingersoll Rand lifting and balancing unit on steel beam, model: BW015080, serial number: KTB193, capacity: 68 kg, dimensions: 3500 mm x 1200 mm x 1000 mm.	500



Nr	Title	Description	Start €
199	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	1000
200	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	1000
201	Youngsunpack Europe	Youngsunpack Europe box closing machine, type: MH-FJ-1A, serial number: 180417CSI-255, year of construction: 4.2018, 220 V, 1 Ph, 50 H, 600 W, s/s rollers, roller width: 680 mm, plastic belts, belt width: 50 mm, total dimensions: 1100 mm x 950 mm x 1580 mm.	100
202	Simo	Simo microcutter, type: 175/115PFD175, serial number: 97-041132, year of construction: 1997, diameter plate: 210 mm, total dimensions: 1400 mm x 700 mm x 1450 mm.	2500
203	Bandall	Bandall mobile binding machine, type: BA72-30, machine number: 11185255, year of construction: 2005, 230 V, 50 Hz, clearance: 680 mm x 360 mm, dimensions: 1300 mm x 520 mm x 1450 mm.	1000
204	Dantherm	Dantherm mobile air dryer, type: CD-E 3000e, 380/420 V, 3 Ph, 50 Hz, 10 A, 5.5/9.8 kW, dimensions: 680 mm x 610 mm x 1030 mm.	50
205	Inotec	Inotec mobile sausage cutter, type: WT 99, machine number: 9110, year of construction: 2002, 200/240/400/460 V, 50/60 Hz, 12/10/6/5 A, 2 kW, plastic belts, belt width: 30 mm, total dimensions: 900 mm x 750 mm x 1500 mm.	800
206	NN dishwasher	Dishwasher, clearance: 510 mm x 440 mm, total dimensions: 600 mm x 600 mm x 1480 mm.	150
207	Proseal	Proseal traysealer, type: Fastpack F45, serial number: 1202, 50 Hz, wire belt, belt width: 175 mm, film width: 215 mm, total dimensions: 2980 mm x 850 mm x 1950 mm. Incomplete, missing dye.	500
208	NN paraffine tank	S/s paraffine tank, dimensions: 900 mm x 870 mm x 600 mm.	50
209	GVN	GVN steel pressure vessel, model: N283-1040, serial number: GVN0518038370, year of construction: 14.05.2018, volume: 100 liter, dimensions: 510 mm x 600 mm x 1860 mm.	100
210	Stork	Stork flow pump, type: 100 C4, number: A 02 46, 380/660 V, 50 Hz, 2.2 kW, N: 1390, dimensions: 1650 mm x 750 mm x 500 mm.	150
211	Senking	Senking mobile tiltable braising pan, inside dimensions: 870 mm x 760 mm x 180 mm, total dimensions: 1070 mm x 1300 mm x 970 mm.	200
212	Holac		500



Nr	Title	Description	Start €
		Holac mobile dicer, chamber dimensions: 90 mm x 90 mm, total dimensions: 1050 mm x 550 mm x 1000 mm. Incomplete, missing knife and button.	
213	Cabinplant	Cabinplant elevating belt, type: DRAINSYSTEM, number: 8252-04, year of construction: 2002, 400 V, 3 Ph, plastic mesh belt, belt width: 710 mm, elevating height: 1200 mm, total dimensions: 3200 mm x 1350 mm x 1530 mm.	400
214	Ishida	Ishida metal detector and checkweigher with rejecters, model: DACS-W-012-SB-WP-I, serial number: 551513, year of construction: 2001, 240 V, 1 Ph, 50 Hz, 2 A, clearance: 270 mm x 100 mm, plastic belt, belt width: (3x) 220 mm, total dimensions: 1670 mm x 1000 mm x 1470 mm.	400
215	NN paraffine tank	S/s paraffine tank, dimensions: 1150 mm x 530 mm x 880 mm.	40
216	Danfoss	Danfoss cooling compressor, model: SC12GXT0, serial number: 2917153954, 220/240 V, 50 Hz, refrigerant: R134A, max pressure: 20 bar, dimensions: 450 mm x 320 mm x 430 mm.	50
217	Stephan	Stephan mobile vacuum mixer, type: VM 100, machine number: 718.949.01, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, volume: 100 liter, dimensions: 1100 mm x 1400 mm x 1400 mm. Missing vacuum pump.	750
218	LETS bv	LETS bv hygiene station with sole cleaner, hand disinfection unit and tourniquet, type: LHE9, serial number: 174201007, year of construction: 06/2021, total dimensions: 1820 mm x 900 mm x 1600 mm.	3000
219	Delaval	Delaval cooling compressor with condenser, type: ASR500 SD, 360/420 V, 3 Ph, 50 Hz, dimensions: 900 mm x 940 mm x 820 mm.	50
220	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile cooled vacuum tumbler, type: GPA 200 K, machine number: 33298, year of construction: 2012, 400 V, 16 A, 2 kW, capacity: 200 liter, total dimensions: 1800 mm x 850 mm x 1800 mm.	1500
221	Maja Maschinen Fabrik GmbH	Maja Maschinen Fabrik GmbH flake ice machine, type: RVE 1500 S, serial number: I-40477, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1.07 A, 0.28 kW, refrigerant: R 404a, working width: 680 mm, total dimensions: 1550 mm x 550 mm x 500 mm.	1250
222	HPSL	HPSL weighing scale on s/s frame, serial number: H5108515, year of construction: 2011, 230 V, 50 Hz, scale dimensions: 275 mm x 225 mm, total dimensions: 820 mm x 520 mm x 1610 mm.	100
223	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile automatic clipper, type: SFC, number: 125, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 2.4 kW, 5/7 bar, weight: 310 kg, dimensions: 1850 mm x 900 mm x 1800 mm.	5000
224			300



Nr	Title	Description	Start €
	NN pie/pizza/cake slicer	Mobile pie/pizza/cake slicer, dimensions: 870 mm x 800 mm x 1700 mm. Including crate with extra knives.	
225	Mactech	Mactech mobile strapping machine, type: MTZ600, number: 071950, year of construction: 1999, 230 V, 1 Ph, 50 Hz, clearance: 700 mm x 610 mm, total dimensions: 1260 mm x 520 mm x 1530 mm.	150
226	NN bandsaw	Bandsaw, dimensions: 770 mm x 650 mm x 1600 mm.	400
227	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF610, number: 30865, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 3.5 kW, number attachment: 34-5/13325773, Busch vacuum pump, type: KC 0016 E 3Z0, number: 120001169, year of construction: 2011, capacity: 16 m³ per hour, dimensions: 870 mm x 780 mm x 1770 mm.	8000
228	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double clipper, type: FCA 3 441, number: 513, year of construction: 1998, 400 V, 50 Hz, 4 A, dimensions: 1200 mm x 650 mm x 1880 mm.	3000
229	Vemag	Vemag mobile linking machine, model: LPG208, number: 2080203, year of construction: 2010, 400-460 V, 3 Ph, 50-60 Hz, 9 A, 6 kW, dimensions: 1550 mm x 800 mm x 1330 mm. Without guide belts.	4000
230	IDM	IDM kebab grill, model: IDM 2R07, serial number: 536, year of construction: 12/08/16, 220 V, 50/60 Hz, 2 A, 450 W, clearance: Ø 500 mm x 1100 mm, total dimensions: 1150 mm x 1100 mm x 1800 mm.	300
231	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 4517, year of construction: 1999, 400 V, 50 Hz, 17 A, 6.5 kW, Becker vacuum pump, type: U 1.16 SA-31, number: B 1563649, year of construction: 1999, dimensions: 1900 mm x 1320 mm x 2300 mm.	3000
232	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, model: VC999/ TS 300 N, serial number: 0431133, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 185 mm x 135 mm, operating air pressure: 6–8 bar, Rietschle vacuum pump, type: VCA 40 (00), number: 602608440003, year of construction: 2004, capacity: 10 m³ per hour, total dimensions: 1120 mm x 600 mm x 1610 mm.	2000
233	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00023, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	200
234	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00020, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	200
235	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 965, 380 V, 50 Hz, 23.6 A, 9.5 kW, numbers attachment: 34-4/1071 and	3500



Nr	Title	Description	Start €
		60-6/4898, Becker vacuum pump, type: U 1.16 SA-31, number: B1076841, capacity: 16 m ³ per hour, dimensions: 1650 mm x 1250 mm x 2020 mm. Including crate with linking attachment and parts.	
236	Knecht	Knecht sharpening machine, type: USK 230 B, machine number: 350294, year of construction: 1994, 380 V, 50 Hz, 3.86 A, 1.57 kW, dimensions: 1500 mm x 1200 mm x 1400 mm.	150
237	Schröter	Schröter smoke generator for friction smoke, type: RF, fabrication number: 214-0907.1164 139, dimensions: 1800 mm x 850 mm x 1400 mm, dimensions switch cabinet: 700 mm x 400 mm x 300 mm.	450
238	Copeland Scroll	Copeland Scroll compressor rack with 3 scroll cooling compressors, model: ZF24K4E-TWD-551, serial number: 18K929803, 17C929753 and 18H916422, refrigerant: R449, dimensions: 2150 mm x 600 mm x 1200 mm.	600
239	DWM Copeland	DWM Copeland compressor rack consisting of: 4 DWM Copeland cooling compressor type: (1x) D4DH3-2500-EWM, capacity: 70.9 m ³ per hour, (1x) D3DC5-100X-AWM/D, capacity: 38 m ³ per hour, (1x) D3DA5-75X-AWM/D, capacity: 32.2 m ³ per hour, (1x) DKSJP-15X-EWL, capacity: 6.33 m ³ per hour, dimensions compressor rack: 3150 mm x 1100 mm x 1400 mm, dimensions pressure vessel: 480 mm x 480 mm x 1450 mm, dimensions switch cabinet: 1680 mm x 420 mm x 2200 mm.	400
240	Pronova Specialmaskiner	Pronova Specialmaskiner mobile continuous bag sealer, type: 425 UR, number: 2227, plastic belt, belt width: 190 mm, seal length: 1170 mm, total dimensions: 4540 mm x 800 mm x 1620 mm.	300
241	CFS	CFS mobile mesh belt, type: TRC 1000/400, machine number: 1872, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 0.72 A, 0.18 kW, 85 kg, s/s frame, s/s mesh belt, belt width: 400 mm, total dimensions: 1100 mm x 600 mm x 1050 mm.	400
242	Zetterströms Rostfria AB	Zetterströms Rostfria AB vessel with plate heat exchanger, model: SHG · 300 · LR, serial number: 89115, year of construction: 1989, volume: 300 liter, max pressure: 8 bar, max temperature: 175 C°, dimensions: 870 mm x 950 mm x 2380 mm.	150
243	Inject Star	Inject Star mobile injector, type: BI 13 B, number: 161, 380 V, 3 Ph, 50 Hz, 2200 Watt, 13 needles, s/s belt, belt width: 300 mm, dimensions: 1350 mm x 550 mm x 1750 mm.	400
244	Sirman S.p.A.	Sirman S.p.A. mobile double shaft paddle mixer, model: IP 180 BA XP CE, serial number: 16L02328, year of construction: 2016/08, 400 V, 3 Ph, 50 Hz, 2.7 A, 1840 W, weight: 157 kg, dimensions: 1300 mm x 740 mm x 1200 mm.	1500



Nr	Title	Description	Start €
245	Serman & Tipsmark A/S	Serman & Tipsmark A/S mobile filling station, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 16 A, 6 kA, dimensions mixing drum: Ø 390 mm x 500 mm, Fristam lobe pump, type: KKFNH 40, number: 0620470006, total dimensions: 1350 mm x 900 mm x 1720 mm.	400
246	Electro Calorique	Electro Calorique regeneration cabinet, 6 floors, floor dimensions: 300 mm x 225 mm, total dimensions: 580 mm x 440 mm x 1330 mm. 1 floor is missing.	40
247	ELS	ELS labelling machine for Variovac thermoformer, OP2-SL4210-SMSK202, machine number: 7611/2009, 230 V, 50/60 Hz, dimensions: 1000 mm x 900 mm x 1400 mm.	300
248	Key	Key mobile vibrating gutter, type: MVTDV, number: 12758, year of construction: 2002, gutter width: 400 mm, total dimensions: 3150 mm x 1130 mm x 2400 mm.	400
249	Vemag	Vemag vacuum filling machine with grinding head, model: R 500, number: 128 3333, year of construction: 2005, 220-240/400-460 V, 3 Ph, 50/60 Hz, 17.8/20 A, dimensions: 1000 mm x 800 mm x 1830 mm. Including crate with parts.	1800
250	Loma Systems	Loma Systems pipeline metal detector with rejecter, model: IQ ³ + Pipeline, serial number: JPL161003-35553D, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.2 A, pipe diameter: 100 mm, total dimensions: 900 mm x 600 mm x 1400 mm. Technical condition unknown.	1500
251	Mado	Mado bandsaw, model: Selekt 3, number: 653 32 916 0, dimensions: 900 mm x 900 mm x 2000 mm. Including extra saw blades.	800
252	Treif	Treif mobile dicer, type: 1322, machine number: 132201.68021.0958, year of construction: 1993, 380/220 V, 3 Ph, 50 Hz, 3.5/10 A, chamber dimensions: 85 mm x 85 mm, total dimensions: 1070 mm x 620 mm x 1000 mm. Without grid sets.	750
253	Röscherwerke GmbH	Röscherwerke GmbH mobile double chamber vacuum machine, type: VM-61/2/C, number: 6311007, year of construction: 06/99, 230/400 V, 50 Hz, 6.2 kW, weight: 640 kg, seal length: (4x) 860 mm, chamber: (2x) 880 mm x 640 mm, Busch vacuum pump, type: RA 0250 D 561 QMZZ, number: C9920000012, capacity: 250 m ³ per hour, total dimensions: 1950 mm x 920 mm x 1100 mm.	1250
254	Schur	Schur mobile continuous bag sealer, type: Joker 225, 400 V, 3 Ph, 50 Hz, 16/9 A, plastic belt, belt width: 200 mm, total dimensions: 3700 mm x 1000 mm x 1600 mm.	500
255	Espera	Espera label printer with bottom and side labeller, model: ES 1220, plastic belt, belt width: 300 mm, total dimensions: 1650 mm x 1350 mm x 1900 mm.	300
256	NN paraffine tunnel	S/s paraffine melting tunnel, s/s mesh belt, belt width: 430 mm, clearance: 430 mm x 180 mm, total dimensions: 3200 mm x 870 mm x 1800 mm.	50



Nr	Title	Description	Start €
257	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, model: FGM 80 / 320 F DW, machine number: 8539, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 20 A, s/s walking beam, beam width: 675 mm, 320 needles, total dimensions: 2460 mm x 1080 mm x 1940 mm. Including mobile s/s Fomaco Food Machinery Company A/S filter tub, model: PFS 200 RC, number: 8605, year of construction: 2001, 4.5 A, dimensions: 1540 mm x 840 mm x 850 mm. Including Fomaco Food Machinery Company A/S UV filter, type: FM 80/UV/OZON, number: 8540, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.0 A, dimensions: 740 mm x 650 mm x 1240 mm.	5000
258	Multivac	Multivac mobile labelling machine with bottom and top labeller and rejector, model: MR335 TQ3019BA40000RG, type: MR335, machine number: 242158, year of construction: 2017, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: (2x) 190 mm, total dimensions: 2700 mm x 1200 mm x 2300 mm.	5000
259	Mado	Mado cutter with lifter for 200 liter meat bins and ejector, type: MSM 769 SL, number: 30155, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 80.0 kW, 125.0 A, bowl volume: 220 liter, dimensions: 3400 mm x 2550 mm x 2150 mm. Can be upgraded with cooling, heating and vacuum.	20000
260	Mai	Mai bandsaw, type: 51 A, number: 650013, year of construction: 1987/1988, 380 V, 3 Ph, 50 Hz, 6.2 A, dimensions: 1000 mm x 820 mm x 2000 mm.	500
261	Reepack	Reepack mobile traysealer, model: Reetray 25SKIN, serial number: 3812045, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 175 mm x 130 mm, Busch vacuum pump, type: RA 0040 F 4S3, capacity: 40 m ³ per hour, total dimensions: 1050 mm x 700 mm x 1600 mm.	1000
262	Desa	Desa mobile tiltable mixer, type: D60L, fabrication number: 0606, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 1.2 A, volume: 60 liter, dimensions: 950 mm x 500 mm x 1000 mm.	250
263	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 0803, machine number: 08032.66511.0957-1, year of construction: 1987, 380/220 V, 3 Ph, 50 Hz, 2.7 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1000 mm x 600 mm x 1000 mm. Without plastic worktop, with extra grid sets.	400
264	Vakona	Vakona mobile cooled vacuum tumbler, type: ESK 250 STL-C, machine number: 3282, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 16 A, 4.4 kW, 375 kg, Vakona vacuum pump, type: 008943, serial number: D14281002, year of construction: 2014, capacity: 12 m ³ per hour, volume tub: 250 liter, dimensions: 1500 mm x 1500 mm x 2100 mm.	8000
265			300



Nr	Title	Description	Start €
	NN paraffine tunnel	S/s paraffine tunnel, s/s mesh belt, belt width: 430 mm, clearance: 430 mm x 180 mm, plastic outfeed belt, belt width: 430 mm, total dimensions: 2100 mm x 900 mm x 2900 mm.	
266	Miromatic	Miromatic mobile mixing unit, type: MRA 1-2-C-K, 380 V, IKA head reactor, type: 1000/25, number: 96-2138, year of construction: 1996, ORLITA pump, type: MF 15.30, serial number: 660124, volume tank: 30 liter, dimensions: 1560 mm x 910 mm x 1800 mm.	400
267	Muvero	Muvero cooking vessel, type: MKR 200, number: 981243, year of construction: 23-3-1999, 230 V, 50 Hz, gas heated, volume: 200 liter, dimensions: 950 mm x 950 mm x 1200 mm.	250
268	Sealpac	Sealpac traysealer, model: SP-M3, serial number: M3 01 1439, year of construction: 2006, 400/230 V, 3 Ph, 3 kW, 270 kg, dimensions dye: 315 mm x 265 mm, Busch vacuum pump, total dimensions: 950 mm x 1200 mm x 1770 mm.	1800
269	Bergmann	Bergmann waste press, type: PS 8100-29 SB F, factory number: 01 4443 3270 / 91, year of construction: 01.1991, weight: 800 kg, dimensions: 1640 mm x 1300 mm x 2500 mm.	800
270	Ulma	Ulma flowpacker, model: ATLANTA, machine number: 1110595, year of construction: 2002, 380 V, 50 Hz, 9 A, 1.5 kW, plastic belt, belt width: 300 mm, seal width: 375 mm, total dimensions: 3350 mm x 1150 mm x 1640 mm and 1300 mm x 800 mm x 1600 mm.	1250
271	NN trolley	S/s trolley with parts for multihead weigher, dimensions: 1350 mm x 600 mm x 1100 mm.	40
272	Talsa	Talsa mobile mixer, type: MIX 60P, serial number: 112250, 230/400 V, 3 Ph, 50 Hz, 1.55 A, 0.43 kW, s/s bowl, volume: 60 liter, dimensions: 800 mm x 600 mm x 1000 mm.	1000
273	Foodlogistik	Foodlogistik piston filler, type: 763, machine number: 970314, year of construction: 1993/97, 380 V, 3 Ph, 50 Hz, 3.3 kW, dimensions: 800 mm x 750 mm x 1200 mm. With crate with parts.	400
274	Multivac	Multivac thermoformer, type: R7000 PC, machine number: 10192/33, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 48 A, 18 kW, film width: 455 mm, dye: (12x) 85 mm x 150 mm, total dimensions: 7350 mm x 1100 mm x 1950 mm. Including suction device for rest film, dimensions: 530 mm x 530 mm x 1060 mm.	2000
275	Syspal	Syspal mobile s/s boots rack for 72 boots, dimensions: 1600 mm x 500 mm x 1750 mm.	150
276	Minipack Torre	Minipack Torre mobile vertical bag form-, fill-, and seal machine, model: XBAG, serial number: 0115, year of construction: 2011, 230 V, 50 Hz, 2.2 A, 500 W, seal width:	2800



Nr	Title	Description	Start €
		250 mm, total dimensions: 850 mm x 800 mm x 1600 mm. With box with additional parts.	
277	Polimoon	Polimoon traysealer, model: 1911VG, serial number: 1203007, year of construction: 2003, 220 V, 3 Ph, 50 Hz, 31 A, dye: (2x) 250 mm x 150 mm, film width: 430 mm, total dimensions: 5550 mm x 1000 mm x 1900 mm.	500
278	OK Packaging Systems	OK Packaging Systems box closing machine, type: HF-7, machine number: 99-74376, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.0 A, weight: 200 kg, plastic belt, belt width: 100 mm, s/s rollers, roller width: 580 mm and 390 mm, total dimensions: 2250 mm x 1400 mm x 2070 mm.	1000
279	TAP Machinebouw	TAP Machinebouw mobile double lane transport belt with denester, type: TRBON2, serial number: 042-011161, year of construction: 2015, mobile double transport belt with denester, tray size: 230 mm x 100 mm, belt width top belt: 305 mm, bottom belt width: 105 mm, total dimensions: 4150 mm x 1400 mm x 1800 mm.	400
280	Krämer + Grebe	Krämer + Grebe grinder, type: SC-WW, number: 282/118, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 117/160 A, plate diameter: 200 mm, total dimensions: 1750 mm x 1350 mm x 2550 mm.	4000
281	E. Olsson's Maskinfabrik ApS	E. Olsson's Maskinfabrik ApS paraffine tunnel, model: BOVM 400, serial number: 02.190.01, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 16 A, clothed infed belt, belt width: 350 mm, brush length: 400 mm, s/ s mesh belt, belt width: 410 mm, clearance: 400 mm x 30 mm, total dimensions: 4100 mm x 950 mm x 2200 mm.	100
282	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 01-90-01, year of construction: 1997, 400/230 V, 50-60 Hz, 1.5 kW, weight: 450 kg, dye: (2x) 215 mm x 130 mm, total dimensions: 4250 mm x 900 mm x 1800 mm. Technical condition unknown.	500
283	Reepack	Reepack traysealer, model: ReeMarket, serial number: 2518003, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 20 A, dye: (4x) 220 mm x 180 mm, (2x) 180 mm x 135 mm, plastic mesh belt, belt width: (2x) 255 mm, total dimensions: 4100 mm x 930 mm x 1820 mm. With Busch vacuum pump, type: RA 0100 F 4S3, number: 130021742, year of construction: 2013, capacity: 100 m³ per hour and 2 crates with spare parts.	3000
284	Multivac	Multivac thermoformer with suction device for rest film, type: R 230, machine number: 1182, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 27 A, 8 kW, dye: (2x) 387 mm x 174 mm, plastic belt, belt width: 350 mm, total dimensions: 4250 mm x 1050 mm x 2050 mm, dimensions suction device: 700 mm x 520 mm x 1150 mm. Without vacuum pump.	7000
285	Garos		3000



Nr	Title	Description	Start €
		Garos tumbler for 200 liter meat bins, type: GAT 300, machine number: 41015048, year of construction: 2000, 380/220 V, 50 Hz, 2.3 A, weight: 685 kg, capacity: 400 kg, dimensions: 1750 mm x 1600 mm x 1300 mm. Without rollies.	
286	Groba BV	Groba horizontal cheese divider, type: HHDM 520-S, year of construction: 1999, belt width: 340 mm and 235 mm, roll width: 2 x 250 mm, consisting of 2 parts, dimensions: 3250 mm x 1100 mm x 2100 mm and 2800 mm x 1100 mm x 2080 mm.	500
287	Multivac	Multivac thermoformer, type: R 230 MC, machine number: 179, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 15 kW, 36 A, film width: 340 mm, dimensions dye: (2x) 310 mm x 215 mm, total dimensions: 5500 mm x 950 mm x 2000 mm. Without vacuum pump and outfeed belt. Including Multivac suction device for rest film, type: F-CEVF 3718-3, dimensions: 600 mm x 700 mm x 1400 mm. Machine will be provided with steel transport support beam.	1500
288	Bizerba	Bizerba mobile grinder, model: FW-N 32T/2, number: 11190681, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 100 mm, total dimensions: 1050 mm x 600 mm x 1330 mm.	800
289	NN grinder	Grinder, diameter plate: 100 mm, total dimensions: 1200 mm x 1350 mm x 1960 mm. Missing plates.	1300
290	Stephan	Stephan mobile emulsifier, type: MVH150KVS, machine number: M11051, year of construction: 2011, 400 V, 50 Hz, 53 A, 30 kW, dimensions: 2800 mm x 1200 mm x 2450 mm.	13000
291	Dorit	Dorit mobile meat press, type: Combi-press, clearance: Ø 100 mm x 495 mm, total dimensions: 1800 mm x 700 mm x 1420 mm. Including 2 extra outfeed pipes, dimensions outfeed pipes: (1x) 90 mm and (1x) 120 mm.	600
292	Easyweigh	Easyweigh linear weigher, 3 lanes, type: Maxi, serial number: 080105/080106/080107, year of construction: 2008, 3 s/s vibrating gutters, total dimensions: 1500 mm x 1500 mm x 2100 mm.	4000
293	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with labeller, type checkweigher: PAS 3012, serial number: 17000505, year of construction: 2007, 230 V, 50 Hz, maximum: 7.5 kg, minimum: 0.020 kg, e=: 0.001 kg, d=: 0.001 kg, T=-: 7.5 kg, plastic belt, belt width: (3x) 300 mm, total dimensions: 2250 mm x 850 mm x 730 mm.	1000
294	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 2710, machine number: 271004.69131.0495, year of construction: 1999, 400/230 V, 50 Hz, 3 A, 1.0 kW, 174 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 1000 mm x 620 mm x 1000 mm.	2500



Nr	Title	Description	Start €
295	Kronen	Kronen corer used for cabbages and lettuce, type: CORER 3 B, number: 164, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.6 kW, 3 lanes, maximum diameter product: 240 mm, total dimensions: 3500 mm x 1500 mm x 2200 mm.	6000
296	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher with rejecter, type: C 3331, fabrication number: 1433743880010, year of construction: 2019, 100-240 V, 50-60 Hz, maximum weight: 500-2000 gram, minimum weight: 30 gram, e=d=: 0.5-1 gram, T=- 500 gram, plastic belt, belt width: 280 mm, total dimensions: 3000 mm x 900 mm x 1200 mm.	2800
297	Allround Engineering B.V.	Allround Engineering B.V. transport belt for depositor, serial number: 22345, year of construction: 2022, s/s frame, plastic belt, belt width: 150 mm, total dimensions: 2950 mm x 550 mm x 1550 mm.	300
298	Galdi / Variopak	Galdi / Variopak forming and filling machine, model: RG 21, serial number: 200012, year of construction: 2000, 380 V, 50 Hz, 9 kW, weight: 1600 kg, package size: 74 mm x 74 mm, total dimensions: 1630 mm x 3250 mm. With outfeed roller conveyor, roller width: 50 mm, total dimensions: 1100 mm x 300 mm x 160 mm and s/s double jacketed infeed pipe, diameter infeed: 150 mm, total dimensions: 1300 mm x 250 mm x 350 mm and pallet with spare parts, dimensions: 800 mm x 600 mm x 700 mm.	1800
299	CMS	CMS mobile vertical bag form-, fill-, and seal machine, model: MV100Small, serial number: 1067/06, year of construction: 2006, 380 V, 50 Hz, film width: 500 mm, seal width: 320 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	800
300	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 1051, machine number: 105103.67131.0515-1, year of construction: 1989, 380-220 V, 3 Ph, 50 Hz, 5.5 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1300 mm x 700 mm x 1500 mm.	1000
301	OCS	OCS mobile metal detector, type: MN 5.0 CI 700/400, serial number: 950322-CI, 100-240 V, 50/60 Hz, 50-300 mA, plastic belt, belt width: 470 mm, clearance: 700 mm x 360 mm, total dimensions: 2200 mm x 1100 mm x 1350 mm. Technical condition unknown.	500
302	Vaahto	Vaahto s/s tank, manufacturing number: 10109700, year of construction: 1999, dimensions tank: Ø 900 mm x 930 mm, total dimensions: 1000 mm x 900 mm x 1800 mm.	500
303	Roller	Roller evaporator, type: HVS 20, dimensions: 600 mm x 500 mm x 500 mm.	5
304	L'Unite Hermetique / Tecumseh	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CEJ2428Z BR, serial number: 07G24 115135 4278430203, 220/240 V, 1 Ph, 50 Hz, 3.8	100



Nr	Title	Description	Start €
		A, refrigerant: R404A, dimensions: 650 mm x 630 mm x 460 mm.	
305	Talsa	Talsa mobile piston filler, model: H26P, serial number: 998598, year of construction: 1999, 400/220 V, 3 Ph, 50 Hz, 3.1/5.3 A, 1.2 kW, dimensions: 700 mm x 450 mm x 1150 mm.	800
306	Reflex	Reflex steel pressure vessel, type: Refix DE 100, serial number: 1820955 00322, year of construction: 02.2023, volume: 100 litre, dimensions: Ø 500 mm x 800 mm.	40
307	Aquacare Europe B.V.	Aquacare Europe B.V. water softener, dimensions: 500 mm x 400 mm x 1500 mm.	80
308	Gram	Gram blast-chiller, inside dimensions: 700 mm x 410 mm x 1485 mm, total dimensions: 900 mm x 1100 mm x 2050 mm. Damaged, without cooling compressor.	200
309	Meissner	Meissner cutter, steel bowl, dimensions bowl: Ø 850 mm x 150 mm, total dimensions: 1300 mm x 900 mm x 1220 mm.	350
310	Demag	Demag hoist, type: PK2L, fabrication number: 5118873, year of construction: 1990, 220/380 V, 50 Hz, 3.1/1.8 A, capacity: 500 kg, dimensions: 600 mm x 400 mm x 260 mm.	100
311	Ishida	Ishida 16-heads multihead weigher, model: CCW-NZ-216B-4M/20WP, number: 27588, year of construction: June 1998, 220 V, 50 Hz, 12.5 A, dimensions: 1500 mm x 1500 mm x 2000 mm.	4000
312	Bilwinco	Bilwinco 14-heads multihead weigher, type: BW114-W, number: 5322, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 10 A, dimensions: 1500 mm x 1300 mm x 1400 mm.	4000
313	Krämer+Grebe	Krämer+Grebe cutter, type: SM 45, machine number: 68.1958 79, steel bowl, volume: 45 liter, dimensions: 1100 mm x 1000 mm x 1150 mm.	400
314	Marel	Marel part for batch weigher, s/s frame, plastic belt, belt width: 530 mm, total dimensions: 2120 mm x 950 mm x 2230 mm.	600
315	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF610, number: 18270, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, Busch vacuum pump, type: KC 0016 E 320, serial number: V17050494, year of construction: 2017, capacity: 16 m ³ per hour, dimensions: 850 mm x 850 mm x 1750 mm.	6000
316	Frey	Frey piston filler, dimensions: 800 mm x 700 mm x 1150 mm.	1300
317	Düker / Rex	Düker / Rex piston filler, model: FAN 30, volume: 30 liter, dimensions: 820 mm x 600 mm x 1200 mm.	400
318	Rational	Rational combisteamer, model: CPC G, inside dimensions: 850 mm x 750 mm x 1530 mm, gas heated, total dimensions: 1350 mm x 1070 mm x 2100 mm.	1000
319	Ulma		3000



Nr	Title	Description	Start €
		Ulma mobile traysealer, model: SCORPIUS 600, number: 7500195, year of construction: 2011, 400 V, 50 Hz, dye: (4x) 120 mm x 170 mm, plastic belts, belt width: (2x) 310 mm, total dimensions: 2500 mm x 1200 mm x 2050 mm. Including pallet with parts and Busch vacuum pump, type: RA 0100 B and RA 0302 D 5S1 CUZZ, number: 178966 and C1033000032, capacity: 100 m ³ and 300 per hour and infeed belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2150 mm x 800 mm x 1100 mm.	
320	Multivac	Multivac thermoformer, type: R 230, machine number: 1373, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 27 A, 9 kW, Busch vacuum pump, index: 270 mm, plastic outfeed belt, belt width: 350 mm, total dimensions: 4000 mm x 1100 mm x 2200 mm. With suction device for rest film and 2 pallets with parts, dimensions dyes: (3x) 257 mm x 120 mm, (6x) 185 mm x 75 mm and (6x) 120 mm x 120 mm.	4000
321	Fatosa	Fatosa mobile piston filler, type: E-25-1, number: 1614, year of construction: 9-1997, 220 V, 3 Ph, 50 Hz, 5.3 A, 1.1 kW, dimensions: 550 mm x 330 mm x 1250 mm.	800
322	S.A. Balpe	S.A. Balpe blintz machine, s/s mesh belt, belt width: 300 mm, diameter roller: 800 mm, total dimensions: 3500 mm x 1800 mm x 2300 mm. With additional parts.	4000
323	Endress+Hauser	Endress+Hauser mass flow meter, type: PROMASS F, serial number: 6B0A5002000, DN80.	80
324	PSS Svidnik a.s.	PSS Svidnik a.s. grinder, type: SG 200, serial number: 04, year of construction: 2013, 30.5 kW, weight: 1600 kg, plate diameter: 200 mm, total dimensions: 2700 mm x 1300 mm x 2350 mm. Including s/s trolley with parts, dimensions: 1250 mm x 1000 mm x 1050 mm.	13000
325	NN evaporator	Evaporator, 2 fans, dimensions: 3600 mm x 1150 mm x 780 mm.	200
326	Laska Maschinenfabrik	Laska Maschinenfabrik grinder, type: WW 280 2 GX, number: 12325, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 230 A, 127 kW, weight: 2700 kg, plate diameter: 280 mm, total dimensions: 2400 mm x 1910 mm x 2200 mm.	26000
327	Marvu	Marvu slicer, type: 322, year of construction: 02-2001, 4 knives ,diameter knives: 170 mm, plastic mesh belt, belt width: (3x) 90 mm and (2x) 60 mm, total dimensions: 4500 mm x 1000 mm x 1700 mm.	800
328	Meiko	Meiko washing machine, type: BTA 160, serial number: 10381724, year of construction: 03/2018, 400 V, 3 Ph, 50 Hz, 51.22 A, 32.99 kW, clearance: 330 mm x 80 mm, dimensions: 8700 mm x 5200 mm x 1850 mm. Without pallet with parts.	1000
329	Seval	Seval vertical bag form-, fill- and seal machine, diameter filling pipe: 75 mm, vertical seal length: 320 mm,	2800



Nr	Title	Description	Start €
		horizontal seal length: 250 mm, total dimensions: 1600 mm x 1150 mm x 1670 mm. Including extra filling pipes, diameter filling pipes: (1x) 55 mm, (1x) 70 mm.	
330	Formcook	Formcook AB infrared conveyor grill, model: IR 6180401, year of construction: 2004, s/s mesh belt, belt width: 600 mm, total dimensions: 4150 mm x 1330 mm x 2400 mm	18000
331	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer with lifter for meat bins, model: Cubemat 120-CE EC, machine number: 300002.93167.0107, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 11 A, 5.5 kW, dimensions chamber: 120 mm x 120 mm, total dimensions: 4000 mm x 1500 mm x 2300 mm.	3500
332	NN hamburger forming attachment	Hamburger forming attachment, diameter perforations: (4x) 90 mm, total dimensions: 400 mm x 200 mm x 330 mm.	200
333	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 240 mm, total dimensions: 1480 mm x 430 mm x 880 mm.	200
334	NN packaging belt	Mobile packaging belt, s/s frame, 3 stations, plastic belt, belt width: 660 mm, total dimensions: 4350 mm x 1300 mm x 1290 mm.	1500
335	Baader	Baader mobile v-cut deheader, type: 417, diameter knife: 200 mm, plastic belt with dividers, belt width: 290 mm, divider height: 80 mm, distance between dividers: 720 mm, total dimensions: 2100 mm x 1350 mm x 2100 mm.	2500
336	Stephan	Stephan universal machine, type: UM 44-S, number: 715.376.01, 380 V, 50 Hz, 10/13 A, 2.2/4/5.5 kW, volume: 44 liter, dimensions: 850 mm x 530 mm x 840 mm. Including pallet, dimensions: 1200 mm x 800 mm x 650 mm. Technical condition unknown.	850
337	Octopus	Octopus weighing scale with CAB label printer on s/s frame, type weighing scale: VWS Scale 400x500, serial number: 1909403, maximum weight: 30 kg, minimum weight: 0.20 kg, e= 0.01 kg, T= -30 kg, dimensions scale: 500 mm x 400 mm, serial number screen: 1909403, 110-240 V, 50-60 Hz, 600 mA, model CAB label printer: SQUIX 4.3/300P, serial number; 0038273, 100-240 V, 50-60 Hz, 2 A, total dimensions: 940 mm x 850 mm x 1900 mm.	150
338	NN ergo step	S/s ergo step, dimensions: 750 mm x 470 mm x 430 mm.	20
339	Fendo OY	Fendo OY strip cutter, type: F-19 S, number: 157170, year of construction; 07/2015, 380-415 V, 3 Ph, 50 Hz, 4.5 A, 1.5 kW, weight: 90 kg, working width: 190 mm, distance between knives: 12 mm, total dimensions: 700 mm x 500 mm x 710 mm.	150
340	Fendo OY	Fendo OY strip cutter, working width: 190 mm, distance between knives: 12 mm, total dimensions: 700 mm x 500 mm x 710 mm. Incomplete.	100



Nr	Title	Description	Start €
341	NN sorting belt	Sorting belt, s/s frame, plastic belt, belt width: 420 mm, 4 rejecters, total dimensions: 9500 mm x 1000 mm x 1150 mm.	600
342	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: FELIX 100, machine number: 027115.208680.137985, year of construction: 2019, 230/400 V, 3 Ph, 50/60 Hz, 3/10 A, 1.36 kW, weight: 174 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 980 mm x 620 mm x 1020 mm. Without grids.	750
343	Salmco Technik GmbH	Salmco Technik GmbH mobile salmon slicer, type: SM 5010, serial number: 501849554-00, 230 V, 50 Hz, 4 A, plastic string belt, belt width: 250 mm, total dimensions: 2200 mm x 670 mm x 1400 mm.	1500
344	Europack B.V.	Europack B.V. mobile double chamber vacuum machine, type: DAS-2000, number: 609282206002, 400 V, 3 Ph, 50 Hz, 22.0 A, 9.0 kW, seal width: (2x) 850 mm, dimensions chamber: (2x) 850 mm x 800 mm, total dimensions: 2020 mm x 1180 mm x 1760 mm.	750
345	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF630, number: 15009, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 12.5 kW, 18 A, filling, portioning and linking, capacity: 10200 kg per hour, 700 portions per minute, dimensions: 1700 mm x 1300 mm x 2100 mm, including trolley with parts, dimensions: 680 mm x 470 mm x 250 mm.	10000
346	Mayekawa TORIDAS MARK II	Mayekawa TORIDAS MARK II automatic chicken whole leg deboning machine, model: MT-04R, serial number: 2384, year of construction: 12.6, capacity: 1000 pieces per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1600 mm x 1600 mm x 2350 mm.	70000
347	Mayekawa TORIDAS MARK II	Mayekawa TORIDAS MARK II automatic chicken whole leg deboning machine, model: MT-04L, serial number: 2397, year of construction: 12.6, capacity: 1000 pieces per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1600 mm x 1600 mm x 2350 mm. With 2 pallets with parts.	70000
348	Newtech	Newtech ultrasonic cutter, model: UCM-S-320, serial number: UC10020, year of construction: 03/2010, 415 V, 3 Ph, 50 Hz, 16 A, plastic belt, belt width: 320 mm, clearance: 360 mm x 80 mm, working width: 320 mm, total dimensions: 2100 mm x 900 mm x 1750 mm.	1750
349	AFO Heat	AFO Heat grill, type: AFOGRILL, serial number: F 022, year of construction: 2006, 400 V, 3 Ph, (2x) 72 kW, weight: 950 kg, s/s mesh belt, belt width: 630 mm, clearance: 700 mm x 220 mm, total dimensions: 2350 mm x 1800 mm x 2210 mm.	7500
350	Terlet	Terlet double jacketed cooking vessel with agitator, project number: 0710388, year of construction: 2007, 400	3500



Nr	Title	Description	Start €
		V, 50 Hz, 4 kW, weight: 1400 kg, product volume: 800 liter, inner vessel: 905 liter, dimensions: 1750 mm x 2530 mm x 2150 mm.	
351	Henneken	Henneken mobile steaker, type: HT 520, machine number: HT-520-3186, year of construction: 2017, 400 V, 50 Hz, 1.5 kW, 6 bar, 20 liter per minute, weight: 500 kg, plastic belt, belt width: 515 mm, working width: 500 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm, including tool trolley, dimensions: 660 mm x 520 mm x 820 mm.	3500
352	NN platform	S/s platform, working height: 2000 mm, total dimensions: 2850 mm x 4500 mm x 3100 mm.	500
353	UNI-FOOD TECHNIC A/S	UNI-FOOD TECHNIC mobile depositor, s/s frame, type: DS 2000, serial number: 4025, year of construction: 2018, s/s mesh belt, belt width: 710 mm, total dimensions: 1900 mm x 1530 mm x 2040 mm.	850
354	NN curve conveyor	Mobile 90° curve conveyor, s/s frame, plastic mesh belt, belt width: 275 mm, total dimensions: 2150 mm x 900 mm x 1320 mm.	650
355	NN curve conveyor	Mobile 90° curve conveyor, s/s frame, plastic mesh belt, belt width: 275 mm, total dimensions: 2150 mm x 900 mm x 1320 mm.	650
356	Scanvaegt	Scanvaegt elevating belt, type: 100346, year of construction: 06.02.10, s/s frame, plastic belt with dividers, belt width: 350 mm, distance between dividers: 200 mm, divider height: 100 mm, elevating height: 1800 mm, total dimensions: 4500 mm x 600 mm x 2300 mm.	500
357	Altech s.r.l.	Altech s.r.l. mobile labeller, model: Alstep S, serial number: 1603000017914, year of construction: 2016, 220 V, 1 Ph, 50/60 Hz, 300 W, label width: 50 mm, total dimensions: 1250 mm x 720 mm x 1880 mm.	450
358	MTF Technik	MTF Technik mobile elevating belt, s/s frame, type: NL-HE 020, number: 21257, year of construction: 2011, 230 V, 50 Hz, plastic belt with dividers, belt width: 200 mm, divider height: 30 mm, distance between dividers: 340 mm, elevating height: 800 mm, total dimensions: 1750 mm x 500 mm x 800 mm.	250
359	NN elevating belt	Mobile elevating belt, steel frame, plastic belt with dividers, belt width: 180 mm, divider height: 20 mm, distance between dividers: 250 mm, elevating height: 1030 mm, total dimensions: 1600 mm x 400 mm x 1060 mm.	250
360	NN trolley	S/s trolley, 4 floors, dimensions: 600 mm x 600 mm x 1290 mm.	50
361	Weber	Weber mobile skinning and derinding machine, type: ASB 600, number: 2088, year of construction: 2003, 400 V, 50 Hz, 0.85 kW, weight: 230 kg, plastic belts, belt width: (2x) 320 mm, working width: 390 mm, roll width: 305 mm, total dimensions: 1800 mm x 750 mm x 1180 mm.	750



Nr	Title	Description	Start €
362	Busch	S/s rack with 2 Busch vacuum pumps, type: (2x) RD 0360 A 503, serial number: CHM120330107 / CHM120330110, year of construction: 2020, capacity: (2x) 300 m³ per hour, total dimensions: 1150 mm x 800 mm x 1850 mm.	2000
363	BM	BM mobile elevating belt, s/s frame, plastic mesh belt with dividers, belt width: 215 mm, divider height: 30 mm, distance between dividers: 245 mm, elevating height: 1110 mm, total dimensions: 2550 mm x 600 mm x 1170 mm.	450
364	NN mixer	S/s mixer used for egg white, inside dimensions: Ø 750 mm x 990 mm, total dimensions: 790 mm x 950 mm x 1830 mm.	500
365	Jonge Poerink	Jonge Poerink mobile 180° curve conveyor, type: RTSD 180/400-600, number: VO 113359, year of construction: 09-2021, s/s frame, plastic belt, belt width: 420 mm, total dimensions: 2300 mm x 1200 mm x 1160 mm.	650
366	Steen	Steen fish skinning machine, type: 600, number: 1G5/4900B, 380 V, 6.4 A, belt width: 440 mm, plastic roll width: 460 mm, total dimensions: 2010 mm x 660 mm x 1410 mm.	1000
367	Jonge Poerink	Jonge Poerink mobile 90° curve conveyor, type: RTSD 90/400-600, number: VO 113359, year of construction: 09-2021, s/s frame, plastic belt, belt width: 420 mm, total dimensions: 1780 mm x 880 mm x 935 mm.	200
368	NN turning table	S/s turning table, dimensions: 1780 mm x 1740 mm x 970 mm.	200
369	Avery Weigh-Tronix	Avery Weigh-Tronix floor weighing scale, model: ZM510-SD4, serial number: 182950586, 110-240 V, 50/60 Hz, 0.5 A, dimensions scale: 1250 mm x 1250 mm, total dimensions: 1650 mm x 1430 mm x 580 mm.	500
370	NN fans	S/s frame with 8 fans, diameter each fan: 420 mm, total dimensions: 2020 mm x 2120 mm x 570 mm.	100
371	Afim Compact	Afim Compact s/s air extraction hood, dimensions: 2700 mm x 400 mm x 1000 mm.	50
372	MTF Technik	MTF Technik mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 300 mm, divider height: 25 mm, distance between dividers: 380 mm, elevating height: 740 mm, total dimensions: 1850 mm x 620 mm x 830 mm.	200
373	Digi	Digi weighing scale, model: DS-516, serial number: 98349000, 100/240 V, 50/60 Hz, 6 W, 0.1 A, maximum: 150 kg, minimum: 1 kg, T=150 kg, e=: 50 g, scale dimensions: 520 mm x 415 mm, total dimensions: 650 mm x 415 mm x 1400 mm.	75
374	MTF Technik	MTF Technik elevating belt, type: IZL-BE 010, number: 48894, year of construction: 2022, 230 V, 50 Hz, 0.090 kW, s/s frame, plastic belt with dividers, belt width: 215 mm, divider height: 25 mm, distance between dividers: 290	100



Nr	Title	Description	Start €
		mm, elevating height: 930 mm, total dimensions: 1800 mm x 470 mm x 270 mm. Missing motor.	
375	MTF Technik	MTF Technik elevating belt, type: INL-HE 030, number: 46300, year of construction: 2021, 400 V, 50 Hz, 0.090 kW, s/s frame, plastic belt with dividers, belt width: 315 mm, divider height: 25 mm, distance between dividers: 390 mm, elevating height: 1450 mm, total dimensions: 2400 mm x 560 mm x 420 mm.	200
376	Bettcher Industries	Bettcher Industries trimmer, model: UN-84, machine number: 95090339, 230 V, 1Ph, 50 Hz, 2.1 A, 250 W, dimensions: 550 mm x 230 mm x 200 mm. Without trimming head.	150
377	Endeavour	Endeavour trimmer, dimensions: 550 mm x 300 mm x 230 mm. Without trimming head.	150
378	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Puma 1100 E/EB (HS), machine number: 019516.195241.125241, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 8.2 A, 3.4 kW, 455 kg, dimensions chamber: 230 mm x 210 mm, total dimensions: 2530 mm x 900 mm x 1430 mm. Outfeed belt damaged.	2000
379	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Puma 1100 E/EB (HS), machine number: 195316.195241.122801, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 8.2 A, 3.4 kW, 455 kg, dimensions chamber: 230 mm x 210 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 3150 mm x 900 mm x 1400 mm.	3500
380	Formax	Formax shuttle conveyor, model: STS, serial number: 2, year of construction: 2001, 220 V, 50 Hz, 2.6 kVA, s/s belt, belt width: 740 mm, clearance: 740 mm x 50 mm, total dimensions: 3150 mm x 1100 mm x 1520 mm.	2000
381	Pujolàs	Pujolàs automatic filling and clipping machine, consisting of: Pujolàs automatic filling and clipping machine, model filling machine: LAPEG 700/15N, serial number: 051257, year of construction: 2012, 400 V, diameter filling pipe: 100 mm, plastic belt, belt width: 160 mm, including Poly-Clip Systems double clipper, type: PDC M 700, number: 011/12, 4-6 bar, total dimensions: 7500 mm x 3100 mm x 2320 mm and 2 s/s trolleys with parts, dimensions: 1430 mm x 750 mm x 900 mm and 900 mm x 800 mm x 1400 mm and Pujolàs automatic netting machine, model: PMT 360, serial number: 051222, year of construction: 2012, 220 V, weight: 270 kg, dimensions: 1160 mm x 1210 mm x 2380 mm.	25000
382	Ishida	Ishida 10-heads multihead weigher on Abracat s/s platform, platform height: 1320 mm, total dimensions: 3170 mm x 2370 mm x 2500 mm. With rack for weighing heads, dimensions: 2400 mm x 1750 mm x 650 mm.	6000
383	Bizerba		250



Nr	Title	Description	Start €
		Bizerba strip cutter on s/s trolley with plastic top, model: S 111 Plus, number: 10283157, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 2.7 A, dimensions: 760 mm x 650 mm x 1200 mm. With crate with knives.	
384	Marel	Marel table with weighing scale, type: C2, serial number: A036926, maximum weight: 30 kg, minimum weight: 200 gram, e=: 10 gram, dimensions scale: 600 mm x 275 mm, total dimensions: 960 mm x 850 mm x 1380 mm.	150
385	NN trimmer	Descaler, working width: 32 mm, total dimensions: 600 mm x 350 mm x 170 mm.	400
386	PHCBI	PHCBI ultra-low temperature freezer, model: MDF-DC700VX-PE, serial number: 19100039, year of construction: 2019, 230/240 V, 50 Hz, 4.8/5.0 A, 1070/1130 W, refrigerant: HFC-245fa/R-600/HFC-23/PFC-14, 0.550 kg, volume: 715 liter, dimensions: 2300 mm x 960 mm x 1070 mm.	1000
387	Scanvaegt	Scanvaegt weighing scale, serial number: BOW00408, maximum weight: 3 kg, minimum weight: 0.02 kg, e=: 0.001 kg, dimensions: 300 mm x 280 mm x 450 mm.	75
388	Scanvaegt	Scanvaegt weighing scale, serial number: BOW128, maximum weight: 3 kg, minimum weight: 0.02 kg, e=: 0.001 kg, dimensions: 300 mm x 280 mm x 450 mm.	75
389	OCS Checkweighers GmbH	OCS Checkweighers GmbH checkweigher with 2 rejecters, type: HC, serial number: 9003420, year of construction: 2015, 230 V, 1 Ph, 50 Hz, capacity: 750 gram, plastic belts, belt width: 32 mm, 195 mm and 220 mm, total dimensions: 2800 mm x 1650 mm x 1800 mm.	2000
390	Nederman	Nederman s/s hose reel, serial number: 886, year of construction: 2001, dimensions: 800 mm x 550 mm x 400 mm.	100
391	Nederman	Nederman s/s hose reel, serial number: 886, year of construction: 1999, dimensions: 800 mm x 550 mm x 400 mm.	100
392	Nederman	2 Nederman s/s hose reels, serial number: 886, year of construction: 2001, dimensions: (2x) 800 mm x 550 mm x 400 mm.	200
393	Bizerba	Bizerba weighing and labelling unit, type: GLM-I, number: 10807907, 400 V, 3 Ph, 50 Hz, 6 A, type labeller: GLI, number: 10807930, plastic belt, belt width: (3x) 580 mm, total dimensions: 2500 mm x 1400 mm x 1900 mm.	1500
394	Sanyo	Sanyo Ultra-low temperature freezer, model: MDF-794, serial number: 14020004, 230/240 V, 50 Hz, 4.9/5.0 A, 1100/1130 W, refrigerant: R-407D:R508, 460:295 gram, volume: 701 liter, dimensions: 2570 mm x 870 mm x 1080 mm.	1000
395	Van Rijn	Van Rijn s/s gutter, dimensions: 3100 mm x 1140 mm x 1530 mm.	500
396	NN sorting belt		700



Nr	Title	Description	Start €
		Sorting belt, s/s frame, plastic belts, belt width: 345 mm and 570 mm, total dimensions: 7800 mm x 1100 mm x 1820 mm.	
397	NN chairs	7 chairs, s/s frame, plastic top, dimensions: (7x) 650 mm x 650 mm x 870 mm.	25
398	Ohaus	Ohaus weighing scale, dimensions: 280 mm x 240 mm x 125 mm.	25
399	Ohaus	2 Ohaus weighing scales, dimensions: (2x) 280 mm x 240 mm x 125 mm.	50
400	Ohaus	2 Ohaus weighing scales, dimensions: (2x) 280 mm x 240 mm x 125 mm.	50
401	Robopac	Robopac mobile automatic shrink wrapping machine, model: Ariane 5040 2TA, serial number: KN/054420, year of construction: 02/2003, 400 V, 3 Ph, 50 Hz, 9.5 A, 5.7 kW, seal length: 470 mm and 370 mm, plastic outfeed rollers, roller width: 450 mm, total dimensions: 2200 mm x 2250 mm x 1200 mm.	1000
402	Nederman	Nederman hose reel, model: 806458, serial number: 858, dimensions: 700 mm x 450 mm x 200 mm.	100
403	Bizerba	Bizerba weighing and labelling machine with top labeller, number: 2027841, 230 V, 50 Hz, 1.7 A, plastic belts, belt width: (2x) 135 mm and (1x) 295 mm, total dimensions: 2000 mm x 730 mm x 1770 mm.	600
404	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: Easy, number: 43080, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 330 mm, total dimensions: 700 mm x 570 mm x 1000 mm.	500
405	Reich	Reich mobile bandsaw, dimensions: 680 mm x 660 mm x 1670 mm.	700
406	Bizerba	Bizerba mobile grinder, model: FW-N32S/2, number: 10779525, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 5.6 A, diameter plate: 100 mm, total dimensions: 950 mm x 530 mm x 1120 mm.	850
407	Günther	Günther injector, plastic mesh belt, belt width: 250 mm, 17 needles, clearance: 260 mm x 200 mm, total dimensions: 1300 mm x 470 mm x 1460 mm.	650
408	Holac	Holac slicer, model: Sect 23/74C, machine number: 283-03-44, year of construction: 2012, 400 V, 50 Hz, 13 A, 5 kW, clearance: 230 mm x 230 mm, plastic outfeed belt, belt width: 245 mm, total dimensions: 2450 mm x 1030 mm x 1230 mm.	2900
409	Ilapak	Ilapak 10 heads multihead weigher, serial number: 0950112003, 230 V, 1 Ph, 50 Hz, 5.5 A, baskets: 155 mm x 160 mm x 250 mm, total dimensions: 1530 mm x 1560 mm x 1560 mm. With s/s rack for washing baskets, dimensions: 2250 mm x 290 mm x 1620 mm.	4000
410	Hoegger AG		2500



Nr	Title	Description	Start €
		Hoegger AG meat press, type: SP-280 890, machine number: 7105, year of construction: 1997, 240 V, 50 Hz, 0.5 kW, dimensions: 2500 mm x 830 mm x 1700 mm.	
411	Kilia	Kilia cutter, steel bowl, dimensions bowl: 750 mm x 140 mm, total dimensions: 1200 mm x 880 mm x 1180 mm.	950
412	NN smoke sticks	S/s trolley with approximately 250 s/s Y-shaped smoke sticks, length smoke sticks: 1000 mm, total dimensions: 650 mm x 410 mm x 1150 mm.	250
413	Weber	Weber mobile skinning and derinding machine, type: ASC 560, number: 215, 400 V, 50 Hz, 1.1 kW, plastic belt, belt width: 500 mm, working width: 560 mm, total dimensions: 2000 mm x 1050 mm x 1850 mm.	1900
414	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/K4 N, number: 1401 0143, 400 V, 3 Ph, 50 Hz, 1.3 kW, seal length: 460 mm, dimensions chamber: 510 mm x 470 mm, Rietschle vacuum pump, type: VCA 40, capacity: 40 m3 per hour, total dimensions: 780 mm x 520 mm x 1030 mm.	300
415	NN meat bins	2 s/s meat bins, volume: 200 liter.	150
416	NN meat bins	2 s/s meat bins, volume: 200 liter.	150
417	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning and derinding machine, type: ESB 441 H, number: 38228, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, plastic belt, belt width: 370 mm, working width: 400 mm, total dimensions: 950 mm x 850 mm x 1150 mm.	950
418	NN rollies	20 s/s rollies, dimensions: (20x) 690 mm x 420 mm x 160 mm.	400
419	NN rollies	20 s/s rollies, dimensions: (20x) 690 mm x 420 mm x 160 mm.	400
420	NN rollies	20 s/s rollies, dimensions: (20x) 690 mm x 420 mm x 160 mm.	400
421	Grasselli SpA	Grasselli SpA slicer, model: NSL 600, serial number: Y13003/839, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 4 kW, working width: 610 mm, distance between knives: 20 mm, plastic belt, belt width: 540 mm, total dimensions: 1500 mm x 1200 mm x 1500 mm. Some knives are broken.	4000
422	Urschel Laboratories Inc.	Urschel Laboratories Inc. slicer, model: RA ,serial number: 671, working width: 100 mm, total dimensions: 1150 mm x 1000 mm x 1750 mm.	1800
423	Nijhuis Industries	Nijhuis Industries flocculator for water, 400-460 V, 50/60 Hz, dimensions: 1200 mm x 1200 mm x 1650 mm.	500
424	Atlas Copco	Atlas Copco air compressor, typ: GA22VSD, serial number: API433688, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 22 kW, 500 kg, dimensions: 1260 mm x 860 mm x 1480 mm.	800
425	KG Lyften	KG Lyften lifter for 200 liter meat bins, type: SKV200 MK, number: 6378, year of construction: 28.08.89, capacity:	500



Nr	Title	Description	Start €
		250 kg, lifting height: 1900 mm, total dimensions: 1350 mm x 950 mm x 2750 mm.	
426	Risco S.p.a.	Risco S.p.a. double shaft paddle mixer, model Risco: RS 450, serial number: 0672, year of construction: 1992, volume: 450 liter, dimensions: 1600 mm x 1200 mm x 1600 mm.	3000
427	Ilapak	Ilapak vertical bag form-, fill- and seal machine, type: VT 2000 GF S, serial number: 0740712021, year of construction: 11-2012, 400 V, 50 Hz, 500 W, diameter pipe: 180 mm, vertical seal length: 640 mm, horizontal seal length: 450 mm, total dimensions: 2300 mm x 1900 mm x 2500 mm.	4000
428	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector, clearance: Ø 95 mm, total dimensions: 860 mm x 420 mm x 1380 mm.	800
429	KPZ Waagen	KPZ Waagen floor weighing scale with Mettler Toledo indicator, number: 120098, year of construction: 12-2020, capacity: 1500 kg, dimensions: 1500 mm x 1150 mm x 95 mm.	400
430	Mettler Toledo	Floor weighing scale with Mettler Toledo indicator, dimensions: 1500 mm x 1150 mm x 80 mm.	400
431	NN fan	Fan, diameter fan: 810 mm, total dimensions: 840 mm x 840 mm x 340 mm.	25
432	Lutetia	Lutetia vacuum tumber, type: 4, number: 15230, year of construction: 1996, 380 V, 50 Hz, 6.6 kW, 1400 kg, volume: 1800 liter, dimensions: 3300 mm x 1500 mm x 2100 mm. Without vacuum pump.	1900
433	Handtmann	Handtmann vacuum filling machine, type: VF300, number: 15015, year of construction: 2001, 440 V, 3 Ph, 60 Hz, 21.8 A, 9 kW, dimensions: 950 mm x 920 mm x 2020 mm.	2600
434	Vemag	Plastic crate with with housing and worm for Vemag vacuum filling machine, number 911310048.	280
435	Vemag	Plastic crate with with housing and worm for Vemag vacuum filling machine, number 911310048.	280
436	Vemag	Plastic crate with with housing and worm for Vemag vacuum filling machine, number 911310048.	280
437	Tippertie Technopack	Tippertie Technopack clipper, number: PT.400.5790.212, dimensions: 1000 mm x 400 mm x 790 mm.	100
438	Tippertie Technopack	Tippertie Technopack clipper, number: DCRF550.74, dimensions: 550 mm x 300 mm x 810 mm.	100
439	ABB	ABB palletizing robot, type robot: IRB 660 M2000, serial number: 660-102850, year of construction: 2020-12-02, weight: 1750 kg, type control cabinet: IRC5 Single, serial number: 660-102850. year of construction: 2020-12-02, 400 V, 3 Ph, 50-60 Hz, 20 A, weight robot: 150 kg, dimensions robot: 2300 mm x 1470 mm x 2400 mm, dimensions control cabinet: 700 mm x 580 mm x 900 mm,	5000



Nr	Title	Description	Start €
		dimensions steel frame for robot: 1840 mm x 1200 mm x 1520 mm, dimensions control cabinet: 800 mm x 720 mm x 970 mm, dimensions gripper: 1080 mm x 600 mm x 950 mm.	
440	NN meat hooks	Pallet with 13 crates with s/s meat hooks, length hook: 190 mm, total dimensions: 1200 mm x 800 mm x 920 mm.	100
441	Bitzer Kühlmaschinenbau GmbH	2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 6HE-25Y-40P, capacity: 110.5/156.2 m³ per hour, dimensions: 1180 mm x 1050 mm 530 mm.	500
442	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 Bitzer Kühlmaschinenbau GmbH compressors, type: 2KSL-1K-40S and 2JHC-07K-40S, capacity: 2.71/3.25 and 3.48/4.18 m³ per hour, dimensions: 1200 mm x 1150 mm x 1900 mm.	500
443	Carrier/Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4CES-6Y-40S, capacity: 32.5/39.2 m³ per hour, dimensions: 2150 mm x 700 mm x 850 mm.	800
444	Fri-Jado/Bitzer Kühlmaschinenbau GmbH	Fri-Jado compressor rack with 5 Bitzer Kühlmaschinenbau GmbH colling compressors, type: 4DC-5.2Y-40S, 4DES-5Y-40S, (2x) 4J-13.2Y-40P, 4G-30.2Y-40P, capacity: (2x) 26.8/32.4, (2x) 63.5/76.7, 84.6/102.1 m³ per hour, dimensions: 2200 mm x 910 mm x 1730 mm.	1500
445	Carrier/Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4CC-6.2Y-40S, capacity: 32.5/39.2 m³ per hour, dimensions: 1200 mm x 800 mm x 2250 mm.	1000
446	Racupack	Racupack case packer, type: RTI-Catamaran, serial number: 0405335, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 20 A, 1800 kg, Nordson glue unit, plastic infeed belt, belt width: 300 mm, clearance: 280 mm x 160 mm, chain conveyor with dividers, distance between dividers: 240 mm, divider height: 60 mm, total dimensions: 4650 mm x 1800 mm x 2450 mm. Missing infeed belt.	1000
447	Frey	Frey piston filler, inside dimensions: Ø 320 mm x 360 mm, total dimensions: 800 mm x 750 mm x 1200 mm.	850
448	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EMA 350, machine number: 318126783, working width: 300 mm, total dimensions: 700 mm x 600 mm x 1000 mm.	500
449	NN ham press	Mobile ham press, diameter pipe: 90 mm, total dimensions: 1350 mm x 350 mm x 1100 mm.	400
450	Weber	Weber mobile skinning and derinding machine, type: ASK600, number: 318, 380 V, 50 Hz, 0.60/0.75 kW, plastic belts, belt width: 350 mm, working width: 380 mm, total dimensions: 1850 mm x 650 mm x 1150 mm.	500
451	Scharfen		100



Nr	Title	Description	Start €
		Scharfen automatic slicer, dimensions: 1100 mm x 650 mm x 700 mm. Incomplete.	
452	Demag / Rema	Rema big bag filling installation with Demag hoist, capacity: 1250 kg, dimensions: 3600 mm x 1300 mm x 3000 mm.	500
453	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in noiseless cabinet with 8 Bitzer Kühlmaschinenbau GmbH and 1 Green Poin compressors, type: (3x) 6FE-40Y-40P, 6GE-30Y-40P, 6JE-33Y-40P, 4GE-30Y-40P, (2x) 2DSL-5K-40S and 4PES-15-40P, dimensions: 4100 mm x 1650 mm x 2400 mm. Missing some panels.	3000
454	NN roller conveyoer	Roller conveyor, s/s frame, plastic rollers, roller width: 495 mm, total dimensions: 2500 mm x 560 mm x 830 mm.	75
455	NN roller conveyoer	Roller conveyor, s/s frame, plastic rollers, roller width: 495 mm, total dimensions: 2570 mm x 560 mm x 830 mm.	75
456	NN roller conveyoer	Roller conveyor, s/s frame, plastic rollers, roller width: 495 mm, total length: 5000 mm total dimensions: 3000 mm x 1000 mm x 500 mm.	100
457	Flex Industries BV	Flex Industries BV double lane 90° curve conveyor, s/s frame, plastic belts, belt width: (2x) 155 mm, total dimensions: 2300 mm x 1500 mm x 500 mm.	250
458	NN tray conveyor	Tray conveyor, s/s frame, clearance: 130 mm x 85 mm x 105 mm, plastic belt, belt width: 170 mm, total dimensions: 4610 mm x 580 mm x 1250 mm.	350
459	Hassia-Redatron GmbH	Hassia-Redatron GmbH 4-side sealing sached machine, type: FB SI 500, machine number: 155960 mm, year of construction: 2019, 400 V, 3 Ph, 50/60 Hz, 50 A, 19 kVA, format width: maximum 500 mm, draw-off lenght: maximum 200 mm, film width: maximum 1000 mm, vertical seal length: (9x) 115 mm, horizontal seal width: 430 mm and 630 mm , total dimensions: 2750 mm x 2100 mm x 2700 mm. Including ITW outfeed elevating belt, s/s frame, type: TBGK-N700, serial number: 20-171K, year of construction: 2019, weight: 135 kg, plastic belt with dividers, belt width: 730 mm, divider height: 30 mm, distance between dividers: 205 mm, elevating height: 1600 mm, total dimensions outfeed belt: 2850 mm x 1000 mm x 1610 mm and pallet with infeed station. Infeed station is damaged.	5000
460	TipperTie Technopack	TipperTie Technopack clipper, type: TCV 607 VA, number: 2681.090.38, air pressure: 5 bar, dimensions: 450 mm x 370 mm x 920 mm. Including pallet with large amount of boxes with clips, type: 603 T, 1400 clips per box, dimensions pallet: 1200 mm x 800 mm x 710 mm.	1500
461	Grundfos	Grundfos ciruculation pump, type: LP 50-125/142 A-F-A-BUBE, model: C4 8060022-PI-0021, capacity: 12.0 m³ per hours, dimensions: 630 mm x 420 mm x 220 mm.	100
462	NN sink		25



Nr	Title	Description	Start €
		S/s sink, knee control, dimensions: 600 mm x 450 mm x 800 mm.	
463	NN sink	S/s sink, knee control, dimensions: 600 mm x 450 mm x 800 mm.	25
464	NN ergo step	S/s ergo step, dimensions: 770 mm x 700 mm x 450 mm.	50
465	Door System A/S	Door System A/S s/s refrigerated sliding door, type: MS0801BS60, door number: 18919, year of construction: 2016, dimensions door: 1800 mm x 2450 mm.	200
466	DAN-doors	DAN-doors refrigerated s/s sliding door on winch, type: MS0601HB/9, year of construction: 08.03, dimensions door: 1750 mm x 2200 mm	200
467	Door System A/S	Door System A/S plastic swing door, type: MP0052PD200, door number: 49714, year of construction: 2021, dimensions: (2x) 750 mm x 2300 mm.	100
468	NN rails	3 s/s rails for sliding doors, length rails: (2x) 3600 and 2400 mm.	20
469	NN frame	S/s frame for door, dimensions frame: 2530 mm x 1830 mm x 70 mm.	20
470	NN rails	S/s rails for sliding door, dimensions rails: 3100 mm x 800 mm x 350 mm.	20
471	Electrolux Professional SpA	Electrolux Professional SpA oven, model: FCF/E6-0, serial number: 54210004, year of construction: 10-2015, 380-400 V, 3 Ph, 50 Hz, 7-770 kW, 6 floors, dimensions floors: (6x) 530 mm x 330 mm, total dimensions: 850 mm x 860 mm x 1470 mm.	200
472	ITV	ITV ice machine, model: ICE QUEEN IQ 85C AIRE 220-50, number: 2921981, 220-240 V, 50 Hz, 3 A, 530 W, refrigerant: R404 / 330 gram, dimensions: 600 mm x 470 mm x 900 mm.	150
473	Electrolux Professional SpA	Electrolux Professional SpA dishwasher, model: NUC3, serial number: 53810005, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 5.35 kW, dimensions basket: 500 mm x 500 mm, total dimensions: 650 mm x 600 mm x 1280 mm.	150
474	Ascall Sensor S.L.	Ascall Sensor S.L. weighing scale, model: IP300, serial number: 0000035, year of construction: 2007, 230 V, 50/60 Hz, 10 W, maximum weight: 30 kg, minimum weight: 200 gram, e= 10 gram, dimensions scale: 400 mm x 300 mm, total dimensions: 510 mm x 300 mm x 550 mm.	25
475	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile clipper, type: PDC 600, number: 1098, year of construction: 2002, pressure: 5-7 bar, dimensions: 1280 mm x 700 mm x 1900 mm.	2500
476	Vakona GmbH	Vakona GmbH cooled vacuum tumbler, type: 125ESKSTL, number: 8065, year of construction: 1999, 230/400 V, 50 Hz, 1.6 A, 1.9 kW, volume: 125 liter, Busch vacuum pump, type: RB 0010 D OZO, year of construction: 1998, capacity: 10 m³ per hour, total dimensions: 1330 mm x 600 mm x 1330 mm.	1500



Nr	Title	Description	Start €
477	Hakvoort	Hakvoort s/s extraction hood, dimensions: 2180 mm x 600 mm x 1330 mm.	200
478	Profinox	Profinox s/s cabinet, dimensions: 1400 mm x 400 mm x 660 mm.	75
479	Profinox	Profinox s/s cabinet, dimensions: 1200 mm x 400 mm x 660 mm.	75
480	Bartscher GmbH	Bartscher GmbH heated showcase, type: R60-2, number: 4500035266, 230 V, 50 Hz, 1840 W, 3 floors, dimensions floors: (3x) 580 mm x 300 mm. Glass broken 1 side.	50
481	MilanToast	MilanToast double toaster, dimensions: 320 mm x 190 mm x 300 mm.	20
482	NN table	S/s table, dimensions: 1400 mm x 600 mm x 900 mm.	100
483	NN table	S/s table, dimensions: 1400 mm x 600 mm x 900 mm.	100
484	MCC Trading International GmbH	MCC Trading International GmbH soup kettle, model: GSK1009, serial number: GSK1009SVII0203, 220-240 V, 50 Hz, 400 W, volume: 9 liter, inside dimensions: Ø 215 mm x 250 mm, total dimensions: 340 mm x 340 mm x 350 mm.	20
485	Sunnex	Sunnex double liquid dispenser, dimensions: 540 mm x 360 mm x 560 mm.	25
486	Alex Meijer	Alex Meijer coffee machine, 220-240 V, 1 Ph, 50-60 Hz, 2250 W, dimensions: 440 mm x 240 mm x 580 mm.	20
487	NN table	S/s table, dimensions: 1200 mm x 600 mm x 900 mm.	100
488	NN table	S/s table, dimensions: 1200 mm x 600 mm x 900 mm.	100
489	NN sink	S/s sink, dimensions: 1200 mm x 600 mm x 1170 mm.	100
490	NN sink	S/s sink, dimensions: 1200 mm x 600 mm x 1015 mm. Without faucet.	100
491	Profinox	Profinox s/s cabinet, dimensions: 1400 mm x 400 mm x 660 mm.	75
492	Pfluka	Pfluka can opener, model: PD 10, machine number: 1105, working width: Ø 220 mm, total dimensions: 900 mm x 700 mm x 1800 mm.	300
493	Kärcher	Kärcher steam cleaner, type: SG 4/4, serial number: 032858, year of construction: 2018, 220-240 V, 1 Ph, 50-60 Hz, 2300 W, volume: 2 liter, dimensions: 350 mm x 300 mm x 800 mm.	150
494	Elpress	Elpress hygiene station, consisting of: soap dispenser, sink with faucet, hand disinfection unit, hand dryer, sole cleaner and tourniquette, type: 18703921-83204900, serial number: 29502, year of construction: 2018, 400 V, 50 Hz, 16 A, 2.6 kW, pressure: 3 bar, weight: 300 kg, brush length: (2x) 1450 mm, total dimensions: 2650 mm x 1050 mm x 1680 mm.	2500
495	Handtmann	Handtmann vacuum filling machine, type: VF610, number: 20455S, year of construction: 2005, 420 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, dimensions: 800 mm x 850 mm x 1750 mm. Missing vacuum pump.	4500
496	Carelli s.r.l.		250



Nr	Title	Description	Start €
		Carelli s.r.l. s/s pallet lifter, model: K9 INOX / 20, serial number: 08F00149, year of construction: 2008, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1450 mm x 540 mm x 1220 mm.	
497	Stephan	Stephan microcutter, type: MC10, number: 4811150, year of construction: 1991, 380 V, 50 Hz, 15.1 A, 7.5 kW, knife width: Ø 125 mm, outfeed clearance: 100 mm x 30 mm, total dimensions: 700 mm x 620 mm x 950 mm.	2500
498	Frigotronic	Frigotronic chiller, type: HZB-WU-CSH 8561 ECO, number: 0024900, year of construction: 08/2007, 230/400 V, 3 Ph, 50 Hz, 93.75 kW, weight: 2.742 kg, refrigerant: R507/247.65 kg, dimensions: 2500 mm x 1500 mm x 1550 mm.	950
499	Pomac	Pomac centrifugal pump, type: 15544/100X7, number: 18016, capacity: 10 m³/h, dimensions: 500 mm x 300 mm x 400 mm.	75
500	NN centrifugal pump	Centrifugal pump, dimensions: 700 mm x 350 mm x 400 mm.	75
501	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, dimensions flowmeter: 350 mm x 250 mm x 200 mm, dimensions: 250 mm x 220 mm x 200 mm.	100
502	Verder	Verder centrifugal pump, type: NCM80X65X125B, number: 288492, year of construction: 2017, power: 5.5 kW, capacity: 75 m³/h, dimensions: 600 mm x 400 mm x 550 mm.	75
503	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H, dimensions: 220 mm x 200 mm x 350 mm.	100
504	NN centrifugal pump	Centrifugal pump, dimensions: 800 mm x 300 mm x 400 mm.	75
505	Becker	Becker rotary vane compressor, type: DTLF 2.250, capacity: 244/286 m³/h, dimensions: 1150 mm x 630 mm x 700 mm	250
506	Hovap	Hovap centrifugal pump, type: HP-1250, number: 39042, year of construction: 2012, dimensions: 600 mm x 250 mm x 460 mm.	75
507	Hovap	Hovap centrifugal pump, type: HP-1280/245, number: 33840, year of construction: 2002, 230/400 V, 1.5 kW, capacity: 8 m³ per hour, dimensions: 550 mm x 350 mm x 400 mm.	75
508	ABB	ABB control cabinet for palletizing robot, type: IRB 640 M2000, serial number: 64Z-26040, year of construction: 2003-08-04, 400 V, 3 Ph, 50-60 Hz, weight: 350 kg, dimensions: 750 mm x 750 mm x 2130 mm.	200
509	NN centrifugal pump	Centrifugal pump, dimensions: 650 mm x 350 mm x 450 mm.	75
510	Pomac	Pomac centrifugal pump, dimensions: 600 mm x 350 mm x 450 mm.	75
511			75



Nr	Title	Description	Start €
	NN centrifugal pump	Centrifugal pump, dimensions: 650 mm x 260 mm x 400 mm.	
512	NN flowmeter	Flowmeter, dimensions: 300 mm x 300 mm x 280 mm.	25
513	Anema	Anema centrifugal pump, dimensions: 450 mm x 220 mm x 360 mm.	75
514	Pomac	Pomac centrifugal pump, dimensions: 600 mm x 350 mm x 450 mm.	75
515	Anema	Anema centrifugal pump, number: 3207, capacity: 20 m ³ per hour, dimensions: 650 mm x 370 mm x 420 mm.	75
516	Hovap	Hovap centrifugal pump, type: HP-2550/170, number: 3382, year of construction: 2002, 4 kW, capacity: 15 m ³ /h, dimensions: 600 mm x 300 mm x 500 mm.	75
517	Endress + Hauser	2 Endress + Hauser flowmeters, model: Promag P/Promag 53, dimensions: (2x) 400 mm x 250 mm x 250 mm.	200
518	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H / Promag 300, year of construction: 2019-03, capacity: 180 m ³ /h, dimensions: 350 mm x 250 mm x 200 mm.	100
519	SPX	SPX liquid filter, type: S2-EL-200F-V, serial number: 100000 3318502, year of construction: 2018, dimensions: 300 mm x 400 mm x 1000 mm.	200
520	ProMinent	ProMinent dosing pump, total dimensions: 700 mm x 570 mm x 110 mm.	50
521	IPBE	IPBE s/s switch cabinet, dimensions: 400 mm x 260 mm x 770 mm.	50
522	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 230 mm x 580 mm.	50
523	Rittal	Rittal s/s switch cabinet, dimensions: 1250 mm x 400 mm x 1200 mm.	200
524	Grundfos	2 Grundfos vertical centrifugal pumps, type: CR32-5 A-F-A-E-HQQE and CR32-3 A-F-A-HQQE, capacity: (2x) 30 m ³ per hour, dimensions: 90 mm x 500 mm x 1200 mm & 90 mm x 500 mm x 1650 mm	150
525	Samson / Endress Hauser	Samson valve with Endress + Hauser flowmeter, total dimensions: 670 mm x 400 mm x 630 mm.	175
526	Poly-clip System GmbH	Poly-clip System GmbH clipper on s/s trolley, type: DCD-E, number: 59539, bar: 5-7, dimensions: 830 mm x 700 mm x 1700 mm.	950
527	Indesit	Indesit washing machine, model: ITWA 51052 W, serial number: 503190012, washing capacity: 5 kg, drum volume: 42 liter, 220-230 V, 50 Hz, 2100 W, dimensions: 650 mm x 400 mm x 900 mm.	25
528	Mettler Toledo Safeline	Mettler Toledo Safeline pipeline metal detector, clearance: Ø 200 mm, total dimensions: 400 mm x 300 mm x 420 mm and 550 mm x 300 mm x 200 mm.	500
529	Memmert	Memmert incubator, type: ICP 110, fabrication number: F413.0022, 230 V, 50/60 Hz, 5.3 A, 1200 W, dimensions: 640 mm x 200 mm x 430 mm.	275



Nr	Title	Description	Start €
531	Eaton	Eaton uninterruptible power supply, model: 5P850i, serial number: G111G04044, 200-240 V, 50/60 Hz, dimensions: 350 mm x 150 mm x 230 mm.	25
532	Danfoss	11 Danfoss frequency controllers.	250
533	Flygt	Flygt pump, type: 3069.160, serial number: S2260107, 400/230 V, 3 Ph, 50 Hz, 2.4 kW, 2780 rpm, dimensions: 600 mm x 250 mm x 450 mm.	50
534	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG P, serial number: C916DF19000, 40 bar, DN40 DIN / EN PN40, dimensions: 450 mm x 350 mm x 220 mm.	100
535	DWM Copeland	DWM Copeland cooling compressor, model: DKLP-15X-FWL, number: 2138938, year of construction: 2004, 220/240 V, 3 Ph, 50 Hz, 05.9 A, dimensions: 700 mm x 650 mm x 440 mm.	150
536	NN Cooling compressor	Cooling compressor, dimensions: 1270 mm x 830 mm x 700 mm.	200
537	DWM Copeland	DWM Copeland cooling compressor, model: LLP-30X-EAL, serial number: 18F 005397 M, 220/240 V, 3 Ph, 50 Hz, 12.5 A, dimensions: 900 mm x 700 mm x 700 mm.	150
538	NN Cooling compressor	Cooling compressor, dimensions: 700 mm x 700 mm x 750 mm.	150
539	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2JC-07.2Y-40S, serial number: 1684106484, dimensions: 650 mm x 550 mm x 500 mm.	100
540	APV	Filtration installation consisting of APV pre-filter, pump and bacteriophages filter, dimensions: 700 mm x 1400 mm x 1500 mm.	350
541	Copeland Scroll	Copeland Scroll cooling compressor and condensing unit, model: ZB58KCE-TFD-651, dimensions: 1100 mm x 900 mm x 1000 mm.	150
542	Frascold	Frascold cooling compressor, type: F 7 25 Y, number: 2B0001703, year of construction: 2000, capacity: 25.2 M ³ per hour, dimensions: 480 mm x 250 mm x 350 mm. Incomplete.	25
543	Pomac B.V.	Pomac B.V. centrifugal pump, type: P16644/1302, number: 7849, capacity: 5 m ³ per hour, dimensions: 500 mm x 350 mm x 500 mm.	500
544	Rietschle	Rietschle vacuum pump, type: DTA 100/1(01), serial number: 000202430003, year of construction: 2006, capacity: 100 m ³ per hour, dimensions: 950 mm x 450 mm x 400 mm.	300
545	Rietschle	Rietschle vacuum pump, type: DTA 100/1(01), year of construction: 2007, serial number: 2553547, capacity: 100 m ³ per hour, dimensions: 950 mm x 450 mm x 600 mm.	300
546	Bock Compressors	Bock Compressors cooling compressor, type: HGX4/465-4S, number: AL11055A008, capacity: 40.5/48.6 m ³ per hour, dimensions: 750 mm x 400 mm x 400 mm.	200



Nr	Title	Description	Start €
547	L'Unite Hermetique	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CAET4440Y HR, serial number: 06F01 195956 3B66230202, 220/240 V, 1 Ph, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 650 mm x 630 mm x 460 mm.	200
548	Huckepack	Huckepack vacuum pump, type: 437 013, machine number: 2065, year of construction: 1980, capacity: 400 m ³ per hour, dimensions: 1400 mm x 850 mm x 1300 mm.	400
549	Hovap	Hovap centrifugal pump, type: HP-5050/190, capacity: 45 m ³ per hour, dimensions: 900 mm x 360 mm x 600 mm.	150
550	Hovap	Hovap centrifugal pump, type: HP-5050, year of construction: 2012, capacity: 61 m ³ per hour, dimensions: 900 mm x 360 mm x 600 mm.	150
551	Rietschle Thomas	Rietschle Thomas side channel vacuum pump, type: SAP 1060 1012, number: 2609852, 1200 m ³ per hour, dimensions: 1050 mm x 600 mm x 750 mm.	250
552	Boge	Boge air compressor, type: SK 46, number: 5022427, year of construction: 2008, 11.0 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	350
553	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, capacity: 94.1/183 m ³ per hour, dimensions: 800 mm x 500 mm x 500 mm.	100
554	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6F.2 Y, serial number: 662701057, capacity: 94.1/183 m ³ per hour, dimensions: 800 mm x 500 mm x 500 mm.	100
555	Grundfos	Pallet with 2 Grundfos sewage pumps, type: SEV.65.65.22.2.50D, capacity: 45 m ³ per hour, dimensions: 1200 mm x 800 mm x 1000 mm.	100
556	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2JES-07Y-40S, serial number: 1691206382, capacity: 5.2/6.3 m ³ per hour, dimensions: 650 mm x 550 mm x 500 mm.	100
557	L'unite Hermetique	L'unite Hermetique cooling compressor, type: CAJ9480Z, dimensions: 500 mm x 500 mm x 400 mm.	100
558	L'unite Hermetique	L'unite Hermetique cooling compressor, type: TAJ451, dimensions: 500 mm x 500 mm x 400 mm.	100
559	L'Unite Hermetique	L'Unite Hermetique cooling compressor with condenser, model: CAJN4492Y HR, serial number: 10G29 121407, 220-240 V, 50 Hz, 5.9 A, refrigerant: R134a, dimensions: 500 mm x 500 mm x 400 mm.	100
560	Gardner Denver	Gardner Denver side channel vacuum pump, number: BN 10315780, dimensions: 700 mm x 500 mm x 600 mm.	250
561	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2FC-3.2Y-40S, serial number: 1270802615, capacity: 3.5/11.5 m ³ per hour, dimensions: 650 mm x 550 mm x 500 mm.	100
562	Pfeiffer Vacuum		150



Nr	Title	Description	Start €
		3 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, serial number: 21577376, year of construction: 2010, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	
563	Pfeiffer Vacuum	5 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, year of construction: 2018/2013/2006, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	250
564	Pfeiffer Vacuum	2 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, year of construction: 2005/2006, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	100
565	Pfeiffer Vacuum	Pfeiffer Vacuum pump, model: DUO 2.5, serial number: 22061178, year of construction: 2018, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	50
566	Samson	Samson valve, type: 3277, serial number: 1100, dimensions: 500 mm x 300 mm x 240 mm.	50
567	Asecos	Asecos chemical storage cabinet, model: C Line, dimensions: 520 mm x 1050 mm x 1110 mm. Without keys.	150
568	TVH	TVH pallet lifter, type: CBD25, serial number: 12091395-13/176, year of construction: 2012, weight: 62 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1600 mm x 530 mm x 1250 mm.	50
569	APV	Pallet with various APV valves, dimensions pallet: 1600 mm x 1000 mm x 1300 mm	150
570	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 1000 mm x 850 mm.	150
571	Wamma	Wamma s/s UV disinfection cabinet, model: WH03510STAL, year of construction: 2021, 230 V, 30 W, dimensions: 1000 mm x 650 mm x 150 mm.	25
572	NN locker	Steel locker, dimensions: 360 mm x 480 mm x 1820 mm.	5
573	Kromer	Crate with 4 Kromer balancers.	150
574	Mitsubishi	Mitsubishi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 3005028, year of construction: 2013, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	100
575	Mitsubishi	Mitsubishi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 3005070, year of construction: 2013, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	100
576	Demag	Demag electric chain hoists, type: DC-COM 10-1600 2/1 H5 V4/1, serial number: 94207718, year of construction:	100



Nr	Title	Description	Start €
		03/2011, 380-415 V, 3 Ph, 50 Hz, capacity: 1600 kg, dimensions: 800 mm x 1200 mm x 600 mm.	
577	Demag	Demag electric chain hoists, type: DC-COM 10-1600 2/1 H5 V4/1, serial number: 94207719, year of construction: 03/2011, 380-415 V, 3 Ph, 50 Hz, capacity: 1600 kg, dimensions: 800 mm x 1200 mm x 600 mm.	100
578	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, serial number: JB20BA19000, DN100, dimensions: 250 mm x 150 mm x 170 mm.	150
579	APV	5 APV valves with control cabinets on a pallet, dimensions pallet: 1640 mm x 800 mm x 400 mm.	150
580	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1828021 0001, year of construction: 2017, capacity: 500/1000 kg with Kratos balancer.	100
581	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1828021 0007, year of construction: 2017, capacity: 500/1000 kg with Kratos balancer.	100
582	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 1200 mm x 900 mm	150
583	APV	Pallet with various APV valves, dimensions pallet: 1400 mm x 950 mm x 800 mm	150
584	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 800 mm x 790 mm	150
585	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 800 mm x 750 mm	150
586	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 800 mm x 750 mm	150
587	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 800 mm x 450 mm	150
588	Samson	Pallet with 3 Samson valves, type: 3277, dimensions: 1200 mm x 800 mm x 500 mm.	225
589	NN tubs	2 s/s tubs, dimensions: 300 mm x 860 mm x 400 mm, 300 mm x 600 mm x 400 mm.	75
590	NN control panel	S/s control panel with leg, dimensions control panel: 650 mm x 600 mm x 1080 mm, dimensions leg: Ø 180 mm x 1115 mm.	50
591	Interroll	Pallet with 6 Interroll drum motors, roller width: 600 mm, 500 mm and 450 mm, total dimensions: 1200 mm x 800 mm x 270 mm.	400
592	Elmo Rietschle	Elmo Rietschle vacuum pump, dimensions: 1500 mm x 750 mm x 460 mm.	350
593	NN transport belt	Plastic transport belt, dimensions: 880 mm x 850 mm x 560 mm.	40
594	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KES-05Y-40S, capacity: 4.1/4.9 m³ per hour, dimensions: 850 mm x 850 mm x 600 mm.	350
595	Mitsubishi		100



Nr	Title	Description	Start €
		Mitsubishi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 4017762, year of construction: 2014, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	
596	Electrolux	Electrolux cooling compressor, dimensions: 450 mm x 500 mm x 460 mm.	50
597	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, type cooling compressor: 2JC-07.2Y-40S, serial number: 1683008954, capacity: 5.2/6.3 m³ per hour, dimensions: 670 mm x 500 mm x 570 mm.	150
598	Kovu B.V.	Kovu B.V. cooling unit, year of construction: 2015, dimensions: 850 mm x 570 mm x 530 mm.	40
599	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, compressor type: 2EC-3.2Y-40S, serial number: 1680402324, capacity: 11.4/13.7 m³ per hour, dimensions: 700 mm x 980 mm x 920 mm.	350
600	Espera	Espera checkweigher with top labeller, type machine: ES 5000, type checkweigher: ESW 2514, maximum weight: 6 kg, minimum weight: 40 gram, e = 2 gram, T = -6000 kg, type labeller, type: ESG 334, plastic belt, belt width: (2x) 150 mm, total dimensions: 1500 mm x 900 mm x 1500 mm.	1500
601	Bewo	Bewo saw on working bench, type: CPO 250 LT 400V, serial number: 23059801, year of construction: 2003, diameter saw: 285 mm, total dimensions: 800 mm x 550 mm x 1780 mm.	200
602	Bandall	Bandall mobile banding machine, type: BA-24-60, machine number: 9132640, 230 V, 50 Hz, dimensions: 1020 mm x 650 mm x 1820 mm.	1000
603	Katridg Pak Co. Anyl-ray	Katridg Pak Co. Anyl-ray mobile fat analyser, model: M201-4, serial number: F-8, year of construction: 08-1987, 220 V, 50 Hz, 1 Ph, 1.0 A, 1000 Amps max, dimensions pipe: 200 mm x 200 mm x 230 mm, total dimensions: 670 mm x 500 mm x 1720 mm.	50
604	Kolbe	Kolbe mobile bandsaw, dimensions table: 880 mm x 780 mm, total dimensions: 900 mm x 940 mm x 1860 mm. Incomplete.	600
605	Elbanton	Elbanton water bath, type: WATERBAD spec., serial number: 9911668, year of construction: 1999, 230 V, 16 A, refrigerant: R 134 A, 1100 g, clearance: (4x) Ø 160 mm x 230 mm, total dimensions: 1250 mm x 580 mm x 920 mm.	100
606	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS76, serial number: 1678310039, type cooling compressor:	350



Nr	Title	Description	Start €
		2CC-3.2Y-40S, serial number: 1677012201, capacity: 16.2/19.6 m ³ per hour, dimensions: 670 mm x 940 mm x 920 mm.	
607	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS36, serial number: 1678304237, type cooling compressor: 2JC-07.2Y-40S, serial number: 1678309172, capacity: 5.2/6.3 m ³ per hour, dimensions: 680 mm x 900 mm x 635 mm.	300
608	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH shock cooling installation for 40 m ² , consisting of: Bitzer Kühlmaschinenbau GmbH compressor rack with twin cooling compressor, type: 6GE-34Y-40P, capacity: 127/153 m ³ per hour, dimensions compressor rack: 1700 mm x 1100 mm x 1650 mm, switch cabinet, dimensions switch cabinet: 1000 mm x 450 mm x 2000 mm.	1500
609	Magurit	Magurit frozen block cutter, working width: 485 mm x 230 mm, total dimensions: 1950 mm x 750 mm x 1580 mm. Incomplete.	1800
610	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, model: DCE6410, number: 194, year of construction: 1998, dimensions: 1100 mm x 750 mm 1450 mm.	1700
611	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 571, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 510 mm, total dimensions: 900 mm x 850 mm x 1100 mm.	500
612	Schuy	Schuy mobile CIP installation with 2 s/s tanks, type: CIP, machine number: 7023, inside dimensions tanks: (2x) Ø 800 mm x 900 mm, total dimensions: 2550 mm x 1100 mm x 1950 mm.	1800
613	Henkovac	Henkovac mobile vacuum machine, type: H-2000, machine number: 208089165, 220/380 V, 3 Ph, 50 Hz, seal length: (2x) 505 mm, chamber dimensions: 510 mm x 610 mm, Busch vacuum pump, type: 063-122, capacity: 63 m ³ per hour, total dimensions: 650 mm x 680 mm x 1080 mm.	300
614	Ross Industries, Inc.	Ross Industries, Inc. mobile slicer, model: 950-6, serial number: 1648, year of construction: 4/2015, 380/415 V, 3 Ph, 50 Hz, 20/13/8 A, plastic mesh belts, belt width: (2x) 180 mm, total dimensions: 1660 mm x 800 mm x 1660 mm. Including extra knife and parts.	1000
615	Sealpac	Sealpac traysealer, type: Sealpac MINI, serial number: TVG0218001, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 160 kg, dye: (2x) 210 mm x 155 mm, film width: 305 mm, total dimensions: 1000 mm x 980 mm x 1550 mm. Without vacuum pump.	100
616	Digi/Tereoka Seiko Co. LTD	Digi/Tereoka Seiko Co. LTD packaging machine, model: FX-3600 XL, serial number: 01164105, 400 V, 3 Ph, 50/60	100



Nr	Title	Description	Start €
		Hz, 1.5 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e = 1/2 gram, T = 0.999 kg, dimensions: 860 mm x 940 mm x 1390 mm.	
617	Tender Star	Tender Star mobile tenderizer, model: T.S.E., serial number: 200308, year of construction: 2000, 220/380 V, 3 Ph, 50 Hz, 6.4/3.7 A, 0.9 kW, working width: 250 mm, total dimensions: 1220 mm x 570 mm x 1800 mm.	700
618	Prestcold	Prestcold cooling unit with Prestcold cooling compressor, model: I2HL, serial number: AUW 01113, dimensions: 1100 mm x 1800 mm.	300
619	Tender Star	Tender Star mobile tenderizer, working width: 205 mm, dimensions: 810 mm x 520 mm x 1600 mm. Technical condition unknown.	300
620	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3462, number: 161, year of construction: 1998, 400 V, 50 Hz, 16 A, plastic belt, belt width: 120 mm, total dimensions: 1450 mm x 1450 mm x 2000 mm.	2400
621	Rühle	Rühle mobile traysealer with label printer, type: VR 1, number: 0322 G, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 16 A, 1.5 kW, dye: (2x) 232 mm x 186 mm, total dimensions: 700 mm x 600 mm x 1720 mm.	700
622	NN transport belt	Transport belt with display, plastic belt, belt width: 120 mm, total dimensions: 1250 mm x 950 mm x 1650 mm.	75
623	Frey	Frey vacuum filling machine with linking attachment, type: Konti-E120, machine number: KE1201111320GU, year of construction: 2010, 400 V, 50 Hz, 4.8 kW, Busch vacuum pump, operating hours: 28406, dimensions: 950 mm x 700 mm x 1620 mm.	5500
624	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, machine number: 1189 1979, 44 needles, s/s mesh belt, belt width: 580 mm, total dimensions: 2300 mm x 900 mm x 2300 mm.	1500
625	Cryovac	Cryovac shrink tunnel, s/s rollers, roller width: 430 mm, clearance: 480 mm x 330 mm, total dimensions: 1020 mm x 850 mm x 1920 mm.	800
626	Henkovac	Henkovac mobile vacuum machine, type: H2000, machine number: 208077793, 220/380 V, 3 Ph, 50 Hz, 8.9/8.7 A, 2.5 kW, Busch vacuum pump, type: 063-122, number: 154573, capacity: 63 m ³ per hour, seal length: (2x) 500 mm, dimensions chamber: 550 mm x 500 mm, total dimensions: 700 mm x 620 mm x 1100 mm.	400
627	NN flattener	Mobile flattener, plastic belts, belt width: 250 mm, total dimensions: 1300 mm x 750 mm x 1630 mm.	50
628	Pökomat	Pökomat mobile injector, type: P8/270, serial number: 335.1, 400 V, 1.5 A, 550 W, weight: 98 kg, 8 needles, plastic belt, belt width: 260 mm, total dimensions: 1250 mm x 500 mm x 1720 mm.	500



Nr	Title	Description	Start €
629	Wolfking Belam B.V.	Wolfking Belam B.V. mobile steaker with mobile infeed belt, infeed belt, 400 V, 50 Hz, plastic belt, belt width: 410 mm, steaker type: IT-4 S, machine number: 9801-953.0032, year of construction: 1998, 400 V, 50 Hz, 6 A, working width: 440 mm, total dimensions: 3650 mm x 1400 mm x 1370 mm.	2000
630	Guangzhou Ming Rui Trading Co.,Ltd	Guangzhou Ming Rui Trading Co.,Ltd mobile ultrasonic welding machine, model: MR 1604, serial number: 20200610, year of construction: 2020.05.30, 320 V, 1.5 kW, packing size: 1200 mm x 780 mm x 1400 mm, chain belt with dividers, belt width: 175 mm, dividers height: 20 mm, distance between dividers: 15 mm, total dimensions: 890 mm x 600 mm x 1460 mm.	100
631	NN dicer	Dicer, plastic belt, belt width: 450 mm, working width: 420 mm, distance between knives: 20 mm x 20 mm, total dimensions: 1400 mm x 900 mm x 2000 mm.	500
632	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1270 11, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	500
633	NN switch cabinet	Steel switch cabinet, dimensions: 1090 mm x 360 mm x 1780 mm.	40
634	Vemag	Vemag vacuum filling machine, model: Robot 500, type: 128/40, number: 128.1087-1, 380/280 V, 50 Hz, 25 A, Rietschle vacuum pump, type: VVL I5 (01), capacity: 15 m ³ per hour, dimensions: 580 mm x 1020 mm x 1320 mm.	3500
635	Kolbe	Kolbe mobile bandsaw, dimensions table: 880 mm x 780 mm, total dimensions: 880 mm x 950 mm x 1880 mm. Incomplete.	1000
636	NN mesh belt	Mobile s/s mesh belt, belt width: 600 mm, total dimensions: 2000 mm x 800 mm x 1000 mm.	300
637	Läcovac	Läcovac mobile vacuum machine, type: CV-super, number: 1585, 220/380 V, 1.5 kW, Busch vacuum pump, seal length: 460 mm, dimensions chamber: 490 mm x 490 mm, total dimensions: 750 mm x 570 mm x 1100 mm.	400
638	Digi Europe LTD	Digi Europe LTD checkweigher, model: HI3600, serial number: 030851001, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 1600 mm x 700 mm x 1400 mm.	25
639	Scharff Techniek BV / DP Industries	Water softener consisting of 2 Scharff Techniek BV cylinders, plastic tub for salt bricks, and DP Industries break unit, type: HUV2 DW Megacontrol DOL, dimensions: 1200 mm x 800 mm x 2100 mm.	150
640	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S mobile injector, model: FGM 20 40, machine number: 3520 1986, s/s mesh belt, belt width: 235 mm, clearance: 280 mm x 240 mm, total dimensions: 1450 mm x 580 mm x 1880 mm.	800
641	Reepack		2700



Nr	Title	Description	Start €
		Reepack traysealer, model: Reeflex, serial number: 0402025, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 21 A, s/s chain and pin conveyor, belt width: 360 mm, distance between dividers: 440 mm, divider height: 20 mm, 2 lanes, lane width: 140 mm, film width: 400 mm, dimensions dyes: (2x) 220 mm x 140 mm, plastic outfeed belt, belt width: 420 mm, total dimensions: 3550 mm x 900 mm x 1750 mm. With additional dye, dimensions dye: (2x) 220 mm x 140 mm, and Busch vacuum pump, type: RA 0100 E 503, number: 03018852.	
642	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 142, year of construction: 1999, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	400
643	Tramatic	Tramatic electric pallet lifter, fork length: 1200 mm, lifting height: 1400 mm, total dimensions: 1650 mm x 900 mm x 2000 mm. Including De Drie B.V. battery charger, 220 V, 12 DC and VARTA battery.	700
644	Marel TVM	Marel TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 08010-00305, year of construction: 2002, weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 2350 mm x 760 mm x 2150 mm.	150
645	Hema	Hema volumetric filling machine, type 3.2, serial number: 877, dimensions: 1600 mm x 1500 mm x 1900 mm.	500
646	HPSL	HPSL weighing scale with label printer on s/s frame, serial number scale: HS108814, year of construction: 2011, 230 V, 50 Hz, maximum capacity: 3 kg, minimum capacity: 0.02 kg, e= 0.001 kg, T= -1.000 kg, scale dimensions: 275 mm x 225 mm, total dimensions: 860 mm x 520 mm x 1575 mm.	200
647	NN bandsaw	Mobile bandsaw, model: KSH 2020, serial number: 12HL7305-006, year of construction: 25-12-2012, 380 V, 1 PH, 50 Hz, 1500 W, dimensions table: 650 mm x 570 mm, total dimensions: 650 mm x 580 mm x 1560 mm. Without saw.	500
648	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1268, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	500
649	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: RCA, number: 136, year of construction: 2002, 5-7 bar, diameter pipe: 60 mm, total dimensions: 860 mm x 1060 mm x 1930 mm.	1500
650	FDI Sambron	FDI Sambron forklift attachment, capacity: 700 kg.	75
651	Samag	Samag s/s pallet lifter, fork length: 1150 mm, total dimensions: 1450 mm x 470 mm x 170 mm. Defect.	300
652	Rademaker		400



Nr	Title	Description	Start €
		Rademaker mobile 2 head depositor, type: DEPOSITOR, serial number: 6320-709, year of construction: 2003, weight: 260 kg, outfeed diameter: 25 mm, total dimensions: 920 mm x 1400 mm x 2100 mm.	
653	NN plates for heat exchangers	Pallet with plates for heat exchanger, dimensions 1 plate: 1150 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	75
654	NN flattener	Mobile flattener, plastic belts, belt width: 250 mm, total dimensions: 1800 mm x 650 mm x 1910 mm.	100
655	Siat	Siat box folding and closing machine, model: F145 SX, serial number: 50131, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 4.84 A, 1200 W, 5 infeed chains, chain width: 900 mm, plastic belts, belt width: 80 mm, total dimensions: 2300 mm x 2000 mm x 1800 mm.	200
656	Cryovac	Cryovac shrink tunnel, model: CJ51T LH, serial number: 03103, year of construction: 1995, 380 V, 50 Hz, 23 A, 15 kW, roller belt, belt width: 280 mm, clearance: 280 mm x 150 mm, total dimensions: 2100 mm x 880 mm x 1450 mm.	400
657	AHS	AHS mobile extendable roller conveyor, s/s rollers, roller width: 600 mm, total dimensions: 13500 mm x 870 mm x 830 mm.	400
658	Mettler Toledo	Mettler Toledo weighing scale, plastic string belt, belt width: 120 mm, total dimensions: 1200 mm x 680 mm x 700 mm. Incomplete.	25
659	Krämer + Grebe	Krämer + Grebe grinder, type: WW 130, machine number: 223/266/1 81, plate diameter: 130 mm, total dimensions: 1200 mm x 900 mm x 1360 mm. Including crate with plates and knives.	1500
660	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 500 mm, total dimensions: 2100 mm x 700 mm x 1000 mm.	150
661	Marel	Marel mobile portioning machine, type: Portio 4003 S, serial number: 080S-0020, year of construction: 2004, 400/220 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, 0.5 kW, weight: 500 kg, pressure: 6 / 9 bar, dye: (2x) 90 mm x 90 mm, plastic mesh outfeed belt, belt width: 250 mm, total dimensions: 2600 mm x 740 mm x 2550 mm. Including pallet with parts.	1500
662	Strapex	Strapex mobile strapping machine, type: Canaria V, serial number: 01071, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 4.0 A, clearance: 650 mm x 650 mm, total dimensions: 1320 mm x 850 mm x 1870 mm.	200
663	Cintex LTD	Cintex LTD metal detector with 2 metal detector heads and rejecting belt, type: KHRB30, serial number: 79959, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3 A, plastic mesh belt, belt width: 300 mm, total dimensions: 2720 mm x 880 mm x 1100 mm. Damaged.	500



Nr	Title	Description	Start €
664	NN lifting device	Lifting device used for apples, 5 lanes, dimensions lifting platform: 140 mm x 160 mm, total dimensions: 1280 mm x 1200 mm x 3000 mm. Missing motor.	100
665	Viscon	Viscon lid applicator, type: Dekselmachine, serial number 67331-430, year of construction: 2007, weight: 270 kg, plastic belt, belt width: 195 mm, lid size: 120 mm x 140 mm / 190 mm x 150 mm, total dimensions: 3800 mm x 1000 mm x 2000 mm.	750
666	Spako	Spako smoking / cooking chamber, with aditec control panel, type: MRA 810, 7 floors, dimensions each floor: 695 mm x 615 mm, total dimensions: 970 mm x 840 mm x 2000 mm. Technical condition unknown.	400
667	Transvac / Swissvac	Transvac / Swissvac belt vacuum machine, type: SYSTEMATIC, serial number: 2991, year of construction: 1987, 3x 400 V, 50 Hz, plastic belts, belt width: 535 mm / 410 mm, total dimensions: 3350 mm x 1180 mm x 1950 mm.	500
668	Rademaker	Rademaker mobile depositor, type: DEPOSITOR, serial number: 7138-709, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2 A, weight: 395 kg, dimensions: 1050 mm x 1500 mm x 1970 mm.	500
669	NN breaker	Breaker, working width: 540 mm, total dimensions: 720 mm x 430 mm x 870 mm. Without knife.	400
670	NN checkweigher with labeller	Checkweigher with labeller, plastic belts, belt width: 500 mm, total dimensions: 1700 mm x 900 mm x 1670 mm.	100
671	Marel	Marel checkweigher, type: M-Check RF8 8023.30, serial number: E014590, type load cell: Z6F C3, serial number: 31036805, maximum: 3 kg, minimum: 0.05 kg, e= 0.001 kg, T= -Max, plastic belt, belt width: 230 mm, total dimensions: 1400 mm x 850 mm x 1680 mm. Missing one transport belt. Technical condition unknown.	75
672	Poly-clip system GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 133, year of construction: 1998, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	400
673	Garos	Garos injector, type: GSI 160, machine number: 67100001, 400 V, 50 Hz, 30 A, weight: 1200 kg, s/s walking beam, beam width: 550 mm, 160 needles, total dimensions: 2350 mm x 980 mm x 2350 mm. Including mobile filter tub, dimensions: 1950 mm x 750 mm x 800 mm.	1000
674	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: DFC-8161, number: 33819, 380 V, 1 Ph, 50 Hz, 6 A, 5/7 bar, dimensions: 2400 mm x 1100 mm x 1950 mm.	1800
675	Loma	Loma checkweigher with metal detector, type: 6000, serial number: CB22554, year of construction: 1995, 220 V, 1 Ph, 50 Hz, weight: 173 kg, maximum weight: 1500	300



Nr	Title	Description	Start €
		gram, minimum weight: 200 gram, e=d= 1 g. T= 300 g, plastic belt, belt width: 245 mm, clearance: 350 mm x 70 mm, total dimensions: 1300 mm x mm x 950 mm.	
676	Digi Europe LTD	Digi Europe LTD mobile double heads labelling machine, model: HC-700, serial number: 100654003, 230 V, 50 Hz, 1.15 / 0.4 A, maximum speed: 285 packages per minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1800 mm x 800 mm x 1800 mm. Technical condition unknown.	400
677	Tipper Tie technopack	Tipper Tie technopack mobile automatic clipper, model: TCV 1590, number: 4330.1161.067, 230 V, 50 Hz, dimensions: 1600 mm x 800 mm x 1900 mm.	400
679	Adelphi Manufacturing Ltd	Adelphi Manufacturing Ltd mobile depositor, model: ADELPHI RESPONSE, serial number: R3-0181, year of construction: 2008, dimensions: 1050 mm x 940 mm x 2470 mm.	800
680	Air Liquide	Air Liquide nitrogen freezing tunnel, type: ZIP-FREEZE, serial number: 712, 300 V, 111 kW, belt width: 650 mm, clearance: 670 mm x 360 mm, total dimensions: 6750 mm x 1200 mm x 1450 mm.	800
681	Foss	Foss mobile analyser, model: MeatMaster, type: 78010, serial number: 2309200501, 370-420 V, 3 Ph, 50-60 Hz, 2000 VA, plastic belt, belt width: 650 mm, total dimensions: 5350 mm x 1150 mm x 2700 mm. Screen damaged.	800
682	Grunwald GmbH	Grunwald GmbH cup filling and closing machine, type: HITTPAC AKH-019SE/1, number: 23/11, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 22 A, 14 kW, diameter cups: 100 mm, total dimensions: 5000 mm x 2100 mm x 2800 mm. Including pallet with parts.	4000
683	Tipper Tie	Tipper Tie mobile automatic double clipper, model: SAM3E, serial number: T0007097, year of construction: 04/10/1995, dimensions: 2050 mm x 1050 mm x 2050 mm. Including crate with parts.	2500
684	ProFroid Industries S.A. / DWM Copeland	ProFroid Industries S.A. compressor rack consisting of 6 DWM Copeland cooling compressors, model: (3x) D2SK1-65X-EWL, capacity: (3x) 31.20 m³ per hour, dimensions: 2500 mm x 900 mm x 1850 mm.	1000
685	Carrier / DWM Copeland	Carrier compressor rack consisting of 5 DWM copeland cooling compressors, model: (2x) DLSGP-40X-EWL, capacity: (2x) 22.50 m³ per hour, model: (3x) , dimensions: 2200 mm x 900 mm x 1700 mm.	1000
686	Carrier / DWM Copeland	Carrier compressor rack consisting of 5 DWM copeland cooling compressors, model: (2x) DLSGP-40X-EWL, capacity: (2x) 22.50 m³ per hour, model: (3x) D3DS5-150X-AWM/D, capacity: (3x) 49.90 m³ per hour, dimensions: 2200 mm x 900 mm x 1700 mm.	1000
687			1500



Nr	Title	Description	Start €
	ProFroid Industries S.A. / Bitzer	ProFroid Industries S.A. compressor rack in noise cancelling cabinet consisting of 5 Bitzer cooling compressors, model: (2x) 4CC-6.2Y-40S, capacity: (2x) 32.5/39.2 m³ per hour, model: (3x) 4NCS-12.2Y-40P, dimensions: 3250 mm x 1600 mm x 2250 mm.	
688	ProFroid Industries S.A. / Bitzer	ProFroid Industries S.A. compressor rack consisting of 5 Bitzer cooling compressors, model: (1x) 4TES-9Y-40P, capacity: (1x) 41.3/49.9 m³ per hour, model: (1x) 4TCS-8.2Y-4P, model: (2x) 4J-13.2Y-40P, capacity: (2x) 63.5/76.7 m³ per hour, model: (1x) 4J-22.2Y-40P, capacity: (1x) 63.5/76.7 m³ per hour, dimensions: 3100 mm x 970 mm x 1900 mm.	1500
689	Capsulcn	Capsulcn fully automatic capsule filling machine, model: NJP-400C, serial number: 93695, year of construction: 06/2021, 380 V, 3 Ph, 50 Hz, 3.7 kW, dimensions: 850 mm x 750 mm x 1930 mm. Including extraction unit for dust, dimensions: 750 mm x 450 mm x 1150 mm.	10000
690	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, s/s rollers, roller width: 300 mm, camber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	200
691	NN meat hooks	S/s rack with large amount of meat hooks, total dimensions: 1200 mm x 800 mm x 580 mm.	100
692	Ulma	Ulma roller conveyor with wire belt, plastic rollers, roller width: 400 mm, plastic string belt, belt width: 660 mm, total dimensions: 1480 mm x 1110 mm x	500
693	NN keg filling station	Mobile keg filling station for 2 kegs, Lowara pump, type: CEAM70/5/A-V, serial number: 02463, year of construction: 20120719, 220-240 V, 1 Ph, 50 Hz, 4.55 A, 0.97 kW, dimensions: 850 mm x 850 mm x 1460 mm.	200
694	Meyn Egg Handling B.V.	Meyn Egg Handling B.V. egg shell centrifuge, type: MC-2, machine number: 3102, year of construction: 1982, dimensions: 1000 mm x 1000 mm x 1600 mm.	800
695	Detectronic	Detectronic X-ray scanner, type: Detex-30 400, serial number: 2651-6, year of construction: September 2014, 80 kV, weight: 400 kg, plastic belt, belt width: 400 mm, clearance: 440 mm x 160 mm, total dimensions: 1270 mm x 640 mm x 1780 mm.	300
696	FAM	FAM vegetable slicer, type: FV, number: 10044/2013, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6 A, 2.2 kW, weight: 280 kg, working width: 120 mm, total dimensions: 1330 mm x 800 mm x 1140 mm.	3000
697	Altech s.r.l.	Altech s.r.l. labelling machine with turning table, serial number: 2207040028071, 400 V, 3 Ph, 50/60 Hz, 5 A, 2000 W, plastic belts, belt width: (2x) 55 mm, (1x) 115 mm, total dimensions: 2850 mm x 1150 mm x 1900 mm. With s/s turning table, diameter: 800 mm, total dimensions: 1050 mm x 900 mm x 930 mm.	12500



Nr	Title	Description	Start €
698	Ariana Technology LTD	Ariana Technology LTD packaging machine, serial number: 3481-3481, year of construction: 2004, plastic belts, belt width: (2x) 250 mm, (1x) 570 mm, 16 heads, head diameter: Ø 120 mm, total dimensions: 3400 mm x 1040 mm x 1800 mm.	500
699	GEA	GEA lifter for pallet boxes with safety cage, type: GEA ColumnLoader 1000S, serial number: E011270705104/8790, year of construction: 04/2021, 380 V, 3 Ph, 50 Hz, 5.2 A, 2.2 kW, capacity: 1000 kg, clearance: 1270 mm x 1100 mm x 850 mm, lifting height: 2360 mm, total dimensions: 2450 mm x 1200 mm x 4400 mm, dimensions dismantled loader: 4200 mm x 2380 mm x 1500 mm.	2500
700	SPXFlow	SPXFlow cylinder for scraped surface heat exchanger, dimensions: 2540 mm x 370 mm x 280 mm. Including extra parts.	150
701	Frima	Frima VarioCooking Center, model: VCC 112+, serial number: E11PG09058005166, 400 V, 3 Ph, 19.4 kW, dimensions: 1200 mm x 800 mm x 1050 mm.	2000
702	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor and condensing unit, type: 4CC-9.2Y-40S, serial number: 1678908515, capacity: 32.5/39.2 m³ per hour, dimensions: 1300 mm x 900 mm x 1000 mm.	200
703	NN traysealer	Rotary traysealer, dimensions dye: (2x) 105 mm, total dimensions: 1600 mm x 1200 mm x 1600 mm. Missing cover.	400
704	Bizerba	Bizerba mobile slicer, type: A 500, number: 10354430, 400 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 300 mm, total dimensions: 2300 mm x 800 mm x 1800 mm.	4000
705	Memmert	Memmert heating and drying oven, type: ULE 400, fabrication number: g402.0684, 230 V, 50/60 Hz, 6.1 A, 1400 W, dimensions: 550 mm x 550 mm x 670 mm.	200
706	Anema	Anema centrifugal pump, capacity: 55 m³ per hour, dimensions: 760 mm x 500 mm x 600 mm.	100
707	Jungheinrich	Jungheinrich steel pallet lifter, type: HPT-A20, serial number: 763921006/0058, year of construction: 2015, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1550 mm x 520 mm x 1350 mm.	100
708	Busch	Busch vacuum pump, type: RA 0400 B 4ZI DUZZ, number: C0408000023, capacity: 400 m³ per hour, dimensions: 1400 mm x 900 mm x 1200 mm.	300
709	Juno Großküchen GmbH	Juno Großküchen GmbH fryer, type: 7535-3, 400 V, 3 Ph, 50 Hz, dimensions basket: 600 mm x 500 mm x 200 mm, total dimensions: 1100 mm x 800 mm x 1200 mm. With pallet with additional baskets.	200
710	Crimex Compressor	Crimex Compressor mobile air compressor, type: CMV 460, fabric number: 1368 85, year of construction: 1985,	300



Nr	Title	Description	Start €
		stroke volume in liter per minute: 460, max pressure: 10 bar, dimensions: 1300 mm x 500 mm x 1130 mm.	
711	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS76, serial number: 1676702501, type cooling compressor: 2CES-3Y-40S, serial number: 1696313488, capacity: 16.2/19.4 m³ per hour, dimensions: 900 mm x 1070 mm x 930 mm.	300
712	KTC	KTC air compressor, model: COMPACK 2 SP 90, serial number: AK100014397, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 3 kW, weight: 78 kg, maximum working pressure: 10 bar, dimensions: 1160 mm x 480 mm x 930 mm.	300
713	O.G. Hoyer A/S	O.G. Hoyer A/S tray filling line, consisting of: Tray denester, plastic belts, belt width: (6x) 30 mm, 3 lanes, lane width: (3x) 150 mm, clearance: (3x) 145 mm x 145 mm, total dimensions: 1940 mm x 770 mm x 1830 mm. O.G. Hoyer A/S tray filler, type: CC2, number: 2502-1903, year of construction: 07-1987, 380 V, 3 Ph, 50 Hz, 10 kW, dimensions dye: (3x) 145 mm x 145 mm, total dimensions: 5550 mm x 1360 mm x 2600 mm. Transport belt, s/s frame, belt width: 140 mm, total dimensions: 4000 mm x 500 mm x 1050 mm. Curve conveyor, s/s frame, bel width: 140 mm, total dimensions: 2250 mm x 1700 mm x 1300 mm. 3 s/s trolleys with parts and dye's, dimensions dye: (3x) 180 mm x 120 mm, total dimensions: 1930 mm x 1000 mm x 1200 mm, 1000 mm x 760 mm x 1120 mm and 1350 mm x 730 mm x 1960 mm. 2 pallets with plastic belts, belt width: 140 mm, total dimensions: 1200 mm x 800 mm x 520 mm and 1200 mm x 800 mm x 380 mm.	5000
714	Ilpra	Ilpra cup filling and sealing machine, model: 4000 cip, number: FS 502, year of construction: 2003, 380 V, cup diameter: 70 mm, plastic belt, belt width: 210 mm, total dimensions: 1800 mm x 1600 mm x 1700 mm. Including s/s tank, dimensions: 1100 mm x 500 mm x 600, and pallet with s/s pipes, dimensions: 2700 mm x 1100 mm x 450 mm.	3500
715	Sperling	Sperling control panel, model: VAT 50, dimensions: 800 mm x 340 mm x 200 mm.	100
716	Reich	Control panel for Reich cooking vessel, dimensions: 1000 mm x 420 mm x 400 mm. Incomplete.	50
717	Unika	Unika grinder, model: S-32, number: 1996-0628, 220/380 V, 7.4 A, 3 kW, maximum worm dimensions: Ø 60 mm, total dimensions: 610 mm x 410 mm x 400 mm. Incomplete.	75
718	Wagner	Wagner autoclave, type: KORIMAT KA160, factory number: 991608, year of construction: 1999, 230/400 V, 3	2000



Nr	Title	Description	Start €
		Ph, 9 kW, volume: 120 liter, dimensions: 1150 mm x 800 mm x 1250 mm.	
719	Mainca	Mainca cutter, model: CM-41, serial number: CM41223846, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 19 A, 8.6 kW, s/s bowl, volume bowl: 41 liter, s/s knives, dimensions: 1280 mm x 840 mm x 1100 mm.	4500
720	Eillert	Eillert mobile vegetable slicer, type: G3300, serial number: 382-9037, 220 V, 4.2 A, plastic belt, belt width: 250 mm, total dimensions: 4170 mm x 1140 mm x 1900 mm.	800
721	Steck	Steck mobile depositor, tub dimensions: Ø 660 mm x 550 mm, total dimensions: 1600 mm x 700 mm x 1220 mm.	500
722	NN pneumatic cylinders	4 pneumatic cylinders, length: 770 mm, diameter: 90 mm.	80
723	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 524, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1300 mm x 720 mm x 1280 mm.	600
724	Helios / Xu-Yuan	Helios / Xu-Yuan packaging, labelling, shrinking and cooling line for pots, consisting of: Helios packaging and labelling machine, model: XYL-250S, serial number: HSA-250S-026, 380 V, 3 Ph, 0.75 kW, maximum belt width: 90 mm, clearance: 130 mm x 480 mm, dimensions: 3650 mm x 1050 mm x 2250 mm. Xu-Yuan steam shrinking tunnel, model: ST-2280, number: 1201167, 380 V, 3 Ph, clearance: 200 mm x 480 mm, total dimensions: 2800 mm x 500 mm x 1150 mm. Pneumatic cooling machine for pots, clearance: dimensions: 1500 mm x 1000 mm x 2000 mm. Including transport belts with uprights, pallet with blower and pallet extra parts.	800
725	NN drip tray	Plastic drip tray, dimensions: 1300 mm x 1300 mm x 900 mm.	50
726	Holvrieka	Holvrieka s/s tank, fabrication number: 041.014, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	800
727	NN injector	Injector, 25 needles, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 700 mm x 1900 mm.	500
728	SIG Packaging Technology	SIG Packaging Technology s/s vibrating gutter, serial number: MV 1058, gutter width: 500 mm, total dimensions: 1800 mm x 900 mm x 1100 mm.	500
729	SIG Packaging Technology	SIG Packaging Technology s/s vibrating gutter, serial number: MV 1059, gutter width: 300 mm, total dimensions: 1600 mm x 800 mm x 950 mm.	400
730	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: C 2351, fabrication number: 1456891930010, year of construction: 2023, 230 V, 1 Ph, 50-60 Hz, 4.3 A, temperature range: 0-40 °C, weighing range: 0-15 kg, plastic belt, belt width: 450 mm, total	1250



Nr	Title	Description	Start €
		dimensions: 850 mm x 700 mm x 1700 mm. Screen broken, already dismantled.	
731	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: IND 439 40, fabrication number: 14003144, year of construction: 2008, 230 V, 50 Hz, maximum: 20000 gram, minimum: 200 gram, e- 10 gram, belt width: 500 mm, total dimensions: 2300 mm x 1100 mm x 1900 mm.	1000
732	Sepamatic	Sepamatic separator, type: SEPA 1200, machine number: 195559, 400 V, 50 Hz, 6 kW, diameter drum: 300 mm, diameter perforations: 2 mm, total dimensions: 1300 mm x 1170 mm x 1800 mm.	6000
733	Anema	Anema centrifugal pump, capacity: 5.8 m ³ per hour, dimensions: 600 mm x 250 mm x 500 mm.	100
734	Holvrieka	Holvrieka s/s tank, fabrication number: 041.013, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	800
735	Pisces	Pisces fish filletting machine, model: FR 200, working width: 45 mm, total dimensions: 1750 mm x 950 mm x 1650 mm.	3500
736	NN paraffine tank	S/s paraffine tank, dimensions: 1250 mm x 830 mm x 1000 mm.	40
737	Feltracon	Feltracon melon peeler for 6 melons, type: 61M, number: 3615-61M1, year of construction: 2009, 230/400 V, 0.6 kW, diameter each station: 105 mm, total dimensions: 1450 mm x 980 mm x 2050 mm.	3000
738	Fords Duckworth	Fords Duckworth pocket filling and sealing machine, model: 1002, serial number: 574, 240 V, 3 Ph, 50 Hz, 1.1 kW, dimensions dye: 90 mm x 40 mm, total dimensions: 1150 mm x 900 mm x 1750 mm.	1500
739	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 1340691, year of construction: 1996, 220-240/380-460 V, 3 Ph, 50/60 Hz, 25/20 A, dimensions: 950 mm x 900 mm x 1700 mm.	2000
740	Stahl	Stahl hoist, type: AS 3012, number: 53 03 502, year of construction: 1993, dimensions: 1200 mm x 750 mm x 335 mm.	250
741	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 900 mm x 200 mm x 330 mm.	100
742	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 390 mm.	100
743	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	100
744	Kramp	Kramp hydraulic unit, dimensions: 560 mm x 350 mm x 620 mm.	100
745	Kramp	Kramp hydraulic unit, dimensions: 560 mm x 350 mm x 620 mm.	100



Nr	Title	Description	Start €
746	Lowara	Lowara centrifugal pump, type: CEA210/5/D-V, number: 01081, year of construction: 2016.11.07, capacity: 120-300 liter per minute, dimensions: 490 mm x 250 mm x 300 mm.	150
747	Grundfos / Lowara	Pallet with 6 pumps, dimensions: 1200 mm x 800 mm x 500 mm.	250
748	Alfa Laval	Alfa Laval heat exchanger, type: M6-FG, serial number: 30108-02428, year of construction: 2011, volume: 3.7 / 4.0 liter, dimensions: 1120 mm x 740 mm x 320 mm.	400
749	Lowara	Lowara multi stage pump, type: SV3005N110T, capacity: 15-39 m ³ per hour, dimensions: 1320 mm x 350 mm x 350 mm.	150
750	SEW-Eurodrive	2 SEW-Eurodrive motors, type: KV77 DY112LB/HR/TH/SM41, dimensions: (2x) 470 mm x 190 mm x 290 mm and (2x) 290 mm x 200 mm x 340 mm.	200
751	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	100
752	SEW-Eurodrive	Pallet with SEW-Eurodrive motor and part for SEW-Eurodrive motor, dimensions: 1200 mm x 800 mm x 400 mm.	100
753	SEW-Eurodrive	Pallet with large amount of SEW-Eurodrive frequency converters, dimensions: 1200 mm x 800 mm x 600 mm.	500
754	Stahl	Stahl hoist, type: AS 3012, number: 53 06 501, year of construction: 1993, capacity: 5000 kg, dimensions: 1200 mm x 750 mm x 335 mm.	250
755	Spirotech	Spirotech vacuum degasser, type: S6A, serial number: 0079382001, year of construction: 2012, 230 V, 50 Hz, 800 W, dimensions: 590 mm x 350 mm x 880 mm.	100
756	Lowara	Lowara centrifugal pump, type: SHS 32-160/15/D, serial number: 2013 0326 0003, capacity: 9-24 m ³ per hour, dimensions: 490 mm x 250 mm x 300 mm.	150
757	Lowara	Lowara centrifugal pump, type: ESHS 32-160/15/S25RSSW, number: 03036, year of construction: 2018.11.26, capacity: 154 m ³ per hour, dimensions: 490 mm x 250 mm x 300 mm.	150
758	Lowara	Lowara centrifugal pump, type: SHS 32-160/15/D, serial number: 2013 0326 0001, capacity: 9-24 m ³ per hour, dimensions: 490 mm x 250 mm x 300 mm.	150
759	Lowara	Lowara centrifugal pump, type: CEA210/5/C, number: 01347, year of construction: 2013.03.29, capacity: 120-300 liter per minute, dimensions: 490 mm x 250 mm x 300 mm.	150
760	Datalogic	Datalogic barcode scanner, model: DX 8210-2100, serial number: C19F01137, year of construction: June 2019, dimensions: 380 mm x 335 mm.	100
761	Siemens / Grundfos	Pallet with various parts, among others: Grundfos pump, Siemens Simatic S7-1500, IEL Technology displays, dimensions: 1200 mm x 800 mm x 400 mm.	250



Nr	Title	Description	Start €
762	ATB	ATB motor, type: YA 200L/4A-21, number: 9116774, dimensions: 770 mm x 390 mm x 450 mm.	100
763	Cantoni	Cantoni motor, model: 3SIE 225M4, year of construction: 2022, dimensions: 950 mm x 480 mm x 570 mm.	100
764	SEW-Eurodrive	Pallet with 11 SEW-Eurodrive motors, dimensions: 1200 mm x 800 mm x 400 mm.	400
765	Grundfos	3 Grundfos warm water circulation pump, model: Magna1 40-80 F 220, serial number: 10009350, 230 V, 1 Ph, 50/60 Hz, dimensions: (3x) 375 mm x 230 mm x 230 mm.	250
766	Grundfos	2 Grundfos warm water circulation pump, model: Magna3 80-120 F 360, serial number: 10001471, 230 V, 1 Ph, 50/60 Hz, dimensions: 375 mm x 230 mm x 230 mm and 375 mm x 230 mm x 230 mm.	150
767	Grundfos	2 Grundfos warm water circulation pump, model: Magna3 32-120 F 220, serial number: 10020516 and 10008129, 230 V, 1 Ph, 50/60 Hz, dimensions: (2x) 375 mm x 230 mm x 230 mm.	150
768	Bosch Rexroth	Bosch Rexroth hydraulic unit, serial number: 465441, year of construction: 2005, dimensions: 1170 mm x 650 mm x 1100 mm.	250
769	Alfa Laval	Alfa Laval heat exchanger, type: M6-MDFG, serial number: 30107-27024, year of construction: 2010, volume: 6.4 / 6.0 liter, dimensions: 970 mm x 860 mm x 370 mm.	400
770	Demag	Demag hoist, type: DC-Com, serial number: 935083, year of construction: 2005, 380/415 V, 3 Ph, 50 Hz, dimensions: 570 mm x 550 mm x 340 mm.	200
771	Demag	Demag hoist, capacity: 800 kg, dimensions: 570 mm x 550 mm x 340 mm.	200
772	Reflex Winkelmann GmbH	Reflex Winkelmann GmbH control unit, type: GSM 150, number: 202 153 0000, year of construction: 2008, 400 V, 50 Hz, 3.1 A, 1.1 kW, dimensions: 410 mm x 390 mm x 610 mm.	150
773	Reflex Winkelmann GmbH	Reflex Winkelmann GmbH control unit, type: GSM 150, number: 202 153 0000, year of construction: 2008, 400 V, 50 Hz, 3.1 A, 1.1 kW, dimensions: 410 mm x 390 mm x 610 mm.	150
774	Markem-Imaje	Markem-Imaje inkjet printer, model: 9410, serial number: FR18470131, year of construction: November 2018, 100-240 V, 1 Ph, 50-60 Hz, 0.5-0.3 A, dimensions: 365 mm x 340 mm x 560 mm.	200
775	Busch	Busch vacuum pump, type: RA 0302 D 503, serial number: CHM120300532, year of construction: 2020, capacity: 300 m ³ per hour, dimensions: 1030 mm x 550 mm x 460 mm.	650
776	Speck Pumpen	Speck Pumpen vacuum pump, type: Vakuumanlage-345, serial number: 1000555708, capacity: 203-245 m ³ per hour, dimensions: 1100 mm x 350 mm x 1440 mm.	125
777	Busch	Busch vacuum pump in s/s cover, type: RA 0100 F 503, number: 120012781, year of construction: 2012, capacity:	200



Nr	Title	Description	Start €
		100 m ³ per hour, dimensions: 900 mm x 570 mm x 720 mm.	
778	Busch	Busch vacuum pump in s/s cover, type: RA 0100 F 503, number: 110056500, year of construction: 2011, capacity: 100 m ³ per hour, dimensions: 900 mm x 570 mm x 720 mm.	200
779	Slingerland Techniek	Slingerland Techniek blower, model: Seat35/PP/LG/IEC112, 400 V, 3 Ph, 50 Hz, 2.2 kW, dimensions: 1840 mm x 740 mm x 1000 mm.	100
780	VentApp	VentApp blower, type: E 200/31-50, serial number: 51046/6-99, year of construction: 1999, capacity: 2000 m ³ per hour, dimensions: 700 mm x 450 mm x 580 mm.	75
781	Nord	Pallet with 7 Nord motors, dimensions: 1200 mm x 800 mm x 500 mm.	250
782	Busch	S/s frame with 2 Busch vacuum pumps, type: RA 0302 D 5Z3 CWXZ, number: C1211000500 and C1211000501, year of construction: 2012, capacity: 300 m ³ per hour each, dimensions: 1000 mm x 1000 mm x 1520 mm.	750
783	Busch	S/s frame with Busch vacuum pump and blower, type: RD 0360 A 503, serial number: CHM121180053, year of construction: 2021, capacity: 300 m ³ per hour, dimensions: 900 mm x 770 mm x 920 mm.	650
784	ST Fans	ST Fans fan, model: DVC 500-S+REV5/5, serial number: 92999/1008285745-003/20231117, 380-415 V, 50/60 Hz, 1.97 A, 1349 W, dimensions: 910 mm x 910 mm x 500 mm.	100
785	DTE	DTE water chiller, type: NO-004.7, manufacturing number: D0757-D1285000155001, year of construction: 28-06-2012, 230-400 V, 3 Ph, 50 Hz, 7.89 A ,refrigerant: R134a, 2.4 kg, dimensions: 830 mm x 800 mm x 1220 mm.	200
786	Ventinet	Ventinet fan, type: VN-Roof- 636M, 230 V, 1 Ph, 50 Hz, 1.53 kW, capacity: 11.489 m ³ per hour, dimensions: Ø 1160 mm x 950 mm.	100
787	Selco	Selco mobile plasma cutter with torch and ground cable, type: Tecnoplasma 52, number: 007460000959, dimensions: 700 mm x 400 mm x 750 mm.	125
788	Ziehl-Abegg	Ziehl Abegg fan, diameter fan: 640 mm, dimensions: 800 mm x 800 mm x 250 mm.	50
789	Busch	Busch vacuum pump, type: RA 0063 E 5Z1, number: 03021190, capacity: 63 m ³ per hour, dimensions: 620 mm x 430 mm x 400 mm.	200
790	NN dyes	Pallet with 2 crates with dyes, dimensions dye: (3x) 220 mm x 100 mm and (2x) 220 mm x 150 mm.	50
791	Bose	Bose speakers, model: Computer MusicMonitor, serial number: 058263Z31760043AE, dimensions: (2x) 95 mm x 75 mm x 100 mm. With remote control.	15
792	Rühle GmbH		2000



Nr	Title	Description	Start €
		Rühle GmbH mobile dicer, model: SR1, dimensions chamber: 100 mm x 100 mm, total dimensions: 1000 mm x 680 mm x 1100 mm.	
793	Tipper Tie technopack	Tipper Tie technopack mobile double clipper, model: KDC-A, number: 4250.087.039, year of construction: 1999, dimensions: 1200 mm x 700 mm x 1800 mm.	750
794	Kramer + Grebe GmbH & Co.KG	Kramer + Grebe GmbH & Co.KG grinder/cutter, model: SM/ZW, number: 275/102, diameter plate: 110 mm, dimensions bowl: Ø 730 mm x 120 mm, total dimensions: 1650 mm x 1150 mm x 1140 mm. Incomplete.	1500
795	Röschermatic	Röschermatic mobile vacuum tumbler, type: TU-E150, number: 7270018, 220 V, 1 Ph, 50 Hz, 0.87 kW, volume: 150 liter, total dimensions: 1420 mm x 970 mm x 1330 mm.	450
796	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG double table model clipper, type: DCD 600, number: 333, year of construction: 2012, dimensions: 560 mm x 360 mm x 1030 mm.	1500
797	Teraoka Seiko Co., Ltd	Teraoka Seiko Co., Ltd packaging machine, type: AW-4600FX, serial number: 14167964, year of construction: 2014, 380/400/415/440 V, 3 Ph, 50/60 Hz, 0.9 kW, weighing range: 20g - 3/6 kg, e=1/2g, T=2.999 kg, film width: 400 mm, total dimensions: 950 mm x 860 mm x 1400 mm.	150
798	Meiko	Meiko dishwasher, model: EcoStar 545 D, clearance: 500 mm x 500 mm, total dimensions: 850 mm x 700 mm x 1640 mm.	350
799	Itra	Itra 90° curve conveyor, number: ORD18-0675, year of construction: 11/2018, steel frame, plastic belt, belt width: 400 mm, total dimensions: 1800 mm x 1350 mm x 920 mm.	350
800	Bizerba	Bizerba bandsaw, model: FK 23, number: 10558007, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.3 A, dimensions: 530 mm x 520 mm x 830 mm.	450
801	NN sink	Double s/s sink with faucets, dimensions: 650 mm x 500 mm x 1350 mm.	150
802	NN sink	S/s sink, dimensions: 1000 mm x 600 mm x 810 mm.	100
803	Nortech	Nortech blast chiller, model: QCF105, serial number: 071001461, 230 V, 50 Hz, 1000 W, refrigerant: R404A, 1300 gram, dimensions: 750 mm x 720 mm x 860 mm.	200
804	Liebherr	Liebherr freezer, dimensions: 660 mm x 600 mm x 1850 mm.	200
805	Liebherr	Liebherr laboratory refrigerator, model: Lkexc 3910, serial number: 81.202.866.7, 220-240 V, 50 Hz, 1.5 A, refrigerant: R600a, 55 gram, volume: 344 liter, dimensions: 620 mm x 600 mm x 1840 mm.	150
806	Gram	Gram mobile laboratory refrigerator, type: ER 930 LG E 11213041, serial number: 101887221, year of construction: 2015, 230 V, 50 Hz, 2.75 A, 464 W,	500



Nr	Title	Description	Start €
		refrigerant: R290, 126 gram, dimensions: 1070 mm x 780 mm x 2150 mm.	
807	Liebherr	Liebherr freezer, model: GS 5203, number: 77.204.421.9, 220-230 V, 50 Hz, 220 W, refrigerant: R600a, 110 gram, volume: 520 liter, dimensions: 750 mm x 700 mm x 1700 mm.	200
808	Liebherr	Liebherr freezer, model: GS 5203, number: 77.204.420.2, 220-230 V, 50 Hz, 220 W, refrigerant: R600a, 110 gram, volume: 520 liter, dimensions: 750 mm x 700 mm x 1700 mm.	200
809	Ziegra	Ziegra ice machine, serial number: 105484, dimensions: 800 mm x 650 mm x 1570 mm.	300
810	Liebherr	Liebherr refrigerator, type: 2 3097 4, serial number: 76.346.095.0, 220/230 V, 50 Hz, 180 W, refrigerant: R 600 a, 55 g, 5 floors, floor dimensions: 520 mm x 670 mm, total dimensions: 660 mm x 750 mm x 1630 mm.	150
811	NN thermobox	Mobile thermobox, dimensions: 650 mm x 450 mm x 1400 mm.	25
812	Gamko	Gamko refrigerator, type: ECO/22GVSCS-CC, serial number: 201635 536941, year of construction: 2016, 220-240 V, 50 Hz, 0.5 A, 75 W, refrigerant: R134A, dimensions: 1160 mm x 510 mm x 860 mm. Glass is broken.	30
813	Kassel	Kassel refrigerated cabinet, inside dimensions: 560 mm x 550 mm x 950 mm, total dimensions: 1000 mm x 740 mm x 1100 mm.	100
814	NN bar stools	3 wooden bar stools, dimensions: (3x) 440 mm x 410 mm x 1050 mm.	5
815	AIII	AIII ZHEJIANG APOLLO MOTORCYCLE 200cc quad, type: AGA-16-T3B, commercial name: commander 200, year of construction: 06/2019, dimensions: 1800 mm x 1000 mm x 1300 mm. Never used, including COC declaration.	1250
816	Winterhalter	Winterhalter dishwasher, type: GR 62/2, dimensions: 810 mm x 720 mm x 1580 mm.	50
817	Electrolux	Electrolux washing machine, model: W365H, serial number: 04500631, 220/240 V, 1 Ph, 50 Hz, 10 A, 900 W, capacity: 6.5 kg, dimensions: 740 mm x 840 mm x 1220 mm.	300
818	Electrolux	Electrolux washing machine, model: W365H, serial number: 04500624, 220/240 V, 1 Ph, 50 Hz, 10 A, 900 W, capacity: 6.5 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	200
819	Electrolux	Electrolux washing machine, model: W365H, serial number: 00520 / 0085074, year of construction: 06-2011, 230 V, 1 Ph, 50 Hz, 10 A, capacity: 6.5 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	200
820	Electrolux	Electrolux washing machine, model: W365H, serial number: 04500626, 220/240 V, 1 Ph, 50 Hz, 10 A, 900 W,	200



Nr	Title	Description	Start €
		capacity: 6.5 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	
821	CombiSteel	CombiSteel refrigerated showcase, model: 7472.0140, serial number: 111190100, 220/240 V, 50 Hz, 0.93 A, refrigerant: R290, 0.095 kg, 8 compartments, dimensions compartments: (8x) 335 mm x 140 mm, total dimensions: 1210 mm x 850 mm x 1280 mm.	200
822	ACP, Inc.	ACP, Inc. microwave, model: DEC21E2, serial number: 1601120602, year of construction: 1/2016, 230/240 V, 1 Ph, 50 Hz, 16 A, 3100 W, inside dimensions: 300 mm x 330 mm x 170 mm, total dimensions: 580 mm x 430 mm x 350 mm.	60
823	Hupfer	Hupfer mobile plate dispenser, tray dimensions: 560 mm x 560 mm x 140 mm, total dimensions: 880 mm x 750 mm x 920 mm.	25
824	Bizerba	Bizerba automatic slicer, type: A404, number: 1426499, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1050 mm x 700 mm x 800 mm.	800
825	NN lockers	4x 2 steel lockers, dimensions: 760 mm x 380 mm x 380 mm.	5
826	Küpperbusch	Küpperbusch 6 pits stove, type: KCN 007, 50 Hz, dimensions: 1200 mm x 860 mm x 870 mm.	200
827	Mobile Containing	Mobile Containing mobile plate dispenser, model: THN-MS 310, serial number: 12440, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 600 W, clearance: Ø 310 mm, total dimensions: 500 mm x 470 mm x 980 mm.	25
828	Helkama	Helkama refrigerator, type: F85G V LB EXTRA COLD, number: 707022723, year of construction: 06.04.2007, 230/240 V, 1 Ph, 50 Hz, refrigerant: R134A, 75 g, 2 floors, floor dimensions: 270 mm x 430 mm, total dimensions: 500 mm x 500 mm x 950 mm.	75
829	Hobart	Hobart dishwasher, dimensions: 600 mm x 600 mm x 800 mm.	100
830	Compact	Compact water softener, dimensions: 550 mm x 300 mm x 1100 mm.	30
831	Winterhalter	Winterhalter dishwasher, type: GS 315, serial number: 536168, 400 V, 3 Ph, 50 Hz, 13.6 A, 5.6 kW, dimensions: 690 mm x 600 mm x 820 mm.	100
832	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163013C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	600
833	NN tub	Plastic tub, dimensions: Ø 500 mm x 830 mm.	5
834	IFO	IFO heated showcase on mobile wooden counter, model: KVS-14, serial number: 108905119, year of construction: 1997, 3 floors, dimensions floors: (3x) 970 mm x 400 mm, total dimensions IFO: 1400 mm x 720 mm x 710 mm,	150



Nr	Title	Description	Start €
		dimensions wooden counter: 1360 mm x 940 mm x 890 mm.	
835	Inventum	Inventum refrigerator, model: KK550, serial number: 15220269, 220-240 V, 50 Hz, 0.21 A, 70 W, refrigerant: R600a / 18 gram, volume: 136 liter, dimensions: 570 mm x 550 mm x 850 mm.	25
836	MKN	MKN 4 pits stove, type: 845096, 220 V, 1.0 kW, dimensions: 860 mm x 800 mm x 900 mm.	300
837	Funke	Funke plate heat exchanger, type: FP 22-23-1-NH-0 10.0 bar, serial number: 761177, year of construction: 06.2014, PS min/max: 0/10.0 bar, TS min 0.0 °C, TS max 110.0 °C, volume: 4.8 liter, dimensions: 330 mm x 350 mm x 1150 mm.	300
838	Boppas	Boppas tiltable braising pan, inside dimensions: 720 mm x 700 mm x 170 mm, total dimensions: 1270 mm x 950 mm x 900 mm.	200
839	IPSO	IPSO washing machine, type: HW 64, number: 64007638, year of construction: 2003, 220 V, 1 Ph, 50 Hz, 6 A, 0.75 kW, capacity: 6 kg, weight: 200 kg, dimensions: 660 mm x 820 mm x 1030 mm.	200
840	IPSO	IPSO washing machine, type: HW 64, number: 64007642, year of construction: 2003, 220 V, 1 Ph, 50 Hz, 6 A, 0.75 kW, capacity: 6 kg, weight: 200 kg, dimensions: 660 mm x 820 mm x 1030 mm.	200
841	Zanussi	Zanussi grill plate, dimensions: 710 mm x 360 mm x 1000 mm.	40
842	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 390w, serial number: 40451/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 2.22 kg, dimensions: 720 mm x 600 mm x 1470 mm. Incomplete.	75
843	NN counter	Mobile wooden bar counter, dimensions: 2380 mm x 920 mm x 1170 mm.	40
844	Merco Savory	Merco Savory rotisserie grill on s/s trolley, model: SP-5, type: Panorama 5, 6 kW, 1 grill basket, dimensions basket: 450 mm x 160 mm, total dimensions: 860 mm x 625 mm x 1100 mm.	200
845	Jarvis	Jarvis pneumatic leg cutter, type: 3HD SPEC, serial number: 102537, dimensions: 1100 mm x 400 mm x 200 mm.	100
846	Proline	Proline air conditioning unit, model: PAC1790, serial number: 122000037, 220-240 V, 1 Ph, 50 Hz, 2.6 A, 560 W, refrigerant: R290, 0.09 kg, dimensions: 400 mm x 400 mm x 800 mm.	100
847	NN fish stall	Refrigerated mobile fish stall, 230 V, 50 Hz, dimensions: 1050 mm x 700 mm x 2100 mm.	75
848	Liebherr	Liebherr laboratory refrigerator, model: LKUv 1610, serial number: 83.042.962.0, 220-240 V, 50 Hz, 1.0 A,	100



Nr	Title	Description	Start €
		refrigerant: R600a, 24 gram, volume: 130 liter, dimensions: 620 mm x 600 mm x 840 mm.	
849	Bartscher	Bartscher refrigerated counter, type: S901, article number: 110136/0909, 230 V, 50 Hz, 1.5 A, 0.25 kW, refrigerant: R134a, 200 gram, dimensions: 900 mm x 700 mm x 1000 mm.	100
850	NN drawers	5 s/s drawers, dimensions: (5x) 500 mm x 440 mm x 100 mm.	5
851	NN heater	Heater, electrically heated, dimensions: 800 mm x 400 mm x 800 mm.	10
852	S.A.M.	S.A.M. slicer, dimensions: 740 mm x 600 mm x 700 mm.	100
853	Selbach	Selbach cooling machine, model: BK70 Mini, serial number: SJ 215226, year of construction: 2018, 230 V, 50 Hz, 3.5 A, 510 W, refrigerant: R290a, 100 gram, dimensions: 700 mm x 360 mm x 600 mm.	50
854	IndelB	IndelB refrigerator, serial number: 0530W181625218510149, 220/240 V, 50/60 Hz, 65 W, volume: 32 liter, refrigerant: R600a, weight: 13.2 kg, dimensions: 410 mm x 440 mm x 540 mm.	40
855	Hendi BV	Hendi BV au-bain marie, model: Ecoline, serial number: 202569-000041, 230 V, 50 Hz, 1300 W, dimensions: 540 mm x 340 mm x 240 mm.	50
856	K.E.W.	K.E.W. high pressure cleaner, model: 1702KSA, number: 9005142	70
857	NN hose reel	S/s hose reel with hose, dimensions: 800 mm x 600 mm x 300 mm.	50
858	MKN	MKN grill plate, type: 2021107-00, machine number: 08795, 400 V, 3 Ph, 7.2 kW, dimensions: 850 mm x 600 mm x 850 mm.	40
859	Primus	Primus washing machine, model: P06, serial number: 6P011239NC, year of construction: 2008, 380-415 V, 3 Ph, 50 Hz, 16 A, capacity: 6 kg, dimensions: 640 mm x 685 mm x 1260 mm.	150
860	Kärcher	Kärcher mobile high pressure cleaner, type: HDS 995, number: 150572, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 6.8 kW, dimensions: 1400 mm x 600 mm x 900 mm.	50
861	NN pasta machine	Pasta machine on rollie, dimensions: 1000 mm x 450 mm x 880 mm.	300
862	Friulinox	Friulinox saladette, model: Alzatina R, serial number: F200405260000034, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 1.0 A, 155 W, refrigerant: R134a, 70 gram, dimensions: 1600 mm x 300 mm x 300 mm.	50
863	Rosières	Rosières stove with 2 ovens, dimensions: 1170 mm x 650 mm x 980 mm.	150
864	Solia	Solia salad washer and dryer, type: SWA 75 D, machine number: 82/05 0337 08, 230 V, 50 Hz, 1.5 kW, dimensions washer: Ø 420 mm x 350 mm, working dimensions: Ø 395	650



Nr	Title	Description	Start €
		mm x 290 mm, total dimensions: 1000 mm x 700 mm x 865 mm.	
865	Electrolux	Electrolux dishwasher, model: NUC1DP, serial number: 33610011, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 3.65 kW, dimensions: 650 mm x 600 mm x 800 mm.	100
866	NN fish stall	Refrigerated mobile fish stall, 230 V, 50 Hz, dimensions: 1050 mm x 700 mm x 2100 mm.	75
867	Rieberwerke	Rieberwerke mobile plate dispenser, type: RRH-2, number: 5603056, 220 V, 1340 Watt, plate diameter: 300 mm, total dimensions: 940 mm x 480 mm x 910 mm.	10
868	Lido-Bertuch GmbH	Lido-Bertuch GmbH grill, number: 1043, year of construction: 7/1982, 380/220V, 2.8/3.2/6.0 kW, grill dimensions: 450 mm x 450 mm, total dimensions: 660 mm x 600 mm x 880 mm.	40
869	Beko	Beko dryer, model: WMB 51221, serial number: 12-601318-12, 230 V, 50 Hz, 16 A, 2200 Watt, capacity: 5 kg, dimensions: 600 mm x 450 mm x 840 mm.	40
870	NN oven	Mobile oven, inside dimensions: 550 mm x 500 mm x 800 mm, total dimensions: 1550 mm x 600 mm x 1300 mm.	350
871	Caterchef	Caterchef oven, model: 0130IU, number: 1011145, 400 V, 5.4 kW, 4 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 900 mm x 680 mm x 570 mm.	100
872	Zuma	Zuma mobility scooter, dimensions: 1500 mm x 650 mm x 1100 mm.	50
873	EFA	5 boxes with EFA saws for splitting saws, 10 per box, dimensions saws: 19x0.56x2904.	75
874	Avtech	2 Avtech security cameras, dimensions: 240 mm x 120 mm x 410 mm and 260 mm x 90 mm x 220 mm.	30
875	NN table	2 tables, steel frame, wooden top, dimensions: (2x) Ø 1190 mm x 740 mm.	1
876	Mitsubishi	Mitsubishi pallet lifter with weighing option, number: 201501462, fork length: 1150 mm, total dimensions: 1500 mm x 520 mm x 1220 mm. Technical condition unknown.	50
877	Nuaire	Nuaire containment ventilated enclosure, model: NU-813-400, serial number: 163035043014, year of construction: 2014, 115 VAC, 1 Ph, 60 Hz, 5 A, dimensions: 1200 mm x 700 mm x 1360 mm.	200
878	Groku Kampen	Groku Kampen refrigerated showcase with plastic roller shutter, dimensions: 1200 mm x 1000 mm x 1440 mm.	200
879	NN slicer	Slicer, dimensions: 600 mm x 600 mm x 450 mm.	100
880	NN cabinet	Mobile s/s cabinet, 2 floors, floor dimensions: 545 mm x 1050 mm, total dimensions: 1300 mm x 820 mm x 1055 mm.	100
881	NN tenderizer	Tenderizer, working width: 200 mm, total dimensions: 430 mm x 350 mm x 450 mm.	40
882	Zenith	Zenith weighing scale, model: Equa 5000, serial number: 120950250, maximum weight: 12 kg, minimum weight:	10



Nr	Title	Description	Start €
		40 gram, e=: 2 gram, T=-9.998 kg, 110-230 V, 50/60 Hz, dimensions: 400 mm x 350 mm x 600 mm.	
883	Red Bull	Red Bull refrigerator, model: RBI-OBC1 ECO LED, serial number: RBI-OBC1ECO LED09050637, year of construction: 05.2009, 220/240 V, 50 Hz, 0.5 A, 80 W, refrigerant: R600a, 16 g, 1 floor, floor dimensions: 200 mm x 220 mm, total dimensions: 360 mm x 300 mm x 580 mm.	40
884	ReflexSystems	ReflexSystems registration terminal, model: flex 3000 CT, 220-240 VAC, 50/60 Hz, 80 W, dimensions: 300 mm x 450 mm x 420 mm.	40
885	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2319E120531, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	40
886	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2318K120134, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	40
887	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2305P120585, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	40
888	NN ice machine	Ice machine, 220 V, dimensions: 620 mm x 420 mm x 430 mm.	40
889	S.A.M.	2 S.A.M. automatic slicer, model: S.A.M. 329 f, serial number: 17064, year of construction: 1998, 400 V, 50 Hz, 1.36 A, dimensions: 940 mm x 600 mm x 500 mm and model: 308aXL A, number: 11311, 220 V, 180 W, dimensions: 670 mm x 600 mm x 450 mm. Technical conditions unknown.	250
890	Scale House	Scale House weighing scale, model: AFW, serial number: T76079, dimensions scale: 520 mm x 420 mm, total dimensions: 650 mm x 430 mm x 900 mm.	50
891	NN switch cabinets	3 steel switch cabinets, dimensions: 550 mm x 650 mm x 220 mm, 550 mm x 950 mm x 220 mm and 550 mm x 1250 mm x 220 mm.	50
892	Ling Xia Yi Qi	Ling Xia Yi Qi traysealer, diameter dye: 90 mm, total dimensions: 450 mm x 250 mm x 700 mm. With 2 boxes with cups and seals.	30
893	NN parts	Plastic crate with various parts, fan, type fan: HCFB/4-355/H-A and various electric plugs.	5
894	Dahongying	Dahongying weighing scale, maximum weight: 40 kg, minimum weight: 200 gram, e=d= 5 gram, dimensions scale: 320 mm x 240 mm, total dimensions: 370 mm x 140 mm x 40 mm.	50
895	Jura	Jura coffee machine, dimensions: 450 mm x 230 mm x 340 mm.	10
896	Maxima	Maxima table model grinder, model: 09300445, serial number: MMM12-S597-01202410-015, 230 V, 1 Ph, 50	150



Nr	Title	Description	Start €
		Hz, 750 W, weight: 23 kg, plate diameter: 70 mm, total dimensions: 440 mm x 250 mm x 460 mm.	
897	Gastro Hero GmbH	Gastro Hero GmbH refrigerator, model: GNH650TN, serial number: SK2220GH44AG650T243, year of construction: 2020, 220/240 V, 50 Hz, 1.9 A, refrigerant: R290, 120 gram, 5 floors, floor dimensions: 620 mm x 520 mm, total dimensions: 720 mm x 775 mm x 1850 mm. Door is broken.	150
898	Royal Vendors	Royal Vendors vending machine, model: 8000X, serial number: 1501DK-01502, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, 0.17 kg, dimensions: 950 mm x 880 mm x 2130 mm.	150
899	Alto Shaam	Alto Shaam oven, model: VMC-H4H, serial number: 3016241-1, year of construction: 2021, 380-415 V, 3 Ph, 50/60 Hz, 10800-12700 W, 4 floors, dimensions each floor: 500 mm x 370 mm x 120 mm, total dimensions: 900 mm x 500 mm x 1100 mm.	3000
900	Huvema	Huvema circular saw, model: TRS275DV, number: 43184, year of construction: 1999, dimensions: 500 mm x 820 mm x 1560 mm.	100
901	Gastro Hero GmbH	Gastro Hero GmbH freezer, model: SFH60V, serial number: SK2222GH44432SF6V051, year of construction: 2022, 220/240 V, 50 Hz, 2.8 A, refrigerant: R290, 140 gr, 5 floors, floor dimensions: 620 mm x 520 mm, total dimensions: 720 mm x 775 mm x 1850 mm.	150
902	Robejo	Robejo metal saw, dimensions: 1000 mm x 700 mm x 1630 mm.	100
903	Kaplanlar	Kaplanlar refrigerated showcase, model: Granizado - DL, serial number: 26350002200330, year of construction: 02/2020, 230 V, 1 Ph, 50 Hz, 4.18 A, 962 W, refrigerant: R290, 300 gram, 4 floors, floor dimensions: 1130 mm x 260 mm, total dimensions: 1200 mm x 580 mm x 2200 mm.	150
904	NN water softener	Water softener, model: VDR 30-400, serial number: 7238890-18137-1004, year of construction: 2011, dimensions: 600 mm x 450 mm x 1250 mm.	40
905	ASC Group	ASC Group mobile scaffolding, year of construction: 09-2021, maximum working height: 1815 mm, total dimensions: 2000 mm x 850 mm x 1945 mm.	100
906	Gram	Gram refrigerator, type: K 181 US, serial number: 461/4, 230 V, 50 Hz, 100 W, refrigerant: R134a, 60 g, dimensions: 600 mm x 600 mm x 800 mm.	50
907	Gamko	Gamko refrigerated display, type: AV/MU84N, year of construction: 2010, 220-240 V, 50 Hz, 2.5 A, 380 W, dimensions: 850 mm x 600 mm x 750 mm.	75
908	Zieggra-Eismaschinen	Zieggra-Eismaschinen ice machine, type: ZBE 550 EV, serial number: 116929, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R 404A, dimensions: 800 mm x 660 mm x 1550 mm.	300



Nr	Title	Description	Start €
909	IPSO	IPSO double stacked dryer, inside dimensions: (2x) Ø 705 mm x 770 mm, total dimensions: 760 mm x 1120 mm x 1990 mm.	250
910	Automatic Products	Automatic Products vending machine, dimensions: 850 mm x 700 mm x 820 mm.	300
911	Fagor	Fagor dryer, inside dimensions: 540 mm x 515 mm x 11200 mm, total dimensions: 740 mm x 595 mm x 1845 mm.	150
912	Hoshizaki	Hoshizaki freezer, type: HOSHIZAKI F 410 RG L, number: 10164325, 230 V, 50 Hz, 1.01 A, 141 kW, refrigerant: R600a, 6 floors, floor dimensions: (6x) 430 mm x 480 mm, total dimensions: 650 mm x 600 mm x 1880 mm. Technical condition unknown.	200
913	Asskühl	Asskühl refrigerator, model: AF06MIDMTN, serial number: 20126291A, year of construction: 2012, 1 Ph, 50 Hz, refrigerant: R 507, inside dimensions: 590 mm x 580 mm x 1500 mm, total dimensions: 720 mm x 720 mm x 1030 mm.	150
914	Samsung	Samsung refrigerator with freezer, model: RL34ECSW, serial number: Y1JN4ADZ100436F, 220-240 V, 50 Hz, dimensions: 600 mm x 685 mm x 1775 mm. Display and frost free are not working, drawers are broken.	40
915	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 140w, serial number: 50769/02, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 1.3 kg, dimensions: 560 mm x 500 mm x 1470 mm. Incomplete.	50
916	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 385w, serial number: 49414/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 2.2 kg, dimensions: 560 mm x 500 mm x 1340 mm. Incomplete.	50
917	Diamond	Diamond cooling tub, inside dimensions: 625 mm x 510 mm x 215 mm, total dimensions: 790 mm x 610 mm x 435 mm.	40
918	Primus	Primus washing machine, model: FF07-MNOALL, serial number: 5700, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 16 A, 9.75 kW, capacity: 7 kg, dimensions: 750 mm x 870 mm x 1080 mm.	150
919	Nuaire	Nuaire containment ventilated enclosure, model: NU-813-400, serial number: 163034043014, year of construction: 2014, 115 VAC, 1 Ph, 60 Hz, 5 A, dimensions: 1200 mm x 700 mm x 1360 mm.	200
920	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 385w, serial number: 41558/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 0.88 kg, dimensions: 560 mm x 500 mm x 1340 mm. Incomplete.	75



Nr	Title	Description	Start €
921	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 815w, serial number: 321381, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 0.950 kg, dimensions: 640 mm x 500 mm x 1470 mm. Incomplete.	75
922	Imperial-Werke GmbH & Co.	Imperial-Werke GmbH & Co. 2 pits stove, type: VEHT2000, number: 26044, 400 V, 3 Ph, 50 Hz, 6.5 kW, stove dimensions: (2x) 300 mm x 300 mm, total dimensions: 900 mm x 560 mm x 900 mm.	50
923	Primus	Primus washing machine, model: C8, serial number: 8C000267JV, year of construction: 2006, 380-415 V, 3 Ph, 50 Hz, 16 A, 6 kW, capacity: 7.5 kg, dimensions: 690 mm x 650 mm x 1070 mm.	100
924	May	2 May 2-pits induction stoves, model: PCCT-63ET, number: 19050739, 400 V, 2 Ph, 50/60 Hz, 3 kW, dimensions: (2x) 610 mm x 300 mm x 380 mm.	40
925	Berkel	Berkel weighing scale, number: 54 023, maximum weight: 75 kg, dimensions: 700 mm x 670 mm x 1200 mm.	100
926	Inde Plastic	Inde Plastik traysealer, article number: IP 245, serial number: 2421, year of construction: 2010, 230 V, 50 Hz, 1000 W, dimensions dye: (2x) 105 mm x 105 mm and (1x) 225 mm x 125 mm, film width: 245 mm, total dimensions: 700 mm x 340 mm x 320 mm.	25
927	NN wine opener	Electric wine opener, dimensions: Ø 100 mm x 480 mm.	1
928	NN soap dosing machine	S/s soap dosing system, dimensions: 450 mm x 100 mm x 310 mm.	10
929	Handtmann	Rotor for Handtmann vacuum filling machine, model: VF 612.	200
930	Frey	Frey casing sealer, type: CLIPLEX, machine number: CXC1202900, year of construction: 2010, 230 V, 50/60 Hz, 0.5 kW, dimensions: (1x) 350 mm x 150 mm x 220 mm, (1x) 400 mm x 100 mm x 120 mm.	200
931	Mado	Mado grinder, type: MEW 613, number: 9630127, 230/400 V, 3 Ph, 50 Hz, 5.4/3.2 A, 1.45 kW, diameter plate: 70 mm, total dimensions: 500 mm x 300 mm x 440 mm.	200
932	GEA	Discs for GEA 500 liter cutter, diameter each: 285 mm.	50
933	Tefal	Tefal kitchen machine, type: 6762.35, 220-240 V, 50/60 Hz, 600 W, dimensions: 400 mm x 200 mm x 300 mm.	1
934	Radwag	Radwag weighing scale with indicator and Honeywell label printer, scale model number: PUE 5.15, maximum: 15 kg, minimum: 0.100 kg, e = 0.005 kg, dimensions scale: 300 mm x 300 mm x 100 mm, dimensions indicator: 490 mm x 40 mm x 250 mm, Honeywell label printer, serial number: 31321745113, dimensions printer: 440 mm x 280 mm x 290 mm.	300
935	VHH		5



Nr	Title	Description	Start €
		VHH coffee machine, type: 8.080.020.31021, model: C60-002, 230 V, 50-60 Hz, 2100 W, dimensions: 420 mm x 380 mm x 670 mm.	
936	DELL	4 DELL monitors, models: P2210f, (2x) E2417H, P2311Hb, screen dimensions: (4x) 530 mm x 295 mm.	20
937	L'unite Hermetique	L'unite Hermetique cooling compressor, type: CAET 9460T MHR, serial number: 03K14 185823 3B85930202, refrigerant: R22/R502, dimensions: 540 mm x 480 mm x 400 mm. Never used.	50
938	NN hose reel	S/s hose reel with spray pistol, dimensions: 440 mm x 340 mm x 440 mm.	100
939	NN hose reel	S/s hose reel with spray pistol, dimensions: 440 mm x 340 mm x 440 mm.	100
940	NN hose reel	S/s hose reel with spray pistol, dimensions: 440 mm x 340 mm x 440 mm.	100
941	Lubron	Lubron water softener, model: Compact C-30, serial number: 10071605, year of construction: 07/2010, capacity: 400 liter per hour, dimensions: 500 mm x 300 mm x 600 mm.	40
942	NN mixing head	Mixing head for immersion bender, dimensions: Ø 125 mm x 500 mm.	1
943	A/S Wodschow & Co	A/S Wodschow & Co mixer, model: AR005, machine number: 5723313, year of construction: 06-17, 230 V, 1 Ph, 50/60 Hz, 1.7 A, 500 W, dimensions: 370 mm x 270 mm x 450 mm. Without bowl.	10
944	Hendi	Hendi rice cooker and warmer, serial number: 662191-00053, 230 V, 50 Hz, dimensions: 480 mm x 400 mm x 350 mm.	30
945	NN counter	Wooden counter, dimensions: 2160 mm x 750 mm x 910 mm.	30
946	Hendi	Hendi single panini grill, serial number: 501437-000025, 230 V, 50 Hz, 2200 W, dimensions: 370 mm x 430 mm x 230 mm.	10
947	Merrychef	Merrychef turbo oven, model: Eikon e3, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	300
948	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 2003213090973, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	300
949	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 1210213090324, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	400
950	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 1409213090752, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	500



Nr	Title	Description	Start €
951	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 1404213090112, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	400
952	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 1404213090113, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	400
953	Haka	Haka frying pan, type: EBT600, year of construction: 09/2014, 400 V, 3 Ph, 6 kW, dimensions: 650 mm x 600 mm x 1000 mm.	100
954	Wasco	Wasco freezer, model: FB316A, serial number: 20520017, 220-240 V, 50 Hz, 1.45 A, 155 W, refrigerant: R600a, 60 gram, volume: 308 liter, dimensions: 1120 mm x 740 mm x 850 mm.	5
955	Katrin	Katrin paper dispenser, dimensions: 270 mm x 260 mm x 370 mm.	1
956	Micro Power	Micro Power battery charger, type: STC 24/50, serial number: 06092322, dimensions: 230 mm x 280 mm x 200 mm.	5
957	Showtec / Behringer / Quik Lok Systems	DJ set, consisting of: Quik Lok Systems sound installation, Behringer virtualizer, Behringer Eurorack MX 2642A, model DSP 1000, Antari smoke generator, model: Z-3000, Showtec DMX controller and various lights and flightcases.	1000
958	True	True refrigerator, model: GDM-35, serial number: 1-4003474, 230 V, 50 Hz, 5.0 A, refrigerant: R134a, 387 gram, volume: 991 liter, dimensions: 1000 mm x 780 mm x 2000 mm.	400
959	Caravell	Caravell refrigerator, model: 404-020-30, serial number: 02216432, 220-240 V, 50/60 Hz, 2.97 A, refrigerant: R134a, 0.170 kg, dimensions: 700 mm x 620 mm x 1860 mm.	400
960	Rotodyne	Rotodyne mobile fryer, type: CV 180, number: 11372, 380/220 V, 0.87/1.5 A, gas heated, dimensions: 1600 mm x 820 mm x 1450 mm.	100
961	Rex Royal	Rex Royal coffee machine, model: S300, dimensions: 630 mm x 345 mm x 720 mm.	75
962	Bizerba	Bizerba slicer, dimensions: 660 mm x 550 mm x 600 mm.	150
963	Bizerba	Bizerba tenderizer, working width: 170 mm, total dimensions: 450 mm x 210 mm x 430 mm.	200
964	NN table	S/s table, dimensions: 1500 mm x 950 mm x 700 mm.	50
965	larp	larp freezer, model: NUCAB 150 CC/M/E, serial number: 9100615.18, 230 V, 50 Hz, 1.7 A, 200 W, gross volume: 138 liter, net volume: 88 liter, refrigerant: R290 / 0.043 kg, dimensions: 700 mm x 650 mm x 900 mm.	100
966	Bauknecht		100



Nr	Title	Description	Start €
		Bauknecht refrigerator, model: KR 325 A++WS, 220-240 V, 50 Hz, 0.8 A, volume: 325 liter, refrigerant: R600a / 0.060 kg, dimensions: 640 mm x 600 mm x 1600 mm.	
967	larp	larp refrigerator, model: AB 500 N, serial number: 06NA16440, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	100
968	larp	larp freezer, model: AB 500N JUMBO, serial number: 04LA09838, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	100
969	Gram	Gram refrigerator, type: PLUS F 600 CSG 4N, serial number: 233, 230 V, 50 Hz, 2.5 A, 510 W, refrigerant: R290 / 92 grm, dimensions: 900 mm x 700 mm x 2010 mm.	300
970	Liebherr	Liebherr refrigerator, model: WTS 3202, type: 2 0012 1serial number: 0989567, 220-230 V, 50 Hz, volume: 320 liter, refrigerant: R12 / 0.160 kg, dimensions: 600 mm x 600 mm x 1600 mm.	100
971	larp	larp freezer, model: AB 500N JUMBO, serial number: 01BA19641, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	100
972	Liebherr	Liebherr freezer, model: GSP 3126, type: 3 6130 4, serial number: 19 149 405 3, 220-230 V, 50 Hz, 100 W, volume: 307 liter, refrigerant: R600a / 85 gram, dimensions: 680 mm x 660 mm x 1640 mm.	100
973	Tecnodom S.P.A.	Tecnodom S.P.A. freezer, model: AF07EKOMBT, serial number: 20153390A, 230 V, 1 Ph, 50 Hz, 3 A, 360 W, dimensions: 800 mm x 710 mm x 2030 mm.	150
974	Liebherr	Liebherr freezer, model: GSP 3126, type: 3 6130 4, serial number: 19 149 405 3, 220-230 V, 50 Hz, 100 W, volume: 307 liter, refrigerant: R600a / 85 gram, dimensions: 680 mm x 660 mm x 1640 mm.	100
975	Elekrolux	Elekrolux refrigerator, dimensions: 780 mm x 720 mm x 1990 mm.	150
976	DEKO	DEKO automatic slicer, model: 834EPB STACKER, number: 12261, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 375 W, dimensions: 900 mm x 600 mm x 520 mm.	500
977	MKN	MKN double fryer, type: 2020329S, serial number: 13211125, year of construction: 2013, 400 V, 3 Ph, 20.0 kW, minimum volume: (2x) 15 liter, maximum volume: (2x) 30 liter, dimensions: (2x) 850 mm x 600 mm x 1150 mm.	400
978	MKN	MKN induction furnace, 2x 4-pits, type: 2023109-02, 400-440 V, 3 Ph, 20.0 kW, dimensions: 1700 mm x 900 mm x 900 mm.	350
979	GGG		150



Nr	Title	Description	Start €
		GGG double fryer, model: WF-102, year of construction: 03-2018, 230 V, 50 Hz, 3 + 3 kW, electrically heated, volume: (2x) 10 liter, dimensions: 650 mm x 600 mm x 300 mm. Never used.	
980	De Jager	De Jager packaging machine, type: JADOPACK Master I, machine number: 20150326, year of construction: 2015, 220 V, 560 W, film width: 230 mm, seal: 220 mm x 170 mm, total dimensions: 730 mm x 520 mm x 450 mm.	50
981	Foss	Foss analyser, model: FoodScanTM, type: 78810, serial number: 2109200501, 100/240 V, 50/60 Hz, 2 A, inside dimensions: 240 mm x 200 mm x 120 mm, total dimensions: 430 mm x 530 mm x 500 mm.	4000
982	Conpax	Conpax packaging machine, type: Rapidpack+, serial number: AKK 9089, year of construction: 2007, 230 V, 0.5 kW, film width: 230 mm, seal length: 170 mm x 220 mm, total dimensions: 700 mm x 490 mm x 520 mm.	50
983	Coppens	Coppens packaging machine, machine number: 458H97A062, 220/240 V, 50 Hz, 530 W, film width: 230, seal: 220 mm x 150 mm, total dimensions: 750 mm x 460 mm x 480 mm.	50
984	Elekrolux	Elekrolux freezer, model: RH06FD1FL, serial number: 94900002, dimensions: 800 mm x 730 mm x 2060 mm.	150
985	Masan Klima San	Masan Klima San freezer, model: D 152 DFSG AC, 220-240 V, 50 Hz, 1.2 A, 200 W, refrigerant: R134a / 140 gram, dimensions: 640 mm x 590 mm x 900 mm.	100
986	Gram	Gram freezer, type: SNOWFLAKE K 605 RG O, serial number: 10205206, year of construction: 2016, 230 V, 50 Hz, 1.58 A, 280 W, refrigerant: R290 / 98 gram, dimensions: 860 mm x 700 mm x 2000 mm.	200
987	Proftech & de Bruyn	Proftech & de Bruyn mobile salad bar, type: R290, serial number: 465427 S0112194 066, dimensions: 1330 mm x 1050 mm x 1870 mm.	150
988	Proftech & de Bruyn	Proftech & de Bruyn mobile salad bar, type: R290, serial number: 465427 S0112194 039, dimensions: 1330 mm x 1050 mm x 1870 mm.	150
989	Gram	Gram refrigerator for trolleys, type: K 1500 CSG, serial number: 10224883, year of construction: 2016, 230 V, 50 Hz, 2.56 A, refrigerant: R290 / 102 gram, dimensions: 1040 mm x 900 mm x 2340 mm.	250
990	Food Service Equipment	Food Service Equipment fryer, model: FGF300, serial number: KB20181027181, year of construction: 2018, 26 kW, inside dimensions: 350 mm x 340 mm x 320 mm, total dimensions: 770 mm x 400 mm x 1200 mm.	100
991	Gamko	Gamko mobile refrigerated showcase, refrigerant: R12 / 0.29 kg, inside dimensions: 1280 mm x 500 mm x 180 mm, total dimensions: 1750 mm x 780 mm x 1400 mm.	200
992	Polar		250



Nr	Title	Description	Start €
		Polar mobile refrigerator, model: U634-E, serial number: 6083369, 230 V, 50 Hz, 3.0 A, 25 W, refrigerant: R290 / 140 gram, dimensions: 1480 mm x 830 mm x 2000 mm.	
993	Compak	Compak coffee grinder, model: E8 Schwarz, number: 636554, year of construction: 01/2018, 230 V, 50 Hz, 610/350 W, dimensions: 370 mm x 200 mm x 640 mm.	75
994	Liebherr	Liebherr wine chiller, model: WTSr 3202, number: 73.296.115.0, 220-230 V, 50 Hz, 180 W, refrigerant: R134a, 120 gram, volume: 320 liter, dimensions: 600 mm x 600 mm x 1590 mm.	100
995	Emga International	Emga International pie warmer, model: 680070, serial number: C012111014, year of construction: 11.2021, 230 V, 1 Ph, 50 Hz, 1840 W, dimensions: 660 mm x 400 mm x 640 mm.	100
996	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH rotisserie grill, type: RT403AHR, serial number: 406-1120-1437, year of construction: 2021, 400 V, 3 Ph, 50/60 Hz, 9 A, 5 kW, dimensions: 800 mm x 730 mm x 850 mm. Without rollie.	250
997	Berkel	Berkel slicer, model: 834, number: 613834, 220 V, 50 Hz, 220 W, dimensions: 600 mm x 600 mm x 450 mm.	500
998	Reneka International Sarl	Reneka International Sarl coffee machine with Compak bean grinder and drawer for used coffee grounds, type coffee machine: Life 2 High Cup, fabrication number: 70 2 170426, year of construction: 10/2017, 400 V, 50/60 Hz, 4000 W, dimensions coffee machine: 710 mm x 500 mm x 580 mm, type bean grinder: E8 SCHWARZ, number: 636563, year of construction: 01/2018, 230 V, 50 Hz, 350 W, dimensions bean grinder: 370 mm x 200 mm x 640 mm.	750
999	GFS GmbH	GFS GmbH double deck oven, model: DD 101 BS+, serial number: 18121092, 230 V, 50-60 Hz, 3.4 kW, dimensions decks: (2x) 410 mm x 350 mm x 80 mm, total dimensions: 570 mm x 470 mm x 470 mm.	50
1000	Giorik	Giorik salamander grill, dimensions: 570 mm x 530 mm x 500 mm.	150
1001	Aequator	Aequator milk frother, model: Lattiz V1.2, machine number: 1021804910, 230 V, 13 A, dimensions: 510 mm x 200 mm x 590 mm.	75
1002	Imperial	Imperial high pressure oven and convection oven, type: DG 5064, number: 0849109000312001222, 230 V, 50 Hz, 5.1 kW, volume high pressure oven: 19 liter, dimensions: 600 mm x 600 mm x 880 mm.	100
1003	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	750
1004	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	750
1005	Rendisk	Rendisk mobile plate holder, 4x 18 floors, dimensions: 600 mm x 600 mm x 1550 mm.	50



Nr	Title	Description	Start €
1050	Bos	Soft Nife battery charger, type: 24SPR50-34A, serial number: 51152, 230 V, 1 Ph, 50 Hz, 12.2 A, dimensions: 410 mm x 310 mm x 1070 mm.	100
1051	Midac	Pallet with Midac battery for electrical pallet lifter and 2 switch cabinets, type: 12/4MDL140, serial number: N1005241, 24 V, 560 A.	100
1052	Güntner / L'unite Hermetique	Güntner evaporator, type: GDF 30B/17-E, year of construction: 1998, dimensions: 500 mm x 800 mm x 240 mm with L'unite Hermetique cooling compressor, dimensions: 550 mm x 600 mm x 500 mm.	400
1053	Bizerba	Bizerba bandsaw, model: FK 23, number: 1699802, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.5 A, dimensions table: 500 mm x 400 mm, total dimensions: 520 mm x 520 mm x 850 mm. Without saw blade.	200
1054	ABB	ABB pressure transmitter, model: 265AS, number: 265AS6502000247, year of construction: 2004, dimensions: 140 mm x 200 mm x 100 mm.	100
1055	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854189, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	100
1056	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854190, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	100
1057	Lotus	3 Lotus soap dispensers, dimensions: (3x) 110 mm x 110 mm x 300 mm.	10
1058	NN water softeners	5 water softeners and other parts for coffee machine.	5
1059	Lenze	Lenze motor, dimensions: 300 mm x 120 mm x 160 mm.	40
1060	Lenze	Lenze motor, dimensions: 250 mm x 140 mm x 200 mm.	40
1061	Lenze	Lenze motor, dimensions: 300 mm x 120 mm x 160 mm.	40
1062	Flamco	Flamco expansion vessel, type: Flexcon Premium 80, dimensions: ø 450 mm x 500 mm.	40
1063	Grundfos	Grundfos centrifugal pump, type: MGE112MC 1 FT130-JA-400, dimensions: 400 mm x 300 mm x 300 mm.	50
1064	Lamers	Lamers floor sweeping machine, type: 700ET, machine number: 1023, year of construction: 02.88, dimensions: 1600 mm x 900 mm x 900 mm.	50
1065	NN tubs	12 plastic tubs, inside dimensions: 600 mm x 600 mm x 380 mm, total dimensions: 640 mm x 640 mm x 1100 mm.	5
1066	GEA / L'unite Hermetique	GEA evaporator, type: DEB 071D Decken-Luftkühler, number: P117430576, year of construction: 2002, 230 V, 1 Ph, 50/60 Hz, dimensions: 670 mm x 1050 mm x 240	400



Nr	Title	Description	Start €
		mm with L'unite Hermetique cooling compressor, dimensions: 700 mm x 600 mm x 500 mm.	
1067	APV	APV valve system with switch cabinet, dimensions: 1450 mm x 880 mm x 900 mm	250
1068	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566/175X15, number: 15117, 460/690 V, 50 Hz, 11 kW, capacity: 50 m ³ per hour, dimensions: 880 mm x 500 mm x 350 mm.	100
1069	NN drip tray	Steel drip tray, dimensions: 1210 mm x 620 mm x 130 mm.	5
1070	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor unit, type: LH104E/F152H, serial number: 1688704001, dimensions: 1300 mm x 950 mm x 750 mm.	500
1071	Michelin	4 Michelin tyres, 195/60 R 15.	5
1072	NN hose reel	Hose reel with hose, dimension: 450 mm x 250 mm x 470 mm.	50
1073	NN transport belts	Box with plastic transport belts, belt width: 300 mm, total dimensions: 400 mm x 600 mm x 400 mm.	70
1074	NN legs	S/s extendable legs, dimensions: (2x) 280 mm x 180 mm x 1250 mm.	90
1075	NN frequency converters	Plastic pallet box with large amount of various frequency converters, dimensions: 1200 mm x 800 mm x 800 mm.	500
1076	Tramper	4 Tramper denester sets, dyes: (3x) 260 mm x 177 mm, (3x) 190 mm x 150, (3x) 240 mm x 185 mm and (3x) 190 mm x 140 mm.	10
1077	C.V. v/h Fa. B. Lammers	C.V. v/h Fa. B. Lammers laboratory centrifuge, number: 13369, dimensions: 670 mm x 720 mm x 380 mm.	50
1078	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH64/FS 75, serial number: 66023205, type cooling compressor: 2DC-3.2Y-40S, serial number: 1683007071, capacity: 13.4/16.2 m ³ per hour, dimensions: 750 mm x 700 mm x 560 mm.	200
1079	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type cooling compressor: 2EC-2.2Y-40S, serial number: 1271003287, capacity: 11.4/13.7 m ³ per hour, dimensions: 750 mm x 700 mm x 560 mm.	200
1080	Watrex	Watrex water softener with Grundfos pump, type: CR2-110 A-A-A-BUBE, H: 71.3 m, Q: 2.5 m ³ /h, 2900 rpm.	100
1081	Animo	Animo coffee machine, type: OPTIVEND HS DUO-SPEC, number: 10483-99, 220-240 V, 1 Ph, 50-60 Hz, 3275 W, dimensions: 520 mm x 380 mm x 7030 mm.	40
1082	Ultra Tools	Ultra Tools diesel generator, model: TP6500DGS/3, power: 5.0 kW, dimensions: 900 mm x 540 mm x 680 mm.	500
1083	NN machine parts	Various machine parts, among others: 2 motors.	10
1084	NN wall cabinet	S/s wall cabinet, dimensions: 300 mm x 305 mm x 280 mm.	10
1085	Pomac B.V.		250



Nr	Title	Description	Start €
		Pomac B.V. self-priming centrifugal pump , number: 10291, dimensions: 620 mm x 360 mm x 460 mm.	
1086	Initial Hokatex	2 steel 4-door Initial Hokatex lockers, dimensions: (2x) 500 mm x 420 mm x 1900 mm. Without keys.	40
1087	TVM	6 TVM tailer stands, dimensions: (6x) 1000 mm x 250 mm x 250 mm.	50
1088	NN bench	Wooden bench with steel frame, dimensions: 2000 mm x 350 mm x 420 mm.	5
1089	NN table	S/s table with plastic work top, dimensions: 460 mm x 1480 mm x 850 mm.	100
1090	Hamilton Beach	Hamilton Beach blender with 2 s/s cups, model: 936-31S-1, 220/240 V, 50/60 Hz, 100 W, dimensions: 160 mm x 180 mm x 490 mm.	10
1091	NN sink	S/s double sink, dimensions: 1800 mm x 600 mm x 940 mm.	70
1092	NN chains	Box with chains, dimensions: 1200 mm x 780 mm x 540 mm.	50
1093	Waeschle	Waeschle dual channel diverter valve, type: WZK 71 P CR, factory number: 45421 01, year of construction: 1992, dimensions: 670 mm x 450 mm x 280 mm.	100
1094	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566/165X15, number: 15119, 400/690 V, 50 Hz, capacity: 50 m³ per hour, dimensions: 800 mm x 380 mm x 440 mm.	200
1095	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566/165X15, number: 15118, 400/690 V, 50 Hz, capacity: 50 m³ per hour, dimensions: 800 mm x 380 mm x 440 mm.	200
1096	Waterloo	Waterloo tool trolley, dimensions: 890 mm x 530 mm x 790 mm.	40
1097	BORA s.r.l.	BORA s.r.l. vacuum booster, type: 363 FP, serial number: 2829, year of construction: 2014, 1.5 kW, capacity: 360 m³ per hour, dimensions: 870 mm x 330 mm x 460 mm.	40
1098	NN vacuum pump	Vacuum pump, dimensions: 1180 mm x 600 mm x 460 mm.	200
1099	Rietschle	Rietschle vacuum pump, type: VCEH 250(01), number: 1575009, year of construction: 1994, capacity: 250 m³ per hour, dimensions: 900 mm x 650 mm x 460 mm.	200
1100	Mitsubishi	Mitsubishi outside airco unit, dimensions: 800 mm x 270 mm x 550 mm.	1
1101	Glunz & Jensen	Glunz & Jensen chiller, type: KA 134A-2-23050, serial number: 59115-0784, 230 V, 1 Ph, 50 Hz, 1.8 A, 315 W, dimensions: 460 mm x 430 mm x 360 mm.	20
1102	Glunz & Jensen	Glunz & Jensen chiller, model: 07-0301-01, serial number: E01655, year of construction: 07/2004, 220-240 V, 1 Ph, 50/60 Hz, 3.5 A, 600 W, refrigerant: R134A, weight: 170 g, dimensions: 620 mm x 380 mm x 350 mm.	20
1103	NN electric parts	Pallet with various electric parts, dimensions: 1100 mm x 1000 mm x 400 mm.	150



Nr	Title	Description	Start €
1104	NN chairs	2 Chairs, dimensions: (2x) 620 mm x 800 mm x 770 mm.	1
1105	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	40
1106	Lenze	Lenze motor, dimensions: 480 mm x 200 mm x 220 mm.	40
1107	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	40
1108	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	40
1109	Lenze	Lenze motor, dimensions: 480 mm x 200 mm x 220 mm.	40
1110	Aux	Aux air conditioning, consisting of: outside unit and inside unit, type outside unit: AS-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, 2.0/2.2 kW, refrigerant: R407c / 1.96 kg, dimensions outside unit: 800 mm x 300 mm x 720 mm, type indoor unit: ASW-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, refrigerant: R407c / 1.95 kg, dimensions indoor unit: 980 mm x 230 mm x 300 mm.	180
1111	Outlaw Hyperdrive	Outlaw Hyperdrive mini quad, dimensions: 1200 mm x 660 mm x 800 mm.	450
1112	Rudolf	Rudolf mobile compressor, type: Strocomp 865, machine number: VKM-865-016, year of construction: 2014, 230 V, 2 Ph, 50 Hz, 2.2 kW, dimensions: 920 mm x 550 mm x 640 mm.	150
1113	Centurius	Centurius mobile tool trolley, dimensions: 760 mm x 460 mm x 870 mm.	250
1114	Air-Wolf	Pallet with 17 boxes with Air-Wolf soap dispensers and s/s sinks, dimensions each dispenser: 290 mm x 110 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 1850 mm.	500
1115	Rudolf	Rudolf mobile compressor, type: Strocomp 865, 230 V, 2 Ph, 50 Hz, 2.2 kW, dimensions: 920 mm x 550 mm x 640 mm.	150
1116	Schwartzmann	Schwartzmann mobile tool trolley, 269 pieces, dimensions: 760 mm x 460 mm x 870 mm.	450
1117	Nederman	Nederman mobile extraction unit, dimensions: 1250 mm x 950 mm x 1950 mm.	150
1118	Conmetall Meister GmbH	Conmetall Meister GmbH mobile tool trolley, 240 pieces, dimensions: 770 mm x 470 mm x 980 mm.	250
1119	Crimex	Crimex air compressor, type: CRS 185, number: 2981, year of construction: 2002, 18.5 kW, maximum pressure: 10 bar, capacity: 2620 liter per minute, dimensions: 1220 mm x 750 mm x 1230 mm.	550
1120	Jungheinrich	Jungheinrich electric pallet lifter, type: EJC 110, number: 90264114, year of construction: 2007, capacity: 1000 kg, weight without battery: 620 kg, battery weight: 143/159 kg, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 1700 mm.	500
1121	Centurius	Centurius tool box, dimensions: 420 mm x 300 mm x 120 mm.	75
1122	Hyundai		25



Nr	Title	Description	Start €
		Hyundai hose reel, 20 meter, dimensions: 460 mm x 400 mm x 230 mm.	
1123	Centurius	Centurius tool box, 92 pieces, dimensions: 580 mm x 280 mm x 380 mm.	100
1124	Kawasaki	Kawasaki rotary hammer, model: K-EHD 900, serial number: 18-0857/00448, year of construction: 2018, 220-240 V, 50 Hz, 900 W, dimensions: 350 mm x 250 mm x 110 mm.	75
1125	Onex	Onex cordless drill, model: OX-1532, 14.4 V, dimensions: 260 mm x 230 mm x 80 mm.	30
1126	Zincline	Zincline sander polishing brush, dimensions: 260 mm x 200 mm x 170 mm.	50
1127	Onex	Onex cordless drill, model: OX-1532, 14.4 V, dimensions: 260 mm x 230 mm x 80 mm.	30
1128	Bizon Kraft Werkzeuge	Bizon Kraft Werkzeuge drill set, 170 pieces, dimensions: 360 mm x 270 mm x 50 mm.	25
1129	Matrix	Matrix hammer drill, model: EHD 1200-2, serial number: 19-0567/00136, year of construction: 08-2019, 230 V, 50 Hz, 1200 W, dimensions: 400 mm x 330 mm x 120 mm.	75
1130	Kawasaki	Kawasaki cordless drill, model: K-AK 20-2 XR PRO, dimensions: 410 mm x 280 mm x 100 mm.	100
1131	Stanley	Stanley electric fan heater, model: ST-23-240-E, serial number: SEFH-22-06-00013, 220-240 V, 50 Hz, 3000 W, dimensions: 220 mm x 290 mm x 320 mm.	75
1132	Altrex	Altrex ladder, PRO+, dimensions: 480 mm x 140 mm x 3300 mm.	150
1133	UltraToolz	UltraToolz tool trolley, 399 pieces, dimensions: 380 mm x 210 mm x 530 mm.	150
1150	Itec	Itec s/s sink, sensor operated, with soap dispenser, dimensions: 600 mm x 470 mm x 620 mm.	50
1151	NN hygiene equipment	Pallet with hygiene equipment, among others: shoe covers, plastic bags and paper dispenser.	50
1152	Ecolab	Box with Ecoloab soap dispensers.	50
1153	NN sink	S/s sink, sensor operated, dimensions: 450 mm x 410 mm x 700 mm.	25
1154	Itec	Itec s/s sink, sensor operated, with soap dispenser and 1 paper dispenser, dimensions: 600 mm x 470 mm x 1380 mm.	50
1155	Itec	2 Itec s/s sinks, sensor operated, with soap dispenser, paper dispenser and 1 knife sterilizer, dimensions: (2x) 600 mm x 470 mm x 1380 mm.	100
1156	Westfalia	Westfalia inline dynamic mixer, model: MZA10, number: 80 149, number: 1200 mm x 450 mm x 600 mm.	200
1157	Stiga S.p.A.	Stiga S.p.A. lawn mower, type: CP1.484 WSQE, dimensions: 1650 mm x 550 mm x 1070 mm. Incomplete, missing battery and charger.	75
1158			50



Nr	Title	Description	Start €
	Alup-Kompressoren GmbH	Alup-Kompressoren GmbH air-dryer, model: DTE 300, serial number: 023/15814/26, 220-230 V, 1 Ph, 50 Hz, 16 A, 0.82 kW, refrigerant: R134a 0.95 kg, dimensions: 600 mm x 600 mm x 910 mm.	
1159	Boge	Boge air compressor, type: SK 46, number: 5019460, year of construction: 2007, 11 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	200
1160	NN electric parts	Pallet with various electric parts, dimensions: 1200 mm x 800 mm x 400 mm.	100
1161	NN tables	2 wooden foldable tables, dimensions:(2x) 2200 mm x 500 mm x 750 mm	25
1162	AEG	AEG motor, type: AM 100 LT6, number: 4808362, 220/380 V, 3 Ph, 50 Hz, 7.5/4.3 A, 1.5 kW, 920 rpm, dimensions: 400 mm x 300 mm x 200 mm.	40
1163	LG	LG television, model: 42PX4RV, serial number: 508MAYY38330, 100-240 V, 50/60 Hz, dimensions: 1250 mm x 300 mm x 710 mm. Technical condition unknown.	30
1164	NN hand truck	Steel hand truck, dimensions: 500 mm x 350 mm x 1000 mm.	10
1165	NN electro motor	Electro motor, 380 V, 3 Ph, 50 Hz, 9.6 A, 0.85 kW, dimensions: 750 mm x 280 mm x 390 mm.	70
1166	Pedrollo	Pedrollo irrigation pump, type: JSW 3AL, year of construction: 09-03, 220-230 / 380-400 V, 3 Ph, 50 Hz, 9 / 5.2 A, 2.2 kW, capacity: 10-160 liter/minute, dimensions: 550 mm x 250 mm x 375 mm.	100
1167	Pomac B.V.	Pomac B.V. centrifugal pump, dimensions: 750 mm x 400 mm x 460 mm.	200
1168	Rannie	Rannie homogenizer, number: 4074/67, dimensions: 900 mm x 720 mm x 920 mm.	1350
1169	Scheppach	Plastic pallet box with various parts and Scheppach ventilator, model: ha 3210, number: 75210901, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 4.85 A, 1.04/0.75 kW, dimensions: 1200 mm x 1000 mm x 800 mm.	100
1170	Cell-O	Cell-O air cushion machine, type: FL-041, year of construction: 07-2001, 230 V, 50 Hz, 1 A, dimensions: 1000 mm x 680 mm x 1350 mm.	40
1171	NN electric parts and fuses	Pallet with large amount of electric parts and fuses, dimensions: 1200 mm x 800 mm x 650 mm.	60
1172	Danfoss	Danfoss frequency converter, model: VLT, serial number: 017704G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	60
1173	Danfoss	Danfoss frequency converter, model: VLT, serial number: 08204G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	60
1174	Tronic	Tronic CCTV system with 4 camera's, dimensions: 280 mm x 180 mm x 260 mm.	60
1175	Fristam		200



Nr	Title	Description	Start €
		Fristam centrifugal pump, type: FPE 3522 B, number: 42842156, dimensions: 720 mm x 370 mm x 500 mm.	
1176	Smartsorb	Crate with 12 Smartsorb absorption granules, (12x) 25 liter, dimensions: 1200 mm x 800 mm x 530 mm.	100
1177	NN parts	Pallet with various workplace inventory parts, dimensions: 1200 mm x 800 mm x 600 mm.	90
1178	UltraToolz	UltraToolz mobile jack, capacity: 4000 kg, dimensions: 780 mm x 385 mm x 200 mm.	50
1179	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 187621 0053, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	100
1180	Mitari	Mitari chain hoist, type: CH2 500.8-1 1000.4-2, serial number: 1828021 0006, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	100
1181	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1917771 0008, year of construction: 2018, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	100
1182	Mitari	Mitari chain hoist, type: CH2 500.8-1 1000.4-2, serial number: 1828021 0005, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	100
1183	NN water softeners	2 water softeners and other parts for coffee machine.	5
1184	NN dyes	Dye, (4x) 188 mm x 177 mm.	40
1185	NN frequency converters	Wooden pallet box with large amount of various frequency converters, dimensions: 1100 mm x 800 mm x 800 mm.	400
1186	Apex	Apex mobile tool trolley, model: XXL, dimensions: 820 mm x 460 mm x 955 mm. New, never used.	250
1187	Daikin Europe NV	Daikin Europe NV condensing unit for air conditioning, model: RY22DA7V19, number: 3611374, year of construction: 1996, 220/240 V, 1 Ph, 50 Hz, 5.5/6.1 A, 1.1/1.2 kW, refrigerant: R22, 0.85 kg, dimensions: 750 mm x 300 mm x 550 mm.	40
1188	Husky	Husky evaporator, 2 fans, dimensions: 1160 mm x 670 mm x 470 mm. Missing cover.	10
1189	4F Maschinetechnik	4F Maschinetechnik sweeping machine, type: Limpar 80, machine number: FKB-G505470, dimensions: 1900 mm x 800 mm x 1050 mm.	150
1190	NN lockers	(4x) 2-door steel lockers, dimensions: (3x) 765 mm x 380 mm x 765 mm and (1x) 765 mm x 380 mm x 465 mm.	5



Nr	Title	Description	Start €
1191	Kis	Kis cabinet, model: Up, dimensions: 680 mm x 390 mm x 1730 mm, dimensions box: 800 mm x 400 mm x 200 mm.	15
1192	Kis	Kis cabinet, model: Up, dimensions: 680 mm x 390 mm x 930 mm, dimensions box: 800 mm x 400 mm x 300 mm.	15
1193	Kis	Kis cabinet, model: Excellence, dimensions: 650 mm x 450 mm x 1810 mm, dimensions box: 800 mm x 400 mm x 550 mm.	15
1194	Wörstahl	Wörstahl wet-dry vacuum cleaner, model: WT007, dimensions: 545 mm x 505 mm x 1055 mm.	100
1195	Swedic	Swedic welding, air compressor and generating tool, model: PWC7.0-200A, aggregate 230 V, welding machine 200 A, air compressor 7 Bar, dimensions: 850 mm x 600 mm x 950 mm. Never used.	800
1196	NN switch cabinet	Switch cabinet with power sockets, dimensions: 700 mm x 300 mm x 1100 mm.	100
1197	Eurom	Eurom high pressure cleaner, model: Force 2000 Plus, number: 135381, 220/240 V, 1 Ph, 50 Hz, 2000 W, weight: 10 kg, dimensions: 870 mm x 340 mm x 330 mm.	150
1199	Komatsu Zenoah Co.	Komatsu Zenoah Co. bush trimmer, type: BC250, serial number: 6030679, year of construction: 2006, engine type: GT25N, 2 stroke, gasoline powered, dimensions: 1800 mm x 340 mm x 250 mm.	40
1200	Stiga S.p.A.	Stiga S.p.A. leaf blower, type: BL 260H, serial number: 306HU301198- 255026002, year of construction: 2013, dimensions: 1100 mm x 310 mm x 360 mm.	40
1201	NN motors	2 motors, dimensions: (2x) 600 mm x 400 mm x 170 mm.	40
1202	Chubb	Chubb motion sensor alarm.	5
1203	Dibo	2 Dibo high pressure cleaners, type: H 1900, serial number: 090600092, year of construction: 2009, 230V, 50 Hz, 2.1 kW, 130 bar, 6.8 l/min, dimensions: (2x) 420 mm x 310 mm x 850 mm. Including 1 high pressure lance and 4 spare lance attachments, 1 wheel is broken.	100
1204	Boxer Tools	Boxer Tools rotary hammer, 230 V, 50 Hz, 3150 W, 0-1100 r/min, dimensions: 420 mm x 310 mm x 120 mm.	50
1205	Tronic	Tronic CCTV system with 4 camera's, dimensions: 280 mm x 180 mm x 260 mm.	70
1206	Grundfos	Parts for Grundfos pump, (2x) spare, O-ring, number: 97757659, (2x) spare. Shaft Seal, number: 98434904.	5
1207	Champion	Champion flap disc, type: CP-124, grit 80, dimensions: diameter: 125 mm x 90 mm.	4
1208	Champion	Champion flap disc, type: CP-124, grit 80, dimensions: diameter: 125 mm x 90 mm.	4
1209	Boxer	Boxer rotary hammer, model: SR-087, 230 V, 50 Hz, 3150 W, dimensions: 430 mm x 120 mm x 320 mm.	30
1210	Skandia	4 Skandia plastic tool cases, dimensions: (4x) 350 mm x 200 mm x 120 mm.	5
1211	Champion		30



Nr	Title	Description	Start €
		Champion circular saw, model: CP-1066, 220 V, 50 Hz, 2400 W, dimensions: 320 mm x 240 mm x 215 mm.	
1212	ToolCraft	ToolCraft 61 piece ratchet tool set, dimensions: 300 mm x 70 mm x 230 mm.	40
1213	Allit	Allit empty plastic tool case, dimensions: 400 mm x 300 mm x 150 mm.	5
1214	Stihl	Stihl chainsaw, type: MS 230 C, year of construction: 2005, 2.0 kW / 2.72 Hp, Rollomatic E blade, blade length: 35 cm, total dimensions: 800 mm x 290 mm x 290 mm.	75
1215	Erro tools	Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	10
1216	Erro tools	Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	10
1217	NN storage bin organizer	Plastic storage bin organizer, dimensions: 600 mm x 70 mm x 115 mm.	4
1218	Skandia	20 Skandia plastic storage bins, dimensions: (20x) 110 mm x 90 mm x 60 mm.	5
1219	Steinel	Steinel hot air gun, 230 V, 1800 W, dimensions: 250 mm x 280 mm x 100 mm. Technical condition unknown	10
1220	Allit	Allit empty plastic tool case, dimensions: 630 mm x 260 mm x 300 mm.	5
1221	KIS	KIS plastic cabinet, dimensions: 680 mm x 390 mm x 1730 mm, box dimensions: 800 mm x 400 mm x 300 mm.	15
1222	Kratos	Kratos balancer, serial number: AJ 1600057, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	20
1223	Kratos	Kratos balancer, serial number: AJ 1600058, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	20
1224	Güde	Güde automatic battery charger, serial number: 79062-2204-0852, year of construction: 2022, 230 V, 50 Hz, 4 A, 104 W, 0.7 kg, dimensions: 140 mm x 270 mm x 60 mm.	50
1225	Allit	Allit empty plastic tool case, dimensions: 630 mm x 260 mm x 300 mm.	5
1226	Yokota	Yokota balancer, model: TW-0, capacity: 0.5-1.5 kg, dimensions: Ø 140 mm x 50 mm.	10
1227	Aertec	Aertec sealant gun, model: DP310-PRO, 6.3 bar, weight: 1 kg, dimensions: 370 mm x 140 mm x 60 mm.	10
1228	Boxer	Boxer digital hanging scale, model: BX-9023, dimensions: 250 mm x 120 mm x 50 mm.	10
1229	Allit	Allit empty plastic tool case, dimensions: 500 mm x 220 mm x 300 mm.	5
1230	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 60 mm.	5
1231	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 60 mm.	5



Nr	Title	Description	Start €
1232	Maginon	Maginon radio, Bluetooth, dimensions: 250 mm x 240 mm x 230 mm.	20
1233	Euromax	Euromax coffee machine, type: President espresso, dimensions: 270 mm x 340 mm x 310 mm.	4
1234	Youngsunpack Europe	Youngsunpack Europe box closing machine, type: MH-FJ-1A, serial number: 180417CSI-251, year of construction: 4.2018, 220 V, 1 Ph, 50 H, 600 W, s/s rollers, roller width: 680 mm, plastic belts, belt width: 50 mm, total dimensions: 1980 mm x 950 mm x 1580	100
1235	Husqvarna	Husqvarna leaf blower, model: 125BV,dimensions: 950 mm x 350 mm x 200 mm.	20
1236	SAF	SAF welding machine, type: PRESTOTIG 165, serial number: 07944 UC 337, 230 V, 1 Ph, 50/60 Hz, 160 A, welding type: TIG, 2T / 4T function, dimensions: 450 mm x 200 mm x 300 mm. Including ground clamp and TIG welding torch.	350
1237	Schwartzmann	Schwartzmann retractable air hose, dimensions: 540 mm x 290 mm x 505 mm.	50
1238	StahlKaiser	StahlKaiser retractable air hose, dimensions: 390 mm x 200 mm x 360 mm.	50
1239	Royalty Line	Royalty Line mobile wet-dry vacuum cleaner, model: WDVC-30, 220-240 V, 50/60 Hz, 1200 W, dimensions: 320 mm x 350 mm x 550 mm.	40
1240	Labomess	Case with Labomess PH-Meter, model: P 600, range: 0 - 14 pH, range: 0.01 pH, dimensions: 270 mm x 230 mm x 90 mm.	50
1241	NN workbench	Wooden workbench, steel frame, 2 steel vises, dimensions: 1500 mm x 800 mm x 800 mm.	10
1242	Danfoss	Danfoss frequency converter, model: VLT, serial number: 018404G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	80
1243	ASC Group	ASC Group stairs, 4 steps on each side, dimensions: 440 mm x 200 mm x 1320 mm.	25
1244	Creemers Compressors	Creemers Compressors compressor, type: MOBIEL 240/25, serial number: ITR0362948, year of construction: 2010, 230 V, 8 bar, volume: 24 liter, dimensions: 600 mm x 300 mm x 580 mm.	75
1245	Fetch	Fetch compressor, type: D21828, serial number: 00476, year of construction: 08-2008, 220 V, 1 Ph, 50 Hz, 1.1 kW, 8 bar, volume: 25 liter, dimensions: 600 mm x 250 mm x 370 mm. Technical condition unknown.	50
1246	Kärcher	Kärcher high pressure cleaner, type: K7 full control, serial number: 031080, 230 V, 50 Hz, 3 kW, dimensions: 470 mm x 330 mm x 1000 mm.	100
1247	Makita	Makita backpack blower, type: BBX7600, serial number: 028845, year of construction: 2011, fuel: gasoline, 4 stroke, dimensions: 1700 mm x 500 mm x 530 mm.	75



Nr	Title	Description	Start €
1248	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 750 mm.	350
1249	Güntner AG & Co. KG	Güntner AG & Co. KG condenser, 1 fan, type: S-GVV 050.1A/1-SW.E, serial number: 400/3371981.0001, year of construction: 2010, air pressure: 35.2 bar, volume: 11.3 liter, dimensions: 1040 mm x 600 mm x 1140 mm.	250
1250	Silensys	Silensys outside unit for airconditioning, serial number: 15E21 113803 S993130202, refrigerant: R404a, dimensions: 1000 mm x 400 mm x 800 mm.	100
1251	Faber	Faber s/s trolley, 14 floors, floor dimensions: 820 mm x 610 mm, total dimensions: 780 mm x 670 mm x 1940 mm.	50
1252	Electrolux	Electrolux condenser, dimensions: 1650 mm x 650 mm x 650 mm.	150
1253	Silensys	Silensys outside unit for airconditioning, refrigerant: R449a, dimensions: 1000 mm x 500 mm x 1550 mm.	250
1254	NN apron washer	S/s apron washer, dimensions: 580 mm x 580 mm x 1620 mm.	200
1255	NN apron washer	S/s apron washer, dimensions: 750 mm x 800 mm x 1700 mm.	200
1256	GEA	GEA evaporator, 1 fan, type: SPB 021 C HOCHLEIDSTUNGS-L MARKET PLUS, number: 6357773, year of construction: 1/99, volume: 1.70 liter, dimensions: 1170 mm x 630 mm x 370 mm.	100
1257	Nieros	Nieros s/s sink with faucet (3x), type: HL-WR3, serial number: 2530-037, 24/230 V, 50 Hz, year of construction: 2004, dimensions: 1500 mm x 540 mm x 650 mm.	25
1258	Electrolux	Electrolux condensing unit: type: GCU401N0170E, number: 110024A, 400 V, 3 Ph, 50 Hz, 5.00 A, 2.40 kW, refrigerant: R404a / 6 kg, dimensions: 1160 mm x 580 mm x 600 mm.	150
1259	NN cooling compressor	Cooling compressor for cooling cell, dimensions: 720 mm x 480 mm x 450 mm.	50
1260	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 380 mm, total dimensions: 3520 mm x 760 mm x 1050 mm.	100
1261	NN smoke trolleys	3 s/s smoke trolleys, 6 floors, floor dimensions: (6x) 1000 mm x 930 mm, dimensions trolley: (3x) 1000 mm x 1000 mm x 1970 mm.	225
1262	Roossien Hoogwerktechniek	Roossien Hoogwerktechniek aluminium platform, capacity: 150 kg, platform height: 1300 mm, total dimensions: 2130 mm x 2080 mm x 2400 mm.	100
1263	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1264	Helpman	Helpman evaporator, type: PX 1-7, serial number: 624-005, year of construction: 2000, 220 V, 1 Ph, 50 Hz, refrigerant: R22 / R134a, dimensions: 750 mm x 670 mm x 270 mm.	100
1265	LU-VE S.p.A.		100



Nr	Title	Description	Start €
		LU-VE S.p.A. evaporator, model: F30HC 621 E 7, serial number: 279578, year of construction: 2011, 230 V, 50 Hz, dimensions: 1170 mm x 630 mm x 370 mm.	
1266	Tecumseh	Cabinet with Tecumseh cooling compressor, model: TFHT2480Z, refrigerant: R452a_R404a, dimensions: 750 mm x 750 mm x 800 mm.	100
1267	Ishida	Ishida checkweigher, model: DACS-G-S060-45-WP-1-S, serial number: 56416, year of construction: 07/2014, 240 V, 1 Ph, 50 Hz, 4.5 A, maximum capacity: 6000 g, plastic belt, belt width: 400 mm, total dimensions: 1000 mm x 900 mm x 1540 mm. Including extra parts. Incomplete.	25
1268	Ibonhart	Ibonhart bag blower, dimensions: 1200 mm x 500 mm x 980 mm.	100
1269	NN trolley	Container trolley, dimensions: 800 mm x 725 mm x 1685 mm.	10
1270	NN tool trolley	S/s tool trolley with 2 denesters, dye: (3x) 190 mm x 150 mm, total dimensions: 1750 mm x 800 mm x 300 mm.	50
1271	Helpman	Helpman evaporator, type: LEX-6-E, 1 fan, 220/240 V, 1 Ph, 50 Hz, dimensions: 690 mm x 670 mm x 450 mm.	100
1272	Searle	Searle evaporator, model: DSR62-4 AL, serial number: 270055, 220-240 V, 1 Ph, 50 Hz, 0.78-0.84 A, dimensions: 1820 mm x 930 mm x 400 mm.	100
1273	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1274	NN table	Mobile table, s/s frame with plastic top, dimensions: 730 mm x 440 mm x 940 mm.	150
1275	J&E Hall	J&E; Hall outside unit for airco, model: JEHSCU-0500-M-3, serial number: N000114, year of construction: 2010/05, 380-420 V, 3 Ph, 50 Hz, 12.5 A, dimensions: 1300 mm x 600 mm x 1000 mm.	75
1276	NN E2 crates	2 plastic EURO H1 pallets with 64 plastic E-2 crates, dimensions each crate: 600 mm x 400 mm x 180 mm, total dimensions pallet: 1200 mm x 800 mm x 1670 mm.	200
1277	NN rack	Mobile s/s rack, dimensions: 1600 mm x 530 mm x 2000 mm.	50
1278	Boge	Boge piston air compressor, type: SD 15, machine number: 37330, year of construction: 2000, capacity: 1.65 m ³ per minute, maximum pressrue: 10 bar, dimensions: 970 mm x 700 mm x 1280 mm.	400
1279	NN platform	Aluminium platform, dimensions: 2800 mm x 1200 mm x 1350 mm.	100
1280	HC Coils	HC Coils evaporator, model: CEC 384, number: C3507 71185, 415 V, 3 Ph, 50 Hz, 24 kW, maximum work pressure: 150 P.S.I., 3 fans, dimensions: 3550 mm x 1370 mm x 1300 mm.	500
1281	NN lifting platform	Steel lifting platform, dimensions: 1500 mm x 1000 mm x 510 mm.	250
1282	NN evaporator	Evaporator, dimensions: 1620 mm x 700 mm x 1200 mm.	250



Nr	Title	Description	Start €
1283	NN rack	S/s rack, dimensions: 1600 mm x 530 mm x 2000 mm.	50
1284	Matco	Matco pallet wrapper, type: TVA753, film width: 615 mm, diameter platform: Ø 1800 mm, roller width: 1200 mm, total dimensions: 3300 mm x 2200 mm x 2550 mm.	400
1285	Italcar	Italcar golf buggy, type: EG2046, serial number: 07060031, year of construction: 12-06-2000, dimensions: 3400 mm x 1200 mm x 1900 mm. Incomplete, defect.	300
1286	Apple International	Apple International mobile depositor, model: MR 900, serial number: 1269 11, year of construction: 2008, pressure: 55 bar, diameter head: 70 mm, total dimensions: 1450 mm x 950 mm x 1040 mm. Incomplete.	750
1287	Stork	Stork pump installation, type: (2x) 2.MVR 403, capacity: 8 m ³ per hour, dimensions: 1150 mm x 700 mm x 1270 mm.	250
1288	NN trolleys	2 s/s trolleys, 14 floors each, floor dimensions: 810 mm x 630 mm, total dimensions: (2x) 870 mm x 650 mm x 1940 mm.	200
1289	NN trays	Steel trolley with large amount of s/s trays, dimensions tray: 295 mm x 150 mm x 60 mm, total dimensions: 810 mm x 670 mm x 1770 mm	100
1290	NN trolley	S/s trolley, 14 floors, floor dimensions: (14x) 810 mm x 610 mm, total dimensions: 860 mm x 625 mm x 1940 mm.	100
1291	Wiesheu GmbH	2 Wiesheu GmbH loading trolleys, type: BS_EUROMAT_Besch system, year of construction: 04/2011, dimensions: (2x) 750 mm x 600 mm x 1930 mm.	100
1292	NN outside airco unit	Outside airco unit, dimensions: 1100 mm x 1200 mm x 1250 mm.	100
1293	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH evaporator, 2 fans, type: SGK56-F 82, number: 239638/0100/2005/12015361/1, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 2800 W, dimensions: 2650 mm x 900 mm x 900 mm.	500
1294	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH evaporator, 2 fans, type: SGK56-F 82, number: 239520/0200/2005/11993323/1, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 2800 W, dimensions: 2650 mm x 900 mm x 900 mm.	500
1295	Wiesheu GmbH	2 Wiesheu GmbH loading trolleys, type: BS_EUROMAT_Besch system, year of construction: 08/2017, dimensions: (2x) 750 mm x 600 mm x 1930 mm.	100
1296	Rivacold	Rivacold condensing unit with cooling compressor, type: HCM250ZD31252000, serial number: 15160173, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 15.53 A, refrigerant: R404A, dimensions: 1700 mm x 800 mm x 1550 mm.	300
1297	Tronic	Tronic CCTV system with 4 camera's, dimensions: 280 mm x 180 mm x 260 mm.	100
1298	NN platform	S/s platform with stairs, working height: 780 mm, total dimensions: 1800 mm x 900 mm x 1800 mm.	150



Nr	Title	Description	Start €
1299	Silensys	Silensys outside unit for airconditioning, refrigerant: R404a, dimensions: 850 mm x 600 mm x 850 mm.	100
1300	Carrier	Carrier outside unit for airconditioning, dimensions: 1000 mm x 400 mm x 800 mm.	100
1301	Carrier	Carrier outside unit for airconditioning, refrigerant: R404a, dimensions: 1150 mm x 1000 mm x 850 mm.	100
1302	NN trolley	Container trolley, dimensions: 700 mm x 800 mm x 1700 mm.	25
1303	Tecumseh	Cabinet with 3 Tecumseh cooling compressors, model: TFHP4540X, refrigerant: R507, dimensions: 2400 mm x 750 mm x 800 mm.	250
1304	Tecumseh / Smeva	Cabinet with 4 Tecumseh cooling compressors, model: TFHP2480Z, TAGP4561X and (2x) TAGP4561Z, refrigerant: R507, 30 and 10 kg, dimensions: 2300 mm x 750 mm x 1550 mm. 1 compressor defect.	250
1305	NN belt grill	Belt grill, maximum belt width: 700 mm, total dimensions: 3300 mm x 1150 mm x 1900 mm. Incomplete.	1250
1306	NN beams	Large amount of s/s beams, beam length: 1870 mm, total dimensions: 1870 mm x 900 mm x 800 mm.	100
1307	Carrier	Carrier condensor, year of construction: 2007, dimensions: 1200 mm x 600 mm x 1300 mm.	250
1308	NN windows	Pallet with 12 windows, dimensions: (12x) 1185 mm x 660 mm x 110 mm.	150
1309	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1310	NN elevating belt	Mobile elevating belt with dividers, plastic belt, belt width: 370 mm, distance between dividers: 410 mm, divider height: 75 mm, elevating height: 950 mm, total dimensions: 2450 mm x 750 mm x 1020 mm.	350
1311	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 900 mm.	100
1312	Alfa Laval	Alfa Laval plate heat exchanger, type: C8-KSM, serial number: 30109-17944, year of construction: 2018, dimensions: 2600 mm x 800 mm x 1860 mm.	500
1313	Syspal	Syspal boot rack for 36 pairs, dimensions: 1200 mm x 500 mm x 1800 mm	100
1314	Skako	Skako transport belt, steel frame, plastic belt, belt width: 650 mm, total dimensions: 7000 mm x 1300 mm x 900 mm.	350
1315	Tino Cabero	Tino Cabero roof condenser, type: ACM / 0080 A35.D, factory number: 94.4275, dimensions: 4500 mm x 1000 mm x 1300 mm.	500
1316	LU-VE S.p.A.	LU-VE S.p.A. condenser, model: SAV8T, serial number: 5335890, year of construction: 2019, 400 V, 50 Hz, 1.4 A, 840 W, refrigerant: R22-R134a-R407C-R404A-R507, volume: 86 dm ³ , 4 fans, dimensions: 6930 mm x 1350 mm x 1200 mm.	500
1317	NN trolley		50



Nr	Title	Description	Start €
		Trolley with large amount of grill racks and plate dimensions, rack/plate dimensions: 400 mm x 600 mm, total dimensions: 800 mm x 665 mm x 1900 mm.	
1318	NN chiller	Chiller, dimensions: 9750 mm x 2200 mm x 2500 mm. Including 3 fans, dimensions: (3x) Ø 2000 mm x 1150 mm.	2000
1319	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 1000 mm, total dimensions: 6050 mm x 1400 mm x 1850 mm.	500
1320	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: PACi 42457, manufacturing number: PJV142786.VK1402148, 2 fans, dimensions: 2500 mm x 1200 mm x 600 mm.	250
1321	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38SZi 64457-230 E, manufacturing number: PJV120917.VK1200779, year of construction: 2012, 4 fans, dimensions: 3400 mm x 650 mm x 650 mm.	250
1322	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38SZi 64457-230 E, manufacturing number: PJV120917.VK1200779, year of construction: 2012, 4 fans, dimensions: 3400 mm x 650 mm x 650 mm.	250
1323	NN tank	S/s tank with mixing arm and agitator, dimensions: Ø 1250 mm x 2500 mm.	1450
1324	NN tank	S/s tank with mixing arm and agitator, dimensions: Ø 1250 mm x 2500 mm.	1450
1325	Koppens	Koppens elevating belt with dividers, s/s frame, plastic belt, type: AVK 3200/450, machine number: AVK 3200/450-94, 380 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 185 kg, belt width: 450 mm, distance between dividers: 330 mm, divider height: 50 mm, elevating height: 2100 mm, total dimensions: 3000 mm x 1100 mm x 2200 mm.	600
1326	NN infeed conveyor	Infeed conveyor, type: M8002, plastic belt, belt width: (2x) 350 mm, total dimensions: 3050 mm x 720 mm x 820 mm.	250
1327	NN roller conveyor	Roller conveyor, steel frame, plastic rollers, roller width: 340 mm, total dimensions: 3530 mm x 500 mm x 1010 mm.	100
1328	NN pallet stacker	Pallet stacker, dimensions: 3250 mm x 1120 mm x 1790 mm.	100
1329	Groba BV	Groba BV cheese divider for hard cheese, type: ACSC 550, order number: 89811, plastic rollers, roller width: 400 mm, total dimensions: 1700 mm x 1150 mm x 2130 mm.	2500
1330	NN gutter	S/s infeed gutter, dimensions: 3700 mm x 1600 mm x 1480 mm.	200
1331	VEB	VEB dust extraction device, type: Sto 16, machine number: 179, year of construction: 1989, 80 kg, dimensions: 600 mm x 600 mm x 1600 mm.	100
1332	NN double tank	S/s double tank, volume: (2x) 500 liter, inside dimensions: (2x) Ø 945 mm x 1100 mm, total dimensions: 2500 mm x 1350 mm x 2000 mm.	1250



Nr	Title	Description	Start €
1333	NN evaporator	Evaporator, 2 fans, dimensions: 2700 mm x 1650 mm x 460 mm.	75
1334	Apollo VTS B.V. / Zlatorog Oprema d.o.o.	Apollo VTS B.V. / Zlatorog Oprema d.o.o. driven roller conveyor system for pallets, steel rollers, roller width: 1080 mm, total dimensions: (2x) 3300 mm x 1150 mm x 530 mm, 1500 mm x 1300 mm x 620 mm, (2x) 3000 mm x 1150 mm x 530 mm, (2x) 1450 mm x 1300 mm x 530 mm and 1200 mm x 800 mm x 550 mm. With 3 pallets with rollers.	3000
1335	NN chain conveyor	Mobile s/s double chain conveyor with dividers, distance between dividers: 195 mm, divider height: 25 mm, chain width: 160 mm, total dimensions: 6250 mm x 800 mm x 950 mm.	400
1336	Altrex	Altrex working platform, product number: 820000459/T09023/OVERSTAP, year of construction: 04/2009, max capacity: 150 kg, working height: 820 mm, total dimensions: 1230 mm x 540 mm x 820 mm.	50
1337	NN trolley	Container trolley, dimensions: 800 mm x 725 mm x 1685 mm.	10
1338	Alfa Laval	Alfa Laval evaporator, type: LEX 16-7 230-E2, serial number: 1012-0500001735-8814-21702, year of construction: 2010, machine weight: (empty) 61 kg, 230 V, 1 Ph, 50 Hz, 1 fan, volume: 4 liter, dimensions: 1100 mm x 780 mm x 700 mm.	150
1339	Helpman	Helpman evaporator, type: LEX-6-E CB, 220/240 V, 1 Ph, 50 Hz, dimensions: 670 mm x 660 mm x 450 mm.	75
1340	NN trolley	Steel trolley, 3 floors, floor dimensions: 1020 mm x 670 mm, total dimensions: 1150 mm x 700 mm x 1770 mm.	50
1341	NN trolley	Steel trolley, maximum capacity: 500 kg, total dimensions: 1250 mm x 800 mm x 1500 mm.	75
1342	NN mixing tub	S/s mixing tub, inside dimensions: Ø 970 mm x 1100 mm, total dimensions: 1000 mm x 1100 mm x 1850 mm.	200
1343	NN mixing tub	S/s mixing tub, inside dimensions: Ø 1200 mm x 1000 mm, total dimensions: 1400 mm x 1250 mm x 1950 mm.	200
1344	NN tub	S/s tub, dimensions: 1400 mm x 950 mm x 900 mm.	100
1345	Copeland GmbH	Copeland GmbH condensing and cooling unit, model: MC-M9-ZB45KE-TFD OHNE H/N, serial number: 42883, refrigerant: R 404a, 8 kg, dimensions: 1000 mm x 850 mm x 1770 mm.	250
1346	Finncont	Finncont s/s tank, volume: 800 liter, dimensions: 1200 mm x 1000 mm x 1150 mm.	100
1347	Finncont	Finncont s/s tank, volume: 800 liter, dimensions: 1200 mm x 1000 mm x 1150 mm.	100
1348	Finncont	Finncont s/s tank, volume: 800 liter, dimensions: 1200 mm x 1000 mm x 1150 mm.	100
1349	NN smoke trolleys		1900



Nr	Title	Description	Start €
		19 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (19x) 960 mm x 910 mm x 1800 mm.	
1350	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm.	2000
1351	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1352	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1353	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1354	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1355	NN smoke trolleys	15 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (15x) 960 mm x 910 mm x 1800 mm.	1800
1356	NN smoke trolleys	18 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (18x) 960 mm x 910 mm x 1800 mm.	500
1357	NN smoke trolleys	5 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (5x) 960 mm x 910 mm x 1800 mm.	2000
1358	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1359	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1360	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1000 mm x 1000 mm, total dimensions: (10x) 1050 mm x 1020 mm x 1960 mm.	750
1361	Profoid / DWM Copeland	Cooling cell with Profoid condensing unit and DWM Copeland cooling compressor, type condensing unit: B90-R0031FCZAC, serial number: 108847/140/49853, year of construction: 2006, 400 V, 3 Ph, 50 Hz, dimensions: 1295 mm x 740 mm x 760 mm, type cooling compressor: DKLP-15X-EWL, serial number: 08G000949 M, capacity: 7.35 m ³ per hour, dimensions: 840 mm x 930 mm x 540 mm, dimensions pallets with cooling panels: (1x) 2600 mm x 1200 mm x 300 mm, (1x) 3060 mm x 1350 mm x 1020 mm.	200
1362	Keyfrost	Keyfrost evaporator, model: KBF 14 TNEM, serial number: 0050734, year of construction: 2011, 230 V, 1 Ph, 50 Hz,	75



Nr	Title	Description	Start €
		7.1 A, dimensions: 730 mm x 460 mm x 870 mm. Damaged.	
1363	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. 1 trolley damaged.	1000
1364	Kemco	Kemco elevating belt with infeed hopper, plastic belt with dividers, belt width: 600 mm, distance between dividers: 305 mm, divider height: 50 mm, elevating height: 2200 mm, total dimensions: 4150 mm x 950 mm x 2560 mm.	1000
1365	Copeland GmbH	Copeland GmbH condensing and cooling unit, model: B8 KJ 7X CAG, serial number: 09H315756 M, dimensions: 600 mm x 600 mm x 500 mm.	100
1366	Silensys	Silensys outside unit for airconditioning with Tecumseh cooling compressor, refrigerant: R404a, dimensions: 900 mm x 600 mm x 800 mm.	100
1367	Silensys	Silensys outside unit for airconditioning with Tecumseh cooling compressor, refrigerant: R449a, dimensions: 1100 mm x 600 mm x 800 mm.	100
1368	Profroid	Profroid condensing unit, type: Quietis WPH19A, serial number: 139514/140/8C112, year of construction: 2010, 400 V, 3 Ph, 50 Hz, refrigerant: R404a, dimensions: 1200 mm x 400 mm x 750 mm.	100
1369	Carrier	Carrier condensor, refrigerant: R404a, dimensions: 1200 mm x 400 mm x 750 mm.	100
1370	Keyfrost	Steel cabinet with Keyfrost cooling compressor, model: KS 27 BTET, serial number: 00083729, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.7 kW, refrigerant: R404a, dimensions: 1000 mm x 570 mm x 400 mm.	100
1371	Profroid	Profroid condensing unit, type: Quietis WPH31A, serial number: 138192/140/79024, year of construction: 2010, 400 V, 3 Ph, 50 Hz, refrigerant: R404a, dimensions: 1200 mm x 400 mm x 750 mm.	100
1372	Carrier	Carrier condensor, refrigerant: R404a, dimensions: 1200 mm x 400 mm x 750 mm.	100
1373	Kovu	S/s cabinet with Kovu cooling compressor, refrigerant: R507, dimensions: 770 mm x 570 mm x 600 mm.	100
1374	Carrier	Carrier condensor, refrigerant: R507, dimensions: 1200 mm x 550 mm x 1300 mm.	100
1375	Carrier	Carrier condensor, refrigerant: R507, dimensions: 1050 mm x 500 mm x 1150 mm.	100
1376	Tippertie Technopack	Tippertie Technopack clipper, number: TC-200T-1319-362, dimensions: 360 mm x 200 mm x 810 mm.	100
1400	Pactiv Evergreen	Pactiv Evergreen fully automatic forming, sealing and filling machine, model: QL 60ESL W/SPOUT, serial number: 8709/11127, year of construction: 2019, 380 V, 3 Ph, 50 Hz, 111 A, 73 kW, weight: 7200 kg, total dimensions: 5400 mm x 2300 mm x 2950 mm. Machine was used for 1000 ml gable top cartons with SX Spout	50000



Nr	Title	Description	Start €
		applicator system and Portola cap (resealable cap). Ø Cap: 23 mm. CIP cleanable, Including caps bunker for cap buffer, pneumatic feeder, feeder bowl cap feeding system, sterile air filter and peroxide disinfection system. Lot dismantled and located in Lopik (NL), viewing and pick up in consultation with Industrial Auctions B.V.	
1401	Matam	Matam milk powder bag filling line, capacity: 250 bags of 20-25 kg per hour. Lot dismantled and located in Lopik (NL), viewing and pick up in consultation with Industrial Auctions B.V.	10000
1402	UHT	Complete UHT unit with indirect heating system. Indirect by tubular heat exchanger Alfa Laval Steritube B13 (Multitube). Protein stabilizer at 95°C - 60 seconds and holding tube at 137°C for 2/4 seconds. Output at 25°C or via 1 section plate cooler Alfa Laval C8 for ESL milk 4°C out. With balance tank, product centrifugal pump, water pumps, product- and steam valves and piping. Upstream non aseptic 2 stage homogenizer Tetra Pak ALH 30. 3 Pistons, piston diameter: 63 mm with ceramic coating, 200 bar. Current motor power 90 kW. Including Siemens ET200M remote control box and control panel with Danfoss FC302 (frequency converters 4kW & 75kW), PI&D and documentation available. Lot dismantled and located in Lopik (NL), viewing and pick up in consultation with Industrial Auctions B.V.	25000
1590	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	3000
1592	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	3000
1593	Polem	Polem plastic salt silo, type: SKS 13/30/45, year of construction: 2018, volume: 45 m³, construction weight: 1300 kg/m³, dimensions: ø 3000 mm x 13500 mm. Lot located on other location in Born (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	5000
1597	NN table	S/s table with plastic cutting board, dimensions: 3550 mm x 1850 mm x 850 mm.	450

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.



This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

