



**Industrial
Auctions**

**2009: Online auction machinery for the food
industry on behalf of SERVO Food Machinery in
Zamość (PL)**

END DATE
10 December 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	10 December 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	17 December 2025 from 09:00 till 16:00 hrs.
Pick up address	Białobrzegi 95A 22-400 Zamość Poland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Schröter	Schröter smoking/cooking and cooling chamber for 3 trolleys, inside dimensions: 3300 mm x 1550 mm x 2060 mm, total dimensions: 4170 mm x 1770 mm x 2600 mm.	5000
2	Maurer AG	Maurer AG smoke chamber for 2 trolleys, type: KFRH 1023.5, year of construction: 07/2003, 400 V, 50 Hz, 33.6 kW, inside dimensions: 2200 mm x 1740 mm x 2100 mm.	9500
3	Kilia	Kilia breaker for frozen blocks, chamber dimensions: 620 mm x 600 mm x 460 mm, number: 29613648, 15 kW, total dimensions: 1750 mm x 1300 mm x 2100 mm.	9500
4	Inject Star	Inject Star meat press for 16 plates, type: FWP-I-21, number: 271, year of construction: 1997, inside dimensions: 1500 mm x 500 mm x 1240 mm, total dimensions: 1970 mm x 600 mm x 1730 mm.	950
5	Inject Star	Inject Star meat press for 16 plates, type: FWP-I-21, number: 244, year of construction: 1995, inside dimensions: 1500 mm x 500 mm x 1240 mm, total dimensions: 1970 mm x 600 mm x 1730 mm.	950
6	CFS	CFS mixer-grinder with infrared MultiTrack (fat, protein, and water) analyzer on weighing cells, type: CombiGrind 2000/250, plate diameter: 250 mm, total dimensions: 3200 mm x 1900 mm x 2800 mm.	17500
7	Weber	Weber slicer, type: CCS 404, number: 135, year of construction: 06/2008, 400 V, 50 Hz, 10 kW, weight: 1300 kg, wire belt, belt width: 400 mm, total dimensions: 2300 mm x 1340 mm x 2250 mm. With Treif outfeed belt, model: Förderband, machine number: 481001.6022.106, year of construction 2009, 230 V, 1 Ph, 50/60 Hz, 1.25 A, 0.2 kW, weight: 195 kg, (new) plastic belt, belt width: 440 mm, total dimensions: 1460 mm x 640 mm x 1010 mm.	7500
8	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: CB160/77 233-1, plate diameter: 160 mm, total dimensions: 1820 mm x 1700 mm x 2000 mm.	7500
9	Alco Food Machines GmbH	Alco Food Machines GmbH double paddle mixer with cooling injection, model: AMP 1600, 15 kW, dimensions: 2800 mm x 1600 mm x 2100 mm.	12500
10	Wolfking	Wolfking grinder, model: C 400-UNI, 380 V, 167 A, 90 kW, weight: 3500 kg, plate diameter: 400 mm, total dimensions: 2350 mm x 1430 mm x 1950 mm.	19000
11	Bizerba	Bizerba mobile automatic slicer, type: A 406 FB, number: 2194205, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1200 mm x 740 mm x 1380 mm.	1000
12	Inauen Maschinen AG	Inauen Maschinen AG dip tank, type: VC999/Tank 85.47 D, machine number: 95T85180, 380 V, 3 Ph, 50 Hz, 6 A, 0.6 kW, inside dimensions: 980 mm x 460 mm x 300	2000



Nr	Title	Description	Start €
		mm, s/s rollers, roller width: 470 mm, total dimensions: 1320 mm x 1000 mm x 1330 mm.	
13	Inauen Maschinen AG	Inauen Maschinen AG drying tunnel, type: VC999/33.78 i, machine number: 9404073, 400 V, 3 Ph, 50 Hz, 20 A, 12 kW, pressure: 6 bar, s/s rollers, roller width: 780 mm, clearance: 780 mm x 350 mm, s/s mesh belt, belt width: 780 mm, total dimensions: 1720 mm x 1200 mm x 1680 mm.	3000
14	Dorit	Dorit brine mixer, inside dimensions: Ø 980 mm x 1000 mm, total dimensions: 1650 mm x 1050 mm x 1700 mm.	2000
15	Mettler Toledo	Mettler Toledo checkweigher, type: XE 3 DMS, serial number: 35002408, year of construction: 2010, 230 V, 50/60 Hz, max/min weight: 6000 g/10 g, e = 0.5 g, d = 0.5 g, plastic belt, belt width: 195 mm, 265 mm and 275 mm, total dimensions: 1360 mm x 800 mm x 1450 mm.	1500
16	NN cooking screw	Mobile cooking screw used for Wolfking C400UNI grinder, diameter screw: 250 mm, total dimensions: 4000 mm x 900 mm x 1400 mm.	3000
17	Foodconcept	Foodconcept mobile injector with filter tub, type: AN-20, serial number: 2352, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 3.1 kW, 300 kg, 20 needles, plastic mesh belt, belt width: 285 mm, total dimensions: 1300 mm x 650 mm x 2100 mm, dimensions filter tub: 800 mm x 400 mm x 600 mm.	4000
18	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF100, number: 13950, year of construction: 2001, 400 V, 50 Hz, 12.6 A, 5 kW, type linker: 34-5, number linker: 11353, dimensions: 1000 mm x 900 mm x 1900 mm.	4000
19	Stephan	Stephan micro cutter, type: MCH-D90, serial number: 727.335.01, year of construction: 2001, 400 V, 50 Hz, 128 A, 75 kW, dimensions: 2200 mm x 1150 mm x 1380 mm. Including 2 extra cutting rings 0.7 mm and 0.35 mm.	15000
20	Rietschle	Rietschle vacuum pump, type: VC 300 (01), number: 2141551, year of construction: 2000, capacity: 300 m³ per hour, dimensions: 910 mm x 700 mm x 420 mm.	2000
21	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: VP 300, number: 1178220038, capacity: 300 m³ per hour, dimensions: 1200 mm x 380 mm x 750 mm.	1500
22	Inauen Maschinen AG	Inauen Maschinen AG shrink tunnel, type: VC999/ 85.47 i I E 20 kW, machine number: 95T041214, 400 V, 3 Ph, 50 Hz, 31.5 A, 20.5 kW, clearance: 480 mm x 270 mm, inside dimensions: (2x) Ø 200 mm, total dimensions: 1350 mm x 1000 mm x 1400 mm.	3000
23	Hoegger Alpina	Hoegger Alpina vacuum filling machine, type: KF-250, machine number: 829011, 380 V, 4 kW, Busch vacuum	2000



Nr	Title	Description	Start €
		pump, type: RC 0016 C 303, dimensions: 700 mm x 650 mm x 1800 mm.	
24	Pökomat	Pökomat mobile vacuum tumbler, inside dimensions: Ø 850 mm x 710 mm, Busch vacuum pump, type: 40-138 422522, capacity: 40m ³ /hour, total dimensions: 880 mm x 1380 mm x 1760 mm.	2000
25	Henneken	Henneken vacuum tumbler, type: B4000, machine number: B4000_15/19-3256.1, year of construction: 2017, volume: 4000 liter, dimensions: 4200 mm x 1700 mm x 2150 mm. Without vacuum pump.	15000
26	Risco	Risco vacuum filling machine with lifter for 200 liter meat bins, type: RS 5001, serial number: C194005, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 35 A, 12 kW, dimensions: 2200 mm x 1100 mm x 2300 mm. With case spooling device among others.	2000
27	Multivac	Multivac mobile double chamber vacuum machine with gas flush, type: C 500, machine number: 805, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 22 A, 8 kW, chamber dimensions: (2x) 740 mm x 660 mm, seal length: (4x) 660 mm, total dimensions: 1650 mm x 1050 mm x 1100 mm.	2500
28	PureWaterWell	PureWaterWell belt type sludge thickening & dewatering machine, model: DYQ-1000, serial number: 2018112701, year of construction: November 2018, 1.5+0.75+0.75, capacity: 3-5 ton per hour, plastic mesh belts, belt width: 1000 mm, total dimensions: 4600 mm x 1600 mm x 2250 mm.	6000
29	Jungheinrich	Jungheinrich battery charger, model: SLT 100 JH, type: D400V G 24/70 B-SLT 100, serial number: 93426791, year of construction: 2007, output: 24V/70A, battery capacity: 360-750 AH / 7.5-14 H, dimensions: 510 mm x 490 mm x 730 mm.	200
30	Urschel Laboratories, Inc.	Urschel Laboratories, Inc. slicer, type: OV, number: 902, dimensions: 1800 mm x 850 mm x 1600 mm.	6000
31	Nock	Nock mobile strip cutter, type: CB495/5K, serial number: 09020110, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 10 A, plastic belt, belt width: 430 mm, 16 knives, distance between knives: 30 mm, total dimensions: 2400 mm x 850 mm x 1480 mm. Including 2 extra knives, (1x) 30 mm, (1x) 15 mm, and s/s trolley, dimensions: 570 mm x 830 mm x 1100 mm.	5000
32	Mado	Mado mixer-grinder, type: MEW 625, number: 1530011, 400 V, 3 Ph, 50 Hz, 21.9/25.1 A, 10.5/12.4 kW, dimensions: 1420 mm x 880 mm x 1400 mm. Incomplete, missing: plate, knives and worm.	3000
33	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999 K5, machine number: 150050261, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 4 kW, chamber	2500



Nr	Title	Description	Start €
		dimensions: 680 mm x 500 mm, seal length: 700 mm and 500 mm, Rietschle vacuum pump, type: VCAH 100, total dimensions: 850 mm x 1000 mm x 1050 mm. Missing seal.	
34	Rex Technologie	Rex Technologie vacuum filling machine with lifter for 200 liter meat bins, type: RVF 911, machine number: 9110090529, 400 V, 3 Ph, 50 Hz, 44 A, 22 kW, dimensions: 2100 mm x 1400 mm x 2070 mm. Including crate with parts and 2 rotors with 8 and 16 vanes.	10000
35	Heinrich Frey Maschinenbau GmbH	Heinrich Frey Maschinenbau GmbH vacuum filling machine, type: Konti-S200E, machine number: KS200E/130298, 400 V, 50 Hz, dimensions: 950 mm x 650 mm x 1800 mm.	3000
36	Motion Clinic	Motion Clinic mobile forming machine, type: mcbf 130, serial number: 0050 09280014, year of construction: 2009, 230 V, 50-60 Hz, diameter: 80 mm, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 700 mm x 1400 mm. With crate with parts.	2000
37	Alco Food Machines GmbH	Alco Food Machines GmbH mobile breading machine, type: ATP250N, serial number: 07109214, year of construction: 2003, 400 V, 0.92 kW, weight: 165 kg, s/s mesh belt, belt width: 250 mm, total dimensions: 1730 mm x 720 mm x 1860 mm.	2500
38	Rewi Pök	Rewi Pök mobile injector/tenderizer, 19 needles, plastic belt, belt width: 285 mm, total dimensions: 1750 mm x 510 mm x 1820 mm. Including tenderizer knife block.	1500
39	Weber	Weber mobile membrane skinning machine, type: AVI 520, number: 543, year of construction: 2002, 400V, 50Hz, 0.37 kW, weight: 220 kg, knife length: 520 mm, total dimensions: 900 mm x 620 mm x 1000 mm.	1000
40	Strapex	Strapex pallet wrapper, type: 606, machine number: 6190, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 10 A, max capacity load: 1500 kg, weight: 640 kg, plate diameter: 1450 mm, total dimensions: 3000 mm x 2000 mm x 1400 mm.	1500
41	Hauser	Hauser compressor rack, type: A-BI-103-4-NK-S-S, number: MP052863, year of construction: 2009, refrigerant: R134A, with 4 Bitzer scroll compressors, type: ESH736Y-40S, 380-420/440-480 V, 50/60 Hz, 24.5 A, dimensions: 2050 mm x 800 mm x 1150 mm.	2000
42	Inotec	Inotec mobile micro cutter, type: I225CD-110D, serial number: 0308-22500288, year of construction: 2003, 230/400 V, 3 Ph, 50 Hz, 206 A, 127/143 kVA, dimensions: 1840 mm x 1180 mm x 1200 mm. Including extra parts, diameter plate: 225 mm.	8000
43	Nowicki	Nowicki ham press, type: NM-2K, fabrication number: 10103204, year of construction: 2003, diameter pipe:	1000



Nr	Title	Description	Start €
		100 mm, total dimensions: 1850 mm x 450 mm x 1220 mm.	
44	Laska	Laska bowl cutter, type: KR 60 2, number: A 5414, 380 V, 3 Ph, 50 Hz, 33.8 A, 16.4 kW, s/s bowl and knives, capacity: 60 liter, total dimensions: 1420 mm x 1050 mm x 1180 mm. Including switch cabinet, dimensions: 600 mm x 800 mm x 210 mm.	3500
45	Suhner AG	Suhner AG grinder, model: AW114, number: AW114 271/152 86, plate diameter: 114, total dimensions: 1200 mm x 800 mm x 1300 mm.	2250
46	MR Etikettiertechnik GmbH & Co. KG	MR Etikettiertechnik GmbH & Co. KG labeller, type: MR333, number: 27481/08, model: MR333 TQ1529BS6312BD, year of construction: 2008, 230V, 50Hz, 2500 VA, dimensions: 1500 mm x 850 mm x 1750 mm.	2500
47	DIHR ALI SPA	DIHR ALI SPA washing machine, model: LP3 S PLUS PS XP DDE, type: 381.ECNBASNETNPII, serial number: DWE1000636, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 24.7 A, 4360 Watt, dimensions: 990 mm x 890 mm x 1780 mm.	700
48	Steinemann	Steinemann roots blower, type: 6/13-ESS, number: 13122, year of construction: 2010, dimensions: 2380 mm x 1260 mm x 1750 mm. With infeed screw on pallet, dimensions: 2200 mm x 800 mm x 1100 mm.	3000
49	Brunner	Brunner strip cutter, 7 knives, distance between knives: 15 mm and 25 mm, total dimensions: 1000 mm x 750 mm x 1400 mm.	2000
50	Dorit	Dorit mobile tenderizer with 88 needles, plastic mesh belt , belt width: 240 mm, total dimensions: 1150 mm x 600 mm x 1720 mm.	1500
51	Laska	Laska vacuum bowl cutter, type: KU 500 V, machine number: 1804, 400 V, 3 Ph, 50 Hz, 265 kW, s/s bowl, volume bowl: 500 liter, s/s knives, dimensions: 4000 mm x 3300 mm x 2300 mm. Including s/s switch cabinet: dimensions switch cabinet: 1600 mm x 700 mm x 2030 mm and vacuum pump. Overhauled by Servo. Trailer and meat bin are not included.	30000
52	Tipper Tie	Tipper Tie table model double clipper, number: NDCA 195.52.2320, dimensions: 300 mm x 200 mm x 830 mm.	500
53	Tipper Tie	Tipper Tie table model double clipper, number: NDCA 196.52.2320, dimensions: 300 mm x 200 mm x 830 mm.	500
54	NN trolley	S/s trolley with mounts for Tipper Tie clippers, dimensions: 700 mm x 500 mm x 580 mm.	200
55	Katadyn Products Inc	Katadyn Products Inc Katadyn filter, type: MF-31, serial number: 20047663, year of construction: 2000, volume: 75 liter, weight: 93 kg, dimensions: Ø 650 mm x 1100 mm.	300
56	Inotec		20000



Nr	Title	Description	Start €
		Inotec emulsifier, type: I175CD-75DVZ, number: 101-00427, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 182 A, 111 kW, 126 kVa, plate diameter: 175 mm, total dimensions: 1850 mm x 1200 mm x 2785 mm. Including switch cabinet, dimensions: 600 mm x 1250 mm x 2350 mm. Overhauled by Servo.	
57	Rudolf Deckert	Rudolf Deckert filling machine, type: MFM-101, machine number: 02.960, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 4.0 kW, dimensions: 1700 mm x 1150 mm x 2200 mm.	4000
58	Meissner	Meissner vacuum bowl cutter with ejector and lifter for 200 liter meat bins, type: VK 325, machine number: 749 019, 380 V, 50 Hz, 235 A, 118 kW, capacity: 325 liter, s/s bowl and knives, dimensions: 3800 mm x 2300 mm x 1850 mm. Without vacuum pump. Overhauled by Servo in 2023.	20000
59	Sorgo	Sorgo cooking chamber with cleaning system, inside dimensions: 1300 mm x 1200 mm x 2200 mm, total dimensions: 1700 mm x 1300 mm x 3300 mm.	6000
60	Rühle	Rühle cooled vacuum tumbler, type: MKR 200 classic 2, number: 0258 G, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 16 A, 3.8 kW, volume: 200 liter, Busch vacuum pump, type: KC016 D IZO, year of construction: 2008, capacity: 16 m³ per hour, total dimensions: 1500 mm x 1000 mm x 1600 mm.	3000
61	Risco S.p.A.	Risco S.p.A. portioning machine for minced meat, model: RS 912, serial number: P309002, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 4.0 kW, weight: 610 kg, plastic belt, belt width: 185 mm and 300 mm, total dimensions: 2700 mm x 800 mm x 1700 mm.	2000
62	Suhner AG	Suhner AG mobile vacuum tumbler, type: MSP 200E, machine number: 92200226, 380 V, 50 Hz, 5 A, 1.2 kW, Busch vacuum pump, type: KC 0016 D IOO, dimensions: 1200 mm x 650 mm x 1500 mm.	1500
63	Copeland Scroll	Copeland Scroll cooling compressor, type: ZB30KCE-TFD-551, serial number: 06K243956C, year of construction: 24.1.2007, refrigerant: R-404A, dimensions: 700 mm x 350 mm x 370 mm.	100
64	Europack	Europack mobile vacuum machine, type: TMA2000.SS.SC.6, machine number: 96138, year of construction: 1998, 220 V, 1 Ph, 50 Hz, 17 A, Busch vacuum pump, seal length: 410 mm, chamber: 455 mm x 425 mm, total dimensions: 480 mm x 600 mm x 980 mm.	700
65	Handtmann/Ariana	Handtmann/Ariana portioning machine for minced meat, consisting of: Handtmann grinder head for vacuum filling machine, model: GD 93-1, serial number: 77, year of construction: 06/99, 100 V, 50 Hz, 27 A, 1.5	2000



Nr	Title	Description	Start €
		kW, plate diameter: 148 mm. Ariana portion cutter with interleaver, serial number: 2950-3265, plastic belt, belt width: (2x) 160 mm, total dimensions: 2100 mm x 750 mm x 1260 mm.	
66	NN transport belt	Transport belt, plastic mesh belt, belt width: 810 mm, total dimensions: 1340 mm x 850 mm x 910 mm.	1000
67	NN transport belt	Transport belt, plastic mesh belt, belt width: 850 mm, total dimensions: 1550 mm x 1140 mm x 850 mm.	1000
68	Schrofner	Schrofner vacuum filling machine, type: KVF 80, number: 301225, year of revision: 2006, 220/42 V, 50 Hz, 20 A, 5 kW, dimensions: 800 mm x 700 mm x 1750 mm.	2000
69	FAM	FAM slicer/dicer, type: PMD-2D, serial number: 4371, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 7.5 kW, weight: 450 kg, plastic belt, belt width: 270 mm, 29 knives, distance between knives: 8 mm, total dimensions: 2450 mm x 900 mm x 1200 mm. Including extra belt.	6000
70	G. Mondini S.p.a.	G. Mondini S.p.a. depositor, model: VF/SP-E-70-2-S, serial number: 1587/99, year of construction: 28/06/99, 380 V, 3 Ph, 50 Hz, 2-heads, total dimensions: 1800 mm x 1500 mm x 2200 mm. Incomplete.	2000
71	Ca.ve.co	Ca.ve.co mobile traysealer, type: STF/1, machine number: 3293, 380 V, 50 Hz, dimensions dye: 315 mm x 215 mm, film width: 260 mm, total dimensions: 1950 mm x 1330 mm x 1830 mm. Including extra dye set, dimensions dye: (2x) 160 mm x 120 mm.	1500
72	Urschel	Urschel slicer, number: 20063, dimensions: 1400 mm x 1100 mm x 1770 mm.	3000
73	Inauen Maschinen AG	Inauen Maschinen AG belt vacuum machine, type: VC999/07 P F 15 / 220-W500, machine number: Rev. 0701 2035, 400 V, 3 Ph, 50 Hz, 19 A, 11.5 kW, Rietschle vacuum pump, type: CLFH 220 V (20), capacity: 220 m³/h, seal width: (2x) 450 mm and (1x) 950 mm, dimensions chamber: 950 mm x 450 mm, plastic rollers, roller width: 440 mm, total dimensions: 1200 mm x 1200 mm x 1150 mm.	2500
74	NN lifter	S/s lifter for pallet boxes, lifting height: 2700 mm, maximum dimensions pallet boxes: 1200 mm x 1150 mm, total dimensions: 2100 mm x 1670 mm x 3250 mm. S/s cover for motor damaged.	2000
75	Inject Star	Inject Star vacuum tumbler, volume: 1000 liter, dimensions: 2000 mm x 1500 mm x 2150 mm.	1000
76	Koppens	Koppens mobile coating machine, type: ER 400, serial number: 1266, 380 V, 3 Ph, 50 Hz, 2.38 A, 0.62 kW, weight: 165 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2450 mm x 720 mm x 1810 mm.	2500
77			1500



Nr	Title	Description	Start €
	Profroid / Copeland Scroll	Profroid compressor rack, type: CR3/CB3HZB56/ZF18 ZC, serial number: 104896/130/19533, year of construction: 2006, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, 3 Copeland Scroll cooling compressors, model: ZF18K4E-TFD-551, dimensions: 1350 mm x 770 mm x 1330 mm.	
78	Karl Schnell GmbH & Co. KG	Karl Schnell GmbH & Co. KG mobile micro cutter, model: FD175 D, type: 112, machine number: 35477, year of construction: 2015, 400 V, 50 Hz, 91.1 A, 52.4 kW, weight: 542 kg, diameter plate: 175 mm, total dimensions: 1800 mm x 1000 mm x 900 mm. Including s/s tool trolley, dimensions tool trolley: 550 mm x 500 mm x 640 mm.	15000
79	Magurit	Magurit frozen block cutter, working width: 500 mm, total dimensions: 1800 mm x 850 mm x 1850 mm.	1000
80	NN smoke chamber	Smoke chamber, 6 floors, dimensions each floor: 540 mm x 410 mm, total dimensions: 1000 mm x 1050 mm x 760 mm.	1000
81	IFP packaging	IFP packaging mobile turning table, type: TAV. GIR. D.1200, serial number: 4273, year of construction: 2014, 400 V, 50 Hz, 0.8 A, 0.18 kW, maximum 60 kg, dimensions: Ø 1200 mm x 880 mm.	700
82	Suhner AG	Suhner AG slicer, type: KI-93, machine number: 39049, 400 V, 50 Hz, 2.6 kW, s/s chain conveyor, conveyor width: 240 mm, total dimensions: 3000 mm x 1100 mm x 1550 mm.	700
83	Master Sp. j.	Master Sp. j. s/s sink with knife sterilizer, knee control, dimensions: 650 mm x 420 mm x 1130 mm.	100
84	Hobart	Hobart salad spinner, model: ES 502, serial number: 94.100441, 380 V, 3 Ph, 50 Hz, 1.58 A, 0.37 kW, inside dimensions: Ø 480 mm x 330 mm, total dimensions: 770 mm x 630 mm x 940 mm.	1000
85	Ulbricht	Ulbricht mobile cooled vacuum tumbler, type: KKT 300, machine number: 10108, year of construction: 1994, 380 V, 50 Hz, 8.2/16 A, 3.8 kW, weight: 380 kg, capacity: 300 liter, Busch vacuum pump, type: 021 336, number: 458461, dimensions: 1870 mm x 1050 mm x 1900 mm.	3000
86	Marinox	Marinox mobile tilting device for barrels, type: SK 800 HA T, number: 9308, barrel diameter: 840 mm, total dimensions: 1960 mm x 1100 mm x 1900 mm.	2000
87	NN mixer-grinder	Double shaft paddle mixer-grinder, plate diameter: 178 mm, total dimensions: 2850 mm x 1200 mm x 1750 mm.	5000
88	NN transport belt	Transport belt, plastic belt, belt width: 110 mm, total dimensions: 1180 mm x 330 mm x 400 mm.	200
89	Wilhelm Will GmbH	Wilhelm Will GmbH vertical form-, fill- and seal machine, type: S 3.50, fabrication number: 9710, year of construction: 1997, 400 V, 50 Hz, 7 A, vertical seal length: 340 mm, horizontal seal length: 230 mm, total	3000



Nr	Title	Description	Start €
		dimensions: 1650 mm x 1200 mm x 2040 mm. Including box with parts.	
90	Laudon	Laudon mobile pressure vessel for adding oxygen, fabrication number: 888091/2, year of construction: 1998, dimensions: 700 mm x 500 mm x 1080 mm.	1000
91	Tecno Brianza	Tecno Brianza mobile double clipper, type: CDS 200, number: 43, dimensions: 1100 mm x 900 mm x 1850 mm.	1500
92	Zomerdam	Zomerdam checkweigher with labeller, type: PAW 2000, fabrication number: 9057, year of construction: 2005, 230 V, 50 Hz, maximum weight: 3 kg, minimum weight: 20 gram, e=d= 1 gram, temperature range: 10-40°C, , plastic belt, belt width: (2x) 90 mm and 200 mm, total dimensions: 1800 mm x 800 mm x 1730 mm.	1000
93	D.C. Norris & Co. (ENG) Ltd.	D.C. Norris & Co. (ENG) Ltd. mixing installation, model: ACB, serial number: 013, year of construction: 1995, 415 V, 3 Ph, 50 Hz, volume tank: 360 kg, dimensions: 1600 mm x 1600 mm x 2700 mm.	4000
94	Nieros	Nieros crate washer and dryer, number: 9028, clearance: 600 mm x 320 mm, total dimensions washer: 2650 mm x 1350 mm x 2000 mm, total dimension dryer: 2400 mm x 1300 mm x 2400 mm. Including in and outfeed belts, plastic rollers, roller width: 640 mm, total dimensions: 2000 mm x 750 mm x 700 mm and 3000 mm x 1700 mm.	2500
95	CFS	CFS mobile screw loader with meat analyser, type: Screw loader I 400, machine number: 5000066648, year of construction: 2009, 3 x 460 V, 60 Hz, 12.5 kW, screw diameter: 400 mm, Multitrack TS in-line analyser, machine number: 500006646, year of construction: 2009, total dimensions: 3100 mm x 1800 mm x 2300 mm.	5000
96	Dorit	Dorit tumbler, type: VV-3-450, serial number: 931000-314, 380 V, 50 Hz, 3 Ph, 4.1 A, 1.8 kW, dimensions: 1650 mm x 1500 mm x 2050 mm.	3000
97	Glass	Glass mobile tenderizer, type: GSS-400, number: 4464, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 5.2 A, 2.3 kW, weight: 400 kg, plastic belt, belt width: 440 mm, working width: 420 mm, total dimensions: 2750 mm x 960 mm x 1440 mm.	6000
98	Cryovac	Cryovac dryer, model: WR81-800, serial number: SN00805, s/s mesh belt, belt width: 800 mm, clearance: 800 mm x 300 mm, total dimensions: 2100 mm x 1400 mm x 1700 mm.	4500
99	Leonhardt	Leonhardt mobile filling station for cans, type: AG 1 DPZ0/S, number: 0140/1022, year of construction: 2002, total dimensions filling machine: 2100 mm x 1300 mm x 1770 mm. With mobile belt, plastic belt, belt width: 100	4000



Nr	Title	Description	Start €
		mm, filling head: Ø 70 mm, total dimensions belt: 3100 mm x 650 mm x 1900 mm.	
100	Cryovac	Cryovac belt vacuum machine, model number: VC 14 RH, serial number: A50011625, year of construction: 1999, 400 V, 50 Hz, 40 A, 13 kW, plastic belt, belt width: 475 mm, plastic rollers, roller width: 540 mm, seal length: 940 mm and 650 mm, total dimensions: 1620 mm x 1050 mm x 1180 mm.	3500
101	Hitachi	Hitachi electric chain hoist, type: 1FH, number: 9203278006L, lifting height: 6000 mm, weight: 47 kg, maximum capacity: 1000 kg, total dimensions: 500 mm x 250 mm x 200 mm.	300
102	Rühle	Rühle mobile dicer, dimensions chamber: 100 mm x 100 mm x 370 mm, total dimensions: 920 mm x 690 mm x 1090 mm. Missing knife.	1500
103	Rex	Rex mobile vacuum filling machine, type: RVF 50, machine number: 5006040323, year of construction: 2000, 400 V, 3 Ph, 16 A, 4 kW, dimensions: 950 mm x 630 mm x 1550 mm.	3000
104	NN rotary grill	Rotary grill, serial number: 9606, dimensions: 850 mm x 850 mm x 750 mm.	200
105	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, dye: (2x) 190 mm x 130 mm, Busch vacuum pump, total dimensions: 800 mm x 600 mm x 1550 mm. Missing cover.	1000
106	Fave Giorgio Axel s.r.l.	Fave Giorgio Axel s.r.l., salting and massaging machine, inside dimensions: 1500 mm x 1900 mm, total dimensions: 2850 mm x 1200 mm x 1750 mm.	3000
107	Marel	Marel quick loader consisting of: Carso tray denester, type: DENESTER, number: SO-82805, year of construction: 2007, plastic mesh belt with dividers, belt width: 250 mm, total dimensions denester: 2050 mm x 700 mm x 2200 mm. Marel tray loader, type: Tra-tcon, serial number: A049156, year of construction: 2007, 3x380 V, 3 kW, plastic mesh belt, belt width: 254 mm, total dimensions loader: 1600 mm x 950 mm x 1450 mm.	3500
108	Grassair	Grassair screw compressor, type: RLR 40V7, serial number: API220119, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 30 kW, 850 kg, dimensions: 1800 mm x 1000 mm x 2400 mm.	2000
109	POLAR SYSTEMS	POLAR SYSTEMS blancher, number: 3046C102, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 600 mm, total dimensions: 5000 mm x 1000 mm x 1650 mm.	3000
110	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, seal length: 700 mm and 450 mm, dimensions chamber: 720 mm x 450 mm, total dimensions: 810 mm x 700 mm x 1000 mm.	1000
111	NN vibrating gutter		1500



Nr	Title	Description	Start €
		S/s vibrating gutter with filter, gutter width: 580 mm, perforations: 2 mm, total dimensions: 1900 mm x 1000 mm x 1100 mm.	
112	NN plucker	Plucker, 2 rollers, length rollers: 1000 mm, total dimensions: 1900 mm x 1400 mm x 1350 mm.	2000
113	Kolbe	Kolbe mobile paddle mixer-grinder, machine number: 125131, diameter plate: 98 mm, total dimensions: 1140 mm x 770 mm x 1320 mm.	3000
114	NN grilling belt	Mobile s/s top grilling belt, grilling surface: 1800 mm x 600 mm, mobile transport belt, s/s frame, s/s mesh belt, belt width: 600 mm, dimensions grilling machine: 2250 mm x 1200 mm x 1900 mm, dimensions transport belt: 3850 mm x 900 mm x 950 mm.	1500
115	Maurer AG	Maurer baking / cooking oven for 1 trolley, electric heated, inside dimensions: 760 mm x 1840 mm, total dimensions: 2000 mm x 1700 mm x 3050 mm.	3500
116	Cryovac	Cryovac belt vacuum machine, model: VS90, serial number: SN02521, year of construction: 2012, 400 V, 50 Hz, 20 A, 5.3 kW, plastic belt, belt width: 660 mm, total dimensions: 3150 mm x 1200 mm x 2100 mm. 2 suction devices on a pallet, Rietschle vacuum pump, model: VWP 1500 and Busch vacuum pump, model: RA 0305 D 562 QOXX.	3500
117	Inject Star	Inject Star mobile elevating belt, type: FL-600, number: FL600-101, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 0.75 kW, plastic mesh belt, belt width: 610 mm, distance between dividers: 705 mm, divider height: 750 mm, elevating height: 2500 mm, total dimensions: 3600 mm x 1220 mm x 2650 mm.	2500
118	Mado	Mado mobile grinder, type: MEW 620, number: 1530216, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4.0 kW, 1435 rpm, double plastic screw, plate diameter: 98 mm, total dimensions: 1060 mm x 900 mm x 1550 mm. Including extra knives and plates.	3000
119	Cryovac	Cryovac dip tank, model: ST77 LHE, serial number: A51600910, year of construction: 2005, 380/410 V, 50 Hz, 66 A, 4.6 kW, clearance: 800 mm x 250 mm, total dimensions: 1250 mm x 1300 mm x 2000 mm. Technical condition unknown.	3000
120	Brunner	Brunner strip cutter/tenderizer, type: GKS, number: 86050, 380 V, 50 Hz, 3.4 A, 1.5 kW, 25 knives, distance between knives: 5 mm, tenderizer width: 170 mm, total dimensions: 430 mm x 590 mm x 650 mm. Including extra knife set.	400
121	Laska	Laska double shaft paddle mixer, model: 800, 400 V, 3 Ph, 50 Hz, 18 kW, volume: 800 liter, dimensions: 2200 mm x 1500 mm x 2600 mm. Including pallet with switch cabinet.	6000



Nr	Title	Description	Start €
122	Ricagni	Ricagni air conditioning, consisting of: Outside unit, model: CN.MUST18R/7, serial number: 827-0054, 220-240 V, 50 Hz, 25 A, dimensions: 900 mm x 500 mm x 500 mm. Inside unit, dimensions: 790 mm x 280 mm x 640 mm.	100
123	Leroy Somer S.A.	Leroy Somer S.A. electric motor, type: C315, machine number: 146871, 330/420 V, 110 kW, 2000 rpm, dimensions: 1400 mm x 900 mm x 700 mm.	1250
124	Maja	Maja mobile portioning machine, type: FPS 40, serial number: 40927, year of construction: 1999, 400 V, 50 Hz, 3 Ph, 630 kg, capacity: 40-60 pieces per minute, weight range: 11-700 g, plastic belt, belt width: 200 mm, Busch vacuum pump, type: RC 0025 E 501, number: 03013682, capacity: 25 m ³ per hour, total dimensions: 2870 mm x 720 mm x 1170 mm. Including crates with extra parts.	2000
125	Meissner	Meissner mobile grinder, type: SR-160/2, machine number: 301076, 400 V, 3 Ph, 50 Hz, 28 kW, diameter plate: 160 mm, total dimensions: 1400 mm x 1100 mm x 1950 mm. Including pallet with switch cabinet. Overhauled by Servo in 2022.	7500
126	DIHR ALI SPA	DIHR ALI SPA dishwasher, type: LP2 Plus, machine number: DWC 1004268, year of construction: 2008, 380-415 V, 3 Ph, 50 Hz, 18.9 A, 12500 W, inside dimensions: 700 mm x 700 mm x 600 mm, total dimensions: 840 mm x 930 mm x 1800 mm.	500
127	NN dehairing machine	Dehairing machine, working width: 1950 mm, total dimensions: 2300 mm x 1800 mm x 2800 mm.	3000
128	Elro	Elro wall mounted roasting pan, volume: 120 liter, dimensions: 1460 mm x 900 mm x 500 mm.	500
129	Bizerba	Bizerba weighing scale labelling machine with cash drawer, type: SC II 100, number: 10712619, year of construction: 2011, 120-240 V, 50/60 Hz, 0.35-0.25 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T = - 6/15 kg, dimensions scale: 340 mm x 250 mm, total dimensions: 4200 mm x 4200 mm x 350 mm.	75
130	Ricagni	Ricagni air conditioning, consisting of: Outside unit, model: CN.MUST12/7, serial number: 826-0369, 220-240 V, 50 Hz, 15 A, dimensions: 950 mm x 200 mm x 460 mm. Inside unit, dimensions: 850 mm x 280 mm x 530 mm.	100
131	Fomaco	Fomaco injector and tenderizer with filter tub, model: FGM 64/384-384 DW, machine number: 7614, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 27 A, 128 needles, s/s walking beam, beam width: 550 mm, dimensions injector: 3000 mm x 1000 mm x 2400 mm, dimensions filter tub: 2500 mm x 750 mm x 1000 mm.	4000



Nr	Title	Description	Start €
132	NN depositor	Depositor for sauces, double jacked infeed hopper with agitator, dimensions: 700 mm x 1240 mm x 1840 mm.	950
133	Automotion System	Automotion System label press, type: ZRG101, year of construction: 2017, 400 V, 3 Ph, 10 A, 2 kW, plastic belt, belt width: 120 mm and 125 mm, total dimensions: 2100 mm x 570 mm x 1250 mm. Missing press belt.	1250
134	Ricagni	Ricagni outside unit for air conditioning, model: CN.MUST15/7, serial number: 827-0056, 220-240 V, 50 Hz, 25 A, dimensions: 800 mm x 280 mm x 620 mm.	100
136	Eldon	Eldon switch cabinet, dimensions: 1200 mm x 1200 mm x 300 mm.	350
137	Marel	Marel TVM mobile skewering machine, type: Spiedo 1200, serial number: 08620-00014, year of construction: 2004, 400/200 V, 2/3 Ph, 50/60 Hz, 0.5 kW, 9/6 bar, weight: 500 kg, plastic outfeed belt, belt width: 200 mm, total dimensions: 2500 mm x 1430 mm x 1500 mm. Including box with extra parts and an trolley with extra forms, dimensions trolley: 620 mm x 840 mm x 1750 mm.	2000
138	Talsa	Talsa bowl mixer on s/s frame, type: MIX150P, serial number: 209557, year of construction: 2000, 400 V, 3 Ph, 50 Hz, volume: 150 liter, total dimensions: 1200 mm x 800 mm x 1700 mm.	1750
139	Staff Ice System	Staff Ice System ice cube machine, model: SB 180 A, serial number: 176399, 230 V, 1 Ph, 50 Hz, 16 A, 200/535 W, refrigerant: R 404A, volume: 320 gr, inside dimensions bunker: 700 mm x 670 mm x 400 mm, total dimensions: 760 mm x 760 mm x 900 mm.	400
140	I.L.P.R.A.	I.L.P.R.A. mobile traysealer, type: Food pack, model: 500, machine number: 250, year of construction: 1989, 220 V, film width: 310 mm, dimensions dye: 2x (5x) 145 mm x 50 mm, total dimensions: 1000 mm x 900 mm x 1600 mm. Including extra dye. Without vacuum pump.	950
141	Stanref International Limited / Carlyle	Stanref International Limited / Carlyle cooling compressor rack, consisting of: 2 Carlyle cooling compressors, model: 06EA575600, 400 V, 3 Ph, 50/60 Hz. Stanref International Limited gas tank, model: RBV-69166-02, year of construction: 2004, volume: 200 liter, fluid: A1 GRP2 GAS, dimensions: 2100 mm x 1100 mm x 2000 mm.	1750
142	FILTROX	FILTROX s/s filter press, 400 V, 3 Ph, 50 Hz, 12 kW, volume: 40 liter, dimensions: 750 mm x 600 mm x 1600 mm.	950
143	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH bone saw, type: 055, machine number: 05501.60031.0519-1, year of construction: 1987, 380/220 V, 3 Ph, 50 Hz, 7.5/16 A, dimensions: 750 mm x 820 mm x 1100 mm.	400
144	Hobart		3000



Nr	Title	Description	Start €
		Hobart dishwasher, model: CNA-L, year of construction: 2006, 380-415 V, 3 Ph, 50 Hz, 48.20 A, 24.80 kW, clearance: 500 mm x 450 mm, total dimensions: 3450 mm x 800 mm x 2040 mm.	
145	Bizerba	Bizerba weighing scale with indicator, type: ITE-W, number: 0103, year of construction: 1993, 230 V, 50/60 Hz, 0.04 A, maximum weight: 60 kg, minimum weight: 0.4 kg, e = 0.02 kg, dimensions: 500 mm x 400 mm x 100 mm.	150
146	Kärcher	Kärcher mobile high pressure cleaning unit, type: HDS 895, serial number: 10258510041749, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 6.4 kW, dimensions: 1350 mm x 750 mm x 850 mm.	100
147	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF608, number: 25047 S, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3 kW, 5.1 A, Busch vacuum pump, type: KC 0016 D, 16m3/h, linking attachment number: 34-5/28592, total dimensions: 700 mm x 800 mm x 1850 mm.	9000
148	Hywema	Hywema lifting platform, type: SHT/IN, fabrication number: 16280, year of construction: 1985, capacity: 2000 kg, platform dimensions: 3520 mm x 2000 mm, total dimensions: 3520 mm x 2000 mm x 1300 mm.	2000
149	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 150, number: 205, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 16 A, 3.0 kW, volume: 150 liter, Rietschle vacuum pump, type: VGD-10 (10), year of construction: 2001, capacity: 10-12 m³ per hour, total dimensions: 1200 mm x 1000 mm x 1630 mm.	3000
150	Thüringer Fleischereimaschinen GmbH	Thüringer Fleischereimaschinen GmbH spiral mixer, type: VM500, machine number: 23, 380 V, 3 Ph, 50 Hz, 27 A, 12.5 kW, volume: 500 liter, dimensions: 2650 mm x 950 mm x 1850 mm. Overhauled in 2024.	9000
151	NN mixer	Mixer, dimensions: 900 mm x 400 mm x 200 mm.	300
152	Steritech	Steritech autoclave, number: CV06-340, year of construction: 2006, volume: 4450 liter, inside dimensions: 3700 mm x 1150 mm x 1000 mm, total dimensions: 4450 mm x 1800 mm x 2100 mm.	9000
153	Stephan	Stephan mobile universal machine, type: UM 40, number: 499741E, year of construction: 1981, 380 V, 50 Hz, 10.5/13.5 A, 4/5.5 kW, volume: 40 liter, dimensions: 750 mm x 550 mm x 1000 mm.	1000
154	Stephan	Stephan mobile universal machine, type: UMB40 H, number: 20021984, 380 V, 50 Hz, 10/9 A, 5/5 kW, volume: 40 liter, dimensions: 750 mm x 550 mm x 1000 mm.	500
155	NN transport belt	Transport belt, plastic belt, belt width: 700 mm, total dimensions: 1950 mm x 850 mm x 1100 mm.	500



Nr	Title	Description	Start €
156	TWS	TWS mobile ham press, diameter chamber: 110 mm, total dimensions: 2650 mm x 460 mm x 1770 mm. Including extra ham press.	950
157	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH cooking vessel, type: C, fabrication number: 16798, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 18 kW, inside dimensions: 900 mm x 800 mm x 400 mm, total dimensions: 1350 mm x 100 mm x 1050 mm.	950
158	Hoegger Alpina	Hoegger Alpina bowl cutter with steel bowl and s/s knives, type: PB 60 990, machine number: 417103, year of revision: 4/94, 380 V, 36 A, 18 kW, dimensions: 1500 mm x 1100 mm x 1100 mm.	1500
159	Bizerba	Bizerba weighing and labelling machine, type: SC II 800, number: 10712627, year of construction: 2011, 120-240 V, 50/60 Hz, 0.35-0.25 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T = - 6/15 kg, dimensions scale: 340 mm x 270 mm, total dimensions: 340 mm x 450 mm x 600 mm.	75
160	Linde AG	Linde AG compressor rack, type: VPM 355-2210, serial number: 24370, year of construction: 2000, refrigerant: R404A, with 3 Copeland scroll compressors, type: ZF09K4E-TFD-551, dimensions: 1530 mm x 730 mm x 810 mm.	1500
161	Maja	Maja portion control slicer, type: FP100, number: 45949, year of construction: 2006, 400 V, 50 Hz, Busch vacuum pump, number: 060062236, capacity: 160 m ³ per hour, dimensions: 1900 mm x 1100 mm x 2000 mm. Including s/s trolley with moulds.	2750
162	FMT	FMT mobile elevating belt, type: OPVB7502-PO-PCK, year of construction: 1995, 220-380 V, 3 Ph, 50 Hz, 1.75 A, plastic belt with dividers, belt width: 120 mm, divider height: 80 mm, distance between dividers: 195 mm, elevating height: 2000 mm, total dimensions: 3300 mm x 600 mm x 2260 mm.	1000
163	Edertal Elektromotoren GmbH	Edertal Elektromotoren GmbH tenderizer, type: FM35, number: 67545, 400 V, 3 Ph, 50 Hz, 1.65 A, 600 W, clearance: 30 mm x 210 mm, total dimensions: 610 mm x 270 mm x 520 mm.	500
164	Pökomat	Pökomat injector, type: P25/320SE/99, number: 4490.1, year of construction: 2005, 400 V, 50 Hz, 4 A, 1500 W, 340 kg, 25 needles, s/s mesh belt, belt width: 300 mm, dimensions: 1850 mm x 950 mm x 2000 mm.	2000
165	Suhner AG	Suhner AG mixer, type: MIX150, serial number: 40294, 380 V, 50 Hz, 5 A, 2 kW, volume: 150 liter, dimensions: 1100 mm x 750 mm x 1250 mm.	1000
166	NN crusher	S/s crusher, clearance: (2x) 60 mm, working width: 1320 mm, total dimensions: 1850 mm x 950 mm x 1570 mm.	1000
167	Bizerba		100



Nr	Title	Description	Start €
		Bizerba weighing and labelling machine, type: SC II 800, number: 10712628, year of construction: 2011, 120-240 V, 50/60 Hz, 0.35-0.25 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T = - 6/15 kg, dimensions scale: 340 mm x 270 mm, total dimensions: 340 mm x 450 mm x 600 mm.	
168	Heat and Control	Heat and Control oven, s/s belt, belt width: 600 mm, total dimensions: 8000 mm x 1300 mm x 2320 mm. Technical condition unknown.	3500
169	FriFri	FriFri fryer, type: E6, dimensions: 520 mm x 260 mm x 860 mm.	100
170	Fritout	Fritout fryer, type: 8, number: 21116, 380 V, 3 Ph, 5000 W, dimensions: 570 mm x 280 mm x 830 mm.	100
171	A.E.W. Engineering	A.E.W. Engineering bandsaw, model: 400 LH, type: MK.12, serial number: LHS.260293, 380 V, 3 Ph, 4.7 A, dimensions: 1050 mm x 1050 mm x 1850 mm. Without saw blade.	1250
172	Mado	Mado bandsaw, type: MKB 554 D, number: 30564, 220/380 V, 3 Ph, 50 Hz, 2.9 A, 1100 W, dimensions: 720 mm x 720 mm x 1590 mm. Missing saw.	1000
173	Provisur Technologies	Provisur Technologies beehive separator, type: RSDD04A 28 HP, 380/460 V, 50/60 Hz, 60 A, 34 kVA, s/s worms, dimensions hopper: 650 mm x 500 mm x 300 mm, diameter drum perforations: 1 mm, total dimensions: 2020 mm x 680 mm x 1620 mm.	15000
174	Munters	Munters desiccant dehumidifier, model: MXT7500 G, fabrication number: 96 / W / 75 / 1660, 400 V, 3 Ph, 50 Hz, maximum: 7.7 kW, gas, dimensions: 2300 mm x 1400 mm x 2000 mm.	1250
175	NN cooking vessel	Cooking vessel, inside dimensions: 1450 mm x 850 mm x 600 mm, total dimensions: 1600 mm x 1100 mm x 1160 mm.	1500
176	NN blower	Blower, dimensions: 640 mm x 600 mm x 700 mm.	300
177	NN blower	Blower, dimensions: 640 mm x 600 mm x 700 mm.	300
178	Daikin Europe N.V.	Daikin Europe N.V. condenser, model: ERQ250A7W1B, 400 V, 3 Ph, 50 Hz, 21.6 A, 240 kg, refrigerant: R410a, 8.4 kg, dimensions: 930 mm x 760 mm x 1780 mm.	1000
179	NN blower	Blower, dimensions: 560 mm x 500 mm x 800 mm.	300
180	NN blower	Blower, dimensions: 560 mm x 500 mm x 800 mm.	300
181	NN slicer	Mobile slicer for vegetables, diameter knife: 405 mm, total dimensions: 800 mm x 900 mm x 1200 mm.	1000
182	Sprematec	Sprematec mobile cordon bleu machine, type: CB-Schneider, machine number: 210002, year of construction: 05.2008, s/s mesh belt, belt width: 400 mm, plastic belt, belt width: (2x) 115 mm, total dimensions: 2100 mm x 800 mm x 1800 mm.	1500
183	Mauer-Atmos		1500



Nr	Title	Description	Start €
		Mauer-Atmos cooking vessel, inside dimensions: 1000 mm x 900 mm x 650 mm, total dimensions: 1300 mm x 1450 mm x 1150 mm.	
184	CFS	CFS thermoformer, type: 620, machine number: 627/0110, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 11 kW, film width: 600 mm, dye: (16x) 150 mm x 130 mm, plastic outfeed belt, belt width: 530 mm, Witt-Gasetechnik gas mix station, type: KM 100-3 MEM, MR Etikettiertechnik labelling machine, type: MR625 OP4218LS620K10, machine number: 23055/04, year of construction: 2004, 230 V, 50 Hz, total dimensions: 9200 mm x 1450 mm x 2450 mm. Without vacuum pump. Including pallet with parts and extraction unit for rest film, dimensions extraction unit: 450 mm x 450 mm x 1150 mm.	6000
185	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tempering machine, type: CBF 1000, serial number: 20, year of construction: 2012, 400 V, 3 Ph, weight: 2500 kg, basket dimensions: 700 mm x 160 mm, total dimensions: 1950 mm x 2400 mm x 2900 mm. Including Schiessl compressor rack, model: CBF1000-2W/S6J-16.2Y, serial number: 1151967224401, weight: 700 kg, with Bitzer cooling compressor, dimensions compressor rack: 2050 mm x 900 mm x 1770 mm.	20000
186	Lima S.A.	Lima S.A. water-feather separator, type: AL1000, number: 365, year of construction: 1999, s/s screw, screw width: 300 mm, tier: 300 mm, elevating height: 1030 mm, total dimensions: 3070 mm x 1080 mm x 1920 mm.	2000
187	Emery Winslow	Emery Winslow scale with sensors, can be mounted under machine, model: 181-4EM-SSM1K, job: J-20019, ref: 21970, weighing range: 6 tones.	200
188	Therma	Therma tiltable roasting pan, electric heated, inside dimensions: 1065 mm x 685 mm x 200 mm, total dimensions: 1600 mm x 1080 mm x 900 mm.	1000
189	Therma	Therma tiltable cooking vessel, type: BOT100E.MC35.W94, serial number: 70700395, 400 V, 3 Ph, 50 Hz, 18.2 kW, 26 A, volume: 100 liter, dimensions: 1200 mm x 1080 mm x 1000 mm.	1000
190	Viro	Viro mobile bag sealing machine, type: PPKMS-1200/6 INOX, serial number: 094/15, year of construction: 2015, 230 V, 50 Hz, 1 kW, seal length: 1215 mm, total dimensions: 1400 mm x 800 mm x 1850 mm.	1500
191	Groen	Groen cooking vessel with agitator, type: BH-60, serial number: P667-1, year of construction: 1996, volume: 300 liter, gas heated, dimensions: 1380 mm x 1100 mm x 1700 mm.	1000
192	Mettler-Toledo		500



Nr	Title	Description	Start €
		Mettler-Toledo s/s floor weighing scale with indicator, model indicator: 8142, serial number: 4338675-4NV, 220 V, 50/60 Hz, 0.23 A, dimensions scale: 1250 mm x 1250 mm, total dimensions: 1500 mm x 1400 mm x 150 mm.	
193	Busch	Busch vacuum pump, type: 400-212 23816, capacity: 400 m³ per hour, dimensions: 1300 mm x 850 mm x 1150 mm.	1000
194	Riniker cannon	Riniker cannon compressed air system for waste transport, inlet diameter: 155 mm, volume: 400 liter, total dimensions: 2050 mm x 850 mm x 1750 mm.	1500
195	Provisur Technologies	Provisur Technologies beehive separator, type: RTD06, 400 V, 50 Hz, 41 kW, s/s worms, diameter drum perforations: 1 mm, total dimensions: 2500 mm x 1100 mm x 1550 mm. Serviced by SERVO in 2025.	20000
196	Jarvis	Jarvis splitting saw, model: 4006330, serial number: I34947, year of construction: 04/01/19, 42/50 V, 50/60 Hz, 46/38 A, dimensions: 1450 mm x 300 mm x 400 mm. Never used.	5000
197	NN dehairing machine	Dehairing machine, working width: 1850 mm, total dimensions: 2550 mm x 1900 mm x 1850 mm,	1000
198	Cryovac	Cryovac flowpacker with gas mixing option, model: CJ50 MD, serial number: 10004, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 4 kW, 6 A, plastic belt, belt width: 190 mm and 220 mm, film width: 400 mm, seal length: 180 mm, total dimensions: 5200 mm x 1000 mm x 1900 mm.	3000
199	Velati	Velati continuous meat cutter, type: Tagliacarne AAF/4, serial number: 007107, 400 V, 50 Hz, 19.6 kW, plastic belt, belt width: 560 mm, s/s mesh belt, belt width: 400 mm, distance between knives: (13x) 35 mm, total dimensions: 2500 mm x 1800 mm x 2400 mm, 1200 mm x 1200 mm x 1150 mm.	7000
200	NN mixer	Double shaft spiral mixer, model: RTL 3322, dimensions: 3200 mm x 1900 mm x 2150 mm.	5000
201	Kentmaster	Kentmaster brisket saw, type: HBB-II, including Tecna balancing unit, dimensions: 800 mm x 800 mm x 200 mm	1200
202	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, type: TS 400, 5 kW, dye: (2x) 215 mm x 130 mm, Rietschle vacuum pump, type: VCAM 100 (08) 102161-0823, capacity: 100 m³ per hour, total dimensions: 1400 mm x 1200 mm x 1500 mm.	1250
203	Carnitech	Carnitech grinder, type: CT 3103, serial number: 05-0018, year of construction: 2005, 400 V, 3 Ph, 50 Hz, diameter plate: 180 mm, total dimensions: 1100 mm x 2200 mm x 1940 mm.	9000
204	DIA		300



Nr	Title	Description	Start €
		DIA membrane pump, dimensions: 1000 mm x 360 mm x 550 mm.	
205	CRM di Frigerio & C.	CRM di Frigerio & C. mobile slicer, type: TG 200 BREV.24765.A.81, serial number: 03, year of construction: 11-1986, clearance: 200 mm x 170 mm, plastic belt, belt width: 300 mm, total dimensions: 1200 mm x 850 mm x 1250 mm.	1500
206	Scotsman	Scotsman ice machine, model: MF-61, dimensions: 1200 mm x 800 mm x 1160 mm. Incomplete.	800
207	Termostabile	Termostabile labelling machine, model: 10251, machine number: 01LT86/C, year of production: 2002, 220 V, 50 Hz, 1.3 kW, 6 A, weight: 200 kg, dimensions: 1100 mm x 800 mm x 1900 mm.	450
208	Grundfos	2 Grundfos centrifugal pumps, type: CRN 64-3-1 AFAE-EUUE, model: A96424132P3, dimensions: (2x) 1300 mm x 370 mm x 370 mm.	1000
209	Talsa	Talsa piston filler, model: H26, version: PA, year of construction: 2004, serial number: 247613, 400 V, 50 Hz, 3 Ph, 0.93 kW, dimensions: 650 mm x 400 mm x 1200 mm. New lid gasket. Overhauled by Servo.	1200
210	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD forming machine, oval shaped dye, dimensions dye: 50 mm x 30 mm, plastic belt, belt width: 125 mm, total dimensions: 950 mm x 500 mm x 750 mm. Without plastic cover for forms.	1500
211	Rewi-Pök	Rewi-Pök mobile tumbler, dimensions: 1000 mm x 650 mm x 1050 mm.	950
212	Knecht Maschinenbau GmbH	Knecht Maschinenbau GmbH knife sharpener, type: A 650-2, machine number: 271051650-2, year of construction: 2004, 400 V, 50 Hz, 1.2 A, 0.34 kW, dimensions: 1400 mm x 930 mm x 1230 mm.	2000
213	NN infeed bunker	Infeed bunker with double screw, inside dimensions: Ø 1700 mm x 1300 mm, total dimensions: 2600 mm x 1850 mm x 2250 mm.	2000
214	API Schmidt	API Schmidt plate heat exchanger, model: Sigma M 651BK, fabrication number: PA 72887, year of construction: 1998, dimensions: 2700 mm x 900 mm x 2100 mm.	3000
215	NN skinning machine	Turkey skinning machine, year of construction: 2018, working width: 500 mm, total dimensions: 1700 mm x 700 mm x 1600 mm.	2000
216	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, type: VC999/TS 400, 400 V, 3 Ph, 50 Hz, 5 kW, 6 bar, dye: (2x) 215 mm x 130 mm, Rietschle vacuum pump, type: VCAH 100 (75), capacity: 100 m³ per hour, total dimensions: 1300 mm x 1000 mm x 1500 mm.	1500
217	Multivac	Multivac mobile traysealer, type: GALAXY, model: TS355, machine number: 1223, year of construction: 2003, 380 V, 3 Ph, 50 Hz, 23 A, 8.75 kW, dye: 305 mm x 245 mm,	1500



Nr	Title	Description	Start €
		Busch vacuum pump, type: RA 0100 E 503, number: 03029975, capacity: 63 m ³ per hour, total dimensions: 1100 mm x 710 mm x 1560 mm.	
218	NN tank	S/s double jacketed tank, inside dimensions: Ø 710 mm x 580 mm, total dimensions: 1050 mm x 1000 mm x 1550 mm.	1000
219	Metalcraft	Metalcraft flattener, plastic belt, belt width: 400 mm, total dimensions: 2200 mm x 900 mm x 1360 mm.	500
220	Comoc	Comoc floor scrubbing machine, dimensions: 1510 mm x 950 mm x 1030 mm.	100
221	Xorella	Xorella autoclave, type: Vakuumdämpfer, fabrication number: 4648 R / 10 154, year of construction: 1990, renovated in 2013/2014, heated by saturated steam, volume: 2396 liter, dimensions: 3100 mm x 2950 mm x 2150 mm.	9000
222	Juno	Juno roasting pan, type: 4 14443, year of construction: 1974, 380 V, inside dimensions: 660 mm x 660 mm x 180 mm, total dimensions: 1050 mm x 1000 mm x 1550 mm.	800
223	Bertschinger	Bertschinger cooking vessel, type: FK92L300R/3, 380 V, 3 Ph, 50 Hz, 11000 W, capacity: 92 liter, dimensions: 1200 mm x 950 mm x 1630 mm.	800
224	Bettcher Industries Inc.	Bettcher Industries Inc. Whizard electric bone trimmer, model: 520, serial no: 521244, knife diameter 50 mm, total dimensions: 750 mm x 400 mm x 300 mm.	600
225	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC 999/06E, number: 06E871340, 220 V, 50 Hz, 10 A, 19 kW, seal width: 350 mm, dimensions chamber: 350 mm x 360 mm, total dimensions: 650 mm x 400 mm x 250 mm. Cover broken.	150
226	Dieterle Maschinenbau	Dieterle Maschinenbau s/s lifter for pallet boxes, type: MD-5, year of construction: 1996, 400 V, 50 Hz, 8.6 A, 4.0 kW, capacity: 1000 kg, dimensions lift: 1200 mm x 1200 mm, lifting height: 2100 mm, total dimensions: 1750 mm x 2300 mm x 2860 mm.	1500
227	H.Wichelmann	H.Wichelmann s/s lifter for pallet boxes, type: PAKIP, machine number: 08/240, year of construction: 2008, 1.32 kW, dimensions: 2400 mm x 1800 mm x 3600 mm.	1500
228	Lydotec	Lydotec s/s lifter for 200 liter meat bins, type: IL200 c2, serial number: 6257, year of construction: 2005, capacity: 400 kg, lifting height: 4000 mm, total dimensions: 1300 mm x 1500 mm x 4900 mm.	1500
229	NN shredder	Shredder with AS-Motor GmbH KG motor, type: Samix S-E3, serial number: 29433077, 380 V, 50 Hz, 6.6 A, 3 kW, dimensions: 910 mm x 680 mm x 1640 mm.	300
230	Boss	Boss mobile double chamber vacuum machine, type: X660/1, machine number: 039053, 400 V, 50 Hz, 4 kW, seal length: (2x) 600 mm, dimensions chamber: (2x) 600 mm x 550 mm, Busch vacuum pump, type: RA 0100 E	1000



Nr	Title	Description	Start €
		503, capacity: 100 m ³ /h, total dimensions: 1400 mm x 850 mm x 1050 mm.	
231	Reepack	Reepack denester, type: LIDDER, serial number: 2813001, year of construction: 2013, 400 VAC, 3 Ph, 50 Hz, 11 A, plastic wire belt, belt width: 125 mm, s/s chain belt with dividers, belt width: 80 mm, distance between dividers: 250 mm, dimensions dye trays: 185 mm x 185 mm, total dimensions: 1600 mm x 1470 mm x 2050 mm.	2000
232	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC 999/06E, number: 06E881945, 220 V, 50 Hz, 10 A, 19 kW, seal width: 350 mm, dimensions chamber: 350 mm x 360 mm, Rietschle vacuum pump, type: VGB-20, capacity: 20 m ³ /h, total dimensions: 650 mm x 400 mm x 250 mm.	200
233	Frey	Frey piston filler, type: Kompakta 2, dimensions: 930 mm x 700 mm x 1200 mm. Including extra parts.	1000
234	NN heat exchanger	Heat exchanger, diameter output: Ø 60 mm, total dimensions: 900 mm x 300 mm x 600 mm.	100
235	Meissner	Meissner grinder with Linmark a/s lifter for 200 liter meat bins, type grinder: GW-130/2, number: 3292126, 380 V, 50 Hz, 33 A, 15 kW, plate diameter: 130 mm, total dimensions: 1250 mm x 980 mm x 1540 mm, type lifter: L25TMM, number: 1555, year of construction: 1992, 380 V, 3 Ph, 1.8 A, 0.55 kW, lifting height: 1500 mm, total dimensions: 2250 mm x 600 mm x 1000 mm.	6000
236	NN tank	Steel tank, volume: 20000 liter, dimensions: 5600 mm x 2600 mm x 2900 mm.	2500
237	Videojet	Videojet inkjet printer on s/s mobile frame, model: 1530, serial number: 1708001C44ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 700 mm x 700 mm x 1510 mm.	1500
238	Karl Schnell	Karl Schnell vacuum filling machine with lifter for 200 liter meat bins, model: P10, type: 573 SE, number: 20547, 380 V, 3 Ph, 50 Hz, 15.8 A, 7.5 kW, Seevic vacuum pump, model: SV45FP, dimensions: 1800 mm x 1370 mm x 2400 mm. Including 3 crates with extra parts.	3000
239	Eillert	Eillert vegetable centrifuge, type: Champion-I-N, year of construction: 1996, 400 V, 3 Ph, 2.4 A, dimensions: 800 mm x 900 mm x 850 mm.	1500
240	Packo	Packo blast chiller, model: Batch Freezer 3750L, serial number: 1BF16063, year of construction: 2016, inside dimensions: 1350 mm x 1250 mm x 2150 mm. Missing fan, without cooling compressor.	5000
241	NN flattener	Flattener, machine number: -28, year of construction: 1988, 380 V, 50 Hz, 16 A, plastic mesh belt, working width: 600 mm, total dimensions: 1200 mm x 1160 mm x 1360 mm.	400
242	Frigothermic		3500



Nr	Title	Description	Start €
		Linde/Frigothermic s.l. shock freezer, type: LS1/TWIN mi, number: AT-892/9965, 380 V, 50 Hz, 7 A, 5200 W, refrigerant: nitrogen, inside dimensions: 1045 mm x 1250 mm x 2020 mm, total dimensions: 2200 mm x 1600 mm x 2200 mm.	
243	Ceia	Ceia mobile metal detector, model: T/21, serial number: 21100219048, year of construction: 2011, 200-240 V, 1 Ph, 50/60 Hz, 11.4 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 210 mm, total dimensions: 1820 mm x 850 mm x 1130 mm.	2000
244	Kerres	Kerres cooking vessel, gas heated, inside dimensions: 900 mm x 800 mm x 400 mm, total dimensions: 1300 mm x 1150 mm x 1000 mm.	400
245	Ceia	Ceia mobile metal detector, model: T/21, serial number: 21000249055, 115/230 V, 50-60 Hz, 60 VA, plastic belt, belt width: 200 mm, clearance: 250 mm x 99 mm, total dimensions: 1150 mm x 780 mm x 1150 mm.	1000
246	Etscheid	Etscheid cooled mixer, type: KW 700-2, year of construction: 1991, 380 V, 3 Ph, 50 Hz, volume: 700 liter, dimensions: 2050 mm x 1300 mm x 1300 mm.	1500
247	NN plucker	Plucker, 2 rollers, length rollers: (2x) 1900 mm, total dimensions: 3100 mm x 2200 mm x 2550 mm.	10000
248	Inauen Maschinen AG	Inauen Maschinen AG rotary traysealer, type: GMS TS 900, 400 V, 3 Ph, 50 Hz, plastic rollers, roller width: 390 mm, dye: 220 mm x 120 mm, total dimensions: 1900 mm x 1650 mm x 1950 mm.	1500
249	Tech Montage	Tech Montage double jacketed s/s cooking vessel on s/s frame, steam heated, inside dimensions: 1300 mm x 1300 mm x 800 mm, total dimensions: 2200 mm x 1900 mm x 1900 mm.	1500
250	Anritsu	Anritsu metal detector, model: IP66, type: KD8026AW, serial number: K051367, year of construction: 2002, 100/240 VAC, 1 Ph, 50 Hz, max weight: 5 kg, plastic belt, belt width: 350 mm, clearance: 450 mm x 175 mm, total dimensions: 800 mm x 830 mm x 1350 mm.	1500
251	NN heat exchanger	Steel heat exchanger, dimensions: 1500 mm x 1500 mm x 2800 mm.	950
252	NN air treatment	Air treatment with several air canals.	200
253	Rex-Maschinen	Rex-Maschinen grinder, plate diameter: 114 mm, total dimensions: 1000 mm x 620 mm x 1150 mm. Including crate with extra plates.	500
254	NN boot dryer	Heated s/s booth dryer, for 12 pairs of boots, total dimensions: 930 mm x 590 mm x 1430 mm.	500
255	Velati	Velati double shaft paddle mixer, type: M5/2R, capacity: 1100 liter, 400 V, 3 Ph, 50 Hz, inside dimensions: 2000 mm x 860 mm x 700 mm, total dimensions: 3000 mm x 1150 mm x 1870/2270 mm.	12000
256	KMA		3000



Nr	Title	Description	Start €
		KMA filter for cleansing smoke, worked with smoking chambers for 120 trolleys, electric-water-carbon system, electric filter dimensions: 1250 mm x 1250 mm x 2860 mm, water filter dimensions: 580 mm x 1700 mm x 2700 mm, carbon filter dimensions: 560 mm x 1450 mm x 1850 mm.	
257	Fördertechnik GmbH	Fördertechnik GmbH mobile transport belt, type: Übergabeband L4, serial number: 03177, year of construction: 2015, s/s frame, plastic belt, belt width: 580 mm, foot control, total dimensions: 2330 mm x 730 mm x 1200 mm.	500
258	NN shredder	S/s shredder, dimensions: 1230 mm x 730 mm x 1320 mm.	500
259	TVI GmbH	TVI GmbH portioning machine, model: GMS 500, serial number: 0152, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 32 A, plastic mesh belt, belt width: 300 mm, total dimensions: 2000 mm x 1050 mm x 2900 mm, 2 trolleys with various forms, dimensions: (2x) 850 mm x 750 mm x 1800 mm.	12500
260	Teraoka Seiko Co, Ltd.	Teraoka Seiko Co, Ltd. weighing scale, model: DS-410, serial number: 306111, 220 V, 50/60 Hz, 5 kW, maximum capacity: 60 kg, minimum capacity: 0.4 kg, T= 60.00 kg, dimensions scale: 400 mm x 400 mm, total dimensions: 450 mm x 420 mm x 1550 mm.	150
261	Stork	Stork turkey eviscerator, dimensions: 2000 mm x 1950 mm x 2300 mm.	4000
262	Rühle	Rühle dicer, type: SR 2 turbo, number: 181, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 6.8 kW, chamber dimensions: 145 mm x 145 mm, plastic belt, belt width: 260 mm, total dimensions: 1280 mm x 1600 mm x 1700 mm.	3000
263	Esse Gi Packaging Systems	Esse Gi Packaging Systems vertical bag from-, fill- and seal machine, model: F 700 SYNCRO/SP, serial number: 16/2011, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 11 kVa, dimensions pipe: 40 mm x 60 mm, vertical seal length: 300 mm, horizontal seal length: 300 mm, total dimensions: 1250 mm x 2600 mm x 2000 mm.	3000
264	Systemate Holland BV	Systemate Holland BV weight distribution system for poultry elements, 7 weighing sensors, total dimensions: 2900 mm x 800 mm x 1650 mm	1000
265	NN heat exchanger	Heat exchanger, dimensions: 560 mm x 290 mm x 400 mm.	100
266	NN plucker	Plucker, 2 rollers, length rollers: (2x) 1900 mm, total dimensions: 3100 mm x 2200 mm x 2550 mm.	10000
267	Stork	Stork turkey tail feather puller, type: MVT, number: 89-06-116, s/s rollers, roller width: 620 mm, total dimensions: 1100 mm x 600 mm x 1760 mm.	1250
268	Alfa Laval		300



Nr	Title	Description	Start €
		Alfa Laval mixer, type: LKRE, serial number: 4393, year of construction: 1993, dimensions: 660 mm x 180 mm x 1550 mm.	
269	Bernos AB	Bernos AB bandsaw, type: Berba 2, number: 6263, 380 V, 3 Ph, 50 Hz, 5.8 A, 2.3 kW, 930 Rpm, s/s rollers, roller width: 400 mm, total dimensions: 1470 mm x 700 mm x 1850 mm.	1500
270	Yale	Yale forklift truck, type: GDP40LJ, chassis number: C813A03021B, year of delivery: 2004, weight: 10000 kg, fork dimensions: 2000 mm x 175 mm, total dimensions: 4750 mm x 1370 mm x 2270 mm.	4000
271	Linde	Linde cooling unit, type: VHM 325-4501, serial number: 11805, year of construction: 1993, 400/230 V, 50 Hz, consisting of 3 Bitzer cooling compressors, (3x) type: S4T-5.2, fabric number: 451 504, 380-420 V, 3 Ph, 50 Hz, 5.5/4 kW, 1450 rpm, 19/25 bar, refrigerant: R22, 19.7 m ³ /h, dimensions: 2100 mm x 790 mm x 1900 mm.	1250
272	Brown Boveri-York	Brown Boveri-York cooling unit, type: 770089, year of construction: 1990, refrigerant: R502, consisting of 3 DMW Copeland cooling compressors, type: DMDH-500/EWM/000, fabric number: 0542050, year of construction: 1989, 380/420 V, 3 Ph, 50 Hz, 1450 rpm, 26.8 m ³ /h, dimensions: 2100 mm x 800 mm x 1450 mm.	1250
273	Sofiac	Sofiac sole cleaner, type: IFC01, serial number: 97101673, year of construction: 1997, length brush: (2x) 1000 mm, total dimensions: 2400 mm x 800 mm x 1300 mm.	1250
274	Krehalon	Krehalon installation for liquid smoke, type: TG 250 M, dimensions: 440 mm x 850 mm x 1950 mm.	300
275	Maja	Maja skinning and derinding machine, type: VBA 505, machine number: 338329041, plastic belt, belt width: 380 mm, working width: 420 mm, total dimensions: 1900 mm x 900 mm x 1750 mm.	1250
276	Sibola A/S	Sibola A/S sealing machine, type: 500 BKW, serial number: 11850, year of construction: 1993, 240 V, 50 Hz, 3 Ph, dimensions: 800 mm x 650 mm x 340 mm.	150
277	Grasselli	Grasselli skinning machine, working width: 500 mm, total dimensions: 750 mm x 500 mm x 950 mm.	500
278	Mettler-Toledo	Mettler-Toledo weighing belt, model: 0972, serial number: 1124915-1ME, plastic belt, belt width: 450 mm, total dimensions: 1150 mm x 820 mm x 350 mm. Without indicator.	200
279	Ma-Ga	Ma-Ga table model slicer with knife sharpener, model: P, number: 26 734, year of construction: 1993, 220 V, 1 Ph, 50 Hz, 180 W, weight: 36 kg, dimensions: 600 mm x 500 mm x 500 mm.	300
280		VE.MA.C. Automazioni Industriali salami calibrator, machine number: 5867, year of production: 2014,	1000



Nr	Title	Description	Start €
	VE.MA.C. Automazioni Industriali	transporter dimensions: 2700 mm x 400 mm, total dimensions: 2700 mm x 1100 mm x 1700 mm.	
281	Vibra Maschinenfabrik	Vibra Maschinenfabrik vibrating gutter with filter, type: RRU 13/104DV, fabrication number: 42826.00/1, year of construction: 2001, gutter width: 900 mm, perforations: 10 mm, total dimensions: 1650 mm x 1170 mm x 1770 mm.	2000
282	NN drains	S/s floor drain, 10 pcs, dimensions: (10x) 220 mm x 220 mm x 220 mm, total dimensions: 800 mm x 500 mm x 600 mm.	1000
283	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, code: N160/35, number: 2200, 400 V, 50 Hz, 23.6 A, 9.5 kW, dimensions: 2200 mm x 1300 mm x 2050 mm.	3000
284	Rühle	Rühle mobile injector, type: PR 15, number: 2196 G, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 16 A, 1.1 kW, 15 needles, s/s belt, belt width: 260 mm, total dimensions: 1150 mm x 450 mm x 1400 mm.	1000
285	NN stunning machine	Stunning machine for poultry, gutter width: 500 mm, total dimensions: 2600 mm x 1200 mm x 2070 mm.	3000
286	Velati	Velati mobile double shaft paddle mixer, number: 22130, year of construction: 11. 2002, volume: 300 liter, total dimensions: 1950 mm x 650 mm x 1650 mm.	2000
287	NN plucker	Plucker, 10 and 14 heads per row, dimensions: 4900 mm x 2100 mm x 2350 mm.	15000
288	NN sealing machine	Sealing machine, dimensions: 800 mm x 530 mm x 100 mm.	50
289	Victor	Victor table model grinder, model: NVEL, serial number: 140509069, year of production: 2014, 220 V, 50 Hz, Net weight: 17.2 kg, Gross weight: 20.16 kg, 0.73 kW, plate diameter: 70 mm, total dimensions: 530 mm x 260 mm x 450 mm.	200
290	CFS	CFS slicer, type: Nova-Slicer, number: 495.2069, year of construction: 2001, plastic wired outfeed belt, belt width: 350 mm, total dimensions: 2650 mm x 1200 mm x 2150 mm. Including extra knives and belts.	3000
291	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 157, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 510 mm, total dimensions: 900 mm x 550 mm x 980 mm.	950
292	Theodor Loos	Theodor Loos steam boiler, number: 45622, year of construction: 1981, capacity: 1600 kg per hour, Weishaupt burner, type: L7Z, fabrication number: 2320119, year of construction: 1981, dimensions: 3430 mm x 1700 mm x 2250 mm. Technical condition unknown.	3000
293	Stock		2000



Nr	Title	Description	Start €
		Stock Rotomat autoclave, type: RE 4, fabrication number: 39812-1, year of construction: 1990, volume: 5000 liter, steam heated, dimensions: 5500 mm x 1800 mm x 3100 mm. Including 4 baskets.	
294	Hamba	Hamba cup filling and sealing machine, machine number: 45 002, diameter cup: 55 mm, total dimensions: 3900 mm x 1150 mm x 2100 mm.	2500
295	NN sealing machine	Sealing machine, dimensions: 800 mm x 530 mm x 100 mm.	50
296	Nowicki	Nowicki cooking vessel, type: KWO-500, fabrication number: 40202042, year of construction: 2002, 220 V, 11-33 kW, weight: 670 kg, capacity: 500 liter, dimensions: 1400 mm x 1400 mm x 1100 mm.	1500
297	Loos International	Loos International steam boiler, type: UHD, number: 60175, year of construction: 1997, capacity: 2000 kg per hour, Weishaupt burner, type: L7Z, fabrication number: 4434515, year of construction: 1997, dimensions: 3800 mm x 1800 mm x 2300 mm. With pallet with parts.	5000
298	SAS Nijal	SAS Nijal twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: P10, serial number: 1870706, year of construction: 2006, working width: 700 mm, total dimensions: 1250 mm x 1200 mm x 1500 mm.	1500
299	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999, seal length: (1x) 900 mm, (2x) 500 mm, total dimensions: 1120 mm x 1000 mm x 1050 mm. Technical condition unknown.	2000
300	Packo	Packo pump, type: FP2/40-200/752, dimensions: 900 mm x 350 mm x 350 mm.	200
301	Brother Packing Machinery	Brother Packing Machinery vacuum machine, model: VM400TE/B, serial number: bpm15F799, seal length: (2x) 400 mm, chamber dimensions: 400 mm x 325 mm, total dimensions: 500 mm x 520 mm x 450 mm. Missing vacuum pump.	400
302	Elbi	Elbi pressure vessel, model: AF500, serial number: E5561956, year of construction: 10/03, maximum pressure: 10 bar, temperature: -10/99°C, volume: 500 liter, dimensions: Ø 740 mm x 1140 mm.	150
303	Ygnis Kessel AG	Ygnis Kessel AG steam boiler, model: D-NDN-640/500, number: 5438.7317, year of construction: 1982, dimensions: 3400 mm x 1700 mm x 2300 mm. Burner has been dismantled.	3000
304	NN cooking vessel	S/s cooking vessel, inside dimensions: Ø 800 mm x 400 mm, total dimensions: 1410 mm x 1300 mm x 1200 mm.	1500
305	NN liquid pump	Liquid pump, dimensions: 920 mm x 280 mm x 460 mm.	300
306	Tipper Tie Technopack	Tipper Tie Technopack table model clipper, dimensions: 250 mm x 220 mm x 870 mm.	200
307	NN transport belt		500



Nr	Title	Description	Start €
		Mobile transport belt, s/s mesh belt, belt width: 340 mm, total dimensions: 3150 mm x 850 mm x 1480 mm.	
308	NN rack	S/s rack, 4 floors, dimensions: 1900 mm x 410 mm x 1800 mm	200
309	Rotoform	Rotoform forming and frying line, consisting of: Rotoform mobile forming machine, model: Rotoform 745, serial number: 745.90.208, 380 V, 3 Ph, 50 Hz, 12 A, 5.5 kW, diameter forms: (4x) 75 mm, s/s mesh belt, belt width: 400 mm. Belt frying machine, belt width: 450 mm, total dimensions: 2750 mm x 1100 mm x 1400 mm. Outfeed belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 950 mm x 900 mm x 900 mm. Pallet with parts for forming machine.	9000
310	NN roasting oven	Rotary roaster for grain, power: 0.55 kW, Herrmann gas burner, type: HG 65, oven inside dimensions: 700 mm x 600 mm x 600 mm, inlet diameter: 425 mm, dimensions oven: 1800 mm x 1150 mm x 1850 mm, dimensions trolley: 1150 mm x 1000 mm x 820 mm.	2000
311	Superior	Superior feeder, Ø 130 mm, outfeed: (2x) 150 mm x 20 mm, total dimensions: 1100 mm x 510 mm x 1400 mm.	500
312	NN chop block	Wooden chop block, dimensions: 410 mm x 400 mm x 900 mm.	50
313	MAI	MAI mobile saw, type: 800 SZ, number: 8020210491, year of construction: 2004, 400 V, 3-Ph, 50 Hz, 2.7 A, working width: 980 mm, total dimensions: 1440 mm x 1400 mm x 1550 mm.	1000
314	ATS-Tanner Banding Systems AG	ATS-Tanner Banding Systems AG mobile strapping machine with Smart Date coding machine, model: US-2100 AD-TTP-R, serial number: BR 848/4 210092, year of construction: 2015, clearance: 300 mm x 235 mm, total dimensions: 1960 mm x 1520 mm x 1150 mm.	4000
315	Tipper Tie Alpina GmbH	Tipper Tie Alpina GmbH mobile automatic double clipper, type: KDCM-A200, serial number: 4816-577, year of construction: 2014, 230 V, 50 Hz, 1.3 A, 0.3 kW, maximum: 6 bar, weight: 143 kg, dimensions: 1800 mm x 900 mm x 1650 mm.	9500
316	Alco food machines GmbH	Alco food machines GmbH mobile tenderizer, type: ASC 400 N, serial number: 04301220, year of construction: 2009, 400 V, 0.55 kW, weight: 220 kg, s/s mesh belt, belt width: 400 mm, working width: 400 mm, total dimensions: 1600 mm x 660 mm x 1120 mm.	3000
317	NN cooking belt	Cooking belt, s/s mesh belt, belt width: 900 mm, total dimensions: 6600 mm x 1450 mm x 2950 mm.	5000
318	NN fans	3 fans, dimensions: 1200 mm x 800 mm x 550 mm.	200
319	Ceia	Ceia metal detector, model: THS/MS21, serial number: 31002090117, year of construction: 2019, 200-240 Vac, 1 Ph, 50/60 Hz, 11.4 A, plastic belt, belt width: 355,	2000



Nr	Title	Description	Start €
		clearance: 350 mm x 59, total dimensions: 1650 mm x 860 mm x 950 mm. Technical condition unknown.	
320	Maja	Maja mobile skinning and derinding machine, type: VBA 5550, machine number: 43905, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 1.1 A, 2.8 kW, plastic belt, belt width: 510 mm, working width: 500 mm, total dimensions: 1900 mm x 1000 mm x 1300 mm.	1500
321	Hoegger Alpina	Hoegger Alpina grinder, type: SW 114 N, machine number: 205, 400 V, 3 Ph, 50 Hz, 13 A, plate diameter: 114 mm, total dimensions: 1000 mm x 600 mm x 1300 mm.	2000
322	Westfalia	Westfalia separator, inside dimensions: 360 mm x 280 mm, total dimensions: 1000 mm x 500 mm x 1000 mm. With trolley, dimensions: 550 mm x 650 mm x 1200 mm.	1500
323	Eillert	Eillert vegetable centrifuge, type: Champion-I-N, 400 V, 3 Ph, 2.4 A, dimensions: 600 mm x 900 mm x 850 mm.	1500
324	NN fans	3 fans, dimensions: 1200 mm x 800 mm x 550 mm.	200
325	Eillert	Eillert vegetable centrifuge, type: Champion-I-N, 400 V, 3 Ph, 2.4 A, dimensions: 600 mm x 900 mm x 850 mm.	1500
326	Schröder Maschinenbau GmbH	Schröder Maschinenbau GmbH mobile slicer, type: HS 90/400, number: HS 81396, year of construction: 1996, 230/400 V, 50 Hz, 7.3/3.8 A, 2 kW, 6 bar, s/s walking beam, width: 260 mm, total dimensions: 1800 mm x 1200 mm x 1780 mm.	1500
327	Certuss	Certuss high pressure pump, type: P30/43-1300, year of construction: 09/04, dimensions: 470 mm x 570 mm x 230 mm.	500
328	Certuss	Certuss high pressure pump, type: P30/43-1300, number: 268733/018, year of construction: 07/10, dimensions: 470 mm x 570 mm x 230 mm.	500
329	Loma Systems	Loma Systems mobile pipeline metal detector, model: IQ ² , serial number: EPL60101-02770D, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 55 mm, total dimensions: 700 mm x 550 mm x 1400 mm.	1500
330	Wolfking	Wolfking ribbon/paddle mixer, type: 1000-SSM, number: 24541, volume: 1000 liter, dimensions: 2300 mm x 1150 mm x 2100 mm.	6000
331	Kitzinger	Kitzinger crate washer, type: C250 2T, machine number: 323, year of construction: 2006, s/s chain belt, belt width: 500 mm, clearance: 500 mm x 300 mm, total dimensions: 8100 mm x 1500 mm x 2100 mm.	4000
332	NN grinder	S/s grinder plate diameter: 160 mm, total dimensions: 1350 mm x 900 mm x 2250 mm. Overhauled by Servo in 2025.	4000
333	Palga S.A.	Palga S.A. cutting and skewering machine, type: Combi, serial number: 95-38, year of construction: 1998, 56 skewers, dimensions: 850 mm x 750 mm x 1800 mm.	2000



Nr	Title	Description	Start €
334	Stephan	Stephan universal mixer, type: VM1500, machine number: 1809, year of service: 2024, volume: 1500 liter, 400 V, 3 Ph, 50 Hz, 10.5 kW, s/s double jacketed tank with mixer, cooling/heating option, Rietschle vacuum pump, capacity: 21m ³ /h, power 1.5 kW, Schema Hydraulik pump, power: 1.5 kW, new Mixer Indu IMAX 500 touch control panel, total dimensions: 4000 mm x 2150 mm x 3100 mm.	25000
335	Liechti Kälte AG	Liechti Kälte AG mobile rotary cooler, type: Fastcooler 3, serial number: 2007-1, year of construction: 2007, 400 V, 3 Ph, 32 A, Scroll cooling compressor, type: ZF33-K4E-TWD, refrigerant: R-404A, 4 baskets, dimensions each basket: 840 mm x 265 mm x 140 mm, total dimensions: 1770 mm x 900 mm x 1250 mm.	1500
336	Brevetti E. Gasparin & C snc	Brevetti E. Gasparin & C snc flowpacker, model: COR.1, serial number: 503.29, year of construction: 2000, 220 V, 3 Ph, 50 Hz, 3 A, 0.6 kW, weight: 350 kg, film width: 400 mm, seal length: 200 mm, plastic belt, belt width: 180 mm, total dimensions: 2500 mm x 1050 mm x 1660 mm.	3000
337	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/K 6 A, machine number: 1607366, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 15 A, 9 kW, seal length: 920 mm and (2x) 500 mm, dimensions chamber: 920 mm x 500 mm, total dimensions: 1100 mm x 900 mm x 1100 mm. Without vacuum pump.	1500
338	H&H	H&H apron washer, working width: 1000 mm, total dimensions: 1400 mm x 430 mm x 880 mm.	1500
339	Tarmet	Tarmet s/s sole cleaning platform, dimensions: 2600 mm x 1200 mm x 1200 mm.	600
340	NN boot cleaner	S/s boot cleaner, 2 lanes, lane length: 2000 mm, total dimensions: 2700 mm x 750 mm x 1200 mm.	1000
341	Boekels	Boekels metal detector, year of construction: 1999, 230 V, 50/60 Hz, aproximate belt width: 400 mm, clearance: 410 mm x 100 mm, elevating height: 1000 mm, total dimensions: 1550 mm x 950 mm x 1250 mm. Without belt.	1500
342	Jungheinrich	Jungheinrich forklift truck, type: EFG 216K, serial number: FN496878, year of construction: 2015, capacity: 1600 kg, weight: 2293 kg, Kaup bale clamp, clamp dimensions: 1180 mm x 990 mm, Hoppecke battery, type: trak basic, serial number: 45015380, 400 V, 50 Hz, 10 A, 7.2 kVA, weight: 29.50 kg, total dimensions: 3160 mm x 11050 mm x 2060 mm.	3000
343	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer with lifter for 200 liter meat bins, type: 1400, machine number: 140006.75041.0224, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 13 A, chamber dimensions: 550 mm x 150	3000



Nr	Title	Description	Start €
		mm x 120 mm, distance between knives: 25 mm, total dimensions: 2600 mm x 1400 mm x 2800 mm. Including extra knife grid, distance between knives: 5 mm.	
344	Franke	Franke coffee machine, type: TA K1 HD, number: 9004045, 380 V, 3P, 50 Hz, dimensions: 650 mm x 800 mm x 950 mm.	50
345	K+G Wetter	K+G Wetter paddle mixer, type: M 500, machine number: 441/1009, year of construction: 2004, 400 V, 50 Hz, 12 A, 6 kW, volume: 530 liter, capacity: 350 kg, weight: 1400 kg, dimensions: 2130 mm x 1430 mm x 2260 mm. Including SFK-Danfotech lifter for 200 liter meat bins, type: CH300, serial number: 2036, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 1.7 A, 0.75 kW, lifting height: 2140 mm, total dimensions lift: 1150 mm x 1040 mm x 2900 mm and s/s platform, dimensions platform: 860 mm x 610 mm x 1770 mm.	8000
346	Hajek	Hajek thermoformer, type: TA20/320, number: 3088, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 8 kW, film width: 320 mm, dye: 280 mm x 170 mm, Busch vacuum pump, type: RA 0040 C, capacity: 40 m³/h, total dimensions: 3400 mm x 900 mm x 2000 mm.	4000
347	Inject Star	Inject Star brine tank, type: LB-800, number: 098, year of construction: 2003, 380/400 V, 3 Ph, 50 Hz, 4 kW, capacity: 800 liter, dimensions: 1400 mm x 2000 mm x 1770 mm.	2000
348	Inwestpol	Inwestpol injector, plastic mesh belt, belt width: 345 mm, 60 needles, total dimensions: 1750 mm x 650 mm x 1920 mm. Including s/s filter tub, dimensions: 640 mm x 600 mm x 600 mm.	3000
349	Lozamet	Lozamet cooking vessel, type: BKP-300.1.5 number: 660, year of construction: 2018, volume: 300 liter, weight: 270 kg, capacity: 75 kg per hour, gas heated, dimensions: 1300 mm x 1200 mm x 1150 mm.	2000
350	Stiebel Eltron	Stiebel Eltron electrical boiler, type: SHD 30 S, number: 0730059-7850-00319, dimensions: 740 mm x 350 mm x 400 mm.	100
351	Loma Systems	Loma Systems metal detector with rejecter, model: IQ ³ , serial number: MDP304-10857D, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 0.3 A, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 140 mm, total dimensions: 2000 mm x 1060 mm x 1550 mm.	3000
352	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF616, serial number: 18713, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 8.7 A, 6 kW, dimensions: 1300 mm x 2150 mm x 1950 mm. Including wooden crate.	15000
353	Wichelmann Metallbau	Wichelmann Metallbau slaughter waste separator, type: HHA, machine number: 05/644, year of construction:	2000



Nr	Title	Description	Start €
		2005, 2.2 kW, diameter screw: 200 mm, tier: 200 mm, roller width: 500 mm, total dimensions: 1600 mm x 600 mm x 1150 mm.	
354	NTM	NTM washer, model: Sanit 2, serial number: 2802, year of construction: 2001, s/s mesh belt, belt width: 660 mm, clearance: 660 mm x 500 mm, total dimensions: 2850 mm x 1400 mm x 1450 mm. Including 2 mobile filter tubs, dimensions: (2x) 800 mm x 400 mm x 500 mm.	1000
355	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 02 1187 01, year of construction: 2005, 400/230 V, 3 Ph, 50 Hz, 3 kW, weight: 450 kg, plastic wire belt, belt width: 120 mm and 230 mm, Busch vacuum pump, total dimensions: 3250 mm x 750 mm x 1750 mm. Including trolley with dye set, dye: (2x) 160 mm x 105 mm, total dimensions trolley: 700 mm x 700 mm x 1430 mm.	3000
356	NN circulation pump	Circulation pump, dimensions: 1470 mm x 400 mm x 300 mm.	500
357	NN table	Aluminium table, dimensions: 640 mm x 640 mm x 830 mm.	50
358	Wright Field LTD	Wright Field LTD denester, number: 14210A, plastic belt with dividers, belt width: 210 mm, distance between dividers: 280 mm, dividers height: 20 mm, total dimensions: 2120 mm x 660 mm x 2000 mm.	500
359	NN sink	S/s sink, dimensions: 2150 mm x 400 mm x 215 mm.	100
360	Alpe	Alpe meat bin washer, type: 4000, serial number: 008735223-04, 380 V, 50 A, 11.5 kW, dimensions: 1700 mm x 1500 mm x 2150 mm.	3000
361	Tipper Tie Technopack	Tipper Tie Technopack mobile double clipper, type: E220 DCA-269.126, dimensions: 1000 mm x 550 mm x 1700 mm.	1000
362	Doleschal	2 Doleschal s/s cooking vessels and s/s cooling vessel, inside dimensions cooking vessels: (2x) 1450 mm x 800 mm x 530 mm, total dimensions: (2x) 1600 mm x 1350 mm x 1080 mm, inside dimensions cooling vessels: 1400 mm x 1090 mm x 570 mm, total dimensions: 1600 mm x 1290 mm x 950 mm.	2500
363	MHS	MHS slicer, dimensions chamber: 250 mm x 200 mm, total dimensions: 2100 mm x 900 mm x 1700 mm.	3000
364	NN transport belt	Plastic transport belt with dividers, belt width: 705 mm, dividers width: 300 mm, distance between dividers: 200 mm, divider height: 25 mm, total dimensions: 1260 mm x 950 mm x 1350 mm.	500
365	Konrad Peter AG	Konrad Peter AG snowplough, type: SS 3, fabrication number: 800192, year of construction: 80/81, dimensions: 1400 mm x 1400 mm x 2300 mm.	500
366	NN sieve	Separation sieve, dimensions: 1500 mm x 930 mm x 1000 mm.	500



Nr	Title	Description	Start €
367	Inject Star	Inject Star filter tub, type: LFS-183 COOL, machine number: LFSC183-021, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.5 kW, dimensions: 1850 mm x 700 mm x 1080 mm.	500
368	Inject Star	Inject Star injector, type: BI 183, 138 needles, s/s walking beam, beam width: 600 mm, total dimensions: 2500 mm x 1500 mm x 2400 mm. Incomplete, missing needles.	1000
369	Medoc	Medoc bandsaw, model: STL350, dimensions: 770 mm x 750 mm x 1700 mm.	1500
370	NN pressure washer	Pressure washer, dimensions: 750 mm x 350 mm x 350 mm.	300
371	Singer & Sohn GmbH	Singer & Sohn GmbH mobile transport belt, type: förderbandanlage, number: SI-18.10106.05.01.000, year of construction: 2019, 400 V, 50 Hz, 0.43 kW, plastic belt, belt width: 600 mm, dimensions: 1200 mm x 810 mm x 1360 mm.	500
372	NN transport belt	Transport belt, plastic belt, belt width: 255 mm, total dimensions: 2100 mm x 650 mm x 500 mm.	300
373	Vemag	Vemag mobile hanging line, type: AH 204, number: 2040251, year of construction: 2008, 220-575 V, 3 Ph, 50/60 Hz, 3.5/10 A, dimensions: 4000 mm x 750 mm x 1150 mm.	1500
374	Auriol	Auriol mixer, inside dimensions: Ø 500 mm x 530 mm, total dimensions: 900 mm x 600 mm x 1300 mm.	1000
375	Gillenkirch	Gillenkirch roller conveyor, model: RVS-2500-500-50, number: 8888, year of construction: 12/2016, plastic rollers, roller length: 500 mm, total dimensions: 2600 mm x 870 mm x 1100 mm.	800
376	NN fan	Fan, dimensions: 830 mm x 830 mm x 250 mm.	150
377	Jarvis	Jarvis horn cutter with balancer, steriliser and hydraulic unit, type: ABC-1, number: 94106, dimensions horn cutter: 750 mm x 200 mm, type balancer: 7241 0800 02, total dimensions: 1200 mm x 800 mm x 1000 mm.	1200
378	Smede- & Beholder Fabrik A/S	Smede- & Beholder Fabrik A/S tank, type: CRF, number: 6964, year of construction: 2002, capacity: 200 liter, dimensions: Ø 540 mm x 850 mm.	100
379	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 1370 mm x 850 mm x 950 mm.	300
380	Thirode	Thirode double shaft z-arm mixer with lifter for 200 liter meat bins, volume: 450 liter, dimensions: 2950 mm x 1400 mm x 2100 mm. Overhauled in 2025.	10000
381	Henkovac	Henkovac mobile vacuum machine, chamber dimensions: 810 mm x 560 mm x 240 mm, Busch vacuum pump, type: RA 0100 E 571, total dimensions: 950 mm x 950 mm x 1250 mm. Only vacuum, no sealing.	1000
382	Karl Schnell		5000



Nr	Title	Description	Start €
		Karl Schnell mobile emulsifier, model: M 320, type: 220, machine number: 18019, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 18.8 A, 22 kW, plate diameter: 320 mm, total dimensions: 1500 mm x 700 mm x 2230 mm. Overhauled by Servo.	
383	Günther	Günther injector, type: PI 100, machine number: 23510, 380 V, 32 A, plastic mesh belt, belt width: 580 mm, total dimensions: 2450 mm x 1250 mm x 2350 mm. Including mobile filter tub, dimensions: 1900 mm x 650 mm x 790 mm.	5000
384	Alexanderwerk	Alexanderwerk mobile belt slicer, type: AWBS 150, machine number: 04800029, 400 V, 50 Hz, 2 kW, belt width: 150 mm, clearance: 150 mm x 150 mm, total dimensions: 2240 mm x 630 mm x 1200 mm. Missing belt.	1500
385	Röschermatic	Röschermatic mobile tiltable vacuum mixer, volume: 150 liter, dimensions: 1100 mm x 900 mm x 1330 mm.	1000
386	Mado	Mado bandsaw, type: MKB 554 D, number: 31919, 220/380 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1100 W, table dimensions: 710 mm x 580 mm, total dimensions: 710 mm x 720 mm x 1600 mm.	1000
387	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 450 mm, divider height: 50 mm, distance between dividers: 255 mm, total dimensions: 4320 mm x 800 mm x 1250 mm. Missing legs.	800
388	Handtmann	Handtmann vacuum filling machine, type: VF12, serial number: 100/1691-1, dimensions: 1070 mm x 1050 mm x 1700 mm.	2000
389	Weber	Weber mobile skinning machine, type: ASE 553, number: 716, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 820 mm x 700 mm x 1040 mm.	500
390	NN elevating belt	Elevating belt, plastic belt with dividers, divider height: 50 mm, distance between dividers: 200 mm, total dimensions: 5500 mm x 800 mm x 1200 mm. Missing legs.	1000
391	MPE GB Limited	MPE GB Limited, Inline board sealing machine, serial: 1029, 415V, 50Hz, 6-8 bar, dimensions: 4300 mm x 1250 mm x 1950 mm.	3000
392	Huber Technology	Huber Technology filter screw, type: HPCC2 L-5M, number: 07124, year of construction: 07-12, tier: 190 mm, diameter screw: 250 mm, perforations: 5 mm, total dimensions: 5400 mm x 400 mm x 700 mm.	1500
393	Gardner Denver	Gardner Denver vacuum pump, type: VC 700, number: 2881788, year of construction: 2010, capacity: 700 m ³ per hour, dimensions: 1500 mm x 1000 mm x 1050 mm.	2000
394	Busch	Busch vacuum pump, type: 250-132, number: 32763, capacity: 250 m ³ /hour, 6 liter, dimensions: 940 mm x 500 mm x 450 mm.	1000



Nr	Title	Description	Start €
395	Maurer+Söhne	Maurer+Söhne cooking and smoking chamber with smoke generator, inside dimensions: 1100 mm x 900 mm x 1520 mm, total dimensions: 2100 mm x 1150 mm x 2500 mm.	5000
396	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 3985, year of construction: 1997, 400 V, 50 Hz, 17 A, 6.5 A, dimensions: 1600 mm x 1400 mm x 1900 mm.	4000
397	Treif	Treif mobile dicer, model: Phoenix-CE, chamber dimensions: 120 mm x 120 mm x 650 mm, distance between knives: 25 mm x 30 mm, total dimensions: 2350 mm x 960 mm x 1600 mm. Extra knife set, distance between knives: 10 mm and 20 mm. Without lifter.	4000
398	Kerres	Kerres smoke chamber, inside dimensions: 3000 mm x 1090 mm x 1570 mm, total dimensions: 3200 mm x 1730 mm x 2800 mm.	7000
399	Berkel	S/s floor weighing scale with Berkel indicator, type indicator: IWS-IT1000, serial number: 042881, year of construction: 2004, 240 V, 50/60 Hz, 0.2 A, max weight: 1500 kg, dimensions weighing scale: 1640 mm x 1500 mm x 340 mm.	800
400	Diosna Dierks & Sohne GmbH	Diosna Dierks & Sohne GmbH steel lifter for mixing bowls, model: BOKU HE52/933, serial number: 49381, 400 V, 50Hz, 1.1 kW, 2.7 A, dimensions: 2000 mm x 1400 mm x 2500 mm.	1500
401	Bastra	Bastra cooking vessel, model: M030.02.009, serial number: 9310, year of construction: 1997, 400 V, 50 Hz, 12 kW, inside dimensions: 800 mm x 600 mm x 410 mm, total dimensions: 1100 mm x 950 mm x 900 mm.	1000
402	Ruscher GmbH	Ruscher GmbH waste baler, type: FRIHOPRESS CL 46, serial number: R 00 069 AK, 230 V, 50 Hz, IP 65, 10.3 A, 1.5 kW, dimensions: 1000 mm x 900 mm x 1950 mm.	1000
403	Fessmann	Fessmann cooking vessel, type: NOVA 809, number: 154, year of construction: 85, 220 V, 50 Hz, 6 A, volume: 300 liter, gas: propane, dimensions: 1200 mm x 1000 mm x 1100 mm.	1000
404	Suhner AG	Suhner AG injector, type: WS 10, machine number: 9810838, 400 V, 50 Hz, 3.5 A, 1.1 kW, 10 needles, s/s mesh belt, belt width: 300 mm, total dimensions: 1200 mm x 600 mm x 1900 mm.	1000
405	Cryovac	Cryovac dip tank, plastic rollers, roller width: 450 mm, s/s pin and chain conveyor, belt width: 450 mm, total dimensions: 1300 mm x 900 mm x 2350 mm.	2000
406	Koenig Arbon	Koenig Arbon autoclave, dimensions: 1400 mm x 1540 mm x 1450 mm.	3000
407	DSI Freezing Solutions	DSI Freezing Solutions vertical plate freezer, type: V-5 25/75, number: 2815, year of construction: 02/2011, fluids: R22/R717, volume: 185 liter, 25 plates, space	5000



Nr	Title	Description	Start €
		between plates: 80 mm x 820 mm x 570 mm, total dimensions: 3300 mm x 1360 mm x 1230 mm.	
408	Alco	Alco mobile coating machine, type: APN 200 N, serial number: 03404211, year of construction: 2000, 400 V, 0.43 kW, s/s mesh belt, belt width: 200 mm, clearance: 200 mm x 50 mm, total dimensions: 1590 mm x 540 mm x 1170 mm.	3000
409	Alco	Alco mobile breading machine, type: APT 200N, serial number: 03204211, year of construction: 2000, 400 V, 0.59 kW, s/s mesh belt, belt width: 200 mm, clearance: 200 mm x 50 mm, total dimensions: 1500 mm x 540 mm x 1580 mm.	3000
410	Weisser	Weisser forming machine, type: 91, serial number: 7658, 380 V, 50 Hz, dye: (4x) Ø 90 mm, total dimensions: 400 mm x 400 mm x 770 mm. Incomplete. Spare parts in set.	500
411	Auran Metalli Oy	Auran Metalli Oy cooking vessel, type: Ryöppäyskattila, machine number: 1704.01, year of construction: 2001, inside dimensions: 1500 mm x 1000 mm x 650 mm, total dimensions: 2000 mm x 1800 mm x 1520 mm.	4000
412	Küppersbusch	Küppersbusch continuous fryer, type: KGT 0009, 400 V, 3 Ph, 50 Hz, 39.8 kW, s/s mesh belt, belt width: 450 mm, total dimensions: 2250 mm x 1200 mm x 1100 mm. Overhauled by Servo.	5000
413	CFS/ Kramer + Grebe	Box with parts for CFS/ Kramer + Grebe cutter, 6 knives, 325 L, dimensions: 800 mm x 600 mm x 550 mm.	1000
414	Bartscher GmbH	Bartscher GmbH fryer, year of construction: 1996, 50-60 Hz, 7.5 kW, dimensions: 650 mm x 400 mm x 460 mm.	50
415	Voran Maschinen GmbH	Voran Maschinen GmbH de-hider, type: EHM 15, serial number: AN00036-001-00, year of construction: 2013, 220-242 / 380-420 V, 8.6 / 4.95 A, 50 Hz, 2.2 kW, dimensions: 1400 mm x 1000 mm x 600 mm.	1500
416	Rudolf Schad	Rudolf Schad mobile binding machine, dimensions: 800 mm x 630 mm x 1150 mm.	200
417	Bettcher Industries Inc.	Bettcher Industries Inc. trimmer, type: Whizard, serial number: 06551601, 230 V, 1 Ph, 50 Hz, 2.6 A, 600 W, 4200 rpm, dimensions: 850 mm x 300 mm x 250 mm.	1000
418	Bettcher Industries Inc.	Bettcher Industries Inc. trimmer, type: Whizard, serial number: 06611601, 230 V, 1 Ph, 50 Hz, 2.6 A, 600 W, 4200 rpm, dimensions: 850 mm x 300 mm x 250 mm.	1000
419	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 90 mm, total dimensions: 1900 mm x 600 mm x 870 mm.	200
420	Handtmann	Handtmann separation module, type: 115-23, number: 521, dimensions: 370 mm x 300 mm x 300 mm.	350
421	NN grinder	S/s grinder, diameter plate: 180 mm, dimensions: 960 mm x 2080 mm x 1800 mm. Including switch cabinet, dimensions: 600 mm x 600 mm x 250 mm.	5000



Nr	Title	Description	Start €
422	NN case spooling device	Case spooling device, dimensions: 330 mm x 250 mm x 400 mm.	200
423	Siebeck	Siebeck mobile binding machine, type: FRT-MF, machine number: 04/04116830, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 1.4 kW, clearance: 280 mm x 230 mm, total dimensions: 740 mm x 620 mm x 1370 mm.	2000
424	NN block cutter	Frozen block cutter, clearance: 600 mm x 230 mm, total dimensions: 2300 mm x 1150 mm x 1300 mm.	3000
425	Schmutz + Hartmann AG	Schmutz + Hartmann AG waste depositing line, type: U-320, serial number: 1004051, consisting of: S/s tank, volume: 4000 liters, dimensions: 2100 mm x 2000 mm x 2800 mm. Elevating screw, elevating height: 3000 mm, total dimensions: 4800 mm x 400 mm x 600 mm. Transport screw, diameter input: 32 mm, total dimensions: 7200 mm x 400 mm x 600 mm.	8000
426	Jarvis	Jarvis brisket scissors, including Tecna balancing unit, dimensions: 700 mm x 700 mm x 200 mm	1200
427	NN cooking vessel	Mobile cooking vessel, electric heated, inside dimensions: Ø 460 mm x 300 mm, total dimensions: 700 mm x 900 mm x 950 mm.	500
428	Elsafe	3 Elsafe electric safes, type: Sentiel Advanced PH II, year of construction: 2007, dimensions: (3x) 500 mm x 430 mm x 200 mm.	300
429	Elsafe	3 Elsafe electric safes, type: Sentiel Advanced PH II, year of construction: 2007, dimensions: (3x) 500 mm x 430 mm x 200 mm.	300
430	Elsafe	8 Elsafe electric safes, type: Sentiel Advanced PH II, year of construction: 2007, dimensions: (8x) 500 mm x 430 mm x 200 mm.	800
431	Elsafe	8 Elsafe electric safes, type: Sentiel Advanced PH II, year of construction: 2007, dimensions: (8x) 500 mm x 430 mm x 200 mm.	800
432	Küba / Walter Roller GmbH & Co.	5 various evaporators, among others: 2 Küba evaporators, model: (2x) SGBE 031 C HOCHLEISTUNGS-LUFTK., Walter Roller GmbH & Co. Evaporator, model: HVS 403, various dimensions, among other: 750 mm x 540 mm x 460 mm and 600 mm x 400 mm x 450 mm.	100
433	Küba / Walter Roller GmbH & Co.	Various evaporators and fans, among other: Küba evaporator, type: DEAE 051C DECKEN-LUFTKÜHLER, Walter Roller GmbH & Co. Evaporator, model: HVST 402, various dimensions, among others: 700 mm x 540 mm x 250 mm and 760 mm x 400 mm x 500 mm.	100
434	Ucon Containersysteme	Ucon Containersysteme mobile foam unit, serial number: 2080242, year of construction: 2012, volume: 100 liter, weight: 32.2 kg, maximum pressure: 8.0 bar, temperature range: -20 °C / 50 °C, dimensions: Ø 650 mm x 1000 mm.	400
435	Garlano		500



Nr	Title	Description	Start €
		Garlano roasting pan, inside dimensions: 810 mm x 650 mm x 230 mm, total dimensions: 920 mm x 840 mm x 870 mm.	
436	Josef Koch AG	Josef Koch AG bandsaw, type: 651 C, serial number: 6511109022, 380 V, 50 Hz, 7.3 A, 3 kW, max product height: 470 mm, dimensions: 820 mm x 1000 mm x 1950 mm.	1500
437	Atmos	Atmos screw compressor, type: SE270, serial number: 82927, year of construction: 2006, 400 V, 50 Hz, weight: 820 kg, dimensions: 1330 mm x 980 mm x 1230 mm.	1500
438	NN cooking vessel	S/s cooking vessel with agitator on s/s platform, inside dimensions: Ø 1000 mm x 900 mm, total dimensions: 3200 mm x 1600 mm x 2150 mm.	3000
439	NN tank	S/s tank with agitator, dimensions: Ø 900 mm x 2150 mm.	2000
440	Travaglini S.p.A.	Travaglini S.p.A. vacuum tumbler, type: TUMBLER UNIT 1500, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 4.5 kW, weight: 1300 kg, volume: 1500 liters, with Multivac vacuum pump, dimensions: 3100 mm x 1900 mm x 2200 mm.	6000
441	Pamatech System AG	Pamatech System AG pouch filling machine, model: INT-142, machine number: INT-1052-16, 400 V, 50 Hz, 16 A, 2/6 kW, Robatech glue unit, dimensions: 2300 mm x 1450 mm x 2420 mm.	4000
442	Auran Metalli Oy	Auran Metalli Oy cooking vessel, type: Ryöppäskattila, machine number: 1704.01, year of construction: 2001, inside dimensions: 1500 mm x 1000 mm x 650 mm, total dimensions: 2000 mm x 1800 mm x 1520 mm.	4000
443	Simon-Johnson	Simon-Johnson fully automatic chicken dividing line, model: MC-60, number: 4.669.148, 21 heads, capacity: 42 birds per minute, dimensions: 6900 mm x 1700 mm x 2050 mm. Including extra parts.	10000
444	Ilapak	Ilapak flowpacker, type: Targa 60 A, machine number: 0930 S60/1, 380 V, 50 Hz, 3650 W, plastic belt, belt width: 190 mm, total dimensions: 2450 mm x 1250 mm x 1270 mm. With outfeed belt, plastic string conveyor with dividers, belt width: 100 mm, distance between dividers: 330 mm, divider height: 15 mm, total dimensions: 4500 mm x 450 mm x 850 mm.	2000
445	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG double clipper, type: FCA 3411, serial number: 53758, 380 V, 50 Hz, 4 A, 5/7 bar, dimensions: 1150 mm x 1400 mm x 2050 mm.	1500
446	NN grill	Table model grill, grill dimensions: 320 mm x 420 mm, total dimensions: 400 mm x 360 mm x 330 mm.	100
447	TASC Drives	TASC Drives motor, dimensions: 850 mm x 360 mm x 300 mm.	500
448	SEW Euro drive	SEW Euro drive motor, dimensions: 870 mm x 260 mm x 270 mm.	500



Nr	Title	Description	Start €
449	Grunwald GmbH	Herbert Grunwald GmbH cup filling, sealing and lidding machine, type: Hittpac AKH-019SE/1, machine number: WK44/12, year of production: 2012, 3 x 400 V, 50 Hz, capacity: approximately 1500 to 2000 per hour, Busch vacuum pump, type KC 0010 E 300, capacity: 300 m³/h, including box with spare parts, dimensions box with spare parts: 1200 mm x 800 mm x 600 mm, machine dimensions: 3100 mm x 2000 mm x 2000 mm.	4000
450	Armor Inox	Armor Inox double jacketed vacuum tumbler, serial number: 98B148 435, year of construction: 1998, volume: 4000 liter, Busch vacuum pump, type: RA 0040 F 503, capacity: 40 m³ per hour, total dimensions: 4150 mm x 2100 mm x 2050 mm.	6000
451	Emerson Network Power S.r.l.	Emerson Network Power S.r.l. heating and chilling unit, type: KA, serial number: 13159760001, year of construction: 2016, net weight: 1300 kg, dimensions chiller: 1200 mm x 3000 mm x 1150 mm. Including 2 air channels, dimensions: 850 mm x 800 mm x 2600 mm and 1350 mm x 900 mm x 2600 mm, 2 Grundfos circulation pumps and pallet with parts.	5000
452	Inject Star / Pökemaschinen Ges.m.b.H.	Inject Star / Pökemaschinen Ges.m.b.H. vacuum tumbler, type: ES-3300-, number: 330, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 6.4 kW, dimensions: 1620 mm x 3100 mm x 1930 mm. Missing vacuum pump.	6000
453	NN motor gear	Motor gear for Cozzini grinder, dimensions: 500 mm x 450 mm x 400 mm.	500
454	Weber	Weber mobile skinning and derinding machine, type: ASB 560, number: 111, year of construction: 2004, 400 V, 50 Hz, 11 kW, plastic belt, belt width: 495 mm, working width: 550 mm, total dimensions: 2000 mm x 1200 mm x 860 mm.	3000
455	Cryovac	Cryovac shrink tunnel, s/s belt, belt width: 440 mm, clearance: 440 mm x 210 mm, total dimensions: 850 mm x 2000 mm x 1700 mm. Missing display.	500
456	NN bowl	S/s bowl for 200 liter cutter, diameter: 1480 mm, height: 280 mm.	2000
457	Alpina	Alpina bowl cutter with lifter for meat bins and ejector, steel bowl, dimensions bowl: Ø 1450 mm x 320 mm, total dimensions: 2800 mm x 2100 mm x 2100 mm.	6000
458	Holac	Holac slicer, type: 23/100 C, number: 283.23.18, year of construction: 1997, 400 V, 50 Hz, 12.2 A, 4.6 kW, chamber dimensions: 1160 mm x 250 mm x 220 mm, total dimensions: 2670 mm x 1090 mm x 1240 mm. Including pallet with parts.	2500
459	Serap	Serap shock freezing tunnel, type: crust flow V2, number: V 03.10, year of construction: 2014, 400 V, 3P+	7000



Nr	Title	Description	Start €
		PE, 1 kW, 1000 kg, s/s gutter, gutter width: 535 mm, total dimensions: 2180 mm x 1500 mm x 1800 mm.	
460	MKN	MKN au-bain Marie, type: 1120510-00, machine number: 04018715, 230 V, 1 Ph, 1.0 kW, inside dimensions: 500 mm x 300 mm x 150 mm, total dimensions: 730 mm x 250 mm x 280 mm.	100
461	ITECH AG / CEIA	ITECH AG inlining system, type: Conveyor System A, number: 20619, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 3 A, 0.6 kW, with CEIA THS metal detector, plastic mesh belt, belt width: 500 mm, clearance: 500 mm x 130 mm, total dimensions: 1500 mm x 1200 mm x 2160 mm.	5000
462	Prestcold	Prestcold mobile cooling compressor, type: L300/0062, number: 57170/7419, 360-420 V, 3 Ph, 50 Hz, dimensions: 1400 mm x 800 mm x 1650 mm.	500
463	Garvens Mettler Toledo	Garvens Mettler Toledo checkweigher and metal detector with 3 rejectors, type: S-Terminal - HMI, number: 24104064, plastic belt, belt width: 185 mm, clearance: 250 mm x 110 mm, total dimensions: 2500 mm x 1000 mm x 1850 mm. Missing checkweigher.	1000
464	Garvens Mettler Toledo	Garvens Mettler Toledo checkweigher and metal detector with 2 rejectors, type: S-Terminal - HMI, number: 24104064, plastic belt, belt width: 190 mm, clearance: 250 mm x 160 mm, total dimensions: 2100 mm x 900 mm x 1800 mm. Missing checkweigher, technical condition unknown.	1000
465	VVS	VVS mixer-grinder, 3 heads, type: MDF1099610, number: 1326002201, year of construction: 2007, 3x 400 V, 50 Hz, plate diameter: 180 mm, total dimensions: 3100 mm x 1550 mm x 2450 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 1300 mm.	15000
466	Itec	2 s/s Itec lifters for 200 liter meat bins, elevating height: 4150 mm, total dimensions: 5200 mm x 1250 mm x 1550 mm.	4000
467	NN vibrating machine	Vibrating machine, plate dimensions: 1070 mm x 1100 mm, total dimensions: 2400 mm x 1100 mm x 1500 mm.	700
468	Intervac	Intervac double chamber vacuum machine and dip tank, type: INV 30/30, number: 3059, year of construction: 2014, 230/400 V, 50 Hz, 6 kW, maximum 620 kg, chamber dimensions: 1000 mm x 1000 mm, seal length: (4x) 820 mm, total dimensions: 2000 mm x 1150 mm x 1150 mm, with dip tank, type: TB 150, number: 3024, year of construction: 2014, 230/400 V, 50 Hz, 18 kW, maximum weight: 115 kg, roller width: 45 mm, clearance: 500 mm x 700 mm, total dimensions: 1150 mm x 950 mm x 1300 mm, with Rietschle vacuum pump, type: VC 300, year of construction: 2003, dimensions: 910 mm x 650 mm x 550 mm.	4000



Nr	Title	Description	Start €
469	Marel	Marel mobile portioning machine, type: Portio 4003 S, serial number: 080S-0079, year of construction: 2006, 400/220 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, 0.5 kW, weight: 500 kg, pressure: 6 / 9 bar, dye: 180 mm x 45 mm, 120 mm x 70 mm, plastic mesh outfeed belt, belt width: 250 mm, total dimensions: 2050 mm x 740 mm x 2600 mm. Including trolley for dyes, dimensions: 870 mm x 620 mm x 1070 mm.	3000
470	Treif	Treif slicer, type: 1923, machine number: 192303.61395.0127, year of construction: 1997, 400/230 V, 50 Hz, 7/16 A, 2.70 kW, dimensions: 1900 mm x 880 mm x 1580 mm. Including extra parts. Missing belt.	2000
471	Cryovac	Cryovac belt vacuum machine, model: VS 95, serial number: A03800425, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 17.5 kW, 4/6 bar, plastic belt, belt width: 730 mm, Busch vacuum pump, type: WV 1000 B 001 KDX, serial number: C0508000392, total dimensions: 1900 mm x 880 mm x 1580 mm. Including crates with parts.	4000
472	Rühle	Rühle cooled vacuum tumbler with lifter for 200 liter meat bins, type: MPR 900, serial number: 10120439, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 23.7 A, 11.9 kW, Busch vacuum pump, type: KC 0016 E 320, capacity: 19 m³ per hour, dimensions: 1850 mm x 2300 mm x 2350 mm. Including pallet with parts.	25000
473	SEW Euro drive	SEW Euro drive motor and motor gear used for cattle elevator, dimensions: 850 mm x 300 mm x 400 mm.	800
474	Innotec	Innotec mobile transport belt, type: ISA_09, number: 020-009, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, 14 A, 4.5 kW, plastic belt, belt width: 100 mm, total dimensions: 1220 mm x 460 mm x 1050 mm.	200
475	NN paddle mixer	Paddle mixer, inside dimensions: 1200 mm x 2000 mm x 1000 mm, total dimensions: 1560 mm x 3950 mm x 1900 mm. Technical condition unknown.	4000
476	S.T.M.	3 S.T.M. gears, type: OMP 71 M2, dimensions: (3x) 330 mm x 200 mm x 200 mm.	600
477	VEB maschinenfabrik	VEB maschinenfabrik milk separator, type: SMZA/1, year of construction: 1975, dimensions: 1300 mm x 1100 mm x 1800 mm. 1 pallet with motor and 1 pallet with parts.	5000
478	3X Technology	3X Technology defrosting screw with outfeed, screw diameter: 1450 mm, tier: 1010 mm, screw length: 6000 mm, inside dimensions: 6000 mm x 1450 mm x 700 mm, elevating screw diameter: 350 mm, tier: 120 mm, elevating height: 2300 mm, Alfa Laval heat exchanger, type: M6 MFG, total dimensions: 10300 mm x 2100 mm x 3150 mm.	10000
479			2000



Nr	Title	Description	Start €
	Poly-clip System GmbH Co. KG	Poly-clip System GmbH Co. KG horizontal sealing and clipping machine, sealer type, type: TSA 120, seal length: 160 mm, clipper, type: FCA 3462, total dimensions: 1950 mm x 1450 mm x 1900 mm.	
480	VegSmart	VegSmart linear batch weigher with 12 lanes, model: SW-LC12, serial number: 160712004, 230 V, 50 Hz, 1 kW, weighing range: 10-6000 gram, plastic belts, belt width: 165 mm and (12x) 120 mm, total dimensions: 1600 mm x 1300 mm x 1700 mm.	3000
481	GIS	GIS chain hoist with remote control, type: 100/, number: 145-1-03, 380 V, 50 Hz, 2.8 A, 1.1 kW, capacity: 500/1000 kg, dimensions hoist: 700 mm x 350 mm x 320 mm.	500
482	Hero Schweiz BLB	Hero Schweiz BLB blancher, steam heated, dimensions: 3900 mm x 1600 mm x 1800 mm. Including pallet with switch cabinet.	4000
483	Velati	Velati scalding machine for heating and washing fat, type: SLL 1500 LL (Scalda Lava Lardello), 380 V, 50 Hz, steam heated cylindrical tank with agitators, tank capacity: 1500 liter, rotating filter in set, dimensions tank: 3000 mm x 1650 mm x 2300 mm, dimensions filter: 1800 mm x 1800 mm x 1100 mm.	6000
484	Marel	Marel mobile portioning machine, type: Portio 4003 S, serial number: 080S-0254, year of construction: 2011, 400/220 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, 0.5 kW, weight: 500 kg, pressure: 6 / 9 bar, dye: Ø 65, 90 mm x 90 mm, 165 mm x 105 mm, 130 mm x 80 mm, 120 mm x 70 mm, plastic mesh outfeed belt, belt width: 250 mm, total dimensions: 2050 mm x 740 mm x 3060 mm. Including trolley for dyes, dimensions: 870 mm x 620 mm x 930 mm.	4000
485	JNJ Automation	JNJ Automation mobile cheese washing machine, 3x400 V, 50 Hz, double belt, clearance: 450 mm x 290 mm, dimensions: 3500 mm x 1200 mm x 1950 mm.	3000
486	BTE Iglu	BTE Iglu vacuum tumbler, type: 1500 MC, number: 375b1, year of construction: 1997, 380 V, 50 Hz, volume: 1500 liter, dimensions: 2120 mm x 1270 mm x 2020 mm. Without vacuum pump.	4000
487	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 4235, year of construction: 1998, 400 V, 50 Hz, 17 A, 6.5 kW, with Becker vacuum pump, capacity: 16/19 m³ per hour, dimensions: 1900 mm x 1330 mm x 2200 mm.	3000
488	Anritsu / CFS	Anritsu/CFS mobile weighing and tray sealing line, consisting of: Anritsu 8 heads linear weigher with platform, type: KE7408AW, serial number: 460035067, year of construction: 2006, 200-240 VAC, 50/60 Hz, d= 0.1 g, capacity: 1-1000 g, maximum speed: 40 pieces per	10000



Nr	Title	Description	Start €
		minute, s/s gutter, gutter width: 85 mm, total dimensions linear weigher: 2280 mm x 1880 mm x 2550 mm. Infeed belt, s/s frame, chain belt with dividers, distance between dividers: 295 mm, dividers height: 15 mm, belt width: 130 mm, total dimensions infeed belt: 3500 mm x 550 mm x 1210 mm. CFS traysealer, type: STAR2S, number: 695-113C, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 14.5 A, 10 kW, weight: 1500 kg, infeed belt width: 150 mm, film width: 260 mm, dimensions dyes: (3x) 145 mm x 110 mm, total dimensions traysealer: 3800 mm x 1100 mm x 1850 mm. Vacuum pump Pallet with parts.	
489	NN ham press	Ham press, form dimensions: 1250 mm x 820 mm x 1250 mm, total dimensions: 1600 mm x 930 mm x 2400 mm.	1000
490	Tipper Tie Technopack	2 crates with large amount of Tipper Tie Technopack clips and loops, type clip: G200.	500
491	NN cooking vessel	S/s cooking vessel, inside dimensions: 640 mm x 640 mm x 500 mm, total dimensions: 800 mm x 920 mm x 900 mm. Overhauled by Servo.	1000
492	Paralel Grup	Paralel Grup s/s sink, inside dimensions: 500 mm x 200 mm x 240 mm, total dimensions: 2100 mm x 600 mm x 1400 mm	500
493	Kaiser+Kraft	Kaiser+Kraft electric hoist, type: SIC-5F/6F, number: 101730H1, year of construction: 2001.02, capacity: 500/1000 kg, dimensions: 430 mm x 500 mm x 260 mm.	200
494	MacQuip	MacQuip balancer, model: 110KA-MAC, serial number: 137358, capacity: 52 kg, dimensions: 550 mm x 250 mm x 280 mm.	100
495	Kromer	Kromer balancer, model: 7241-02, number: 10.99/0144, dimensions: 300 mm x 200 mm x 350 mm.	100
496	Grundfos	Grundfos circulation pump, type: CRN16-160 S-P-G-AUUE, model: B33Z38116P10240, capacity: 16 m ³ per hour, dimensions: 350 mm x 350 mm x 1600 mm.	500
497	Grundfos	Grundfos circulation pump, type: CRN16-160/15 S-P-G-AUUE, model: B33Z38916P10239, capacity: 16 m ³ per hour, dimensions: 350 mm x 350 mm x 1600 mm.	500
498	NN water chiller	Water chiller used for Inauen thermoformer, dimensions: 450 mm x 650 mm x 550 mm.	300
499	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH evaporator, 2 fans, type: DFA 032 Decken-Luftkühler, 230 V, 1 Ph, 50/60 Hz, dimensions: 1030 mm x 520 mm x 150 mm.	100
500	NN boot rack	Mobile s/s boot rack for 32 pairs of boots, dimensions: 2700 mm x 570 mm x 1900 mm.	500
501	NN trolley	S/s trolley, 4 floors, floor dimensions: (4x) 420 mm x 590 mm, total dimensions: 490 mm x 590 mm x 900 mm.	70
502	Bonfiglioli	2 Bonfiglioli gears, type: W110 U 40 P100 B5 UH1, and W110 040 U P90 B5 LS, dimensions: (2x) 360 mm x 250	900



Nr	Title	Description	Start €
		mm x 300 mm 1 UIKER gear, type: WR86 UFC2 60 P90 B5, dimensions: 300 mm x 200 mm x 250 mm.	
503	NN knife	S/s knife for Treif, diameter: 785 mm.	200
504	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH knife, code: 164591, diameter: 850 mm.	400
505	R. Widmer AG	R. Widmer AG mobile s/s ice storage tank, inside dimensions: 690 mm x 700 mm x 700 mm, total dimensions: 760 mm x 750 mm x 1300 mm.	500
506	CFS Slagelse A/S	CFS Slagelse A/S double shaft mixer-grinder with nitrogen injection, type: Combigrind-1500, machine number: 5000064591, year of construction: 2005, 400 V, 50 Hz, 143 A, 77 kW, plate diameter: 200 mm, total dimensions: 2300 mm x 2050 mm x 2700 mm.	15000
507	Titan Petsmo Products	Titan Petsmo grinder, plate diameter: 200 mm, total dimensions: 1950 mm x 810 mm x 1390 mm. Overhauled by Servo.	5000
508	Maja	Maja mobile skinning machine, type: SAM 350, machine number: 1389602, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 2.6 A, 0.55/0.75 kW, working width: 290 mm, total dimensions: 620 mm x 650 mm x 980 mm.	2000
509	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3442, number: 480/12, 400 V, 3 Ph, 50/60 Hz, 4 A, 3.8 kW, 5-7 bar, weight: 370 kg, dimensions: 1150 mm x 1100 mm x 1750 mm. Linking nozzle with cap to Handtmann fillers in set.	15000
510	Heynau-Kompakt	Heynau-Kompakt mobile peristaltic pump, type: H7-40E-132S4, number: 84040642, 5 kW, dimensions: 1500 mm x 1200 mm x 1850 mm.	2000
511	Micro-cube ice machine	Micro-cube ice machine, L'Unite Hermetique cooling compressor, dimensions: 600 mm x 600 mm x 1800 mm.	1000
512	Meiko	Meiko dishwasher, inside dimensions: 730 mm x 700 mm x 690 mm, total dimensions: 750 mm x 750 mm x 1630 mm.	500
513	Karl Schnell GmbH & Co. KG	Karl Schnell GmbH & Co. KG closed system mixing, cutting and emulsifying line with lifter for 200 liter meat bins, type: FD 9, type motor: 32370, 2960 rpm, dimensions: 2950 mm x 2800 mm x 2380 mm.	20000
514	Gaser	Gaser automatic burger machine, type: V-3000 CP, dimensions: 1800 mm x 600 mm x 600 mm. Including set of 3 forms included: Ø 100 mm 75 g, Ø 100 mm 100 g, Ø 100 mm 130 g	5000
515	Flottwerk H.-J. Dames K.G.	Flottwerk H.-J. Dames K.G. peeler, type: 16K, number: 60139, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.9 A, 0.25 kW, dimensions: 450 mm x 500 mm x 840 mm.	500
516	Gaser	Gaser automatic burger machine, type: R-2000, oval form: 122 mm x 90 mm, capacity: 70-130 g, dimensions: 850 mm x 600 mm x 1300 mm.	5000



Nr	Title	Description	Start €
517	Talsa	Talsa bowl mixer on s/s frame, model: MIX150, version: P, serial number: 1609052, year of construction: 2016, 400 V, 3 Ph, 50 Hz, inside dimensions: Ø 700 mm x 400 mm, total dimensions: 1200 mm x 900 mm x 1900 mm. Overhauled by Servo in 2024.	2500
518	NN chicken cut-up line	Chicken cut up line, plastic roller, roller length: 450 mm, plastic cones, cone dimensions: Ø 90 mm x 250 mm, total dimensions: 3400 mm x 760 mm x 1820 mm.	2500
519	Bruendler	Bruendler micro cutter, type: VKM 18, 400 V, 50 Hz, 18.5 kW, dimensions: 1200 mm x 750 mm x 1000 mm. Overhauled by Servo in 2024.	3000
520	Hoegger Alpina	Hoegger Alpina separator, type: S840, plate diameter: 300 mm, dimensions separator: 1450 mm x 1200 mm x 2470 mm, dimensions switch cabinet: 1000 mm x 800 mm x 350 mm.	4000
521	Jünger	Jünger double au-bain Marie, type: 0254 000, 220 V, 600/1200 W, dimensions: 700 mm x 320 mm x 300 mm.	100
522	Townsend	Townsend mobile skinning and derinding machine, model: 9000EURO, number: 5145, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 3.8 A, plastic mesh belt, belt width: (2x) 505 mm, working width: 490 mm, total dimensions: 1650 mm x 900 mm x 1470 mm. Incomplete.	4000
523	NN sink	S/s sink, dimensions: 770 mm x 720 mm x 500 mm.	50
524	Maja	Maja mobile skinning machine, type: EMA 350, machine number: 318227740, working width: 290 mm, total dimensions: 620 mm x 650 mm x 980 mm.	2000
525	Urschel	Urschel slicer for fries, model number: GRL, serial number: 791, distance between knives: 25 mm, working width: 240 mm, total dimensions: 1650 mm x 870 mm x 1450 mm. Overhauled by Servo in 2024.	8000
526	NN tank	S/s double jacketed tank with agitator, inside dimensions: Ø 1240 mm x 1000 mm, total dimensions: Ø 1450 mm x 1800 mm.	1500
527	Velati	Velati paddle-mixer grinder with lifter for 200 liter meat bins, type: Tritacarne TM 180-180, serial number: 001708, 400 V, 50 Hz, diameter plate: 180 mm, lifting height lifter: 2200 mm, dimensions grinder: 3700 mm x 2000 mm x 2200 mm, dimensions lifter: 1400 mm x 400 mm x 2800 mm.	2000
528	Magurit	Magurit frozen block cutter, type: 544, serial number: 4252, year of construction: 1997, 400 V, 4 kW, working width: 520 mm, clearance: 480 mm x 315 mm, total dimensions: 1935 mm x 800 mm x 1600 mm.	4000
530	BBC York	BBC York compressor rack with 3 Copeland cooling compressors, model: DLLE-401-EWL and DLLB 401 EWL, 220-240/380-420 V, 3 Ph, 50 Hz, dimensions: 2100 mm x 900 mm x 1100 mm.	2000



Nr	Title	Description	Start €
531	Linde AG / Bitzer	Linde AG cooling compressor rack, type: B1/3, number: 121787, consisting of 3 Bitzer cooling compressors, types: (2x) 4N-12.2Y-40P and (1x) 4N-12.2 Y, serial numbers: 1672607683, 1680612356 and 65874895, dimensions: 1600 mm x 800 mm x 1900 mm.	2000
532	NN tank	S/s tank, volume: 6000 liters, dimensions: Ø 2400 mm x 2500 mm.	2000
533	Steiner	Steiner s/s mobile tank, type: TTB 300, machine number: 06-1106, year of construction: 04-2006, volume: 301 liters, dimensions: Ø 800 mm x 1300 mm.	300
534	Steiner	Steiner s/s mobile tank, type: TTB 300, machine number: 06-1104, year of construction: 04-2006, volume: 301 liters, dimensions: Ø 800 mm x 1300 mm.	300
535	Alpina	Alpina double clipper, type: NDCA, number: 169-281-23-23, dimensions: 460 mm x 250 mm x 770 mm.	800
536	Hoegger Alpina	Hoegger Alpina bowl cutter with ejector, type: 300 990, number: 812069, 380 V, 3 Ph, 50 Hz, s/s bowl and knives, dimensions bowl: Ø 1460 mm x 230 mm, total dimensions: 2300 mm x 1700 mm x 1600 mm.	10000
537	Multivac	Multivac mobile traysealer, type: T200, serial number: 116029, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 11 A, 4.5 kW, dye: 175 mm x 125 mm, film width: 450 mm, Busch vacuum pump, type: RA 0063 E 5Z1, number: 060105047, capacity: 63 m³ per hour, total dimensions: 1250 mm x 760 mm x 1620 mm. Including box with extra top dye and with parts.	3000
538	Marel	Marel flattener, model: plt-p002-400, type: 0218-002-00001, serial number: E013772, year of construction: 2012, 230/400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 430 mm, total dimensions: 2260 mm x 1040 mm x 1480. Including 4 extra belts.	4000
539	CFS	CFS grinder, type: Autogrind 200, machine number: 63653, year of construction: 2004, 400 V, 50 Hz, plate diameter: 200 mm, total dimensions: 2500 mm x 1150 mm x 1800 mm.	10000
540	Mado	Mado grinder with lifter for 200 liter meat bins, type: MEW 727, model: Ultra 4, number: 30177, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 108.0 A, 56.0 kW, diameter plate: 160 mm, total dimensions: 3200 mm x 1900 mm x 2600 mm. Including s/s tool trolley, dimensions tool trolley: 810 mm x 800 mm x 980 mm.	10000
541	Linde AG / Prestcold / DWM Copeland	Linde AG cooling compressor rack, type: VHP 300-2331, number: 4517, consisting of 2 Prestcold and 1 DWM Copeland cooling compressors, types: (2x) PLG500/0062-12 and (1x) D2SA1-45X-EWL, serial numbers: 1986885, 1547090 and 12K038383 M,	2000



Nr	Title	Description	Start €
		refrigerant: R 22, dimensions: 1600 mm x 800 mm x 1600 mm.	
542	Tipper Tie Alpina AG	Tipper Tie Alpina AG vacuum bowl cutter with ejector, type: SWV 200-S, machine number: 808.538, year of construction: 2006, year of service: 2024, 400 V, 3 Ph, 50 Hz, 230 A, 102 kW, s/s bowl and knives, dimensions: 2600 mm x 2200 mm x 2300 mm.	30000
543	K+G Wetter	K+G Wetter mixer-grinder, machine number: 414/1012, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 70 A, 37 kW, plate diameter: 160 mm, total dimensions: 1900 mm x 1150 mm x 2600 mm.	8000
544	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF622, number: 15922, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 26 A, 18 kW, dimensions: 1800 mm x 1500 mm x 1950 mm. With grinder head, type: 93-32, number: 498.	15000
545	Webomatic	Webomatic thermoformer, type: ML 4600, machine number: B6513II132, 400 V, 3 Ph, 50 Hz, 18.0 kW, 29.2 A, film width: 320 mm, dimensions dye: 265 mm x 225 mm, index: 380 mm, plastic outfeed belt, belt width: 260 mm, total dimensions: 4400 mm x 1050 mm x 1980 mm. With Witt-gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-3 MEM, serial number: 37223, year of construction: 2000, gas: CO2 / O2 / N2.	7000
546	Safeline	Safeline metal detector head, serial number: 81943, clearance: 755 mm x 431 mm, total dimensions: 1200 mm x 800 mm x 420 mm.	400
547	Handtmann	Handtmann separation module, dimensions: 370 mm x 300 mm x 300 mm.	350
548	Alpina	Alpina double clipper, type: NDCA, number: 126410-23-23, dimensions: 460 mm x 250 mm x 770 mm.	1000
549	Itec GmbH	Itec GmbH hand disinfection unit with tourniquet, type: 23741/li, number: 99003, series: 0097, year of construction: 01/2006, 230 V, 50 Hz, 0.3 kW, dimensions: 800 mm x 800 mm x 1570 mm.	750
550	C. Jaquier	C. Jaquier cheese slicer, type: CP18, year of construction: 2001, diameter plate: Ø 440 mm, total dimensions: 2200 mm x 1550 mm x 2390 mm. Including 2 tables, dimensions : 1040 mm x 560 mm x 1400 mm.	2000
551	Itec GmbH	Itec GmbH hand disinfection unit with tourniquet, type: 23741/li, number: 99003, series: 0096, year of construction: 01/2006, 230 V, 50 Hz, 0.3 kW, dimensions: 800 mm x 800 mm x 1570 mm.	750
552	Meyn fryer	Meyn fryer, type: 600/5000 TH, machine number: 83390, year of construction: 1998, s/s mesh belt, belt width: 600 mm, total dimensions: 8000 mm x 1900 mm x 2400 mm. Including s/s thermic oil tank, circulation	16000



Nr	Title	Description	Start €
		pump in s/s cabinet and other spare parts, dimensions tank: 2250 mm x 1000 mm x 2350 mm, dimensions cabinet: 1700 mm x 1000 mm x 1750 mm.	
553	Hunkeler Systeme AG	Hunkeler Systeme AG channel baler, model: HSM AK 12-600, number: 18'711-6508.124.00108 H, year of construction: 1993, pressure: 16 tons, 380 V, 50 Hz, 7.5 kW, total dimensions: 2150 mm x 1400 mm x 1900 mm, 2900 mm x 1300 mm x 1850 mm, 1200 mm x 900 mm x 1200 mm and 1600 mm x 400 mm x 350 mm.	3000
554	Linde AG / Bitzer	Linde AG cooling compressor rack, type: VRM 305-1491, number: 4517, consisting of 3 DWM Copeland cooling compressors, type: DLSGF-401-EWL-000, number: 438639, refrigerant: R 502, dimensions: 1600 mm x 800 mm x 1740 mm.	2000
555	Fessmann	Fessmann rotating cooking chamber for 1 trolley, type: BK2 522.16, number: 119, year of construction: 2003, 230 V, 88.2 kW, 701 l/hinside dimensions: 1600 mm x 1600 mm x 2070 mm, total dimensions: 2000 mm x 1850 mm x 3000 mm.	4000
556	Mono	Mono cavity pump, model: W052, serial number: 0291959, max del press.: 12 bar, year: 04/07, max speed: 350 rpm, max temp: 20°C, serviced by Servo in 2024, hoper inside dimensions: 670 mm x 690 mm x 890 mm, total dimensions: 1900 mm x 850 mm x 1400 mm.	1500
557	Karpowicz	Karpowicz double jacketed cooking vessel with agitator, type: KKM-600, dimensions: 1800 mm x 1400 mm x 1400 mm.	3000
558	VVS	VVS double paddle mixer, inside dimensions: 2400 mm x 1120 mm x 700 mm, total dimensions: 3530 mm x 1270 mm x 2100 mm.	5000
559	NN smoke trolley	S/s smoke trolley, 10 floors, dimensions each floor: 1000 mm x 970 mm, total dimensions: 1010 mm x 1000 mm x 1980 mm.	250
560	NN smoke trolley	S/s smoke trolley, 10 floors, dimensions each floor: 1000 mm x 970 mm, total dimensions: 1010 mm x 1000 mm x 1980 mm.	250
561	Gardner Denver	Gardner Denver side channel vacuum pump, model: G-BH1, number: BN 10436776 001, dimensions: 510 mm x 420 mm x 440 mm.	1000
562	Gardner Denver	Gardner Denver side channel vacuum pump, model: G-BH1, number: BN 10436776 002, dimensions: 510 mm x 420 mm x 440 mm.	1000
563	Stork	Stork Titan B.V. mobile breading machine, machine: RotoCrumb, type: TRC630, serial number: 10079850, year of construction: 2010, s/s mesh belt, belt width: 620 mm, total dimensions: 3200 mm x 1500 mm x 2050 mm.	15000
564	NN mobile press		1000



Nr	Title	Description	Start €
		Mobile press, s/s frame, form dimensions: 600 mm x 130 mm, total dimensions: 1000 mm x 600 mm x 2100 mm.	
565	NN mobile press	Mobile press, s/s frame, form dimensions: 600 mm x 130 mm, total dimensions: 1000 mm x 750 mm x 2100 mm.	1000
566	Seydelmann / Sepamatic	Grinder / separator line, consisting of: Seydelmann mixer-grinder with lifter for 200 liter meat bins, type: MG160B, machine number: 92379-1, 380 V, 50 Hz, 70 A, plate diameter: 160 mm, dimensions: 2000 mm x 1700 mm x 2200 mm. Switch cabinet, dimensions: 1230 mm x 1000 mm x 600 mm. Mobile elevating belt, s/s frame, plastic belt, belt width: 370 mm, elevating height: 1950 mm, total dimensions: 2950 mm x 850 mm x 2080 mm. Sepamatic separator, type: SEPA 1200, machine number: 195712, 400 V, 50 Hz, 12 A, 6 kW, 24 volt, plastic belt, belt width: 180 mm, perforations: 3 mm, total dimensions: 1500 mm x 1400 mm x 1750 mm. S/s trolley with extra drum, perforations: 4 mm, total dimensions: 850 mm x 700 mm x 1100 mm.	18000
567	NN parts for dosing machine	6 s/s parts for dosing machine.	600
568	Maurer-Atmos GmbH	Maurer-Atmos GmbH push thru smoking chamber for 4 trolleys, type: 199180, serial number: 1095 EG, year of construction: 10/2006, steam heated, total dimensions: 4660 mm x 1400 mm x 3300 mm.	9000
569	Maurer-Atmos GmbH	Maurer-Atmos GmbH push thru smoking chamber for 4 trolleys, total dimensions: 4660 mm x 1400 mm x 3300 mm.	9000
570	MYAC	MYAC cooling mixer, Lakekühler type 200, machine number: 30852, year of production: 1984, 380 V, 50 Hz, 2 kW, dimensions: 800 mm x 600 mm x 1000 mm. Overhauled by Servo in 2024.	1500
571	ATIP s.r.o.	ATIP s.r.o. cup filling and closing machine, type: ATIPACK 5400, number: 026, year of construction: 06/2005, 230/400 V, 50 Hz, 8/20 A, weight: 650 kg, dye: (2x) Ø 70 mm, plastic outfeed belt, belt width: 80 mm, total dimensions: 2000 mm x 1130 mm x 2540 mm.	5000
572	Milking	Milking cream pasteurization unit, type: PS 2, serial number: 1105, year of construction: 2005, capacity: 2000 liter per hour, with Alfa Laval heat exchanger, type: M6-MFMC, number: 30103-2160, year of construction: 2000, Alfa Laval circulation pump, pasteurization unit dimensions: 1800 mm x 2300 mm x 2000 mm, including s/s tank, inside dimensions: Ø 1000 mm x 1000 mm, tank dimensions: 1200 mm x 1200 mm x 1370 mm, including Sigma circulation pump, type: 65 RB-160.	9000
573	Koenig Arbon		3000



Nr	Title	Description	Start €
		Koenig Arbon autoclave, type: KOM. 58306, number: 1957, year of construction: 1982, capacity: 1240 liter, dimensions: 1400 mm x 1540 mm x 1450 mm.	
574	Freund	Freund circular saw, type: ZKM75-07, saw diameter: 750 mm, total dimensions: 1300 mm x 1500 mm x 2000 mm.	2000
575	Inauen Maschinen AG	Inauen Maschinen AG belt vacuum machine, type: VC999/K8 TA 220-220W1000, machine number: 1305076, 400 V, 3 Ph, 50 Hz, 40 A, 18 kW, plastic belt, belt width: 680 mm, Gardner Denver vacuum pump, type: R-VWP 1000, capacity: 1000 m ³ per hour, total dimensions: 3450 mm x 1200 mm x 2200 mm.	9000
576	Maja	Maja ice machine with storage bunker, type: SA400E, machine number: 25871, 400 V, 3 Ph, 50 Hz, 3 kW, dimensions: 750 mm x 1100 mm x 2080 mm. Overhauled in 2024.	2500
577	Handtmann	Handtmann linking attachment, number: 35-471, dimensions: 280 mm x 230 mm x 170 mm.	100
578	Handtmann	Handtmann linking attachment, type: 34-2, number: 3271, dimensions: 350 mm x 200 mm x 220 mm.	100
579	Handtmann	Handtmann twisting attachment, type: 216-01, number: 699, dimensions: 330 mm x 110 mm x 190 mm.	1000
580	Handtmann	Handtmann linking attachment, type: 34-4 number:1807, dimensions: 350 mm x 200 mm x 220 mm.	1000
581	NN meat hooks	Pallet with 180 s/s meat hooks, dimensions each hook: 350 mm x 35 mm x 90 mm.	700
582	Verag	Verag cooking vessel, electric heated, capacity: 200 liter, dimensions: 1300 mm x 960 mm x 940 mm.	700
583	Vemag	Vemag vacuum filling machine with twisting attachment, model: DP3, number: 1380422, year of construction: 2017, 400-460 V, 3 Ph, 50-60 Hz, 8 A, 5 kW, dimensions: 1050 mm x 800 mm x 750 mm.	15000
584	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF616, number: 16193, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 8.7 A, 6 kW, dimensions: 1800 mm x 1400 mm x 1900 mm.	13000
585	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 1013, 380 V, 50 Hz, 14.4 A, 5.5 kW, dimensions: 1550 mm x 1400 mm x 2000 mm.	7000
586	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF50, number: 3316, 380 V, 50 Hz, 11 A, 4 kW, dimensions: 830 mm x 690 mm x 1800 mm.	3000
587	NN blancher	Blancher with centrifugal pump, clearance: 620 mm x 350 mm, total dimensions: 5900 mm x 2300 mm x 2550 mm. Including s/s cover and dripping tub, dimensions cover and tub: 2750 mm x 750 mm x 650 mm and	9000



Nr	Title	Description	Start €
		isolated screw, dimensions screw: 2000 mm x 550 mm x 910 mm.	
588	NN belt cooler	Belt cooler, s/s frame, perforated belt, belt width: 810 mm, diameter perforations: 3 mm, total dimensions: 4000 mm x 1100 mm x 1740 mm.	4000
589	NN vibrating gutter	S/s sieve vibrating gutter, diameter perforations: 3 mm, gutter width: 750 mm, total dimensions: 2650 mm x 1150 mm x 1400 mm.	2500
590	NN tanks	2 s/s double jacketed tanks, dimensions: (2x) Ø 1200 mm x 3100 mm.	6000
591	Rittal	Rittal s/s switch cabinet, dimensions: 1000 mm x 370 mm x 1850 mm.	3000
592	Weishaupt	Weishaupt burner, type: WL 10-B, number: 4909112, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 16 A, 0.40/0.22 kW, dimensions: 1200 mm x 570 mm x 1050 mm.	800
593	Alpina	Alpina double clipper, type: NDCA, number: 161-161-23-23, dimensions: 460 mm x 250 mm x 770 mm.	700
594	Hoegger Alpina	Hoegger Alpina vacuum filling machine with lifter for meat bins, type: SF 3200, machine number: 832512, 400 V, 3 Ph, 50 Hz, 15 A, dimensions: 1750 mm x 1080 mm x 2000 mm.	4000
595	Karl Schnell	Karl Schnell mobile emulsifier, type: F 200, number: 1830, 400 V, 3 Ph, 50 Hz, 13.5 kW, plate diameter: 200 mm, total dimensions: 1150 mm x 800 mm x 1100 mm.	5000
596	PEME SA	PEME SA casing spooler, type: DA 2001, year of construction: 1996, 220-240 V, 50-60 Hz, 0.45 A, 100-120 W, dimensions: 360 mm x 140 mm x 140 mm.	200
597	Kurt Schaffner AG	Kurt Schaffner AG casing spooler, type: DA 2002, number: 313-14, 220-240 V, 50/60 Hz, 0.45 A, 100/120 W, dimensions: 360 mm x 140 mm x 140 mm.	200
598	Kurt Schaffner AG	Kurt Schaffner AG casing spooler, type: DA 2002, number: 313-13, 220-240 V, 50/60 Hz, 0.45 A, 100/120 W, dimensions: 360 mm x 140 mm x 140 mm.	200
599	Flückiger	Flückiger cooking vessel, inside dimensions: 1030 mm x 550 mm x 500 mm, total dimensions: 1350 mm x 960 mm x 820 mm.	800
600	Hoegger Alpina	Hoegger Alpina piston filler, type: EWF 1150, machine number: 817318, 380 V, 3 Ph, 50 Hz, 8 A, dimensions: 690 mm x 630 mm x 1300 mm.	1000
601	NN cooking vessel	Cooking vessel, inside dimensions: 1000 mm x 600 mm x 560 mm, total dimensions: 1500 mm x 1240 mm x 1150 mm.	900
602	NN cooking vessel	Cooking vessel, capacity: 300 liter, dimensions: 1230 mm x 1410 mm x 1160 mm.	900
603	Stein	Stein cooking vessel, type: Kessel Europa 2001, number: 86241, year of construction: 1986, 380 V, 50 Hz, 14 kW,	800



Nr	Title	Description	Start €
		capacity: 200 liter, dimensions: 1020 mm x 1100 mm x 1020 mm.	
604	Nock	Nock mobile strip cutter, type: CB49515KK, machine number: 2259360, 400 V, 3 Ph, 50 Hz, 10 A, 1.1 kW, year of construction: 2018, plastic belt, belt width: 430 mm, 11 knives, distance between knives: 30 mm, total dimensions: 2200 mm x 750 mm x 1500 mm.	6000
605	Inject Star	4 mobile s/s barrels for Inject Star tumbler, volume: 500 liter, total dimensions: (4x) Ø 850 mm x 1300 mm.	1500
606	Rudolph Schad	Rudolph Schad mobile ham press, 8 forms, dimensions forms: (8x) 1000 mm x 150 mm x 90 mm, total dimensions: 1150 mm x 410 mm x 900 mm.	600
607	NN pressure vessel	Mobile pressure vessel, dimensions: 400 mm x 370 mm x 1050 mm.	500
608	NN pump	Stuffing pump, dimensions: 1290 mm x 540 mm x 820 mm.	500
609	Vario-Vac	Vario-Vac tumbler, machine number: CH-416, inside dimensions: 650 mm x 380 mm x 380 mm, total dimensions: 1300 mm x 840 mm x 850 mm.	1200
610	Nijal	Nijal grinding head for filling machine, diameter plate: 130 mm, total dimensions: 1200 mm x 800 mm x 1700 mm.	800
611	Egholm Maskiner A/S	Egholm Maskiner A/S multifunction road vehicle, model: City Ranger FV 2200, serial number: 22663, year of construction: 2008, VCA number: PZ 005, dimensions: 2650 mm x 1050 mm x 1930 mm. Technical condition unknown.	2500
612	Newtec	Newtec 9-lanes linear weigher, type: 200PC, serial number: 2524, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 5 A, 1 kW, lane width: (9x) 110 mm, total dimensions: 1520 mm x 1380 mm x 1300 mm.	1500
613	Dorit	Dorit smoke stick washer, type: DOR 300 S, serial number: 18900-107, 380 V, 3 Ph, 50 Hz, 1.5 A, 0.55 kW, inside dimensions: Ø 615 mm x 1070 mm, total dimensions: 1500 mm x 700 mm x 1500 mm.	2000
614	Van Oirschot	Van Oirschot lifting device for pallet boxes, capacity: 600 kg, lifting height: 1400 mm, total dimensions: 2050 mm x 1050 mm x 1900 mm. Incomplete.	1000
615	Sebastian Mayer Maschinenbau GmbH	Sebastian Mayer Maschinenbau GmbH tray denester, dimensions nest: (6x) 115 mm x 75 mm, total dimensions: 1500 mm x 700 mm x 1470 mm.	1500
616	E. Schönmann + Co.AG.	E. Schönmann + Co.AG. steam generator, type: DE 73-40 B, number: 83-3982, year of construction: 06-1985, 380/220 V, 3 Ph, 40 kW, volume: 60 liter, medium: H2O dimensions: 1860 mm x 650 mm x 1650 mm. Including Xmet AG steel pressure vessel, number: S 0461, year of construction: 12/2001, volume: 50 liter, working	1500



Nr	Title	Description	Start €
		pressure: 4.0 bar, dimensions: 580 mm x 480 mm x 1250 mm.	
617	IMC	IMC can filling machine, diameter cans: 73 mm, s/s belt, belt width: (2x) 82 mm, total dimensions: 2300 mm x 1220 mm x 1410 mm.	1500
618	Ten Brink	Ten Brink cooking screw, serial number: 668, year of construction: 2006, 400 V, diameter: 450 mm, tier: 210 mm, total dimensions: 4000 mm x 1000 mm x 2550 mm.	2500
619	Armor Inox	Armor Inox vacuum tumbler, serial number: 93B055317, year of construction: 1993, volume 4000 liter, dimensions: 3800 mm x 1700 mm x 2050 mm. Without vacuum pump and control panel.	4000
620	Elro	Elro cooking vessel, inside dimensions: 680 mm x 550 mm x 540 mm, total dimensions: 1000 mm x 1000 mm x 1040 mm.	700
621	Cryovac	Cryovac shrink tunnel, model: ST 106-D/RH, number: M3235, year of construction: 1991, 380 V, 50 Hz, 2 A, s/s belt, belt width: 440 mm, clearance: 475 mm x 250 mm, total dimensions: 1100 mm x 920 mm	1800
622	Vickers	Vickers accumulator, model: A1-200-21, number: 274739, dimensions: 700 mm x 640 mm x 600 mm.	400
623	VEB Nema	VEB Nema steel fan, type: LANW 630.4 T, dimensions: 880 mm x 780 mm x 210 mm.	50
624	NN elevating belt	Mobile gooseneck elevating belt, plastic belt width dividers, belt width: 510 mm, divider height: 80 mm, distance between dividers: 160 mm, elevating height: 2500 mm, total dimensions: 2580 mm x 1030 mm x 2550 mm.	2000
625	Körting	Körting burner, type: VT4 all-K, factory number: VT44 all-K / 1063, year of construction: 1994, 380-220 V, 50 Hz, 16 A, 1.5 kW, dimensions: 760 mm x 640 mm x 920 mm.	1200
626	Körting	Körting burner, type: VT4 all-K, factory number: VT44 all-K / 1089, year of construction: 1994, 380-220 V, 50 Hz, 16 A, 1.5 kW, dimensions: 760 mm x 640 mm x 920 mm.	1200
627	Cryovac	Cryovac shrink tunnel, model: CJ 51T RH, serial number: A91200216, year of construction: 1997, 400 V, 50 Hz, 23 A, 15 kW, clearance: 260 mm x 120 mm, total dimensions: 2100 mm x 900 mm x 1400 mm.	1500
628	Robert Brunner	Robert Brunner vegetable cutter, type: GR, number: 32971, 500 V, 3 Ph, 50 Hz, 5.8 A, 3.3 kW, clearance: 160 mm x 100 mm, total dimensions: 660 mm x 420 mm x 690 mm.	500
629	Bastra	Bastra smoking chamber with wood chip smoke generator, type: 1001CTF, number: 5648, year of construction: 1-1991, 380 V, 3 Ph, 50 Hz, 19.05 kW,	2500



Nr	Title	Description	Start €
		inside dimensions: 950 mm x 700 mm x 1430 mm, total dimensions: 1270 mm x 1130 mm x 1920 mm.	
630	Bastra	Bastra smoking chamber with wood chip smoke generator, model: Bastramat B 951, inside dimensions: 950 mm x 700 mm x 1430 mm, total dimensions: 1270 mm x 1130 mm x 1920 mm.	2500
631	Reich	Reich cooking vessel, inside dimensions: 800 mm x 900 mm x 450 mm, total dimensions: 1000 mm x 1380 mm x 1000 mm. Including switch cabinet.	900
632	Handtmann	Handtmann mobile linking attachment with dosing valve, type: 32-2 & 73-1, number: 1116 & 815, dimensions: 780 mm x 700 mm x 1250 mm.	400
633	NN cooking vessel	Cooking vessel, inside dimensions: 800 mm x 600 mm x 380 mm, total dimensions: 1060 mm x 1020 mm x 1000 mm.	800
634	Risco	Risco mobile hamburger forming machine, type: TVM140, serial number: 111-011868, year of construction: 2015, form dimensions: 110 mm x 950 mm (oval), total dimensions: 1500 mm x 500 mm x 1150 mm.	1500
635	Inject Star	3 mobile s/s barrels for Inject Star tumbler, volume: 1000 liter, total dimensions: (4x) Ø 1000 mm x 1650 mm.	2000
636	NN meat bin	S/s meat bin, volume: 250 liter, total dimensions: 750 mm x 660 mm x 840 mm.	100
637	NN meat bin	S/s meat bin, volume: 250 liter, total dimensions: 750 mm x 660 mm x 840 mm.	100
638	Multivac	Multivac mobile belt vacuum machine, type: C700, machine number: 112919, year of construction: 2006, 400 V, 33 PH, 50 Hz, 22 A, 7 kW, plastic belt, belt width: 440 mm, seal length: 980 mm and 500 mm, total dimensions: 1250 mm x 900 mm x 1200 mm.	2750
639	KJ Maskinfabriken A/S	KJ Maskinfabriken A/S circular saw, type: MS12-2301, number: 20009, year of construction: 1992, 380/220 V, 3 Ph, 50 Hz, 6.0 A, saw diameter: 600 mm, total dimensions: 1550 mm x 750 mm x 1560 mm. Saw not included.	1000
640	Busch	Busch vacuum pump, type: RD 0360 A 503, serial number: C1816000407, capacity: 300 m³ per hour, weight: 250 kg, dimensions: 1000 mm x 540 mm x 700 mm.	1250
641	NN turning table	S/s turning table, diameter: Ø 1500 mm, total dimensions: Ø 1550 mm x 850 mm.	800
642	Föratec GmbH	Föratec GmbH s/s turning table, type: DRE00038, number: 5700012796, year of construction: 2016, diameter: Ø 1500 mm, total dimensions: Ø 1520 mm x 850 mm.	800
643	Grasselli		1000



Nr	Title	Description	Start €
		2 Grasselli mobile skinning machines, model: RST520-M, serial number: T10R11/M1718 and T07R04/M1673, year of construction: 2013, 400 V, 3 pH, 50 Hz, 2.3 A, 0.9 kW, working width: 480 mm, total dimensions: (2x) 700 mm x 700 mm x 950 mm.	
644	Grasselli	2 Grasselli mobile skinning machines, model: RST520-M, serial number: P11R03/M1382 and 033R00/M1275, year of construction: 2011 and 2010, 400 V, 3 pH, 50 Hz, 2.3 A, 0.9 kW, working width: 480 mm, total dimensions: (2x) 700 mm x 700 mm x 950 mm.	1000
645	Negama	Negama frozen block cutter, number: 5/1960/573, year of construction: 1992, working width: 500 mm, total dimensions: 1630 mm x 1000 mm x 2100 mm.	2000
646	Treif	Treif dicer, type: 120, number: 19429/2007-1, year of construction: 1980, 380/220 V, 3 Ph, 50 Hz, 16.1 A, chamber dimensions: 520 mm x 120 mm x 110 mm, distance between knives: 5 mm, total dimensions: 1950 mm x 950 mm x 1550 mm. Extra dicer set with 10 mm blocks.	1500
647	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
648	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
649	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
650	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
651	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
652	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
653	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
654	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
655	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
656	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
657	NN tub	S/s tub, dimensions: 1050 mm x 750 mm x 850 mm.	175
658	NN door	S/s door, thickness: 80 mm, dimensions: 900 mm x 1870 mm.	90
659	NN door	S/s door, thickness: 80 mm, dimensions: 840 mm x 1560 mm.	90
660	NN door	S/s door, thickness: 80 mm, dimensions: 940 mm x 1945 mm.	90
661	NN door	S/s door, thickness: 80 mm, dimensions: 860 mm x 1840 mm.	90
662	NN door	S/s door, thickness: 80 mm, dimensions: 840 mm x 1745 mm.	90
663	Bitzer	Bitzer EcoStar condensing unit with cooling compressor, type cooling compressor: 4NE-14F3-40S, serial number: 2604800216, 220-480 V, 50/60 Hz, refrigerant: R134A/ 16 kg, dimensions: 1550 mm x 700 mm x 1660 mm.	1900
664	Abele & Trost	Abele & Trost scalding and dehairing machine for pigs, type: 1002L, number: 352, year of construction: 1976,	2000



Nr	Title	Description	Start €
		working width: 1700 mm, total dimensions: 2250 mm x 1000 mm x 1300 mm.	
665	Radwag	Radwag weighing scale, minimum load: 0.2 kg, maximum load: 60 kg, 230 V, 50 Hz, dimensions: 410 mm x 500 mm x 740 mm.	45
666	Cryovac/Arthur Kirschner	Cryovac/Arthur Kirschner packaging machine, number: 1293, 220 V, 500 W, dimensions: 550 mm x 300 mm x 400 mm.	90
667	NN clipper	Clipper, number: 571, dimensions: 200 mm x 200 mm x 700 mm.	45
668	NN clipper	Clipper, dimensions: 200 mm x 400 mm x 700 mm.	45
669	NN clipper	Clipper, number: G.4742, dimensions: 200 mm x 200 mm x 700 mm.	45
670	Tipper Tipperette	Tipper Tipperette clipper, number: K 4439 A, dimensions: 300 mm x 300 mm x 700 mm.	45
671	NN clipper	Clipper, dimensions: 200 mm x 400 mm x 700 mm.	45
672	Spomasz Poland	Spomasz Poland bowl cutter with s/s bowl and knives, model: K120, volume: 120 liter, dimensions: 1500 mm x 1300 mm x 1500 mm.	2500
673	NN cattle dehider	S/s roller for cattle dehider, working width: 800 mm, total dimensions: 1050 mm x 300 mm x 300 mm.	450
674	NN cattle dehider	S/s roller for cattle dehider, working width: 700 mm, total dimensions: 950 mm x 300 mm x 300 mm.	450
675	NN trolley	S/s mobile trolley with drain, dimensions: 1440 mm x 750 mm x 830 mm.	450
676	NN trolley	S/s mobile trolley with drain, dimensions: 1440 mm x 750 mm x 830 mm.	450
677	NN trolley	S/s mobile trolley with drain, dimensions: 1440 mm x 750 mm x 830 mm.	450
678	NN heat exchanger	S/s tubular heat exchanger, diameter pipe: 100 mm, total dimensions: 4150 mm x 550 mm x 400 mm.	1000
679	Hoegger Alpina	Hoegger Alpina grinder, type: SW 114 N2, machine number: 189, 380 V, 3 Ph, 50 Hz, 14 A, 5,2 kW, diameter plate: 114 mm, total dimensions: 1100 mm x 700 mm x 1200 mm.	2000
680	NN pump	Pump for dry products, type: VH 210 BB, number: 292254, year of construction: 1987, 89 kW, 31.0 m ³ /min, dimensions: 2200 mm x 1000 mm x 1600 mm.	2000
681	Sorgo	Sorgo smoke chamber for 3 trolleys, inside dimensions: 1300 mm x 3250 mm x 2040 mm, total dimensions: 1450 mm x 3600 mm x 2700 mm. Including smoke generator and switch cabinet, dimensions smoke generator: 880 mm x 1000 mm x 1660 mm.	9000
682	Busch	Busch vacuum pump, type: 400-212 2877, capacity: 400 m ³ per hour, dimensions: 1300 mm x 850 mm x 1150 mm.	1000
683	Sorgo		9000



Nr	Title	Description	Start €
		Sorgo smoke chamber for 3 trolleys, inside dimensions: 1300 mm x 3250 mm x 2040 mm, total dimensions: 1450 mm x 3600 mm x 2700 mm. Including smoke generator and switch cabinet, dimensions smoke generator: 880 mm x 1000 mm x 1660 mm.	
684	NN meat hooks	4 crates with 100 meat hooks, DIN 250, dimensions hooks: 350 mm x 120 mm, dimensions crates: 600 mm x 400 mm.	300
685	NN meat hooks	Crate with 30 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	150
686	NN meat hooks	Crate with 30 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	150
687	NN meat hooks	Crate with 30 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	150
688	NN meat hooks	Crate with 30 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	150
689	NN meat hooks	Crate with 30 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	150
690	NN meat hooks	Crate with 30 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	150
691	NN meat hooks	Crate with 30 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	150
692	NN meat hooks	Crate with 30 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	150
693	NN meat hooks	Crate with 28 s/s meat hooks, dimensions hooks: 400 mm x 120 mm, dimensions crate:: 600 mm x 400 mm x 200 mm.	140
694	Berkel	Berkel floor weighing scale, type: IWS-IT1000, serial number: 042881, year of construction: 2004, 240V, 50/60 Hz, 0.2A, max weight: 1500 kg, dimensions: 1500mm x 1550 mm x 250 mm.	500
695	Sulbana/ITEC	Itec s/s hose reel with hose and pistol, type: ST40/12/ep, year of construction: 05/2018, 200 bar, with Sulbana foam unit, dimensions: 600 mm x 600 mm x 600 mm.	200
696	Sorgo	Sorgo smoke chamber for 3 trolleys, inside dimensions: 1300 mm x 3250 mm x 2040 mm, total dimensions: 1450 mm x 3600 mm x 2700 mm. Including smoke generator and switch cabinet, dimensions smoke generator: 880 mm x 1000 mm x 1660 mm.	9000
697	Sorgo		9000



Nr	Title	Description	Start €
		Sorgo smoke chamber for 3 trolleys, inside dimensions: 1300 mm x 3250 mm x 2040 mm, total dimensions: 1450 mm x 3600 mm x 2700 mm. Including smoke generator and switch cabinet, dimensions smoke generator: 880 mm x 1000 mm x 1660 mm.	
698	Yale	Yale forklift truck, type: GDP60VX, chassis number: D878E0560K, year of construction: 2012, diesel, weight: 8520 kg, capacity: 6000 kg, fork length: 1980 mm, lifting height: 4700 mm, total dimensions: 4800 mm x 2150 mm x 3400 mm.	8000
699	NN trolley	S/s trolley, dimensions: 900 mm x 650 mm x 990 mm.	100
700	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile speed twister, type: Speed Twister, number: C-01038, year of construction: 2007, 400V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, dimensions: 1300 mm x 850 mm x 1250 mm.	1000
701	NN foaming unit	Mobile foaming unit, dimensions: 900 mm x 800 mm x 1250 mm.	200
702	NN gas burner	Gas burner, dimensions: 2560 mm x 630 mm x 270 mm.	450
703	Samag	Samag s/s electric pallet lifter, type: PHE INOX, serial number: 0043243, year of construction: 2016, 12 V, max weight: 1000 kg, dimensions: 1700 mm x 600 mm x 1250 mm.	600
704	VC999/Inauen	VC999/Inauen AG shrink tunnel with transport belt, type: VC999/Einlaufband, machine number: 85.47iE20, year of construction: 2014, 380 V, 3 Ph, 50 Hz, dimensions: 2250 mm x 1100 mm x 1500 mm.	3000
705	NN gas burner	Gas burner, dimensions: 1920 mm x 460 mm x 190 mm.	450
706	A.E.W. Engineering	A.E.W. Engineering s/s bandsaw, model: 400 M, serial number: LHS.355897, 380 V, 3 Ph, 4.7 A, dimensions: 1050 mm x 880 mm x 1950 mm. Without saw blade.	1000
707	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF80, serial number: 1468, 400 V, 50 Hz, 10.8 A, type linker: 34-4, number linker: 1530, dimensions: 850 mm x 900 mm x 1750 mm.	5000
708	Marel	Marel Compact Grader, type: M2200-A01, serial number: A025704, minimum weight: 40/100/200 g, maximum weight: 0.5/1.5/3 kg, plastic belt, total dimensions: 2950 mm x 900 mm x 1300 mm.	7000
709	S+S Separation and Sorting Technology GmbH	S+S Separation and Sorting Technology GmbH mobile pipeline metal detector, type: Liquiscan VF+ 54/42/216/83, serial number: 11314012999-H, year of construction: 2013, 100-240 VAC, 50/60 Hz, 0,5-025 A, 6-8 bar, dimensions: 800 mm 800 mm x 1400 mm.	1000
710	Poly-clip System	Poly-clip System table model clipper, type: EZ 600, number: 137/14, year of construction: 2014, 5-7 bar, dimensions: 500 mm x 200 mm x 850 mm.	700
711	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG table model clipper, type: EZ 600, number: 136/14, year of construction:	700



Nr	Title	Description	Start €
		2014, 5-7 bar, dimensions: 500 mm x 200 mm x 850 mm.	
712	NN trolley	S/s trolley, dimensions: 730 mm x 1230 mm x 1100 mm.	150
713	TBS srl	TBS srl band saw, model: SO 3169, serial number: 10T05067, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.2 kW, weight: 160 kg, table dimensions: 800 mm x 850 mm, total dimensions: 850 mm x 1000 mm x 1950 mm.	800
714	NN trolley	S/s trolley, dimensions: 1400 mm x 700 mm x 1200 mm.	150
715	Serbatoi Autoclavi	Serbatoi Autoclavi pressure tank, type: R50011Y, number: 1743278, year of construction: 2013, volume: 500 liter, dimensions: 700 mm x 700 mm x 2050 mm.	700
716	Velati	Velati tiltable vacuum mixer with lifter for 200 liter meat bins, type: M 600, 400 V, 50 Hz, 9,3 kW, double shaft paddles, dimensions: 3800 mm x 1500 mm x 1800 mm.	8000
717	Famaco	Famaco continuous fryer, model: F, serial number: 1324, year of construction: 2008, steel belt, belt width: 600 mm, total dimensions: 6400 mm x 1250 mm x 1700 mm.	5000
718	Kärcher	Kärcher pressure washer, type: K5, serial number: 034496, 230 V, 50 Hz, 2,1 kW, max pressure: 14,5 Mpa, dimensions: 450 mm x 400 mm x 900 mm.	50
719	Liftrite	Liftrite steel pallet lifter, dimensions: 1400 mm x 520 mm x 1250 mm.	50
720	Banns	Banns differential conveyor for moving half-carcasses with electric drive, with adjustable angle and height: from 400 mm to 800 mm, total dimensions: 1400 mm x 600 mm x 400 mm.	200
721	Maschinen und Behälterbau GmbH	Maschinen und Behälterbau GmbH pressure tank, type: MB 030492-1/500, serial number: K 17748313, year of construction: 1994, volume: 500 liter, dimensions: 800 mm x 750 mm x 2000 mm.	700
722	Treif	Treif slicer, model: Falcon conti, machine number: 46 1004.61938.103214, year of construction: 2007, 380-480 V, 3 Ph, 50/60 Hz, 22-18 A, 8.6 kW, weight: 750 kg, plastic belt, belt width: 220 mm, including outfeed belt, belt width: 325 mm, crates with parts, dimensions: 600 mm x 400 mm x 500 mm, total dimensions: 4550 mm x 1300 mm x 1870 mm.	8000
723	Eller	Eller smoke chamber for 3 trolleys, inside dimensions: 1180 mm x 3200 mm x 2060 mm, total dimensions: 1550 mm x 3600 mm x 2750 mm.	8000
724	Eller	Eller smoke chamber for 3 trolleys, inside dimensions: 1180 mm x 3200 mm x 2060 mm, total dimensions: 1550 mm x 3600 mm x 2750 mm.	8000
725	Rewi	Rewi vacuum tumbler, type: Rewi 2000 (1200L), machine number: 301612, 400 V, 3 Ph, 50 Hz, 8.7 A, 4 kW, dimensions: 2150 mm x 1200 mm x 1900 mm. Technical condition unknown.	1250

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

