



**Industrial  
Auctions**

**2011: Online auction machinery for the food  
industry in Ystad (SE)**

**END DATE**  
11 December 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	11 December 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	25% over the highest bid including premium
Pick up days	17 December 2025 from 09:00 till 16:00 hrs.
Pick up address	Kronoholmsvägen 4 27151 Ystad Sweden
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Formcook AB	Formcook AB industrial combi cooker, model: COMBI 1025 0802 EF, year of construction: 2006, Teflon belt, belt width: 980 mm, s/s mesh belt, belt width: 1020 mm, total dimensions: 6300 mm x 1500 mm x 2500 mm, s/s switch cabinet, dimensions: 1600 mm x 400 mm x 2000 mm.	25000
2	Multivac	Multivac traysealer, type: T700, serial number: 169932, year of construction: 2013, 400/230 V, 3 Ph, 50 Hz, 18/32 A, 4.2 kW, film width: 280 mm, plastic mesh infeed belt, belt width: 200 mm, dye: (4x) 230 mm x 160 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 4850 mm x 850 mm x 2050 mm, Eurovacuum vacuum pump, type: EV-O175F, capacity: 175 m³ per hour, dimensions: 900 mm x 750 mm x 400 mm, s/s trolley for dye sets, dimensions: 1500 mm x 750 mm x 1350 mm, s/s frame with additional dye set, dimensions dye: (4x) 230 mm x 160 mm, dimensions frame: 2100 mm x 500 mm x 1250 mm, pallet with parts, 14 pallets with plastic trays, dimensions each tray: 230 mm x 140 mm x 35 mm.	9500
3	Eberhardt GmbH	Eberhardt GmbH mobile s/s spindle-type boiling press with moulds, dimensions each mould: 590 mm x 280 mm x 80 mm, total dimensions: 1100 mm x 1000 mm x 1980 mm.	3000
4	Eberhardt GmbH	2 Eberhardt GmbH mobile s/s spindle-type boiling presses with moulds, dimensions each mould: 590 mm x 280 mm x 80 mm, total dimensions: (2x) 1100 mm x 1000 mm x 1980 mm.	6000
5	Eberhardt GmbH	3 Eberhardt GmbH mobile s/s spindle-type boiling presses with moulds, dimensions each mould: 590 mm x 280 mm x 60 mm, total dimensions: (3x) 1100 mm x 1000 mm x 1980 mm.	9000
6	Eberhardt GmbH	2 pallets with Eberhardt GmbH moulds for s/s spindle-type boiling press, dimensions each mould: 590 mm x 280 mm x 60 mm.	500
7	Eberhardt GmbH	3 pallets with Eberhardt GmbH moulds for s/s spindle-type boiling press, dimensions each mould: 590 mm x 280 mm x 80 mm.	750
8	Nimo KG	Nimo KG mobile pneumatic tilting device for 3 x 200 liter meat bins used for washing meat bins, type: DV 200 P, serial number: 13144, year of construction: 2020, maximum load: 130 kg, dimensions: 2800 mm x 1150 mm x 1200 mm.	1500
9	Colussi Ermers S.r.l.	Colussi Ermers S.r.l. meat bin washer, model: L013-014, type: 9646, serial number: 1683, year of construction: 2008, dimensions: 1950 mm x 1950 mm x 2800. Including s/s fences.	7500
10	Limitech A/S		6500



Nr	Title	Description	Start €
		Limitech A/S double high shear mixer, type: 2x A2-480, year of construction: 2005, volume: (2x) 480 liter, maximum temperature: 100 °C, total dimensions: 2000 mm x 1200 mm x 2500 mm.	
11	Tiromat Krämer+Grebe GmbH & Co.KG	Tiromat Krämer+Grebe GmbH & Co.KG thermoformer, type: 660, machine number: 664/0271, year of construction: 1995, 230/400 V, 50 Hz, 45/50 A, film width: 442 mm, plastic outfeed belt, belt width: 370 mm, total dimensions: 8600 mm x 1100 mm x 1950 mm, pallet with parts, dimensions dye: (2x) 300 mm x 200 mm and (4x) 150 mm x 200 mm.	2500
12	Nimo KG	Nimo KG lifting and tilting device for pallet boxes, type: SK800MK, fabric number: 7936, 380 V, 50 Hz, 1.5 kW, maximum weight: 800 kg, tilting height: 3000 mm, total dimensions: 1400 mm x 2000 mm x 4200 mm.	1500
13	Glass GmbH	Glass GmbH tiltable vacuum tumbler, type: VSM/F 300, machine number: 3180, year of construction: 2009, 400 V, 50 Hz, 7.60 A, 2.77 kW, volume: 300 liter, dimensions: 1800mm x 1100 mm x 1800 mm. Without vacuum pump.	5000
14	NN brine tank	S/s brine tank, inside dimensions: Ø 1400 mm x 900 mm, total dimensions: 1600 mm x 1450 mm x 1120 mm. Including Alfa Laval centrifugal pump, type: FMOS, serial number: 072018, year of construction: 2020.	500
15	Sam Stein Associates	Sam Stein Associates mobile breeding machine, model: EA14J, serial number: 291, s/s mesh belt, belt width: 355 mm, total dimensions: 3000 mm x 1000 mm x 2100 mm.	2000
16	NN netting machine	Mobile netting machine, diameter clearance: 160 mm, total dimensions: 770 mm x 600 mm x 1670 mm.	100
17	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH53/2DL-2.2 Y, serial number: 65633478, dimensions: 980 mm x 800 mm x 900 mm.	300
18	Tripas	Tripas mixer, type: PL 60/20, number: 3919, s/s bowl, dimensions bowl: Ø 410 mm x 410 mm, total dimensions: 600 mm x 900 mm x 1250 mm. Including whisk and s/s bowl, dimensions: Ø 360 x 400 mm.	100
19	Schröder	Schröder brine mixer, type: DM 500, number: DM 117 98, year of construction: 1998, 220/400 V, 50 Hz, 5.3 A, 2.2 kW, pressure: 6 bar, volume: 500 liter, dimensions: 1350 mm x 1350 mm x 1840 mm.	800
20	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CVS/MT-VG.1-S, serial number: 1761/00, year of construction: 18/10/00, 400 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 200, dimensions dye: 240 mm x 170 mm, total dimensions: 2250 mm x 950 mm x 2250 mm. With outfeed belt, plastic belt, belt width: 190 mm, total dimensions: 1500 mm x 320 mm x 950 mm. Including Busch vacuum pump, type: RC01600 and pallet with parts.	2900
21	Fessmann		3500



Nr	Title	Description	Start €
		Fessmann smoking chamber for 1 trolley, inside dimensions: 1100 mm x 800 mm x 1550 mm, total dimensions: 1300 mm x 1130 mm x 2370 mm. Including s/s cabinet with control panel, dimensions cabinet: 800 mm x 530 mm x 2100 mm.	
22	Red Arrow	Red Arrow smoke shower, name: POWDRENCH, model: 2000, serial number: E0115, inside dimensions: 1400 mm x 1330 mm x 1800 mm, total dimensions: 2350 mm x 2000 mm x 2530 mm.	2900
23	SFK-Danfotech	SFK-Danfotech vacuum tumbler, type: MA 3000 SD, serial number: 819, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 5.5/12.5 A, 2.2/5.5 kW, volume: 3000 liter, working pressure: 100 bar, dimensions: 2200 mm x 3300 mm x 2500 mm.	4500
24	Karl Schnell	Karl Schnell grinder, type: 445R, serial number: 24349, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 280 A, 150 kW, plate diameter: 400 mm, total dimensions grinder: 3500 mm x 3500 mm x 3500 mm. Karl Schnell elevating belt, type: 638, serial number: 14151, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.8 A, 1.1 kW, s/s chain belt with dividers, distance between dividers: 1030 mm, divider height: 200 mm, elevating height: 3300 mm, total dimensions: 5300 mm x 1300 mm x 3500 mm. Nimo KG elevator for pallet boxes, type: SK 800 MK-S, serial number: 10548, year of construction: 2007, maximum load: 800 kg, clearance: 1000 mm x 870 mm, elevating height: 2580 mm, total dimensions: 2060 mm x 2300 mm x 4400 mm, including switch cabinet, dimensions: 1210 mm x 440 mm x 1960 mm, and tool trolley, dimensions: 1200 mm x 700 mm x 1350 mm.	29000
25	Multivac	Multivac thermoformer, type: R245, serial number: 228342, year of construction: 2016, 400/230 V, 3 Ph, 50 Hz, 36/50 A, 14 kW, film width: 460 mm, dye: 322 mm x 425 mm, plastic mesh outfeed belt, belt width: 430 mm, Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m <sup>3</sup> per hour, total dimensions: 6400 mm x 1150 mm x 2350 mm, s/s trolley with parts, dimensions dye: (3x) 332 mm x 131mm, (2x) 332 mm x 205 mm, dimensions trolley: 1000 mm x 800 mm x 1400 mm.	20000
26	Getinge Sterilization AB	Getinge Sterilization AB autoclave with steam generator, model: GEVC 6712 AC-1, serial number: 5300461-010-01, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11 A, 5 kW, dimensions autoclave: 1860 mm x 1280 mm x 2240 mm, dimensions steam generator: 900 mm x 730 mm x 2060 mm, dimensions s/s trolley: 1450 mm x 570 mm x 1050 mm.	8000
27	NN table	S/s table, dimensions: 2300 mm x 1200 mm x 1000 mm.	200
28	NN table	S/s table, dimensions: 2900 mm x 1500 mm x 850 mm.	200



Nr	Title	Description	Start €
29	NN table	S/s table, dimensions: 2700 mm x 1000 mm x 880 mm.	200
30	NN plate dispenser	Mobile plate dispenser, inside dimensions: 1300 mm x 620 mm x 400 mm, total dimensions: 1450 mm x 710 mm x 930 mm.	290
31	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	300
32	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	450
33	NN meat bins	5 s/s meat bins, volume: (5x) 200 liter.	750
34	NN meat bins	11 s/s meat bins, volume: (11x) 200 liter.	1650
35	NN meat bins	15 s/s meat bins, volume: (15x) 200 liter.	2250
36	NN tubs	3 s/s tubs, dimensions: (3x) 1050 mm x 730 mm x 800 mm.	500
37	NN trolley	S/s trolley, 36 floors, dimensions: 590 mm x 460 mm x 1800 mm.	75
38	NN trolleys	5 s/s trolleys, 5 floors each, dimensions each floor: 800 mm x 600 mm, total dimensions: (5x) 800 mm x 650 mm x 1830 mm.	300
39	NN trolleys	10 s/s trolleys, 5 floors each, dimensions each floor: 800 mm x 600 mm, total dimensions: (10x) 800 mm x 650 mm x 1830 mm.	600
40	NN trolleys	10 s/s trolleys, 5 floors each, dimensions each floor: 800 mm x 600 mm, total dimensions: (10x) 800 mm x 650 mm x 1830 mm.	600
41	Schröter	Schröter hot smoking chamber, type: W4, year of construction: 08/91, 230/400 V, 50 Hz, 12 kW, steam heated, 135 kg per hour, inside dimensions: 4200 mm x 1600 mm x 2600 mm, total dimensions: 4300 mm x 1750 mm x 2850 mm, Smoke generator for wood chips, dimensions: 720 mm x 650 mm x 1650 mm, 3 pallets with s/s switch cabinet and parts.	6500
42	Hoegger Alpina AG	Hoegger Alpina AG cutter with lifter for 200 liter meat bins and ejector, type: PBV 330 1110, serial number: 813017, 220/380 V, 110 kW, 150 bar, volume: 330 liter, dimensions: 3300 mm x 2200 mm x 1600 mm.	8000
43	Alfa-Laval	Alfa-Laval centrifuge separator, type: MRKX 417SGV-34C/ 861025-02-01, machine number: 2986778, year of construction: 1979, dimensions: 1800 mm x 1200 mm x 2100 mm.	2000
44	Bilwincó A/S	Bilwincó A/S 10 heads multihead weigher on s/s frame, type: DL6010-D, serial number: 113, year of construction: 2005, 400 V, 3 Ph, 50 Hz, weighing range: 10-1000 g, dimensions: 2000 mm x 1000 mm x 2800 mm.	3500
45	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 450 mm, divider height: 75 mm, distance between dividers: 260 mm, elevating height: 2450 mm, total dimensions: 7000 mm x 600 mm x 2550 mm.	2000
46	NN multihead weigher	20 heads multihead weigher, dimensions: 1600 mm x 2000 mm x 2000 mm.	2500



Nr	Title	Description	Start €
47	NN multihead weigher	20 heads multihead weigher, dimensions: 1600 mm x 2000 mm x 2000 mm.	2500
48	NN multihead weigher	20 heads multihead weigher, dimensions: 1600 mm x 2000 mm x 2000 mm.	2500
49	NN platform	S/s working platform, working height: 1430 mm, total dimensions: 6000 mm x 2200 mm x 2500 mm.	1250
50	Europack	Europack wrapping and shrinking line, serial number: 05-10915E, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 45 A, 28 kW, plastic belt, belt width: 650 mm, seal length: 700 mm, clearance: 720 mm x 370 mm, cloth belt, belt width: 610 mm, total dimensions: 5000 mm x 1300 mm x 1950 mm.	1500
51	Ishida	Ishida 10 heads multihead weigher, model: CCW-EM-210W-S/50-WP, serial number: 553488, year of construction: Oct 2003, 220 V, 1 Ph, 50 Hz, 7 A, dimensions: 1600 mm x 1600 mm x 1950 mm.	5000
52	NN transport belt	Transport belt with s/s frame and plastic mesh belt with dividers, belt width: 200 mm, distance between dividers: 260 mm, divider height: 15 mm, total dimensions: 1600 mm x 330 mm x 170 mm.	250
53	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 630 mm, total dimensions: 4700 mm x 850 mm x 700 mm.	350
54	NN transport belt	Transport belt with s/s frame and plastic belt with dividers, belt width: 500 mm, distance between dividers: 930 mm, divider height: 70 mm, total dimensions: 3700 mm x 850 mm x 1030 mm.	450
55	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 5600 mm x 750 mm x 860 mm.	500
56	NN evaporator	Evaporator with 2 fans, dimensions: 3300 mm x 700 mm x 1900 mm.	300
57	Güntner	Güntner evaporator with 1 fan, dimensions: 1020 mm x 800 mm x 590 mm.	400
58	Güntner	Güntner evaporator with 1 fan, type: GGHF 040.1C/17-EW/30P, serial number: 400/3228834.0001, year of construction: 2008, volume: 6 liter, dimensions: 1020 mm x 600 mm x 960 mm.	400
59	Friga-Bohn	Friga-Bohn evaporator with 2 fans, model: 3C-A 3245-R, serial number: AL 0809, 230 V, 1 Ph, 50/60 Hz, 0,32 A, tube volume: 3,2 dm <sup>3</sup> , 2 fans, dimensions: 1080 mm x 600 mm x 430 mm.	250
60	Fincoil	Fincoil evaporator with 1 fan, dimensions: 950 mm x 600 mm x 520 mm.	200
61	L'unite Hermentique	L'unite Hermentique condenser, serial number: 17A13 064340 S993530205, 400/440 V, 3 Ph, 50/60 Hz, 5.4/5.7 A, refrigerant: R404A, 1 fan, dimensions: 1100 mm x 720 mm x 820 mm.	250
62	Friga-Bohn	Friga-Bohn evaporator with 3 fans, model: 3C-A 4364-R, serial number: MK3186, 400 V, 3 Ph, 50 Hz, 0.9/0.55 A,	350





Nr	Title	Description	Start €
		tube volume: 8.7 dm <sup>3</sup> , 3 fans, dimensions: 2200 mm x 750 mm x 670 mm.	
63	Voss	Voss smoke chamber with friction smoke generator for 1 trolley, year of construction: 1992, 380 V, 50 Hz, 18.45 kW, inside dimensions: 860 mm x 700 mm x 1380 mm, total dimensions: 2080 mm x 1050 mm x 2300 mm.	1500
64	Güntner	Güntner evaporator with 2 fans, dimensions: 2700 mm x 1550 mm x 600 mm.	600
65	NN working platform	Steel mobile working platform with stairs, working height: 1950 mm, total dimensions: 1500 mm x 900 mm x 2700 mm.	200
66	NN lockers	Steel lockers, dimensions: 750 mm x 400 mm x 1800 mm, 980 mm x 400 mm x 800 mm, (2x) 250 mm x 400 mm x 1800 mm.	100
67	NN lockers	Steel lockers, dimensions: 1200 mm x 550 mm x 1900 mm.	50
68	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 590 mm, elevating height: 2300 mm, total dimensions: 5400 mm x 2450 mm x 1550 mm.	900
69	Proval Innovations	Proval Innovations mobile curve elevating belt, type: BCS2400, serial number: 231008-01, year of construction: 2003, plastic mesh belt, belt width: 200 mm, elevating height: 1370 mm - 1550 mm, total dimensions: 1200 mm x 2200 mm x 1600 mm.	850
70	NN smoke generator	Smoke generator for woodchips, dimensions: 1000 mm x 700 mm x 1800 mm.	300
71	Vemag	Vemag smoke generator for woodchips, model: 504, type: 504, number: 5040649, 380 V, 3Ph, 50 Hz, 5.1 A, dimensions: 1600 mm x 900 mm x 2200 mm.	300
72	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 500 mm x 320 mm x 970 mm.	500
73	KJ Maskinfabriken A/S	KJ Maskinfabriken A/S mobile elevating belt, type: KA69B-550B, year of construction: 1983, plastic belt, belt width: 495 mm, elevating height: 650 mm, total dimensions: 4400 mm x 880 mm x 770 mm.	650
74	Kerres	Kerres cooking and smoke chamber, inside dimensions: 1000 mm x 800 mm x 1600 mm, total dimensions: 1300 mm x 1020 mm x 2200 mm.	1500
75	NN trolley with meat hooks	S/s trolley with 19 s/s meat hooks, length meat hooks: (6x) 900 mm, (10x) 1100 mm, (2x) 1300 mm, (1x) 1500 mm, total dimensions: 1200 mm x 800 mm x 1760 mm.	200
76	NN sink	S/s sink, dimensions: 1650 mm x 600 mm x 940 mm.	100
77	NN buffet trolley	Refrigerated buffet trolley, dimensions: 1150 mm x 1300 mm x 1300 mm.	75
78	NN frame	S/s frame, dimensions: 600 mm x 600 mm x 900 mm.	25
79	NN frame	S/s frame, dimensions: 480 mm x 580 mm x 600 mm.	25
80	NN transport belts		100





Nr	Title	Description	Start €
		2 transport belts, s/s frame, plastic belt, belt width: (2x) 400 mm, total dimensions: (2x) 450 mm x 450 mm x 700 mm.	
81	Electrolux	Electrolux mobile au-bain Marie, dimensions: 800 mm x 650 mm x 900 mm.	100
82	Idesta	Idesta mobile au-bain Marie, dimensions: 900 mm x 700 mm x 900 mm.	100
83	NN vacuum pump	Vacuum pump, type: GRH 1500, dimensions: 1200 mm x 950 mm x 630 mm.	400
84	Pfeiffer	Pfeiffer Vacuum roots pump, type: WKP 2000 A, number: 22016621, year of construction: 07/2002, capacity: 2060 m <sup>3</sup> per hour, dimensions: 1750 mm x 1150 mm x 1200 mm.	500
85	GEA Grasso / Sabroe Refrigeration	Pallet with GEA Grasso screw compressor block, type: S-51, serial number: S1134, year of construction: 2006, allowable pressure: 28 bar, geometric volume: 7313 cm <sup>3</sup> /U, maximum speed: 3600 rates per minute, weight: 918 kg, dimensions: 1100 mm x 700 mm x 700 mm and Sabroe Refrigeration compressor block, type: F19C, manufacturing number: 123139, year of construction: 1998, test pressure: 28 bar, maximum working pressure: 25 bar, maximum speed: 6000 rates per minute, swept volume: 1.13 dm <sup>3</sup> /rev, dimensions: 600 mm x 600 mm x 700 mm.	1000
86	Siat	Siat pallet wrapper, model: AF3SCF1.2.4.11, serial number: 2832, year of construction: 09-09, 380 V, 3 Ph, 50 Hz, 2.2 A, 600 W, platform diameter: 1500 mm, total dimensions: 2500 mm x 1500 mm x 2500 mm.	750
87	Goldpack	Goldpack Packaging Systems pallet wrapper, type: OP 133 SA/2005, serial number: 2-1594-08, year of construction: 2008, 230 V, 50 Hz, 1.3 kW, weight: 600 kg, diameter platform: 1650 mm, total dimensions: 3000 mm x 1700 mm x 2500 mm.	750
88	Nederman	2 Nederman hose reels with hose with spray heads for meat bins, total dimensions: (2x) 750 mm x 350 mm x 700 mm.	200
89	Ohaus	Ohaus weighing scale with indicator, type: Defender 3000, dimensions: 500 mm x 600 mm x 150 mm.	100
90	Scanveagt	Scanveagt weighing scale with 2 indicators, type indicator: 8406 and 411, dimensions: 500 mm x 600 mm x 100 mm.	100
91	Cardinal	Cardinal weighing scale with indicator, model: 180, dimensions: 600 mm x 500 mm x 500 mm.	100
92	Uni / Atech	Uni weighing scale with indicator with 4 Atech label printer, maximum weight: 15/30/60 kg, minimum weight: 0.2/0.4/1.0 kg, e= 0.01/0.02/0.05 kg, dimensions weighing scale: 600 mm x 500 mm x 100 mm,	150



Nr	Title	Description	Start €
		dimensions label printers: (4x) 350 mm x 200 mm x 200 mm.	
93	Bravilor Bonamat	Bravilor Bonamat coffee machine, model: MTCTW-031, serial number: 8.010.060.11002, 400 V, 3Ph, 50-60 Hz, 4280 W, water pressure: 0.1-1 MPa, dimensions: 405 mm x 355 mm x 440 mm.	25
94	Coffee Queen	Coffee Queen coffee machine, serial number: 9711080009, 230 V, 50-60 Hz, 230 W, dimensions: 350 mm x 200 mm x 450 mm.	25
95	ABB	ABB motor, type: M2AA 132 S, 1450/1750 RPM, 5.5/6.4 kW, weight: 40 kg, dimensions: 500 mm x 300 mm x 300 mm.	100
96	Busch	Busch vacuum pump, type: 630-212, number: 22821, capacity: 630 m <sup>3</sup> per hour, dimensions: 1650 mm x 900 mm x 1000 mm. Including switch cabinet.	1500
97	Busch	Busch vacuum pump, type: 4000, number: 508, capacity: 4000 m <sup>3</sup> /h, dimensions: 1470 mm x 1100 mm x 1820 mm.	1500
98	Busch	Busch vacuum pump, type: 630-212, number: 22760, capacity: 630 m <sup>3</sup> /h, dimensions: 1700 mm x 850 mm x 1220 mm. Including switch cabinet.	1500
99	Kongskilde	Kongskilde mobile heater, model: KAI 300 HC, serial number: 191404000020, 230 V, 1 Ph, 50 Hz, 800 W, power: 83.9 kW, fuel: OIL, air flow rate: 4500 m <sup>3</sup> per hour, dimensions: 1700 mm x 700 mm x 1100 mm.	200
100	NN ladder	Steel ladder, height: 1600 mm.	50
101	Zarges	Zarges working platform, working height: 2300 mm.	100
102	Wibe	Wibe working platform, working height: 2000 mm.	100
103	NN cleaning trolley	Cleaning trolley, dimensions: 1050 mm x 500 mm x 1000 mm.	25
104	Antonson / Intermec	S/s trolley with Antonson weighing scale and Intermec label printer, type scale: 814.051.01, serial number: 53642, 220 V, 50 Hz, 0.315 A, type label printer: 1-F40000-10, serial number: 16210, 100-240 V, 50/60 Hz, 2-1 A, dimensions scale: 330 mm x 300 mm, total dimensions: 1000 x 510 mm x 1470 mm.	50
105	GEA	GEA roof condenser, type: GAV L08-1X1 C, number: 10048425, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1200 W, volume: 43.40 liter, dimensions: 2400 mm x 1300 mm x 1700 mm.	950
106	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: SV 580, number: 39237, capacity: 580 m <sup>3</sup> /h, dimensions: 1400 mm x 900 mm x 1200 mm.	200
107	NN trolleys	2 s/s trolleys, dimensions: (2x) 650 mm x 600 mm x 1720 mm.	100
108	NN trolleys	2 s/s trolleys, dimensions: (2x) 650 mm x 600 mm x 1720 mm.	100



Nr	Title	Description	Start €
109	NN trolley	S/s trolley, dimensions: 500 mm x 600 mm x 1950 mm.	50
110	NN trolleys	2 s/s trolleys, dimensions: (2x) 500 mm x 600 mm x 1950 mm.	100
111	PWS	PWS water purification unit, type: Mini Cubo, model: 50, serial number: 2011,240 V, 1 Ph, 50/60 Hz, 10 A, water pressure: 2/5 bar, capacity: 50 liter per hour, weight: 100 kg, dimensions: 600 mm x 600 mm x 1320 mm.	900
112	Carsoe	Carsoe denester, type/model: ANY TRAY RACK, serial number: SO-11338, year of construction: 2015, 230 V, 1 Ph, clearance: 200 mm x 140 mm, total dimensions: 880 mm x 660 mm x 1650 mm.	1200
113	DuniForm	DuniForm mobile traysealer, type: M3 DF30, serial number: 14-08-06-08, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 10.5 A, weight: 100 kg, dye: 310 mm x 250 mm, total dimensions: 620 mm x 760 mm x 1100 mm.	1200
114	Voran Maschinen GmbH	Voran Maschinen GmbH mobile organic shredder, type: BIO-UZKBG2, serial number: M00039271/09/00008, 400 V, 50 Hz, 5.5 kW, clearance: Ø 275 mm, total dimensions: 850 mm x 700 mm x 1600 mm.	1500
115	Turbo Systems	Turbo Systems mobile depositor, machine number: DIOOP4611086, diameter pipe: 30 mm, total dimensions: 1170 mm x 640 mm x 1750 mm.	2500
116	Yang Srl	Yang Srl mobile traysealer, dye: 335 mm x 260 mm, total dimensions: 800 mm x 450 mm x 1460 mm. Including extra dye sets, dimensions: (4x) 170 mm x 125 mm, (2x) 230 mm x 160 mm.	1250
117	Teltek / Ceia	Teltek checkweigher with Ceia metal detector and rejector, type checkweigher: Teltek 800, serial number: 104160, year of construction: 2004, 230 V, 50/60 Hz, type metal detector: THS/SL, serial number: 20400228003, plastic belt, belt width: 160 mm, clearance: 300 mm x 95 mm, total dimensions: 1550 mm x 950 mm x 1360 mm.	1750
118	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH weighing and labelling machine with top labeller, type: PAS 3012, serial number: 170403, year of construction: 2005, 115 V, 50/60 Hz, maximum weight: 7500 gram, plastic belt, belt width: 280 mm, 290 mm and 300 mm, total dimensions: 1560 mm x 850 mm x 1660 mm.	1500
119	Sealpac GmbH	Sealpac GmbH traysealer with denester and infeed conveyor, type denester: AS-LS1200, serial number: ZAS-0880, year of construction: 2017, 400/230 V, 3 Ph, 50/60 Hz, 2.2 kW, weight: 300 kg, tray dimensions: 210 mm x 157 mm, type traysealer, type: A7, serial number: A7-01-3275, year of construction: 2017, 400/230 V, 3 Ph, 50/60 Hz, 8 kW, weight: 1800 kg, film width: 391 mm, dye: (6x) 195 mm x 145 mm, total dimensions: 9300 mm x 1500 mm x 2090 mm. Including Busch vacuum pump,	19000



Nr	Title	Description	Start €
		type: RA 0250 D 561 CUXX, capacity: 250 m <sup>3</sup> per hour, and s/s trolley to change dyes, dimensions: 1400 mm x 950 mm x 1350 mm.	
120	Maass+Partner GmbH Hamburg	Maass+Partner GmbH Hamburg knife sharpener, model: GHB 1098, fabrication number: AL-012-1098, dimensions: 500 mm x 600 mm x 380 mm.	150
121	Bankeryds Maskin AB	Bankeryds Maskin AB mobile cheese slicer, type: OS-20, number: 20-067, 220 V, 1 PH, 50 Hz, 5.3 A, 0.68 kW, dye: Ø 405 mm, plastic rollers, roller width: 165 mm, total dimensions: 1250 mm x 680 mm x 1300 mm.	1250
122	NN flattener	Mobile flattener, plastic belt, belt width: 570 mm, total dimensions: 1900 mm x 920 mm x 1450 mm.	1000
123	MR Etikettiertechnik GmbH & Co. KG.	MR Etikettiertechnik GmbH & Co. KG. mobile labelling machine, type: MR 4333, serial number: 27447/08/A, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: 190 mm, (2x) 85 mm, total dimensions: 1900 mm x 850 mm x 1900 mm.	1300
124	Tipper Tie technopack	Tipper Tie technopack mobile automatic double clipper, model: DCA-E 6.1, number: 20010332, dimensions: 1400 mm x 850 mm x 1800 mm.	1500
125	Teltek AB	Teltek AB checkweigher, type: C60, serial number: 109230, year of construction: 2009, 230 V, 50/60 Hz, maximum capacity: 1200 g, minimum capacity: 100 g, e= 1 g, plastic belts, belt width: (3x) 250 mm, total dimensions: 1900 mm x 800 mm x 1520 mm.	2000
126	Ceia	Ceia metal detector with Cabinplant elevating belt, model Ceia, THS/3F, serial number: 20600220015, order number Cabinplant: 100300-019, weight: 300 kg, plastic mesh belt, belt width: 420 mm, clearance: 450 mm x 175 mm, elevating height: 1380 mm, total dimensions: 3300 mm x 950 mm x 1540 mm.	2500
127	Ekeby Rostfria prod. AB	Ekeby Rostfria prod. AB tumbler, 380 V, 3 Ph, 50 Hz, dimensions tub: Ø 415 mm x 430 mm, total dimensions: 760 mm x 710 mm x 1080 mm.	500
128	Schröder	Schröder meat press, type: HAMAX 800, number: HA 822 06, year of construction: 2006, 400 V, 50 Hz, 10 A, 4 kW, chamber dimensions: 800 mm x 150 mm, total dimensions: 2900 mm x 900 mm x 1600 mm.	6700
129	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, number: 023, year of construction: 2009, plastic outfeed belt, belt width: 180 mm, total dimensions: 2200 mm x 900 mm x 1800 mm.	15000
130	G.Mondini S.p.a.	G.Mondini S.p.a. traysealer, model: CVS/PT-VG-S+I, number: 1813/00, year of construction: 26/02/01, 400 V, 3 Ph, 50 Hz, 60 A, 30 kW, dye: (3x) Ø 135 mm, plastic belts, belt width: (1x) 270 mm x (2x) 210 mm, total dimensions: 3000 mm x 950 mm x 2300 mm.	2500
131	Pack leader		750



Nr	Title	Description	Start €
		Pack leader labeller, model: PL-211D, serial number: 04707PL211D0010807, year of construction: 2019, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 360 mm, label width: 90 mm, total dimensions: 2600 mm x 1170 mm x 1650 mm.	
132	Cabinplant	Cabinplant 14 heads linear weigher, type: 950030, year of construction: 1993, dimensions head: 70 mm x 95 mm, s/s working platform, working height: 840 mm, total dimensions: 2400 mm x 1550 mm x 2000 mm. Missing 1 bucket.	1900
133	Ekomex / Hitec Foodsystems	Ekomex / Hitec Foodsystems double shaft paddle mixer, type: ML 500, machine number: 10821120032, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 8 kW, machine weight: 800 kg, volume: 500 liter, dimensions: 2180 mm x 1070 mm x 1550 mm.	15000
134	FTC Sweden AB	FTC Sweden AB fresh meat slicer, model: 300, serial number: 302, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 3 kW, clearance: 300 mm x 140 mm, distance between knives: 5 mm, total dimensions: 750 mm x 930 mm x 1700 mm.	1200
135	Formcook AB	Formcook AB mobile forming machine, model: WIKING 6048, year of construction: 2007, 4 screws, dyes: (6x) 65 mm, total dimensions: 1680 mm x 1100 mm x 2300 mm. Without dye.	3500
136	Pinium	Pinium climate chamber, inside dimensions: 600 mm x 650 mm x 1680 mm, total dimensions: 1140 mm x 870 mm x 2350 mm.	1600
137	Multivac / Carsø	Multivac traysealer with infeed belt, type: T800, serial number: 135589, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 26/50 A, 7.5 kW, plastic mesh belt, belt width: 200 mm, plastic belt, belt width: 250 mm, film width: 292 mm, dye: (5x) 190 mm x 142 mm, total dimensions: 4600 mm x 1050 mm x 2150 mm, dimensions: infeed belt: 3500 mm x 550 mm x 1100 mm. Carsø transport belt with denester, type: Denester, number: P9322, year of construction: 2010, 8 bar, plastic belt, belt width: 340 mm, dye: 205 mm x 165 mm, total dimensions: 2450 mm x 600 mm x 800 mm. Including s/s trolley to change dyes, dye: (5x) 157 mm x 210 mm, dimensions: 1450 mm x 1100 mm x 1350 mm. Without vacuum pump.	15000
138	Vemag	Vemag s/s trolley and pallet with various parts for vacuum filling machine and grinding head, diameter knives and plates: 130 mm, dimensions: 1200 mm x 900 mm x 1080 mm and 1200 mm x 1000 mm x 1000 mm.	1500
139	Reepack	Reepack traysealer with denester, model traysealer: Reefast 100, number: 0604007, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 13 A, plastic infeed belt, belt width: 220 mm, film width: 240 mm, dye: (3x) 180 mm x	2500



Nr	Title	Description	Start €
		130 mm, plastic mesh outfeed belt, belt width: 330 mm, total dimensions: 2600 mm x 1250 mm x 1760 mm. With denester and infeed conveyor with dividers, distance between dividers: 295 mm, dye: 239 mm x 179 mm, dimensions denester: 2150 mm x 650 mm x 1830 mm. Without vacuum pump.	
140	Atraco	Atraco s/s vibrating gutter, 2 vibrating motors, gutter width: 810 mm, total dimensions: 2600 mm x 1250 mm x 1760 mm. Transport rollies not included.	1250
141	Holac	Holac dicer, type: AUT 125 P, machine number: 201.01.01, 5.2 kW, dimensions chamber: 115 mm x 115 mm, total dimensions: 2150 mm x 1140 mm x 1600 mm.	1500
142	NN elevating belt	Elevating belt with blower, plastic belt with dividers, belt width: 720 mm, divider height: 150 mm, distance between dividers: 510 mm, elevating height: 1150 mm, total dimensions: 2100 mm x 950 mm x 1600 mm. Missing motor. Technical condition unknown.	200
143	Calipac AB	Calipac AB double shaft spiral mixer, type: BJB-300, year of construction: 2007, 3/4.4 kW, weight: 400 kg, volume: 300 liter, dimensions: 1400 mm x 800 mm x 1450 mm.	1900
144	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG packaging line consisting of: VC999 Verpackungssysteme AG sleeve wrapper, type: QS8, machine number: 13QS12004, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 20 A, 5 kW, 6 bar, s/s mesh belt, belt width: 790 mm, plastic belt, belt width: 440 mm, clearance: 1100 mm x 320 mm, teflon rollers, roller width: 1150 mm, seal bar length: 1200 mm, total dimensions: 2600 mm x 1900 mm x 2350 mm. Including pallet with parts. VC999 Verpackungssysteme AG shrink tunnel, type: K8T1A-sp, machine number: 1312137, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 50 A, 18 kW, 6 bar, plastic belt, belt width: 370 mm, clearance: 710 mm x 180 mm, s/s rollers, roller width: 760 mm, total dimensions: 2300 mm x 1350 mm x 1980 mm.	12500
145	NN frame for curve conveyor	Frame for curve conveyor, approximate belt width: 650 mm, total dimensions: 3200 mm x 800 mm x 1400 mm. Missing belt.	100
146	NN conveyor	Chain conveyor, belt width: 120 mm, total dimensions: 2150 mm x 400 mm x 1300 mm. Missing legs.	200
147	NN turning table	Turning table, diameter: 1500 mm, height: 800 mm.	250
148	Reepack	Reepack flowpacker, model: Reeflow 250, serial number: F714001, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 25 A, infeed conveyor with dividers, distance between dividers: 330 mm, clearance: 160 mm x 100 mm, seal width: 250 mm, plastic outfeed rollers, roller width: 350 mm, total dimensions: 5700 mm x 1500 mm x 2150 mm.	6900
149	NN labeller	Labelling machine, plastic mesh infeed belts, belt width: (2x) 150 mm, plastic wire belt, belt width: (2x) 170 mm,	500



Nr	Title	Description	Start €
		plastic outfeed belt with dividers, belt width: 50 mm, distance between dividers: 225 mm, divider height: 8 mm, total dimensions: 2550 mm x 1400 mm x 1600 mm.	
150	Fuji Machinery LTD.	Fuji Machinery LTD. flowpacker, model: FW3400B, serial number: 456915, year of construction: 1996, infeed chain with dividers, distance between dividers: 110 mm, divider height: 20 mm, seal length: 200 mm, plastic outfeed belt, belt width: 100 mm, total dimensions: 4150 mm x 1050 mm x 1500 mm. Including transformator, dimensions: 500 mm x 270 mm x 450 mm.	1500
151	Deutch Multimat	Deutsch Multimat cooking chamber, inside dimensions: 1200 mm x 1100 mm x 2100 mm, total dimensions: 1600 mm x 1400 mm x 3000 mm. Including switch cabinet, dimensions: 350 mm x 250 mm x 1520 mm.	1000
152	Fuji Machinery LTD.	Fuji Machinery LTD. flowpacker, infeed bel with dividers, belt width: 150 mm, seal length: 300 mm, plastic outfeed belt, belt width: 230 mm, total dimensions: 4750 mm x 900 mm x 1600 mm.	2000
153	Amana	Amana refrigerator, dimensions: 1200 mm x 600 mm x 2100 mm.	400
154	Treif	Treif dicer, type: 3040, machine number: 304000.76161.0318, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 10/16 A, 4.4 kW, weight: 1400 kg, chamber dimensions: 120 mm x 120 mm x 550 mm, total dimensions: 2300 mm x 1050 mm x 2100 mm. Including pallet with additional parts.	2500
155	Multivac	Multivac thermoformer, type: R530, number: 119401, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 68 A, 28.5 kW, film width: 690 mm, dye: (12x) 165 mm x 130 mm, index: 600 mm, plastic outfeed belt, belt width: (3x) 140 mm, with 2 MR Etikettiertechnik labellers and Busch vacuum pump, total dimensions: 14150 mm x 1400 mm x 2600 mm. Including film roll holder, dimensions: 800 mm x 800 mm x 1930 mm.	30000
156	Meca Plastic	Meca Plastic traysealer, type: MECA 2003, number: 5669, year of construction: 06.04, film width: 411 mm, dimensions dye: (3x) 145 mm x 110 mm, plastic outfeed rollers, roller width: 470 mm, total dimensions: 4250 mm x 970 mm x 1960 mm.	4500
157	Ilpra S.p.A.	Ilpra S.p.A. thermoformer, model: speedyform, serial machine: TMF, serial number: F570, year of construction: 2022, 400 V, dyes: (2x) 195 mm x 145 mm, belt width: 320 mm, index: 355, plastic belt, belt width: 400 mm, film width: 365, Busch vacuum pump, pump type: RA 0100 F 5R3, serial number: DEM121381143, capacity: 100 m <sup>3</sup> per hour, total dimensions: 3480 mm x 1200 mm x 1810 mm. Including: Texa cooling unit, model: TCW41NBS9C10000, serial number: 00281415, year of	20000





Nr	Title	Description	Start €
		construction: 2022, 230 V, 1 Ph, 50/60 Hz, 12.0 A, 2.6 kW, weight: 75 kg, gas: R134a, maximum working press: 30 bar, dimensions cooling unit: 900 mm x 450 mm x 550, Pallet with 10 film rolls, film width: 365, dimensions pallet: 1200 mm x 800 mm x 900 mm.	
158	Multivac	Multivac mobile traysealer, type: T300, serial number: 177341, year of construction: 2013, 400/230 V, 3 Ph, 50 Hz, 21/50 A, 5.5 kW, dye: (2x) 170 mm x 130 mm, plastic rollers, roller width: 470 mm, Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m <sup>3</sup> per hour, total dimensions: 2350 mm x 1150 mm x 1650 mm. Including box with large amount of plastic trays.	9000
159	Mettler-Toledo GmbH / Ohaus	Mettler-Toledo GmbH s/s floor weighing scale with Ohaus indicator, type weighing scale: DUE1500sT, serial number: 2105477, maximum weight: 1500 kg, model indicator: TD52P, serial number: C111346093, 100-240 V, 50/60 Hz, 0.5 A, dimensions: 1500 mm x 1450 mm x 150 mm.	250
160	KPZ Waagen	KPZ Waagen s/s floor weighing scale, year of construction: 01-2021, maximum weight: 1500 kg, dimensions: 1250 mm x 1500 mm x 170 mm.	200
161	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-12CD, number: 93750, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 50 A, 27 kW, clearance: 530 mm x 440 mm, total dimensions: 2400 mm x 750 mm x 1880 mm.	850
162	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-213, number: 077436, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 63 A, 36/39.4 kW, clearance: 550 mm x 600 mm, total dimensions: 2370 mm x 700 mm x 1700 mm. Missing covers.	950
163	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-211E, number: 077368, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 63 A, 36/39.4 kW, clearance: 540 mm x 470 mm, total dimensions: 2540 mm x 700 mm x 1660 mm.	950
164	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-243, number: 117275, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 63 A, 36/39.4 kW, clearance: 540 mm x 480 mm, total dimensions: 2900 mm x 700 mm x 1700 mm.	950
165	Meateq	Meateq fresh / frozen meat grinder, type: 6300-S55, number: 0039, year of construction: 2016, diameter plates: 330 mm, total dimensions: 2750 mm x 1100 mm x 2450 mm. Including large amount of knives and plates.	12500
166	Meateq	Meateq mobile elevating screw, diameter screw: 300 mm, tier: 250 mm, elevating height: 1720 mm, total dimensions: 3300 mm x 1100 mm x 2450 mm.	4500
167	Meateq	Meateq grinder, type: G2030 L, number: 0006, year of construction: 2004, plate diameter: 210 mm, total	6500



Nr	Title	Description	Start €
		dimensions: 1800 mm x 900 mm x 1720 mm. Including knives and plates.	
168	Formcook AB	Formcook AB mobile grill belt, model: CC 418 0833 E, year of construction: 2008, teflon belt, belt width: 430 mm, total dimensions: 3300 mm x 1050 mm x 1880 mm.	4500
169	Multivac	Multivac thermoformer, type: R530, number: 3673, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 41 A, 15.5 kW, film width: 622 mm, dye: (2x) 367 mm x 265 mm, MR Etikettiertechnik labeller and 2 Busch vacuum pumps, type: (1x) WV 1000 B 001 KDRO, year of construction: 2003, total dimensions: 10200 mm x 1250 mm x 2000 mm. Including film unwinding device, dimensions: 1500 mm x 1500 mm x 1800 mm.	12500
170	Handtmann	Handtmann vacuum filling machine, dimensions: 900 mm x 820 mm x 2000 mm. Missing vacuum pump.	1750
171	Treif	Treif dicer, type: 0720, machine number: 072007.73671.0594-1, year of construction: 1989, 380/220 V, 3 Ph, 50 Hz, 11/20 A, chamber dimensions: 550 mm x 100 mm x 100 mm, total dimensions: 2250 mm x 900 mm x 1420 mm.	1000
172	K+G Wetter / SFK Danfotech	K+G Wetter mixer-grinder with SFK-Danfotech lifter for 200 liter meat bins, machine number grinder: 414/1016, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 74/80 A, 37 kW, plate diameter: 160 mm, total dimensions: 2200 mm x 1000 mm x 2250 mm, type lifter: CH300, serial number: 1919, 400 V, 3 Ph, 50 Hz, 1.7 A, 0.75 kW, maximum capacity: 300 kg, dimensions: 1100 mm x 1100 mm x 3150 mm, s/s tool trolley with knives and plates, dimensions: 1100 mm x 600 mm x 1100 mm.	12500
173	Waldner GmbH & Co. KG	Waldner GmbH & Co. KG cup filling and sealing machine, type: DOSOMAT 2/2, machine number: 1811, year of construction: 1996, 3 x 220 VAC, 50 Hz, 10.0 A, 3800 Watt, diameter cups: (12 x 2) 50 mm, 4800 fillings per hour, weight: 1400 kg, plastic outfeed belt, belt width: 95 mm, total dimensions: 2900 mm x 2000 mm x 2200 mm.	7500
174	Gernal	Gernal cooking kettle wit agitator, type: MBK-SD-P-800, number: 14/00092, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 9.5 A, 1.1 kW, volume: 800 liter, dimensions: 3000 mm x 1600 mm x 1700 mm.	7500
175	Leepack	Leepack rotary filling and packaging machine for pouches, type: RP-8T(24)/FSP-2000, serial number: LP-S14-058F(P13255), 400 V, 3 Ph, 50 Hz, 5.6 kW, 8 stations, plastic bel, belt width: 280 mm, plastic string belt, belt width: 100 mm, seal length: (8x) 250 mm, total dimensions: 3300 mm x 2200 mm x 2500 mm.	5000
176	Glass GmbH	Glass GmbH tiltable high speed mixer, type: VAS 40, machine number: 292, year of construction: 2006, 400 V,	10000



Nr	Title	Description	Start €
		50 Hz, 47.21 A, 56.82 kW, volume: 40 liter, dimensions: 2700 mm x 1650 mm x 2170 mm.	
177	Wolfking	Wolfking grinder, type: C-160-UNI, number: 24598, plate diameter: 160 mm, total dimensions: 1750 mm x 1100 mm x 1500 mm. Incomplete.	2500
178	AEW Delford Systems Ltd	AEW Delford Systems Ltd knife sharpener, model: H13, serial number: 1790073, year of construction: 20-10-2009, weight: 100 kg, dimensions: 930 mm x 830 mm x 1450 mm.	750
179	Colimatic	Colimatic thermoformer, model: THERA 250, type: F420/400, serial number: 3171, year of construction: 11/2011, 400 V, 3 Ph, 50 Hz, 16 A, 9 kW, film width: 422 mm, index: 170 mm, dimensions dye: (3x) Ø 110 mm, plastic outfeed belt, belt width: 365 mm, Busch vacuum pump, type: RA 0063 F 5K3, number: 110072149, capacity: 63 m³ per hour, total dimensions: 3390 mm x 1010 mm x 1880 mm.	8500
180	NN grill	S/s grill, 35 kW, electric heated, dimensions: 3200 mm x 800 mm x 900 mm. Transport rollies not included.	200
181	PSS Svidnik a.s.	PSS Svidnik a.s. mobile elevating screw, type: G 250 A, serial number: 12, year of construction: 2014, 6.5 kW, weight: 500 kg, elevating height: 2150 mm, total dimensions: 1400 mm x 1250 mm x 2500 mm.	1500
182	Palmia	Palmia vacuum paddle mixer, volume: 500 liter, with Busch vacuum pump, type: 025-132, dimensions: 1700 mm x 950 mm x 2200 mm. Transport rollies not included.	6500
183	AB Schaub & Co	AB Schaub & Co grinder, type: R6B160M42 925448, machine number: SKD 130 6870, 380 V, 50 Hz, 25 A, 11 kW, plate diameter: 130 mm, total dimensions: 1150 mm x 780 mm x 1300 mm. Missing mixing arm.	850
184	Seal-O-Matic / Weitek	Seal-O-Matic / Weitek bag forming, filling and closing machine used for 1 liter paper bags, model bag forming machine: 340 ULE, serial number: 73-340-2409, dimensions bag forming machine: 2000 mm x 950 mm x 1970 mm, type batcher, sealer and labeller: BDV 1300, number: 96/029/1, maximum capacity batcher: 1500 mm, minimum capacity batcher: 150 g, d= 2g, seal length: 115 mm, plastic outfeed belt, belt width: 115 mm, total dimensions: 2800 mm x 1750 mm x 2450 mm. Including mobile table with plastic roller conveyor, roller width: 80 mm, total dimensions: 800 mm x 650 mm x 900 mm.	3000
185	Fomaco	Fomaco injector for fish / salmon with filter tub, model: FGM 48F SW, machine number: 9392, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 19 A, s/s walking beam, beam width: 420 mm, working width: 405 mm, dimensions injector: 2250 mm x 800 mm x 2250 mm, dimensions filter tub: 1700 mm x 600 mm x 700 mm.	2500



Nr	Title	Description	Start €
186	Trepko A/S	Trepko A/S cup filling and sealing machine with depositor used for mayonnaise, type: 222-1K, machine number: 3773, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 4.6 kVa, 7.0/4.5 A, 6-8 bar, diameter cups: 160 mm, weight: 1300 kg, plastic outfeed belt, total dimensions: 3600 mm x 2800 mm x 2400 mm. Including switch cabinet, dimensions: 1400 mm x 600 mm x 2250 mm, Processing cavity pump with infeed hopper and spare parts and extra dye, dye; (2x) 85 mm.	12500
187	Garos	Garos injector, type: FGM 52, serial number: 569027, 52 needles, s/s mesh belt, belt width: 340 mm, total dimensions: 2100 mm x 700 mm x 2050 mm.	1250
188	Fomaco	Fomaco injector, model: FGM 64 SW, machine number: 8187, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 23/32 A, s/s walking beam, beam width: 550 mm, working width: 530 mm, total dimensions: 2250 mm x 840 mm x 2200 mm. Including mobile filter tub, type: PFS 5/225 08, machine number: 8189 2000, dimensions: 1700 mm x 650 mm x 630 mm.	2500
189	Weber	Weber slicing line consisting of: Weber slicer, type: CCS 402, number: 494, year of construction: 01/2006, 380 V, 50 Hz, 10 kW, 6 bar, plastic string belt, belt width: 380 mm, total dimensions: 2300 mm x 900 mm x 2150 mm, Weber checkweigher, type: CCW, number: 6896, plastic string belt, belt width: 370 mm, total dimensions: 500 mm x 560 mm x 1100 mm, Weber rejecting belt, type: CMB, number: 4494, year of construction: 01/2006, plastic string belt, belt width: 370 mm, total dimensions: 770 mm x 400 mm x 1030 mm, Weber mobile outfeed belt, belt width: CCL, number: 4395, year of construction: 06/2004, plastic belt, belt width: 350 mm, total dimensions: 2500 mm x 1050 mm x 1200 mm.	4900
190	Bent Nygaard Elektronik A/S	Bent Nygaard Elektronik A/S checkweigher, type: CW-6, serial number: 66269301, 220 V, 50 Hz, weighing range: 100 gram / 6000 gram, e = 2 gram, T = -6000 gram, belt width: 450 mm, total dimensions: 1100 mm x 840 mm x 1680 mm. Missing transport belt.	450
191	Videojet	Videojet mobile inkjet printer, model: EXCEL/170iUHS, serial number: 992440017WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A. 3.4 m <sup>3</sup> per hour, 6.9 bar, dimensions: 550 mm x 200 mm x 1800 mm.	100
192	NN table	S/s mobile table, dimensions: 2150 mm x 1150 mm x 1250 mm.	200
193	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: XE3, serial number: 35000969, year of construction: 2008, 100-240 V, 50-60 Hz, maximum weight: 2000 g, minimum weight: 150 g, e=d= 0.5/. G, T=	1500



Nr	Title	Description	Start €
		-1350 g, plastic belt, belt width: 200 mm, total dimensions: 2200 mm x 800 mm x 1450 mm.	
194	Protech	Protech CIP unit, type: CIP, serial number: 1305/3, year of construction: 2013, 400 V, 3 Ph, 16 A, Iwaki metering pump, model: LK-F57VCM56T, capacity: 6/7.2 liter per minute, Goulds water technology circulation pump, type: 10SV04F015T/D, capacity: 5/14 m <sup>3</sup> per hour, dimensions: 1250 mm x 500 mm x 1930 mm.	1500
195	Fribergs Verkstäder AB	Fribergs Verkstäder AB cooking kettle, type: VKF 55/10, number: 11136, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 20 A, 13.8 kW, inside dimensions: 650 mm x 100 mm x 100 mm, total dimensions: 1200 mm x 850 mm x 1000 mm.	250
196	Joni	Joni cooking kettle, model: Easy, serial number: 0521-713582, year of construction: 2021, volume: 60/70 liter, 400 V, 3 Ph, 50-60 Hz, 22 A, 15 kW, dimensions: 1100 mm x 900 mm x 1100 mm.	950
197	NN transport belt	Mobile transport belt with press roll, working width: 550 mm, plastic belt, belt width: 500 mm, total dimensions: 1150 mm x 780 mm x 1400 mm.	750
198	Ingersoll Rand	Ingersoll Rand air compressor, dimensions: 1630 mm x 720 mm x 1580 mm. Incomplete, technical condition unknown.	250
199	Knecht	Knecht knife sharpener, type: USK 200 E, machine number: 5881090, year of construction: 1990, 380 V, 50 Hz, 7.4 A, 1.28 kW, working width: (2x) 60 mm, total dimensions: 650 mm x 750 mm x 1750 mm.	1300
200	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 1300 mm x 500 mm x 950 mm.	300
201	NN binding machine	Mobile binding machine, diameter clearance: 185 mm, total dimensions: 620 mm x 530 mm x 1500 mm. Missing covers.	200
202	Eberhardt GmbH	Eberhardt GmbH mobile ham press, type: II GroB, year of construction: 2004, inside dimensions: 900 mm x 850 mm x 1250 mm, total dimensions: 980 mm x 930 mm x 1560 mm. Including pallet with plates, dimensions each plate: 800 mm x 880 mm.	600
203	Eberhardt GmbH	Eberhardt GmbH mobile ham press, type: II GroB, year of construction: 2002, inside dimensions: 800 mm x 900 mm x 600 mm, total dimensions: 950 mm x 1000 mm x 1000 mm.	400
204	Holac	Holac dicer, type: HO10, number: 261.1, year of construction: 1979, chamber dimensions: 85 mm x 85 mm, total dimensions: 1470 mm x 550 mm x 1100 mm. Incomplete.	800
205	Linköpings Rostfria AB	Linköpings Rostfria AB lifter, lifting height: 1150 mm, platform: 375 mm x 580 mm, total dimensions: 1260 mm x 550 mm x 1540 mm.	250



Nr	Title	Description	Start €
206	Bodijn	Bodijn transport belt, type: TRA, serial number: 216053/2, year of construction: 2016, 0.25 kW, weight: 170 kg, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 750 mm x 800 mm.	950
207	Ulma	Ulma flowpacker, type: ARTC-C, serial number: 1310174, year of construction: 2010, 400 V, 50 Hz, 10 A, 6.5 kW, plastic infeed belt, belt width: 300 mm / 120 mm, film width: 410 mm, seal length: 300 mm, plastic outfeed belt, belt width: 280 mm, total dimensions: 8500 mm x 1300 mm x 1800 mm.	3000
208	Ohaus	Ohaus s/s floor weighing scale with indicator, model indicator: T32XW, serial number: B448310779, dimensions: 1300 mm x 1300 mm x 250 mm.	250
209	PSS Svidnik a.s.	PSS Svidnik a.s. double shaft paddle mixer, type: SM 700, serial number: 12, year of construction: 2016, 8 kW, volume: 700 liter, weight: 1700 kg, dimensions: 2350 mm x 1250 mm x 2350 mm.	15000
210	System Cleaners A/S	System Cleaners A/S foam mixing unit, type: H-25-5, number: 24919, 400 V, 3 Ph, 50 Hz, 8.65 A, maximum bar: 25, maximum liter per minute: 100, maximum temperature: 70°C, dimensions: 1600 mm x 650 mm x 500 mm.	250
211	Svenema AB	Svenema AB mobile lifter, product: Lyftvagn MIDI, model: 90 004, serial number: 30502-01, year of construction: 19/09/2005, 2x 12 V, 6.5 Ah, maximum capacity: 80 kg, weight: 39 kg, lifting height: 1530 mm, dimensions platform: 500 mm x 500 mm, total dimensions: 740 mm x 500 mm x 1650 mm.	350
212	Koneteollisuus Oy	Koneteollisuus Oy bandsaw, type: KT-460, number: 124873, year of construction: 05/2001, 380-415 V, 3 Ph, 50 Hz, 5/5/5 A, 1.8 kW, 710/1420 RPM, weight: 220 kg, dimensions: 1000 mm x 900 mm x 1900 mm. Missing saw blade.	750
213	Soco System	Soco System box closing machine, model: T-10, machine number: 236, year of construction: 2009, 400 V, 3 Ph, 50 Hz, plastic rollers, roller width: 400 mm, total dimensions: 1600 mm x 850 mm x 1700 mm. Missing top and bottom tapers.	150
214	NN table	S/s mobile table, dimensions: 1000 mm x 500 mm x 930 mm.	75
215	Kilia	Kilia cutter with lifter for 200 liter meat bins and ejector, diameter bowl: 1250 mm, height: 150 mm, total dimensions: 3200 mm x 2600 mm x 2700 mm (lid open), s/s switch cabinet, dimensions: 1200 mm x 1300 mm x 400 mm.	7500
216	Ross Industries, INC.	Ross Industries, INC. portion cutter with paper interleaver, model: GB 200, serial number: 390, year of construction: 03/2004, 208/240 V, 1 Ph, 60 Hz,	500



Nr	Title	Description	Start €
		15/1.5/1.0 A, plastic belt, belt width: 200 mm, working width: 200 mm, total dimensions: 1480 mm x 900 mm x 1400 mm.	
217	Afinox	Afinox refrigerated cabinet, model: TAV SPRING 70 4 I TN S D D D R290 G.GN 4, serial number: 3016385401, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 5.03 A, 247 W, refrigerant: R290, dimensions: 2300 mm x 700 mm x 1000 mm.	500
218	Pek-mont	Pek-mont tumbler, number: 1994/55, inside dimensions: 770 mm x 770 mm x 660 mm, total dimensions: 1160 mm x 1370 mm x 1550 mm.	2000
219	NN mixer	NN mixer, inside dimensions: 750 mm x 300 mm x 400 mm, total dimensions: 1700 mm x 650 mm x 1350 mm.	1250
220	Baader	Baader V-cut deheader, type: 417, knife diameter: (2x) 200 mm, plastic belt, belt width: 280 mm, divider height: 70 mm, distance between dividers: 900 mm, elevating height: 1200 mm, total dimensions: 1700 mm x 1100 mm x 1900 mm.	2500
221	Magurit	Magurit frozen block cutter, type: 053, machine number: 4973, year of construction: 2003, 230 V, 5.5 kW, maximum block size: 500 mm x 600 mm x 240 mm, total dimensions: 1850 mm x 1100 mm x 1750 mm.	4500
222	Arenco. KM AB	Arenco. KM AB slicer for fish, type: SL, number: 1538, year of construction: 1974, 9 knives, distance between knives: 105 mm, total dimensions: 1450 mm x 1500 mm x 1480 mm.	1000
223	NN multihead weigher	10 heads multihead weigher, number: AC--BB100607111, baskets: 130 mm x 120 mm x 230 mm, total dimensions: 1100 mm x 1100 mm x 1150 mm.	1000
224	Ilpra S.p.A.	Ilpra S.p.A. thermoformer, model: SpeedyVG, machine number: FF 6494, year of construction: 2005, 380 V, infeed width: 500 mm, film width"400 mm, dye: (2x) 190 mm x 135 mm, plastic rollers, roller width: 400 mm, total dimensions: 2900 mm x 700 mm x 1800 mm.	4900
225	Inotec GmbH	Inotec GmbH emulsifier, type: 1175CD-75D, machine number: 101-00886, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 88 kW, machine weight: 750 kg, infeed bunker: 1090 mm x 1020 mm x 350 mm, diameter plate: 175 mm, total dimensions: 1900 mm x 1200 mm x 1250 mm.	9000
226	Hounö ApS	Hounö ApS combi steamer, type: M 1.12, serial number: 96 08 5496, 400 V, 3 Ph, 50 Hz, 15 kW, 9 floors, floor dimensions: 500 mm x 330 mm, total dimensions: 900 mm x 850 mm x 1610 mm.	500
227	Capro	Capro combi steamer, model: RE/7, serial number: 09912942, 380-220 V, 3 Ph, 9.7 kW, 7 floors, dimensions each floor: 320 mm x 530 mm, total dimensions: 850 mm x 850 mm x 1550 mm.	500
228	Grote		3000





Nr	Title	Description	Start €
		Grote pepperoni slicer, model: FG101-2001, serial number: 1087319, s/s mesh belt, belt width: 460 mm, knife width: 470 mm, diameter pipes: (10x) 50 mm, total dimensions: 1570 mm x 1230 mm x 1840 mm. Including parts.	
230	Holac	Holac dicer, chamber dimensions: 85 mm x 85 mm, total dimensions: 1800 mm x 1050 mm x 1950 mm. Including s/s trolley with additional grids, dimensions trolley: 1200 mm x 800 mm x 1100 mm.	2000
231	Nimo KG	Nimo KG lifting and tilting device for pallet boxes, type: SK 800 MK 2, serial number: 11968, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 3.55 A, maximum capacity: 800 kg, clearance: 1250 mm x 1000 mm x 900 mm, lifting height: 2070 mm, total dimensions: 2050 mm x 1750 mm x 3450 mm.	1500
232	Grasseli SpA	Grasseli SpA mobile skinning machine, model: RST520-M/CLO, working width: 480 mm, total dimensions: 700 mm x 700 mm x 960 mm.	650
233	Baader	Baader fish stomach cleaner, type: 653, machine number: 11 1839 0653, year of construction: 1978, 220 V, 50 Hz, 1.1 kW, inside dimensions: Ø 790 mm x 430 mm, total dimensions: 1200 mm x 1150 mm x 1730 mm.	500
234	NN traysealer	Traysealer, dye: (2x) 155 mm x 170 mm, total dimensions: 900 mm x 370 mm x 340 mm.	80
235	Ekeby Rostfria Prod. AB	Ekeby Rostfria Prod. AB mobile tumbler for spices, model: spicer, number: S 1158, year of construction: 2012, 380 V, 3 Ph, 50 Hz, s/s tub, inside dimensions: Ø 410 mm x 400 mm, total dimensions: 720 mm x 800 mm x 1100 mm.	500
236	SharpX	SharpX mobile cheese slicer, type: DeLa 100, serial number: 1, 230 V, 50 Hz, 360 W, working diameter: 300 mm, dimensions forms: 120 mm x 50 mm, total dimensions: 680 mm x 680 mm x 1220 mm.	500
237	NN skinning machine	Mobile skinning machine for fish, working width: 300 mm, total dimensions: 500 mm x 500 mm x 1000 mm.	200
238	Belam B.V.	Belam B.V. mobile tenderizer, type: IT-3, machine number: 8411-3091, 380 V, 50 Hz, plastic belt, belt width: 290 mm, working width: 300 mm, total dimensions: 2000 mm x 950 mm x 1350 mm.	1500
239	Stephan	Stephan universal machine, type: UMB25, number: 2350028, 380 V, 3 Ph, 50 Hz, 10/19 A, 4/3.3 kW, volume: 25 liter, dimensions: 700 mm x 650 mm x 1200 mm.	400
240	Storebro Bruks AB	Storebro Bruks AB lathe, type: storebro, model: 195/121, number: 15025, 380 V, 50 Hz, dimensions: 2000 mm x 650 mm x 1300 mm. Including steel cabinet with parts.	1000
241	Cryovac	Cryovac mobile dip tank, type: ST 02, serial number: M 3239, year of construction: 1990, 380 V, 50 Hz, 13 A, 6 kW,	300



Nr	Title	Description	Start €
242	NN mixer	Mobile mixer, inside dimensions: 860 mm x 750 mm x 600 mm, total dimensions: 1700 mm x 900 mm x 1300 mm.	400
243	NN gloves	4 plastic crates with s/s gloves.	100
244	Suhner AG	Suhner AG tenderizer/injetcor, type: WS 20 T, machine number: 9220629, 380 V, 50 Hz, 3.5 A, s/s walking beam, beam width: 290 mm, working width: 260 mm, total dimensions: 1250 mm x 500 mm x 1650 mm. Including injecting needles.	650
245	Boge	Boge air compressor, type: S 60, serial number: 40233, year of construction: 2001, 45+1.10 kW, capacity: 6.10 m <sup>3</sup> per minute, 10 bar, dimensions: 1600 mm x 950 mm x 1950 mm.	2000
246	Kohlhoff	Kohlhoff hygiene station with tourniquet, sole cleaner and hand disinfection unit, type: Cleancontrol SL-S/D, machine number: 807705-10, year of construction: 05/2014, 400 V, 3 Ph, 1.2 kW, brush length: 1100 mm, total dimensions: 2100 mm x 1800 mm x 1800 mm.	2500
247	Huckepack	Huckepack vacuum pump, type: 437 015, number: 1733, year of construction: 1979, 400 m <sup>3</sup> per hour, dimensions: 1510 mm x 750 mm x 950 mm.	250
248	Busch	Busch vacuum pump, dimensions: 950 mm x 600 mm x 950 mm.	450
249	Busch	Busch vacuum pump, type: GRH 2000-30, dimensions: 1100 mm x 400 mm x 520 mm.	450
250	Busch	Busch vacuum pump, type: RA 0250 D 561 QMXX, number: P600980101, capacity: 250 m <sup>3</sup> per hour, dimensions: 1100 mm x 500 mm x 900 mm.	450
251	Pronova	Pronova mobile bag sealing machine, type: 425 U, number: 2311, plastic belt, belt width: 140 mm, total dimensions: 3200 mm x 800 mm x 1500 mm.	2500
252	Lainox	Lainox combi steamer, type: ME/120L, serial number: 21 01 206/GANOLXAO, year of construction: 1997, 230 V, 3 Ph, 50 Hz, 31.8 kW, 20 floors, floor dimensions: 310 mm x 540 mm, total dimensions: 1100 mm x 990 mm x 1900 mm.	500
253	PST	PST screw pump, type: SPS-200, serial number: 1136H06, year of construction: 2011, weight: 150 kg, dimensions: 1700 mm x 400 mm x 500 mm.	300
254	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-6, number: 90 533, 380 V, 3 Ph, 50 Hz, 15 A, 1.1/10.5 kW, clearance: 520 mm x 550 mm, total dimensions: 700 mm x 730 mm x 1410 mm.	250
255	Jeros A/S	Jeros A/S dishwasher, type: 5110, machine number: 5053, year of construction: 1997, 230 V, 3 Ph, 50 Hz, 23 A, 8 kW, dimensions: 800 mm x 750 mm x 1600 mm.	250
256	PALGA S.A.	PALGA S.A. skewering machine, dimensions: 800 mm x 720 mm x 1640 mm. Incomplete.	750



Nr	Title	Description	Start €
257	Electrolux	Electrolux tray washer, type: Tray Dishwasher TW 1 EL, serial number: 075055664, 400 V, 3 Ph, 50 Hz, 60 A, 36.4 kW, water pressure: 3-9 bar, clearance: 330 mm x 70 mm, total dimensions: 3200 mm x 900 mm x 2000 mm. No belt.	950
258	Nimo KG	Nimo KG lifting and tilting device for 200 liter meat bins, type: SKV200M1PKHR, number: 1524, lifting height: 1800 mm, total dimensions: 2700 mm x 1200 mm x 1250 mm.	750
259	NIMO-KG	NIMO-KG mobile s/s lifting and tilting device for 200 liter meat bins, type: SKV 300 C4, number: 13326, year of construction: 2022, 400 V, 50 Hz, 3.14 A, 1.1 kW, weight: 350 kg, maximum capacity: 350 kg, lifting height: 1900 mm, total dimensions: 1000 mm x 750 mm x 2480 mm.	1000
260	KG Lyften AB	KG Lyften AB lifter for crates, lifting height: 800 mm, total dimensions: 930 mm x 660 mm x 1700 mm.	100
261	NN lifter	S/s lifter for crates, dimensions crates: 630 mm x 450 mm, total dimensions: 1000 mm x 480 mm x 1260 mm.	250
262	Scaniro	Scaniro lifting and tilting device for 200 liter meat bins, lifting height: 1450 mm, total dimensions: 1170 mm x 1050 mm x 2230 mm.	400
263	KG Lyften AB	KG Lyften AB lifting and tilting device for pallet boxes, type: SK 800 MK, number: 5744, clearance: 1100 mm x 860 mm, lifting height: 1550 mm, total dimensions: 1950 mm x 1600 mm x 2750 mm.	750
264	NN tilting device	S/s tilting device for 200 liter meat bins, tilting height: 900 mm, total dimensions: 1150 mm x 900 mm x 1200 mm.	400
265	Bodijn	Bodijn elevating belt, type: TRA, serial number: 216053/3, year of construction: 2016, 0.25 kW, weight: 310 kg, plastic belt with dividers, belt width: 450 mm, divider height: 75 mm, distance between dividers: 300 mm, total dimensions: 3000 mm x 700 mm x 1130 mm.	950
266	BG Pack	BG Pack vertical form-fill- and seal machine, model: ETTA/3348-R-90, serial number: 99082, year of construction: 30-06-1999, 380 V, 3 Ph, 50 Hz, 10 KVA, diameter filling pipe: 110 mm, film width: 370 mm, vertical seal length: 500 mm, horizontal seal length: 370 mm, total dimensions: 2300 mm x 1850 mm x 2000 mm.	1750
267	Joni Foodline A/S	Joni Foodline A/S electric stove, type: MK 17, number: 11778-166, year of construction: 2000, 230 V, 3 Ph, 50 Hz, 27.1/26.4 A, 10.7 kW, dimensions: 860 mm x 860 mm x 830 mm.	75
268	Elektro termo	Elektro termo 4 pits stove, type: ETH 8060-2, serial number: 1-804019, year of construction: 1990, 380 V, 3 Ph, 50/60 Hz, 80 kW, dimensions: 800 mm x 630 mm x 900 mm.	75
269	SFK-Danfotech	SFK-Danfotech mobile tenderizer, type: KT 100, serial number: 050, year of construction: 2005, 3x 400 V, 50 Hz,	1250



Nr	Title	Description	Start €
		3.5 A, 1.5 kW, belt width: 350 mm, working width: 390 mm, total dimensions: 1700 mm x 1000 mm x 1400 mm.	
270	Risco S.P.A.	Risco S.P.A. frozen block cutter, model: P501, serial number: R195003, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 50 A, 15 kW, dimensions: 1400 mm x 1400 mm x 2100 mm.	3500
271	Handtmann	Handtmann mobile forming machine with flattener, type forming machine: RF 440, number: 45802, year of construction: 2021, 200/240 V, 50/60 Hz, 2 A, 0.55 kW, type flattener: TB 446, number: 17300735, year of construction: 2021, 200/240 V, 50/60 Hz, 1.8 A, diameter form: 70 mm, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 1000 mm x 1250 mm.	8500
272	Handtmann	Handtmann mobile portioning machine, type: GMD99-2, number: 45813, year of construction: 2021, weight: 239 kg, working width: 5250 mm, plastic belt, belt width: 250 mm, total dimensions: 1400 mm x 680 mm x 1500 mm. Including Handtmann grinding head, type: 93-3, number: 14303414.	6000
273	Handtmann	Handtmann mobile suction device for rest film, type: ASE500, serial number: 20118939, year of construction: 2014, 230 V, 50/60 Hz, 10/16 A, 2.3 kW, dimensions: 700 mm x 700 mm x 1650 mm.	250
274	Atlas Copco	Atlas Copco air compressor with air dryer, type compressor: LE10-10UV FF 500 CE, serial number: ITR0990470, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 7.14 kW, 1500 r/min, type air dryer: FX 4 (A3), serial number: CAI868564, year of construction: 2015, 230 V, 50 Hz, 0.475 kW, refrigerant: R 134 A, dimensions: 1800 mm x 600 mm x 1300 mm.	1000
275	NN weighing conveyor	S/s weighing conveyor, plastic rollers, roller width: 400 mm, total dimensions: 600 mm x 580 mm x 480 mm. Including indicator, dimensions: 400 mm x 300 mm x 1100 mm.	450
276	NN meat bin	S/s meat bin, volume: 200 liter.	150
277	Karcher	Karcher floor scrubbing machine, type: BR 55/60 W, dimensions: 1450 mm x 550 mm x 1100 mm.	150
278	3M-Matic	3M-Matic box closing machine, type: 39600, serial number: 10854, year of construction: 20-00, 380 V, 50 Hz, 1.4 A, 260 W, s/s rollers, roller width: 480 mm, total dimensions: 1500 mm x 750 mm x 1830 mm.	300
279	Holac	Holac mobile elevating belt, type: GFA-5-2000, serial number: 006-50-108, year of construction: 2017, 400 V, 50 Hz, 2 A, 0.55 kW, plastic belt with dividers, belt width: 490 mm, divider height: 75 mm, distance between dividers: 540 mm, elevating height: 1850 mm, total dimensions: 2000 mm x 800 mm x 2050 mm.	1500
280	Weisser		1000



Nr	Title	Description	Start €
		Weisser mobile depositor, type: AP1-080, factory number: 3981006, 230 V, 570 W, dimensions: 650 mm x 800 mm x 880 mm.	
281	Fatosa	Fatosa piston filler, type: E-25, number: 3156, year of construction: 05/12, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, dimensions: 510 mm x 360 mm x 1200 mm.	1000
282	Linx	Linx mobile inkjet printer on s/s trolley, model inkjet printer: 7300 mm with label dispenser, dimensions: 870 mm x 900 mm x 1550 mm.	150
283	Globe	Globe slicer, model: 500, 220 V, 1 Ph, 50 Hz, 4 A, dimensions: 670 mm x 340 mm x 560 mm.	150
284	NN bag loader	Mobile bag loader, clearance: 180 mm, dimensions: 650 mm x 650 mm x 1550 mm.	50
285	NN metal detector	Mobile pipeline metal detector, diameter clearance: 80 mm, total dimensions: 600 mm x 450 mm x 1500 mm. Incomplete, technical condition unknown.	75
286	Wodschow & co	Wodschow & co mixer, type: R20, number: 15260, year of construction: 1984, 220 V, 3Ph, 50 Hz, 1.5 A, s/s bowl, dimensions bowl: ø 310 mm x 310 mm, total dimensions: 650 mm x 450 mm x 1450 mm.	300
287	Bakon B.V. Food Equipment	Bakon B.V. Food Equipment mobile jelly machine, model: Jelly Satellite Eco, serial number: 1-57-12-07-051, year of construction: 2007, 230 V, 50 Hz, 1650 W, dimensions: 620 mm x 450 mm x 1370 mm.	150
288	Torkskåp	Torkskåp dryer, model: ETS 650 BYGG, serial number: 63112180, 220-230 V, 50-60 Hz, 1500 W, 10 A, dimensions: 600 mm x 600 mm x 1900 mm.	150
289	Electrolux	Electrolux oven, model: AR 6 E/DINE, serial number: 601 13431, 400 V, 3 Ph, 50 Hz, 9.7 kW, 5 floors, floor dimensions: (5x) 500 mm x 300 mm, total dimensions: 800 mm x 700 mm x 750 mm.	200
290	Juno Großküchen GmbH	Juno Großküchen GmbH combi steamer, model: Air-o-steam, 8 floors, floor dimensions: 530 mm x 350 mm, total dimensions: 850 mm x 850 mm x 900 mm.	150
291	NN stove	Stove, 4 pits, dimensions pits: (4x) 220 mm x 220 mm, total dimensions: 600 mm x 600 mm x 300 mm.	75
292	NN stove	Stove, 4 pits, dimensions: 780 mm x 780 mm x 930 mm.	75
293	Wery	Wery grill, model: CWE-62, serial number: MA020230859, 400 V, 3 Ph, 50/60 Hz, 7.5 kW, grill dimensions: 520 mm x 480 mm, total dimensions: 600 mm x 600 mm x 350 mm.	50
294	NN table with stove	S/s table with 2 pits Ceran stove, stove dimensions: 510 mm x 285 mm, total dimensions: 1100 mm x 650 mm x 970 mm.	50
295	Pentair	Pentair water purification unit, model: VC5600 MECH, product number: V560MR-073S, serial number: 160323-5721011-A2043, 230 VAC, 50 Hz, 3W, dimensions: 600 mm x 350 mm x 1100 mm.	25



Nr	Title	Description	Start €
296	Electrolux	Electrolux oven, type: K11U, model: EK 6176X, serial number: 11402707, 400 V, 2/3 Ph, 50 Hz, 13666 W, 3 and 9 floors, dimensions floors: (3x) 320 mm x 280 mm and (9x) 320 mm x 460 mm, total dimensions: 660 mm x 600 mm x 900 mm.	100
297	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with indicator, type scale: SPIDER 1S-15S/M, serial number: 2338585, maximum weight: 15 kg, dimensions: 300 mm x 300 mm x 150 mm.	100
298	Italiana Macchine srl	Italiana Macchine srl mixer, s/s bowl, dimensions bowl: Ø 500 mm x 250 mm, total dimensions: 820 mm x 520 mm x 700 mm.	450
299	NN grill	Grill, dimensions: 1000 mm x 600 mm x 370 mm.	50
300	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: SV280, fabrication number: 39192, dimensions: 1000 mm x 550 mm x 400 mm.	100
301	NN machine parts	Pallet with plastic machine parts for forming machine, among others: forms, dimensions pallet: 1200 mm x 800 mm x 550 mm.	200
302	NN machine parts	Pallet with various machine parts, dimensions pallet: 1200 mm x 800 mm x 550 mm.	100
303	Atos	Atos hydraulic unit, type: DKU-1714/8XX/21, dimensions: 700 mm x 370 mm x 500 mm.	50
304	Sharp	Sharp printer, model MX-M363N, serial number: 05042247, 220-240 V, 50-60 Hz, 8 A, 1840 W, dimensions: 700 mm x 700 mm x 1200 mm.	50
305	Josef Kihlberg	Josef Kihlberg stapler, type: B56 I PN, serial number: 1402437, foot control, dimensions: 950 mm x 750 mm x 1250 mm.	50
306	Hoegger Alpina AG	Control panel for Hoegger Alpina AG, model: KVA 1140, dimensions: 850 mm x 450 mm x 550 mm.	100
307	Viking Professional	Viking Professional mobile s/s barbecue, model: EBQC410T1SS, serial number: 052009V00009760, grill plate dimensions: 900 mm x 600 mm, total dimensions: 1300 mm x 850 mm x 1400 mm.	250
308	NN table	S/s table, dimensions: 2000 mm x 1050 mm x 900 mm.	200
309	NN table	S/s table, dimensions: 1000 mm x 700 mm x 900 mm.	100
310	Scanbox AB	Scanbox AB heated trolleys, 12 floors, dimensions each floor: 480 mm x 330 mm, total dimensions: 700 mm x 500 mm x 1400 mm.	40
311	Scanbox AB	Scanbox AB heated trolleys, 12 floors, dimensions each floor: 480 mm x 330 mm, total dimensions: 700 mm x 500 mm x 1400 mm.	40
312	NN weighing scale	Weighing scale for pallets, dimensions: 1200 mm x 840 mm x 900 mm.	75
313	NN trolley	S/s trolley, dimensions: 800 mm x 500 mm x 1750 mm.	100
314	NN trolley	S/s trolley, dimensions: 800 mm x 700 mm x 1200 mm.	100



Nr	Title	Description	Start €
315	NN roller conveyor	S/s outfeed roller conveyor for crate washing machine, dimensions: 1450 mm x 600 mm x 680 mm.	50
316	NN table	S/s table, dimensions: 1550 mm x 800 mm x 900 mm.	100
317	NN table	S/s table with plastic top, dimensions: 1000 mm x 600 mm x 860 mm.	100
318	NN sinks	Pallet with 12 s/s sinks, dimensions: 1200 mm x 800 mm x 1100 mm.	250
319	NN table	S/s table, dimensions: 630 mm x 520 mm x 900 mm.	75
320	Digi	Digi weighing scale, model: DS-516, serial number: 98349692, 100/240 V, 50/60 Hz, 6 W, 0.1 A, maximum: 150 kg, minimum: 1 kg, T=150 kg, e= 50 g, scale dimensions: 520 mm x 415 mm, total dimensions: 650 mm x 415 mm x 1400 mm.	80
321	Best For	Best For oven, 6 floors, dimensions each floor: 640 mm x 420 mm, total dimensions: 850 mm x 850 mm x 750 mm.	500
322	Best For	Best For proofing cabinet, model: LV 16T 40/46, serial number: 09151924, 230 V, 50 Hz, 1.2 kW, 8 floors, dimensions each floor: 850 mm x 650 mm, total dimensions: 850 mm x 880 mm x 880 mm.	300
323	NN film	Pallet with 18 rolls of plastic film, film width: 422 mm.	100
324	NN shoe rack	S/s shoe rack for 40 pairs of shoes, dimensions: 1200 mm x 800 mm x 2000 mm.	150
325	NN shoe rack	S/s shoe rack for 40 pairs of shoes, dimensions: 1200 mm x 800 mm x 2000 mm.	150
326	SEC	Dye for traysealer, diameter dye: 180 mm, total dimensions: 300 mm x 220 mm x 105 mm.	25
327	Schmid & Wezel EFA	Schmid & Wezel EFA stunning device, type: EFA 26 B, number: 1962131/204, dimensions: 900 mm x 250 mm x 100 mm.	200
328	Metaltech	Metaltech traysealer, type: MT290, serial number: 6085-1289, dimensions: 500 mm x 350 mm x 280 mm. Without dye.	50
329	SEC	SEC traysealer, model HS20, serial number: 2001-20-1071, 220-240 V, 200 W, seal length: 165 mm, total dimensions: 540 mm x 260 mm x 550 mm. Without dye.	25
330	DuniForm	DuniForm table model traysealer, machine type: DF10, machine number: DF1001489, year of construction: 2008, dye dimensions: Ø 180 mm, 230 V, 50 Hz, 0.75 kW, dimensions: 620 mm x 250 mm x 250 mm, damaged.	50
331	Bofors	Bofors scale indicator, model: BD-3, dimensions: 380 mm x 320 mm x 200 mm.	50
332	Teraoka	Teraoka weighing scale with label printer, model: SM-700 BS, serial number: 09901909, 100-240 V, 50/60 Hz, 0.7 A, 70 W, maximum: 6/15 kg, minimum: 40 gram, e=d= 2/5 gram, T= -5.998 kg, dimensions scale: 380 mm x 275 mm, total dimensions: 400 mm x 400 mm x 710 mm.	25





Nr	Title	Description	Start €
333	Toledo	Toledo weighing scale, model: 82030102, serial number: 2048115-2, 240 V, 50/60 Hz, 2 A, maximum weight: 15 kg, minimum weight: 100 gram, e=d=: 5 gram, T= -9995 gram, screen on 2 sides, dimensions scale: 410 mm x 290 mm, total dimensions: 650 mm x 550 mm x 450 mm.	25
334	Halldé	Press for Halldé vegetable slicer, diameter clearance: 200 mm, total dimensions: 450 mm x 220 mm x 430 mm.	10
335	Halldé	Press for Halldé vegetable slicer, diameter clearance: 200 mm, total dimensions: 450 mm x 220 mm x 430 mm.	10
336	Ersöz	Ersöz vegetable slicer, serial number: 20.09.235, year of construction: 2020, 220 V, 50 Hz, 370 W, 2800 RPM, dimensions bowl: Ø 280 mm x 140 mm, total dimensions: 500 mm x 280 mm x 340 mm.	100
337	Handtmann	Handtmann linking attachment, type: 410, number: 16007490, year of construction: 2022, dimensions: 340 mm x 200 mm x 125 mm.	1250
338	Handtmann	Handtmann linking attachment, type: 410, number: 16009033, year of construction: 2022, dimensions: 340 mm x 200 mm x 125 mm.	1250
339	Handtmann	Handtmann linking attachment, type: 410, number: 16008301, year of construction: 2021, dimensions: 340 mm x 200 mm x 125 mm.	1250
340	Dixie Union	Dixie Union / Witt-gasetchnik gas mixing station, type: KM100-2M, fabrication number: 12829, year of construction: 1989, 24 V, dimensions: 315 mm x 360 mm x 260 mm.	75
341	NN parts for tenderizer	Crate with various parts for tenderizer, dimensions: 390 mm x 290 mm x 130 mm.	50
342	NN pipe	S/s filling pipe, dimensions: Ø170 mm x 600 mm, total dimensions: 215 mm x 215 mm x 600 mm.	25
343	Perima	Perima sausage warmer, product name: CVV 1, product code number: 2000000000152, year of construction: 04-2017, 230 V, 50 Hz, 1 Ph, 1000 W, dimensions: 360 mm x 320 mm x 290 mm.	25
344	NN sterilizing unit	S/s sterilizing unit, 220 V, dimensions: 195 mm x 340 mm x 280 mm.	25
345	Powercraft	Powercraft tile cutter, model number: 78700, 230 V, 50 Hz, 450 W, 3000 RPM, table dimensions: 385 mm x 395 mm, total dimensions: 440 mm x 400 mm x 250 mm.	50
346	Easyprint	Easyprint control panel, type: UN11, serial number: EBU 4188, year of construction: 2004, dimensions: 200 mm x 200 mm x 130 mm.	25
347	Halldé	Halldé vegetable slicer, type: VCB-62, serial number: 62-1269, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 3.5 A, 1.5/0.9 kW, dimensions: 300 mm x 300 mm x 450 mm.	50
348	NN tub	S/s tub, dimensions: Ø 410 mm x 430 mm.	10



Nr	Title	Description	Start €
349	Trigon Intact	Trigon Intact vacuum machine, model: RM331 M3, serial number: 1623, year of construction: 30/8/89, 240 V, 1 Ph, 50 Hz, 14 A, type pump: 021/336, dimensions chamber: 350 mm x 340 mm x 70 mm, total dimensions: 750 mm x 550 mm x 300 mm.	50
350	DuniForm	DuniForm table model traysealer, type: DF86, machine number: 86569, year of construction: 1995, 220 V, 1 Ph, 50 Hz, 10 A, 1100 W, total dimensions: 600 mm x 340 mm x 820 mm. Missing dye.	25
351	Espera	Espera display, model: ESC 904, 30/48 V, dimensions: 400 mm x 450 mm x 310 mm.	150
352	Witt-Gastechnik	Witt-Gastechnik gass mixing station, type: KM 100-3 MEM, serial number: 70684, year of construction, 2006, 230 V, 50 Hz, dimensions: 350 mm x 320 mm x 200 mm.	75
353	UNI System Sweden	UNI System Sweden indicator for weighing scale, model: viktindikator U127, 220 V, 50/60 Hz, dimensions: 210 mm x 280 mm x 160 mm.	25
354	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	300
355	NN trolley	S/s trolley, dimensions: 600 mm x 700 mm x 550 mm.	75
356	NN frame	S/s frame, dimensions: 1000 mm x 1000 mm x 1100 mm.	100
357	NN trolley	S/s tool trolley, dimensions: 1400 mm x 800 mm x 750 mm.	100
358	NN trolley	Steel trolley, dimensions: 1220 mm x 700 mm x 1350 mm.	75
359	NN trolley	S/s tool trolley, dimensions: 1400 mm x 800 mm x 1530 mm.	100
360	NN trolley	S/s tool trolley, dimensions: 1650 mm x 1200 mm x 1470 mm.	100
361	NN trolley	S/s tool trolley, dimensions: 1200 mm x 800 mm x 1540 mm.	100
362	NN meat hooks	S/s trolley with large amount of meat hooks, dimensions: 1000 mm x 650 mm x 1500 mm.	300
363	NN trolley	S/s trolley, dimensions: 1000 mm x 900 mm x 1100 mm.	100
364	NN meat hooks	S/s trolley with large amount of meat hooks, dimensions: 1000 mm x 650 mm x 1500 mm.	300
365	NN meat hooks	S/s trolley with meat hooks, dimensions: 1200 mm x 750 mm x 1400 mm.	300
366	NN frame	S/s frame, dimensions: 1200 mm x 750 mm x 1600 mm.	100
367	NN frame	S/s frame, dimensions: 1200 mm x 750 mm x 1600 mm.	100
368	NN meat hooks	S/s frame with large amount of meat hooks, dimensions: 1200 mm x 750 mm x 1400 mm.	300
369	NN meat hooks	S/s frame with large amount of meat hooks, dimensions: 1250 mm x 750 mm x 1600 mm.	300
370	NN frame	S/s tool frame, dimensions: 1200 mm x 900 mm x 1500 mm.	100
371	NN rollies	11 s/s rollies, dimensions: (11x) 640 mm x 400 mm x 160 mm.	290



Nr	Title	Description	Start €
372	NN trolley	S/s trolley, 20 floors, dimensions: 850 mm x 630 mm x 1700 mm.	75
373	NN trolley	S/s trolley, 15 floors, dimensions: 600 mm x 460 mm x 1900 mm.	75
374	NN trolleys	2 s/s trolleys, 15 floors each, dimensions: (2x) 600 mm x 460 mm x 1900 mm.	150
375	NN tubs	2 s/s tubs, inside dimensions: (2x) 1090 mm x 690 mm x 650 mm, total dimensions: (2x) 1150 mm x 750 mm x 800 mm. Never used.	500
376	NN cabinet	S/s mobile cabinet, dimensions: 800 mm x 550 mm x 900 mm.	75
377	NN cabinet	S/s mobile cabinet, dimensions: 900 mm x 650 mm x 1550 mm.	100
378	NN turning table	Turning table, diameter: 1000 mm, height: 700 mm.	200
379	NN table	S/s table, plastic top, dimensions: 1000 mm x 1000 mm x 700 mm.	100
380	NN frame	S/s frame, dimensions: 600 mm x 400 mm x 530 mm.	50
381	NN table	S/s table, plastic top, dimensions: 740 mm x 750 mm x 580 mm.	100
382	NN table	S/s table, dimensions: 1300 mm x 870 mm x 830 mm.	100
383	NN table	S/s table, dimensions: 1350 mm x 1240 mm x 1030 mm.	100
384	NN trolley	S/s trolley, dimensions: 570 mm x 400 mm x 900 mm.	50
385	NN trolley	S/s tool trolley, dimensions: 1100 mm x 600 mm x 1400 mm.	75
386	NN lifter for crates	S/s lifter for crates, dimensions crates: 450 mm x 550 mm, total dimensions: 960 mm x 500 mm x 1250 mm.	100
387	Scanvaegt	Scanvaegt weighing scale, serial number: BEF04853, scale dimensions: 600 mm x 500 mm, total dimensions: 650 mm x 650 mm x 1650 mm.	100
388	Linköpings Rostfria AB	Linköpings Rostfria AB lifter for crates, year of construction: 1991, lifting height: 1150 mm, crate dimensions: 650 mm x 450 mm, total dimensions: 1200 mm x 600 mm x 1500 mm.	150
389	S.A. Dimitro	S.A. Dimitro mobile lifter for film reels, type: ELEV 300 KG, serial number: 211, year of construction: 2000, weight: 89 kg, maximum lifting height: 1600 mm, film roll length: 800 mm, total dimensions: 1300 mm x 850 mm x 1850 mm.	150
390	Domino	Domino mobile extraction system for inkjet printer, model: DPX1000, serial number: 017935, year of construction: 02/03/2018, 230 V, 50/60 Hz, 10 A, 1.2 kW, dimensions: 550 mm x 430 mm x 1070 mm.	100
391	Siemens	Siemens refrigerator, type: KG KSKK38A, 220/240 V, 50 Hz, 0.70 A, 90 W, volume: 355 liter, 4 floors, floor dimensions: 500 mm x 340 mm, total dimensions: 670 mm x 600 mm x 1850 mm.	75
392	Gram		100



Nr	Title	Description	Start €
		Gram refrigerator, type: KS360-01, serial number: 08683720517707, 230 V, 50 Hz, 0.35 A, 0.39 kW, refrigerant: R600a, 0.066 kg, dimensions: 600 mm x 600 mm x 1850 mm.	
393	Necta Vending Solutions SpA	Necta Vending Solutions SpA soda vending machine, type: ZETA, model: 450/6-060 BSTI PSTON, serial number: 34702308, 230/240 V, 50 Hz, 5.5 A, 750 W, refrigeration: R134A / 0.320 kg, dimensions: 910 mm x 720 mm x 1830 mm.	75
394	Champ Design Co., Ltd.	Champ Design Co., Ltd. water dispenser, model: CW-898 Cold/Ambient/Soda, serial number: 14084598, 230 V, 50 Hz, 120 W, machine weight: 23 kg, refrigerant: R134a/38g, dimensions: 380 mm x 320 mm x 1200 mm.	25
395	Geco	Geco mobile refrigerated showcase, type: G-203, dimensions: 2000 mm x 800 mm x 1350 mm.	100
396	Geco	Geco mobile refrigerated showcase, type: G-203, dimensions: 2000 mm x 800 mm x 1350 mm.	100
397	RoHs	RoHs refrigerator, type: DC350, 220/240 V, 50 Hz, 1.4 A, 230 W, refrigerant: R600a, machine weight: 75 kg, volume: 339 liter, 4 floors, floor dimensions: 500 mm x 420 mm, total dimensions: 620 mm x 620 mm x 1940 mm.	150
398	RoHs	RoHs refrigerator, type: DC350, 220/240 V, 50 Hz, 1.4 A, 230 W, refrigerant: R600a, machine weight: 75 kg, volume: 339 liter, 4 floors, floor dimensions: 500 mm x 420 mm, total dimensions: 620 mm x 620 mm x 1940 mm.	150
399	Cabinplant	Cabinplant 12- heads multihead weigher, type: Kombinationsvag 09-12, dimensions: 1100 mm x 800 mm x 900 mm. Missing display.	750
400	Garos	Garos netting machine, type: GHL 223, serial number: 04026, diameter tube: 140 mm, total dimensions: 380 mm x 570 mm x 1900 mm.	50
401	KylCity International AB	KylCity International AB hotdog grill, type: KMS 170, serial number: 34 352, year of construction: 2004-06, 220/240 V, 50 Hz, 90/30 W, refrigerant: R134a, grill width: 1000 mm, total dimensions: 1750 mm x 800 mm x 1670 mm.	500
402	Rubbens	Rubbens grill, fabrication number: NC200210/148195, 400 V, 3 Ph, 50 Hz, 16 A, 9.6 kW, dimensions: 1000 mm x 700 mm x 1000 mm.	150
403	Ceia	Ceia metal detector head, clearance: 800 mm x 100 mm, total dimensions: 1200 mm x 300 mm x 400 mm. Incomplete, technical condition unknown.	100
404	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with indicator, type scale: SPIDER 1, serial number: 2528219, maximum weight: 15 kg, minimum weight: 100 g, e= 5g, dimensions: 300 mm x 300 mm x 150 mm.	100



Nr	Title	Description	Start €
405	Halldé	Halldé vegetable slicer, type: RG-100, serial number: 100-7736, year of construction: 1995, 230 V, 1 Ph, 50 Hz, 1 A, 0.25 kW, dimensions: 500 mm x 250 mm x 480 mm.	100
406	Coffee Queen	Coffee Queen double coffee machine, model: CQ DM-4, 400 V, 50-60 Hz, 4780 W, dimensions: 365 mm x 410 mm x 400 mm.	50
407	Teflon	Teflon belt grill, upper belt width : 185 mm, lower belt width: 220 mm, total dimensions: 950 mm x 400 mm x 540 mm.	400
408	Elektro termo	Elektro termo au bain marie, type : ETKD-1, serial number: 88074-1, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 4.5 kW, inside dimensions: 510 mm x 310 mm x 210 mm, total dimensions: 650 mm x 400 mm x 880 mm.	25
409	Electrolux	Electrolux mobile plate dispenser, dimensions: 700 mm x 380 mm x 900 mm.	75
410	Maho Machinefabriek Holtkamp BV	Maho Machinefabriek Holtkamp BV bread slicer, type: n 500 Spec, machine number: 980611, 380 V, 4 knives, distance between knives: 100 mm, working width: 510 mm, total dimensions: 750 mm x 700 mm x 1200 mm.	75
411	Handtmann	Handtmann mobile binding machine for small sausage, type: AB41/B, number: 11502, year of construction: 2002, 400 V, 50 Hz, 1.75 A, 0.55 kW, diameter: 55 mm, total dimensions: 800 mm x 600 mm x 1240 mm. Foot control.	500
412	NN locker	Steel 2-doors locker, inside dimensions (2x): 400 mm x 520 mm x 1800 mm, total dimensions: 800 mm x 550 mm x 2100 mm.	25
413	NN trolley	S/s trolley, 15 floors, dimensions: 920 mm x 990 mm x 1950 mm.	100
414	NN platform	S/s platform, working height: 1950 mm, total dimensions: 4500 mm x 780 mm x 3000 mm.	200
415	NN plates	Pallet with large amount of s/s perforated plates, dimensions each: 980 mm x 480 mm, total dimensions: 1200 mm x 1000 mm x 700 mm.	100
416	NN cage	Steel cage, dimensions: 1150 mm x 780 mm x 1200 mm.	50
417	NN trolley	S/s trolley, 12 floors, dimensions: 1100 mm x 980 mm x 1900 mm.	75
418	SE Packing System A/ S	3 SE Packing System A/S plastic tubs, dimensions: (3x) 1100 mm x 950 mm x 700 mm.	250
419	NN trolleys	2 s/s trolleys, 8 floors each, dimensions: (2x) 1000 mm x 900 mm x 1750 mm.	150
420	NN smoke trolleys	7 s/s smoke trolleys, 6 floors each, dimensions: (7x) 1020 mm x 1010 mm x 1980 mm.	700
421	NN tubs	2 s/s tubs with drain, dimensions: (2x) 1150 mm x 730 mm x 900 mm.	200
422	NN tubs		200



Nr	Title	Description	Start €
		2 s/s tubs with drain, dimensions: (2x) 1150 mm x 730 mm x 900 mm.	
423	NN smoke trolley	S/s smoke trolley, 6 floors, dimensions: 1010 mm x 1000 mm x 1920 mm.	100
424	NN smoke trolleys	3 s/s smoke trolleys, 7 floors each, dimensions: (3x) 1010 mm x 1000 mm x 1880 mm.	300
425	NN smoke trolley	S/s smoke trolley, 6 floors, dimensions: 1010 mm x 1000 mm x 1920 mm.	100
426	NN trolley	S/s trolley, 15 floors, dimensions: 620 mm x 700 mm x 1600 mm.	100
427	NN trolley	S/s trolley, dimensions: 1000 mm x 1000 mm x 1950 mm.	100
428	NN trolley	S/s trolley, dimensions: 1000 mm x 1000 mm x 2000 mm.	100
429	NN smoke trolleys	3 s/s smoke trolleys, 6 floors each, dimensions: (3x) 1050 mm x 980 mm x 1970 mm.	300
430	NN platform	S/s platform, working height: 1000 mm, total dimensions: 1000 mm x 2000 mm x 2000 mm.	200
431	NN trolley	S/s trolley, dimensions: 1050 mm x 500 mm x 1700 mm.	100
432	NN smoke trolleys	3 s/s smoke trolleys, 6 floors each, dimensions: (3x) 1000 mm x 1000 mm x 1870 mm.	300
433	NN trolley	S/s trolley, dimensions: 1000 mm x 1000 mm x 1650 mm. Missing one wheel.	100
434	NN trolley	S/s trolley, dimensions: 1050 mm x 500 mm x 1700 mm.	100
435	NN smoke trolleys	6 s/s Z-shaped smoke trolleys, 20 floors each, dimensions: (6x) 1010 mm x 1000 mm x 1950 mm.	600
437	Toyota	Toyota diesel forklift, type: 02-7FDJF35, year of construction: 2001, 49 kW, maximum capacity: 3500 kg, fork length: 1200 mm, total dimensions: 3800 mm x 1200 mm x 2700 mm.	2900
438	Mitsubishi	Mitsubishi diesel forklift, model: FD30K, number: EF14C-45469, year of construction: 2000, maximum capacity: 3000 kg, fork length: 1350 mm, total dimensions: 3800 mm x 1300 mm x 2400 mm.	4500
439	Urshel	Urshel slicer, model: RA, serial number: 617, dimensions: 1450 mm x 1050 mm x 2000 mm. Including additional parts and knife sets.	3900
440	Multivac	Multivac thermoformer, type: R245, machine number: 127704, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 39 A, 14.5 kW, film width: 422 mm, dye: (4x) 280 mm x 174 mm, 3 MR labelling units, Multivac gas mixer, Busch vacuum pump, type: VFS 220.80, capacity: 220/80 m <sup>3</sup> per hour, total dimensions: 11000 mm x 1100 mm x 2200 mm. Including additional parts, dimensions dye: (4x) 242 mm x 130 mm, (4x) 240 mm x 164 mm, (6x) 180 mm x 174 mm.	19000
441	Maja-Maschinenfabrik	Multivac thermoformer, type: R 530, machine number: 3089, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 44 A, film width: 422 mm, dye: (8x) 177 mm x 80 mm, MR	2900



Nr	Title	Description	Start €
		labelling system, total dimensions: 12000 mm x 1400 mm x 2200 mm.	
442	Multivac	Multivac thermoformer, type: R 530, machine number: 3089, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 44 A, film width: 422 mm, dye: (8x) 177 mm x 80 mm, MR labelling system, total dimensions: 12000 mm x 1400 mm x 2200 mm. Without vacuum pump.	8900
582	Retech Refrigeration Technologies A/S	Retech Refrigeration Technologies A/S ammonia separation vessel with 2 ammonia pumps, type: PSH-0820, number: 346601, year of construction: 1994, volume: 1092 liter, design pressure: -1 / + 22 bar, test pressure: 29 bar, refrigerant: R-717, total dimensions: 2700 mm x 1300 mm x 2400 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	950
583	Sabroe Refrigeration	Sabroe Refrigeration heat exchanger (Shell-and-Tube Condenser), type: COSB 411904, year of construction: 1994, refrigerant: R717, volume: 134 / 61.9 liter, total dimensions: 2500 mm x 800 mm x 2300 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	500
584	Tortmans	Tortmans pressure vessel, volume: 80 liter, refrigerant: R717, dimensions: 1300 mm x 500 mm x 1400 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	75
585	Sabroe Refrigeration	Sabroe Refrigeration intermediate cooler, type: DVEA 051411, serial number: 92578, year of construction: 1994, refrigerant: R717, maximum working pressure: 26 bar, volume: 340 / 10 liter, total dimensions: 1000 mm x 800 mm x 2300 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	200
586	NN switch cabinet	Switch cabinet with Siemens touch screen, total dimensions: (2x) 1200 mm x 500 mm x 2200 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	350
587	NN switch cabinet	Switch cabinet used for AB Sabroe ammonia cooling installation, dimensions: 2000 mm x 500 mm x 2300 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	250
588	Sabroe Refrigeration	Sabroe Refrigeration skid with 2 Sabroe single-stage reciprocating compressors, type: (2x) CMO 28, serial numbers: 99008 / 99007, year of construction: 1994, refrigerant: R717, volume: (2x) 190 m <sup>3</sup> / per hour, pressure: 20 bar, Sabroe separator vessel, type: GHEA 0520, serial number: 92419, year of construction: 1994, refrigerant: R717, volume: 600 liter, 2 Alfa Laval heat exchangers, type: M10-BWFD, year of construction:	2750



Nr	Title	Description	Start €
		1993, volume: 37.2 liter and type: M10-BWFGT, year of construction: 1994, volume: 67.4 liter, total dimensions: 3700 mm x 2500 mm x 2050 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	
589	NN switch cabinet	Switch cabinet, dimensions: 800 mm x 300 mm x 800 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	75
590	Alfa Laval	Alfa Laval heat exchanger, type: M10-BWFD, manufacturing number: 30101-12952, year of construction: 1995, volume: 104.0 liter, design pressure: 25.0 bar, design temperature: 110C, total dimensions: 1700 mm x 500 mm x 1000 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	300
591	Grundfos	Grundfos single-stage in-line circulation pump, type: LP 80-125/124 A-F-A-RUUE, capacity: 50.0 m <sup>3</sup> per hour, dimensions: 1100 mm x 450 mm x 1150 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	100
592	Grundfos	Grundfos single-stage in-line circulation pump, dimensions: 500 mm x 470 mm x 1200 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	100
593	Grundfos	Grundfos single-stage in-line circulation pump, type: LP 100-125/130 A-F-A-RUUE, capacity: 85.0 m <sup>3</sup> per hour, dimensions: 600 mm x 330 mm x 1300 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	100
594	Grundfos	Grundfos single-stage in-line circulation pump, type: LP 100-125/130 A-F-A-RUUE, capacity: 85.0 m <sup>3</sup> per hour, dimensions: 600 mm x 330 mm x 1300 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	100
595	Grundfos	Grundfos single-stage in-line circulation pump, type: LP 80-125/124 A-F-A-RUUE, capacity: 50.0 m <sup>3</sup> per hour, dimensions: 620 mm x 440 mm x 1100 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	100
596	Grundfos	Grundfos single-stage in-line circulation pump, type: LP 80-125/124 A-F-A-RUUE, capacity: 50.0 m <sup>3</sup> per hour, dimensions: 620 mm x 440 mm x 1100 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	100
597	Grundfos	Grundfos single-stage in-line circulation pump, type: LP 65-125/117 A-F-A-RUUE, capacity: 42.0 m <sup>3</sup> per hour, dimensions: 620 mm x 440 mm x 1100 mm. Lot located	100



Nr	Title	Description	Start €
		on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	
598	Grundfos	Grundfos circulation pump, type: UPS 50-120 F, serial number: 96402103, 3 x 400-415 V, 50 Hz, dimensions: 300 mm x 300 mm x 900 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	100
599	Sabroe Refrigeration	Sabroe Refrigeration two-stage reciprocating compressor, type: TSMC 108 L, serial number: 99112, year of construction: 1994, refrigerant: R717, volume: LP-276 m <sup>3</sup> per hour, pressure: 18 bar, dimensions: 2200 mm x 1100 mm x 1550 mm. Lot located on another location in Sövestad (SE), viewing and pick up in consultation with Industrial Auctions BV.	950

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.






## This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

