



**Industrial
Auctions**

**2013: Online auction machinery for the food
industry in Daugavpils (LV)**

END DATE
15 December 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	15 December 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	22 December 2025 from 09:00 till 16:00 hrs.
Pick up address	Višķu 17B LV-5410 Daugavpils Latvia
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Glass GmbH & Co. KG	Glass GmbH & Co. KG tiltable frying pan with agitator, type: WOK 400, machine number: 3609, year of construction: 2014, 400 V, 50 Hz, 3 Ph, 7.15 A, 2.84 kW, weight: 1200 kg, dimensions: 2700 mm x 1500 mm x 2000 mm. Including Weinreich-Industriekühlung thermal oil heater, type: OHZ 48 VA, serial number: 02149906, year of construction: 2014, 400 V, 50 Hz, 77,1/100 A, 52.2 kW. total dimensions: 620 mm x 1800 mm x 1600 mm.	4500
2	Weber	Weber slicer with checkweigher, slicer type: CCS 304, number: 585, year of construction: 07/2007, 400 V, 50 Hz, 5 kW, 6 bar, plastic string belt, belt width: 330 mm, type checkweigher: CCW, number: 3586, plastic string belt, belt width: 400 mm, total dimensions: 2350 mm x 1000 mm x 2040 mm. Missing cover.	3000
3	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 7 C, number: 146 0129, year of construction: 2005, 220/240/400/460/575V, 37/22/16 A, 15 kW, dimensions: 2200 mm x 1400 mm x 2000 mm.	5000
4	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 7 C, number: 146 0128, year of construction: 2005, 220/240/400/460/575 V, 50/60 Hz, 37/22/16 A, 15 kW, dimensions: 2200 mm x 1400 mm x 2080 mm.	5000
5	Palmia	Palmia double shaft paddle mixer-grinder, plate diameter: 150 mm, total dimensions: 2200 mm x 1150 mm x 1820 mm.	1500
6	Krämer + Grebe GmbH & Co. KG	Krämer + Grebe GmbH & Co. KG grinder, type: WW 200, machine number: 281/141, year of construction: 1991, diameter plate: 200 mm, 380 V, 50 Hz, 91 A, total dimensions: 1900 mm x 1800 mm x 2250 mm. Incomplete. Technical condition unknown, without knives and plates.	1000
7	Zhucheng Tianshun Machinery Co., Ltd.	Zhucheng Tianshun Machinery Co., Ltd. autoclave, number: R2022-309, year of construction: 01.06.2022, pressure: 0.35 Mpa, temperature: 147°C, volume: 4,47 m³, weight: 1100 kg, top tank dimensions: 4200 mm x 1700 mm x 1950 mm, bottom tank dimensions: 4300 mm x 1600 mm x 1800 mm, s/ s tank dimensions: 1800 mm x 1800 mm x 3000 mm. Including pallet with parts, dimensions: 2700 mm x 3000 mm x 1000 mm.	5000
8	Shanghai Chengting Packing Machine Co.,Ltd	Shanghai Chengting Packing Machine Co.,Ltd weighing- and packaging line, consisting of:Elevating belt, dimensions: 2000 mm x 900 mm x 3850 mm;Multihead weigher dimensions: 1300 mm x 1300 mm x 1500 mm;S/s platform, dimensions: 2000 mm x 3100 mm x 2600 mm;Dispenser, dimensions: 1200 mm x 530 mm x 1180 mm;Shanghai Chengting Packing Machine Co.,Ltd horizontal packing machine, type: CTS2600, year of construction: 2022.7.30, 380 V, weight: 4 T, speed: 20-40 r/min, dimensions: (1x) 2450 mm x 1300 mm x 1500 mm, (1x): 3700 mm x 1300 mm x 2200 mm, (1x): 3450 mm x	10000



Nr	Title	Description	Start €
		1300 mm x 2300 mm;Dust collector, dimensions: 650 mm x 650 mm x 1400 mm.	
9	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, dimensions chamber: 85 mm x 85 mm x 390 mm, total dimensions: 1360 mm x 800 mm x 1040 mm.	500
10	TipperTie technopack	24 TipperTie technopack clippers, model: TCNV 75; TCNV 75.T, air pressure: 6 bar, dimensions: 1200 mm x 800 mm x 1050 mm.	1800
11	Tipper Tie technopack	2 Tipper Tie technopack clippers, model: TCNV 75, numbers: 2076.2137.507 & 2076.666.123, air pressure: 6 bar, dimensions: (2x) 200 mm x 270 mm x 870 mm.	200
12	Tipper Tie technopack	Tipper Tie technopack clipper, model: TCNV 75, serial number: 2076.3277.113, year of construction: 2013, air pressure: 6 bar, dimensions: 200 mm x 270 mm x 870 mm.	100
13	Krämer + Grebe GmbH & Co. KG	Krämer + Grebe GmbH & Co. KG vacuum machine, type: COMPAKT, 220/380 V, 3 Ph, 50 Hz, 5.5 A, seal length: 420 mm, dimensions: 805 mm x 570 mm x 300 mm.	75
14	Shanghai Papa Industrial Co.,Ltd	Shanghai Papa Industrial Co.,Ltd mobile extruder, model: P307, 220/380 V, 50/60 Hz, 0.6 kW, weight: 180 kg, dimensions: 390 mm x 740 mm x 1160 mm.	200
15	Karl Schnell	Karl Schnell mobile elevating screw, type: 642, machine number: 1091, s/s screw, screw diameter: 400 mm, elevating height: 940 mm, total dimensions: 2500 mm x 1000 mm x 2000 mm.	400
16	Palmia	Palmia mobile elevating screw, type: SKIT 400, number: 4930, s/s screw, screw diameter: 400 mm, elevating height: 2600 mm, total dimensions: 3900 mm x 1300 mm x 3400 mm.	500
17	Scanio	Scanio lifter for 200 liter meat bins, type: L7, serial number: 2810, year of construction: 1987, 380 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, capacity: 300 kg, dimensions: 2830 mm x 600 mm x 1360 mm.	400
18	NN lifter for 200 liter meat bins	Mobile lifter for 200 liter meat bins, dimensions: 1400 mm x 1800 mm x 3010 mm.	400
19	SFK Systems A/S	SFK Systems A/S mobile lifter for 200 liter meat bins, type: SH 300, serial number: 2206, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, capacity: 250 kg, dimensions: 1600 mm x 1750 mm x 3530 mm.	750
20	NN elevating screw	Mobile vibrating elevating screw, s/s screw, screw diameter: 100 mm, elevating height: 2300 mm, dimensions: 2800 mm x 750 mm x 2700 mm.	500
21	Scanio	Scanio lifter for 200 liter meat bins, type: L7, serial number: 2294, year of construction: 1985, 380 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, dimensions: 2830 mm x 700 mm x 1335 mm.	500
22	Siat	Siat pallet wrapper, model: SW1, type: 16-M-2BF, serial number: 52322, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2 A, 600 W, dimensions: 4020 mm x 1650 mm x 2410 mm.	750
23	Antti Lindfors Oy		750



Nr	Title	Description	Start €
		Antti Lindfors Oy tray denester and tray closing machine, type: OK, year of construction: 2005, 400 V, 16 A, dimensions: 5100 mm x 1400 mm x 2180 mm.	
24	Satmec Oy	Satmec Oy fillet filling belt, type: FILETÄYTTÖ, serial number: 0201-04, year of construction: 2001, plastic belt with dividers, belt width: 115 mm, distance between dividers: 65 mm, divider height: 20 mm, total dimensions: 2400 mm x 800 mm x 1700 mm.	750
25	Nieros	Nieros hygiene station with sole cleaner, tourniquet and hand disinfection, type: URK, serial number: N3F14-20, year of construction: 04/2015, 400 V, 3 Ph, 50 Hz, 0.71 kW, brush length: (2x) 900 mm, total dimensions: 1880 mm x 1000 mm x 1600 mm.	1250
26	Townsend	Townsend sausage linking machine, model: NL 21, serial number: 7305, year of construction: 2005, 400 V, 50 Hz, 3 Ph, 7,5/5,6 kW, 32 A, dimensions: 3500 mm x 850 mm x 1850 mm.	1500
27	Townsend	Townsend sausage linking, model: NL 21, dimensions: 3250 mm x 800 mm x 1800 mm.	1500
28	Ishida Europe Ltd	Ishida Europe Ltd traysealer, model: QX775-R-DEEP, serial number: 560288, year of construction: 07/2010, 415 V, 3 Ph, 50 Hz, 16 A, weight: 830 kg, total dimensions: 4240 mm x 800 mm x 1900 mm. Including 1 trolley for dye's and 3 trolleys with extra dye's, dimensions dye's: (2x) 320 mm x 260 mm and 2 (4x) 160 mm x 260 mm, dimensions trolleys: (2x) 1540 mm x 800 mm x 1500 mm, (1x) 1200 mm x 700 mm x 1210 mm and (1x) 1540 mm x 1200 mm x 1480 mm.	1500
29	Antti Lindfors Oy	Antti Lindfors Oy scissor lift, type: SAKSINOSTIN, serial number: 899, year of construction: 2000, 1.1 kW, weight: 250 kg, dimensions: 1630 mm x 1220 mm x 360 mm.	300
30	Krämer + Grebe GmbH & Co. KG	Krämer + Grebe GmbH & Co. KG cutter, type: SM 45, machine number: 258/603/1 88, year of construction: 1988, 380/220 V, 3 Ph, 50 Hz, 20 A, steel bowl, volume: 45 liter, dimensions: 1300 mm x 1050 mm x 1250 mm.	750
31	NN smoke trolleys	4 s/s smoke trolleys, 6 floors each, dimensions each floor: 995 mm x 920 mm, total dimensions: (4x) 1000 mm x 1000 mm x 2000 mm.	400
32	Porkka	Porkka freezer, type: FUR720F-SS F 720 SS, number: 200413-131964.020, 230 V, 50 Hz, 560 W, refrigerant: R-404A, 4 floors, floor dimensions: 650 mm x 525 mm, total dimensions: 850 mm x 670 mm x 2035 mm.	100
33	Rocla OYJ	Rocla OYJ electric pallet lifter, type: T20ac, serial number: 5825410, year of construction: 2008, 24 V, capacity: 2000 kg, weight without battery: 500 kg, weight battery: 322 kg, fork length: 1150 mm, total dimensions: 1900 mm x 800 mm x 1700 mm. Including Varta electronic battery charger.	500
34	Antti Lindfors Oy	Antti Lindfors Oy tray denester, year of construction: 2005, 0.75 kW, dimensions: 2900 mm x 1300 mm x 2100 mm.	500



Nr	Title	Description	Start €
35	Taizhou Hulk Food Machinery Co.,Ltd	Taizhou Hulk Food Machinery Co.,Ltd forming rollers machine, model: BG-F800, serial number: 201609026, year of construction: 2017.01.05, 1,5 kW, weight: 1000 kg, capacity: 600 kg per hour, rollers width: (2x) 595 mm, total dimensions: 1700 mm x 1300 mm x 1640 mm.	750
36	Willett	Willett labelling machine, model: 2600i, serial number: 97 41 00 205 07, 110-120 V/ 210-240 V, 50/60 Hz, 5 A/2.5 A, 400 W, pressure: 8 bar, Sato barcode printer, model: M-8400S, serial number: 90304001, 220-240 V, 50-60 Hz, 3.5 A, total dimensions 1220 mm x 1210 mm x 1960 mm.	250
37	NN mixing tank	S/s mixing tank, volume: 500 liter, dimensions: 900 mm x 900 mm x 2000 mm.	400
38	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump on s/s frame, model: 134, serial number: 201502-97, dimensions: 1600 mm x 1900 mm x 1200 mm.	750
39	Seewer Rondo	Seewer Rondo hopper with transport belt, model: HWTS, machine number: A72222018, belt width: 415 mm, dimensions: 1400 mm x 1600 mm x 1840 mm.	400
40	NN transport belt	Transport belt, plastic belt, belt width: 600 mm, total dimensions: 2000 mm x 820 mm x 810 mm.	200
41	NN honey extractor	Honey extractor, dimensions: 1220 mm x 1540 mm x 1580 mm. Including tub, dimensions: 460 mm x 1640 mm x 310 mm.	500
42	Silensys / Tecumseh	Silensys condenser with tecumseh cooling compressor, type: S979030274, 400-440 V, 3 Ph, 50-60 Hz, 10.3 A, refrigerant: R404A, dimensions: 1650 mm x 660 mm x 1440 mm.	200
43	NN infeed bunker	S/s mobile infeed bunker with vibrating gutter, dimensions: 1400 mm x 1000 mm x 900 mm.	200
44	Nieros	Nieros sole cleaner, type: URK, serial number: N3C50-04, year of construction: 12/2012, 400 V, 3 Ph, 50 Hz, 0.71 kW, brush length: (2x) 900 mm, total dimensions: 1600 mm x 960 mm x 1620. Incomplete.	500
45	SFK Systems A/S	SFK Systems A/S lifter for 200 liter meat bins, type: SH 300, serial number: 2197, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, capacity: 250 kg, dimensions: 3400 mm x 1000 mm x 1450 mm. Incomplete.	750
46	Mainca	Mainca cutter, 380 V, 50 Hz, s/s bowl, dimensions: 1250 mm x 900 mm x 1150 mm.	500
47	Jorgense	Jorgense mobile elevating screw, number: 60850/2 282 01, s/ s screw, screw diameter: 200 mm, total dimensions: 2800 mm x 880 mm x 1430 mm.	600
48	NN turning table	S/s turning table, diameter top: 950 mm, total dimensions: 950 mm x 1050 mm x 775 mm.	250
49	Metos/ Metalliteos Oy	Metos/Metalliteos Oy mixer, number: 44942, dimensions: 1700 mm x 1200 mm x 1100 mm.	100
50	APV Paraflow	APV Paraflow plate heat exchanger, type: HMB, number: 678, dimensions: 2400 mm x 700 mm x 1880 mm.	750



Nr	Title	Description	Start €
51	Jorgense	Jorgense elevating screw, number: 62366 282-01, year of construction: 2001, s/s screw, screw diameter: 200 mm, total dimensions: 2500 mm x 550 mm x 1600 mm.	1000
52	Jorgense	Jorgense elevating screw, number: 60850/1 282-01, year of construction: 1989, s/s screw, screw diameter: 200 mm, total dimensions: 2900 mm x 900 mm x 950 mm. Incomplete.	750
53	Jorgense	Jorgensen depositor, number: 60851/1 1024-51, year of construction: 1989, with Tekfa A/S scale, model: 7761, number: 881028, 220 V, 50 Hz, 12 V, total dimensions: 750 mm x 900 mm x 1840 mm.	750
54	NN vacuum dryer	Vacuum dryer, inside dimensions: Ø 820 mm x 1080 mm, Busch vacuum pump, type: RC 0100 E 503, number: 1027721, capacity: 100 m3/h, total dimensions: 1100 mm x 1600 mm x 2000 mm.	500
55	Harvest	Harvest Saver tray dryer, model: #R-5, serial number: #121, 15 floors, floor dimensions: 980 mm x 610 mm x 45 mm, total dimensions: 1530 mm x 850 mm x 1550 mm.	750
56	Fimatec Oy	Fimatec Oy mixing tank, number: 20793, year of construction: 1992, 0.37 kW, volume: 500 liter, dimensions: 1000 mm x 1080 mm x 1600 mm.	500
57	Metos	Metos mobile cooking vessel, model: MPK-200, number: 8293-1, 380/220 V, 3 Ph, 20 kW, 30,3 A, volume: 200 liter, dimensions: 1200 mm x 1200 mm x 1130 mm.	500
58	Dragex	Dragex 4 coating pan, inside dimensions: Ø 900 mm x 450 mm, total dimensions: 1200 mm x 1100 mm x 1750 mm.	200
59	Supertape	Supertape box closing machine, type: SO-7000, number: 81-7677, 220 V, 50 Hz, 2 A, roller width: 495 mm, total dimensions: 880 mm x 1670 mm x 1660 mm.	350
60	Fincoil	2 Fincoil plate heat exchangers and 3 Ziehl-Abegg fans, plate heat exchangers type: F5-JGE-1150-945-2-7-032L4 / F5-JGE-2100-945-2-7-040L6, year of construction: 9/2006, pressure: 10 bar, max. temperature: 150°C, volume: 8 / 14 L, weight: 26 / 42 kg, dimensions: (1x) 1270 mm x 1000 mm x 240 mm, (1x) 2370 mm x 1000 mm x 240 mm, fans type: FC063-4DQ.6K.A7, 230/400 V, 50 Hz, 1.9 kW, 5.5/3.2 A, weight: 31 kg, dimensions: (3x) 800 mm x 800 mm x 200 mm, total dimensions: 2600 mm x 1100 mm x 960 mm.	1000
61	APV Paraflow	APV plate heat exchanger, type: HX, number: 103, dimensions: 1950 mm x 620 mm x 1550 mm.	400
62	Shanghai Papa Industrial Co, LTD	Shanghai Papa Industrial Co, LTD 180° curve conveyor, model: P180, 220/380 V, 50/60 Hz, 0.75 kW, weight: 200 kg, plastic belt, belt width: 300 mm, total dimensions: 1500 mm x 2500 mm x 900 mm.	500
63	Jungheinrich	Jungheinrich electric pallet lifter, type: ECE 225, serial number: 91552806, year of construction: 2010, 24 V, 2.8 kW, capacity: 2500 kg, weight without battery: 790 kg, weight battery: 300 kg, fork length: 2400 mm, total dimensions: 3700 mm x 880 mm x 2000 mm. Including Exide battery charger.	750



Nr	Title	Description	Start €
64	Jungheinrich	Jungheinrich electric pallet lifter, type: ECE 225, serial number: 91544384, year of construction: 2009, 24 V, 2.8 kW, capacity: 2500 kg, weight without battery: 775 kg, weight battery: 302 kg, fork length: 2400 mm, total dimensions: 3700 mm x 880 mm x 2000 mm. Including Exide battery charger.	750
65	Nu Air Compressors And Tools S.p.A.	Nu Air Compressors And Tools S.p.A. mobile air compressor with receiver, model: NB10/270 CT10 40050 CE 1/2", year of construction: 2014, dimensions: 1500 mm x 580 mm x 1400 mm.	150
66	NN portioning machine	Mobile portioning machine, working width: 130 mm, plastic belt, belt width: 130 mm, total dimensions: 1200 mm x 405 mm x 1130 mm. Screen is broken.	600
67	Vemag	Vemag mobile portioning machine, type: 701, number: 7010038, year of construction: 2003, 400-460 V, 3 Ph, 50/60 Hz, 2 A, plastic belt, belt width: 190 mm, total dimensions: 1500 mm x 860 mm x 1660 mm. Missing belt.	750
68	Pesutekno Oy	Pesutekno Oy dishwasher, type: Tuhti 02, number: 012001, 400 V, 3 Ph, 50 Hz, 22 A, 16.9 kW, dimensions: 800 mm x 800 mm x 1680 mm.	350
69	NN labelling machine	Mobile labelling machine, model: RXL-DW, serial number: 2021-115, year of construction: 2021-05, 220 V, 1400 W, plastic belt width: 80 mm, dimensions: 2000 mm x 950 mm x 1275 mm.	1500
70	Pigo	Pigo vibrating gutter, gutter width: 740 mm, total dimensions: 2025 mm x 1230 mm x 860 mm.	200
71	NN transport belt	Transport belt with s/s frame, plastic belt width: 190 mm, total dimensions 2600 mm x 950 mm x 770 mm.	400
72	Graseby	Graseby checkweigher, type: E30, serial number: B52883, year of construction: 03.1996, 240 V, 1 Ph, 50 Hz, 5 A, pressure: 5 bar, belt width: 200 mm, total dimensions: 2140 mm x 800 mm x 1770 mm. Missing belts.	500
73	Memmert	Memmert oven, model: B30, serial number: 790 380, 220 V, 800 W, max 120°C, 9 floors, floor dimensions: 400 mm x 320 mm, inside dimensions: 400 mm x 320 mm x 400 mm, total dimensions: 515 mm x 540 mm x 680 mm.	200
74	Tipper Tie technopack GmbH	Tipper Tie technopack GmbH mobile automatic double clipper, model: KDC-A 90, number: 4251.143.221, year of construction: 2001, minimum 5 bar, maximum 6 bar, dimensions: 1300 mm x 900 mm x 1860 mm.	750
75	Separation and Sorting Technology GmbH	Separation and Sorting Technology GmbH metal detector, type: Ecoline 1000/400/500/350/175/289/143, serial number: 11344015499-H, 230 V, 1 Ph, 50 Hz, 0,75 A, plastic belt, belt width: 400 mm, clearance: 500 mm x 300 mm, total dimensions: 1000 mm x 1000 mm x 1290 mm.	1250
76	Inotec GmbH	Inotec GmbH mobile sausage slicer, type: WT 99, machine number: 9101, year of construction: 2002, 400 V, 50 Hz, 3 Ph, 5 A, 2 kW, dimensions: 810 mm x 710 mm x 1500 mm.	2000
77			1250



Nr	Title	Description	Start €
	Pozzi Proge.Co S.r.l.	Pozzi Proge.Co S.r.l. machine for closing and pressing all types of moulds for ham, type: PRESSA STAMPI AUTOMATICA, model: PS 10LO, serial number: 008, year of construction: 2006, 400 V, 3 Ph, pressure: 6 bar, s/s mesh belt, belt width: 345 mm, dimensions: 2100 mm x 800 mm x 2120 mm.	
78	NN mixing tub	S/s tub with agitator, inside dimensions: 1450 mm x 930 mm x 700 mm, total dimensions: 1700 mm x 1020 mm x 1230 mm.	500
79	Multivac	Multivac knife sharpener, type: GM600, serial number: 285637, year of construction: 2019, 400/230 V, 50 Hz, 3 Ph, 2 kW, 3 A, dimensions: 1800 mm x 900 mm x 1920 mm.	1500
80	RTL	RTL s/s lifter for 200 liter meat bins, model: RTL 6117, number: 7315/259, 380 V, 4 A, 1.5 kW, dimensions: 2460 mm x 1000 mm x 800 mm.	500
81	Talleres Cato,s.a.	Talleres Cato,s.a. sausage peeler, type: PTF, number: 162, year of construction: 1997, 380 V, 3.3 kW, weight: 308 kg, dimensions: 1500 mm x 800 mm x 2000 mm.	750
82	Koneteollisuus OY	Koneteollisuus OY band saw, model: KT-325, dimensions saw table: 650 mm x 480 mm, total dimensions: 800 mm x 580 mm x 1670 mm.	250
83	Inauen Maschinen AG	Inauen Maschinen AG mobile dip tank, type: VC999/TANK 85.47 E, machine number: 95T91 635, 380 V, 3 Ph, 50 Hz, 20.6 kW, 31.5 A, pressure: 6-8 bar, s/s rollers, roller width: (2x) 470 mm, inside dimensions: 1000 mm x 470 mm x 350 mm, dip tank dimensions: 1300 mm x 1100 mm x 1660 mm. Including s/s drip table, dimensions: 1000 mm x 600 mm x 750 mm.	750
84	Inject Star	Inject Star vacuum tumbler, total dimensions: 1450 mm x 2800 mm x 2000 mm. Technical condition unknown.	1000
85	Suhner AG	Suhner AG injector, type: WS 30, machine number: 0260348, 230 V, 3 Ph, 50 Hz, 12 A, 4 kW, s/s belt width: 440 mm, total dimensions: 1680 mm x 700 mm x 2200 mm.	750
86	NN smoke stick washer	Smoke stick washer, inside dimensions: 1200 mm x 520 mm, total dimensions: 2500 mm x 950 mm x 1240 mm.	500
87	NN table	S/s table, dimensions: 1840 mm x 840 mm x 860 mm.	200
88	K-PZ Waagen	S/s floor weighing scale with K-PZ Waagen indicator, type: KPZ 52E-9-1, number: A12108994, maximum weight: 300 kg, minimum weight: 2 kg, e=: 0.1 kg, T=- 300 kg, dimensions: 800 mm x 1100 mm x 100 mm. Including ramp.	300
89	Palmia	Steel worm for Palmia grinder, dimensions: Ø 380 mm x 1360 mm.	100
90	NN smoke sticks	Plastic pallet box with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions pallet box: 1200 mm x 1000 mm x 800 mm.	300
91	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 960 mm, dimensions trolley: 1200 mm x 720 mm x 990 mm.	300
92	NN smoke sticks		200



Nr	Title	Description	Start €
		S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions trolley: 750 mm x 550 mm x 1150 mm.	
93	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions trolley: 1000 mm x 570 mm x 1070 mm.	200
94	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions trolley: 530 mm x 620 mm x 1110 mm.	200
95	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions trolley: 530 mm x 620 mm x 1110 mm.	200
96	NN defrosting trolleys	3 s/s defrosting trolleys, 8 floors, floor dimensions: (8x) 750 mm x 600 mm, distance between floors: 180 mm, total dimensions: (3x) 880 mm x 640 mm x 1810 mm.	450
97	NN defrosting trolleys	4 s/s defrosting trolleys, 8 floors, floor dimensions: (8x) 750 mm x 600 mm, distance between floors: 180 mm, total dimensions: (4x) 880 mm x 640 mm x 1810 mm.	600
98	NN defrosting trolleys	3 s/s defrosting trolleys, 8 floors, floor dimensions: (8x) 750 mm x 600 mm, distance between floors: 180 mm, total dimensions: (3x) 880 mm x 640 mm x 1810 mm.	450
99	NN defrosting trolleys	4 s/s defrosting trolleys, 8 floors, floor dimensions: (8x) 750 mm x 600 mm, distance between floors: 180 mm, total dimensions: (4x) 880 mm x 640 mm x 1810 mm.	600
100	NN defrosting trolleys	3 s/s defrosting trolleys, 8 floors, floor dimensions: (8x) 750 mm x 600 mm, distance between floors: 180 mm, total dimensions: (3x) 880 mm x 640 mm x 1810 mm.	450
101	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: 3000 DC, type: 124, number: 124 0160, 380 V, 3 Ph, 50 Hz, 30,5 A, dimensions: 2300 mm x 1300 mm x 2400 mm.	2000
102	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: 2000 DC, type: 132, number: 1320154-1, 380 V, 3 Ph, 50 Hz, 42 A, dimensions: 2200 mm x 1300 mm x 2400 mm.	1750
103	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: 3000 DC, type: 124, number: 124.0290-1, 380 V, 3 Ph, 50 Hz, 32 A, dimensions: 2300 mm x 1300 mm x 2400 mm.	2000
104	Vemag	Vemag mobile portioning machine, model: MMP 220, number: 2200198, year of construction: 2008, 400-460 V, 3 Ph, 50/60 Hz, 3.5 A, 1.5 kW, pressure: 6 bar, belt width: 260 mm, total dimensions: 1630 mm x 600 mm x 1400 mm. Missing belts.	1500
105	A Pack System	A Pack System mobile vertical bag form, fill and sealing machine, film width: 200 mm, total dimensions: 750 mm x 750 mm x 1800 mm. Incomplete.	1250
106			750



Nr	Title	Description	Start €
	Shanghai Tianhe Pharmaceutical Machinery Co.,Ltd	Shanghai Tianhe Pharmaceutical Machinery Co.,Ltd oscillating granulator, model: YK-160, serial number: 04619, year of construction: 2023.03, 3 kW, capacity: 100-300 kg/h, rattler Ø: 160 mm, rattler lenght: 365 mm, weight: 350 kg, total dimensions: 1000 mm x 730 mm x 1250 mm.	
107	Vemag	Vemag mobile portioning machine, model: MMP 220, number: 220 0122, year of construction: 2007, 220-240 V / 6.3 A, 400-460 V / 3.5 A, 575 V / 2.5 A, 1.5 kW, pressure: 6 bar, belt width: 260 mm, total dimensions: 1770 mm x 620 mm x 1360 mm. Without belts.	1250
108	NN tilting device	S/s mobile tilting device for 200 liter meat bins, dimensions: 900 mm x 1200 mm x 1250 mm.	750
109	Ing.- Buro Schmid Maschinenbau	Ing.- Buro Schmid Maschinenbau traysealer, type: 462 VGA, machine number: 795, year of construction: 04/89, 380 V, 5 kW, 6 bar, dye: 290 mm x 230 mm, film width: 265 mm, Busch vacuum pump, type: 063-136, serial number: 184432, capacity: 63 m3/h, total dimensions: 900 mm x 900 mm x 1400 mm.	500
110	Marel	Marel mobile double skinning machine for fish, model: MS1710, type: 9830844AA, machine number: 10392514, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 5 A, plastic belt, belt width: 355 mm, working width: (2x) 365 mm, skinning machine dimensions: 1430 mm x 1740 mm x 1260 mm. Including s/s trolley, dimensions: 1700 mm x 600 mm x 1420 mm. Missing belt.	2500
111	Carnitech	Carnitech mobile skinning machine for fish, type: CBF 495, number: 1016070, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, plastic belt, belt width: 360 mm, working width: 445 mm, total dimensions: 800 mm x 1300 mm x 1400 mm. Incomplete.	750
112	Luvi-Tool Oy	Luvi-Tool Oy skinning machine for fish, model: LU-VI, serial number: 311, year of construction: 30.05.08, working width: 350 mm, total dimensions: 700 mm x 620 mm x 360 mm.	200
113	Koneteollisuus OY	Koneteollisuus OY scaler, type: FISH SCALER, model: KT-S, number: 167560, 220-240 V, 1 Ph, 50/60 Hz, 1.3 A, 0.18 kW, weight: 9 kg, dimensions: 210 mm x 400 mm x 260 mm.	150
114	Koneteollisuus OY	Koneteollisuus OY scaler, model: KT-S, dimensions: 210 mm x 400 mm x 260 mm.	150
115	Schmid Maschinenbau GmbH	Schmid Maschinenbau GmbH traysealer, type: 320 VG, machine number: 003, year of construction: 10.1991, 380 V, 6 kW, 6 bar, dye: 290 mm x 230 mm, film width: 380 mm, Busch vacuum pump, type: 063-136, serial number: 330002, capacity: 63 m3/h, total dimensions: 1100 mm x 1200 mm x 1770 mm.	750
116	HL Hydronics Ab	HL Hydronics Ab pressure maintenance unit with 2 expansion vessels, pressurization unit serial number: 990, year of construction: 2021, degasser serial number: 1319, year of construction: 2021, pressurization unit dimensions: 600 mm x	750



Nr	Title	Description	Start €
		250 mm x 770 mm, degasser dimensions: 600 mm x 250 mm x 770 mm, expansion vessels dimensions: (2x) 850 mm x 730 mm x 1430 mm.	
117	HL Hydronics Ab	HL Hydronics Ab pressure maintenance unit with 2 expansion vessels, pressurization unit serial number: 1158, year of construction: 2022, dimensions: 600 mm x 250 mm x 770 mm, expansion vessels dimensions: (2x) 850 mm x 730 mm x 1430 mm.	600
118	Fendo ky	Fendo ky mobile strip cutter, type: F-19 S, working width: 190 mm, 12 knives, distance between knives: 15 mm, total dimensions: 900 mm x 500 mm x 1220 mm.	750
119	NN tank	S/s tank, volume: 525 liter, dimensions: 1000 mm x 1000 mm x 1800 mm.	400
120	Walki Westpak	2 pallets with 16 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 437/438kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	400
121	Walki Westpak	2 pallets with 16 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 438/439 kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	400
122	Walki Westpak	2 pallets with 16 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 440/439 kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	400
123	Walki Westpak	2 pallets with 16 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 422/442 kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	400
124	Walki Westpak	2 pallets with 14 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 440/330 kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	300
125	Walki Westpak	4 pallets with 32 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 440/330 kg, total dimensions: (4x) 800 mm x 1200 mm x 800 mm.	800
126	Shanghai Sanplus Plastic Co.,Ltd	Shanghai Sanplus Plastic Co.,Ltd 10 boxes with plastic re-closable zipper, type: MD-13TK, quantity: 4.600 m, total dimensions: 800 mm x 1200 mm x 1630 mm.	250
127	Shanghai Sanplus Plastic Co.,Ltd	Shanghai Sanplus Plastic Co.,Ltd 10 boxes with plastic re-closable zipper, type: MD-13TK, quantity: 4.600 m, total dimensions: 800 mm x 1200 mm x 1630 mm.	250
128	Amcor Flexibles Valkeakoski Oy	12 rolls of Amcor Flexibles Valkeakoski Oy plastic film, type: VAC M 85, date of manufacture: 18.12.21, film width: 342 mm, weight: (12x) 23 kg, total dimensions: 800 mm x 1200 mm x 860 mm.	200
129	NN meat hooks		200



Nr	Title	Description	Start €
		Wooden pallet box with 180 meat hooks, dimensions hooks: 440 mm x 145 mm x 50 mm, dimensions pallet box: 800 mm x 1200 mm x 540 mm.	
130	NN meat hooks	Wooden pallet box with 164 meat hooks, dimensions hooks: 440 mm x 145 mm x 50 mm, dimensions pallet box: 800 mm x 1200 mm x 540 mm.	200
131	NN meat hooks	Wooden pallet box with 322 roller meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions pallet box: 800 mm x 1200 mm x 540 mm.	300
132	NN meat hooks	Steel container with 300 meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions pallet box: 1000 mm x 1200 mm x 1000 mm.	300
133	Bosch Groep	Bosch Groep vertical bag form-, fill-, and sealing machine with belt weighing scale, type: SVB 3600, number: 432, year of construction: 1988, dimensions: (1x) 1540 mm x 2400 mm x 2570 mm, (1x): 1260 mm x 1000 mm x 1600 mm, (1x): 1650 mm x 1130 mm x 1790 mm, (1x): 1000 mm x 1200 mm x 400 mm, (1x): 1000 mm x 1200 mm x 1260 mm, (1x): 1000 mm x 1200 mm x 700 mm, (1x): 630 mm x 600 mm x 1700 mm. Incomplete.	750
134	Bosch Groep	Bosch Groep vertical bag form-, fill-, and sealing machine, type: 175 H 320, number: 609, year of construction: 1979, dimensions: (1x) 1600 mm x 1400 mm x 2400 mm, (1x): 800 mm x 1200 mm x 1000 mm, (1x): 1000 mm x 1200 mm x 1000 mm, (1x): 1000 mm x 1500 mm x 1160 mm, (1x): 1000 mm x 1400 mm x 270 mm. Incomplete.	500
135	NN table	S/s table, dimensions: 1200 mm x 900 mm x 650 mm.	100
136	NN depositor	Depositor, dimensions 640 mm x 400 mm x 1450 mm.	50

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]


[illegible]



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

