



**Industrial
Auctions**

**2015: Online auction machinery for the food
industry in Oirschot (NL)**

END DATE
16 December 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	16 December 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	06 January 2026 from 09:00 till 16:00 hrs.
Pick up address	De Stad 10 5688 NX Oirschot Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Dreher	Dreher 2-vessel brew system, type: KBA500, year of construction: 2006, 42 kW, volume kettle: 550 liter, dimensions: 3200 mm x 1270 mm x 2750 mm.	2500
2	Dreher	3 Dreher fermenting tanks, type: GW 500, machine number: GW 500 / 2, year of construction: 02.2006, volume: 520 litres each, inside dimensions: (3x) 800 mm x 800 mm x 970 mm, total dimensions: (2x) 950 mm x 920 mm x 1340 mm, (1x) 1060 mm x 910 mm x 1520 mm.	2250
3	Dreher / Brovarni	3 Dreher / Brovarni dispensing tanks, model: 500 L CCT, serial numbers: O-16-7-5, O-16-7-6, O-16-7-8, year of construction: 2017, volume: (3x) 500 litres, weight: (3x) 215 kg, dimensions: (3x) 1100 mm x 1000 mm x 2320 mm.	3000
4	Dreher	Dreher brite tank, volume: 1000 litres, dimensions: 900 mm x 1000 mm x 2800 mm.	1250
5	Dreher	6 Dreher Kombi-tanks, type: KT500, year of construction: 2006, max. 0.5 bar, max. temperature 30 °C., volume: (6x) 500 litres, dimensions: (6x) 900 mm x 1780 mm x 820 mm. Including Dreher cooling unit, serial number: 13J04 202722 4G66831236, refrigerant: R404A, 220-240 V, 50 Hz, 7.9 A, dimensions: 1400 mm x 630 mm x 1140 mm.	4500
6	FIB	5 FIB beer tanks on s/s frame, type: BEERTANK, type number: 70200503, year of construction: 2022, volume: (5x) 540 litres, weight: (5x) 135 kg, dimensions: (2x) 960 mm x 1440 mm x 2070 mm, (1x) 960 mm x 1440 mm x 2300 mm.	2500
7	Gail Maschinenbau GmbH	Gail Maschinenbau GmbH grain mill, type: 103, machine number: 12095, year of construction: 2006, dimensions: 900 mm x 730 mm x 1220 mm.	250
8	NN filling machine	Filling machine for bottles, dimensions: 1160 mm x 470 mm x 1480 mm.	1750
9	NN cabinet	S/s cabinet with 2 sinks and pre-rinse faucet, dimensions: 1000 mm x 600 mm x 1300 mm.	75
10	Serrco	Serrco cooling installation, type: SW-150, year of construction: 2021, , 220/240 V, 50 Hz, volume, 150 litres, refrigerant: R134A, dimensions: 720 mm x 610 mm x 930 mm.	500
11	NN bottle washing station	S/s bottle washing station, 3 nozzles, dimensions: 1000 mm x 520 mm x 980 mm.	75
12	NN corking device	Corking device, dimensions: 460 mm x 600 mm x 980 mm.	75
13	NN filling machine	Filling machine, dimensions: 250 mm x 350 mm x 810 mm.	125
14	Dreher	Dreher switch cabinet, dimensions: 500 mm x 700 mm x 260 mm.	500



Nr	Title	Description	Start €
15	NN tubs	9 plastic tubs and 4 plastic buckets, dimensions: 1200 mm x 1000 mm x 1500 mm.	75
16	NN table	Mobile s/s table, dimensions: 1650 mm x 700 mm x 890 mm.	100
17	NN table	S/s table, dimensions: 2280 mm x 700 mm x 800 mm.	100
18	NN beer kegs	3 pallet boxes with 42 beer kegs, volume: 20 liters each, dimensions pallet box: (3x) 1200 mm x 1000 mm x 750 mm. Some kegs are still filled.	450
19	NN crate with parts	Pallet box filled with various parts for brewing beer, dimensions: 1200 mm x 1000 mm x 750 mm.	250
20	NN parts	Large amount of various parts for brewing beer.	1500
21	NN strip cutter	Strip cutter, (2x) 26 knives, distance between knives: 10 mm, total dimensions: 450 mm x 500 mm x 800 mm.	200
22	Markem	Markem label printer, machine type: CIM300, serial number: 05C3D 4515, year of construction: 2005, 115/230 V, 1 Ph, 50/60 Hz, 300 VA, dimensions: 800 mm x 700 mm x 2000 mm.	75
23	J. Lagarde	J. Lagarde autoclave, year of construction: 1994, diameter: 1300 mm, content: 6450 litres, 3 x 400 V, 50 Hz, 25.5 kW, heating: steam, working pressure: 5 bar, working temperature: 158 °C, Vicarb heat exchanger, type: V28-5054, automatic transport inside autoclave, 2-doors, total dimensions: 5800 mm x 1900 mm x 2400 mm.	15000
24	Longclose	Longclose autoclave, machine number: 13966, year of construction: 5-6-1995, inside diameter autoclave: 1280 mm, test pressure: 8.7 bar, design pressure: 5.5 bar, design temperature: 140C, dimensions: 6500 mm x 1750 mm x 2600 mm. Including 10 s/s autoclave racks, dimensions: (10x) 870 mm x 870 mm x 330 mm. Switch cabinet is missing cover.	3000
25	NN lifter for meat bins	S/s lifter for meat bins, lifting height: 1850 mm, total dimensions: 1200 mm x 900 mm x 3070 mm.	500
26	NN lifter for meat bins	S/s lifter for meat bins, lifting height: 1500 mm, maximum capacity: 250 kg, total dimensions: 900 mm x 800 mm x 2500 mm.	500
27	Rheon	Rheon mobile encrusting machine, model: KN135, serial number: 096, year of construction: 2003, 380 V, 3 Ph, 50/60 Hz, 3.7 A, 1.09 kW, plastic belt, belt width: 130 mm, total dimensions: 1400 mm x 900 mm x 1400 mm.	1500
28	Lachnit	Lachnit lifter for pallet boxes, type: 322 L, model: D, year of construction: 2009, 3 x 400 V, 50 Hz, 3 kW, lifting height: 2250 mm, lifting speed: 6 m/min, infeed dimensions pallet boxes: 1200 mm x 800 mm x 800 mm, total dimensions: 2100 mm x 2500 mm x 4050 mm.	1500



Nr	Title	Description	Start €
29	Butcher Boy	Butcher Boy double shaft paddle mixer-grinder, type: 3000/1100 MG, serial number: S106, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 120 kW, diameter plate: 280 mm, volume: 3000 litres, air pressure: 8 bar, infeed height: 2500 mm, outfeed height: 760 mm, total dimensions: 4000 mm x 2000 mm x 3200 mm. Including tool trolley. Missing top injection.	5000
30	Butcher Boy	Butcher Boy double shaft paddle mixer-grinder, type: 3000/1100 MG, serial number: S107, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 120 kW, diameter plate: 280 mm, volume: 3000 litres, air pressure: 8 bar, infeed height: 2500 mm, outfeed height: 760 mm, total dimensions: 4000 mm x 2000 mm x 3200 mm. Including tool trolley. Missing cover.	5000
31	NN spraying belt	Spraying belt, s/s frame, s/s mesh belt, belt width: 600 mm, clearance: 550 mm x 60 mm, total dimensions: 2200 mm x 1100 mm x 1200 mm.	500
32	Busch	Busch vacuum pump, type: RA 1000 B 4ZI EKXX, year of construction: 2003, dimensions: 1850 mm x 1000 mm x 1650 mm.	250
33	NN curve conveyor	90° curve conveyor, s/s frame, plastic mesh belt, belt width: (4x) 100 mm, total dimensions: 2850 mm x 2200 mm x 900 mm.	250
34	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 570 mm, divider height: 100 mm, distance between dividers: 350 mm, elevating height: 2150 mm, total dimensions: 3200 mm x 1000 mm x 2400 mm.	750
35	Cochran LTD / Unigas	Cochran LTD steam boiler, product type: ST23, serial number: 23/7750, year of construction: 2020, maximum allowable pressure: 11.00 bar g, maximum allowable temperature: 188C, maximum heat output: 1254 kW, Unigas GP Burners (CIB) LTD burner, type: E190X, year of construction: 2020, fuel: gas / light oil, output: 360 - 1900 kW, dimensions steam boiler: 2350 mm x 4200 mm x 2600 mm, Cochran LTD economiser, serial number: 27/7752, year of construction: 2020, maximum allowable temperature: 300C, maximum heat output: 78 kW, dimensions economiser: 1600 mm x 900 mm x 2200 mm. Including pallet with various piping's.	5000
36	Cochran LTD / Unigas	Cochran LTD steam boiler, product type: ST23, serial number: 23/7749, year of construction: 2020, maximum allowable pressure: 11.00 bar g, maximum allowable temperature: 188C, maximum heat output: 1254 kW, Unigas GP Burners (CIB) LTD burner, type: E190X, year of construction: 2020, fuel: gas / light oil,	5000



Nr	Title	Description	Start €
		output: 360 - 1900 kW, dimensions steam boiler: 2350 mm x 4200 mm x 2600 mm, Cochran LTD economiser, serial number: 27/7751, year of construction: 2020, maximum allowable temperature: 300°C, maximum heat output: 78 kW, dimensions economiser: 1600 mm x 900 mm x 2200 mm. Including pallet with various pipings.	
37	ECONO-PAK GmbH	ECONO-PAK GmbH box closing machine, type: Dozensluiter, machine type: HV, project number: 2560/5, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 21 A, 8 kW, dimensions: 5400 mm x 1400 mm x 1900 mm. Including switch cabinet, dimensions: 1200 mm x 800 mm x 2200 mm.	1500
38	Syspal	Syspal mobile crate washer, type: 512/071502-415V, number: C3581-1-1, year of construction: 2015, clearance: 610 mm x 300 mm, total dimensions: 2300 mm x 1200 mm x 1300 mm. Belt is missing.	1000
39	Reepak	Reepak thermoformer, type: RE 20/6, machine number: 2065053, year of construction: 2006, 240/400 V, 3 Ph, 50 Hz, 12 kW, 30 A, dye: (6x) 173 mm x 49 mm, film width: 460 mm, Busch vacuum pump, type: RA 0160 D 5Z1, capacity: 160 m³ per hour, total dimensions: 6700 mm x 1050 mm x 1900 mm. Missing cover.	4000
40	Foss	Foss mobile fat analysing machine, model: MeatMaster Compact, type: 88010, serial number: 520015913, 185-210/210-240/370-420/420-480 V, 3 Ph, 50/60 Hz, 8/4 A, plastic belt, belt width: 650 mm, total dimensions: 5400 mm x 1250 mm x 2620 mm.	500
41	Rinc Europe	Rinc Europe spreading unit with transport belt used for pizza line, plastic belt, belt width: 650 mm, total dimensions: 5950 mm x 1100 mm x 2290 mm.	500
42	NN mixer	S/s mixer, bowl dimensions: Ø 500 mm x 550 mm, total dimensions: 1100 mm x 850 mm x 1840 mm.	500
43	TST Techniek	TST Techniek s/s mobile mesh outfeed belt for fryer, belt width: 1050 mm, total dimensions: 1300 mm x 1400 mm x 1300 mm.	250
44	Loma Systems	Loma Systems mobile metal detector, type: Harsh IQ3 ST, serial number: Q3W35R25-30293D, year of construction: 18/09/2015, 85/265 V, 50/60 Hz, plastic mesh belt, belt width: 300 mm, clearance: 300 mm x 200 mm, total dimensions: 1800 mm x 850 mm x 1380 mm.	2500
45	Marel	Marel elevating belt with dividers, s/s frame, plastic mesh belt, usable belt width: 150 mm, distance between dividers: 150 mm, divider height: 80 mm, elevating height: 1600 mm, total dimensions: 1900 mm x 600 mm x 1750 mm.	250



Nr	Title	Description	Start €
46	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH blast freezer, type: CBF 1000, serial number: 61, year of construction: 2017, 400 V, 3 Ph, maximum: 16 A, input power: 1.1 kW, weight: 2500 kg, width baskets: 700 mm, cycle time: 6 - 20 minutes, total dimensions: 2100 mm x 2550 mm x 2980 mm.	5000
47	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG cup filling and sealing machine, type: DOSOMAT 12.8, machine number: 2077, year of construction: 2004, 230/400 Vac, 50 Hz, 23000 W, 35.0 A, capacity: 16000 fillings/ hour, weight: 3100 kg, diameter cups: (8x) 65 mm, total dimensions: 2550 mm 3900 mm x 2350 mm.	5000
48	Leepack	Leepack rotary filling machine for pouches, model number: RP-8T, serial number: LP-S11-016F(P10549), 380 V, 3 Ph, 5.0 kW, 8 stations, seal length: (8x) 260 mm, belt width outfeed belt: 280 mm, total dimensions: 3000 mm x 2200 mm x 2300 mm, including Leepack liquid filler, model number: FSP-2000H, serial number: LP-S11-016F(P1005T), dimensions: 1500 mm x 700 mm x 1900 mm and pallet with parts, dimensions: 1200 mm x 800 mm x 350 mm.	3000
49	FMC Foodtech / Stein	FMC Foodtech / Stein thermal double fluid oven, type: JSO IV OVEN, model: 40-22TF, serial number: 811, 380 VAC, 3 Ph, 50 Hz, full load: 185 A, motor: 46 A, short circuit: 5000 A, s/s mesh belt, belt width: 102 mm, clearance: 25 - 150 mm, total dimensions: 23200 mm x 3700 mm x 3300 mm. Overhauled in 2024.	225000
50	Devpack	Devpack packaging line for 1 kg bags of sugar, consisting of: Elevating belt with s/s infeed bunker, dimensions bunker: 1000 mm x 1200 mm x 500 mm, belt width: 370 mm, distance between dividers: 800 mm, elevating height: 3200 mm, total dimensions: 3700 mm x 1250 mm x 3500 mm;Infeed system with 4 automatic vibrating gutters on weighing cells, two synchronous belts, capacity: 20 - 5000 gram, on steel platform, dimensions: 2000 mm x 2500 mm x 3900 mm;Devpack vertical bag form-, fill- and seal machine, type: 4 Terazil, serial number: 140110, year of construction: 10.01.2014, dimensions forming pipe: 85 mm x 85 mm, vertical seal length: 500 mm, horizontal seal length: (2x) 300 mm, film width: 380 mm, total dimensions: 2100 mm x 1300 mm x 2000 mm;Elevating belt, belt width: 300 mm, distance between dividers: 145 mm, divider height: 10 mm, total dimensions: 1400 mm x 520 mm x 960 mm;Pallet with parts en extra form set, dimensions forms: 90 mm x 140 mm and 160 mm x 130 mm.	4000



Nr	Title	Description	Start €
51	NN sugar cubes production and packaging line	Complete fully automatic sugar cubes production and packaging line, consisting of: Big bag infeed bunker, platform height: 1550 mm, with s/s elevating screw, elevating height: 3000 mm, with Electric rope hoist, type: HGS-B1200, 230 V, 50 Hz, capacity: 1200/600 kg, lifting height: 10/20 m, total dimensions: 3100 mm x 2020 mm x 4750 mm; Teknikeller Makina forming machine for sugar cubes, type: T.T.O.R. 125, 380 V, 3 Ph, 50 Hz, capacity: 12.500 kg/24 hours, dimensions forms: (20x) 10 mm x 15 mm, dimensions forming machine: 2000 mm x 900 mm x 2850 mm, with drying and cooling belt, s/s mesh belt, belt width: 295 mm, length drying area: 18000 mm, length cooling area: 4000 mm, including de-stacker, size: 100 mm x 200 mm, total dimensions: 33500 mm x 2000 mm x 2850 mm; Box forming machine, box size: 210 mm x 100 mm, dimensions: 1500 mm x 1400 mm x 1630 mm; 90° curve conveyor, steel frame, plastic belt, belt width: 110 mm, total dimensions: 2650 mm x 1200 mm x 900 mm; 90° curve conveyor, steel frame, plastic belt, belt width: 120 mm, total dimensions: 1250 mm x 1100 mm x 1850 mm; Box closing machine, belt width: 100 mm, distance between dividers: 330 mm, with glue unit, total dimensions: 2360 mm x 700 mm x 1600 mm; Roller conveyor, steel frame, plastic rollers, roller width: 300 mm, total dimensions: 2000 mm x 340 mm x 800 mm.	5000
52	Case packing Systems	Case packing Systems case packer, number: 28835, year of construction: 10-2011, 3x400 V, 50 Hz, 16 A, belt width: 400 mm, total dimensions: 1200 mm x 1200 mm x 2600 mm, 1500 mm x 550 mm x 1750 mm, 900 mm x 1300 mm x 3300 mm and 2500 mm x 1000 mm x 500 mm.	5000
53	PFM Spa	PFM Spa vertical form, fill and seal machine, model: ZENITH EW INOX SERVO, serial number: D2303, year of construction: 2013, 400 V, 60 Hz, 12.3 kW, 630 kg, vertical seal length: 460 mm, horizontal seal length: 350 mm, diameter filling pipe: 190 mm, total dimensions: 1500 mm x 2200 mm x 2300 mm, outfeed belt with dividers, s/s frame, plastic belt, belt width: 400 mm, divider height: 50 mm, distance between dividers: 380 mm, elevating height: 1100 mm, total dimensions: 1900 mm x 800 mm x 1300 mm, s/s frame with 2 filling pipes, diameter pipes: 188 mm / 138 mm, dimensions frame: 1300 mm x 700 mm x 1000 mm and s/s frame with 1 filling pipe, diameter: 138 mm, dimensions frame: 1050 mm x 700 mm x 980 mm. Including crate with parts. Missing screen.	1000



Nr	Title	Description	Start €
54	Urschel	Motor for Urschel Comitrol processor, dimensions wooden box: 1250 mm x 850 mm x 800 mm.	500
55	NN wall screen	S/s wall screen with plastic cover, dimensions: 1060 mm x 600 mm x 2100 mm.	25
56	Challenge RMF	Challenge RMF vacuum tumbler, type: SCM-51-01, dimensions tub: 3800 mm x 1500 mm, total dimensions: 5000 mm x 2300 mm x 2900 mm.	2500
57	Roestvrijstalen-Apparatenbouw De Jager BV	Roestvrijstalen-Apparatenbouw De Jager BV mobile elevating screw, number: 689.010, year of construction: March 1995, s/s screw, diameter screw: 250 mm, tier: 140 mm, elevating height: 2100 mm, total dimensions: 3800 mm x 1100 mm x 2600 mm.	1000
58	NN elevating screw	Mobile elevating screw, s/s screw, diameter screw: 300 mm, tier: 160 mm, elevating height: 2200 mm, total dimensions: 3400 mm x 1300 mm x 2650 mm.	1000
59	NN sugar stick machine	Form-, fill- and sealing machine for sugar sticks, 5 channels, 2-5 gram packages, capacity: 2-5 kg per minute, paper width: 200 mm, horizontal seal width: 230 mm, total dimensions: 1400 mm x 1150 mm x 2200 mm.	2000
60	NN cooking belt	Cooking belt, s/s mesh belt, belt width: 1200 mm, plastic mesh belt with dividers, belt width: 1200 mm, distance between dividers: 350 mm, divider height: 25 mm, elevating height: 1800 mm, total dimensions: 9000 mm x 2200 mm x 3450 mm.	4000
61	Koppens	Koppens belt fryer, type: BRN 4500/500, serial number: BRN 4500/500-554, 380 V, 3 Ph, 50 Hz, 11.67 A, 3.25 kW, 4200 kg, s/s mesh belt, belt width: 500 mm, total dimensions: 7300 mm x 1550 mm x 3500 mm. Incomplete, missing 1 belt, technical condition unknown, with pallet with parts.	4000
62	WMH	WMH 4 lane elevating belt, type: M0873, serial number: 10405-11, year of construction: Jan 2017, 230 V, s/s frame, plastic belts, belt width: (4x) 255 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1500 mm x 2450 mm.	500
63	WMH	WMH 4 lane elevating belt, s/s frame, plastic belts, belt width: (4x) 255 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1500 mm x 2450 mm.	500
64	Lets bv	Lets bv s/s cleaning pump unit, type: HD 230 WS, serial number: 197615001, year of construction: 08/2023, dimensions: 450 mm x 400 mm x 900 mm.	400
65	ARI Makina	ARI Makina band saw, model: TES-300, serial number: TES-300/04, year of construction: 2019, 380/400 V, 50/60 Hz, 1.5 kW, 3.5 A, weight: 135 kg, dimensions saw table: 700 mm x 700 mm, total dimensions: 700 mm x 800 mm x 1700 mm.	500
66	NN hygiene station		1000



Nr	Title	Description	Start €
		Hygiene station with sole cleaner, hand disinfection unit and tourniquet, brush diameter: (2x) 150 mm, brush length: (2x) 1300 mm, total dimensions: 2300 mm x 900 mm x 1660 mm.	
67	NN lifter for 200 litres meat bins	S/s lifter for 200 litres meat bins, lifting height: 1300 mm, maximum capacity: 250 kg, total dimensions: 1200 mm x 950 mm x 2100 mm.	750
68	Seydelmann	Seydelmann s/s lifter for meat bins, lifting height: 2200 mm, maximum capacity: 250 kg, total dimensions: 1200 mm x 900 mm x 3050 mm.	750
69	Townsend	Townsend mobile backbone cutter, model: BBC 1500, serial number: 103173E196, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 kW, weight: 250 kg, clearance: 400 mm x 60 mm, total dimensions: 2200 mm x 1200 mm x 2000 mm. Missing belt.	600
70	Alinox	Alinox s/s refrigeration counter, model: Evolution 1, dimensions: 1610 mm x 680 mm x 700 mm.	350
71	NN table with Kebab skewer	S/s table with plastic top and Kebab skewer with weighing unit, model: BT 10, serial number: 20221021272, year of construction: 2022-06, 220 V, 50 Hz, dimensions: 800 mm x 550 mm x 1650 mm.	250
72	NN table with Kebab skewer	S/s table with plastic top and Kebab skewer with weighing unit, model: BT 10, serial number: 20221021264, year of construction: 2022-06, 220 V, 50 Hz, dimensions: 800 mm x 550 mm x 1650 mm.	250
73	Berkel	Berkel weighing scale, type: PT, number: 9206, year of construction: 1971, capacity: 20 kg, dimensions: 600 mm x 590 mm x 780 mm.	25
74	Ecolab Hygiene Systems GmbH	Ecolab Hygiene Systems GmbH P3-Starmaxx AL disinfectant, article number: SOL 1001, serial number: 0092 FW, year of construction: 2008, dimensions: 440 mm x 700 mm x 370 mm.	25
75	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 460 mm, distance between dividers: 200 mm, divider height: 50 mm, elevating height: 2800 mm, total dimensions: 3300 mm x 900 mm x 2950 mm.	500
76	Itec Food Technology	S/s platform, dimensions: 3000 mm x 1850 mm x 1350 mm.	150
77	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 285 mm, elevating height: 1150 mm, total dimensions: 3300 mm x 600 mm x 1150 mm.	250
78	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 500 mm, elevating height: 900 mm, total dimensions: 2400 mm x 850 mm x 1000 mm.	250
79	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG double s/s aprons and boots washer, dimensions: 1120 mm x 840 mm x 1820 mm.	250



Nr	Title	Description	Start €
80	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG double hand disinfection unit with tourniquet, type: SK 800 Twin, dimensions: 1300 mm x 1100 mm x 1550 mm.	1000
81	Ingersoll Rand	Ingersoll Rand heated blower desiccant dryer, model: D500IB, serial number: 096515, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 14 A, PS: 12 bar, TS: +1/+250 °C, maximum flow: 500 m³/h, weight: 600 kg, dimensions: 1400 mm x 1100 mm x 1900 mm.	1000
82	Itec Food Technology	Itec Food Technology sole cleaner for dry cleaning, type: 23871, series: 0652, year of construction: 09/09, 400 V, 3 Ph, 50 Hz, 0,5 kW, brush diameter: (2x) 150 mm, brush length: (2x) 1600 mm, total dimensions: 2700 mm x 950 mm x 1300 mm.	1750
83	Itec Food Technology	Itec Food Technology sole cleaner, type: 23874, series: 0320, year of construction: 01/2013, 400 V, 3 Ph, 50-60 Hz, 0,5 kW, brush diameter: (2x) 150 mm, brush length: (2x) 1000 mm, total dimensions: 1900 mm x 1100 mm x 1270 mm.	1500
84	Itec Food Technology	Itec Food Technology sole cleaner for dry cleaning, type: 23882, year of construction: 01-2017, 400 V, 3 Ph, 50-60 Hz, 0,5 kW, brush diameter: (2x) 150 mm, brush length: (2x) 1000 mm, total dimensions: 2100 mm x 800 mm x 1300 mm.	1500
85	Itec Food Technology	Itec Food Technology s/s tilting device for pallet boxes, type: 27200, series: 216, order number: 260216, year of construction: 10/2016, 400 V, 3 Ph, 50-60 Hz, 1.5 kW, maximum dimensions pallet boxes: 1050 mm x 1000 mm, total dimensions: 1800 mm x 2800 mm x 2200 mm.	2000
86	Itec Food Technology	Itec Food Technology outfeed transport conveyor, dimensions: 3000 mm x 1430 mm x 1250 mm. Belt is missing.	350
87	Dyson	Dyson airblade hand dryer, dimensions: 300 mm x 250 mm x 650 mm.	25
88	Ehlert/Mohn	Pallet with various Ehlert and Mohn soap and paper dispensers, dimensions pallet: 1200 mm x 800 mm x 400 mm.	50
89	Rapid Maschinenabrik GmbH	2 Rapid Maschinenabrik GmbH s/s hose reels with hose and pistol, dimensions: (2x) 500 mm x 150 mm x 500 mm and (1x) NN s/s hose reel with hose and pistol, dimensions: 500 mm x 150 mm x 500 mm.	150
90	Busch	Busch vacuum pump, type: RA 0040 F 503, serial number: D15031296, year of construction: 2015, Vmax: 40 m³ per hour, dimensions: 600 mm x 300 mm x 400 mm.	50
91	Treif	Treif PUMA-CE slicer, clearance: 235 mm x 220 mm, total dimensions: 1850 mm x 900 mm x 1500 mm. Incomplete, technical condition unknown.	1000



Nr	Title	Description	Start €
92	Alexanderwerk	Alexanderwerk grinder, machine type: HWN 114/I, machine number: 04602064, 400/680 V, 50 Hz, 8.7 A, 4.0 kW, plate diameter: 115 mm, total dimensions: 650 mm x 1100 mm x 1100 mm.	1500
93	Ramon	Ramon mobile mixer, model: 80 TWO, serie: AMM, fabrication number: 1716, year of construction: 2023, 400 V, 50 Hz, 0.75 kW, 1.67 A, s/s bowl volume: 80 litres, dimensions: 600 mm x 800 mm x 1000 mm.	1250
94	Hobart	Hobart mobile grinder, model: 4732 SS, serial number: 11-167-491, 380 V, 3 Ph, 50 Hz, 4.6 A, plate diameter: 98 mm, total dimensions: 600 mm x 1000 mm x 1410 mm.	500
95	Schnitzel Master GmbH	Schnitzel Master GmbH mobile meat tenderizer/flattener, type: TURBO, serial number: SMTurbo 0001213001, 400 V, 50 Hz, 16 A, belt width: 320 mm, clearance: 335 mm x 50 mm, total dimensions: 700 mm x 1500 mm x 1230 mm.	1250
96	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG tourniquet, machine type: EDK 800 W-L, machine number: 313182.004, year of construction: 08/2020, 1x230 V, 0.2 kW, dimensions: 800 mm x 900 mm x 900 mm.	500
97	Roboqbo srl	Roboqbo srl universal processing machine, type: Qbo120-3-316-SGPV, serial number: 2304023123006, year of construction: 2012, 3x400 V, 50 Hz, 22 kW, speed: 0-2000 rpm, 6-8 bar/ 20 l/min, bowl volume: 120 litres, with automatic mixing, vacuum, double jacketed and steam injection, weight: 900 kg, dimensions: 1800 mm x 1750 mm x 1800 mm.	9000
98	Karl Schnell	Karl Schnell emulsifier, type: B22, serial number: 250-25034, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 27 kW, 2880 rpm, volume: 300 litres, dimensions: 900 mm x 1100 mm x 1550 mm.	1000
99	Mauting	Mauting s/s cooking vessel, type: VVM 330.D, serial number: 234/08, year of construction: 2008, 3x400 V, 50 Hz, 0.5 kW, volume: 300 litres, weight: 360 kg, inside dimensions: 790 mm x 900 mm x 500 mm, dimensions s/s cooking basket: 720 mm x 820 mm x 450 mm, total dimensions: 1100 mm x 1400 mm x 1050 mm, dimensions switch cabinet: 500 mm x 220 mm x 500 mm.	1000
100	Thissen & Stecher BV	Thissen & Stecher BV cooking vessel with agitator, model: TSRR 200 SLD, serial number: 303, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 2.3 kW, 5 A, steam heated, maximum temperature: 139 °C, volume: 200 litres, weight: 400 kg, total dimensions: 1240 mm x 1500 mm x 1660 mm.	1500
101	Mauting	Mauting s/s cooking vessel, type: VVM 330.D, serial number: 235/08, year of construction: 2008, 3x400 V,	1000



Nr	Title	Description	Start €
		50 Hz, 0.5 kW, volume: 300 litres, weight: 360 kg, inside dimensions: 790 mm x 900 mm x 500 mm, dimensions s/s cooking basket: 720 mm x 820 mm x 450 mm, total dimensions: 1100 mm x 1400 mm x 1050 mm, dimensions switch cabinet: 500 mm x 220 mm x 500 mm.	
102	Kolbe	Kolbe mobile mixer-grinder, type: MWE32, serial number: 125537, year of construction: 1997, plate diameter: 100 mm, hopper volume: 120 litres, weight: 500 kg, dimensions: 1200 mm x 800 mm x 1800 mm.	2500
103	San Cassiano	San Cassiano spiral kneader, type: SE 200, serial number: 12338, year of construction: 6-4-99, s/s bowl volume: 320 liters, maximum capacity: 200 kg, 2 mixing speeds, 380 V, 3 Ph, 50 Hz, 30 A, 12.1 kW, weight: 1380 kg, total dimensions: 1500 mm x 1900 mm x 2200 mm.	4000
104	Laska	Laska vacuum bowl cutter with lifter for 200 litres meat bins and ejector, type: KU 200 V, serial number: 10434, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 111 kW, 6 bar, bowl volume: 200 litres, weight: 4000 kg, dimensions: 2600 mm x 3800 mm x 1850 mm. Including pallet with Busch vacuum pump, type: RA 0160, capacity: 160 m3 per hour.	35000
105	Laska	Laska bowl cutter with lifter for 200 litres meat bins and ejector, type: KE 500 AC 2, serial number: 12454, year of construction: 2007, 3x400 V, 50 Hz, 129 kW, 231 A, bowl volume: 500 litres, weight: 5400 kg, dimensions: 3100 mm x 3900 mm x 2150 mm. Including pallet with covers, dimensions pallet: 1200 mm x 800 mm x 600 mm.	25000
106	Seydelmann	Seydelmann bowl cutter with ejector, type: K120U, serial number: 99268-1, year of construction: 1999, 400 V, 50 Hz, 97 A, bowl volume: 120 litres, speed: 2 on knife, 2 on bowl, 2 mixing speeds, weight: 1385 kg, dimensions cutter: 1800 mm x 1500 mm x 1650 mm, dimensions switch cabinets: 790 mm x 310 mm x 990 mm and 320 mm x 200 mm x 300 mm.	17500
107	Laska	Laska frozen block cutter with lifter for blocks, type: GFS 510, serial number: Y6242, 220/380 V, 50 Hz, 8.5 kW, dimensions: 1850 mm x 1530 mm x 2050 mm.	4000
108	KOPAS Verpackungsmaschinen GmbH	KOPAS Verpackungsmaschinen GmbH vertical form, fill and seal machine, machine type: JK 350 F-M-SERVO, machine number: E005, 3x400 V / 230 V AC, 24 V DC, 3x20 A, 6 bar, 10 kW, vertical seal length: 450 mm, horizontal seal length: 400 mm, total dimensions: 1500 mm x 2200 mm x 2000 mm. Incomplete.	1500
109	Webomatic	Webomatic belt vacuum machine, type: WBM 1350, serial number: 6012RF149, 400 V, 3 Ph, 50 Hz, 4 kW,	3500



Nr	Title	Description	Start €
		weight: 2200 kg, pressure: 6 bar, capacity: 3 cycles/min, plastic belt, belt width: 800 mm, built-in Busch roots pump, type: Panda WV1500B roots, total dimensions: 3750 mm x 1500 mm x 2200 mm. Including trim removal unit, dimensions: 830 mm x 650 mm x 1380 mm.	
110	Rühle	Rühle vacuum mixer/tumbler, type: MKR300, serial number: 10070505, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 14.0 A, 6.5 kW, drum volume: 300 litres, maximum filling capacity: 220 litres, weight: 1200 kg, double jacketed for cooling, with Busch vacuum pump, dimensions: 1900 mm x 1600 mm x 2400 mm.	7500
111	Koruma	Koruma double jacketed process vessel for mixing, homogenising and dispersing used for mayonnaise, type: DIsho V160/150, 3x400 V, 50 Hz, 6-10 bar, volume hopper: approximately 150 litres, steam heated, with Sterling SIHI LEMA 51 AZ vacuum pump, dimensions process vessel: 1250 mm x 2000 mm x 1900 mm, dimensions infeed hopper: 600 mm x 600 mm x 1850 mm.	3500
112	H. Glass	H. Glass mobile vacuum mixer/tumbler, machine type: VSM 150, machine number: 1913, year of construction: 1991, 230/400 V, 50 Hz, 5.1/3.2 A, 1.12 kW, bowl volume: 150 litres, with Busch vacuum pump, type: 016-116, dimensions: 1000 mm x 800 mm x 1400 mm.	750
113	Verbruggen	Verbruggen mobile stick inserter, type: Stick Inserter 600, serial number: 47, year of construction: 2020, 380 V, 2 A, 0.75 kW, 6 bar, 400 l/min, belt width: 595 mm, weight: 300 kg, belt speed: 1.5 - 15 m/min, total dimensions: 1650 mm x 1100 mm x 2000 mm.	4500
114	Budé	Budé cooling conveyor with 4 ventilators, type: 6000/600, serial number: E044183-1, 3 x 400 V, 50 Hz, 3.25 kW, s/s mesh belt, belt width: 600 mm, belt length: 6100 mm, total dimensions: 6100 mm x 1000 mm x 1550 mm.	1500
115	Koppens	Koppens mobile forming machine, belt width: 400 mm, total dimensions: 26002 mm x 700 mm x 1900 mm, including 4 forming plates, dye: (5x) 50 mm x 100 mm, (5x) 55 mm x 100 mm, (3x) 105 mm x 80 mm and (3x) Ø 85 mm. Incomplete.	2500
116	Koppens/CFS	Koppens/CFS mobile forming machine, type: VM400-30, serial number: 1990, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 11.61 A, 4.94 kW, weight: 634 kg, belt width: 400 mm, dye: (12x) 11 mm x 45 mm and (11x) Ø 35, total dimensions: 2100 mm x 700 mm x 1800 mm.	3000



Nr	Title	Description	Start €
117	Rühle	Rühle frozen meat cutter, type: GR 50, serial number: 60040116, year of construction: 2021, 3 x 400 V, 50 Hz, 6.9 kW, weight: 630 kg, block size: 680 mm x 440 mm x 250 mm, speed: 45 cuts / minute, plastic belt, belt width: 260 mm, total dimensions: 1500 mm x 1950 mm x 1500 mm.	3500
118	CFS	CFS mobile forming machine, belt width: 400 mm, total dimensions: 2100 mm x 700 mm x 2300 mm. Incomplete.	4000
119	Carsoe	Carsoe mobile lifter for 200 litres meat bins, type: HKV 200, serial number: SM 98198, lifting height: 1400 mm, maximum load capacity: 300 kg, total dimensions: 2100 mm x 700 mm x 2300 mm.	1000
120	Koppens	Koppens mobile lifter for 200 litres meat bins, type: L25R, machine number: L25R-1250, 380 V, 3 Ph, 50 Hz, 18 A, 0.55 kW, lifting height: 2200 mm, weight: 310 kg, total dimensions: 1600 mm x 1200 mm x 2920 mm.	1000
121	Lachnit Fördertechnik	Lachnit Fördertechnik mobile lifter for 200 litres meat bins with safety cage, type: 300 S, serial number: 4067, year of construction: 2014, 400 V, 50 Hz, 3.75 A, 1.5 kW, lifting height: 2850 mm, maximum load capacity: 350 kg, weight: 500 kg, total dimensions: 1600 mm x 1850 mm x 3600 mm.	1500
122	Lachnit Fördertechnik	Lachnit Fördertechnik mobile lifter for 200 litres meat bins with safety cage, type: 300 S, serial number: 4066, year of construction: 2014, 400 V, 50 Hz, 3.75 A, 1.5 kW, lifting height: 2850 mm, maximum load capacity: 350 kg, weight: 500 kg, total dimensions: 1600 mm x 1850 mm x 3600 mm.	1500
123	Torras	Torras organ washer for pigs, model: P1000, number: 2514, year of construction: 2013, 15 kW, weight: 900 kg, dimensions: 1900 mm x 1600 mm x 1800 mm.	5000
124	Hoyer GmbH	Hoyer GmbH s/s container, dimensions: 1200 mm x 1100 mm x 2300 mm.	500
126	Bizerba GmbH & Co. KG	Bizerba GmbH & Co. KG mobile automatic slicer, model: A 510, number: 10597961, 380-415 V, 3 Ph, 47-53 Hz, 4.14 A, 2.3 kW, belt width: 300 mm, total dimensions: 2500 mm x 850 mm x 1820 mm.	7500
128	CVP SYSTEMS INC	CVP SYSTEMS INC mobile modified atmosphere packaging machine, model number: A-300, serial number: 9313-27, 240 V, 1 Ph, 50/60 Hz, 10 A, seal length: 1400 mm, total dimensions: 1500 mm x 1150 mm x 1950 mm.	500
129	Sealpac GmbH	Sealpac GmbH traysealer with tray loader, type tray loader: EL1200-R, serial number: ZEL-0765, year of construction: 2013, 400 V, 3 Ph, 50-60 Hz, 4.5 kW, weight: 1000 kg, tray mould dimensions: (14x) 195	6000



Nr	Title	Description	Start €
		mm x 145 mm, tray loader dimensions: 4160 mm x 1600 mm x 1800 mm, type traysealer: SEALPAC A10, serial number: A10-01-2374, year of construction: 2011, 400 V, 3 Ph, 50-60 Hz, 12 kW, weight: 2700 kg, plastic chain belt, total belt width: 330 mm, traysealer dimensions: 5100 mm x 1000 mm x 2100 mm, outfeed conveyor with lane divider, dimensions: 4250 mm x 800 mm x 1310 mm, type s/s tool trolley: SEALPAC WWW-A10, serial number: 1545, year of construction: 2017, weight: 200 kg, dimensions: 1800 mm x 1000 mm x 1370 mm.	
130	Selo	Selo slicer/appliator, machine type: SL Slicer, number: 017, year of construction: 2004, 400 V, 50 Hz, 4 kW, dye: (4x) Ø 80 mm, capacity: max 200 strokes/min, cutting thickness: maximum 20 mm, belt width: 565 mm, weight: 750 kg, total dimensions: 1700 mm x 1200 mm x 2150 mm, including pallet with extra forms, dye: (3x) 95 mm x 45 mm.	7000
131	Romold Ltd	Romold Ltd plastic drip tray, capacity: 230 litres, dimensions: 1220 mm x 820 mm x 450 mm.	100
132	Hovmand	Hovmand steel trolley for film, dimensions: 1000 mm x 700 mm x 1000 mm.	50
133	NN trolley	S/s trolley, dimensions: 1540 mm x 940 mm x 1990 mm.	50
134	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) Ø 480 mm x 780 mm.	30
135	Townsend	Townsend mobile skinning and derinding machine, model: 9000, serial number: 119, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 3.5 A, belt width: 510 mm, working width: 510 mm, total dimensions: 2100 mm x 900 mm x 1330 mm. Outfeed belt is broken.	750
136	Townsend	Townsend mobile skinning and derinding machine, model: 9000-H, serial number: 765, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 3.5 A, belt width: 350 mm, working width: 350 mm, total dimensions: 2000 mm x 750 mm x 1350 mm. Incomplete.	500
137	Townsend	Townsend mobile skinning and derinding machine, model: 9000, belt width: 350 mm, working width: 360 mm, total dimensions: 2100 mm x 730 mm x 1350 mm. Incomplete.	500
138	Townsend	Townsend mobile skinning and derinding machine, model: 9000EURO, serial number: 7114, year of construction: 2004, 380 V, 3 Ph, 50 Hz, 3.17 A, belt width: 500 mm, working width: 510 mm, total dimensions: 2050 mm x 900 mm x 1360 mm. Incomplete.	500



Nr	Title	Description	Start €
139	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: INJEKTOR PI 21, machine number: 33203, year of construction: 2011, 400 V, 16 A, 2.3 kW, belt width: 260 mm, total dimensions: 1500 mm x 600 mm x 1800 mm.	1000
140	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH slicer, type: IC 100/25MB, serial number: F2204017, year of construction: 2022, 380-400 V, 3 Ph, 50 Hz, 7.8 kW, clearance: 250 mm x 235 mm, chamber length: 1100 mm, belt width: 290 mm, slice thickness: 0.5-500 mm, total dimensions: 3600 mm x 900 mm x 1350 mm.	5000
141	Mado	Mado mobile mixer-grinder, type: MEW 620, number: 31109, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 15.2/8/8 A, 4.0 kW, plate diameter: 100 mm, total dimensions: 1000 mm x 900 mm x 1350 mm. Incomplete.	1500
142	Grasselli SPA	Grasselli SPA semi-automatic slicer, type: NSL600, serial number: Z09R04/1567, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 5.3 kW, cutting set: 4 mm, clearance: 610 mm x 180 mm, belt width: 580 mm, weight: 700 kg, total dimensions: 2000 mm x 1200 mm x 1500 mm.	7500
143	Selo B.V.	Selo B.V. slicer/applicator with Franz slice unit, type: AE0148179, serial number: 044, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 5.5 kW, weight: 1100 kg, Franz strip cutter, type: Franz MST64/545 OS, machine number: 6082/1, year of construction: 2018, 400 V, 1.1 kW, distance between knives: 20 mm, capacity: max 120 strokes/min, pressure: 6 bar, total dimensions: 1650 mm x 1650 mm x 2970 mm. Including pallet with parts.	7500
144	NN peeler	S/s peeler, inside dimensions: Ø 980 mm x 450 mm, total dimensions: 1500 mm x 1050 mm x 1050 mm.	750
145	Vestjysk Rustfri Montage	Vestjysk Rustfri Montage mobile transport belt, s/s frame, plastic belt, type number: 2020-01rev 1, serial number: 19506, year of construction: 2020, belt width: 640 mm, total dimensions: 5900 mm x 750 mm x 1170 mm.	1000
146	Ellegaard	Ellegaard mobile elevating belt, s/s frame, plastic belt, belt width: 290 mm, elevating height: from 500 mm till 1530 mm, total dimensions: 5900 mm x 600 mm x 1530 mm.	500
147	NN switch cabinets	2 s/s switch cabinets, dimensions: (2x) 740 mm x 550 mm x 800 mm.	500
148	CFS	CFS outfeed conveyor for spiral freezer, s/s frame, plastic belt with dividers, type: DCC 2500/650, machine number: 186, year of construction: 2001, 415 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 220 kg,	750



Nr	Title	Description	Start €
		belt width: 660 mm, distance between dividers: 250 mm, divider height: 30 mm, de-elevating height: 2000 mm, total dimensions: 2800 mm x 1300 mm x 2100 mm.	
149	JBT FoodTech	JBT FoodTech mobile homestyle breader, model: HSB-600, serial number: 118, 380 V, 3 Ph, 50 Hz, 24.5 A, s/s belt width: 630 mm, weight: 1600 kg, total dimensions: 4400 mm x 1700 mm x 2250 mm.	10000
150	Anko Food Machine Co., LTD.	Anko Food Machine Co., LTD. mobile horizontal dough mixer, model: ABM-33, serial number: PO202200591-2, year of construction: 2022, 380 V, 3 Ph, 50 Hz, volume: 80 litres, dimensions: 1100 mm x 1450 mm x 1300 mm.	10000
151	Anko Food Machine Co., LTD.	Anko Food Machine Co., LTD. dough sheeter, model: ABS-220, serial number: PO202200591-1, year of construction: 2022, 380 V, 3 Ph, 50 Hz, 2.25 kW, width sheet roller: 220 mm, capacity: 100 kg per hour, dimensions: 1300 mm x 950 mm x 1400 mm.	10000
152	Anko Food Machine Co., LTD.	Anko Food Machine Co., LTD. gyoza dumpling machine, model: AFD-188, serial number: 1501093, year of construction: 2022, 380 V, 3 Ph, 50 Hz, 3.5 kW, capacity: 6000 pieces per hour, hopper volume: 46 liters, weight: 1400 kg, total dimensions: 2450 mm x 2000 mm x 2050 mm.	20000
153	Alkar	Alkar cooking and smoking chamber for 1 trolley, type: 1000, serial number: 8000531108E1E075, 400 V, 3 Ph, 50 Hz, 2/3.7 A, heating: electric, inside dimensions: 1420 mm x 1310 mm x 1870 mm, total dimensions: 2010 mm x 1550 mm x 2960 mm. Including smoke generator and generator for blocks, serial number: 8000531108E1E075, 400 - 220 V, 1 Ph, 50 Hz, dimensions: 840 mm x 550 mm x 970 mm and 1150 mm x 1100 mm x 1800 mm.	2500
159	Selecta	Selecta coffee machine, dimensions: 840 mm x 700 mm x 1820 mm.	250
160	Tonnaer	Tonnaer spiral mixer for dough, dimensions: 1700 mm x 1100 mm x 1900 mm. Including 2 s/s mobile bowls, inside dimensions: (2x) ø 800 mm x 400 mm, total dimensions: 950 mm x 850 mm x 850 mm.	3750
161	GEA/Hellings Machinebouw B.V.	GEA/Hellings Machinebouw B.V. mobile elevating belt, s/s frame, plastic belt, year of construction: 2018, belt width: 600 mm, elevating height: from 600 mm till 1050 mm, total dimensions: 1800 mm x 1100 mm x 1100 mm.	350
163	Verbufa	Verbufa mobile mesh belt, s/s frame, s/s mesh belt, belt width: 500 mm, total dimensions: 1400 mm x 800 mm x 1150 mm.	400
164			750



Nr	Title	Description	Start €
	Vestjysk Rustfri Montage	Vestjysk Rustfri Montage mobile transport belt, s/s frame, plastic belt, type number: 2020-02rev 1, serial number: 19506, year of construction: 2020, belt width: 640 mm, total dimensions: 3900 mm x 850 mm x 900 mm.	
165	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 580 mm, total dimensions: 750 mm x 550 mm x 750 mm.	250
166	Cabinplant	Cabinplant mobile s/s vibrating gutter, type: CR-030/157BTM, serial number: 108675-001, year of construction: 2012, 400V, 50Hz, 0.3kW, weight: 217 kg, gutter width: 315 mm, gutter length: 1470 mm, stroke: 1-5 mm, outfeed height: 800 mm, total dimensions: 2250 mm x 1400 mm x 1700 mm.	2500
167	Chefcut	Chefcut mobile pineapple cutter, model: CC001, serial number: 012011-0011, dimensions: 950 mm x 500 mm x 950 mm, including crate with 3 extra knife sets and pineapple slicer.	400
168	Maurer-Atmos GmbH	Maurer-Atmos GmbH smoke chamber, inside dimensions: 2050 mm x 1050 mm x 2100 mm, total dimensions: 2700 mm x 1900 mm x 3000 mm.	1000
169	Kerres Anlagensysteme GmbH	Kerres Anlagensysteme GmbH smoke chamber installation, consisting of: 4 sections of Kerres Anlagensysteme GmbH smoke chambers, inside dimensions: (4x) 1100 mm x 1100 mm x 2100 mm, total dimensions smoke chambers: (4x) 1600 mm x 1200 mm x 3000 mm, Kerres Anlagensysteme GmbH smoke generator for wood chips, type: RE 203, fabrication number: 8.2296, year of construction: 02.2014, 400 V, 3 Ph, 2 kW, dimensions: 850 mm x 1300 mm x 1830 mm, Bitzer Kühlmaschinenbau GmbH cooling compressor, type: LH64/FS76, serial number: 1685003971, dimensions: 900 mm x 750 mm x 700 mm, 3 pallets with parts, dimensions: (3x) 1200 mm x 800 mm x 500 mm.	2500
170	Vestjysk Rustfri Montage	Vestjysk Rustfri Montage mobile elevating belt, s/s frame, plastic belt, type number: 2020-02-rev 1, serial number: 19506, year of construction: 2020, belt width: 290 mm, elevating belt: 850 mm, total dimensions: 1500 mm x 400 mm x 800 mm.	150
171	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 260 mm, divider height: 70 mm, elevating height: from 950 mm till 2350 mm, total dimensions: 2800 mm x 1200 mm x 2800 mm.	750
172	CFS	CFS mobile shuttle conveyor, type: SHC900/600, machine number: 673, year of construction: 2001, 3 x 415 V, 50 Hz, 0.09 kW, s/s mesh belt, belt width: 600	1000



Nr	Title	Description	Start €
		mm, shooting length: 1000 mm, weight: 255 kg, dimensions: 2400 mm x 750 mm x 1600 mm.	
173	GEA/Hellings Machinebouw B.V.	GEA/Hellings Machinebouw B.V. mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, distance between dividers: 100 mm, divider height: 15 mm, elevating height: from 135 mm till 750 mm, total dimensions: 1900 mm x 1250 mm x 1550 mm.	750
174	Nawi B.V.	Nawi B.V. double s/s rotating ritual slaughtering box for calves, type: 18000, year of construction: 2007, dimensions slaughtering box: 2600 mm x 3200 mm x 3000 mm, Nawi hydraulic unit, dimensions: 700 mm x 650 mm x 1000 mm, control panel, dimensions: 380 mm x 220 mm x 600 mm, dimensions switch cabinet: 770 mm x 300 mm x 770 mm, including various tube rail elevators and hanging table.	7500
175	Clayton	Clayton steam generator, model: EO-404-1, serial number: B7718, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 46.2 A, PS: 10 bar, TS: 184 °C, PT: 15 Barg, volume: 1495 litres, capacity: 626.3 kg/h, HS: 83.9 m ² , 3928 kW, LCV-Hü: 42700 kJ/kg, maximum burner capacity: 4389 kW, minimum burner capacity: 878 kW, regular oil pressure: 5 bar, oil pressure at burner: 1-2.4 bar, oil flow: 370.0 kg/h, dimensions: 3000 mm x 1900 mm x 3350 mm, including water softener, 2 pump skids and steel tank and pallets with various parts.	2500
176	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, distance between dividers: 400 mm, divider height: 80 mm, elevating height: from 400 mm till 1500 mm, total dimensions: 2300 mm x 700 mm x 1600 mm.	500
177	Qvision / Tomra Sorting	Qvision / Tomra Sorting mobile fat analyser, model: QV500, serial number: QV14712 01P, 240 V, 50/60 Hz, 500 W, dimensions: 3000 mm x 1100 mm x 1610 mm. Missing belt.	750
178	Qvision / Tomra Sorting	Qvision / Tomra Sorting mobile fat analyser, model: QV500, serial number: N-S-430222-14-00353, 240 V, 50/60 Hz, 500 W, dimensions: 3000 mm x 1100 mm x 1610 mm. Missing belt.	750
179	Tawi	Tawi mobile lifter, model: PRO 120, serial number: 1207044, year of construction: 14-03, 100/240 V, 55 W, capacity: 50 kg, lifting height: 1980 mm, total dimensions: 1450 mm x 630 mm x 1990 mm.	250
180	Conpax Servo Wrap	Conpax Servo Wrap mobile packaging machine, film width: 230 mm, total dimensions: 1100 mm x 500 mm x 1050 mm.	400
181	Linx		150



Nr	Title	Description	Start €
		Linx inkjet printer, model: 5900, serial number: GO410, year of construction: 2015, dimensions: 600 mm x 700 mm x 1550 mm.	
182	Loma Systems	Loma Systems mobile metal detector with rejector, model: IQ ³ +ST, serial number: QPB90-15-24908D, year of construction: 2014, 110-240 V, 1 Ph, 50/60 Hz, 0.5-1.0 A, plastic mesh belt, belt width: 860 mm, clearance: 860 mm x 160 mm, total dimensions: 2400 mm x 1500 mm x 1700 mm.	1500
183	Verbufa	Verbufa mobile forming machine, type: VVM-4, serial number: 2072884, year of construction: 2007, belt width: 480 mm, weight: 325 kg, total dimensions: 1900 mm x 1200 mm x 1800 mm. Technical condition unknown.	1000
184	Vestjysk Rustfri Montage	Vestjysk Rustfri Montage mobile transport belt, s/s frame, plastic belt, type number: 2020-01-rev 1, serial number: 19506, year of construction: 2020, belt width: 640 mm, total dimensions: 1900 mm x 750 mm x 1200 mm.	400
185	Boldt Systems/Mettler Toledo	Boldt Systems transport belt with Mettler Toledo metal detector, model: BFCM 12.07, serial number: BFO 14-022.02, year of construction: 2014, belt width: 305 mm, clearance: 305 mm x 100 mm, total dimensions: 2400 mm x 1400 mm x 2400 mm.	1000
186	Mettler Toledo Safeline	Mettler Toledo Safeline mobile metal detector, type: Profile, serial number: C024543627, year of construction: 2020, 230V, 1 Ph, 50Hz, belt width: 330 mm, clearance: 350 mm x 90 mm, total dimensions: 2850 mm x 1400 mm x 1650 mm.	2000
187	Verbufa	Verbufa mobile forming machine, type: 51670-C-0012, serial number: 207580, belt width: 490 mm, weight: 450 kg, total dimensions: 1400 mm x 1100 mm x 1700 mm. Incomplete, technical condition unknown.	1000
188	Ishida	Ishida 16-heads multihead weigher, type: CCW-RZ-216B-D/30, number: 25587, year of construction: 12/1996, dimensions multihead weigher: 1400 mm x 1400 mm x 1250 mm, dimensions multihead frame: 1600 mm x 1600 mm x 320 mm, 2 trolleys with multihead weigher bins, dimensions trolleys: (2x) 2200 mm x 550 mm x 1650 mm, pallet with large amount of parts for multihead weighers, dimensions pallet box: 1200 mm x 1000 mm x 780 mm.	1500
189	Newtec	Newtec 9-lanes batch weigher, type: PCB 2009, factory number: 3889, year of construction: 1997, weighing capacity: 5 kg, temperature range: 5° C - 35° C, 9 lanes, lane width: 165 mm, total dimensions: 1920 mm x 1250 mm x 1770 mm. Including outfeed	2000



Nr	Title	Description	Start €
		funnel, dimensions: 800 mm x 350 mm x 1500 mm and s/s rack for weighing bins, dimensions rack: 1700 mm x 300 mm x 680 mm.	
190	Stork / Marel	Stork / Marel cordon bleu line consisting of Risco vacuum filling machine with grinding head, machine model: RS 303, serial number: T310021, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 7.7 kW, weigh: 830 kg, RS70 grinding head, plate diameter: 130 mm, total dimensions: 2100 mm x 1200 mm x 1950 mm, Karl Schnell vacuum filling machine, model: P10SE, type: 596P, machine number: 22045, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 22.6 A, 10.9 kW, weight: 1180 kg, total dimensions: 1000 mm x 1100 mm x 2000 mm, Stork Food System / Townsend masterslice / masterfill, type: DRST / MTFII, serial number: 0441010 / 0420410, year of construction: 2010, calibre: 50 mm, plastic belt, belt width: 170 mm, total dimensions: 2250 mm x 1500 mm x 1750 mm, Stork Titan B.V. MasterFormer / Townsend forming machine, model: TA1521, type: 4710851, serial number: 10080439, year of construction: 2010, plastic belt, belt width: 300 mm, total dimensions: 3300 mm x 1500 mm x 2150 mm and 2 pallet with parts.	15000
191	Verbufa	Verbufa mobile forming machine, type: VVM2, serial number: 2043114-1, belt width: 270 mm, total dimensions: 1750 mm x 1350 mm x 1900 mm. Incomplete, technical condition unknown.	1000
192	Medoc S.A.	Medoc S.A. bandsaw, model: STL 350 CE, number: 869.898, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 5.6 A, product height: 350 mm, cutting width: 275 mm, blade length: 2500 mm, total dimensions: 850 mm x 850 mm x 1650 mm.	1000
194	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 litres meat bins, model: RS 605, serial number: S216011, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 11.0 kW, weight: 995 kg, filling and portioning, with Busch vacuum pump, type: RA 0040 F 5Z3, dimensions: 2100 mm x 1300 mm x 2100 mm.	6500
195	Rex Technologie	Rex Technologie vacuum filling machine with lifter for 200 litres meat bins, type: RVF 730, serial number: 7360081120, 400 V, 50 Hz, 3x32 A, 11 kW, dimensions: 2100 mm x 1300 mm x 2000 mm. Missing rotor and vanes.	5000
196	Loma Systems	Loma Systems mobile metal detector with rejector, model: IQ ² , head serial number: MD01EU-36479, year of construction: 2004, belt width: 300 mm, clearance:	1000



Nr	Title	Description	Start €
		300 mm x 115 mm, total dimensions: 1800 mm x 1100 mm x 1200 mm.	
197	Loma Systems	Loma Systems mobile metal detector with rejector, model: IQ ³ , serial number: MD301-12330D, year of construction: 2010, 240 V, 1 Ph, 50 Hz, 0.3 A, belt width: 300 mm, clearance: 300 mm x 110 mm, total dimensions: 1800 mm x 1100 mm x 1200 mm.	1500
198	Grunwald	Grunwald filling- and closing machine, type: Foodliner 12000/8, serial number: WK43/07, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 kW, weight: 3500 kg, capacity: 18000-22000 cups/hour, diameter cups: 55/65 mm, total dimensions: 4250 mm x 2000 mm x 1800 mm. Including outfeed belt, dimensions: 2700 mm x 700 mm x 1500 mm, 2 pallet boxes with parts, dimensions: (2x) 1200 mm x 1000 mm x 750 mm, switch cabinet, dimensions: 1200 mm x 350 mm x 2100 mm.	5000
199	Schomaker Convenience Technik GmbH & Co. KG	Schomaker Convenience Technik GmbH & Co. KG mobile mesh belt, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 1400 mm x 500 mm x 1130 mm.	500
200	CFS	CFS mobile heated mesh belt, s/s frame, s/s mesh belt, type: CRL 400, machine number: 37, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 6 A, 3 kW, weight: 345 kg, total dimensions: 2500 mm x 900 mm x 1760 mm.	500
201	Bopack Systems	Bopack Systems mobile labelling machine, model: Applicator, number: 46040, year of construction: 2009, 230 V, 50 Hz, 10 A, weight: 150 kg, dimensions: 1650 mm x 700 mm x 1700 mm. Incomplete.	350
202	Urschel	Urschel Comitroll, model: 2100, dimensions: 1900 mm x 1700 mm x 2050 mm. Including crate with parts.	1000
203	NN shutter door	Electric shutter door in wooden crate, door width: 3500 mm, dimensions wooden box: 4060 mm x 550 mm x 860 mm.	400
204	NN working table	Steel working table with vice, dimensions: 1500 mm x 1050 mm x 1050 mm.	25
205	NN vessel	Vessel for oil boiler, dimensions vessel: Ø 640 mm x 1470 mm, volume: approximately 470 liter, total dimensions: 1980 mm x 830 mm x 2320 mm.	50
206	NN vessel	Steel vessel for steam boiler on steel frame, used to storage water to keep pressure on the water level, dimensions vessel: Ø 700 mm x 1400 mm, volume: approximately 530 liter, total dimensions: 1900 mm x 840 mm x 3550 mm.	100
207	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 340 mm, elevating height: 1200 mm, total dimensions: 3400 mm x 650 mm x 1200 mm.	150



Nr	Title	Description	Start €
208	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: S3, factory number: 332804, year of construction: 2004, 230 V, 50 Hz, maximum capacity: 3500 g, minimum capacity: 20 g, e= 1 g, d= 0.1 g, T= -3500 g, maximum belt width: 340 mm, total dimensions: 1900 mm x 1050 mm x 1650 mm. Without belt.	400
209	NN cabinet	S/s cabinet, dimensions: 670 mm x 550 mm x 1440 mm.	50
210	NN cabinet	Mobile s/s cabinet, dimensions: 1230 mm x 440 mm x 1400 mm.	100
211	NN cabinet	Mobile s/s cabinet, dimensions: 1230 mm x 440 mm x 940 mm.	100
212	De Jager RVS	De Jager RVS mobile transport belt, plastic belt, belt width: 350 mm, total dimensions: 3000 mm x 1000 mm x 1400 mm.	150
213	Marel	Marel elevating belt with infeed hopper, model: tsm-p002-inf 01, type: 008.0049-0081, serial number: E014937, year of construction: 2013, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 200 mm, elevating height: 1500 mm, total dimensions: 3200 mm x 1500 mm x 1600 mm.	500
216	Youngsunpack Europe	Youngsunpack Europe mobile box closing machine, type: MH-FJ-ID, serial number: 1303130S5-13, year of construction: 2012/2013/2014, 220 V, 1 Ph, 50 Hz, 400 W, plastic rollers, roller width: 500 mm, s/s rollers, roller width: 690 mm, total dimensions: 2200 mm x 1100 mm x 1700 mm.	400
217	Bosgraaf	Pallet box with 4 Bosgraaf chairs, chair dimensions: 600 mm x 420 mm x 1150 mm, total dimensions: 1200 mm x 1000 mm x 1300 mm.	60
218	NN turning belt	Mobile turning belt, plastic wire belt, belt width: 570 mm, total dimensions: 1750 mm x 1250 mm x 1330 mm.	500
219	Almig	Almig air dryer, type: ALM-CD 320, year of construction: 04/2016, 230 V, 1 Ph, 50/60 Hz, 0.8 A, 0.06 kW, max temperature: 50 °C, dimensions: 1160 mm x 760 mm x 2000 mm.	250
220	De Jager RVS / Mettler Toledo	De Jager RVS s/s infeed bunker on Mettler Toledo weighing cells, inside dimensions: 1500 mm x 1500 mm x 800 mm, total dimensions: 1900 mm x 1700 mm x 1240 mm.	300
221	Videojet	Videojet mobile inject printer, model: 8510, serial number: 131621005BL, dimensions: 850 mm x 500 mm x 1100 mm.	150
222	Videojet	Videojet mobile inject printer, model: 8510, serial number: 131621002BL, dimensions: 850 mm x 500 mm x 1100 mm.	150



Nr	Title	Description	Start €
223	DP pumps	DP pumps centrifugal pump, type: DPV 2/18 B, 50 Hz, 1.5 kW, 2900 rpm, capacity: 1.92 m³ per hour, dimensions: 900 mm x 200 mm x 240 mm.	100
224	NN work table	Steel work table with vice, wooden top, dimensions: 2230 mm x 610 mm x 910 mm.	10
225	Videojet	Videojet mobile inject printer, model: 8510, serial number: 131621004BL, dimensions: 850 mm x 500 mm x 1100 mm.	150
226	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 1450 mm x 720 mm x 1070 mm.	100
227	NN tub	S/s mobile tub, inside dimensions: 650 mm x 700 mm x 600 mm, total dimensions: 1050 mm x 800 mm x 1130 mm.	75
228	NN tub	S/s mobile tub, inside dimensions: Ø 800 mm x 800 mm, total dimensions: Ø 820 mm x 1000 mm.	75
229	Krones AG	Krones AG empty bottle inspection machine, type: Linatronic, number: K735875, year of construction: 2012, 400/230 V, 50 Hz, 10 A, dimensions: 4300 mm x 1300 mm x 2500 mm.	950
230	Krones AG	Krones AG 12-heads bottle labelling machine, type: 720-12-6-4-180, machine number: K 790-121, year of construction: 2002, 230/500 V, 3 Ph, 50 Hz, 20 A, belt width: 80 mm, total dimensions: 2750 mm x 2600 mm x 2500 mm. Including 90° curve conveyor, dimensions: 3050 mm x 1850 mm x 2000 mm.	1500
231	NN slicer	Mobile pneumatic slicer, clearance: 85 mm x 110 mm x 500 mm, total dimensions: 1300 mm x 600 mm x 1200 mm.	100
232	Mado	Mado mobile bandsaw, model: Perfekta Plus, clearance: 120 mm x 120 mm, total dimensions: 1300 mm x 550 mm x 1600 mm.	200
233	De Jager RVS	De Jager RVS mobile elevating belt, plastic belt with dividers, belt width: 440 mm, divider height: 10 mm, distance between dividers: 480 mm, elevating height: 1300 mm, total dimensions: 3900 mm x 1000 mm x 1400 mm.	300
234	AFA	AFA steam generator, year of construction: 2008, capacity: 357 kW, volume: 900 liter, empty weight: 610 kg, total dimensions: 3300 mm x 2400 mm x 2050 mm, including isolated steel pressure vessel, dimensions: 1800 mm x 800 mm x 1150 mm and pallet with valves, dimensions: 1500 mm x 800 mm x 900 mm.	500
235	Piovan	Piovan hopper, model: T600 1x, number: otr.5634, year of construction: 2004, dimensions: 1850 mm x 1850 mm x 3250 mm.	250
236	Haacon		200



Nr	Title	Description	Start €
		Haacon mobile lifter, platform dimensions: 600 mm x 550 mm, lifting height: 1600 mm, total dimensions: 970 mm x 600 mm x 2000 mm.	
237	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, 100/240 V, 1 Ph, 50/60 Hz, 330 W, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 110 mm, total dimensions: 1600 mm x 1000 mm x 1170 mm.	250
238	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, serial number: 82987, 100/240 V, 1 Ph, 50/60 Hz, maximum belt width: 340 mm, clearance: 350 mm x 210 mm, total dimensions: 1700 mm x 1200 mm x 1560 mm. Without belt.	200
239	AEW Delford Systems Ltd	AEW Delford Systems Ltd bandsaw, model: 400 Bandsaw, serial number: 1335540, year of construction: 25/08/2010, 415 V, 3 Ph, 50 Hz, 10/6 A, weight: 250 kg, dimensions: 1070 mm x 1050 mm x 1900 mm. Without saw.	400
240	SFK Systems	SFK Systems tenderizer, model: KT 110, plastic belt, belt width: 345 mm, working width: 375 mm, total dimensions: 1450 mm x 1320 mm x 1730 mm.	400
241	Saturn Spraying Systems	Saturn Spraying Systems mobile coating machine, serial number: S3670, s/s mesh belt, belt width: 600 mm, clearance: 630 mm x 60 mm, total dimensions: 1200 mm x 1150 mm x 2280 mm.	750
242	AEW Delford Systems Ltd	AEW Delford Systems Ltd bandsaw, model: 400 M, serial number: 5088, 415 V, 3 Ph, dimensions: 1050 mm x 1050 mm x 1900 mm. Without saw.	400
243	Krones Canmatic	Krones Canmatic can labeller, fabrication number: 073-F84, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 23 A, diameter cans: 80 mm, total dimensions: 2700 mm x 2400 mm x 2400 mm. Including outfeed conveyor for cans, dimensions: 5500 mm x 1300 mm x 400 mm and various pallets with parts.	3500
244	Lieder Maschinenbau	Lieder Maschinenbau CIP unit, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 20 A, dimensions: 1900 mm x 1300 mm x 2230 mm.	150
245	Scanio a/s	Scanio a/s tumbler, type: VT5S, serial number: 8115, year of construction: 1997, 415 V, 50 Hz, 10.3 A, 7.4 kW, dimensions: 1340 mm x 2020 mm x 1520 mm. Including switch cabinet, dimensions: 940 mm x 480 mm x 1400 mm. Without drum.	300
246	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH portioning line consisting of TVI portioning machine, type: GMS 500, plastic mesh belt, belt width: 300 mm, total dimensions: 1600 mm x 1000 mm x 3100 mm, 2 TVI tray denesters, plastic mesh belts, belt width: (2x) 250 mm, total dimensions: (2x) 5000 mm x 800 mm x 2000 mm, 1 TVI tray denester, type: TDS 300, serial	1500



Nr	Title	Description	Start €
		number: 131, year of construction: 2014, 1 x 230 V, 50 Hz, 185 kg, total dimensions: 1600 mm x 900 mm x 1900 mm, double switch cabinet, total dimensions: 1000 mm x 1000 mm x 2200 mm and s/s frame for double weighing scale, total dimensions: 700 mm x 300 mm x 1000 mm. Complete portioning line is incomplete.	
247	TVI	TVI portioning machine, type: GMS 500, serial number: 200, year of construction: 2012, weight: 700 kg, 400 V, 3 Ph, dimensions: 1400 mm x 1000 mm x 2900 mm. Incomplete, technical condition unknown.	400
248	Muvero	Muvero frying pan with agitator and scrapers, diameter vessel: 1400 mm, height vessel: 500 mm, total dimensions: 2250 mm x 1600 mm x 2450 mm.	1250
249	TST	TST transport belt, plastic belt with dividers, belt width: 480 mm, divider height: 50 mm, distance between dividers: 175 mm, total dimensions: 1750 mm x 650 mm x 730 mm. Some dividers are broken.	200
250	Cintex LTD	Cintex LTD checkweigher with rejector, type: CS4000, serial number: 81642, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 3 A, plastic belts, belt width: (2x) 205 mm, (1x) 180 mm, total dimensions: 1300 mm x 900 mm x 1570 mm.	300
251	Case Packing Systems	Case Packing Systems sideloader, model: SL 105, year of construction: 2006, infeed belt, s/s frame, plastic belt, belt width: 750 mm, infeed belt, dimensions: (2x) 450 mm, outfeed belt, belt width: 950 mm, total dimensions: 4800 mm x 3000 mm x 2600 mm, 90° roller conveyor with elevating belt, s/s frame, plastic belt, belt width: 450 mm, elevating height: 960 mm, total dimensions: 3400 mm x 850 mm x 1000 mm, 2 spare transport belts and trolley with parts.	3000
252	ENE	ENE transport belt, type: Conveyor 1 01, serial number: 171123, year of construction: 11/2017, 415 V, 50 Hz, 0.18 kW, plastic belt, belt width: 610 mm, total dimensions: 1270 mm x 900 mm x 950 mm.	200
253	NN information board	Information board on s/s mobile frame, dimensions: 2050 mm x 900 mm x 1900 mm.	10
254	NN cage for tilting device	S/s cage for tilting device for pallet boxes, total dimensions: 4200 mm x 1800 mm x 2300 mm.	400
255	CFS	CFS double shaft paddle mixer-grinder, model: TMG 2200/280, number: 372/0107-01, year of construction: 2001, 230/400 V, 50 Hz, diameter plate: 280 mm, total dimensions: 2380 mm x 2500 mm x 3000 mm. Including 2 tool trolleys, dimensions: 700 mm x 650 mm x 1150 mm and 1120 mm x 800 mm x 980 mm. With bone elimination system. Incomplete.	3500
256	Linx		50



Nr	Title	Description	Start €
		Linx inkjet printer, model: 4900, serial number: BW959, year of construction: 2005, dimensions: 450 mm x 600 mm x 250 mm.	
257	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 1580 mm x 620 mm x 1080 mm.	150
258	AVC	AVC mobile shrinking tunnel, model: KT1000 gaas, serial number: 1903241211, 400 V, 3 Ph, 50 Hz, 25 A, 13 kW, weight: 300 kg, mesh belt, belt width: 470 mm, aluminium rollers, roller width: 520 mm, clearance: 460 mm x 320 mm, total dimensions: 1900 mm x 1150 mm x 1600 mm.	500
259	AVC	AVC mobile sleeve wrapper, model: BP.500, serial number: 1301711211, 230 V, 1 Ph, 50 Hz, 16 A, 1.5 kW, weight: 200 kg, aluminium rollers, roller width: 520 mm, total dimensions: 1230 mm x 950 mm x 1800 mm.	500
260	Converging Solutions	Converging Solutions inliner, plastic belts, belt width: (1x) 455 mm, (2x) 60 mm, (2x) 100 mm, total dimensions: 2080 mm x 1000 mm x 1030 mm. Missing 1 belt.	250
261	Memmert	Memmert incubator, type: SFB 400, fabrication number: 0411.2329, 230 V, 50/60 Hz, 6.1 A, 1400 W, ambient temperature: 220C, dimensions: 550 mm x 480 mm x 670 mm.	100
263	Officine NE S.p.A.	Officine NE S.p.A. bottle dryer, model: RAI 24, serial number: 78B84, year of construction: 1984, dimensions: 2550 mm x 1550 mm x 1770 mm.	500
264	Scotnet Solutions	Scotnet Solutions mobile meat press, type: SS500, serial number: 14SS500507, year of construction: 2014, clearance: Ø 180 mm x 320 mm, total dimensions: 2400 mm x 500 mm x 1150 mm.	350
265	CFS	CFS Scanbrine brine mixer, capacity: 1500 liter, total dimensions: 1500 mm x 1400 mm x 1900 mm.	1500
266	Multivac	Multivac mobile top and bottom labelling machine, type: MR 4481 / MR 335, serial number: 177321/A / 177321, 230 V, 50 Hz, plastic belts, belt width: (2x) 85 mm, total dimensions: 1520 mm x 950 mm x 2000 mm.	500
267	Marel Iceland ehf.	Marel Iceland ehf. Streamline outfeed belt, machine: StreamLine Outfeed, model: KM4113, type: 4635429, serial number: A187510, year of construction: 2019, s/s frame, plastic belt, belt width: 610 mm, total dimensions: 2450 mm x 1600 mm x 1750 mm.	250
268	NN trolley for dyes	S/s trolley for dyes, dye: (3x) 115 mm x 160 mm, dimensions: 1200 mm x 750 mm x 1270 mm.	50
269	CFS Slagelse A/S	CFS Slagelse A/S pump grinder, type: PUMP GRINDER 225, machine number: 5000067258 POS. 709, year of construction: 2009, 3 x 400 V, 50 Hz, 42.5 A, 22 kW,	1500



Nr	Title	Description	Start €
		plate diameter: 225 mm, total dimensions: 1000 mm x 1700 mm x 1850 mm.	
270	NN pump	Pump, dimensions: 1200 mm x 800 mm x 800 mm.	75
271	NN mixer	Mixer with bottom valve for unloading, s/s bowl, steel mixer, diameter bowl: 1150 mm, height bowl: 620 mm, total dimensions: 1900 mm x 1700 mm x 2280 mm.	500
272	Sogevac	Sogevac vacuum pump, type: SV 585, 200-230/460 V, 60 Hz, 1800 rpm, capacity: 580 m ³ per hour, dimensions: 1150 mm x 800 mm x 1200 mm.	200
273	Bartscher/Simix	Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, year of construction: 2008, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm. Missing motor, including parts.	400
274	Bartscher/Simix	Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, number: 21456MG22, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.	500
275	Bartscher/Simix	Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, number: 22508MN22, year of construction: 2009, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.	500
276	Bartscher/Simix	Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, number: 21460MG22, year of construction: 2008, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.	500
277	Bartscher/Simix	Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, number: 21455MG22, year of construction: 2008, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.	500
278	Eagle	Eagle x-ray scanner, clearance: 550 mm x 330 mm, total dimensions: 1950 mm x 1310 mm x 2350 mm. Without belt.	750
279	Reznor Europe N.V.	Reznor Europe N.V. gas heated air heater, type: EURO-T 20255, serial number: 981100063, dimensions: 520 mm x 900 mm x 1100 mm.	25
280	Zander	Zander air dryer, model: AS0240, serial number: 3011090001, 230 V, 1 Ph, 50 Hz, 4.2 A, 0.9 kW,	100



Nr	Title	Description	Start €
		dimensions: 620 mm x 570 mm x 810 mm. Technical condition unknown.	
281	Danfotech	Danfotech hydraulic unit on s/s frame, type: 9/120, serial number: 001, year of construction: 2013, 3x415 V, 50 Hz, 63 A, 22 kW, working pressure: 90 bar, dimensions: 1500 mm x 1140 mm x 1820 mm.	350
282	Kohlhoff	Kohlhoff boot cleaning station, type: DSLO 1500, brush length: (2x) 1110 mm, total dimensions: 2600 mm x 880 mm x 1300 mm.	1250
283	NN foam unit	S/s mobile foam unit, dimensions: 650 mm x 400 mm x 800 mm.	50
284	NN pressure vessel	Steel pressure vessel, dimensions: Ø 800 mm x 1900 mm.	100
285	Waterkracht	Waterkracht high pressure unit, model: Hydrojet, dimensions: 1160 mm x 760 mm x 900 mm.	200
286	NN tub	S/s tub, inside dimensions: 600 mm x 400 mm x 500 mm, total dimensions: 650 mm x 450 mm x 790 mm.	25
287	NN tub	S/s double tub with drain, inside dimensions: (2x) 415 mm x 300 mm x 490 mm, total dimensions: 660 mm x 465 mm x 810 mm.	25
288	Wittkamp	Wittkamp mobile elevating belt, year of construction: 09/2014, plastic belt, belt width: 300 mm, elevating height: 2100 mm, total dimensions: 5000 mm x 1000 mm x 2200 mm. Switch cabinet incomplete.	250
289	NN curve conveyor	Curve conveyor, plastic mesh belt, belt width: 305 mm, total dimensions: 5500 mm x 1150 mm x 2150 mm.	200
290	Protech Food Systems	Protech Food Systems S-shaped conveyor, serial number: ET2002, plastic mesh belt, belt width: 305 mm, total dimensions: 3800 mm x 1250 mm x 1000 mm.	200
291	DC Norris & CO	DC Norris & CO cooking vessel, serial number: 1980, year of construction: 04.04, capacity: 750 liter, dimensions: 4650 mm x 2450 mm x 1900 mm.	1250
292	Roser	Roser knife basket washing machine, type: 21737, serial number: 0101, year of construction: 2001, 415 V, 19.7 kW, dimensions: 3100 mm x 930 mm x 2160 mm.	500
293	Scotnet	Scotnet mobile automatic double ham press, model: DST 200 pb, serial number: 07-P6-31, year of construction: 2007, 230 V, 50 Hz, 6 bar, dimensions: 2400 mm x 800 mm x 1100 mm. Incomplete.	150
294	Hobart	Hobart crate washer, clearance: 600 mm x 450 mm, belt width: 55 mm, divider height: 17 mm, distance between dividers: 340 mm, total dimensions: 3100 mm x 1000 mm x 1490 mm.	1000
295	NN tumbler		500



Nr	Title	Description	Start €
		S/s cooking vessel with agitator, inside diameter: Ø 950 mm, clearance: 890 mm x 450 mm, total dimensions: 2200 mm x 1900 mm x 2400 mm.	
296	Nan Tong China Yong Tong Fan Manufacture Co. Ltd	Nan Tong China Yong Tong Fan Manufacture Co. Ltd air chiller, type: Cold Axial Fan, number: 81, year of construction: 20-12, flow rate: 8000 m³ per hour, power: 2.2 kW, dimensions: 1400 mm x 600 mm x 1020 mm, 800 mm x 800 mm x 1100 mm and 900 mm x 650 mm x 1000 mm.	150
297	Rembrandt Packaging	Rembrandt Packaging carton erector, type: RCE-1-T, serial number: 20034015, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.5 kW, infeed working width: maximum 910 mm, clearance: 425 mm x 615 mm, distance between belts: 210 mm, total dimensions: 2510 mm x 1700 mm x 1880 mm.	300
298	NN cooking vessel	S/s cooking vessel, inside dimensions: 1300 mm x 645 mm x 245 mm, total dimensions: 1800 mm x 970 mm x 1650 mm.	250
299	Ammercurve	Ammercurve 45° curve conveyor, type: R14, serial number: 02822 K, plastic belt, belt width: 390 mm, total dimensions: 1500 mm x 1500 mm x 920 mm.	100
300	NN brine tanks	2 polythene tanks used for brine, dimensions tanks: Ø 1320 mm x 1310 mm and Ø 1400 mm x 1760 mm, total dimensions: 2700 mm x 1800 mm x 2440 mm.	250
301	Coolers & condensers	Coolers & condensers s/s evaporator, model: CF 6/13-4R6mm, serial number: SOP0035179, 415 V, 3 Ph, 50 Hz, maximum temperature: 100°C, minimum temperature: -50°C, 1 fan, total dimensions: 1850 mm x 900 mm x 1350 mm.	200
302	Coolers & condensers	Coolers & condensers s/s evaporator, model: CF 8/13-6R6mm, serial number: SOP0035177-2, 415 V, 3 Ph, 50 Hz, maximum temperature: 100°C, minimum temperature: -50°C, 1 fan, total dimensions: 1850 mm x 900 mm x 1350 mm.	200
303	Koppens	Koppens mobile forming machine, type: BVE400HD-236, dimensions: 2100 mm x 1000 mm x 2320 mm. Incomplete, technical condition unknown. Including crate with parts.	1500
304	Marel Limited	Marel Limited vertical buffer, model: vertical buffer, serial number: 1970011, year of construction: 20-10-2011, 400 V, 3 Ph, 50 Hz, 6/10 A, weight: 410 Kg, belt width: 400 mm, 7 floors, dye: (24x each floor) Ø 40 mm, total dimensions: 2050 mm x 1200 mm x 1900 mm. Incomplete.	150
305	NN mobile packaging machine	Mobile packaging machine, roller width: 785 mm, total dimensions: 1390 mm x 1100 mm x 1750 mm.	150
306	Leonhardt	Leonhardt mobile dosing machine, type: TGS SERVO, serial number: 0140 1561 year of construction: 2018,	100



Nr	Title	Description	Start €
		s/s infeed hopper, dimensions hopper: Ø 560 mm x 500 mm, total dimensions: 1400 mm x 1000 mm x 1950 mm. Incomplete.	
307	Modernpack Sepamatic	Modernpack Sepamatic separator, type: SEPA 4000T, serial number: 196607, 400 V, 50 Hz, 30 A, 15 kW, diameter drum: 380 mm, perforations drum: 4 mm, total dimensions: 1900 mm x 1600 mm x 1920	1500
308	Secomac	Secomac blower on s/s isolated frame, serial number: S 44481, dimensions: 960 mm x 575 mm x 645 mm.	150
309	NN cabinet	S/s cabinet on frame, dimensions cabinet: 1200 mm x 300 mm x 800 mm, total dimensions: 1200 mm x 850 mm x 2000 mm.	150
310	Meyer Vi-Tech LTD	Meyer Vi-Tech LTD vibrating gutter, number: 350, gutter width: 250 mm, total dimensions: 2140 mm x 500 mm x 600 mm.	150
311	Meyer Vi-Tech LTD	Meyer Vi-Tech LTD vibrating gutter, number: 351, gutter width: 250 mm, total dimensions: 2730 mm x 600 mm x 600 mm.	150
312	Meyer Vi-Tech LTD	Meyer Vi-Tech LTD vibrating gutter, number: 349, gutter width: 250 mm, total dimensions: 2140 mm x 500 mm x 600 mm.	150
313	Meyer Vi-Tech LTD	Meyer Vi-Tech LTD vibrating gutter, number: 348, gutter width: 250 mm, total dimensions: 2730 mm x 600 mm x 600 mm.	150
314	NN frame	S/s frame, dimensions: 2250 mm x 330 mm x 480 mm.	50
315	NN parts for palletizing line	Parts for palletizing line, weight: maximum 1500 Kg, clearance palletizer: 1300 mm x 1000 mm, total dimensions: 1950 mm x 1330 mm x 450 mm. Including Duursma hydraulic unit.	250
316	GEI Turbo	GEI Turbo mobile 4-heads depositor, type: M102 P, machine number: M102P4707.015 and M102P4707.016, year of construction: 1997, dimensions: 1600 mm x 1100 mm x 2100 mm.	200
317	Weber	Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178A, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.	200
318	Weber	Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178C, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.	200
319	Weber	Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178B, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.	200
320	Marel Limited	Marel Limited vertical buffer, model: vertical buffer, serial number: 1970010, year of construction: 10-01-2011, 400 V, 3 Ph, 50 Hz, 6/10 A, weight: 410	150



Nr	Title	Description	Start €
		Kg, belt width: 400 mm, 7 floors, dye: (24x each floor) Ø 40 mm, total dimensions: 2050 mm x 1200 mm x 1900 mm. Incomplete.	
321	NN inliner	4 to 1 inliner, plastic belts, belt width: (4x) 80 mm, (12x) 120 mm, (2x) 75 mm, (1x) 660 mm, total dimensions: 2300 mm x 1100 mm x 1150 mm.	250
322	Lange	Lange water sampler, type: 4010, dimensions: 600 mm x 600 mm x 1300 mm.	75
323	Robatech	Robatech sleeve, plastic infeed belt, belt width: 170 mm, Robatech glue unit, type: Concept 4/2 3 phasig, total dimensions: 2800 mm x 950 mm x 1550 mm. Technical condition unknown.	200
324	NN injector	Mobile injector, plastic belt, belt width: 260 mm, clearance: 270 mm x 180 mm, 8 needles, total dimensions: 1300 mm x 530 mm x 1670 mm.	250
325	Ravenwood Packaging LTD	Ravenwood Packaging LTD linerless label applicator with ZodiacHS inkjet printer, serial number: 0803/2015, 220/240 V, 1 Ph, 50/60 Hz, 11 A, total dimensions: 1300 mm x 800 mm x 1600 mm. Missing belts.	250
326	Ravenwood Packaging LTD	Ravenwood Packaging LTD linerless label applicator with ZodiacHS inkjet printer, serial number: 0801/2015, 220/240 V, 1 Ph, 50/60 Hz, 11 A, total dimensions: 1300 mm x 800 mm x 1600 mm. Missing belts.	250
327	Ravenwood Packaging LTD	Ravenwood Packaging LTD lineless label applicator with ZodiacHS inkjet printer, serial number: 0770/2014, 220/240 V, 1 Ph, 50/60 Hz, 11 A, plastic belt, belt width: (2x) 100 mm, total dimensions: 1200 mm x 1050 mm x 1550 mm. Incomplete.	250
328	Ravenwood Packaging LTD	Ravenwood Packaging LTD linerless label applicator with ZodiacHS inkjet printer, serial number: 0746/2014, 220/240 V, 1 Ph, 50/60 Hz, 11 A, plastic belt, belt width: (2x) 100 mm, total dimensions: 1300 mm x 1150 mm x 1550 mm.	250
329	NN press	S/s press, working width: 900 mm, total dimensions: 1250 mm x 900 mm x 1900 mm.	150
330	Cryovac	Cryovac transport belt, model: TZ-35, serial number: AQ939, year of construction: 2015, 220 V, 50 Hz, 2.2 A, 0.37 kW, plastic mesh belt, belt width: 440 mm, total dimensions: 2250 mm x 650 mm x 1100 mm.	150
331	New Smith	New Smith basket stacker, number: KM2941, 400 V, 3 Ph, 50 Hz, 25 A, capacity: 140 kg, elevating height: 2520 mm, clearance: 800 mm x 470 mm, inside dimensions: 600 mm x 700 mm x 455 mm, total dimensions: 1260 mm x 1000 mm x 3000 mm.	400
332	Strapex		100



Nr	Title	Description	Start €
		Strapex binding machine, type: MINIMAT, machine number: 9401184, 230 V, 1 Ph, 50 Hz, 3.3 A, dimensions: 900 mm x 590 mm x 800 mm.	
333	Marel	Marel meat press, type: Presso-Automat V4.2, number: 123107, diameter form: 170 mm, plastic belt, belt width: 600 mm, total dimensions: 3050 mm x 2400 mm x 1800 mm.	500
334	Carnitech	Carnitech elevating belt, type: PM45, year of construction: 2005, 4.12 A, plastic mesh belt, belt width: 570 mm, elevating height: 1050 mm, total dimensions: 1000 mm x 900 mm x 1100 mm.	100
335	PBI Dansensor	4 PBI Dansensor gas mixing stations, model: MAP Mix 8000-3/400, serial number: 68110606, 68110607, 68110608 and 68110518, year of construction: 2011, 100/115/230 V, 50/60 Hz, dimensions: (4x) 470 mm x 360 mm x 180 mm.	50
336	NN forming machine	Mobile s/s forming machine for skinless sausage, dimensions: 1000 mm x 450 mm x 1350 mm.	150
337	NN trolley	Mobile s/s trolley, dimensions: 750 mm x 500 mm x 600 mm.	25
338	Marel	Marel meat press, type: Presso 600, serial number: 082600-00001, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, weight: 800 kg, diameter form: ø 170 mm, plastic belt, belt width: 600 mm, total dimensions: 3050 mm x 2400 mm x 1800 mm.	500
339	NN traysealer dyes	Trolley with dyes for traysealer, dyes dimensions: 145 mm x 205 mm & 280 mm x 175 mm, total dimensions: 2050 mm x 600 mm x 1500 mm.	50
340	NN de-boning belt	Mobile de-boning conveyor, plastic belt, belt width: 80 mm, divider height: 15 mm, total dimensions: 1900 mm x 800 mm x 1800 mm.	75
341	Lachnit	Lachnit lifter for 200 litres meat bins, type: 300, serial number: 1282, year of construction: 1999, 400 V, 50 Hz, 1.1 kW, loading capacity: 300 kg, elevating height: 3300 mm, total dimensions: 4000 mm x 650 mm x 1300 mm.	250
342	NN infeed system	Infeed system, s/s frame, plastic mesh belt with dividers, belt width: (2x) 700 mm, divider height: 15 mm, distance between dividers: 200, elevating height: 1340 mm, total dimensions: 1650 mm x 1630 mm x 1740 mm.	250
343	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/ 07DK, machine number: 0784452, 380 V, 3 Ph, 50 Hz, 25 A, 9 kW, with Rietschle vacuum pump, total dimensions: 1200 mm x 850 mm x 1100 mm.	200
344	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 490 mm, elevating height: 1620 mm, total dimensions: 5600 mm x 600 mm x 1700 mm.	400



Nr	Title	Description	Start €
345	Nawi b.v.	Nawi b.v. transport belt ,type: 03437, plastic belt, belt width: 465 mm, plastic rollers, rollers width: 530 mm and 440 mm, total dimensions: 7000 mm x 1450 mm x 1940 mm.	500
346	NN transport belt	Transport belt, plastic belt, belt width: 480 mm, plastic rollers, rollers width: 440 mm, total dimensions: 7850 mm x 1550 mm x 1910 mm.	500
347	Sugden Ltd	Sugden Ltd top grill, serial number: 7578, year of construction: 2016, grill surface: 420 mm x 260 mm, total dimensions: 1500 mm x 900 mm x 1850 mm. Including switch cabinet.	1500
348	De Jager BV	De Jager BV s/s vibrating gutter, dimensions: 2250 mm x 780 mm x 1220 mm.	350
349	NN cabinet	S/s cabinet on frame, dimensions cabinet: 1200 mm x 300 mm x 800 mm and 450 mm x 560 mm x 670 mm, total dimensions: 1350 mm x 950 mm x 2000 mm.	150
350	De Jager BV	De Jager BV s/s vibrating gutter, dimensions: 2080 mm x 880 mm x 1380 mm.	350
351	Berief GmbH	Berief GmbH lifter for 200 liter meat bins with platform, type: 08060.01.01, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 0.75 kW, lifting height: 1700 mm, total dimensions: 3200 mm x 1400 mm x 2620 mm.	1000
352	Stephanal	Stephanal mobile depositor, type: D 90, serial number: R18998, year of construction: 2007, dimensions: 850 mm x 650 mm x 2050 mm. Incomplete.	50
353	Robbe	Robbe weighing scale, number: 15282, maximum: 60 kg, minimum: 400 gram, dimensions scale: 500 mm x 500 mm, total dimensions: 1000 mm x 850 mm x 1930 mm.	100
354	Schröter GmbH	Schröter GmbH cooking chamber, type: K-BA 1 Wg, number: 247-0999/01, year of construction: 11-1999, inside dimensions: 1100 mm x 1100 mm x 2250 mm, total dimensions: 1620 mm x 1520 mm x 3200 mm. Including 2 switch cabinets, dimensions: (2x) 1000 mm x 750 mm x 350 mm.	500
355	SFK Systems A/S	SFK Systems A/S mobile tenderizer, type: KT 110, serial number: 053, year of construction: 2007, 415 V, 3 Ph, 50 Hz, 3.3 A, 1.5 kW, plastic belt, belt width: 350 mm, total dimensions: 1450 mm x 1050 mm x 1330 mm. Incomplete.	150
356	Omori	Omori flowpacker, model: STC-V, serial number: EJ359-96.10, year of construction: 1996, 415 V, 3 Ph, 20 A, weight: 570 kg, plastic infeed belt, belt width: 170 mm, seal length: 230 mm, plastic outfeed belt, belt width: 285 mm, total dimensions: 3500 mm x 850 mm x 2000 mm.	400



Nr	Title	Description	Start €
357	Tuchenhagen	Tuchenhagen crate washing machine, type: KT 120L, number: 550, clearance: 610 mm x 450 mm, total dimensions: 16400 mm x 1600 mm x 2300 mm.	1250
358	Rademaker	Rademaker transport belt, s/s frame, plastic belt, belt width: 740 mm, total dimensions: 4750 mm x 1150 mm x 1405 mm.	350
359	TVI	TVI weighing and controlling unit with rejectors, type: GMI 500 Multitray, year of construction: 2012, 400 V, 50 Hz, 16 A, plastic mesh belt, belt width: (3x) 250 mm, total dimensions: 3600 mm x 1400 mm x 1600 mm. Incomplete.	200
360	Cryovac	Cryovac belt vacuum machine, type: VS 85, plastic belt, belt width: 530 mm, total dimensions: 2700 mm x 1120 mm x 2000 mm. Without vacuum pump.	750
361	Danfotech	Danfotech vacuum tumbler, type: MA3000SDC, serial number: 845, year of construction: 2000, 415 V, 3 Ph, 50 Hz, 2.2/7.5/1.5 kW, capacity: 3000 liter, total dimensions: 3750 mm x 2250 mm x 2500 mm. Without vacuum pump.	2000
362	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 510 mm, total dimensions: 3500 mm x 840 mm x 1860 mm.	100
363	Tromp Engineering	Tromp Engineering wet coating machine, type: PR 519 / PR 529, s/s mesh belt, belt width: 600 mm, total dimensions: 1060 mm x 2420 mm x 1800 mm.	500
364	NN 90° curve conveyors	3 pallets with 4 90° curve conveyors, plastic rollers, roller width: 500 mm, total dimensions: (3x) 1200 mm x 800 mm x 600 mm.	100
365	Glass GmbH & Co. KG	Glass GmbH & Co. KG tiltable vacuum mixer, type: VSM/F 1000, machine number: 2634, year of construction: 2009, 400 V, 50 Hz, 4.82 kW, volume: 1000 liter, dimensions: 1600 mm x 2800 mm x 2300 mm. Incomplete. Without vacuum pump.	3500
366	Inotec GmbH	Inotec GmbH double shaft paddle mixer, machine type: IM-2500V, machine number: 301-00488, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 58 A, 28 kW, 34 kVA, 6 bar, 200 l/min, dimensions: 4200 mm x 2300 mm x 2200 mm.	12500
367	Glass GmbH & Co. KG	Glass GmbH & Co. KG tiltable vacuum mixer, type: VSM/F 800, machine number: 3171, year of construction: 2009, 400 V, 50 Hz, 4.82 kW, volume: 800 liter, dimensions: 1600 mm x 2800 mm x 2300 mm. Incomplete. Without vacuum pump.	3500
368	NN roller conveyors	Pallet with 4 roller conveyors, plastic rollers, roller width: (1x) 1200 mm x 630 mm x 100 mm, (1x) 1700 mm x 630 mm x 100 mm, (1x) 1900 mm x 630 mm x 100 mm, (1x) 2450 mm x 530 mm x 100 mm.	200
369	NN transport belt		200



Nr	Title	Description	Start €
		Transport belt, plastic belt, belt width: 380 mm, total dimensions: 2950 mm x 850 mm x 500 mm.	
370	NN roller conveyer	Roller conveyor, plastic rollers, roller width: 435 mm, total dimensions: 2500 mm x 500 mm x 100 mm.	100
371	Proseal	Proseal double transport belt, s/s frame, plastic mesh belt, belt width: (2x) 230 mm, belt length: 2450 mm / 1550 mm, total dimensions: 2500 mm x 1200 mm x 1070 mm.	150
372	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile mesh belt, type: TG 3900 / 600, number: 307, 380 V, 3 Ph, 50 Hz, 0.75 A, 0.18 kW, weight: 175 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 4200 mm x 850 mm x 1150 mm.	500
373	NN transport belt	Mobile transport belt, plastic belt, belt width: 325 mm, total dimensions: 2300 mm x 700 mm x 2000 mm.	300
374	NN frame	S/s frame, dimensions: 2300 mm x 600 mm x 1750 mm.	75
375	Evolabel	Evolabel mobile labelling unit, dimensions: 1050 mm x 950 mm x 1200 mm.	75
376	Tap Machinebouw	Tap Machinebouw mobile depositor, dimensions: 1500 mm x 900 mm x 1500 mm. Incomplete.	150
377	Case Packing Systems	Case Packing Systems driven roller conveyor, s/s rollers, roller width: 440 mm, total dimensions: 600 mm x 700 mm x 900 mm.	75
378	R. Dunnink Metaal en handel	R. Dunnink Metaal en handel walz machine, model: 201201, year of construction: 2017, 230 V, 1.2 kW, 4 bar, roller width: 265 mm, belt width: 400 mm and 385 mm, working width: 140 mm, total dimensions: 1730 mm x 1610 mm x 1290 mm, including elevating belt, aluminium frame, plastic belt, belt width: 455 mm, distance between dividers: 430 mm, divider height: 55 mm, elevating height: 900 mm, total dimensions: 3000 mm x 820 mm x 1710 mm.	300
379	NN frame	S/s frame, dimensions: 1050 mm x 250 mm x 1220 mm.	25
380	NN apron washer	S/s apron washer, total dimensions: 1970 mm x 655 mm x 1460 mm.	100
381	Cat pumps	Cat pumps high pressure plunger pump system, s/s frame, model: 56 / 56.B01, total dimensions: 1700 mm x 800 mm x 1810 mm.	500
382	Modernpack Sepamatic	Modernpack Sepamatic separator, type: SEPA 2000T, serial number: 196313, 400 V, 50 Hz, 22 A, 11 kW, diameter drum: 300 mm, total dimensions: 1560 mm x 1600 mm x 2250 mm.	1750
383	AEW Thurne	AEW Thurne bandsaw, model: 400 RH, serial number: 1344699, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 6 A, dimensions table: 1050 mm x 880 mm, total	150



Nr	Title	Description	Start €
		dimensions: 1050 mm x 1020 mm x 1880 mm. Without saw.	
384	Sameto Technifil	Sameto Technifil lifter for pallet boxes, type: E B, number: 520 257 001, year of construction: 05 - 2002, 400 V, 50 Hz, elevating height: 2200 mm, total dimensions: 3500 mm x 3200 mm x 2750 mm.	1250
385	Sidel	Sidel infeed bunker with elevating belt, type: Distributeur de Preformes A3 Elevateur, year of construction: 2001, 400 V, 50/60 Hz, 1.25 kW, 5 A, 345 kg, inside dimensions hopper: 2600 mm x 2000 mm x 1300 mm, elevating belt width divider, plastic belt, belt width: 400 mm, distance between dividers: 200 mm, divider height: 40 mm, elevating height: 4250 mm, total dimensions: 3900 mm x 3400 mm x 4950 mm.	1000
386	Sidel	Sidel sorting conveyor, type: Distributeur De Preformes A3 Chassis + Coffret, machine number: DBGM 5279, year of construction: 2001, 400 V, 50/60 Hz, 5 A, 1.25 kW, 200 kg, infeed height: 3800 mm, outfeed height: 2800 mm, total dimensions: 4350 mm x 1800 mm x 3800 mm. Including 2 steel protection frames.	1000
387	Berief	Berief Teflon belt grill, belt width: 650 mm, total dimensions: 6750 mm x 1700 mm x 2300 mm, switch cabinet, dimensions: 1200 mm x 950 mm x 320 mm. Missing Teflon belt.	3000
388	NN bandsaw	Bandsaw, plastic belt, belt width: 310 mm, total dimensions: 1000 mm x 690 mm x 1680 mm. Incomplete. Without saw.	200
389	NN bandsaw	Bandsaw, number: 11663, dimensions: 1550 mm x 1000 mm x 1560 mm.	150
390	Marel	Marel bandsaw, model: 350 bandsaw, serial number: 1392184, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 10 A, plastic belt with dividers, belt width: 310 mm, total dimensions: 1550 mm x 1000 mm x 1670 mm. Incomplete.	250
391	AEW	AEW bandsaw, plastic belt, belt width: 380 mm, total dimensions: 1860 mm x 1190 mm x 1750 mm. Incomplete. Without saw.	250
392	Machine Alimentari	Machine Alimentari bandsaw, dimensions table: 1000 mm x 625 mm, total dimensions: 1000 mm x 900 mm x 1450 mm. Without saw.	300
393	Bras	Bras bandsaw, dimensions saw table: 1040 mm x 850 mm, total dimensions: 1050 mm x 1050 mm x 1450 mm. Without saw.	300
394	NN elevating belt	Mobile elevating belt, s/s frame, belt width: 245 mm, working width: 190 mm, elevating height: 400 mm, total dimensions: 2050 mm x 730 mm x 975 mm.	250



Nr	Title	Description	Start €
395	SF engineering	SF engineering mobile transport belt, s/s frame, plastic mesh belt, serial number: 432513-590, year of construction: 23-07-2013, belt width: (2x) 600 mm, total dimensions: 1620 mm x 1120 mm x 1030 mm. Incomplete.	300
396	The Hillard Corporation	The Hillard Corporation star plate and frame filter press, type: Star Filter, model: 18A/HCSPSSCE, year of construction: 05/03, diameter perforations: 3 mm, diameter filters: 457 mm, filtering area: 4.39 m ² , sludge capacity: 61.2 liter, total dimensions: 2750 mm x 960 mm x 1970 mm.	600
397	Handtmann	Handtmann mobile hanging line, type: 220-16, number: 991, year of construction: 2001, dimensions: 2580 mm x 580 mm x 1460 mm.	250
398	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 3350 mm x 1100 mm x 2400 mm.	300
399	NN autoclave trolleys	13 autoclave trolleys, dimensions: (13x) 1050 mm x 900 mm x 1465 mm.	650
400	NN autoclave trolleys	13 autoclave trolleys, dimensions: (13x) 1050 mm x 900 mm x 1290 mm.	650
401	NN autoclave trolleys	4 autoclave trolleys, plate dimensions: 915 mm x 915 mm x 20 mm, total dimensions: (4x) 1000 mm x 1060 mm x 1300 mm.	200
402	Vesa	Vesa lifting system consisting of: 2 lifters, dimensions: 1300 mm x 900 mm x 2800 mm, 1 attachment, dimensions: 1050 mm x 900 mm x 1900 mm, 2 s/s beams, dimensions: 500 mm x 500 mm x 2200 mm, total dimensions pallet: 3000 mm x 2300 mm x 400 mm.	200
403	NN protection frames	8 steel protection frames, various lengths.	25
404	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 485 mm, total dimensions: 5080 mm x 820 mm x 1500 mm.	150
405	NN transport belt	Transport belt, plastic belt, belt width: 190 mm, total dimensions: 5350 mm x 550 mm x 1050 mm.	50
406	Scanvaegt	Scanvaegt weighing and sorting line, checkweigher, belt width: 270 mm, total dimensions: 1100 mm x 800 mm x 1580 mm, sorting belt, belt width: 200 mm, total dimensions: 5450 mm x 800 mm x 1600 mm.	400
407	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 2650 mm x 700 mm x 300 mm.	300
408	NN platform	S/s platform, dimensions: (3x) 500 mm x 500 mm x 150 mm.	45
409	NN frame	S/s frame, dimensions: 450 mm x 290 mm x 150 mm.	5
410	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 450 mm x 960 mm.	10



Nr	Title	Description	Start €
411	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 500 mm x 500 mm x 800 mm.	20
412	NN waste bag holder	S/s waste bag holder, dimensions: 550 mm x 500 mm x 800 mm.	10
413	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 450 mm x 960 mm.	10
414	NN platforms	2 s/s platforms, dimensions: (2x) 620 mm x 300 mm x 300 mm.	30
415	NN waste bag holder	S/s waste bag holder, dimensions: 550 mm x 500 mm x 800 mm.	10
416	NN frame	S/s frame, dimensions: 660 mm x 410 mm x 840 mm	25
417	NN frame	S/s perforated frame, perforations: Ø 3 mm, total dimensions: 510 mm x 320 mm x 200 mm.	25
418	NN frames	3 s/s perforated frames, perforations: Ø 5 mm, total dimensions: (3x) 700 mm x 500 mm x 620 mm.	75
419	NN platform	S/s platform, dimensions: 500 mm x 300 mm x 260 mm.	15
420	NN platform	S/s platform, dimensions: 500 mm x 500 mm x 110 mm.	15
421	NN frames	2 s/s frames, dimensions: (1x) 720 mm x 320 mm x 130 mm, (1x) 720 mm x 420 mm x 80 mm.	10
422	NN platform	S/s platform, dimensions: 500 mm x 500 mm x 400 mm.	15
423	NN frame	S/s frame, dimensions: 400 mm x 400 mm x 1570 mm.	5
424	NN frames	2 s/s frames, dimensions: (2x) 600 mm x 600 mm x 1650 mm.	10
425	NN frames	2 s/s frames, dimensions: (2x) 600 mm x 450 mm x 1320 mm.	10
426	Multivac	Multivac labelling machine with 2 top and 1 bottom labeller, type: MR336, machine number: 183111, year of construction: 2014, 230 V, 50/60 Hz, plastic belts, belt width: (2x) 85 mm, total dimensions: 2080 mm x 1280 mm x 2060 mm. Missing inkjet printer.	850
427	Weber	Weber mobile transport belt, maximum belt width: 440 mm, total dimensions: 2900 mm x 1250 mm x 1500 mm. Incomplete.	200
428	Syspal	Syspal tilting device for pallet boxes, type: HT300 1026, serial number: K4158, year of construction: 2013, capacity: 700 kg, dimensions: 2620 mm x 2400 mm x 2250 mm.	1250
429	Marco	Marco checkweigher and grader, model: D136151, serial number: 10217879, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm.	1000
430	Marco	Marco checkweigher and grader, model: D135812, serial number: 10217878, year of construction: 2021,	1000



Nr	Title	Description	Start €
		400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm.	
431	Marco	Marco checkweigher and grader, model: D136151, serial number: 10217880, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm. Incomplete.	750
432	Marco	Marco checkweigher and grader, model: D135812, serial number: 10217877, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm. Incomplete.	750
433	NN mesh belt	Mobile s/s mesh belt, belt width: 400 mm, total dimensions: 7050 mm x 980 mm x 1060 mm.	300
434	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 390 mm, infeed clearance: 560 mm x 560 mm, elevating height: 1100 mm, total dimensions: 3000 mm x 750 mm x 1400 mm.	250
435	Rinc Europe	Rinc Europe wet coating machine, s/s mesh belt, belt width: 650 mm, total dimensions: 2300 mm x 1500 mm x 1800 mm.	1500
436	NN roller conveyor	Mobile roller conveyor, s/s rollers, roller width: 530 mm, total dimensions: 2025 mm x 700 mm x 915 mm.	50
437	Rembrandt	Rembrandt mobile case erector, type: RCE-1-T-P, machine number: 20024294, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.5 kW, dimensions: 3320 mm x 2400 mm x 2100 mm.	950
438	Meurer	Meurer cartoner machine, type: CM/TPB 25, machine number: 27354362/07, year of construction: 12/2007, 415/240 V, 1 Ph, 9 kW, working width: 290 mm, total dimensions: 3600 mm x 2080 mm x 2080 mm.	750
439	Thermo Allen Coding Limited	Thermo Allen Coding Limited mobile packaging machine with date printer, model number: 4ACC, serial number: 030491, 240/110 V, 1 Ph, 50/60 Hz, dimensions: 1330 mm x 670 mm x 1470 mm.	100
440	Stephanal	Stephanal mobile depositor, type: D 92, number: R-16083, dimensions: 1000 mm x 600 mm x 1400 mm. Incomplete.	50
441	Protech	Protech 90° curve conveyor, type: 17787, serial number: 17781-0200-A, year of construction: 23-09-2011, 1.0 kW, weight: 310 kg, plastic mesh belt, belt width: 315 mm, total dimensions: 1200 mm x 2150 mm x 1300 mm.	300
442	Treif	Treif dicer, model: Phoenix 120-CE SP V, number: 3050S7.130295.101489, year of construction: 2006,	750



Nr	Title	Description	Start €
		400 V, 3 Ph, 50 Hz, 25 A, 9 kW, weight: 2150 KG, dimensions chamber: 120 mm x 120 mm, plastic belt, belt width: 270 mm, total dimensions: 3050 mm x 1500 mm x 2200 mm. Incomplete.	
443	Jenton Dimaco	Jenton Dimaco label verification machine, model: VeriPACK, number: 102460-T601-A001, serial number: 1783-N01, year of construction: 2020, 230 V, 50 Hz, 5 A, plastic belt, belt width: 245 mm and (2x) 115 mm, total dimensions: 1660 mm x 900 mm x 1580 mm.	750
444	EPHI	EPHI smart formation conveyor, model: SFC, serial number: SFC-002, year of construction: 2017, 0.3 kW, 6 bar, roller width: 255 mm, total dimensions: 1200 mm x 950 mm x 730 mm.	100
445	NN case packer	Case packer, plastic belts, belt widths: (4x) 35 mm and (1x) 350 mm, total dimensions: 2600 mm x 1100 mm x 1750 mm.	200
446	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD automatic weigh/wrap/label system, model: AW-600, serial number: 09166180, 220-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e= 1/2 gram, dimensions: 1460 mm x 1250 mm x 1480 mm.	500
447	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD automatic weigh/wrap/label system, model: AW-4600e, serial number: 10166611, year of construction: 2010, 220-240 V, 1 Ph, 50 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=2.999 kg, plastic belts, belt width: 400 mm and 150 mm, total dimensions: 1350 mm x 1250 mm x 1500 mm.	500
448	AER	(3x) AER transport belt and roller conveyor, plastic mesh belts, belt width: 500 mm, plastic rollers, roller width: 500 mm, total dimensions: 3150 mm x 800 mm x 1500 mm. Including pallet with s/s legs, dimensions: 1200 mm x 1000 mm x 500 mm.	500
449	Rademaker	Rademaker mobile transport belt, s/s frame, plastic belt, type: VRIEZERINVOERBAAN, serial number: 6655-702, year of construction; 2004, weight: 350 KG, belt width: 670 mm, total dimensions: 1750 mm x 1080 mm x 1890 mm.	200
450	Feltracon	Feltracon box filling machine, serial number: 3279-72K1, year of construction: 2006, clearance funnel: 525 mm x 735 mm, lane width: 250 mm, total dimensions: 2780 mmx 1110 mm x 1580 mm. Including switch cabinet, dimensions: 1170 mm x 940 mm x 2005 mm.	250
451	Protech	Protech transport belt, plastic mesh belt, belt width: 500 mm, total dimensions: 3100 mm x 950 mm x 1600 mm.	400
452	Proseal		250



Nr	Title	Description	Start €
		Proseal transport belt, serial number: SN-M-06308, year of construction: 2021, 415 V, 3 Ph, 50 Hz, plastic belt, belt width: 200 mm/125 mm, total dimensions: 1085 mm x 700 mm x 1350 mm	
453	Hellings	Hellings transport belt, s/s frame, plastic belt, belt width: 395 mm, total dimensions: 3000 mm x 700 mm x 845 mm.	100
454	NN pump	Pump, dimensions: 150 mm x 150 mm x 600 mm.	25
455	Kathagen	Kathagen floor scrubbing machine, dimensions: 550 mm x 400 mm x 1160 mm. Incomplete.	50
456	Kersting	Kersting transport belt, type: Förderband, serial number: 19525, year of construction: 07-2009, 400 V, 0.37 kW, s/s frame, plastic roller belt, belt width: 190 mm, total dimensions: 1800 mm x 700 mm x 900 mm.	150
457	NN film unwinding device	Film unwinding device with film roll, film width: 385 mm, total dimensions: 900 mm x 380 mm x 350 mm.	100
458	NN transport belt	Transport belt, s/s frame, plastic roller belt, belt width: 110 mm, total dimensions: 1300 mm x 500 mm x 1000 mm.	150
459	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 115 mm, total dimensions: 1800 mm x 500 mm x 800 mm.	150
460	NN transport belt	Transport belt, s/s frame, plastic belt with rollers, belt width: 110 mm, total dimensions: 1970 mm x 380 mm x 930 mm.	150
461	NN transport belt	Transport belt, s/s frame, plastic belt with rollers, belt width: 110 mm, total dimensions: 1820 mm x 480 mm x 930 mm.	150
462	NN transport belt	Transport belt, s/s frame, plastic belt with rollers, belt width: 110 mm, total dimensions: 1970 mm x 380 mm x 930 mm.	150
463	Ishida	Ishida transport belt, number: 14575 105, year of construction: 09/14, plastic belt, belt width: 300 mm, total dimensions: 1900 mm x 750 mm x 1430 mm.	150
464	Siat	Siat box closing machine, model: SM35-S, serial number: 50224, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2.6 A, 260 W, dimensions: 1240 mm x 920 mm x 1600 mm.	150
465	Siat	Siat mobile box closing machine, model: SM35/4, serial number: 41569, year of construction: 2003, 240 V, 1 Ph, 50 Hz, 2.6 A, 260 W, dimensions: 1240 mm x 920 mm x 1600 mm. Incomplete.	100
466	NN box closing machine	Box closing machine, model: EXC-103SDS, serial number: C811S976, 220 V, 50 Hz, plastic rollers, roller width: 680 mm and 250 mm, total dimensions: 1100 mm x 1100 mm x 1150 mm. Incomplete.	100
467	Jansen Techniek	Jansen Techniek transport belt, type: verdeelbaan, year of construction: 2022, plastic mesh belt, belt	400



Nr	Title	Description	Start €
		width: 655 mm, total dimensions: 2200 mm x 1100 mm x 1170 mm.	
468	NN box closing machine	Mobile box closing machine, roller width: 500 mm, total dimensions: 1770 mm x 770 mm x 1600 mm. Incomplete.	50
469	Supertape Systems	Supertape Systems box closing machine with 2 top tapers, type: H-7.2, machine number: 95-700713, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 0.85 A, dimensions: 950 mm x 870 mm x 1150 mm.	250
470	Siat	Siat box closing machine, model: SM35/4-S, serial number: 50291, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2.6 A, 260 W, dimensions: 1240 mm x 920 mm x 1600 mm. Incomplete.	100
471	Siat	Siat box closing machine, model: S8-S, serial number: S8S0000000001554275, year of construction: 2016, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, dimensions: 1000 mm x 900 mm x 1600 mm. Incomplete.	100
472	Herkules Hebetchnik	Herkules Hebetchnik mobile press, type: Herkules-Lift D0S-03, fabrication number: 106, year of construction: 1989, dimensions: 800 mm x 750 mm x 2200 mm.	100
473	NN infeed slides	Mobile frame with 2 pneumatic infeed slides, dimensions: 600 mm x 820 mm x 1100 mm.	75
474	Machinefabriek Geurtsen Deventer B.V.	Machinefabriek Geurtsen Deventer B.V. cutting machine, type: 2012620, serial number: 001, dimensions: 700 mm x 650 mm x 1250 mm.	50
475	VP Vacuum Pump SpA	VP Vacuum Pump SpA mobile dye set for traysealer, model: STGV801, serial number: 123230209, dye: 300 mm x 160 mm, total dimensions: 1250 mm x 530 mm x 1300 mm.	75
476	NN dye cleaner	Trolley with cleaner for dyes, dimensions: 700 mm x 500 mm x 1100 mm.	50
477	Townsend	Townsend 3-way valve, type: 3weg-klep, serial number: F15e291, year of construction: 2006, dimensions: 1250 mm x 600 mm x 1200 mm.	50
478	NN trolley with dye	S/s trolley with dye, dimensions dye: (4x) 245 mm x 128 mm.	25
479	NN trolley with dye	S/s trolley with dye, dimensions dye: (16x) 65 mm x 118 mm.	25
480	Packtech b.v	Packtech b.v. case packer, type: Doosopzetter, machine number: 97055/3, year of construction: 1998, 380 V, 3 Ph, 1 kW, maximum working width: 450 mm, total dimensions: 1900 mm x 2600 mm x 1920 mm.	150
481	NN frame	S/s frame, dimensions: 440 mm x 680 mm x 950 mm.	5
482	NN forms	S/s trolley with forms for GEA MultiFormer400 forming machine, diameter: (2x) 75 mm and (1x) 70 mm, total dimensions: 700 mm x 520 mm x 880 mm.	250



Nr	Title	Description	Start €
483	NN tool trolley	S/s tool trolley, dimensions: 670 mm x 480 mm x 800 mm.	75
484	HM	HM mobile weighing scale, type: ISCI-R, serial number: ISCI1009, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, dimensions: 600 mm x 450 mm x 1300 mm.	20
485	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer, number: MI2500-151 01, year of construction: 2005, 230 V, 50 Hz, 0.5 A, dimensions: 300 mm x 330 mm x 660 mm.	25
486	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on s/s frame, number: MI2500-015119, year of construction: 2011, 230 V, 0.5 A, dimensions: 2260 mm x 950 mm x 1430 mm. Missing display.	25
487	Videojet	Videojet inkjet printer on mobile s/s frame, model: Excel/170i, serial number: 033160027WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, capacity: 3.4 m ³ hour, dimensions: 900 mm x 750 mm x 2150 mm.	25
488	NN infeed slides	Mobile frame with 2 pneumatic infeed slides, dimensions: 600 mm x 820 mm x 1100 mm.	75
489	NN trolley	S/s trolley for traysealer dyes, dimensions: 760 mm x 580 mm x 1300 mm.	50
490	Stork	2 Stork roller conveyors, plastic rollers, rollers width: 445 mm and 435 mm, total dimensions: 900 mm x 650 mm x 350 mm and 1100 mm x 530 mm x 330 mm.	25
491	NN covers	Pallet with s/s covers for Townsend machine, dimensions: 1200 mm x 800 mm x 500mm.	75
492	Williams Refrigeration	Williams Refrigeration refrigerator, model: CBC1, serial number: 9802171019, 220/240 V, 1 Ph, 50 Hz, 6 A, refrigerant: R404A, 1600 g, 3 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 700 mm x 700 mm x 800 mm.	25
493	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 480 mm, total dimensions: 1360 mm x 920 mm x 740 mm.	50
494	Convotherm	Convotherm oven, type: AR 28, number: 24 0353077, 380 V, 14.5 A, 9.1 kW, 7 floors, dimensions each floor: 530 mm x 430 mm, total dimensions: 640 mm x 590 mm x 660 mm.	50
495	Fagor	Fagor roasting pan, type: SB-G910, serial number: 8100971848, year of construction: 07/2017, 230 V, 1 Ph, 50 Hz, 2 A, 18 kW, inside dimensions: 700 mm x 600 mm x 200 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	250
496	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-013072, year of construction: 2009, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.	25



Nr	Title	Description	Start €
497	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-013076, year of construction: 2009, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.	25
498	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-011697, year of construction: 2008, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.	25
499	Proseal	Proseal control system on s/s frame, serial number: 1684, 240 V, 50 Hz, dimensions: 1900 mm x 430 mm x 1400 mm.	50
500	Endress+Hauser	Plastic crate with Endress+Hauser capacitance point level detection, model: Minicap FTC260, dimensions: 600 mm x 400 mm x 240 mm.	100
501	Steen	Steen mobile skinning machine, type: ST600/K, serial number: 247100393A, 380 V, 50 Hz, 1200 W, 3.2 A, plastic belt, belt width: 430 mm, total dimensions: 2750 mm x 650 mm x 1600 mm. Incomplete.	400
502	Empteezy	Empteezy post, model: HST 01, serial number: 70557, year of construction: 01-08-2018, dimensions: 110 mm x 900 mm x 2320 mm.	25
503	Videojet	Videojet inkjet printer on mobile s/s frame, model: 1520, serial number: 1318361C22ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 830 mm x 800 mm x 1500 mm. Incomplete.	10
504	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-011785, year of construction: 2008, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.	25
505	BDL	BDL mobile elevating belt, type: 110, serial number: 114b1874, 0.225 kW, plastic belt, belt width: 365 mm, elevating height: 1250 mm, total dimensions: 2850 mm x 670 mm x 1500 mm.	200
506	Loma Systems	Mobile Loma Systems metal detector with elevating belt, type: IQ4, serial number: Q4W35-20-41471D, year of construction: 09-01-2018, 110-240 V, 50/60 Hz, s/s frame, plastic belt, belt width: 320 mm, clearance: 305 mm x 170 mm, elevating height: 1000 mm, total dimensions: 2800 mm x 780 mm x 2060 mm.	750
507	Carsoe	Carsoe transport belt, Tradband transportor, serial number: SO-12056, year of construction: 2016, 400 V, 3 Ph, 0.37 kW, s/s mesh belt, belt width: 610 mm, total dimensions: 2050 mm x 1030 mm x 1200 mm.	750
508	NN rack	S/s rack, dimensions: 1400 mm x 250 mm x 750 mm.	50
509	Herbert Industrial Ltd.	Herbert Industrial Ltd. checkweigher, model: Gemini, serial number: HS 85531, year of construction: 2005,	200



Nr	Title	Description	Start €
		230 V, 1 Ph, 50 Hz, 1.3/0.4 A, capacity: 150 packages/minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1330 mm x 820 mm x 1730 mm.	
510	Herbert Industrial Ltd.	Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS108029, maximum weight: 2 kg, minimum weight: 0.4 kg, e = 01 kg, plastic belt, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, dimensions: 1400 mm x 800 mm x 1000 mm.	200
511	Herbert Industrial Ltd.	Herbert checkweigher, model: GEMINI, serial number: HS 85484, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, maximum weight: 4 kg, minimum weight: 0.1 kg, e=d= 02 kg, plastic belts, belt width: (2x) 100 mm, total dimensions: 1250 mm x 800 mm x 1500 mm.	200
512	Dimaco	Dimaco optical sorting machine with rejector, plastic belt, belt width: 300 mm, clearance: 340 mm x 280 mm, total dimensions: 1650 mm x 750 mm x 1660 mm. Display broken.	150
513	Herbert Industrial LTD	Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS585530, maximum weight: 2 kg, minimum weight: 0.1 kg, e = 01 kg, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, dimensions: 1400 mm x 800 mm x 1500 mm. Incomplete, technical condition unknown.	150
514	Herbert Industrial LTD	Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS85430, maximum weight: 2 kg, minimum weight: 0.1 kg, e = 01 kg, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, dimensions: 1400 mm x 800 mm x 1500 mm. Incomplete, technical condition unknown.	150
515	Herbert Industrial LTD	Herbert Industrial LTD. checkweigher, model: Gemini, serial number: HS108632, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 4.5/0.4 A, capacity: 150 packages/minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1330 mm x 820 mm x 1730 mm.	200
516	Selo	Selo mobile ergolift, fork length: 800 mm x 350 mm, lifting height: 1000 mm, total dimensions: 1250 mm x 600 mm x 1950 mm. Missing cover.	150
517	Apha Pack Europe s.r.l.	Apha Pack Europe s.r.l. wrapping machine, model: SWING-600, serial number: 160659, film width: 410 mm, total dimensions: 1450 mm x 1000 mm x 1900 mm.	100
518	Ishida/Safeline	Ishida/Safeline metal detector, checkweigher and rejector, type: DACS-W-012-SB/WP I, number: 550713, year of construction: 08-2000, 240 V, 1 Ph, 50 Hz, 2 A, plastic belt, belt width: 220 mm, clearance: 270 mm x 100 mm, total dimensions: 1850 mm x 950 mm x 1450 mm.	250



Nr	Title	Description	Start €
519	Lock Inspection Systems	Lock Inspection Systems metal detector, serial number: 55685-1, year of construction: 11-13, 200-230 V, 50/60 Hz, 3 A, 206 kg, plastic mesh belt, belt width: 350 mm, clearance: 400 mm x 170 mm, total dimensions: 2300 mm x 900 mm x 1420 mm. Missing rejecter bin.	400
520	Loma Systems	Loma Systems metal detector head, model: IQ3, head serial number: MH310-11146D, date of manufacturing: 16.10.2009, 85-264 V, 50-60 Hz, clearance: 650 mm x 400 mm, total dimensions: 1330 mm x 680 mm x 950 mm.	500
521	Loma Systems	Loma Systems mobile metal detector with rejector, model: SUPERSCAN MICRO ISC, serial number: 895721, year of construction: 1995, 415 V 350 W, 50 Hz, plastic belt, belt width: 275 mm, clearance: 350 mm x 160 mm, total dimensions: 2100 mm x 1100 mm x 1630 mm. Incomplete.	250
522	AEW Delford	AEW Delford checkweigher, type: 8060, factory number: 81086, year of construction: 2004, 230 V, 50/60 Hz, maximum: 5500 gram, minimum: 40 gram, e=d= 2 gram, plastic belt, belt width: 200 mm, dimensions scale: 310 mm x 280 mm, total dimensions: 1160 mm x 680 mm x 1500 mm.	150
523	Delford-Sortaweigh ltd	Delford-Sortaweigh ltd checkweigher, model: INT 800, serial number: INT 054, year of construction: 2003, 230 V, 50 Hz, 3 A, maximum weight: 3000 gram, minimum weight: 40 gram, e= 2 gram, T= 1 kg, plastic belt, belt width: 195 mm, total dimensions: 1150 mm x 700 mm x 1550 mm.	150
524	NN roller conveyor	S/s roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 1200 mm x 530 mm x 1000 mm.	150
525	Herbert Industrial LTD	Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS82830, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, total dimensions: 1450 mm x 950 mm x 1730 mm. Incomplete, technical condition unknown.	75
526	Loma Systems	Loma Systems mobile pipeline metal detector, serial number: DPL40362-34647, year of construction: 17-05-2004, 220 V, 1 Ph, 60 Hz, 2.0 A, clearance: 90 mm x 90 mm, total dimensions: 900 mm x 500 mm x 1270 mm.	200
527	Meyn	Meyn forming machine for "Pommes Duchess Potatoes", type: PD-B, machine number: 34965, year of construction: 1991, approximate belt width: 450 mm, total dimensions: 1440 mm x 780 mm x 1080 mm.	100
528	Mettler Toledo		250



Nr	Title	Description	Start €
		Mobile s/s table with Mettler Toledo weighing scale, dimensions: 2040 mm x 1300 mm x 1520 mm.	
529	NN sorting table	S/s mobile sorting table, dimensions: 1900 mm x 1400 mm x 1200 mm.	150
530	Saimo	Saimo checkweigher, model: 30A-350x150, serial number: P0911178, year of construction: 11/2009, 240 V, 50 Hz, 0.4 kW, maximum capacity: 3000 gram, plastic belt, belt width: 250 mm, total dimensions: 700 mm x 500 mm x 1800 mm.	50
531	Herbert	Herbert checkweigher, model: CW3310, serial number: SO 14584/1/10, year of construction: 2010, 240 V, 50 Hz, plastic belt, belt width: 375 mm, total dimensions: 930 mm x 820 mm x 1440 mm.	150
532	NN roller conveyor	Mobile de-elevating roller conveyor, s/s rollers, roller length: 790 mm, de-elevating height: from 1000 mm to 800 mm, total dimensions: 1170 mm x 850 mm x 1350 mm.	150
533	Royal Pas Reform	Royal Pas Reform mobile semi-automatic egg transfer system, working width: 360 mm, total dimensions: 1200 mm x 800 mm x 1830 mm. Incomplete.	150
534	NN infeed bunker with transport belt	S/s infeed bunker with transport belt, plastic belt, belt width: 370 mm, total dimensions: 2800 mm x 930 mm x 940 mm.	250
535	Digi Europe	Digi Europe checkweigher, model: HI-700, serial number: 090456008, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, maximum weight: 3 kg, minimum weight: 50 gram, e= 1 gram, d= 1 gram, 4 bar, dimensions: 900 mm x 600 mm x 1450 mm. Incomplete, technical condition unknown.	150
536	NN hydraulic unit	Hydraulic unit, dimensions: 1050 mm x 900 mm x 820 mm.	75
537	NN hydraulic unit	Hydraulic unit, dimensions: 650 mm x 430 mm x 650 mm.	50
538	Smiths	Smiths X-ray scanner, type: Eagle Pack TN100925, serial number: 100925, year of construction: DEC 2006, 220 V, 50/60 Hz, 20.0/16.0 A, dimensions: 1130 mm x 800 mm x 2100 mm. Without belt.	400
539	Profill	Profill s/s infeed hopper, dimensions: 1300 mm x 800 mm x 1660 mm.	50
540	Serpack	Serpack tray denester, clearance: (5x) 185 mm x 155 mm, plastic mesh belt, belt width: 180 mm, total dimensions: 1500 mm x 900 mm x 1820 mm.	100
541	NN filter	S/s mobile filter, dimensions: 1530 mm x 750 mm x 700 mm.	75
542	Sterling Sihi GmbH	Sterling Sihi GmbH pump, year of construction: 2016, dimensions: 1620 mm x 530 mm x 400 mm.	100
543	Cryovac	Cryovac shrink tunnel, model: ST98-600 ELECTRIC, serial number: SNO1629, year of construction: 2008,	500



Nr	Title	Description	Start €
		400 V, 50 Hz, 125 A, 82 kW, s/s mesh belt, belt width: 550 mm, clearance: 550 mm x 300 mm, total dimensions: 1500 mm x 1000 mm x 1850 mm. Missing cover.	
544	Zanotti S.p.A.	Zanotti S.p.A. cooling unit for containers, model: BAS135T1000F, serial number: 1542229L, 400 V, 3 Ph, 50 Hz, 3.8 A, 1.7 kW, weight: 112 kg, refrigerant: R404a, dimensions: 1450 mm x 750 mm x 1050 mm.	100
545	Lamber	Lamber dish washer, model: L20, serial number: 992472, 400 V, 3 Ph, 50 Hz, 16 A, 6.65 kW, dimensions: 590 mm x 440 mm x 1420 mm.	150
546	CFS	CFS transport belt, s/s frame, s/s mesh belt, belt width: 1000 mm, total dimensions: 1180 mm x 560 mm x 740 mm.	350
547	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 400 mm, working width: 135 mm, total dimensions: 2030 mm x 880 mm x 1940 mm.	150
548	NN elevating belt	Mobile elevating belt with dividers, V-shaped plastic belt, divider height: 25 mm, divider width: (2x)280 mm, distance between dividers: 295 mm, elevating height: 1600 mm, total dimensions: 3200 mm x 1220 mm x 2250 mm.	300
549	Steen	Steen mobile skinning machine, type: ST600 KIP, serial number: 247211293A, 380 V, 50 Hz, plastic belt, belt width: 430 mm, total dimensions: 1850 mm x 900 mm x 1650 mm. Incomplete.	250
550	MR Etikettiertechnik GmbH	MR Etikettiertechnik GmbH checkweigher with rejector, model: DACS-W-012-SB/WP-I-N(CTS), serial number: 560215, year of construction: 04/2010, 240 V, 1 Ph, 50 Hz, 2 A, plastic belt, belt width: 220 mm, total dimensions: 1900 mm x 970 mm x 1650 mm.	400
551	Attec Food Technology	Attec Food Technology film wrapping machine, type: FWAL, number: 11917, year of construction: 1998, seal length: 1050 mm, plastic belt, belt width: 1000 mm, total dimensions: 1400 mm x 1120 mm x 1860 mm.	1000
552	Mettler Toledo/ Ishida	Mettler Toledo/ Ishida metal detector, checkweigher and double rejector, model: DASS-W-030-SB/W P-I, serial number: 500733, year of construction: 08-1999, 240 V, 1 Ph, 50 Hz, 2 A, weighing range: 3000 G, clearance: 350 mm x 130 mm, total dimensions: 2500 mm x 800 mm x 1600 mm. Incomplete.	150
553	Goring Kerr	Goring Kerr metal detector, plastic belt, belt width: 300 mm, clearance: 350 mm x 100 mm, total dimensions: 1600 mm x 800 mm x 1850 mm.	200
554	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD mobile semi automatic weigh, wrap and labelling machine, model: AW-3600CP, serial number: 05160908, 380-415/220-240 V, 1/3 Ph,	150



Nr	Title	Description	Start €
		50/60 Hz, 6 A, 1.4 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=-2.999 kg, dimensions: 1060 mm x 850 mm x 1660 mm.	
555	Safeline / Ishida	Safeline / Ishida metal detector and checkweigher with rejector, model Safeline: 30 H, 100-240 V, 50/60 Hz, 300 W, model checkweigher: DACS-W-012-SB/WP I, serial number: 500732, year of construction: sept 1999, 240 V, 1 Ph, 50 Hz, 2 A, weighing range: 1200 gram, total dimensions: 1800 mm x 900 mm x 1680 mm. Incomplete, technical condition unknown.	200
556	Sartorius	Sartorius checkweigher and metal detector with rejector, plastic belt, belt width: (3x) 230 mm, clearance: 230 mm x 135 mm, total dimensions: 2300 mm x 1300 mm x 1900 mm.	750
557	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 600 mm, working width: 545 mm, total dimensions: 1240 mm x 1050 mm x 1765 mm.	50
558	NN transport belt	Mobile transport belt on s/s frame, plastic belt, belt width: 300 mm, total dimensions: 4100 mm x 850 mm x 1235 mm.	250
559	Hellings	Hellings mobile elevating belt on s/s frame, type: BT-KS-L1211aW, serial number: 4785, year of construction: 2007, weight: 200 kg, maximum belt width: 500 mm, elevating height: 1020 mm, total dimensions: 3500 mm x 1100 mm x 1160 mm. Without belt.	300
560	Alfa Laval	Alfa Laval plate heat exchanger, type: M10-MFG, serial number: 30105-44445, year of construction: 2006, volume: 69.6/70.6 liter, PS: 0/0.10 bar, TS: 0/140 °C, PT: 14.3 bar, total dimensions: 1800 mm x 560 mm x 1680 mm.	350
561	NN floor weighing scale	Floor weighing scale, dimensions: 1500 mm x 1450 mm x 300 mm.	100
562	NN valve and gearbox	Valve and gearbox, dimensions: 800 mm x 600 mm x 350 mm.	50
563	NN casing spooler	Casing spooler, dimensions: 570 mm x 390 mm x 350 mm. Incomplete.	50
564	NovoTraqua	Plastic tank with NovoTraqua cooling water treatment, dimensions tank: 900 mm x 680 mm x 1150 mm, total dimensions: 1450 mm x 1400 mm x 1400 mm.	50
565	NN tub	Tub for water softening with Sera tank, volume: 500 liter, dimensions: 1200 mm x 1200 mm x 2100 mm.	75
566	NN gearbox	Gearbox, dimensions: 530 mm x 400 mm x 400 mm.	25
567	NN gearbox	Gearbox, dimensions: 530 mm x 400 mm x 400 mm.	25
568	Formax	Pallet with Formax gearbox, dimensions pallet: 1200 mm x 1000 mm x 600 mm.	25
569	NN depositor		100



Nr	Title	Description	Start €
		Mobile depositor, dimensions: 1100 mm x 620 mm x 1500 mm. Incomplete.	
570	Bran & Lubbe	Bran & Lubbe dosing pump, type: N-K11, number: 51-72557, dimensions: 550 mm x 230 mm x 1000 mm.	10
571	NN pneumatic parts	Pallet with large amount of pneumatic parts, dimensions: 1750 mm x 1250 mm x 300 mm.	75
572	Isco	Isco refrigerator, model: 6700FR, 230 V, 50 Hz, 20 A, inside dimensions: 520 mm x 540 mm x 610 mm, total dimensions: 640 mm x 600 mm x 1400 mm.	50
573	NN turning table	Mobile turning table with plastic top, diameter top: 1220 mm, total dimensions: ø 1220 mm x 950 mm.	250
574	Townsend	Townsend mobile skinning machine, type: SK 11-320, serial number: 10302, year of construction: 2008, 380 V, 3 Ph, 50 Hz, 3.0 A, 0.75 kW, working width: 500 mm, total dimensions: 800 mm x 800 mm x 970 mm. Incomplete.	1000
575	Townsend	Townsend mobile skinning machine, type: SK 11-320, serial number: 11311, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 3.0 A, 1.5 kW, working width: 500 mm, total dimensions: 800 mm x 800 mm x 970 mm.	1000
576	Lincoln Electric	Lincoln electric mobile welding machine, type: Invertec V300-TC, serial number: I2 98 03 00887, 400 V, 3 Ph, 50/60 Hz, 28.5 A, dimensions: 850 mm x 400 mm x 800 mm.	500
577	NN turning table	S/s turning table with plastic top, dimensions: ø 1010 mm x 860 mm.	250
578	NN mesh belt	Mobile transport belt, s/s mesh belt, belt width: 400 mm, total dimensions: 680 mm x 2750 mm x 1260 mm. 1 wheel broken.	250
579	NN mesh belt	Mobile mesh belt, s/s belt, belt width: 400 mm, total dimensions: 2450 mm x 800 mm x 1100 mm.	250
580	NN rack	S/s rack, dimensions: 1100 mm x 550 mm x 2020 mm.	50
581	Liebherr-Hausgeräte GmbH	Liebherr-Hausgeräte GmbH s/s freezer, model: HHPv 1490 Index 43F / 001, serial number: 85.134.255.7, 220-240 V, 50 Hz, 4.0 A, brut volume: 1361 liter, net volume: 1056 liter, refrigerant: R290/99gram, dimensions: 1420 mm x 820 mm x 2140 mm.	250
582	Liebherr-Hausgeräte GmbH	Liebherr-Hausgeräte GmbH s/s freezer, model: HHPv 1490 Index 43F / 001, serial number: 85.202.678.4, 220-240 V, 50 Hz, 4.0 A, brut volume: 1361 liter, net volume: 1056 liter, refrigerant: R290/99gram, dimensions: 1420 mm x 820 mm x 2140 mm.	250
583	NN crates	Pallet with plastic crates, dimensions each crate: 600 mm x 395 mm x 75 mm, total dimensions: 1200 mm x 800 mm x 920 mm.	25
584	NN crates	Pallet with approximately 30 crates, dimensions each crate: 760 mm x 460 mm x 180 mm, total dimensions: 1200 mm x 1000 mm x 1860 mm.	20



Nr	Title	Description	Start €
585	NN crates	Pallet with approximately 20 crates, dimensions each crate: 760 mm x 460 mm x 180 mm, total dimensions: 1200 mm x 1000 mm x 1860 mm.	20
586	NN tub	Plastic tub with circulation pump, inside dimensions: 1950 mm x 1180 mm x 370 mm, total dimensions: 2700 mm x 1300 mm x 700 mm.	25
587	Marel Inc	Marel Inc mobile skinning and derinding machine, model: SK 15-350 INCH, type: 9833265, serial number: 10398702, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.5 A, 5 kA, weight: 356 kg, plastic mesh belt, belt width: 350 mm, working width: 360 mm, total dimensions: 2100 mm x 900 mm x 1240 mm. Technical condition unknown.	1750
588	Marel Inc	Marel Inc mobile skinning and derinding machine, model: SK 15-350 INCH, type: 9833263, serial number: 10398701, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.5 A, 5 kA, weight: 356 kg, plastic mesh belt, belt width: 350 mm, working width: 360 mm, total dimensions: 2100 mm x 900 mm x 1240 mm. Incomplete.	1500
589	Marel Meat Processing	Marel Meat Processing mobile skinning and derinding machine, model: SK15-345 26 Inch, type: 9826745, serial number: 10141634, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 3.5 A, 5 kA, weight: 447 kg, plastic mesh belt, belt width: 655 mm, working width: 665 mm, total dimensions: 2150 mm x 1200 mm x 1320 mm.	1750
590	Marel Meat Processing	Marel Meat Processing mobile skinning and derinding machine, model: SK15-34 26 Inch, type: 9813403, serial number: 10114564, year of construction: 2013, 415 V, 3 Ph, 50 Hz, 4 A, 5 kA, plastic mesh belt, belt width: 655 mm, working width: 665 mm, total dimensions: 2220 mm x 1150 mm x 1240 mm. Incomplete.	1500
591	NN crates	2 pallets with large amount of various plastic crates, dimensions: (2x) 1200 mm x 1000 mm x 1500 mm.	20
592	Townsend	Townsend mobile skinning and derinding machine, type: SK 15-340, serial number: 11910, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3.55 A, 1.5 kW, working width: 665 mm, plastic mesh belt, belt width: 655 mm, total dimensions: 2200 mm x 1150 mm x 1290 mm. Incomplete, technical condition unknown. Incomplete.	1500
593	Townsend	Townsend mobile skinning and derinding machine, working width: 310 mm, plastic mesh belt, belt width: 355 mm, total dimensions: 2000 mm x 840 mm x 1450 mm.	1500
594	Proseal		500



Nr	Title	Description	Start €
		2 Dolav pallet boxes and crate with dyes and grippers for Proseal traysealers, dimensions pallet boxes: (2x) 1200 mm x 1000 mm x 750 mm.	
595	NN switch cabinet	S/s switch cabinet, dimensions: 2000 mm x 800 mm x 600 mm.	100
596	NN switch cabinet	S/s switch cabinet, dimensions: 1850 mm x 800 mm x 600 mm.	100
597	NN parts	Pallet with large amount of parts, dimensions: 1250 mm x 800 mm x 550 mm.	25
598	Ari	Ari valve.	25
600	Scanvaegt	Scanvaegt weighing scale, type: TW156, dimensions: 600 mm x 500 mm x 700 mm. Without indicator.	25
601	Aja / Buvv-Brown	Pallet with 2 Aja weighing scales, dimensions scales: 240 mm x 240 mm, 1 scale missing, Weighing scale without indicator, dimensions: 800 mm x 600 mm, Buvv-Brown weighing scale, dimensions scale: 185 mm x 230 mm. Incomplete, technical condition unknown.	25
602	NN valves	Pallet with various valves, dimensions pallet: 1200 mm x 800 mm x 500 mm.	50
603	Trans-Tech Hysek GmbH	5 Trans-Tech Hysek GmbH can invertors, clearance: 150 mm x 80 mm, dimensions: 380 mm x 195 mm x 200 mm, 240 mm x 390 mm x 260 mm, 600 mm x 300 mm x 180 mm, 380 mm x 180 mm x 200 mm, 380 mm x 200 mm x 200 mm.	25
604	NN frame for slicer	S/s frame for slicer, dimensions: 480 mm x 260 mm x 300 mm. Incomplete.	5
605	Weda	Weda indicator, dimensions: 270 mm x 130 mm x 200 mm.	5
606	Microwa AG	Microwa AG weighing machine, type: 6641 Prozentwaage, number: 67116, dimensions: 370 mm x 230 mm x 440 mm.	5
607	sterilAir	sterilAir light, model: WR2036, number: 70810, dimensions: 910 mm x 100 mm x 100 mm.	5
608	Cryovac	3 Cryovac sealing machines, model number: (3x) BW 18 E, year of construction: 2009, 24 V, 50 Hz, 0.2 A, dimensions: (3x) 470 mm x 180 mm x 135 mm.	10
609	NN weighing scale	Weighing scale, dimensions: 600 mm x 750 mm x 1470 mm.	10
610	NN weighing scale	S/s weighing scale, dimensions: 500 mm x 400 mm x 80 mm. Without indicator.	25
611	Scanvaegt	Scanvaegt indicator for weighing scale, type: 816, serial number: BQD00314 B, 110-260 V, 50-60 Hz, dimensions: 600 mm x 460 mm x 200 mm.	25
612	NN pumps	Pallet with various pumps, dimensions pallet: 1200 mm x 800 mm x 200 mm.	50
613	NN part for clipper		10



Nr	Title	Description	Start €
		Part for clipper, dimensions: 500 mm x 280 mm x 630 mm.	
614	NN fan covers	5 covers for fans, dimensions: (3x) Ø 620 mm x 100 mm, (2x) Ø 840 mm x 110 mm.	10
615	Pfeiffer	Pfeiffer vacuum pump, type: OnTool DryPump, serial number: 53005526, year of construction: 11/2014, 230 V, 3 Ph, 50/60 Hz, weight: 121 Kg.	50
616	NN chains	2 plastic chains, chain width: 40 mm, total dimensions: 1200 mm x 800 mm x 250 mm.	50
617	Berkel	Berkel weighing scale, model: 280 ED, serial number: 063229, 220 V, 50 Hz, maximum weight: 150 kg, minimum weight: 2.5 kg, e = 0.05 kg, T = -150 kg, dimensions: 500 mm x 700 mm x 1250 mm.	25
618	Ohaus / Avery Berkel	Pallet with 2 Ohaus and 1 Avery Berkel weighing scales, Ohaus weighing scales, model: (2x) D60WL, capacity: 60 kg, Avery Berkel weighing scale, model: HL275, dimensions pallet: 1200 mm x 600 mm x 600 mm. Incomplete, technical condition unknown.	50
619	Witt	Witt gas mixing station, dimensions: 340 mm x 340 mm x 380 mm.	25
620	Scanvaegt	Scanvaegt weighing scale, type: 1025.30, serial number: 97166210, type indicator: 8312, serial number: 97147147B, 230 V, maximum weight: 30 kg, minimum weight: 0.2 kg, e=dd=dT= 0.01 kg, dimensions: 640 mm x 600 mm x 680 mm. Incomplete.	10
621	NN casing spoolers	3 casing spoolers, dimensions: (3x) 520 mm x 350 mm x 400 mm.	150
622	NN casing spoolers	2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm.	100
623	NN parts	Pallet with parts, dimensions pallet: 1200 mm x 800 mm x 450 mm.	25
624	Ansul	Crate with 5 Ansul fire suppression system vessels, liquid: R-102, dimensions: 800 mm x 600 mm x 800 mm.	50
625	Ultrakust / Bartec	5 Ultrakust / Bartec hygrophil meters, dimensions: (5x) 400 mm x 200 mm x 300 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	100
626	Tork	Pallet with 6 Tork paper dispensers and 8 Tork soap dispensers.	15
627	NN casing spoolers	2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm. Incomplete.	150
628	NN casing spoolers	2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm. Incomplete.	150
629	Wilux	Wilux thermoprinter, dimensions: 285 mm x 285 mm x 300 mm.	10
630	Berkel		25



Nr	Title	Description	Start €
		Berkel weighing scale, dimensions scale: 600 mm x 500 mm.	
631	Swedot	Swedot label printer, type: 1952, serial number: 1574, dimensions: 350 mm x 200 mm x 170 mm.	10
632	Sampos	Sampos cash register, model: ECR-1810, dimensions: 430 mm x 400 mm x 270 mm.	10
633	Elotec	Pallet with Elotec lights, dimensions pallet: 1200 mm x 800 mm x 500 mm.	25
634	NN adapters	3 crates with adapters, dimensions: (2x) 600 mm x 400 mm x 400 mm, (1x) 800 mm x 400 mm x 600 mm.	45
635	Vikan	10 Vikan lids for waste bins.	10
636	NN filter	S/s filter, dimensions: 900 mm x 730 mm x 1100 mm.	10
637	NN cable protection hoses	Pallet with cable protection hoses, dimensions: 1200 mm x 800 mm x 500 mm.	0
638	Ultrakust	3 Ultrakust hygrophil meters, dimensions: (3x) 450 mm x 350 mm x 200 mm.	120
639	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 150 mm. Without indicator.	100
640	Laska parts for grinder	S/s trolley with worms for grinder, dimensions worm: 1200 mm x 300 mm and 850 mm x 170 mm, total dimensions: 1500 mm x 500 mm x 1030 mm.	75
641	Grasselli S.p.A.	2 Grasselli S.p.A. rolls for skinning and derinding machine, dimensions: (2x) Ø 180 mm x 650 mm.	50
642	Boska Holland	Boska Holland cheese slicer, working width: 475 mm, total dimensions: 680 mm x 410 mm x 90 mm.	10
643	Witt Gasetechnik	Witt Gasetechnik gas mixing unit, type: KM60-2V, serial number: 789, year of construction: 1982, gas: N2/CO2, dimensions: 260 mm x 400 mm x 310 mm.	25
644	Magnehelic	Magnehelic pressure meter, dimensions: 350 mm x 300 mm x 180 mm.	5
645	PMB	PMB packaging machine, type: FASTPACK MK II, 220/240 V, 50 Hz, 530 W, dimensions: 480 mm x 600 mm x 420 mm and 380 mm x 620 mm x 300 mm. Technical condition unknown.	25
646	Philips	Philips industrial light, type: HDK/400, 220 V, 50 Hz, 2.15 A, dimensions: 400 mm x 500 mm x 200 mm.	10
647	Bakon	Bakon jelly machine, model: JELLY JUNIOR, serial number: 1.02.2365, year of construction: 1997, 220 V, 50 Hz, 2000 W, dimensions: 500 mm x 250 mm x 400 mm.	0
648	Coppens	Coppens packaging machine, machine number: 47590000162, dimensions dye: 215 mm x 145 mm, total dimensions: 770 mm x 400 mm x 250 mm.	10
649	NN tub	Plastic tub, dimensions: Ø 550 mm x 1050 mm.	10
650	NN inkjet printer	S/s frame with inkjet printer, dimensions: 1050 mm x 500 mm x 700 mm.	25
651	NN tubs		10



Nr	Title	Description	Start €
		(2x) Plastic tubs (1x) with metering pump, volume: 100 liter, 60 liter.	
652	ASI	ASI hydraulic unit, dimensions: 500 mm x 350 mm x 900 mm.	150
653	Marel	S/s floor weighing scale with Marel indicator, type: M2200-P02, serial number: A108915, 110-230 Vac, 0.24-0.12 A, dimensions scale: 900 mm x 900 mm.	250
654	Nilfisk	Nilfisk floor scrubber, dimensions: 800 mm x 400 mm x 1800 mm.	150
655	Frey	4 Frey Maschinenbau GmbH casing closing machines, type: Clipex, machine number: CX 0230222, CX 0052137, CX 0100833 and CX 0470562, 220 V, 50/60 Hz, 0.7 kW, dimensions: (4x) 400 mm x 160 mm x 300 mm.	100
656	TSC	TSC label printer, model: TTP-346M, serial number: 34M0220034, dimensions: 500 mm x 270 mm x 300 mm.	10
657	NN pipe	S/s pipe, dimensions: 400 mm x 400 mm x 750 mm.	10
658	Hulme Martin	Hulme martin heat sealer, number: 305CTD/1187, 220/240 V, 50 Hz, 2 A, seal length: 300 mm, total dimensions: 440 mm x 230 mm x 230 mm.	10
659	API Schmidt - Bretten GmbH & Co.KG	2 API Schmidt - Bretten GmbH & Co.KG heat exchangers, model: SIGMA 7 NBN, year of construction: 2000, dimensions: 740 mm x 400 mm x 260 mm.	150
660	Still	Still charger, type: EC E24-60, fabrication number: 200406107/4, 230 V, 50 Hz, 16 A, 24 V, dimensions: 400 mm x 320 mm x 240 mm.	50
661	NN switch cabinet	Switch cabinet, dimensions: 500 mm x 200 mm x 500 mm.	10
662	NN capping machine	Capping machine, dimensions caps: 20 mm, total dimensions: 600 mm x 500 mm x 750 mm.	25
663	NN forming plates	4 plastic pallet boxes with large amount of forming plates, dimensions: (4x) 1000 mm x 1200 mm x 1200 mm x 850 mm.	600
664	NN forming plates	3 pallets with large amount of forming plates, dimensions: (3x) 1200 mm x 800 mm x 850 mm.	450
665	NN dye's	Wooden pallet box and pallet with various dye's for traysealer, dimensions pallet box: 1200 mm x 1200 mm x 850 mm dimensions pallet: 1200 mm x 800 mm x 450 mm.	50
666	Miller's Bakery Machinery	Miller's Bakery Machinery mixer, type: BAT40, serial number: MPM 52/02, 415 V, 50 Hz, 3 A, 1.1 kW, dimensions: 850 mm x 420 mm x 1200 mm. Incomplete, missing whisk and bowl.	150
667	Klerks	Klerks mobile s/s driven roller conveyor, machine type: JK 450 1200, serial number: 2018 180279 2, year	250



Nr	Title	Description	Start €
		of construction: 2018, 400 V, 6 bar, roller width: 450 mm, total dimensions: 1200 mm x 550 mm x 900 mm.	
668	Supertape	Supertape mobile box closing machine, with top and bottom taper, dimensions: 1100 mm x 1000 mm x 1700 mm. Incomplete.	150
669	ATS	ATS mobile mesh belt, number: 20031/2, year of construction: 11/02, s/s mesh belt, belt width: 400 mm, total dimensions: 6350 mm x 700 mm x 1000 mm.	250
670	Luceo	Luceo inspection machine, type: LABELSECURE, number: 03LS-008, year of construction: 11/09/2011, 230 V, 1 Ph, 50 Hz, 1.4 kW, plastic belt, belt width: 305 mm, clearance: 310 mm x 110 mm, total dimensions: 1200 mm x 850 mm x 2000 mm.	500
671	NN ham moulds	Wooden pallet box with various s/s ham moulds, dimensions moulds: 800 mm x 120 mm x 100 mm, total dimensions pallet box: 1200 mm x 1000 mm x 800 mm.	50
672	A&D weighing	A&D; Weighing indicator for weighing scale, type: AD-4328, year of construction: 1999, minimum: 10 Kg, maximum: 600 Kg, dimensions: 600 mm x 400 mm x 200 mm.	10
673	NN film wrapping machine	Film wrapping machine, 230 V, 50 Hz, 350 W, film width: 400 mm, total dimensions: 500 mm x 720 mm x 280 mm.	5
674	NN film wrapping machine	Film wrapping machine, 230 V, 50 Hz, 350 W, film width: 400 mm, total dimensions: 500 mm x 720 mm x 280 mm.	5
675	Sharp	Sharp microwave, type: R239(W), serial number: 071054358, 230 V, 50 Hz, 1.25 kW, dimensions: 460 mm x 320 mm x 260 mm.	5
676	Espera	Espera display, dimensions: 390 mm x 450 mm x 340 mm.	5
677	Zebra Technologies Corporation	Zebra Technologies Corporation S4M label printer, serial number: 03J114801430, dimensions: 450 mm x 260 mm x 300 mm.	5
678	Sunroc Corp.	Sunroc Corp. water dispenser, model: CCTAC, serial number: 022703635, 220-240 V, 1 Ph, 50 Hz, 0.75 A.	5
679	NN netting machine	Netting machine, dimensions: 680 mm x 870 mm x 1970 mm. Incomplete.	50
680	NN table	S/s table, dimensions: 820 mm x 610 mm x 600 mm.	25
681	NN lifting device	S/s lifting device for pallet boxes, dimensions: 1450 mm x 1350 mm x 1100 mm.	400
682	NN cabinet	S/s cabinet, dimensions: 880 mm x 810 mm x 1850 mm.	50
683	N&N Jerzy Nadratowski	N&N Jerzy Nadratowski vacuum tumbler, type: MV - 300, serial number: 051, year of construction: 2008, 400 V, 50 Hz, 2.3 kW, weight: 380 kg, Busch vacuum	500



Nr	Title	Description	Start €
		pump, type: RC 0021 B 303, number: 080038619, capacity: 21 m ³ per hour, volume: 300 liter, dimensions: 1250 mm x 1450 mm x 1800 mm. Without lid.	
684	Polyketting	Polyketting mobile s/s turning table, diameter: 1200 mm, height: 750 mm.	400
685	NN table	S/s inspection table, dimensions: 1200 mm x 780 mm x 1070 mm.	25
686	NN trolleys	8 s/s trolleys, 18 floors, floor dimensions: (18x) 555 mm x 330 mm, total dimensions: (8x) 620 mm x 450 mm x 1620 mm.	120
687	NN trolleys	2 s/s trolleys, 20 floors each, floor dimensions: 600 mm x 335 mm, total dimensions: (2x) 770 mm x 600 mm x 2000 mm.	30
688	NN trolley	S/s trolley, 20 floors, floor dimensions: 680 mm x 530 mm, total dimensions: 680 mm x 590 mm x 1760 mm. Some floors are damaged.	10
689	NN trolley	S/s trolley, 20 floors, floor dimensions: 680 mm x 530 mm, total dimensions: 680 mm x 590 mm x 1760 mm. Some floors are damaged.	10
690	NN trolley	S/s trolley, 20 floors, floor dimensions: 740 mm x 255 mm, total dimensions: 870 mm x 600 mm x 1900 mm.	20
691	NN transport belt	Transport belt, plastic belt with dividers, width dividers: 950 mm, distance between dividers: 2050 mm, height dividers: 75 mm, total dimensions: 3100 mm x 1400 mm x 1500 mm. Without motor.	150
692	NN mesh belt	Mobile s/s mesh belt, belt width: 400 mm, total dimensions: 3000 mm x 820 mm x 2100 mm.	500
693	Verbufo	Verbufo mobile waterwheel, 4 heads, dye: 74 mm x 62 mm, total dimensions: 1300 mm x 1100 mm x 1400 mm. Incomplete.	400
694	Busch	Busch vacuum pump on steel frame, type: RA 0302 D 5Zl, number: C0540000637, year of construction: 2005 capacity: 300 m ³ per hour, dimensions: 1150 mm x 750 mm x 1150 mm.	200
695	Busch	Busch vacuum pump on steel frame, type: RA 0302 D 5Zl, number: C0540000636, year of construction: 2005 capacity: 300 m ³ per hour, dimensions: 1150 mm x 750 mm x 1150 mm.	200
696	Thermo Scientific	Thermo Scientific metal detector head, model: APEX 500, 120/230 V, 50/60 Hz, 0.4 A, clearance: 250 mm x 175 mm, total dimensions: 350 mm x 700 mm x 500 mm.	250
697	Pentair Water	Pentair Water water softening installation, consisting of 3 Structural Composite tanks with PE inner shell, year of construction: 2005, volume: 712 liter, max/min operating pressure: 0/10 bar, operating temperature: 1/50 °C, diameter tanks: 800 mm,	750



Nr	Title	Description	Start €
		height: 2100 mm, total height: 2450 mm, plastic storage barrel for salt, diameter vessel: 1100 mm, height: 1300 mm.	
698	NN ham forms	11 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.	2200
699	NN ham forms	6 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.	1200
700	NN ham forms	6 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.	1200
701	Rinc Europe	Rinc Europe 3-head depositor, year of construction: 09-1997, pressure: 6 bar, dye: (3x) 20 mm, total dimensions: 1200 mm x 750 mm x 1650 mm.	250
702	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, plastic mesh belt, belt width: 300 mm, clearance: 355 mm x 110 mm, total dimensions: 1300 mm x 1100 mm x 1100 mm.	250
703	NN frames	3 s/s frames, dimensions: (3x) 450 mm x 280 mm x 150 mm.	15
704	Bosgraaf	Pallet box with various Bosgraaf hygiene equipment, dimensions: 1200 mm x 1000 mm x 1000 mm.	100
705	Townsend	Townsend mobile skinning machine, working width: 500 mm, total dimensions: 800 mm x 770 mm x 980 mm. Technical condition unknown.	750
706	Townsend	Townsend mobile skinning machine, working width: 500 mm, total dimensions: 800 mm x 710 mm x 980 mm. Incomplete.	300
707	Bosgraaf	2 Bosgraaf coat hangers, dimensions: (2x) 640 mm x 200 mm x 80 mm.	10
708	NN frames	2 s/s frames, dimensions: (2x) 530 mm x 330 mm x 200 mm.	10
709	NN coat hangers	Plastic board with coat hangers, dimensions: 800 mm x 350 mm x 100 mm.	10
710	NN cabinet	S/s cabinet, dimensions: 400 mm x 180 mm x 550 mm.	5
711	NN bins	2 s/s bins, dimensions: (2x) 390 mm x 330 mm x 600 mm.	20
712	NN perforating device	S/s perforating device, number: 08561, dimensions: 320 mm x 280 mm x 900 mm.	10
713	NN motors	Plastic pallet box with various motors, dimensions: 1200 mm x 1000 mm x 750 mm.	150
714	NN motors	Plastic pallet box with various motors, dimensions: 1200 mm x 1000 mm x 750 mm.	150
715	NN fans	Pallet with various fans, dimensions: 1200 mm x 1000 mm x 400 mm.	50
716	NN labelling machine	Pallet with labelling machine, dimensions: 1200 mm x 800 mm x 500 mm.	100
717			40



Nr	Title	Description	Start €
	NN plates for plate heat exchanger	S/s plates for plate heat exchanger, number: 152963, plate dimensions: 715 mm x 215 mm.	
718	Endoline	Parts for Endoline box closing machine.	50
719	NN blowers	Pallet with 3 blowers, dimensions: 1200 mm x 1000 mm x 500 mm.	60
720	NN blowers	2 blowers, dimensions: (2x) Ø 600 mm x 500 mm.	20
721	Espera	Espera display, type: EBC, serial number: EBC 3296, year of construction: 2006, 230 V, 50/60 Hz, dimensions: 300 mm x 250 mm x 100 mm.	20
722	Mettler Toledo	Mettler Toledo weighing scale, type: ICS4x9-1, serial number: 3278822, 100/240 V, 1 Ph, 50/60 Hz, scale dimensions: 240 mm x 300 mm, total dimensions: 400 mm x 240 mm x 400 mm.	40
723	Honeywell	Honeywell switch cabinet, dimensions: 600 mm x 800 mm x 260 mm.	75
724	NN motors & pumps	Pallet with 2 motors, 2 centrifugal pumps and 1 vacuum pump, dimensions: 1200 mm x 1000 mm x 600 mm.	100
725	Kartridgpak	Crate with 3 parts for Kartridgpak fat analyser, dimensions: 600 mm x 400 mm x 300 mm.	60
726	NN cylinders	3 cylinders, cylinder length: (1x) 1500 mm, (2x) 1300 mm.	60
727	NN vacuum pump	Vacuum pump, dimensions: 700 mm x 450 mm x 280 mm.	50
728	NN vacuum pump	Vacuum pump, dimensions: 340 mm x 280 mm x 200 mm.	50
729	Becker	Becker vacuum pump, type: 0 1.16SA-31, number: B 2522213, year of construction: 2011, 50/60 Hz, 0.52/0.65 kW, capacity: 16/19 m³ per hour, dimensions: 340 mm x 300 mm x 340 mm.	50
730	Becker	Becker vacuum pump, type: 0 1.16SA-31, number: B 2356857, year of construction: 2008, 50/60 Hz, 0.52/0.65 kW, capacity: 16/19 m³ per hour, dimensions: 340 mm x 300 mm x 340 mm.	50
731	NN switch cabinet	Plastic switch cabinet, dimensions: 1050 mm x 800 mm x 350 mm.	50
732	Kentmaster	Kentmaster saw, dimensions: 850 mm x 300 mm x 400 mm.	100
733	Jarvis	Jarvis saw, dimensions: 850 mm x 300 mm x 400 mm.	100
734	NN switch cabinet	S/s switch cabinet, dimensions: 520 mm x 320 mm x 700 mm.	50
735	Schröter	Schröter s/s switch cabinet, dimensions: 750 mm x 450 mm x 1000 mm.	50
736	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 330 mm x 1200 mm.	50
737	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 400 mm x 1150 mm.	50



Nr	Title	Description	Start €
738	NN motors	Plastic pallet box with various motors, dimensions: 1200 mm x 1000 mm x 750 mm.	150
739	NN motors	Plastic pallet box with various motors, dimensions: 1200 mm x 1000 mm x 750 mm.	100
740	NN valves	Plastic pallet box with valves, dimensions: 1200 mm x 1000 mm x 750 mm.	100
741	NN curve conveyor	Mobile curve conveyor with 180°, type: 180 GR. BOCHT, serial number: 500398-04, year of construction: 1995, s/s frame, s/s mesh belt, belt width: 450 mm, total dimensions: 2050 mm x 1500 mm x 1000 mm.	250
742	Lowara	Lowara multistage pump, type: 10SV20F075T/D, capacity: 5/14 m³ per hour, dimensions: 1400 mm x 350 mm x 300 mm.	150
743	NN crates	Pallet with large amount of various plastic crates, total dimensions: 1200 mm x 1000 mm x 1400 mm.	10
744	NN denester frame	Frame for denester, dye: (3x) 150 mm x 85 mm, total dimensions: 450 mm x 300 mm x 400 mm.	10
745	NN fans	Pallet with 4 fans, dimensions: 1200 mm x 800 mm x 600 mm.	80
746	NN pumps	Pallet with various pumps, dimensions: 1200 mm x 800 mm x 400 mm.	80
747	Verder BV	Verder BV multistage pump, type: VPS-351L, capacity: 25 m³ per hour, dimensions: 1950 mm x 330 mm x 400 mm.	150
748	NN switch cabinet	S/s switch cabinet on frame, dimensions: 800 mm x 1400 mm x 2300 mm.	50
749	NN table	S/s table, dimensions: 1400 mm x 900 mm x 780 mm.	75
750	NN scrapers	6 s/s scrapers.	60
751	NN office table	Office table, dimensions: 1800 mm x 900 mm x 730 mm.	50
752	NN ham press	Mobile ham press, dimensions: 2350 mm x 780 mm x 1420 mm.	250
753	NN mesh belt	Mobile mesh belt, s/s frame, s/s mesh belt, belt width: 580 mm, total dimensions: 3900 mm x 760 mm x 1850 mm.	350
754	NN breeding machine	Mobile breeding machine, dimensions: 2500 mm x 900 mm x 1950 mm. Incomplete.	500
755	De Jager RVS	De Jager RVS s/s tilting device for pallet boxes, year of construction: 2013, maximum dimensions pallet boxes: 1250 mm x 1050 mm x 1050 mm, total dimensions: 2500 mm x 1800 mm x 2450 mm. De Jager RVS s/s tilting and dosing device, year of construction: 2013, dimensions tub: 1100 mm x 1900 mm x 600 mm, total dimensions: 2700 mm x 1600 mm x 2150 mm. Technical condition unknown.	2500
756	De Jager RVS		1500



Nr	Title	Description	Start €
		De Jager RVS mobile elevating screw, year of construction: 2012, s/s screw, diameter: 300 mm, tier: 250 mm, elevating height: 2650 mm, total dimensions: 5300 mm x 200 mm x 3100 mm.	
757	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300, number: 13707, year of construction: 2000, 420 V, 50 Hz, 21.8 A, 9 kW, dimensions: 1700 mm x 1300 mm x 2000 mm. Rotor is incomplete.	3500
758	Handtmann	Handtmann mobile sausage linker, type: 241-01, number: 445, year of construction: 1999, 420 V, 50 Hz, 6.9 A, 5 kW, dimensions: 1750 mm x 900 mm x 1380 mm.	500
759	Tschu-Tschu-Bahnen	Tschu-Tschu-Bahnen electric train, type: EH, number: W09HEF23260T08001, year of construction: 2003, 48 V, weight: 4000 kg, 3 cabins, 29 passenger seats, dimensions each cabin: (1x) 3800 mm x 2550 mm x 1600 mm, (1x) 4200 mm x 2550 mm x 1600 mm, (1x) 4200 mm x 2550 mm x 1600 mm, total dimensions: 14100 mm x 2550 mm x 1600 mm. Without battery charger.	4500
760	Inox Meccanica	Inox Meccanica press, stuffing and automatic clipping machine, type: Pic 99B, number: 1822, year of construction: 2007, 380 V, 1 Ph, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 4700 mm x 1300 mm x 2100 mm. Incomplete, technical condition unknown.	400
761	Safeline/Mettler Toledo	Safeline/Mettler Toledo metal detector, model: V4-RAD, 100-240 VAC, 50/60 Hz, 340 W, clearance: 460 mm x 120 mm, plastic belt, belt width: 440 mm, total dimensions: 10700 mm x 1100 mm x 1400 mm.	400
762	NN table	S/s table, dimensions: 1500 mm x 800 mm x 700 mm.	75
763	NN frames	5 s/s frames, dimensions: (1x) 720 mm x 310 mm x 280 mm, (1x) 720 mm x 310 mm x 240 mm, (1x) 720 mm x 310 mm x 160 mm, (2x) 720 mm x 310 mm x 90 mm.	25
764	NN frame	S/s frame, dimensions: 1020 mm x 720 mm x 150 mm.	10
765	NN writing desk	S/s writing desk, dimensions: 500 mm x 500 mm x 1080 mm.	25
766	NN platform	S/s platform, dimensions: 850 mm x 350 mm x 400 mm.	25
767	NN table	Mobile s/s table, dimensions: 500 mm x 500 mm x 700 mm.	25
768	NN table	Mobile s/s table, dimensions: 450 mm x 400 mm x 840 mm.	25
769	NN steps	S/s steps, dimensions: 420 mm x 380 mm x 450 mm.	25
770	NN frame	S/s frame, dimensions: 850 mm x 850 mm x 830 mm.	25
771	De Jager RVS		100



Nr	Title	Description	Start €
		De Jager RVS s-shaped transport belt, plastic mesh belt, belt width: 590 mm, total dimensions: 2100 mm x 1200 mm x 980 mm.	
772	NN table	S/s table, dimensions: 660 mm x 660 mm x 750 mm.	50
773	NN tub	S/s perforated tub on s/s frame, perforations: Ø 10 mm, total dimensions: 700 mm x 500 mm x 1000 mm.	75
774	NN frame	S/s frame, dimensions: 1300 mm x 420 mm x 600 mm.	50
775	NN frame	S/s frame, dimensions: 600 mm x 400 mm x 1150 mm.	25
776	NN frame	S/s frame, dimensions: 600 mm x 400 mm x 800 mm.	25
777	NN frame	S/s frame, dimensions: 2070 mm x 620 mm x 700 mm.	25
778	NN frame	S/s frame, dimensions: 610 mm x 410 mm x 1410 mm.	25
779	Cipax	Cipax plastic tub, volume: 200 liter, dimensions: Ø 530 mm x 1200 mm.	50
780	NN tub	Plastic tub for water softener, dimensions: Ø 930 mm x 1300 mm.	5
800	Koppens B.V.	Koppens B.V. forming line, consisting of: Koppens B.V. forming machine with double infeed hopper, type: VM 600HD-TWR, machine number: 666, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 16.48 A, 7.68 kW, weight: 1425 kg, dye: 30 mm, total dimensions forming machine: 3400 mm x 2000 mm x 2440 mm, infeed bunker, dimensions: 4700 mm x 1900 mm x 1900 mm, 2 hydraulic units, dimensions: (2x) 1300 mm x 870 mm x 1700 mm, pallet with switch cabinets and extra forms, dye: 40 mm x 25 mm and 40 mm x 90 mm, dimensions pallet: 1200 mm x 800 mm x 500 mm.	2500
801	NN frame for transport belt	S/s frame for transport belt, dimensions: 1750 mm x 600 mm x 3000 mm.	100
802	NN transport belt	Mobile transport belt, plastic mesh belt, belt width: 395 mm, total dimensions: 9900 mm x 1200 mm x 2400 mm. Incomplete. Belt is broken.	500
803	NN platform	S/s platform, working height: 560 mm, total dimensions: 1150 mm x 900 mm x 1320 mm.	100
804	NN frame for transport belt	S/s frame for transport belt, maximum belt width: 320 mm, total dimensions: 5000 mm x 700 mm x 600 mm.	100
805	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 380 mm, divider height: 50 mm, distance between dividers: 150 mm, total dimensions: 5900 mm x 800 mm x 1650 mm.	300
806	NN tool trolley	S/s tool trolley, dimensions: 1350 mm x 1050 mm x 1170 mm.	150
807	Marel	Marel s/s frame for elevating belt, model: X9952, type: 4811707, serial number: 10431849, year of construction: 2019, maximum belt width: 180 mm, dimensions: (1x) 5000 mm x 650 mm x 1400 mm, (2x) 3700 mm x 400 mm x 500 mm.	200



Nr	Title	Description	Start €
808	Marel	Marel s/s frame for elevating belt, model: NR0001, type: Conveyor, serial number: A196178, year of construction: 2019, 200/240 V, 50/60 Hz, 3 A, maximum belt width: 260 mm, total dimensions: 3800 mm x 1000 mm x 1400 mm.	200
809	Alfa Laval	Alfa Laval evaporator, type: THOR-A 216-7-80-400-NC6, serial number: 601909-3110883-140682, year of construction: 2011, 400 V, 3 Ph, 50 Hz, refrigerant: GLYCOL, weight: 76 kg, dimensions: 1300 mm x 1000 mm x 800 mm.	150
810	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 455 mm, divider height: 50 mm, distance between dividers: 490 mm, total dimensions: 6400 mm x 1000 mm x 1250 mm.	400
811	NN transport belt	Transport belt, plastic belt, belt width: 420 mm, total dimensions: 4500 mm x 800 mm x 1150 mm.	200
812	Marel	Marel s/s frame for elevating belt, model: J04, type: 7641743, serial number: 10486173, year of construction: 2021, maximum belt width: 300 mm, total dimensions: 6800 mm x 600 mm x 1350 mm.	150
813	NN writing desks	2 s/s writing desks, dimensions: (2x) 530 mm x 560 mm x 1100 mm.	50
814	NN table	Aluminium table, dimensions: 2000 mm x 1000 mm x 850 mm.	50
815	NN frame	S/s frame, dimensions: 2400 mm x 1460 mm x 850 mm.	250
816	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 630 mm, total dimensions: 1100 mm x 700 mm x 80 mm.	25
817	NN frame	S/s frame, dimensions: 2400 mm x 1460 mm x 850 mm.	250
818	NN frame	S/s frame, dimensions: 2400 mm x 1580 mm x 860 mm.	250
819	ENE ltd	ENE ltd S-shaped conveyor, type: S Bend Conv., serial number: 302725, year of constructions: 2006, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: 2850 mm x 1600 mm x 740 mm and 2300 mm x 2500 mm x 740 mm.	300
820	NN waste containers	2 plastic waste containers, dimensions: (2x) 750 mm x 600 mm x 1050 mm.	50
821	NN waste containers	2 plastic waste containers, dimensions: (2x) 750 mm x 600 mm x 1050 mm.	50
822	NN waste containers	2 plastic waste containers, dimensions: (2x) 750 mm x 600 mm x 1050 mm.	50
823	NN frame for transport belt	Mobile s/s frame for transport belt, maximum belt width: 280 mm, total dimensions: 1250 mm x 600 mm x 950 mm.	50
824	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic mesh belt, belt width: 700 mm, divider height: 50	400



Nr	Title	Description	Start €
		mm, distance between dividers: 600 mm, elevating height: 2200 mm, total dimensions: 5700 mm x 900 mm x 2400 mm.	
825	NN transport belt	Transport belt, s/s frame, plastic belts, belt width: (2x) 230 mm, 500 mm and 1000 mm, total dimensions: 5200 mm x 2100 mm x 1500 mm.	400
826	WMH	WMH 4-lane elevating belt, s/s frame, plastic belts, belt width: (4x) 255 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1500 mm x 2450 mm.	400
827	WMH	WMH 4-lane elevating belt, model: incline conveyor, serial number: 10405-10, year of construction: 01/2017, 230 V, weight: 420 kg, s/s frame, plastic belts, belt width: (4x) 225 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1600 mm x 2400 mm.	400
828	Carnitech	Carnitech 3-lane sorting belt, s/s frame, type: PM45 number: CN24440.00, year of construction: 2005, 4 plastic mesh belts, belt width: (1x) 350 mm, (2x) 200 mm, (1x) 200 mm, 7 places for ergo steps, total dimensions: 8000 mm x 1250 mm x 1950 mm.	500
829	NN trolleys with bins	8 s/s trolleys with large amount of s/s bins with drains, diameter drains: 6 mm, dimensions bins: 750 mm x 440 mm x 100 mm, dimensions trolleys: (5x) 550 mm x 820 mm x 1660 mm and (3x) 550 mm x 820 mm x 1780 mm.	200
830	NN tub	S/s mobile tub, dimensions: 965 mm x 1550 mm x 985 mm.	100
831	NN outfeed station	S/s outfeed station with double slide used for ice machine, outfeed slides: (2x) 355 mm x 300 mm, total dimensions: 1580 mm x 1015 mm x 1300 mm.	100
832	NN platform	S/s platform, dimensions: 1900 mm x 760 mm x 260 mm.	50
833	NN table	S/s table, dimensions: 810 mm x 600 mm x 660 mm.	25
834	NN frame	S/s frame, dimensions: 800 mm x 630 mm x 1030 mm.	25
835	NN frame	S/s frame, dimensions: 700 mm x 690 mm x 1520 mm.	25
836	NN trolleys with bins	3 s/s trolleys with 28 s/s bins, dimensions bins: (28x) 520 mm x 640 mm x 65 mm, dimensions trolleys: (3x) 600 mm x 720 mm x 1780 mm.	150
837	NN tables	3 s/s tables with drains, dimensions: (3x) 600 mm x 600 mm x 860 mm.	75
838	NN frame	S/s frame for crates, crate clearance: 610 mm x 405 mm, total dimensions: 1300 mm x 850 mm x 1330 mm.	50
839	NN trolley	S/s trolley, dimensions: 1650 mm x 580 mm x 920 mm.	10
840	NN trolley	Aluminium trolley, dimensions: 1400 mm x 620 mm x 930 mm.	10



Nr	Title	Description	Start €
841	NN writing desk	S/s writing desk, dimensions: 1000 mm x 600 mm x 1200 mm.	25
842	NN writing desk	S/s writing desk, dimensions: 900 mm x 560 mm x 1040 mm.	25
843	NN tables	2 s/s tables with drains, dimensions: (2x) 600 mm x 600 mm x 860 mm.	50
844	NN cabinet	S/s mobile cabinet, dimensions: 600 mm x 760 mm x 1760 mm.	50
845	NN frame for transport belt	S/s frame for transport belt, dimensions: 1100 mm x 500 mm x 2000 mm.	25
846	NN filter tubs	3 filter tubs, dimensions: Ø 860 mm x 1100 mm, Ø 1300 mm x 1100 mm, Ø 400 mm x 600 mm. 1 tub is broken.	10
847	Soco System	Soco System roller conveyor, steel frame, plastic rollers, roller width: 410 mm, total dimensions: 2950 mm x 480 mm x 750 mm.	25
848	NN table	S/s table with dip tray, dimensions: 2320 mm x 1450 mm x 910 mm.	75
849	NN rollies	26 aluminium rollies, inside dimensions: 780 mm x 500 mm, total dimensions: (26x) 850 mm x 510 mm x 150 mm.	130
850	NN rollies	21 s/s rollies, dimensions: (21x) 770 mm x 470 mm x 170 mm.	75
851	Kersting	Kersting 90° elevating curve conveyor, type: FB 90° Kurve, number: 24101, year of construction: 2011, 400 V, 50 Hz, s/s frame, plastic mesh belt, belt width: 610 mm, elevating height: 1620 mm, total dimensions: 3650 mm x 2150 mm x 1680 mm.	250
852	NN trolley	S/s trolley, dimensions: 900 mm x 750 mm x 750 mm.	25
853	NN tool trolley	S/s tool trolley, dimensions: 1360 mm x 770 mm x 1430 mm.	25
854	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems mobile elevating belt, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: 1460 mm, total dimensions: 3200 mm x 800 mm x 1500 mm.	75
855	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems curve conveyor with elevating belt, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: 1500 mm, total dimensions: 3700 mm x 1500 mm x 1520 mm. Incomplete.	75
856	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems mobile elevating belt, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: 1520 mm, total dimensions: 4500 mm x 600 mm x 1550 mm. Incomplete.	75
857	L.A.C. Conveyor Systems	L.A.C. Conveyor Systems curve conveyor, type: Modular Conveyor, serial number: CP1024-200, year of construction: 2016, s/s frame, plastic mesh belt,	150



Nr	Title	Description	Start €
		belt width: 300 mm, total dimensions: 3300 mm x 1000 mm x 920 mm.	
858	NN frame	S/s frame, dimensions: 1250 mm x 840 mm x 900 mm.	50
859	NN table	S/s table, dimensions: 1800 mm x 1120 mm x 1000 mm.	50
860	NN rollie	Aluminium rollie, dimensions: 750 mm x 460 mm x 750 mm.	20
861	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 700 mm x 700 mm x 1000 mm.	20
862	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 700 mm x 700 mm x 1000 mm.	20
863	NN table	Mobile s/s table, dimensions: 1850 mm x 1200 mm x 1060 mm.	50
864	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 600 mm x 600 mm x 900 mm.	30
865	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1000 mm.	10
866	NN waste bag holder	S/s waste bag holder, dimensions: 700 mm x 600 mm x 1000 mm.	10
867	NN waste bag holder	S/s waste bag holder, dimensions: 850 mm x 750 mm x 1300 mm.	10
868	NN waste bin holders	2 s/s waste bag holders, dimensions: (2x) 500 mm x 500 mm x 1000 mm.	20
869	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 600 mm x 600 mm x 900 mm.	20
870	NN table	S/s table, dimensions: 1900 mm x 900 mm x 820 mm.	75
872	NN part of hanging line	2 conveyors for hanging line, total dimensions: 3700 mm x 1400 mm x 700 mm.	150
873	NN platform	S/s platform with steel step, dimensions: 1000 mm x 720 mm x 600 mm.	25
874	NN rack for dyes	S/s rack for dyes, dimensions: 1200 mm x 800 mm x 1500 mm.	50
875	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 690 mm, total dimensions: 830 mm x 500 mm x 850 mm.	25
876	NN writing desk	S/s writing desk, dimensions: 740 mm x 600 mm x 300 mm.	25
877	NN table	S/s table, dimensions: 5000 mm x 650 mm x 800 mm.	150
878	GRT Maintenance BV.	GRT Maintenance BV. s/s frame for curve conveyor, type: L90-600, machine number: 03, year of construction: 2014, 266 / 460 V, 3 Ph, 50 Hz, maximum belt width: 600 mm, total dimensions: 2000 mm x 1150 mm x 1250 mm. Without belt.	75
879	NN frame	S/s frame, dimensions: 610 mm x 410 mm x 1410 mm.	25
880	NN table	S/s table, dimensions: 800 mm x 400 mm x 770 mm.	50
881	NN table	S/s table, dimensions: 840 mm x 500 mm x 1220 mm.	50
882	NN table	S/s table, dimensions: 1200 mm x 700 mm x 950 mm.	75



Nr	Title	Description	Start €
883	NN writing desk	S/s writing desk, dimensions: 1350 mm x 600 mm x 1220 mm.	50
884	NN table	S/s table, dimensions: 1200 mm x 600 mm x 840 mm.	50
885	NN frame	S/s frame, dimensions: 2200 mm x 580 mm x 960 mm.	50
886	NN table	Mobile s/s table, dimensions: 1250 mm x 1160 mm x 1050 mm.	50
887	NN frame with pallet box	S/s frame with plastic pallet box, frame dimensions: 1250 mm x 1050 mm x 960 mm, pallet box dimensions: 1200 mm x 1000 mm x 750 mm.	100
888	NN frame	S/s frame, dimensions: 1250 mm x 850 mm x 900 mm.	50
889	NN writing desks	2 s/s writing desks, dimensions: (2x) 700 mm x 500 mm x 1200 mm.	50
890	NN writing desks	2 s/s writing desks, dimensions: (2x) 700 mm x 550 mm x 1250 mm.	50
891	NN table	S/s table, dimensions: 900 mm x 550 mm x 1000 mm.	25
892	Sealpac	3 s/s racks for Sealpac dyes, dimensions racks: (1x) 3900 mm x 1300 mm x 1350 mm and (2x) 3700 mm x 780 mm x 1740 mm.	300
893	NN table with buckets	S/s table with 3 s/s buckets, dimensions: 2500 mm x 500 mm x 1100 mm.	50
894	NN rack for forming plates	S/s rack for forming plates.	50
895	NN frames	3 s/s frames, dimensions: (1x) 620 mm x 420 mm x 900 mm, (1x) 620 mm x 420 mm x 850 mm, (1x) 620 mm x 420 mm x 830 mm.	60
896	NN writing desk	S/s writing desk, dimensions: 700 mm x 500 mm x 1200 mm.	25
897	NN table	S/s table, dimensions: 900 mm x 600 mm x 1050 mm.	25
898	NN writing desks	2 s/s writing desks, dimensions: (2x) 700 mm x 500 mm x 1200 mm.	50
899	NON Food Machinery	NON Food Machinery s/s turning table, type: 3540019000, serial number: 25.5.89, year of construction: 1989, ø top: 1750 mm, total dimensions: ø 1750 mm x 730 mm.	150
900	NN frame	S/s frame, dimensions: 1300 mm x 860 mm x 760 mm.	50
901	NN frame	S/s frame, dimensions: 600 mm x 410 mm x 730 mm.	10
902	NN trolley	Aluminium trolley, dimensions: 1200 mm x 600 mm x 1000 mm.	25
903	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 70 mm and 1720 mm x 1250 mm x 70 mm.	100
904	NN trolley	Steel trolley, dimensions: 800 mm x 600 mm x 1050 mm.	5
905	NN trolleys	2 steel trolleys, dimensions: (1x) 960 mm x 560 mm x 840 mm, (1x) 960 mm x 560 mm x 960 mm.	10
906	NN trolley	Steel trolley with wooden top, dimensions: 1150 mm x 700 mm x 920 mm.	10
907	NN trolley		25



Nr	Title	Description	Start €
		S/s trolley, dimensions: 820 mm x 600 mm x 1100 mm.	
908	NN rollies	2 steel rollies, dimensions: (2x) 800 mm x 600 mm x 170 mm.	5
909	NN gutter	Mobile s/s gutter, gutter width: 480 mm, total dimensions: 1130 mm x 670 mm x 1450 mm.	25
910	NN frames	2 s/s frames, dimensions: (2x) 760 mm x 800 mm x 870 mm.	50
911	NN table	S/s table, dimensions: 1300 mm x 1150 mm x 1050 mm.	100
912	NN frame	S/s frame, dimensions: 2200 mm x 1000 mm x 200 mm.	25
913	NN trolley	S/s trolley, dimensions: 650 mm x 600 mm x 1150 mm.	25
914	NN table	S/s mobile table with writing desk, dimensions: 540 mm x 650 mm x 1220 mm.	25
915	NN autoclave baskets	10 steel round autoclave baskets, diameter: (2x) 1070 mm / height: (2x) 500 mm and diameter: (8x) 900 mm / height: (8x) 750 mm.	250
916	NN pallets	38 plastic pallets, dimensions: 1200 mm x 1000 mm x 180 mm.	200
917	CRM	CRM trolley for knife sets, dimensions: 660 mm x 900 mm x 850 mm.	25
918	NN trolley	S/s trolley, 2 floors, dimensions: 550 mm x 800 mm x 850 mm.	25
919	NN trolley	S/s trolley with parts for slicer, dimensions: 1350 mm x 700 mm x 1600 mm.	25
920	NN frame	Mobile s/s frame, dimensions: 950 mm x 650 mm x 930 mm.	10
921	NN table	S/s table with frame, dimensions: 600 mm x 840 mm x 2000 mm.	25
922	NN table	S/s table with frame, dimensions: 600 mm x 840 mm x 2000 mm.	25
923	NN frame	S/s frame, dimensions: 1140 mm x 740 mm x 710 mm.	10
924	NN racks	4 s/s racks with 9 floors, dimensions floors: 500 mm x 990 mm, dimensions racks: (4x) 1050 mm x 1050 mm x 1930 mm.	200
925	NN rack	Galvanized rack, dimensions: 1200 mm x 800 mm x 1800 mm.	25
926	NN frame	Galvanized frame, dimensions: 1230 mm x 1000 mm x 900 mm.	10
927	NN trolleys for plates	6 s/s trolleys for plates, 20 floors, dimensions each floor: 600 mm x 400 mm, distance between floors: 70 mm, total dimensions: (6x) 635 mm x 460 mm x 1780 mm.	150
928	NN trolley	S/s trolley, dimensions: 1010 mm x 1000 mm x 2000 mm.	50



Nr	Title	Description	Start €
929	NN platform	Mobile s/s platform, working height: 1000 mm, total dimensions: 2100 mm x 1000 mm x 2000 mm.	100
930	NN platform	S/s platform, working height: 1130 mm, total dimensions: 2700 mm x 1700 mm x 2080 mm.	300
931	CFS	CFS s/s platform, type: PLATFORM, machine number: 500006/262. POS. 717, year of construction: 2009, working height: 1300 mm, total dimensions: 2400 mm x 2000 mm x 2420 mm.	300
932	E.S.A. Group Odor Technology	E.S.A. Group Odor Technology gas washing installation, consisting of: 4 plastic gas washing tanks, dimensions: (3x) 3000 mm x 4200 mm x 4450 mm, (1x) 3200 mm x 2900 mm x 4450 mm, blower, dimensions: 2700 mm x 3700 mm x 2850 mm, switch cabinet, dimensions: 1800 mm x 500 mm x 2200 mm, 4 plastic cabinets with Prominent dosing pump, capacity: 13.5 liter per hour, dimensions cabinets: (4x) 700 mm x 550 mm x 1000 mm. Lot has already been dismantled.	1500
933	NN cooking rack	S/s cooking rack, dimensions: 1020 mm x 1000 mm x 1680 mm.	50
934	NN cooking racks	6 s/s cooking racks, dimensions: (6x) 1000 mm x 1000 mm x 2050 mm.	300
935	NN trolleys for plates	2 s/s trolleys for plates, (2x) 20 floors, dimensions each floor: 600 mm x 400 mm, distance between floors: 70 mm, total dimensions: (2x) 1000 mm x 1300 mm x 2000 mm.	100
936	NN trolleys for plates	2 s/s trolleys for plates, (2x) 20 floors, dimensions each floor: 600 mm x 400 mm, distance between floors: 70 mm, total dimensions: (2x) 1000 mm x 1300 mm x 2000 mm.	100
937	NN trolley	S/s trolley, dimensions: 1800 mm x 650 mm x 1170 mm.	25
938	NN trolleys	2 s/s trolleys, dimensions: (2x) 1480 mm x 700 mm x 1430 mm.	50
939	Nawi B.V.	Nawi B.V. s/s cooking trolley, 9 floors, dimensions each floor: 1200 mm x 1000 mm, total dimensions: 1280 mm x 1000 mm x 1640 mm.	75
940	NN cooking trolley	S/s cooking trolley, 5 floors, floor dimensions: 1000 mm x 1100 mm, total dimensions: 1000 mm x 1280 mm x 1650 mm.	75
941	NN cleaning trolleys for battering machines	2 s/s cleaning trolleys for battering machines, dimensions: (2x) 750 mm x 750 mm x 1650 mm.	50
942	NN rack	Steel rack, dimensions: 1150 mm x 850 mm x 1700 mm.	10
943	Schütz	10 Schütz IBC tanks, dimensions: (10x) 1200 mm x 1000 mm x 1150 mm.	250
944	NN chain conveyor	Chain conveyor, dimensions: 7000 mm x 550 mm x 1100 mm.	250



Nr	Title	Description	Start €
945	De Jager RVS	De Jager RVS mobile transport belt, type: 30130520, year of construction: 01/2014, maximum belt width: 600 mm, total dimensions: 9600 mm x 1050 mm x 1620 mm. Without belt.	300
946	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 280 mm, divider height: 40 mm, distance between dividers: 200 mm, total dimensions: 3650 mm x 530 mm x 450 mm.	200
947	NN table	Aluminium table, dimensions: 3700 mm x 1100 mm x 850 mm.	100
948	NN deboning belt	Deboning belt, number: S083 5350, year of construction: 1996, s/s frame, plastic belt, belt width: 640 mm, plastic rollers, roller width: 440 mm, total dimensions: 12700 mm x 1620 mm x 1410 mm.	500
949	NN pressure vessel	Steel pressure vessel, dimensions: Ø 600 mm x 2200 mm.	75
950	NN boot rack	S/s mobile boot rack, 10 pairs, dimensions: 800 mm x 370 mm x 2200 mm. 1 peg is missing.	100
951	Bauer Südlohn	Bauer Südlohn fork lift attachment, type: SCH-G 150, serial number: 420460, year of construction: 2012, weight: 172 kg, dimensions: 1600 mm x 1500 mm x 500 mm.	100
952	NN stairs	S/s stairs, 11 steps, dimensions: 4100 mm x 650 mm x 940 mm.	150
953	NN platform	S/s platform for multihead weigher with stairs, platform dimensions: 2900 mm x 2500 mm x 1600 mm, dimensions stairs: 2200 mm x 900 mm x 2750 mm.	750
954	NN transport belt system	Transport belt system, maximum belt width: 500 mm, total dimensions: (5x) 6000 mm x 550 mm x 330 mm, (6x) 3000 mm x 550 mm x 330 mm, (2x) 1200 mm x 550 mm x 330 mm, (1x) 2300 mm x 550 mm x 330 mm, (1x) 2000 mm x 550 mm x 330 mm.	500
955	NN air handling unit	Air handling unit, dimensions: 3200 mm x 2100 mm x 4000 mm.	250
956	Schutz	7 Schutz plastic IBC tanks and 1 pallet with cage , volume: 1000 liter, dimensions: (8x) 1200 mm x 1000 mm x 1150 mm.	60
957	NN cage	S/s double cage for lifter, dimensions: 2050 mm x 1380 mm x 4100 mm.	250
958	GEA Goedhart	GEA Goedhart evaporator, 2 fans, type: VCI-B 126310 G, manufacturing number: PJV120314, VK1200284/320207000, year of construction: 2012, volume: 94 dm ³ , PS: 28 bar, TS: +55/-18 °C, PT: 40 bar, refrigerant: R507 Dx, dimensions: 2900 mm x 1050 mm x 1100 mm.	400
959	NN screen filter		1250



Nr	Title	Description	Start €
		S/s screen filter for water treatment, width sieve: (3x) 656 mm, total dimensions: 2450 mm x 1700 mm x 2750 mm.	
960	Koppens	Koppens mobile curve conveyor with 90° curve, s/s frame, s/s mesh belt, type: RT 90/600, machine number: RT 90/600-55/1, 380 V, 3 Ph, 50 Hz, 0.75 A, 0.18 kW, weight: 120 kg, belt width: 600 mm, total dimensions: 1100 mm x 1100 mm x 1050 mm.	400
961	Skindeasy	Skindeasy alginate line, type: Skindeasy, serial number: 48201, year of construction: 2015, 3 x 400 V, 50 Hz, 0.4 kW, dimensions: 1800 mm x 650 mm x 1400 mm.	750
962	Koppens	Koppens mobile mesh belt, s/s frame, s/s mesh belt, type: TG 3000/600, machine number: TG 3000/600-278, 380 V, 3 Ph, 50 Hz, 0.35 A, 0.09 kW, weight: 110 kg, belt width: 600 mm, total dimensions: 3200 mm x 800 mm x 1050 mm.	500
963	Koppens	Koppens mobile mesh belt, s/s frame, s/s mesh belt, type: TG2000/600, machine number: 248, belt width: 600 mm, total dimensions: 3200 mm x 900 mm x 1150 mm.	500
964	PackAid B.V.	PackAid B.V. mobile continuous band sealer, machine number: 18039, year of construction: 2018, belt width: 400 mm, seal length: 500 mm, total dimensions: 2500 mm x 900 mm x 1430 mm.	500
965	Stork	Stork mobile mesh belt, s/s frame, s/s mesh belt, belt width: 400 mm, total dimensions: 4600 mm x 750 mm x 1000 mm.	500
966	NN mesh belt	Mobile mesh belt, s/s frame, s/s mesh belt, belt width: 600 mm, total dimensions: 2200 mm x 850 mm x 1200 mm.	350
967	NN tub	S/s tub with platform, inside dimensions tub: 4700 mm x 1400 mm x 1500 mm, total dimensions: 5700 mm x 2800 mm x 1500 mm, length legs: 2750 mm.	750
968	NN tank	S/s tank, dimensions: 2500 mm x 1900 mm x 2500 mm.	400
969	Inotec	Inotec double shaft paddle mixer with cooling by injection in the hopper, type: IM-1000, serial number: 0208-IPM00128, year of construction: 2002, 400 V, 50 Hz, 13.5 kW, volume drum: 1000 litres, dimensions: 3000 mm x 1700 mm x 2100 mm.	12500
970	NN wheels	Pallet with various wheels, diameter wheels: 200 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	50

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general note-taking. There are no margins, text, or other markings on the page.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

