



**Industrial  
Auctions**

**2017: Online auction meat processing machinery  
and inventory due to closing production location  
Metzgerei Lowis GmbH in Baesweiler (DE)**

**END DATE**  
17 December 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	17 December 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	14 January 2026 from 09:00 till 16:00 hrs.
Pick up address	Hauptstraße 99 52499 Baesweiler Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	K+G Wetter	K+G Wetter vacuum and cooking cutter with lifter for 200 liter meat bins, machine type: VCM 200-511, machine number: 511/1013, year of construction: 2025, 400 V, 50 Hz, control voltage: 24 DC / 230 AC, rated current: 195 A, 110 kW, volume: 200 liter, cooling option in bowl with water (also under vacuum), stepless machine with 27 programmable speeds, custom-made with energy efficiency optimization and consumption display , total dimensions: 3200 mm x 2700 mm x 2200 mm. Cutter need to be removed by crane.	175000
2	NN table	S/s mobile table with plastic worktop, dimensions plastic worktops: (2x) 850 mm x 400 mm, total dimensions: 1700 mm x 900 mm x 920 mm.	400
3	NN table	S/s table, dimensions: 430 mm x 430 mm x 500 mm.	20
4	K+G Wetter	K+G Wetter mixer-grinder with lifter for 200 liter meat bins, machine type: MWW G160-449, machine number: 449/1008, year of construction: 2017, 400 V, 50 Hz, control voltage: 24 DC / 230 AC, rated current: 54 A, 24 kW, plate diameter: 160 mm, hopper capacity: 355 liter, pneumatic sorting device, emptying monitoring, bayonet lock nut, ejecting device for worm and cutting set, mixing arm and shaft for frozen meat, total dimensions: 2700 mm x 2000 mm x 1850 mm. Workshop tested in 2024. Mixer-grinder need to be removed by crane.	45000
5	Rühle	Rühle dicer with lifter for E2 crates and outfeed belt, model: SR 2 Bi Turbo, serial number: 40051146, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 13.2 A, 5.3 kW, plastic outfeed belt, belt width: 260 mm, total dimensions: 1600 mm x 1500 mm x 1450 mm. Including various grids.	25000
6	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 838 S, number: 50436, year of construction: 2023, Handtmann grinding head, model: 451, number: 20001381, year of construction: 2024, Handtmann linking and case holding device, type number: 414/16203504, year of construction: 2017 and type number: 410 / 1601044, year of construction: 2023, total dimensions vacuum filling machine: 2000 mm x 1600 mm x 2200 mm. Including some crates with parts. Vacuum filling machine need to be removed by crane.	90000
7	Handtmann	Handtmann linking and hanging line consisting of Handtmann AL-System linker, type: PLH 216, number: 52614, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 5.3 A, 3.5 kW, weight: 280 kg, dimensions linker: 1400 mm x 700 mm x 1400 mm, Handtmann hanging line, type: AHE 228-16, number: 22600591, year of construction: 2024, dimensions hanging line: 2700 mm x 700 mm x 1600 mm.	30000
8	NN table	S/s table with drain, dimensions: 1500 mm x 800 mm x 870 mm.	400



Nr	Title	Description	Start €
9	Rühle	Rühle cooled vacuum mixer / tumbler with lifter for 200 liter meat bins, model: MPR 500, serial number: 10130541, year of construction: 2024, 400 V, 3 Ph, 50/60 Hz, 18.1 A, 8.8 kW, volume: 500 liter, built-in Busch vacuum pump, type: KC 0016 E 3Z0 MMZZ, year of construction: 2024, volume: 19 m³ per hour, total dimensions: 2000 mm x 2400 mm x 2350 mm. Tumbler need to be removed by crane.	35000
10	Bastra GmbH	Bastra GmbH universal smoking chamber for 1 smoke trolley, type: 2000 A-FR, serial number: B60076, year of construction: 2024, 230 / 400 V, 3 Ph, 50 Hz, 5.5 kW, volume: 3000 liter, connection liquid smoke: 2.53 kg / hour, nominal capacity: 32.6 kW, equipped with gas heating, climate package, shower, steam cooking, viewing window, PC-monitoring, Bastra FR 50 liquid smoke generator, inside dimensions smoking chamber: 1130 mm x 1100 mm x 2100 mm, total dimensions smoking chamber: 1500 mm x 1700 mm x 3300 mm, Bastra smoke generator for woodchips, type: 40 HS, year of construction: 2021, dimensions smoke generator: 340 mm x 1050 mm x 1300 mm, dimensions switch cabinet: 480 mm x 260 mm x 1100 mm, dimensions switch cabinet with frequency convertor: 300 mm x 200 mm x 370 mm, dimensions switch cabinet liquid smoke generator: 480 mm x 300 mm x 700 mm. Smoking chamber need to be removed by crane.	50000
11	Bastra GmbH	Bastra GmbH universal smoking chamber for 2 smoke trolleys, type: 4000 A-FR, serial number: B60075, year of construction: 2024, 230 / 400 V, 3 Ph, 50 Hz, 13.7 kW, volume: 6000 liter, connection liquid smoke: 4.51 kg / hour, nominal capacity: 58.1 kW, equipped with gas heating, climate package, shower, steam cooking, viewing window, PC-monitoring, Bastra FR 50 liquid smoke generator, inside dimensions smoking chamber: 1130 mm x 2100 mm x 2100 mm, total dimensions smoking chamber: 1500 mm x 2500 mm x 3400 mm, dimensions switch cabinet: 480 mm x 260 mm x 1100 mm, dimensions switch cabinet with frequency convertor: 380 mm x 220 mm x 600 mm, dimensions switch cabinet liquid smoke generator: 480 mm x 300 mm x 700 mm. Smoking chamber need to be removed by crane.	75000
12	Bastra GmbH	Bastra GmbH universal smoking chamber for 2 smoke trolleys, type: 4000 A-FR, serial number: B60074, year of construction: 2024, 230 / 400 V, 3 Ph, 50 Hz, 13.7 kW, volume: 6000 liter, connection liquid smoke: 4.51 kg / hour, nominal capacity: 58.1 kW, equipped with gas heating, climate package, shower, steam cooking, viewing window, PC-monitoring, Bastra FR 50 liquid smoke generator, inside dimensions smoking chamber: 1130 mm	75000



Nr	Title	Description	Start €
		x 2100 mm x 2100 mm, total dimensions smoking chamber: 1500 mm x 2500 mm x 3400 mm, dimensions switch cabinet: 480 mm x 260 mm x 1100 mm, dimensions switch cabinet with frequency convertor: 380 mm x 220 mm x 600 mm, dimensions switch cabinet liquid smoke generator: 480 mm x 300 mm x 700 mm. Smoking chamber need to be removed by crane.	
13	Poly-Clip System GmbH & Co. KG.	Poly-Clip System GmbH & Co. KG. mobile automatic double clipper, type: PDC A 700, number: 297, year of construction: 2024, 110-250 V, 50/60 Hz, 16 A, 0.8 kW, air pressure: 4 - 6 bar, weight: 164 kg, total dimensions: 1200 mm x 900 mm x 1900 mm.	22500
14	NN tub	S/s mobile tub with drain, dimensions: 1600 mm x 630 mm x 850 mm.	400
15	Rational	Rational combisteamer, model: iCombi Pro, model number: LM100EG.AXXXXA, serial number: G12SJ25023200294, year of construction: 2025, 230 V, 1 Ph, 50/60 Hz, 1500 W, water pressure: 150-600 kPa, Qn (Hi): 40 kW, gas heated, 10 floors, dimensions floors: (10x) 530 mm x 610 mm, total dimensions: 1100 mm x 1000 mm x 2000 mm.	12500
16	NN bowl	S/s mobile bowl, diameter: 700 mm, height: 790 mm.	50
17	NN knife holder	S/s wall mounted knife holder, dimensions: 580 mm x 450 mm. Including 6 knives.	20
18	Stork & Hermann GmbH / Teha	High pressure cleaning installation consisting of Stork & Herrmann GmbH high pressure unit, type: 60-433, machine number: 0976, year of construction: 2025, 12 liter per minute, dimensions high pressure unit: 700 mm x 500 mm x 350 mm, Theodor Henrichs GmbH s/s hose reel with spraying gun, type: ST20/19e, year of construction: 06/2025, working pressure: 200 bar, working temperature: 100C, dimensions: 500 mm x 200 mm x 500 mm, soap mixing station, dimensions: 700 mm x 500 mm x 350 mm.	3250
19	NN sink	S/s sink with 1 faucet, sensor control, dimensions: 470 mm x 420 mm x 400 mm and s/s soap dispenser.	50
20	Kärcher	High pressure cleaning installation consisting of Kärcher high pressure cleaner, model: HD 6/15 M St, serial number: 040984, year of construction: 2024, 230 V, 1 Ph, 50 Hz, capacity: 9.3 liter per minute, dimensions: 300 mm x 300 mm x 600 mm and s/s hose reel with hose and spraying gun, model pistol: ST-2700, maximum: 150C, 45 liter per minute, dimensions hose reel: 500 mm x 200 mm x 500 mm.	400
21	NN sink	S/s sink with 1 faucet, sensor control, dimensions: 400 mm x 320 mm x 500 mm and plastic paper dispenser, dimensions: 250 mm x 250 mm x 350 mm.	50
22	Höcker	Höcker hygiene station consisting of sole cleaner, s/s sink with 1 faucet, paper dispenser, 2 soap dispenser and	3250



Nr	Title	Description	Start €
		waste bin, serial number: 22-43-001, 400 V, 3 Ph, 50-60 Hz, 0.25 kW, dimensions: 1100 mm x 600 mm x 1700 mm.	
23	Steril Systems	Steril Systems ambient air disinfection unit, type: ULE1000, serial number: 2111E5391, year of construction: 2021, 230 V, 50/60 Hz, 0.04 kW, dimensions: 1000 mm x 130 mm x 170 mm.	500
24	Höcker	Höcker hygiene station consisting of sole cleaner, s/s sink with 1 faucet, paper dispenser, 2 soap dispenser and waste bin, serial number: 24-26-002, year of construction: 2024, 400 V, 3 Ph, 50-60 Hz, 300 W, dimensions: 1100 mm x 600 mm x 1700 mm.	3250
25	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVMsplit 5006, serial number: M-58226, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 2.24 A, 0.55 kW, 6 bar, 280 liter per minute, weight: 200 kg, working width: 540 mm, foot control, total dimensions: 1000 mm x 750 mm x 1050 mm.	9500
26	NN trolley	S/s trolley, 10 floors with 6 aluminium plates, dimensions plates: (6x) 750 mm x 550 mm x 40 mm, total dimensions: 850 mm x 620 mm x 1470 mm.	100
27	NN meat bins	2 s/s meat bins, volume: 200 liter, dimensions: (2x) 760 mm x 760 mm x 700 mm.	350
28	NN meat bins	2 s/s meat bins, volume: 200 liter, dimensions: (2x) 760 mm x 760 mm x 700 mm.	350
29	Rotogal	2 Rotogal plastic meat bins, volume: 200 liter, dimensions: (2x) 760 mm x 800 mm x 680 mm.	350
30	NN meat bins	2 s/s meat bins, volume: 200 liter, dimensions: (2x) 760 mm x 760 mm x 700 mm.	350
31	Rotogal	4 Rotogal plastic meat bins, volume: 200 liter, dimensions: (4x) 760 mm x 800 mm x 680 mm.	700
32	NN meat bins	3 s/s meat bins, volume: 200 liter, dimensions: (3x) 760 mm x 760 mm x 700 mm.	525
33	NN meat bins	2 s/s meat bins, volume: 200 liter, dimensions: (2x) 760 mm x 760 mm x 700 mm.	350
34	NN meat bins	2 s/s meat bins, volume: 200 liter, dimensions: (2x) 760 mm x 760 mm x 700 mm.	350
35	Poly-Clip System GmbH & Co. KG.	Poly-Clip System GmbH & Co. KG. mobile automatic double clipper, type: FCA 80, number: 1543, year of construction: 2024, 400 V, 3 Ph, 50/60 Hz, 16 A, 3 kW, 5-7 bar, plastic belt, belt width: 75 mm, total dimensions: 1700 mm x 1100 mm x 1950 mm.	57500
36	NN meat bins	S/s meat bin, volume: 200 liter, dimensions: 760 mm x 760 mm x 700 mm.	175
37	Kolbe	Kolbe mobile bandsaw, type: K330, serial number: 98 3025, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, weight: 165 - 175 kg, maximum clearance: 270 mm, saw band: 2490 mm x 16 mm, total dimensions: 840 mm x 750 mm x 1770 mm.	4500



Nr	Title	Description	Start €
38	Brökelmann	Brökelmann mobile glycerine-bath cooking vessel, year of construction: 2022, 400 V, 50 Hz, 16 A, 9 kW, weight: 82 kg, volume: 120 liter, inside diameter: 530 mm, inside height: 530 mm, total dimensions: 920 mm x 700 mm x 950 mm.	1000
39	Rühle	Rühle injector with tenderizer and lifter for E2 crates, model: IR 56, serial number: 30010727, year of construction: 2024, 400 V, 3 Ph, 50/60 Hz, 16 A, 8.7 kW, 56 needles, walking beam, beam width: 350 mm, total dimensions: 1900 mm x 1000 mm x 2050 mm.	25000
40	Poly-Clip System GmbH & Co. KG.	Poly-Clip System GmbH & Co. KG. mobile semi automatic double clipper, type: PDC 600, number: 3513, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 1.0 bar, 0.1 kW, 5-7 bar, weight: 118 kg, total dimensions: 1100 mm x 800 mm x 1850 mm.	7500
41	NN smoke sticks	2 s/s trolleys for smoke sticks with large amount of Y-shaped s/s smoke sticks, length sticks: 1000 mm, dimensions trolleys: (2x) 600 mm x 410 mm x 720 mm.	200
42	Rhewa-Waagenfabrik	Rhewa-Waagenfabrik floor weighing scale with indicator, dimensions scale: 1100 mm x 1250 mm, model indicator: 82 Alpha, maximum: 600 kg, minimum: 4 kg, e = 0.2 kg and Rhewa wall mounted weighing scale with indicator, dimensions scale: 350 mm x 280 mm x 90 mm.	3000
43	NN pegs	2 s/s wall mounted pegs, dimensions: 800 mm x 350 mm and 550 mm x 330 mm.	50
44	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, model: SAH 170 L, serial number: I-53159, year of construction: 2024, 230 V, 1 Ph, 50 Hz, 6.73 A, 0.99 kW, refrigerant: R449 A / 1.0 kg, capacity: 170 kg per 24 hours, automatic cleaning, total dimensions ice machine: 700 mm x 700 mm x 1380 mm and dimensions plastic mobile bin: 620 mm x 650 mm x 660 mm.	6000
45	Mewag	Mewag mobile dip tank, model: SA 70, inside dimensions: 600 mm x 400 mm x 600 mm, total dimensions: 750 mm x 650 mm x 1350 mm.	250
46	NN netting machine	S/s netting machine on plastic plate, dimensions plate: 530 mm x 320 mm, diameter netting machine: 185 mm, total dimensions: 630 mm x 320 mm x 370 mm.	100
47	Rühle	Rühle netting machine, model: ER 1, serial number: 70012127, year of construction: 2024, diameter: 200 mm, total dimensions: 700 mm x 650 mm x 350 mm.	750
48	EFA	EFA breaking saw, machine type: Zerlegesäge, type: EFA 86, serial number: 2640, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1500 W, 1150 rates per minute, dimensions: 650 mm x 250 mm x 250 mm.	1500
49	EFA	EFA breaking saw, machine type: Zerlegesäge, type: SK 13 WB, serial number: 11688, year of construction: 2012, 230	500





Nr	Title	Description	Start €
		V, 50/60 Hz, 4.6 A, 1020 W, dimensions: 550 mm x 250 mm x 250 mm.	
50	EFA	EFA balancer, type: 1620074, fabrication number: 1029527, year of construction: 2021, capacity: 13.0 - 17.0 kg, dimensions: 200 mm x 250 mm x 150 mm.	150
51	Duniform AB	Duniform AB traysealer, machine type: DF20, machine number: DF2006177, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 0.75 kW, dye: (1x) 160 mm x 208 mm, total dimensions: 250 mm x 650 mm x 300 mm.	25
52	Poly-Clip System GmbH & Co. KG.	Poly-Clip System GmbH & Co. KG. table model clipper, type: SCD 700, serial number: 10301, year of construction: 2022, air pressure: 5 - 7 bar, weight: 12 kg, dimensions: 250 mm x 400 mm x 950 mm.	1750
53	Poly-Clip System GmbH & Co. KG.	Poly-Clip System GmbH & Co. KG. table model press clipper, type: PCD 800, serial number: 123, year of construction: 2025, air pressure: 5 - 7 bar, weight: 32 kg, dimensions: 750 mm x 450 mm x 1000 mm.	5000
54	Schnitzelmaster AG	Schnitzelmaster AG schnitzell press, working width: 242 mm, total dimensions: 500 mm x 220 mm x 300 mm.	50
55	Boyens Backservice	Boyens Backservice spraying unit for spraying release agents or emulsions, model: Sprühboy 14S, container serial number: 2401285, year of construction: 2024, capacity: 10 liter, dimensions: 350 mm x 300 mm x 500 mm.	200
56	Adelmann	3 Adelmann ham moulds with 1 lid, type: Adelmann WP 350-4.	150
57	NN table	S/s mobile table with plastic worktop, dimensions worktops: (2x) 1100 mm x 400 mm, total dimensions: 2200 mm x 930 mm x 890 mm.	400
58	Brökelmann	Brökelmann mobile cooking vessel, year of construction: 2016, 3 x 400 V, 50 Hz, 17.3 A, 12 kW, weight: 320 kg, volume: 200 liter, inside diameter: 690 mm, inside height: 540 mm, Brökelmann KA10 control panel, total dimensions: 850 mm x 1000 mm x 1400 mm.	1500
59	Brökelmann	Brökelmann mobile cooking vessel, volume: 200 liter, inside diameter: 690 mm, inside height: 540 mm, Brökelmann KA20 control panel, total dimensions: 850 mm x 1000 mm x 1400 mm.	3000
60	NN trolley	S/s trolley, 3 floors, dimensions: 1020 mm x 630 mm x 930 mm.	100
61	Silex Elektrogeräte GmbH	Silex Elektrogeräte GmbH grill, type: S-161, serial number: 75360, 400 V, 3 Ph, 50/60 Hz, 15 A, 6.0 kW, grill surface: 340 mm x 340 mm, total dimensions: 400 mm x 600 mm x 460 mm.	350
62	Stork & Hermann GmbH / Teha	High pressure cleaning installation consisting of Stork & Herrmann GmbH high pressure unit, type: 60-433, machine number: 0975, year of construction: 2025, 12 liter per minute, dimensions high pressure unit: 700 mm x	3250





Nr	Title	Description	Start €
		500 mm x 350 mm, Theodor Henrichs GmbH s/s hose reel with spraying gun, type: ST20/19e, year of construction: 06/2025, working pressure: 200 bar, working temperature: 100C, dimensions: 500 mm x 200 mm x 500 mm, soap mixing station, dimensions: 700 mm x 500 mm x 350 mm.	
63	NN dispensers	S/s paper dispenser, dimensions: 350 mm x 150 mm x 420 mm, s/s hose reel with hose and spraying gun, dimensions: 320 mm x 150 mm x 300 mm and s/s dispenser for hand gloves.	50
64	Höcker	Höcker hygiene station consisting of sole cleaner, s/s sink with 1 faucet, paper dispenser, 2 soap dispenser and waste bin, serial number: 22-48-001, 400 V, 3 Ph, 50-60 Hz, 0.25 kW, dimensions: 1100 mm x 600 mm x 1700 mm.	3250
65	Rhewa-Waagenfabrik	Rhewa-Waagenfabrik floor weighing scale with indicator, capacity scale: 300 kg, dimensions scale: 1100 mm x 1250 mm, model indicator: 84 Vario, maximum: 600 / 1500 kg, minimum: 4 / 10 kg, e = 0.2 / 0.5 kg. Indicator new in box.	3000
66	Kohlhoff	Kohlhoff s/s sink with 1 faucet, sensor control, 2 s/s soap dispensers, dimensions sink: 550 mm x 450 mm x 700 mm, Fripa plastic paper dispenser.	100
67	Espera	Espera weighing and labelling machine with bottom and top taper, model: ES-B, model checkweigher: ES-E 1000, year of construction: 2025, 110 - 240 V, 50 - 60 Hz, 10 A, maximum: 3 / 6 kg, e: 1/2 gram, plastic belt, belt width: (2x) 145 mm, total dimensions: 2100 mm x 900 mm x 1850 mm.	30000
68	Soehnle Professional	Soehnle Professional weighing scale, serial number: 924124TS00402, maximum: 30 kg, d = 1 gram, dimensions: 320 mm x 340 mm x 130 mm.	100
69	CAB	CAB label printer, model: SQUIX 4/300P, serial number: 0130123, 100-240 V, 50-60 Hz, 2 A, dimensions: 250 mm x 380 mm x 300 mm.	1250
70	Espera	Espera weighing scale with label printer and control panel, model weighing scale: ES-M 1000, maximum: 3 / 6 / 7.5 kg, minimum: 20 gram / 40 gram / 100 gram, e = 1 gram / 2 gram / 5 gram, dimensions weighing scale: 300 mm x 300 mm x 90 mm, Espera label printer, model: ESD 3005, 95 - 255 V AC / 2 A / 50-60 Hz, dimensions label printer: 250 mm x 380 mm x 300 mm.	7500
71	NN table	S/s mobile table with plastic worktop, dimensions plastic worktops: (2x) 850 mm x 400 mm, total dimensions: 1700 mm x 900 mm x 900 mm.	400
72	Intervac Vakuumtechnik GmbH	Intervac Vakuumtechnik GmbH mobile vacuum machine, machine type: INV 40, machine number: 3879, year of construction: 2025, 230 / 400 V, 50 Hz, 4.0 kW, weight: 360 kg, seal length: 840 mm / 640 mm, Busch vacuum pump, model: RD 0200 A 501, year of construction: 2024,	10000



Nr	Title	Description	Start €
		capacity: 190 m <sup>3</sup> per hour, total dimensions: 1000 mm x 1100 mm x 1250 mm.	
73	Intervac Vakuumtechnik GmbH	Intervac Vakuumtechnik GmbH mobile dip tank, machine type: TB 150, machine number: 3880, year of construction: 2025, 230 / 400 V, 50 Hz, 18 kW, weight: 120 kg, plastic rollers, roll width: 550 mm, total dimensions: 1900 mm x 900 mm x 1600 mm.	6000
74	BS Verpackung GmbH / Boss	BS Verpackung GmbH/ Boss mobile traysealer, model: BS 47, serial number: 00093-1410V193.11B, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 3.9 kW, film width: 470 mm, dye: (2x) 170 mm x 120 mm, outfeed roller conveyor, roll width: 590 mm, vacuum and gasflush, total dimensions: 2500 mm x 1000 mm x 1800 mm. Including additional dye. Traysealer for tray dimensions 187 mm x 137 mm and 178 mm x 227 mm. Complete overhauled in 2024.	35000
75	Variovac	Variovac thermoformer, machine type: OPTIMUS, number: OL2711, year of construction: 2025, 230/400 V, 50 Hz, nominal current: 20 A, nominal power: 12 kW, compressed air minimum: 6 bar, film width: 460 mm, index: 220 mm, thermofoming depth: 100 mm, outfeed belt, belt width: 425 mm, Busch vacuum pump, type: RA0100 F 403 TDXZ, year of construction: 2024, capacity: 120 m <sup>3</sup> per hour, total dimensions: 3700 mm x 1200 mm x 2200 mm. Including various parts. For more information about the dyes see below drawings:	75000
76	NN table	S/s mobile table with plastic worktop, dimensions worktops: (2x) 1100 mm x 400 mm, total dimensions: 2200 mm x 930 mm x 890 mm.	400
77	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with label printer, type: UC-HTT-M CT, serial number: 3363419, 100-240 V, 1 Ph, 50/60 Hz, 1.0 A, maximum: 6 / 15 kg, minimum: 40 gram, e = 2 / 5 gram, dimensions scale: 370 mm x 270 mm, total dimensions: 400 mm x 500 mm x 550 mm.	100
78	Höcker	Höcker hygiene station consisting of sole cleaner, s/s sink with 1 faucet, paper dispenser, 2 soap dispenser and waste bin, serial number: 24-44-002, year of construction: 2024, 400 V, 3 Ph, 50-60 Hz, 300 W, dimensions: 1100 mm x 600 mm x 1700 mm.	3250
79	Gustav Mueller & Co KG / Boss	Gustav Mueller & Co KG / Boss mobile traysealer, model: BS 25 Basic, serial number: 00101, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 3.1 kW, dye: (1x) 303 mm x 243 mm - for 1/2 GN trays, film width: 380 mm, vacuum and gasflush, Busch vacuum pump, type: KB 0040 D I00, year of construction: 2013, capacity: 40 m <sup>3</sup> per hour, dimensions: 600 mm x 920 mm x 1450 mm. Complete overhauled in 2024.	6000
80	Marel TREIF GmbH		37500



Nr	Title	Description	Start €
		Marel TREIF GmbH slicer, model: K207 / DIVIDER startup, machine number: 750004.260206.155201, year of construction: 2025, 380-480 V, 3 Ph, 50/60 Hz, control voltage: 24 V, rated current: 4 A, supply line fuse: 16 A, rated power: 2.8 / 3.81 kW, weight: 560 kg, plastic belt, belt width: 360 mm, total dimensions: 2300 mm x 1100 mm x 2000 mm.	
81	NN table	S/s table, 2 floors, dimensions: 1450 mm x 800 mm x 800 mm.	200
82	Variovac	Variovac thermoformer, machine type: OPTIMUS, number: OL2709, year of construction: 2025, 230/400 V, 50 Hz, nominal current: 24 A, nominal power: 14 kW, compressed air minimum: 6 bar, film width: 460 mm, index: 300 mm, dye: (5x) 287 mm x 71 mm, thermofoming depth: 100 mm, outfeed belt, belt width: 425 mm, Busch vacuum pump, type: RA0100 F 403 TDXZ, year of construction: 2024, capacity: 120 m <sup>3</sup> per hour, total dimensions: 3700 mm x 1200 mm x 2100 mm. Including various parts. For more information about the dyes see below drawings:	75000
83	Eberhardt GmbH	Eberhardt GmbH ergo trolley for E2-crates, model: ERGO-Line, dimensions: 600 mm x 400 mm x 800 mm.	200
84	NN writing desk	S/s writing desk, dimensions: 600 mm x 540 mm x 1220 mm.	50
85	Steril Systems	Steril Systems ambient air disinfection unit, type: ULE1000, serial number: 2111E5392, year of construction: 2021, 230 V, 50/60 Hz, 0.04 kW, dimensions: 1000 mm x 130 mm x 170 mm.	500
86	NN smoke trolleys	2 s/s smoke trolleys, 8 floors, dimensions floors: (8x) 930 mm x 980 mm, total dimensions: (2x) 1050 mm x 990 mm x 1980 mm.	400
87	NN smoke trolleys	3 s/s smoke trolleys, 8 floors, dimensions floors: (8x) 930 mm x 980 mm, total dimensions: (3x) 1050 mm x 990 mm x 1980 mm.	600
88	NN smoke trolley	S/s smoke trolley, 8 floors, dimensions floors: (8x) 930 mm x 980 mm, total dimensions: 1050 mm x 990 mm x 1980 mm. Including 5 cooking plates for 5 sausages, maximum diameter: 165 mm.	200
89	Eberhardt GmbH	Eberhardt GmbH cooking trolley with 4 floors, dimensions trolley: 1000 mm x 1000 mm x 1500 mm, including approximately 50 Adelman ham moulds, inside diameter moulds: 165 mm, inside length moulds: 235 mm, total dimensions moulds: 300 mm x 180 mm x 250 mm.	750
91	NN vacuum press	S/s mobile vacuum press, dimensions vacuum press: 550 mm x 440 mm x 300 mm, total dimensions: 720 mm x 700 mm x 770 mm.	50
92	NN cooking plates	Plastic pallet box with 10 s/s cooking plates, dimensions cooking plates: (10x) 1000 mm x 1000 mm, dimensions plastic pallet box: 1200 mm x 800 mm x 800 mm.	500



Nr	Title	Description	Start €
93	NN smoke trolley	S/s smoke trolley, 8 floors, dimensions floors: (8x) 930 mm x 980 mm, total dimensions: 1050 mm x 990 mm x 1980 mm. Including 6 cooking plates, dimensions: (6x) 1000 mm x 1000 mm.	200
94	Eberhardt GmbH	Eberhardt GmbH mobile ham press, inside dimensions: 1300 mm x 510 mm, total dimensions: 1550 mm x 620 mm x 930 mm. Including various s/s and plastic plates.	200
95	NN smoke trolleys	2 s/s smoke trolleys, 6 floors, dimensions floors: (6x) 930 mm x 1000 mm, total dimensions: (2x) 1050 mm x 1020 mm x 1920 mm.	400
96	NN smoke trolleys	3 s/s smoke trolleys, Z-model, 6 floors, dimensions floors: (6x) 1000 mm x 940 mm, total dimensions: (3x) 1020 mm x 1020 mm x 1900 mm.	600
97	NN smoke trolley	S/s smoke trolley, 5 floors, dimensions floors: (5x) 1000 mm x 450 mm, total dimensions: 1050 mm x 460 mm x 1460 mm.	200
98	Steril Systems	Steril Systems air disinfection unit, type: PF512 ST1, serial number: 2412PF9399, year of construction: 2024, 230 V, 50/60 Hz, 0.04 kW, dimensions: 900 mm x 150 mm x 150 mm.	200
99	Kränzle / Teha	High pressure cleaning installation consisting of Kränzle high pressure cleaner, model: K 2175 TS, year of construction: 2018, capacity: 12 liter per minute, dimensions: 900 mm x 350 mm x 400 mm, Theodor Henrichs GmbH s/s hose reel with hose and spraying gun, type: ST20/10e, serial number: 095703, year of construction: 2011, working pressure: 300 bar, dimensions: 500 mm x 250 mm x 500 mm.	250
101	NN can opener	Wall mounted can opener, dimensions: 450 mm x 160 mm x 850 mm.	10
102	NN sink	S/s sink with 1 faucet, sensor control, dimensions sink: 470 mm x 420 mm x 400 mm, Tork M-Box paper dispenser and 2 soap dispensers.	50
103	NN rack	S/s wall mounted rack, 2 floors, dimensions: 1500 mm x 260 mm x 400 mm.	25
104	NN hood	S/s extraction hood, dimensions: 4000 mm x 1000 mm x 400 mm.	250
105	Brökelmann	Brökelmann glycerine-bath cooking vessel, volume: 120 liter, inside diameter: 530 mm, inside height: 530 mm, total dimensions: 920 mm x 700 mm x 950 mm.	200
106	Adelmann	4 plastic crates with 7 s/s ham moulds, inside dimensions: 220 mm x 160 mm x 140 mm, total dimensions: 270 mm x 180 mm x 240 mm, 10 Adelmann ham moulds, inside dimensions: 220 mm x 150 mm x 120 mm, total dimensions: 270 mm x 180 mm x 240 mm.	50
107	Cleanetic / Nowicki	Cleanetic / Nowicki crate washing machine, type: MP-300 W, serial number: 95825483, year of construction: 2025, 3 x 400 V, 50 Hz, clearance: 530 mm x 510 mm, capacity:	15000



Nr	Title	Description	Start €
		300 crates per hour, total dimensions: 4200 mm x 1400 mm x 2100 mm.	
108	NN trolley	S/s trolley, 3 floors, dimensions: 1000 mm x 650 mm x 1100 mm.	20
109	NN trolley with cooking plates	S/s trolley with approximately 12 s/s cooking plates, dimensions plates: (12x) 1000 mm x 1000 mm, dimensions trolley: 1300 mm x 760 mm x 1050 mm.	500
110	NN rack	Aluminium rack, 4 floors, dimensions: 1000 mm x 380 mm x 1800 mm. Without content.	25
111	Tork	Tork paper dispenser, dimensions: 250 mm x 250 mm x 350 mm, s/s soap dispenser.	25
112	NN cabinet	S/s cabinet, dimensions: 500 mm x 900 mm x 830 mm.	75
113	NN table	S/s mobile table with plastic worktop, dimensions plastic worktops: (2x) 850 mm x 400 mm, total dimensions: 1700 mm x 900 mm x 920 mm.	400
114	Ohaus Corporation	Ohaus Corporation weighing scale, model scale: i-D60C1L, serial number: 8345251109, capacity: 60 kg, model indicator: i-DT33XW, serial number: 8345251109, maximum: 60 kg, d = 0.01 kg, 100-240 V, 1 Ph, 50/60 Hz, 0.5 A, dimensions scale: 430 mm x 550 mm, total dimensions: 430 mm x 700 mm x 550 mm.	200
115	NN wall rack	S/s wall mounted rack for E2-crates, 3 floors, dimensions: 2000 mm x 500 mm x 650 mm. Without content.	25
116	Trotec	Trotec dryer, type: TTK 96 E, item number: 1.120.000.101. 220-240 V, 50 Hz, dehumidifying capacity: maximum 30 liter / 24 hours, air volume: 191 m³, operating range: 5 - 32C, suction side pressure: 1.0 MPa, allowable pressure: 2.6 MPa, water tank: 3 liter, weight: 17 kg, dimensions: 400 mm x 250 mm x 520 mm.	75
117	Liebherr	Liebherr freezer, dimensions: 550 mm x 650 mm x 850 mm.	75
118	NN rack	S/s rack, 5 floors, dimensions: 1400 mm x 420 mm x 1800 mm. Without content.	100
119	NN rack for E2 crates	S/s storage rack for E2-crates, 8 floors, total dimensions: 4200 mm x 620 mm x 2000 mm. Rack can complete dismantled. Without content.	250
120	Certuss GmbH	Certuss GmbH steam generator, model: CERTUSS Junior 300 TC, production number: SDE16509, year of construction: 2024, capacity: 300 kg per hour, maximum working pressure: 10 bar, maximum working temperature: 184C, volume in liter: 32.48 liter, test pressure: 57 bar, dimensions: 1000 mm x 1500 mm x 2000 mm, Certuss GmbH CVE package plant unit, type: CERTUSS CVE 300 TC, serial number CVE10308, year of construction: 2025, 230 V, 50 Hz, 16 A, 4.42 kVa, dimensions: 1500 mm x 1000 mm x 2000 mm.	50000
121	Boge Kompressoren	Boge Kompressoren air compressor, type: C 9 D, machine number: 5153071, year of construction: 09-2020, volume:	4500



Nr	Title	Description	Start €
		0.870 m <sup>3</sup> /min, pressure: 13 bar, motor: 3000 rates per minute, motor capacity: 7.5 kW, total dimensions: 500 mm x 1000 mm x 1250 mm.	
122	Air Com Italy	Air Com Italy pressure vessel, year of construction: 2024, working temperature: 16 bar, volume: 250 liter, diameter: 500 mm, height: 1850 mm.	950
123	Boge Kompressoren	Boge Kompressoren activated carbon adsorber with 3 filters, model: DCZ11-2, year of construction: 2024, PS maximum: 16 barg / 232 psig, total dimensions: 800 mm x 300 mm x 1400 mm.	100
124	Marel TREIF GmbH	Marel TREIF GmbH knife sharpening machine, model: HS DIVIDER ORBITAL, machine number: 024200.164491.155607, year of construction: 2025, weight: 35 kg, dimensions: 600 mm x 400 mm x 600 mm.	1950
125	NN work table	S/s work table with plastic worktops, dimensions: 2000 mm x 1000 mm x 850 mm.	200
126	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and spraying gun, type: ST20/10e, serial number: 132699, year of construction: 2016, working pressure: 300 bar, ST-2700 spraying gun, maximum: 150C, dimensions: 500 mm x 600 mm x 200 mm.	50
127	Steril Systems	Steril Systems air disinfection unit, type: PF512 ST1, serial number: 2412PF9395, year of construction: 2024, 230 V, 50/60 Hz, 0.04 kW, dimensions: 900 mm x 150 mm x 150 mm.	200
128	KNECHT Maschinenbau GmbH	KNECHT Maschinenbau GmbH knife sharpening machine, type: EVO 5, machine number: 2620671EV05, year of construction: 2024, 230 V, 50 Hz, 1.95 A, 0.25 kW, weight: 20 kg, dimensions: 350 mm x 300 mm x 450 mm.	2500
129	Kohlhoff	Kohlhoff hand dryer, machine type: Handdryer 2, machine number: 820497-10, year of construction: 2017, 1 x 230 V, 3.2 kW, dimensions: 400 mm x 220 mm x 700 mm.	50
130	NN table	S/s table, dimensions: 1520 mm x 900 mm x 1000 mm.	150
131	Steril Systems	Steril Systems air disinfection unit, type: PF512 ST1, serial number: 2412PF9401, year of construction: 2024, 230 V, 50/60 Hz, 0.04 kW, dimensions: 900 mm x 150 mm x 150 mm.	200
132	Steril Systems	Steril Systems air disinfection unit, type: PF512 ST1, serial number: 2412PF9412, year of construction: 2024, 230 V, 50/60 Hz, 0.04 kW, dimensions: 900 mm x 150 mm x 150 mm.	200
133	Intervac Vakuumtechnik GmbH	Intervac Vakuumtechnik GmbH mobile vacuum machine, machine type: INV 10, machine number: 3878, year of construction: 2025, 230 / 400 V, 50 Hz, 1.5 kW, weight: 160 kg, seal length: 480 mm, Busch vacuum pump, type: RA 0063 F 4K3, serial number: DEM124370137, year of construction: 2024, volume maximum: 63 m <sup>3</sup> per hour, total dimensions: 600 mm x 750 mm x 1200 mm.	3500



Nr	Title	Description	Start €
134	Rational	Rational Vario Cooking Center, model: iVarioPro, type / software: 2-S / LMX 3.1.18, serial number: E11VK25028088363, dimensions: 1100 mm x 1000 mm x 1200 mm.	10000
135	Rational	Rational combisteamer, model: iCombi Pro, model number: LM100BE.AXXXXA, serial number: E61SJ25023200284, year of construction: 2025, 400 V, 3 Ph, 50/60 Hz, 10.8 kW, water pressure: 150-600 kPa, electric heated, 6 floors, total dimensions: 850 mm x 900 mm x 2100 mm.	8000
136	NN parrafine bath	Mobile parrafine bath (custom-made) for 1000 mm smoke sticks, year of construction: 2025, 380-400 V, 3 Ph, 50 Hz, heating: 4 x 5 kW, motor: 1 x 0.55 kW, total dimensions: 1600 mm x 1300 mm x 2050 mm.	15000
137	Daimond	Diamond refrigerated showcase, model: BN150/V-B5/T2, serial number: 1173029, year of construction: 2024, 230 V, 50 Hz, 1020 W, refrigerant: R290, 0.13000 kg, dimensions: 1500 mm x 900 mm x 1000 mm.	1250
138	Inotec GmbH	Inotec GmbH sausage cutter, machine type: WT99-iT-M, machine number: 1 000 001 184, year of construction: 2024, 200 / 240 / 400 / 460 V, 2 Ph, 50 / 60 Hz, 12 / 10 / 6 / 5 A, 2.0 kVa, 1.6 kW, dimensions sausage cutter: 1000 mm x 1400 mm x 1900 mm, including outfeed table, dimensions: 1500 mm x 600 mm x 200 mm. New, never used.	30000
139	Marel	Marel sausage peeler, model: 2800, for caliber 26 - 28 mm, dimensions box: 2000 mm x 900 mm x 1680 mm. New, never used.	20000
140	K + F Metalltechnik	K + F Metalltechnik GmbH grill, dimensions: 650 mm x 600 mm x 800 mm.	100
141	NN grill	Grill, dimensions: 800 mm x 560 mm x 800 mm.	100
142	NN smoke trolley	S/s smoke trolley, 6 floors, dimensions: (6x) 1000 mm x 800 mm, total dimensions: 1050 mm x 830 mm x 1460 mm.	200
143	NN smoke trolley	S/s smoke trolley, 6 floors, dimensions: (6x) 1010 mm x 990 mm, total dimensions: 1020 mm x 1000 mm x 1950 mm.	200
144	NN smoke trolley	S/s smoke trolley, 8 floors, dimensions: (8x) 1020 mm x 970 mm, total dimensions: 1100 mm x 990 mm x 1920 mm.	200
145	Eberhardt GmbH	Eberhardt GmbH s/s cooking trolley, 4 floors, dimensions floors: (4x) 930 mm x 990 mm, total dimensions: 1000 mm x 1000 mm x 1510 mm.	400
146	NN E2-crates	280 pcs. E2-crates on 7 plastic EURO H1-pallets, dimensions per crate: 600 mm x 400 mm x 200 mm, total dimensions pallets: (7x) 1200 mm x 800 mm x 2050 mm.	950
147		Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, type condensing unit: LHL5E, serial number:	9500





Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	1607110579, year of construction: 2024, type compressor: 4EES-4Y-40S, serial number: 1607107124, capacity: 22.7 / 27.4 m³ per hour, total dimensions: 1200 mm x 500 mm x 1200 mm.	
148	Still	Still forklift truck, type: RX 50-15, serial number: 515054A00356, year of construction: 2010, rated capacity: 1500 kg, battery voltage: 24 V, unladen mass: 2036 kg, maximum / minimum battery weight: 710 / 642 kg, rated power drive: 4.0 kW, fork length: 1180 mm, duplex mast, side shift, dimensions forklift truck: 3000 mm x 1100 mm x 2100 mm, Still battery charger, model: D24V/125A, dimensions battery charger: 500 mm x 450 mm x 500 mm. Complete overhauled in 2024. Battery renewed 11/2024.	10000
149	Kärcher	Kärcher high pressure cleaner including spraying gun, dimensions: 1600 mm x 800 mm x 1100 mm.	500
150	Maurer AG	Maurer AG climate unit, dimensions: 1000 mm x 950 mm x 2000 mm, including s/s channels, length channel: 5000 mm. Without switch cabinet.	500
151	NN plastic covers	Pallet with 14 rolls of plastic "LDPE Abdeckhauben" covers, dimensions: 850 mm x 750 mm, thickness: 0.030 mm, total dimensions: 1300 mm x 1300 mm x 650 mm.	25

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.



**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




## This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

