



**Industrial  
Auctions**

**2023: Online auction machinery for the food  
industry in Kapelle (NL)**

**END DATE**  
23 December 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	23 December 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	14 January 2026 from 09:00 till 16:00 hrs.
Pick up address	Amfoor 6 4421 SE Kapelle Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	FAM	FAM mobile vegetable dicer, type: Dorphy, number: 12162, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 4 A, 1.5 kW, working width: 120 mm, distance between knives: 15 mm, total dimensions: 1770 mm x 800 mm x 1650 mm. Including toolbox.	6000
2	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. elevating belt, year of construction: 2016, plastic belt, belt width: 250 mm, elevating height: 1320 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	750
3	NN vibrating gutter	S/s vibrating gutter, gutter width: 260 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	750
4	Itec	Itec sole cleaner, dimensions: 750 mm x 530 mm x 1200 mm.	200
5	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, model: EVM3006, number: 44956, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 A, working width: 540 mm, total dimensions: 1000 mm x 550 mm x 1030 mm.	600
6	Josef Koch AG	Josef Koch AG mobile skinning machine, type: EVM 3006, machine number: 301721, year of construction: Rev 2013, 400 V, 3 Ph, 50 Hz, 2 A, 0.75, working width: 540 mm, total dimensions: 900 mm x 550 mm x 1030 mm.	600
7	Amika	Amika dishwasher, type: ST805AMK, serial number: 4209902, year of construction: 22/03/2011, 400 V, 3 Ph, 50 Hz, 16 A, 8.15 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 900 mm x 700 mm x 1800 mm.	100
8	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 5006, number: M-54115, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 1.84 A, 0.55 kW, 6 bar, working width: 550 mm, total dimensions: 960 mm x 800 mm x 1000 mm.	1500
9	NN ice breaker	Mobile ice breaker, clearance: 400 mm x 150 mm, total dimensions: 1850 mm x 1450 mm x 1950 mm.	750
10	NN vibrating gutter	S/s vibrating gutter, gutter width: 260 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	750
11	Multivac	Pallet with Multivac labelling parts for thermoformer, type: MR233 & MR 4212, dimensions: 1200 mm x 1000 mm x 500 mm.	500
12	Soco System	Soco System box closing machine with infeed roller conveyor, model: T-400, number: 06-98, year of construction: 1997, 400 V, 3 Ph, 10 A, 250 W, s/s rollers, roller width: 500 mm, plastic rollers, roller width: 600 mm, total dimensions: 2900 mm x 900 mm x 1500 mm.	800
13	Industrial Fuerpla	Industrial Fuerpla mixer, model: A-85, number: 2910, year of construction: 2004, 380 V, 3 Ph, 50 Hz, 0.75 kW, s/s bowl, volume: 85 liter, dimensions: 1100 mm x 600 mm x 1200 mm.	500
14	Marel	Marel mobile skinning and derinding machine, model: SK 15-320 26 INCH, type: 9838645, serial number: 10421952,	3500



Nr	Title	Description	Start €
		year of construction: 2019, 400 V, 3 Ph, 50 Hz, 3.5 A, weight: 447 kg, working width: 640 mm, plastic mesh belt, belt width: 650 mm, total dimensions: 2350 mm x 1150 mm x 1250 mm.	
15	Kolbe	Kolbe mobile grinder, type: TW 100, machine number: 68 3679, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 kW, plate diameter: 100 mm, total dimensions: 1050 mm x 550 mm x 1380 mm.	400
16	Mainca	Mainca mobile cutter, model: CM-41, number: 3285, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 19 A, 8.6 kW, s/s bowl, volume bowl: 40 liter, s/s knives, 2 speeds, dimensions: 1300 mm x 900 mm x 1100 mm. Including extra knife set.	4000
17	Myac	Myac mobile curing press, type: 650, machine number: 3002 636, year of construction: 1983, 380 V, 50 Hz, 0.75 kw, 6 bar, plastic belt, belt width: 650 mm, total dimensions: 1650 mm x 1000 mm x 1600 mm.	50
18	NN grape destemmer / harvester	Grape destemmer / harvester, dimensions: 1150 mm x 750 mm x 2050 mm.	1750
19	Fabbri Group	Fabbri Group mobile packaging machine, model: Elix XP-B.249.XS, serial number: 2-2376, year of construction: 2014, 230 V, 1 Ph, 50-60 Hz, 8.7 A, plastic string infeed belt, belt width: 330 mm, plastic outfeed belt, belt width: 340 mm, plastic outfeed rollers, roller width: 300 mm, total dimensions: 1350 mm x 1250 mm x 1300 mm.	2000
20	Marel	Marel mobile skinning and derinding machine, model: SK 15-320 20 INCH, type: 9838643, serial number: 10421662, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 3.5 A, weight: 408 kg, working width: 500 mm, plastic mesh belt, belt width: 500 mm, total dimensions: 2200 mm x 1000 mm x 1300 mm.	3500
21	La Parmentiere	La Parmentiere hoof remover, type: 400DI, machine number: 400DI155, year of construction: 05.2021, working width: 300 mm, total dimensions: 980 mm x 500 mm x 1050 mm.	750
22	Ramon	Ramon mobile piston filler, model: 20, factory number: 1361, year of construction: 2012, 400 V, 50 Hz, 2.05 A, 0.75 kW, volume: 20 liter, dimensions: 550 mm x 500 mm x 1200 mm.	750
23	Guttridge	Guttridge mobile infeed bunker with outfeed screw, number: 322445, year of construction: 08/07, clearance: 1200 mm x 800 mm x 800 mm, elevating height: 1900 mm, total dimensions: 1800 mm x 1600 mm x 2300 mm.	2000
24	Nock Maschinenbau GmbH	Nock Maschinenbau GmbH ice machine, SE2500, machine number: 2446280, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 17.5 A, 9.6 kW, refrigerant: R404A, 11.5 kg, dimensions: 1680 mm x 1050 mm x 1330 mm.	2000



Nr	Title	Description	Start €
25	Weber	Weber mobile skinning machine, type: A-VI 520, number: 622, year of construction: 2004, 400 V, 50 Hz, 0.37 kW, 210 kg, working width: 515 mm, total dimensions: 820 mm x 620 mm x 1000 mm.	400
26	Urschel	Urschel mobile vegetable slicer, model: CC, infeed clearance: Ø 220 mm, total dimensions: 1250 mm x 960 mm x 1700 mm.	7000
27	Automac S.P.A.	Automac S.P.A. mobile packaging machine, model: B.204, number: 3208, year of construction: 1998, 230 V, 2 Ph, 50 Hz, 1.95 kW, weight: 150 kg, string infeed belt, belt width: 330 mm, plastic outfeed belt, total dimensions: 1150 mm x 1050 mm x 1350 mm.	500
28	Audion Elektro	Audion Elektro mobile bag sealing machine, type: VIS 750-2, serial number: 971047005028, year of construction: 1992, 230 V, 50 Hz, 1975 W, seal length: 750 mm, total dimensions: 1050 mm x 850 mm x 1480 mm.	50
29	Stephan alvac	Stephan alvac vacuum machine on mobile s/s frame, type: Alvac I 90, machine number: 9114-4210, 230 V, 1 Ph, 50 Hz, 4.9 A, 0.75 kW, seal length: 420 mm, dimensions chamber: 430 mm x 380 mm, Busch vacuum pump, type: 021-336, total dimensions: 500 mm x 480 mm x 1070 mm.	200
30	Siat	Siat box closing machine, model: S8-S, serial number: 50266, year of construction: 2004, 220/240 V, 1 Ph, 50 Hz, 2 A, 0.18 kW, dimensions: 1000 mm x 900 mm x 1430 mm.	500
31	Bosch	Bosch checkweigher with rejector, type: KWE 5000, number: 809486, year of construction: 2006, 230 V, 1 Ph, 50/60 Hz, 16/3 A, maximum capacity: 2000 g, minimum capacity: 20 g, plastic belts, belt width: 100 mm, total dimensions: 1050 mm x 1050 mm x 1050 mm.	400
32	AEW Delford	AEW Delford checkweigher with labelling machine, type checkweigher: 8060, fabrication number: 81133, year of construction: 2005, 230 V, 50 Hz, maximum weight: 1500-4000 gram, minimum weight: 20-40 gram, e =1-2 gram, T = -1000 gram, type labeller: 8000, plastic belt, belt width: (2x) 90 mm and 195 mm, dimensions checkweigher: 1500 mm x 700 mm x 1630 mm and dimensions labelling machine: 1200 mm x 700 mm x 1530 mm.	1000
33	Thermo Scientific	Thermo Scientific checkweigher with rejector, model: VersaWeigh, serial number: 8500, year of construction: 2010, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, maximum speed: 1.2 m/s, plastic belt, belt width: 300 mm, total dimensions: 1250 mm x 1100 mm x 1550 mm.	1500
34	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, serial number: A132, year of construction: 2013, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 300 mm, total dimensions: 1420 mm x 850 mm x 1570 mm.	1500



Nr	Title	Description	Start €
35	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, serial number: 7820, year of construction: 2008, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 290 mm, total dimensions: 1230 mm x 900 mm x 1550 mm. Technical condition unknown.	500
36	Zomerdam	Zomerdam metal detector with rejector, serial number: 31224, 400 V, 2 A, 0.25 kW, year of construction: 2009, plastic belt, belt width: 200 mm, clearance: 250 mm x 70 mm, total dimensions: 1680 mm x 800 mm x 1050 mm.	750
37	OCS / Ceia	OCS / Ceia metal detector with checkweigher and rejector belt, metal detector model: THS, serial number: 20900211002, clearance: 200 mm x 100 mm, checkweigher type: HC, serial number: 1004444, year of construction: 2009, 230 V, 1 Ph, 50 Hz, maximum weight: 1500 g, minimum weight: 20 g, e= 0.2 g, d= 0.2 g, total dimensions: 2400 mm x 1000 mm x 2300 mm.	3500
39	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0027-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d= 0.2 gram, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm. Missing belt.	500
40	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0026-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d= 0.2 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm.	500
41	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0025-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d= 0.2 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm.	500
42	Yamato	Yamato checkweigher with rejecting belt, model: CSI06244ICV33, serial number: TA210376, year of construction: 03/2022, 100/240 V, 1 Ph, 50/60 Hz, maximum weight: 600 g, minimum weight: 6 g, plastic belts, belt width: 240 mm, total dimensions: 1250 mm x 750 mm x 1630 mm.	3000
43	Yamato	Yamato checkweigher with rejecting belt, model: CSI06244ICV33, serial number: TA200510, year of construction: 05/2022, 100/240 V, 1 Ph, 50/60 Hz, maximum weight: 600 g, minimum weight: 6 g, plastic belts, belt width: 240 mm, total dimensions: 1250 mm x 750 mm x 1630 mm.	3000
44	Jasa Packaging Solutions	Jasa Packaging Solutions in/outfeed module, model: SIM-1000 DRAAI UNIT, machine number: 14422, year of construction: 2019, 400 V, 3 Ph, 16 A, 0.47 kW, 6 bar, plastic	400



Nr	Title	Description	Start €
		belts, belt width: (1x) 100 mm, (1x) 150 mm, total dimensions: 600 mm x 550 mm x 1550 mm.	
45	Jasa Packaging Solutions	Jasa Packaging Solutions in/outfeed module, model: SIM-1000 DRAAI UNIT, 400 V, 3 Ph, 16 A, 0.47 kW, 6 bar, plastic belts, belt width: (1x) 100 mm, (1x) 150 mm, total dimensions: 600 mm x 550 mm x 1550 mm.	400
46	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: S3, serial number: 330078, year of construction: 1999, 230 V, 50 Hz, maximum: 800 gram, minimum: 20 gram, e= 0.5 gram, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 750 mm x 1500 mm.	750
47	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: XE 3 DMS, number: 35005496, year of construction: 2014, 100-240 V, 50/60 Hz, weighing range: 20-3000 gram, e=d= 2 gram, t= - 2700 gram, plastic belt, belt width: 300 mm, total dimensions: 1330 mm x 710 mm x 1430 mm.	2000
48	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: XE 3 DMS, number: 35006719, year of construction: 2016, maximum capacity: 2500 g, minimum capacity: 350 g, e= 2 g, d= 2 g, plastic belts, belt width: 280 mm, total dimensions: 1350 mm x 1200 mm x 1420 mm.	1750
49	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher with rejector, type: PAS3012, number: 17000537, year of construction: 2007, 230 V, 50/60 Hz, 600 kPa, maximum: 7500 gram, plastic belt, belt width: 300 mm, total dimensions: 1750 mm x 1000 mm x 1850 mm.	2000
50	Ishida	Ishida checkweigher , model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557289, year of construction: 06/2007, 230 V, 1 Ph, 50 Hz, 3 A, maximum weighing range: 5000 gram, plastic belt, belt width: 370 mm, total dimensions: 1100 mm x 800 mm x 1800 mm.	750
51	Ishida	Ishida checkweigher, model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557294, year of construction: 06/2007, 220 V, 1 Ph, 50 Hz, 3 A, weighing range: max 5000 gram, plastic belt, belt width: 370 mm, total dimensions: 1100 mm x 600 mm x 1900 mm.	750
52	Ishida	Ishida checkweigher, model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557293, year of construction: 06/2007, 220 V, 1 Ph, 50 Hz, 3 A, plastic belt, belt width: 370 mm, total dimensions: 1070 mm x 850 mm x 1600 mm.	750
53	Stol Inspection systems BV	Stol Inspection systems BV metal detector with rejector belt, type: Unicon+W, serial number: 11219008971-H, year of construction: 2012, 230/115 V, 50/60 Hz, 0.75/1.5 A, plastic belt, belt width: 550 mm, clearance: 600 mm x 100 mm, total dimensions: 1700 mm x 1100 mm x 1380 mm.	2000
54	Sartorius	Sartorius mobile metal detector, type: MDP Plus-C 40x30, number: BO-61550040030, year of construction: 2008, 85-264 V, 47-440 Hz, 80 VA, plastic mesh belt, belt width:	2000





Nr	Title	Description	Start €
		355 mm, clearance: 350 mm x 125 mm, total dimensions: 1600 mm x 1000 mm x 1430 mm.	
55	Zomerdam	Zomerdam metal detector with retractor, type: MN 5.1 CI 250/100, serial number: 910816-CI, year of construction: 2009, 100/240 V, 50/60 Hz, 50/300 mA, string belt and plastic belt, belt width: 265 mm, clearance: 500 mm x 107 mm, total dimensions: 850 mm x 1850 mm x 1100 mm.	750
56	Cintex	Cintex metal detector, plastic belt, belt width: 380 mm, clearance: 350 mm x 170 mm, total dimensions: 1650 mm x 980 mm x 1500 mm.	1000
57	Lock Inspection Systems Ltd	Lock Inspection Systems Ltd metal detector with retractor, serial number: 45296/1, year of construction: 12/10, 230 V, 1 Ph, 50 0.8 A, 5.5 bar, plastic belt, belt width: 300 mm, clearance: 350 mm x 170 mm, total dimensions: 1550 mm x 1100 mm x 1300 mm.	2000
58	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector, 100-240 V, 50/60 Hz, 300 W, diameter clearance: 55 mm, total dimensions: 860 mm x 520 mm x 1440 mm.	1000
59	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with retractor, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 210 mm, clearance: 250 mm x 90 mm, total dimensions: 1100 mm x 800 mm x 1530 mm.	800
60	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector, plastic belt, belt width: 480 mm, clearance: 445 mm x 210 mm, total dimensions: 1100 mm x 1000 mm x 1100 mm.	1500
61	Safeline	Safeline metal detector, plastic belt, belt width: 250 mm, clearance: 245 mm x 65 mm, total dimensions: 2550 mm x 950 mm x 1150 mm.	500
62	Safeline	Safeline metal detector with retractor, serial number: 41261, year of construction: 4/2000, 100-240 Vac, 50/60 Hz, 330 W, plastic belt, belt width: 327 mm, clearance: 350 mm x 95 mm, total dimensions: 1550 mm x 1180 mm x 1130 mm.	1500
63	Safeline	Safeline metal detector, serial number: 41262, year of construction: 4/2000, 100-240 Vac, 50/60 Hz, 330 W, plastic belt, belt width: 430 mm, clearance: 450 mm x 95 mm, total dimensions: 1750 mm x 1050 mm x 1130 mm.	1500
64	Loma Systems	Loma Systems mobile metal detector, model: IQ2, serial number: DMC60564-03795D, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 1.2 A, plastic mesh belt, belt width: 300 mm, clearance: 250 mm x 130 mm, total dimensions: 2100 mm x 850 mm x 1150 mm.	1500
65	Loma Systems	Loma Systems mobile metal detector with retractor, model: Loma IQ <sup>2</sup> , model: MHIOEU, serial number: 35291, year of construction: June 2004, 85-265 V, 50-60 Hz, plastic mesh belt, belt width: 400 mm, clearance: 445 mm x 140 mm, total dimensions: 1820 mm x 920 mm x 1100 mm.	1500
66	Loma Systems	Loma Systems metal detector with retractor, model: IQ <sup>3</sup> +, serial number: MDP301-11193D, year of construction:	2000





Nr	Title	Description	Start €
		30.10.2009, 85-265 V, 50-60 Hz, plastic belt, belt width: 300 mm clearance: 350 mm x 110 mm, total dimensions: 1750 mm x 1450 mm x 1230 mm.	
67	Loma Systems	Loma Systems pipeline metal detector with rejector, model: DTL121135, serial number: 53537F, year of construction: 2013, 200 V, 60 Hz, 0.4 A, diameter pipe: 200 mm, total dimensions: 910 mm x 800 mm x 1950 mm.	1250
68	HCP	HCP mobile turning table, type: B-2001, number: 96 069.0, year of construction: 10/1996, plastic top, dimensions: Ø 1500 mm x 880 mm.	500
69	GKS Packaging	GKS Packaging mobile s/s turning table, type: Rotary Table, serial number: 05492, year of construction: 09-2023, dimensions: Ø 1510 mm x 830 mm.	1000
70	BCK Holland	BCK Holland s/s turning table, type: RVS Buffertafel, serial number: 144740-010, year of construction: 2014, dimensions: Ø 1250 mm x 850 mm.	750
71	BCK Holland	BCK Holland s/s turning table, type: D1500, serial number: 188991-188991-010-02, dimensions: Ø 1510 mm x 830 mm.	750
72	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. 90° curve conveyor, plastic mesh belt, belt width: 230 mm, total dimensions: 1600 mm x 1050 mm x 250 mm.	500
73	NN turning table	S/s turning table, dimensions: Ø 1270 mm x 950 mm.	1000
74	NN turning table	S/s turning table, dimensions: Ø 1000 mm x 880 mm. New.	1200
75	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 860 mm.	1000
76	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 860 mm.	1000
77	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 860 mm.	1000
78	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 860 mm.	1000
79	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 860 mm.	1000
80	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 440 mm, divider height: 50 mm, distance between dividers: 260 mm, elevating height: 880 mm, total dimensions: 1600 mm x 600 mm x 900 mm.	750
81	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 160 mm, total dimensions: 2900 mm x 400 mm x 1100 mm.	500
82	Bouwpaco B.V.	Bouwpaco B.V. mobile elevating belt, type: BPTB380, number: 0907019-3, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 0.3 KVA, weight: 60 kg, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 550 mm x 2850 mm x 1100 mm.	500
83	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 250 mm, elevating height: 950 mm, total dimensions: 1900 mm x 500 mm x 1000 mm.	500
84	NN elevating belt	Mobile elevating belt, plastic belt with dividers, s/s frame, belt width: 445 mm, divider height: 27 mm, distance between dividers: 230 mm, elevating height: 1150 mm, total dimensions: 2650 mm x 780 mm x 1200 mm.	500
86	NN elevating belt		400



Nr	Title	Description	Start €
		Mobile adjustable elevating belt, plastic belt, belt width: 300 mm, total dimensions: 3200 mm x 580 mm x 1520 mm.	
87	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 3050 mm x 800 mm x 1600 mm.	500
88	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 440 mm, divider height: 50 mm, distance between dividers: 260 mm, elevating height: 880 mm, total dimensions: 1600 mm x 600 mm x 900 mm.	750
89	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 440 mm, divider height: 50 mm, distance between dividers: 260 mm, elevating height: 880 mm, total dimensions: 1600 mm x 600 mm x 900 mm.	750
90	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 440 mm, divider height: 50 mm, distance between dividers: 260 mm, elevating height: 880 mm, total dimensions: 1600 mm x 600 mm x 900 mm.	750
91	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 440 mm, divider height: 50 mm, distance between dividers: 260 mm, elevating height: 880 mm, total dimensions: 1600 mm x 600 mm x 900 mm.	750
92	Groba	Groba mobile elevating belt, type: TB-404x2600, number: 114342, year of construction: 2006, weight: 175 kg, plastic belt, belt width: 385 mm, elevating belt: 1360 mm, total dimensions: 2650 mm x 650 mm x 1360 mm.	500
93	Lensink	Lensink mobile transport belt with rejector, s/s frame, plastic belt, belt width: 153 mm, total dimensions: 3400 mm x 850 mm x 2000 mm.	500
94	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 570 mm, total dimensions: 2000 mm x 1000 mm x 1000 mm.	400
95	Murre Techniek b.v.	Murre Techniek b.v. mobile elevating belt, model: 162140757, year of construction: 2016, machine weight: 390 kg, plastic belt, belt width: (1x) 590 mm, (1x) 340 mm, elevating height: 1400 mm, total dimensions: 2700 mm x 1230 mm x 1900 mm.	1000
96	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 3300 mm x 600 mm x 1340 mm.	500
97	Blueprint Automation	Blueprint Automation elevating belt, plastic belt, belt width: 375 mm, elevating height: 900 mm, total dimensions: 1750 mm x 650 mm x 900 mm.	500
98	NN roller conveyor	2 s/s roller conveyors, s/s rollers, roller width: 480 mm, dimensions: (2x) 2000 mm x 540 mm x 520 mm.	300
99	BMF	BMF transport belt, s/s frame, plastic belt, belt width: 1200 mm, total dimensions: 1700 mm x 1400 mm x 1800 mm.	200
100	NN transport belt	Transport belt, s/s frame, plastic belts with rollers, belt width: 450 mm, total dimensions: 2450 mm x 830 mm x 820 mm.	400



Nr	Title	Description	Start €
102	AK Ramon	AK Ramon mixer, model: AMM-55 TWO, factory number: 2016, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 1.67 A, 0.75 kW, 54/22 rpm, s/s bowl, volume: 55 liter, dimensions: 800 mm x 550 mm x 960 mm.	1500
103	AK Ramon	AK Ramon mixer, model: AMM-80 TWO, factory number: 1740, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 1.67 A, 0.75 kW, 54/22 rpm, s/s bowl, volume: 80 liter, dimensions: 800 mm x 600 mm x 1000 mm.	1500
104	Smicon	Smicon grinder, dimensions: 700 mm x 500 mm x 850 mm.	500
105	C.M.O. Pompe	C.M.O. Pompe pump, model: MN 120-870/20, serial number: 8572/20, year of construction: 2020, weight: 240 kg, capacity: 250 liter per minute, dimensions: 2500 mm x 580 mm x 710 mm.	1000
106	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell rotary lobe pump, model: 180U2, serial number: 420827-06, dimensions: 1800 mm x 700 mm x 700 mm.	2000
107	Smicon	Smicon screw pump, dimensions: 2600 mm x 420 mm x 450 mm.	2500
108	Jures / Speck	Jures / Speck high pressure unit, type: P41/58-110, number: 190405, year of construction: 11/97, 400 V, 11.50 kW, P maximum: 110 bar, T maximum: 70°C, dimensions: 1300 mm x 900 mm x 1400 mm.	400
125	NN refrigeration showcase	Mobile refrigeration showcase, dimensions: 1330 mm x 900 mm x 2050 mm.	10
126	NN refrigeration showcase	Refrigeration showcase, dimensions: 850 mm x 1550 mm x 1950 mm.	10
127	NN refrigeration showcase	Refrigeration showcase, model: RCS SCORPION 01 1.875, number: 64922/14, 230 V, 50 Hz, 8 A, 42/58 W, dimensions: 900 mm x 2000 mm x 2050 mm.	10
128	Multipond	Multipond 14 head multihead weigher, type: MP 1401-FFC-70°, serial number: M 2199, year of construction: 2006, 50/60 Hz, maximum capacity: 1000 g, minimum capacity: 20 g, e= 0.2 g, d= 0.5 g, dimensions: 950 mm x 950 mm x 1750 mm.	4000
129	DWC	DWC weighing scale for crates, model: ASW, serial number: 202120211300-R, 240 V, 5 A, maximum capacity: 25000 g, minimum weight: 10 g, e= 2 g, dimensions: 820 mm x 900 mm x 1700 mm.	250
130	VWS Nederland B.V.	VWS Nederland B.V. mobile labeller, type: LP400, model: A4+/300, serial number: 121110643938, 100-240 V, 50-60 Hz, 2 A, dimensions: 1200 mm x 1000 mm x 1800 mm.	500
131	NN water wheel	Mobile waterwheel, dimensions: 600 mm x 700 mm x 1500 mm. Incomplete.	500
132	Gei Turbo	Gei Turbo mobile depositor, type: D100R, machine number: D100P4802292, year of construction: 1998, dimensions: 1300 mm x 600 mm x 1800 mm. Incomplete.	150
133	Poly-Clip System		750



Nr	Title	Description	Start €
		Pallet with Poly-Clip System clips, clip type: R 15-07 5x1.50 L GH, 32100 clips per box, 24 boxes, dimensions: 1200 mm x 800 mm x 1570 mm.	
134	NN switch cabinet	S/s switch cabinet, dimensions: 820 mm x 330 mm x 1400 mm.	150
135	Piab AB	Piab AB vacuum conveyor, year of construction: 26-03-2014, dimensions: (1x) 400 mm x 400 mm x 1050 mm, (1x) 800 mm x 550 mm x 550 mm.	250
136	Bomar spol s.r.o.	Bomar spol s.r.o. metal saw, type: Ergonomic 275 230 DG, number: 8570, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 16 A, 2.2 kW, weight: 310 kg, dimensions: 1500 mm x 2200 mm x 1300 mm.	750
137	Multipond	Multipond batcher, 1 to 2 heads, model number: 12-1043-001, year of construction: 2012, dimensions: 1250 mm x 850 mm x 890 mm.	350
138	Multipond	Multipond batcher, dimensions: 1200 mm x 1200 mm x 1400 mm.	500
139	NN trolley	S/s trolley with s/s rollers, roller width: 385 mm, total dimensions: 800 mm x 420 mm x 1060 mm.	50
140	LH Packaging	LH Packaging mini weighers, type: LHMW1, serial number: MP01032018, year of construction: 2018, 230 V, 0.5 A, dimensions: 400 mm x 360 mm x 420 mm.	50
141	Multivac / Bizerba	Multivac metal detector with checkweigher and 2 rejectors, metal detector type: GLS, serial number: 11406016720-H, 110/230 V, 50/60 Hz, 0.36/0.18 A, clearance: 400 mm x 100 mm, type Bizerba checkweigher: MR8, number: 10996651, 120/220/240 V, 50/60 Hz, 5.0/3.0 A, maximum capacity: 1500/3000 g, minimum capacity: 50 g, plastic belts, belt width: 300 mm, total dimensions: 2650 mm x 1350 mm x 1820 mm.	1000
142	SEW	SEW motor, dimensions: 570 mm x 250 mm x 250 mm.	50
143	NN batcher	Batcher, 2 heads, dimensions: 1200 mm x 1300 mm x 700 mm.	100
144	Unika	Unika grinder, model: S 32, number: 940512, 220/380 V, 7.4 A, 3 kW, plate: 100 mm, total dimensions: 1070 mm x 550 mm x 500 mm.	250
145	Unika	Unika grinder, model: S 32, number: 921251, 220/380 V, 7.4 A, 3 kW, plate: 100 mm, total dimensions: 1070 mm x 550 mm x 500 mm.	250
146	Astrophysics Industry CA	Astrophysics Industry CA X-ray machine, model: XIS 1080D, serial number: ASTLA180YZ023, year of construction: MAR 2012, 220 V, 50/60 Hz, 15 A, plastic belt, belt width: 970 mm, clearance: 1010 mm x 810 mm, total dimensions X-ray scanner: 1600 mm x 1300 mm x 1800 mm, including in-and outfeed roller conveyors, roller width: 970 mm, total dimensions roller conveyors: (2x) 1100 mm x 1600 mm x 1800 mm.	200
147	Kärcher		300



Nr	Title	Description	Start €
		Kärcher floor scrubbing machine, model: BD 55/40 C Bp, serial number: 010483, year of construction: 2008, weight: 80 kg, dimensions: 1000 mm x 700 mm x 900 mm.	
148	AEW Delford	AEW Delford checkweigher with rejector, type: 8060, factory number: 81107, year of construction: 2005, 230 V, 50 Hz, maximum capacity: 1500/4000 g, minimum capacity: 20 g, e= 1/2 g, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 650 mm x 1550 mm.	500
149	NN trolley	S/s trolley, dimensions: 1700 mm x 1230 mm x 1640 mm.	75
150	NN grinder parts	Pallet with s/s parts for grinder, dimensions: 1200 mm x 800 mm x 600 mm.	50
151	OCS	OCS checkweigher with rejector, type: EC, number: 1001821, year of construction: 2002, 230 V, 50 Hz, maximum capacity: 1500 g, e- 0.2 g, plastic belts, belt width: 175 mm, total dimensions: 1050 mm x 700 mm x 1650 mm.	300
152	NN hydraulic unit	Hydraulic unit, dimensions: 500 mm x 350 mm x 650 mm.	150
153	NN cheese spreader	Part for cheese spreader, dimensions: 900 mm x 500 mm x 770 mm.	250
154	NN dosing unit	Pallet with parts for dosing unit, dimensions: 1200 mm x 800 mm x 900 mm.	150
155	NN part for multihead weigher	S/s part for multihead weigher, dimensions: 1260 mm x 400 mm x 600 mm.	100
156	NN part for multihead weigher	S/s part for multihead weigher, dimensions: 1260 mm x 400 mm x 600 mm.	100
157	NN trolley	S/s trolley, dimensions: 950 mm x 400 mm x 900 mm.	50
158	NN coating machine	Mobile coating machine, s/s mesh belt, belt width: 300 mm, total dimensions: 2100 mm x 900 mm x 2230 mm. Incomplete.	950
160	NN electric parts	8 crates with electric parts.	400
161	NN part for multihead weigher	Pallet with parts for multihead weigher, dimensions: 800 mm x 600 mm x 400 mm.	100
162	Ulma	Pallet with dye for Ulma traysealer, dye: (4x) 230 mm x 153 mm, total dimensions: 1200 mm x 1000 mm x 400 mm.	50
164	Multipond	Multipond 10 head multihead weigher, type: 1014 D, factory number: 1053, year of construction: 1997, dimensions: 1500 mm x 1500 mm x 1100 mm. Incomplete.	1000
165	Gruppo Fabbri S.p.A.	Gruppo Fabbri S.p.A. packaging machine, model: Elixia Plus XS-B.228.XS, serial number: 1/13420, year of construction: 2010, 230 V, 1 Ph, 50-60 Hz, 8,6 A, weight: 170 kg, wire infeed belt, belt width: 662 mm, plastic outfeed belt, belt width: 340 mm, total dimensions: 1500 mm x 1300 mm x 1350 mm.	500
166	AEW Delford		400



Nr	Title	Description	Start €
		AEW Delford labelling machine with top and bottom labeller, plastic belts, belt width: (1x) 195 mm, (2x) 90 mm, total dimensions: 1500 mm x 600 mm x 1580 mm.	
167	NN powder dosing screw	Pallet with powder dosing screw, dimensions: 1200 mm x 800 mm x 500 mm.	200
168	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 290 mm, total dimensions: 1500 mm x 600 mm x 500 mm.	100
169	Funk	Funk flake ice machine, working width: 560 mm, Bizerba cooling and condensing unit, compressor type: 4EC-4.2Y-40S, serial number: 1678814521, 22.7/27.4 m³ per hour, dimensions: 1250 mm x 1000 mm x 1270 mm.	400
170	All Scales Europe	All Scales Europe weighing belt, model: HPR-Ultra, belt width: 500 mm, total dimensions: 1870 mm x 800 mm x 1400 mm.	400
171	Anritsu	Anritsu metal detector, model: VRG80, year of construction: 2003, plastic belt, belt width: 220 mm, clearance: 295 mm x 180 mm, total dimensions: 800 mm x 850 mm x 480 mm.	50
172	Kärcher	Kärcher industrial vacuum cleaner, model: IVC 60/12-1 Ec H 222, serial number: 010215, year of construction: 2017, 220/240 V, 1 Ph, 50/60 Hz, 1000 W, weight: 59.0 kg, dimensions: 800 mm x 1000 mm x 1200 mm. Including various hoses.	100
173	Deserranno	Deserranno rejecting belt, model: Uitwerpband, machine number: FKM070, year of construction: 2012, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 350 mm, total dimensions: 800 mm x 600 mm x 1060 mm.	150
174	Bizerba	Bizerba metal detector head, clearance: 350 mm x 250 mm, total dimensions: 740 mm x 300 mm x 480 mm.	100
175	NN soap mixing unit	Mobile s/s soap mixing unit, dimensions: 600 mm x 650 mm x 1400 mm.	100
176	Hobart	Hobart dishwasher, model: AMXX1300-12, serial number: 86320145, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 28.6 A, 19.3 kW, dimensions: 760 mm x 830 mm x 1510 mm.	150
177	Kärcher	Kärcher floor scrubbing machine, model: BD75/140 R Eco, dimensions: 1500 mm x 860 mm x 1400 mm.	500
178	Kärcher	Kärcher mobile high pressure cleaner, dimensions: 1350 mm x 700 mm x 1050 mm.	1000
181	NN hygiene station	S/s hygiene station, brush length: (2x) 900 mm, total dimensions: 1900 mm x 980 mm x 1750 mm.	500
182	All Scales Europe	All Scales Europe weighing belt, model: HPR-Ultra, belt width: 500 mm, total dimensions: 1880 mm x 850 mm x 1750 mm.	400
183	Boska	2 Boska cheese slicers, dimensions pallet: 1200 mm x 800 mm x 1200 mm.	200
184	NN part for thermoformer	S/s part for thermoformer, dimensions: 1350 mm x 900 mm x 800 mm.	200
185	NN tenderizer		100



Nr	Title	Description	Start €
		Mobile tenderizer, plastic belt, belt width: 230 mm, total dimensions: 1200 mm x 550 mm x 1200 mm.	
186	J.Affeldt	J.Affeldt net loading machine, type: AVN/610, number: 181, year of construction: 000/03, 400 V, 50 Hz, dimensions: 950 mm x 1000 mm x 2100 mm.	50
187	Optima	Optima powder dosing machine, type: SD, fabrication number: 23159, year of construction: 1995, dimensions: 1200 mm x 800 mm x 1350 mm.	1000
188	NN mesh belt	Mobile mesh belt, s/s frame, belt width: 700 mm, total dimensions: 1450 mm x 880 mm x 950 mm.	500
189	NN frame	S/s frame, dimensions: 800 mm x 800 mm x 1250 mm.	50
190	Comarme	Comarme box closing machine with top taper, model: GEM-f47, serial number: AZ025815, year of construction: 2005, 400 V, 50 Hz. 1 A, 280 W, weight: 186 kg, steel rollers, roller width: 520 mm, plastic belt, belt width: 50 mm, total dimensions: 2200 mm x 980 mm x 1960 mm.	300
191	NN parts	Crate with parts.	150
192	Multivac	Multivac mould for thermoformer, dimensions: 1000 mm x 750 mm x 600 mm.	750
193	Rittal	Rittal s/s cabinet, dimensions: 1200 mm x 800 mm x 300 mm.	100
194	Mado	Mado mobile grinder, type: MEW 620, serial number: 9830524, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4 kW, plate diameter: 98 mm, total dimensions: 1050 mm x 800 mm x 1300 mm. Incomplete.	1000
196	JIA INDUSTRY CO, L.T.D.	JIA INDUSTRY CO, L.T.D. mobile strapping machine, model: S-315bYM, machine number: 97011094, year of construction: 01/1997, 220 V, 1 Ph, 50 Hz, 3.5 A, dimensions: 1000 mm x 670 mm x 1650 mm.	50
197	NN trolley	S/s trolley used for cheese, dimensions: 1000 mm x 1000 mm x 1900 mm.	100
198	NN egg cutter	Mobile egg shell cutter for 16 eggs, dimensions: 950 mm x 850 mm x 1500 mm.	200
199	van Rijn	van Rijn mobile egg shell cutter, number: 251040-1, dimensions: 950 mm x 600 mm x 1480 mm.	200
200	NN parts	Pallet with machine parts, dimensions: 1200 mm x 800 mm x 550 mm.	250
201	Waterkracht	Waterkracht stationary high-pressure installation, type: CADDY AUTO 150/42, machine number: 151.053, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 26 A, 11 kW, capacity: 42 l/min, dimensions: 900 mm x 470 mm x 1530 mm.	600
202	Soco System	Soco System box taping machine, model: T-10, number: 621-88, 380 V, 3 Ph, plastic rollers, roller width: (2x) 260 mm, 70 mm, total dimensions: 1400 mm x 800 mm x 930 mm. Incomplete.	25
203	NN frame	S/s frame, height: 1530 mm.	10





Nr	Title	Description	Start €
204	NN air hoses	2 air hoses.	75
205	Danfoss	2 Danfoss, dimensions: (2x) 770 mm x 130 mm x 90 mm.	50
206	NN weighing scale	S/s weighing scale, dimensions: 500 mm x 400 mm x 100 mm.	10
207	NN labels	4 boxes with labels, 1500 pieces per roll.	20
209	NN machine parts	Machine parts.	50
211	NN meat bin	S/s meat bin, volume: 300 liter.	200
212	NN egg cutter	Mobile egg shell cutter for 16 eggs, dimensions: 950 mm x 850 mm x 1500 mm.	200
213	Multivac	Multivac mobile suction device for rest film, type: ASE530, serial number: 20102716, year of construction: 2013, 230 V, 50/60 Hz, 10/16 A, 2.3 kW, dimensions: 660 mm x 700 mm x 1650 mm.	250
214	van Rijn	van Rijn mobile egg shell cutter, dimensions: 950 mm x 600 mm x 1480 mm.	200
215	Delford-Sortaweigh Ltd	Delford-Sortaweigh Ltd indexer, model: Indexer, serial number: PA0061, year of construction: 2008, 380 V, 3 Ph, 3 A, plastic belts, plastic rollers, roller width: 300 mm, total dimensions: 1700 mm x 700 mm x 1200 mm.	100
216	Safeline	Safeline metal detector, serial number: 119579, plastic belt, belt width: 250 mm, clearance: 350 mm x 110 mm, total dimensions: 700 mm x 650 mm x 1600 mm.	100
217	European Labelling System	European Labelling System labelling unit, model: ELS-220, machine number: 5974/2006, 230 V, 1 Ph, 50/60 Hz, dimensions: 900 mm x 800 mm x 1450 mm.	150
218	Trapo Nederland B.V.	Trapo Nederland B.V. trolley, number: 862606, year of construction: 04/2021, dimensions: 900 mm x 520 mm x 870 mm.	50
219	NN conveyors for box closing machine	2 conveyors for box closing machine, belt width: 50 mm, total dimensions: (2x) 700 mm x 150 mm x 250 mm.	50
220	NN part for labelling unit	Part for labelling unit, dimensions: 550 mm x 250 mm x 550 mm.	50
221	F.I.A.M.E.S.A.	5 F.I.A.M.E.S.A. isolators, type: KRF.	100
222	Reepack	Reepack dye part, 230 V, 50-60 Hz, 5.5 A, dye: (2x) 220 mm x 170 mm, total dimensions: 400 mm x 480 mm x 220 mm.	10
223	Octopus	Octopus control panel, type: T7608, serial number: 1106201, dimensions: 450 mm x 200 mm x 350 mm.	10
224	MPS	MPS electric part, dimensions: 490 mm x 180 mm x 250 mm.	250
225	NN electric parts	Crate with electric parts.	150
226	NN electric parts	Crate with electric parts.	50
227	NN electric parts	Crate with electric parts.	250
228	NN electric parts	Crate with electric parts.	50
229	NN electric parts	Crate with electric parts.	250
230	NN electric parts	Crate with electric parts.	50
231	NN electric parts	Crate with electric parts.	100



Nr	Title	Description	Start €
232	NN electric parts	Crate with electric parts.	50
233	NN electric parts	Crate with electric parts.	100
234	NN electric parts	Crate with electric parts.	50
235	NN electric parts	Crate with electric parts.	150
236	NN electric parts	Crate with electric parts.	150
237	NN electric parts	Crate with electric parts.	50
238	NN electric parts	Crate with electric parts.	100
239	NN measuring tools	2 Measuring tools.	25
240	NN switch cabinet	Switch cabinet, dimensions: 2100 mm x 1150 mm x 370 mm.	500
241	NN electric parts	3 crate with electric parts.	350
242	Comet	Comet generator, type: XRP-Power-2250, serial number: 437525, year of construction: 03/2014, 230 V, 50-60 Hz, dimensions: 730 mm x 370 mm x 540 mm.	500
243	NN electric parts	Crate with electric parts.	500
244	REA	REA mobile rack, dimensions: 540 mm x 660 mm x 1840 mm.	10
245	NN machine parts	Pallet with various machine parts, dimensions: 1200 mm x 800 mm x 500 mm.	100
246	Viteau	Viteau water dispenser, dimensions: 320 mm x 320 mm x 1000 mm.	20
247	Weber	Pallet with parts for Weber slicer, type: 602.	250
248	NN Zip unit	Zip machine, dimensions: 1200 mm x 800 mm x 1750 mm.	500
249	NN filling pipes	S/s trolley with 4 s/s filling pipes for GEA SX 400 vertical bag form, fill, and sealing machine, pipe dimensions: (4x) Ø 185 mm x 1050 mm, total dimensions: 1300 mm x 1000 mm x 1900 mm.	1000
250	NN filling pipes	S/s trolley with 4 s/s filling pipes for GEA SX 400 vertical bag form, fill, and sealing machine, pipe dimensions: (2x) Ø 150 mm x 1000 mm, (1x) Ø 200 mm x 1000, (1x) 200 mm x 160 mm x 1000 mm, total dimensions: 1300 mm x 1000 mm x 1900 mm.	1000
251	NN filling pipes	S/s trolley with 4 s/s filling pipes for GEA SX 400 vertical bag form, fill, and sealing machine, pipe dimensions: (2x) Ø 200 mm x 1000 mm, (1x) Ø 150 mm x 1000, (1x) 210 mm x 160 mm x 1000 mm, total dimensions: 1300 mm x 1000 mm x 1900 mm.	1000
252	Dell	Pallet with computer parts.	50
253	Doedijns	Doedijns hydraulic unit, type: QX21-010-1504-30, number: 4713557, year of construction: 23-10-03, dimensions: 650 mm x 450 mm x 1000 mm.	75
254	ABB	ABB pick and place robot arm, type: IRB 360 M2004, serial number: 360-100055, year of construction: 2013, dimensions: 1000 mm x 900 mm x 500 mm. Including operating system.	50
255	ABB		50



Nr	Title	Description	Start €
		ABB pick and place robot arm, type: IRB 360 M2004, serial number: 360-100055, year of construction: 2013, dimensions: 1000 mm x 900 mm x 500 mm. Including operating system.	
256	Bosch	Bosch checkweigher, type: KWE 6000 A, serial number: 732379, year of construction: 2017, 230 V, 50 Hz, 24 VDC, max: 800 gram, min: 100 gram, e= 0.5 gram, plastic belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 1700 mm.	1000
257	Bosch	Bosch checkweigher, type: KWE 6000 A, year of construction: 2014, 230 V, 50 Hz, maximum weight: 600 gram, minimum weight: 100 gram, e=d= 0.5 gram, plastic belt, belt width: 250 mm, total dimensions: 1350 mm x 760 mm x 1350 mm. Incomplete.	500
258	A.O. Smith W.P.C.	A.O. Smith W.P.C. boiler, model: BFC 60 N (6567), serial number: 133305118501002, 230 V, 50 Hz, 115 W, volume: 368 liter, nominal capacity: 57.0 kW, maximum working pressure: 800 kPa (8 bar), dimensions: Ø 760 mm x 2100 mm.	500
275	Koppens	Koppens belt fryer, s/s mesh belt, belt width: 600 mm, total dimensions: 5500 mm x 1400 mm x 2950 mm. With Buls system and s/s frame with 2 silos for oil and pallet with switch cabinet and hoists, without rollies.	15000
276	O/K Packaging Systems bv	O/K Packaging Systems bv case erector, type: Superformer-1, serial number: 06-21584, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 10 A, weight: 1200 kg, maximum box width: 350 mm, plastic belts, belt width: (2x) 95 mm, total dimensions: 3250 mm x 1700 mm x 2130 mm.	3500
277	O/K Packaging Systems bv	O/K Packaging Systems bv case erector, type: Superformer-1, serial number: 10-21790, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 10 A, weight: 1200 kg, maximum box width: 350 mm, plastic belts, belt width: (2x) 95 mm, total dimensions: 3750 mm x 1700 mm x 2130 mm.	4000
279	M.C.R. Automazione SRL	M.C.R. Automazione SRL strawberry de-crowning and slicing machine, model: DF12, number: 220159000, year of construction: 06/2022, 400 V, 3 Ph, 50 Hz, 6 A, 3.5 kW, plastic infeed belt, belt width: 305 mm, clearance: Ø 50 mm, plastic outfeed belt, belt width: 305 mm, total dimensions: 5500 mm x 1900 mm x 2450 mm. Including pallet with parts, without rollies.	10000
280	Blueprint Automation	Blueprint Automation packaging line used for fries, consisting of: Blueprint Automation elevating belt, type: PF-AP3, serial number: V-415/01/01, year of construction: 03-1997, belt width: 310 mm, elevating height: from 330 mm to 1400 mm, total dimensions: 3450 mm x 900 mm x 1680 mm, OCS x-ray scanner, type: SC, serial number:	25000



Nr	Title	Description	Start €
		81100430, year of construction: 2016, plastic belt, belt width: 610 mm, clearance: 570 mm x 280 mm, total dimensions: 1660 mm x 1250 mm x 2400 mm,OCS checkweigher, type: HC, serial number: 1007558, year of construction: 2016, min: 500 gram, max: 550 gram, belt width: 410 mm, Eia metal detector with 2 rejectors, belt width: 410, clearance: 500 mm x 170 mm, total dimensions: 4000 mm x 1200 mm x 2180 mm,Blueprint Automation box filling machine, type: MGC-AM1, serial number: V-415/05/01, year of construction: 03-1997, plastic belt, belt width: 330 mm, 380 mm, 425 mm, 450 mm, total dimensions: 3700 mm x 2050 mm x 1550 mm,NN mobile transport belt, plastic belt, belt width: 330 mm, total dimensions: 2150 mm x 650 mm x 1050 mm,Blueprint Automation check weigher, type: XN1, serial number: V537/5, year of construction: 05-1999, roller width: 400 mm, total dimensions: 800 mm x 600 mm x 1650 mm,Blueprint Automation vibrating gutter with press, type: XL 4, serial number: V-415/08/01, year of construction: 03-1997, plastic belt, belt width: 330 mm, dimensions press: 340 mm x 230 mm, total dimensions: 1100 mm x 800 mm x 2250 mm,Siat box closing machine, model: SA11-S, serial number: SA11XA33SP000550007, year of construction: 2013, clearance: 250 mm x 190 mm, total dimensions: 2000 mm x 1200 mm x 2200 mm,Roller conveyor, plastic rollers, roller width: 520 mm, total dimensions: 1020 mm x 550 mm x 970 mm,3 pallets.	
281	Weber	Weber slicer line, consisting of: Weber pre scanner for slicer, type: SCA, number: 257, year of construction: 02/2009, plastic belt, belt width: 500 mm, total dimensions: 1550 mm x 1050 mm x 2050 mm. Weber slicer, type: SLC 904, number: 7165, year of construction: 03/2009, 400 V, 50 Hz, 10 kW, 6 bar, plastic infeed belt, belt width: (2x) 450 mm, plastic wire outfeed belt, belt width: 350 mm, total dimensions: 4200 mm x 1900 mm x 2550 mm. Weber checkweigher, type: CCW, number: 7165, plastic wire belt, belt width: 190 mm, total dimensions: 950 mm x 600 mm x 1200 mm. Weber rejector belt, type: CCR, number: 7165, year of construction: 02/2009, plastic wire belt, belt width: 190 mm, total dimensions: 950 mm x 500 mm x 1200 mm. Weber buffer belt, type: CCO, number: 7165, year of construction: 03/2009, plastic belt belt width: 500 mm, total dimensions: 1050 mm x 560 mm x 1420 mm. Weber buffer belt, type: CEB, number: 101-7165, year of construction: 2009, 400 V, 50 Hz, 4 kW, plastic belts, belt width: (3x) 500 mm, plastic wire belts, belt width: 300 mm, total dimensions: 3100 mm x 1000 mm x 1350 mm.	35000
282	Automation Systems	Automation Systems outfeed belt inliner for flowpacker, type: DNT101, year of construction: 2015, 400 V, 3 Ph, 18 A,	10000



Nr	Title	Description	Start €
		7 kW, plastic belt, belt width: 190 mm, 405 and 50 mm, tray dimensions: 175 mm x 125 mm, distance between dividers: 245 mm, total dimensions: 5750 mm x 2000 mm x 2150 mm.	
283	BG Pack SpA	BG Pack SpA flowpacker with labelling machine, model: BG2800 EWL210-Left, serial number: 99404, year of construction: 2011, 400 V, 50 Hz, 32 A, 10 kW, plastic belt, belt width: 150 mm, film width: 400 mm, total dimensions: 4600 mm x 1450 mm x 2300 mm. Including s/s trolley with parts and pallet with parts, dimensions trolley: 1100 mm x 600 mm x 1150 mm.	15000
284	Koppens	Koppens belt fryer, type: HLT 8000/600, machine number: HLT 8000/600-53, 380 V, 3 Ph, 50 Hz, 19.38 A, 8.05 kW, weight: 3500 kg, s/s belt, belt width: 600 mm, total dimensions: 8100 mm x 2100 mm x 2950 mm. Without rollies.	25000
285	Multivac	Multivac thermoformer with MR Etikettiertechnik GmbH labelling unit, model: R245, machine number: 124685, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 18 A, 7 kW, type labelling unit: MR 6318, type Witt-Gasetechnik gas mixing station: KM 100-2 MEM, dye: (6x) 103 mm x 90 mm, total dimensions: 8300 mm x 1600 mm x 2250 mm. Including Multivac inliner, belt width: (3x) 70 mm, (1x) 315 mm, total dimensions: 2050 mm x 600 mm x 1050 mm, and pallet with parts, dimensions: 1200 mm x 800 mm x 500 mm. Without rollies.	16500
286	Weber	Weber slicer with checkweigher and rejecter belt, slicer type: MCS 902, number: 2625, year of construction: 07/2006, 400 V, 50 Hz, 10 kW, 6 bar, plastic wired outfeed belt, belt width: 400 mm, total dimensions: 3150 mm x 1700 mm x 2600 mm. type checkweigher: CCW, number: 2625, year of construction: 07/2006, plastic wired belt, belt width: 480 mm, dimensions checkweigher: 750 mm x 500 mm x 1150 mm. Without rollies.	15000
288	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. elevating belt, year of construction: 2017, 230/400 V, 3 Ph, 50 Hz, 4.5 A, plastic belt with dividers, belt width: 300 mm, divider height: 50 mm, distance between dividers: 115 mm, elevating height: 4200 mm, total dimensions: 4300 mm x 2150 mm x 3900 mm.	1500
290	Weber	Weber slicer with checkweigher, rejecting belt and outfeed belt, type slicer: CCS 902, number: CCS 902-2750, year of construction: 05/2012, 415 V, 50 Hz, 10 kW, plastic infeed belt, belt width: 340 mm, plastic outfeed belt, belt width: 420 mm, total dimensions: 3100 mm x 1850 mm x 2600 mm. Wipotec checkweigher type: WEB 99 T35S, plastic wire belt, belt width: 360 mm, total dimensions: 500 mm x 900 mm x 1100 mm. Type weber rejecting belt: CCW, number:	10000



Nr	Title	Description	Start €
		2623, plastic wire belt, belt width: 360 mm, total dimensions: 500 mm x 900 mm x 1100 mm. Weber outfeed belt, type: CCA, number: 2622, year of construction: 2006, 400 V, 50 Hz, 7 kW, plastic wired belt, belt width: 520 mm, total dimensions: 5370 mm x 1800 mm x 1800 mm. Without rollies.	
291	Weber	Weber slicer, type: SLC 902, number: 2623, year of construction: 08/2006, 400 V, 50 Hz, 10 kW, maximum belt width: 340 mm, plastic belt, belt width: 500 mm, total dimensions: 3100 mm x 1850 mm x 2600 mm. Incomplete.	5000
292	Groba	Groba cheese defoiling machine with infeed system for slicer and buffer belt, type: PHDM-520, number: 199910103, year of construction: 2000, weight: 600 kg, plastic rollers, roller width: 520 mm, plastic belt, belt width: 550 mm, roll width: 550 mm, dimensions infeed system: 3000 mm x 1250 mm x 2250 mm, dimensions defoiling machine: 2650 mm x 1000 mm x 2130 mm and dimensions buffer belt: 2330 mm x 750 mm x 2230 mm.	5000
293	Ishida	Ishida 10 head multihead weigher, model: CCW-SE3-210W-1S/20-WP, serial number: 920016215 E17101101, year of construction: 11/2017, 230 V, 1 Ph, 50 Hz, 5.2 A, minimum capacity: 14 g, maximum capacity: 1000 g, total dimensions: 1100 mm x 1000 mm x 1300 mm.	5000
294	Tetra Laval Food	Tetra Laval Food belt fryer, type: BRN 4500/700, machine number: BRN4500/700-1046, year of construction: 1995, 415 V, 3 Ph, 50 Hz, 17.87 A, 6.47 kW, weight: 4140 kg, s/s belt, belt width: 700 mm, total dimensions: 8300 mm x 2000 mm x 3450 mm. Including s/s mobile filter tub, dimensions: 1300 mm x 750 mm x 500 mm. Without rollies.	15000
295	Laska	Laska double shaft paddle mixer-grinder, type: WMW 160/800 2A, serial number: 5312, 380 V, 50 Hz, 8/11 A, 3.3/4 kW, plate diameter: 160 mm, volume: 800 liter, total dimensions: 2300 mm x 2150 mm x 3450 mm.	5000
296	Yamato	Yamato 10 head multihead weigher, dimensions: 1200 mm x 1050 mm x 1070 mm.	3250
297	Ulma	Ulma mobile flowpacker, model: Nevada BS, number: 130052, year of construction: 2003, 380 V, 50 Hz, 23 A, 5 kW, ELS labelling machine, infeed belt with dividers, belt width: 150 mm, distance between dividers: 300 mm, divider height: 30 mm, seal width: 300 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 4500 mm x 1300 mm x 1150 mm.	5000
298	Inauen Maschinen AG	Inauen Maschinen AG diptank, type: VC999/Einlaufband, machine number: 95E04688, 280/440 V, 3 Ph, 50/60 Hz, 0.11 kW, clearance: 540 mm x 340 mm, plastic belt, belt width: 470 mm, s/s rollers, roller width: 470 mm, total dimensions: 2250 mm x 1000 mm x 1500 mm.	750
299	Ishida		4000



Nr	Title	Description	Start €
		Ishida multihead weigher, 14 heads, model: CCW-R-214W-S/20-SS, serial number: 557127, year of construction: 05/2007, 240 V, 1 Ph, 50 Hz, 3.6 A, machine weight: 645 kg, dimensions: 1150 mm x 1150 mm x 1700 mm. Including pallet box with parts, dimensions: 1200 mm x 800 mm x 540 mm.	
300	Yamato Scale GmbH/Dataweigh	Yamato Scale GmbH/Dataweigh 14-heads multihead weigher, model: ADW-514SWH, serial number: WG020585, 220-240 V, 1Ph, 50/60 Hz, 10 A, weight range: 20-2000 gram, dimensions: 1350 mm x 1350 mm x 1300 mm. Including 2 pallets with parts.	4000
301	GEA	Outfeed belt for GEA slicer, type: Shingle Loader 600, serial number: 4040860453, year of construction: 2015, 400 V, 3 Ph, 15.0 A, plastic belts, belt width: (2x) 250 mm, (3x) 120 mm, (2x) 300 mm and (1x) 380 mm, plastic string conveyor, belt width: 360 mm, total dimensions: 5400 mm x 1700 mm x 2050 mm.	1500
302	Multipond	Multipond 14-heads multihead weigher, type: MP 1412-F, fabrication number: M 1047, year of construction: 1997, 230 V, 1 Ph, 50 Hz, maximum weight: 2000 gram, minimum weight: 200 gram, e=d=: 0.5 gram, T= 150 gram, dimensions: 1500 mm x 1250 mm x 1100 mm. With pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm x 950 mm.	9000
303	NN multihead weigher	10 head multihead weigher, model: 1A10(25), year of construction: 2025, 220 V, 50/60 Hz, 10 A, 1.0 kW, dimensions: 1000 mm x 1000 mm x 1300 mm. New.	4000
304	NN multihead weigher	10 head multihead weigher, model: 1A10(25), year of construction: 2025, 220 V, 50/60 Hz, 10 A, 1.0 kW, dimensions: 1000 mm x 1000 mm x 1300 mm. New.	4000
305	Yamato Scale GmbH/Dataweigh	Yamato Scale GmbH/Dataweigh 14-heads multihead weigher, model: ADW-414SD, serial number: WG020347, 220-240 V, 1Ph, 50/60 Hz, 5 A, weight range: 8-1000 gram, dimensions: 13000 mm x 1200 mm x 1600 mm.	2500
306	NN multihead weigher	10-heads multihead weigher, dimensions: 1200 mm x 1390 mm x 1550 mm.	750
307	Ishida	Ishida 14 head multihead weigher, model: CCW-S-210, number: 19179, year of construction: 06/1992, 22 V, 50 Hz, 10.3 A, dimensions: 1300 mm x 1300 mm x 1300 mm.	500
308	Multipond	Multipond 10 head multihead weigher, type: MP 1024-D, factory number: MP 935, year of construction: 1996, 230 V, 50 Hz, 1.5 kVA, dimensions: 1600 mm x 1400 mm x 2100 mm.	2000
309	NN multihead weigher	10-heads multihead weigher, dimensions: 1150 mm x 1150 mm x 1450 mm.	500
310	Ishida	Ishida multihead weigher, 14 heads, model: CCW-Z-214/30, serial number: 9717854, year of construction: 1997, 230 V, 1	1000





Nr	Title	Description	Start €
		Ph, 50 Hz, 7.3 A, weight: 415 kg, dimensions: 1150 mm x 1150 mm x 1700 mm.	
311	Yamato Scale GmbH/Dataweigh	Yamato Scale GmbH/Dataweigh multihead weigher, 14 heads, model: ADW-514SWH, serial number: WG020586, 220/240 V, 1 Ph, 50/60 Hz, 10 A, min: 20 gram, max: 2000 gram, max speed: 120P/min, dimensions: 1400 mm x 1400 mm x 1250 mm. Including pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm x 1250 mm.	5000
312	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 35 mm, divider height: 35 mm, distance between dividers: 370 mm, total dimensions: 4500 mm x 600 mm x 980 mm.	400
313	Novopac s.r.l.	Novopac s.r.l. bundling machine, plastic belt, belt width: 360 mm and 100 mm, total dimensions: 3200 mm x 1400 mm x 1850 mm. With pallet with infeed belt.	1000
314	Landpack	Landpack pouch filling machine, model: :D-8200A, serial number: LP250325, year of construction: 2025-5-5, plastic belt, belt width: 260 mm, dimensions: 2550 mm x 2000 mm x 1500 mm.	10000
315	Deltapack	Deltapack vertical bag form-, fill-, and seal machine, type: DE420FU, machine number: 269, year of construction: 2003, film width: 740 mm, vertical seal length: 540 mm, horizontal seal length: 430 mm, total dimensions: 2300 mm x 1550 mm x 2000 mm.	2500
316	Avercon	Avercon carton erector with Robatech glue unit, machine type: AVC-CE710 L/H, number: 532, year of construction: 12-2003, 3x400 V, 18.5 A, dimensions carton erector: 3500 mm x 1800 mm x 2400 mm, dimensions infeed unit: 1800 mm x 1400 mm x 1250 mm.	1500
318	Newtec	Newtec linear weigher, 9 heads, type: 3009M, number: 8625, year of construction: 2007 (software year of construction: 2019), 220 V, 3 Ph, 60 Hz, 5 A, 1 kW, lane width: 130 mm, total dimensions: 1400 mm x 1500 mm x 2680 mm.	8000
319	Norfo A/S	Norfo A/S mobile portion cutter, type: B 34/35, serial number: 1088.80.366, year of construction: 03.06.05, 400 V, 3 Ph, 50/60 Hz, 14/32 A, 6 kW, plastic belt, belt width: 300 mm, total dimensions: 3050 mm x 1320 mm x 1930 mm.	1000
320	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. cheese scraper, type: KAASCHRAPER II, serial number: 8900.001, year of construction: 2000, clearance: 130 mm x 180 mm, total dimensions: 3400 mm x 1500 mm x 2280 mm.	2500
321	NN mixing tank	S/s skid with mixing tank, inside dimensions: Ø 1200 mm x 1000 mm, total dimensions: 2000 mm x 1350 mm x 2500 mm.	2750
322	Bodijn	Bodijn slicer used for meat, serial number: HAK 217219/2, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 0.5 kW,	2000



Nr	Title	Description	Start €
		weight: 600 kg, belt width: 545 mm, working width: 500 mm, total dimensions: 2700 mm x 1200 mm x 2100 mm.	
323	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON conti, machine number: 461005.154538.110208, year of construction: 2011, 380-480 V, 3 Ph, 50/60 Hz, 32 A, 8.6 kW, weight: 750 kg, plastic belt, belt width: 220 mm, clearance: 290 mm x 180 mm, total dimensions: 4630 mm x 1300 mm x 1900 mm.	10000
324	Jasa Packaging Solutions	Jasa Packaging Solutions double transport belt on s/s frame, model: 19100060300000, machine number: 14666, year of construction: 2019, 230 V, 3 Ph, 0.37 kW, 1.7 A, weight: 110 kg, belt width: (2x) 350 mm, belt length: (2x) 1400 mm, total dimensions: 3400 mm x 1450 mm x 2000 mm.	750
325	Kolbe	Kolbe bandsaw, type: K330S, serial number: 98 0721, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 24 VDC, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1800 mm.	1500
326	Still	Still electrical pallet lifter, model: Electra stacker, fabrication number: 0240, year of construction: 2002, powered by 2 car batteries, fork length: 1150 mm, total dimensions: 1700 mm x 840 mm x 1940 mm.	450
328	NN vibrating gutter	Vibrating gutter, gutter width: 600 mm, total dimensions: 1950 mm x 1250 mm x 1030 mm.	500
329	Servolift GmbH	Servolift GmbH lifter for barrels, type: mob. Fass-Hubsäule, serial number: 10905, year of construction: 2004, capacity: 160 kg, lifting height: 2300 mm, total dimensions: 1850 mm x 800 mm x 2300 mm.	1000
330	Bosch	Bosch vertical bag form-, fill- and seal machine, type: SVE 2510 WR, number: 808689MS7533N, year of construction: 2006, film width: 443, diameter filling pipe: 115 mm, vertical seal length: 350 mm, horizontal seal length: 285 mm, total dimensions: 2550 mm x 1500 mm x 1800 mm. Including Garden Denver vacuum pump, type: V-VC 150 (20), capacity: 150 m³ per hour, dimensions: 800 mm x 450 mm x 300 mm.	2500
331	Siat	Siat box folding and closing machine, model: F344 SX, serial number: 50001, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6 A, 1500 W, Becker vacuum pump, infeed conveyor width: 690 mm, total dimensions: 2100 mm x 1750 mm x 2060 mm.	750
332	SAS DISPAC	SAS DISPAC tilting device for 200 liter meat bins with outfeed belt, type: VIDEF, serial number: 08V26, year of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	500
333	Multipond	Multipond 10 head multihead weigher, type: MP1024, factory number: 567, year of construction: 1993, weighing capacity: 2400 g, dimensions: 1600 mm x 1400 mm x 2200 mm.	500
334	PFM		4000



Nr	Title	Description	Start €
		PFM vertical bag form-, fill-, and seal machine, model: Zenith Inox, serial number: C 7741, year of construction: 2005, 380 V, 50 Hz, 8 A, 4.5 kW, 2 Markem Imaje smart date printers, film width: 280 mm, vertical seal length: 350 mm, horizontal seal width: 250 mm, total dimensions: 1900 mm x 1100 mm x 1770 mm.	
335	Tummers Machinebouw	Tummers Machinebouw sliver remover, serial number: 352970-010, year of construction: 2015, working width: 1950 mm, total dimensions: 3100 mm x 2050 mm x 1780 mm.	5000
336	O/K Packaging Systems bv	O/K Packaging Systems bv case erector, type: Superformer-1, serial number: 09-21768, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 10 A, weight: 1200 kg, maximum box width: 350 mm, plastic belts, belt width: (2x) 95 mm, total dimensions: 3250 mm x 1700 mm x 2130 mm.	3500
337	Lantech	Lantech case erector, model: C-1000-Hotmelt, serial number: SM20154200, year of construction: 26 may 2015, 400 V, 3 Ph, 50 Hz, 4.37 kW, air supply: 87.0 PSI / 6.0 Bar, Robatech glue unit, type: Concept C 5/2, plastic infeed belts, belt width: (2x) 65 mm, total dimensions: 3000 mm x 2300 mm x 2650 mm.	10000
338	Metaalbewerking JDK	Metaalbewerking JDK shuttle conveyor, number: 2021.9848, year of construction: 2021, plastic belt, belt width: 500 mm, total dimensions: 2900 mm x 1050 mm x 500 mm.	300
340	Powerpac	Box with Powerpac labelling unit, model: N31HRLK-LNK-NS-02, dimensions: 1050 mm x 680 mm x 450 mm.	100
341	Berger Lahr	Box with Berger Lahr labelling machine, dimensions: 680 mm x 680 mm x 400 mm.	100
342	Berger Lahr	Box with Berger Lahr labelling machine, dimensions: 680 mm x 680 mm x 400 mm.	100
343	NN hoof remover	Hoof remover, foot control, working width: 400 mm, total dimensions: 700 mm x 500 mm x 1600 mm.	400
344	NN parts for multihead	Pallet with parts for multihead weigher, 2 s/s outfeed cones and 8-heads sorter, dimensions: 1200 mm x 800 mm x 900 mm.	250
345	Handtmann	Screen for Handtmann vacuum filling machine, dimensions: 430 mm x 300 mm x 30 mm.	250
346	NN parts	Crate with belts for linking and hanging line, dimensions: 600 mm x 400 mm x 230 mm.	100
347	NN parts	Crate with parts for linking and hanging line, dimensions: 600 mm x 400 mm x 230 mm.	100
348	NN filling pipes	Crate with 15 s/s filling pipes, dimensions: 600 mm x 400 mm x 200 mm.	100
349	NN parts	Crate with various parts, dimensions: 600 mm x 600 mm x 250 mm.	100
350	ACD	Crate with 2 ACD servo drives, model: AC12A10S03.00, dimensions: 600 mm x 400 mm x 200 mm.	100



Nr	Title	Description	Start €
351	NN parts	2 crates with hooks for hanging line, dimensions: 600 mm x 400 mm x 200 mm and 600 mm x 400 mm x 270 mm.	100
352	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420871, year of construction: 2024, capacity: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
353	Busch	Busch vacuum pump, type: RA 0040 F 5R3, serial number: DEM124430384, year of construction: 2024, capacity: 40 m <sup>3</sup> per hour, dimensions: 620 mm x 270 mm x 260 mm.	1000
354	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420873, year of construction: 2024, capacity: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 400 mm x 290 mm.	800
355	Multivac	Multivac traysealer, type: T300, serial number: 310724, year of construction: 2021, 400/230 V, 3 Ph, 50 Hz, 34.7 A, 8.8 kW, Busch vacuum pump, capacity: 100 m <sup>3</sup> per hour, dimensions dyes: 247 mm x 314 mm, 230 mm x 145 mm, 175 mm x 228 mm and 256 mm x 175 (for skin packing), dimensions: 3200 mm x 1100 mm x 1700 mm.	30000
356	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124250673, year of construction: 2024, capacity: 19 m <sup>3</sup> per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
357	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124260345, year of construction: 2024, capacity: 19 m <sup>3</sup> per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
358	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124250674, year of construction: 2024, capacity: 19 m <sup>3</sup> per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
359	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124260350, year of construction: 2024, capacity: 19 m <sup>3</sup> per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
360	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124250672, year of construction: 2024, capacity: 19 m <sup>3</sup> per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
361	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140051, year of construction: 2024, capacity: 160 m <sup>3</sup> per hour, dimensions: 800 mm x 600 mm x 430 mm.	1000
362	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140050, year of construction: 2024, capacity: 160 m <sup>3</sup> per hour, dimensions: 800 mm x 600 mm x 430 mm.	1000
363	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: 080039633, year of construction: 2008, capacity: 0.1 mbar, dimensions: 800 mm x 400 mm x 700 mm.	400
364	Lock Inspection Systems Ltd.	Lock Inspection Systems Ltd. pipe line metal detector head, serial number: 35651-1, year of construction: 03-08,	100



Nr	Title	Description	Start €
		100-240 V, 50/60 Hz, 3 A, diameter pipe: 55 mm, total dimensions: 400 mm x 500 mm x 790 mm.	
365	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420872, year of construction: 2024, capacity: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
366	Rema	Pallet with 11 Rema hoists, capacity: (1x) 1 ton, (3x) 1.5 ton, (1x) 1.6 ton, (5x) 2 ton and (1x) 6 ton, dimensions: 1200 mm x 800 mm x 400 mm.	400
367	Eller / van Gool	Pallet with 8 jacks, capacity: (2x) 250 kg, (3x) 1.5 ton, (2x) 3 ton and (1x) 5 ton, dimensions: 1200 mm x 800 mm x 600 mm.	200
368	DTE	DTE chiller, type: K-004.9, manufacturing number: D2185000291004, year of construction: 08-2021, 220-240 V, 1 Ph, 50 Hz, 12.27 A, refrigerant: R-407C, 1.1 kg, dimensions: 700 mm x 550 mm x 500 mm.	100
369	Busch	Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130042, year of construction: 2024, capacity: 19 m <sup>3</sup> per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
370	Busch	Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130040, year of construction: 2024, capacity: 19 m <sup>3</sup> per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
371	Busch	Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130037, year of construction: 2024, capacity: 19 m <sup>3</sup> per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
372	Mesutronic	Mesutronic s/s pipeline metal detector, type: MN 5.2 PW 300, serial number: 1213-PW, year of construction: 2017, 100-240 V, 50/60 Hz, 1.25 A, clearance: Ø 300 mm, total dimensions: 600 mm x 550 mm x 650 mm.	500
373	Busch	Pallet with 2 Busch vacuum pumps, type: SV 1025 C 000 1KZZ and SV 1025 C 000 1KZZ, number: C0349000325 and C0323000305, and 1 Gardner Denver vacuum pump, type: V-VTN 26, serial number: SC10320007001, year of construction: 2017, dimensions: 1200 mm x 800 mm x 400 mm.	250
374	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140049, year of construction: 2024, capacity: 160 m <sup>3</sup> per hour, dimensions: 800 mm x 600 mm x 430 mm.	500
375	K+G Wetter	K+G Wetter grinder, type: WW E130-442, number: 442/1042, year of construction: 2021, 230 V, 50 Hz, 35 A, 16 kW, diameter plate: 130 mm, total dimensions: 1400 mm x 1400 mm x 1850 mm. Including crate with parts.	15000
377	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 340 mm, elevating height: 960 mm, total dimensions: 770 mm x 2850 mm x 1090 mm.	300
378	Secmmi	Secmmi vibrating gutter, type: Couloir vibrant Cubeuse, serial number: 100 076, year of construction: 2010, s/s gutter, gutter width: 200 mm, total dimensions: 800 mm x 600 mm x 750 mm.	400



Nr	Title	Description	Start €
379	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 325 mm, elevating height: 800 mm, total dimensions: 3000 mm x 600 mm x 900 mm.	300
380	Jansen Techniek	Jansen Techniek checkweigher with rejector, model: checkweigher, type: reject, year of construction: 2018, plastic mesh belt, belt width: 250 mm, clearance: 260 mm x 285 mm, plastic rollers, roller width: 315 mm, total dimensions: 1300 mm x 2550 mm x 1500 mm.	1500
381	Ishida	Ishida 16-heads multihead weigher, model: CCW-RVE-216B1D/15-SS, serial number: 560012161, year of construction: 08/2017, 240 V, 1 Ph, 50 Hz, 11.3 A, weight: 535 kg, dimensions: 1750 mm x 1600 mm x 2850 mm.	10000
382	Fawema	Fawema Verpackungsmaschinen vertical bag form-, fill- and seal machine, type: VI380, machine number: RN29081, year of construction: 2008, 230/400 V, 50 Hz, film width: 520 mm, diameter pipe: 150 mm, vertical seal length: 570 mm, horizontal seal length: 400 mm, total dimensions: 2300 mm x 1600 mm x 2300 mm.	1000
383	Kawashima	Kawashima vertical bag form-, fill-, and seal machine, model: KBF-6122, serial number: 824, year of construction: August 2001, film width: 370 mm, vertical seal length: 340 mm, horizontal seal length: 280 mm, total dimensions: 1700 mm x 1450 mm x 1810 mm.	1000
384	Uva-Butler	Uva-Butler vertical form-, fill-, and seal machine, type: BUT.2-230, machine number: 98518, year of construction: 1998, 400 V, 50 Hz, diameter filling pipe: 120 mm, vertical seal length: 600 mm, horizontal seal length: 370 mm, film width: 380 mm, total dimensions: 1970 mm x 1500 mm x 1910 mm.	1500
385	Ulma	Ulma packaging machine, model: SUPERCHIK, machine number: 2103401, year of construction: 2005, 400 V, 50 Hz, 11 A, 2.8 kW, dimensions: 3500 mm x 900 mm x 1550 mm. Including pallet with parts.	2500
386	Gruppo Fabbri SA	Gruppo Fabbri SA traysealer, model: B-241, serial number: 4-251, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 10 A, weight: 610 kg, plastic string belt, belt width: 175 mm, dimensions dye: 300 mm x 240 mm, film width: 330 mm, total dimensions: 3830 mm x 950 mm x 1770 mm.	4000
387	Cretel	Cretel crate washing machine, s/s chain conveyor with dividers, belt width: 450 mm, distance between dividers: 760 mm, divider height: 15 mm, total dimensions: 3650 mm x 1000 mm x 1720 mm. Including blower.	2000
388	La Parmentiere	La Parmentiere dehairing machine with Carsoe lifter for meat bins, type: 770P, machine number: 770P414, year of construction: 06.2020, type lifter: HKV 300, serial number: FOD-10811, year of construction: 2020, 400 V, 3 Ph, 0.75 kW, dimensions: 2050 mm x 1800 mm x 1870 mm, dimensions lifter: 3150 mm x 1500 mm x 900 mm.	9500



Nr	Title	Description	Start €
390	Multipond	Multipond 20-heads multihead weigher, type: MP 20-3800/1250-H, serial number: M 2718, year of construction: 2011, 416 V, 3 Ph, 50/60 Hz, maximum weight: 3000 gram, minimum weight: 50 gram, e= 0.5 gram, d= 1.0 gram, T= 150 gram, total dimensions: 2600 mm x 2200 mm x 1300 mm.	11000
391	JMB	JMB mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 375 mm, distance between dividers: 200 mm, divider height: 45 mm, elevating height: 1600 mm, total dimensions: 2500 mm x 560 mm x 1640 mm.	250
392	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT HP10, type: 140/350 B-1, number: 140 0444, year of construction: 1995, 220-460 V, 3 Ph, 50/60 Hz, 21/63 A, with Rietschle vacuum pump, type: VCE 25, number: 1569062, dimensions: 2100 mm x 1200 mm x 2350 mm.	3000
393	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF300B, number: 2645, 400 V, 50 Hz, 23.6 A, 9.5 kW, Becker vacuum pump, type: U 1.16SA-31, number: B 2678255, year of construction: 2012, capacity: 16 m <sup>3</sup> per hour, dimensions: 1700 mm x 1400 mm x 1970 mm.	2000
394	Handtmann	Handtmann mobile vacuum filling machine, type: VF300, number: 2804, year of construction: 1997, 400 V, 50 Hz, 21.8 A, 9 kW, dimensions: 1150 mm x 950 mm x 2050 mm. Incomplete.	2500
395	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH slicer with infeed belt, type: IC610/21, serial number: 010604, year of construction: 2004, 400 V, 15.25 A, 6.1 kW, plastic belt, belt width: 610 mm, dimensions chamber: 210 mm x 210 mm, total dimensions: 2400 mm x 800 mm x 1500 mm, dimensions infeed belt: 2700 mm x 860 mm x 1500 mm.	1500
396	Loma Systems	Loma Systems metal detector on mobile elevating belt, type: Blue IQ3 ST, serial number: Q3B55-10-28060D, year of construction: 17.3.2015, 110-240 V, 1 Ph, 50/60 Hz, 0.3-0.6 A, plastic belt, belt width: 410, clearance: 550 mm x 30 mm, elevating height: 1750 mm, total dimensions: 4600 mm x 1030 mm x 1760 mm.	750
397	Novopac s.r.l.	Novopac s.r.l. sleeve wrapper and shrinking machine, type: AND 070M-SP, serial number: 4560219, year of construction: 2019, 400 V, 50 Hz, 6 A, 23 kW, plastic infeed belt, belt width: 350 mm, film width: 550 mm, belt width shrinking tunnel: 600 mm, clearance: 770 mm x 480 mm, total dimensions: 4100 mm x 1500 mm x 2650 mm.	2000
398	Kolbe	Kolbe bandsaw, type: K430H, serial number: 99 1500, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 8.6 A, 4.0 kW, 330-350 kg, dimensions: 1010 mm x 1300 mm x 2200 mm.	1500
399	Vemag	Vemag mobile co-extrusion machine, model: HP Coex, number: 172 0136, year of construction: 2020, 400-460 V, 3	4000





Nr	Title	Description	Start €
		Ph, 50/60 Hz, 2 A, 1.3 kW, 269 kg, Vemag vacuum pump, type: KC 0016 E 320, serial number: CZM120160352, year of construction: 2020, capacity: 19 m <sup>3</sup> per hour, dimensions: 1200 mm x 700 mm x 1750 mm.	
400	Ishida	Ishida 14-heads multihead weigher, model: CCW-EM-214W-S/50-WR, serial number: 555175, year of construction: 2005, 220 V, 1 Ph, 50 Hz, 7 A, weight: 920 kg, dimensions: 1850 mm x 1700 mm x 2200 mm. Including pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm x 1250 mm.	4500
401	Anritsu	Anritsu checkweigher and metal detector with rejectors, type checkweigher: KW5417BP5D, serial number: 4600173649, year of construction: 2012, 100-120 / 200-240 Vac, 1 Ph, 50/60 Hz, maximum weight: 1500 / 3000 gram, minimum weight: 20 gram, e=d= 0.5 / 1 gram, T = -1500 / -3000 gram, type metal detector: KD1125AW, serial number: 4600162333, plastic belt, belt width: 350 mm, clearance: 450 mm x 130 mm, total dimensions: 2250 mm x 1450 mm x 1550 mm.	2500
402	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1050 mm, total dimensions: 3500 mm x 570 mm x 1170 mm.	500
403	Automotion Systems	Automotion Systems tray filling machine, type: FST204, year of construction: 2014, 400 V, 3 Ph, 16 A, 4 kW, 2.5 bar, plastic belt with dividers, belt width: 165 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions tray filler: 1000 mm x 1400 mm x 2000 mm, including infeed belt, belt width: 265 mm, total dimensions: 1900 mm x 500 mm x 1000 mm. Including transport belt, s/s frame, plastic belt, belt width: 285 mm, total dimensions transport belt: 3850 mm x 430 mm x 1060 mm.	1500
404	Cryovac	Cryovac horizontal form, fill and seal machine, type: CJ55 MD-BDF, serial number: A91600205, year of construction: 2000, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: (2x) 200 mm, seal width: 250 mm, clearance: 200 mm x 60 mm, total dimensions: 5000 mm x 1100 mm x 2300 mm.	1750
405	Scanvaegt	Scanvaegt 14-heads multihead weigher, type: 5418-2L-AD, serial number: BMT00202, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.0 A, 750 kg, dimensions: 1300 mm x 800 mm x 2000 mm.	3000
406	Foodeq	Foodeq s/s vibrating gutter with sieve, type: TTR800/3200, number: 17194, year of construction: 2018, gutter width: 800 mm, sieve: 1 mm, total dimensions: 3200 mm x 1400 mm x 2050 mm.	3500
407	Rühle	Rühle cooled vacuum tumbler / mixer with lifter for 200 liter meat bins, model: MGR 400, serial number: 10110144, year of construction: 2015, 400 V, 50 Hz, 8.9 kW, volume: 400	10000



Nr	Title	Description	Start €
		liter, Busch vacuum pump, capacity: 10 m <sup>3</sup> per hour, dimensions: 2200 mm x 2100 mm x 2200 mm.	
408	Automotion Systems BV	Automotion Systems BV box filling machine, type: ARE008, year of construction: 2018, 400 V, 3 Ph, 16 a, 3 kW, plastic belts, belt width: 280 mm and 170 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions: 2300 mm x 2000 mm x 1850 mm. Including crate with extra parts.	1800
409	Multipond	Multipond mobile multihead weigher, 14 heads, type: MP 1401-F, year of construction: 1998, 230 V, 1 Ph, 50 Hz, weighing range: 20 - 100 gram, total dimensions: 2100 mm x 1250 mm x 3250 mm. Including s/s trolley for bins, dimensions trolley: 1450 mm x 800 mm x 1730 mm.	7000
410	Blueprint Automation	Blueprint Automation tilting device for pouches, type: FBC01, serial number: V1081, year of construction: 06-2006, 400 V, 3 Ph, 50 Hz, plastic belts, belt width: 360 mm and 60 mm, working width: 320 mm, total dimensions: 3600 mm x 1200 mm x 1600 mm.	1500
411	Meiwa	Meiwa pallet wrapper, type: WP1 EVC, serial number: E0701347, year of construction: 11/2007, 220 V, 60 Hz, 1000 W, steel platform, diameter platform: 1650 mm, total dimensions: 2650 mm x 1650 mm x 2820 mm.	400
412	Matco	Matco pallet wrapper, type: A618Z PREA, serial number: MA-99111, year of construction: 01/1999, 400 V, 3 Ph, 50 Hz, 765 kg, steel platform, diameter platform: 1750 mm, total dimensions: 3000 mm x 1750 mm x 2600 mm.	400
413	Rühle	Rühle cooled vacuum tumbler with double lifter for 200 liter meat bins, Busch vacuum pump, type: KC 0016 E 320 MMZZ, capacity: 16 m <sup>3</sup> per hour, Rivacold cooling compressor, year of construction: 2025, total dimensions: 1900 mm x 1600 mm x 2400 mm.	3500
414	Multipond	Multipond 14-heads multihead weigher, type: MP 1434-F, fabrication number: M 1420, year of construction: 2001, 230 V, 50 Hz, maximum weight: 2400/6000 gram, e=: 1/2 gram, dimensions: 1550 mm x 1900 mm x 1300 mm.	2500
415	Prewa	Prewa mobile vertical form-, fill-, and seal machine, type: 250, film width: 355 mm, seal length: 270 mm, total dimensions: 2800 mm x 2150 mm x 2050 mm.	2500
416	Kilia	Kilia cutter, type: KU 90 1 3000RS, number: 109212617, year of construction: 1992, 380 V, s/s bowl, volume: 90 liter, dimensions: 1450 mm x 1400 mm x 1150 mm.	3000
417	NN curve conveyor	Curve conveyor, plastic mesh belt, belt width: 100 mm, total dimensions: 3450 mm x 1450 mm x 950 mm.	250
418	Youngsunpack	Youngsunpack pallet wrapper, type: MHFG2000B, serial number: E114811, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 1250 W, diameter platform: 1640 mm, total dimensions: 3000 mm x 1650 mm x 2780 mm.	600
419	Saclark		2000



Nr	Title	Description	Start €
		Saclark rollstock bag filling machine, type: SCH 35, number: 166 06, year of construction: 2006, 220 V, 3 Ph, 50 Hz, net width: 900 mm, plastic belt, belt width: 300 mm, total dimensions: 4000 mm x 1000 mm x 1800 mm.	
420	Sartorius	Sartorius metaldetector on elevating belt, plastic mesh belt, belt width: 304 mm, clearance: 350 mm x 160 mm, elevating height: 950 mm, total dimensions: 2900 mm x 1150 mm x 2220 mm. Incomplete.	750
421	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1000 mm x 1000 mm x 1170 mm.	400
422	Lantech	Lantech carton erector, model C-1000-Hotmelt, serial number: SM20164280, year of construction: 06-jul-2016, 400 V, 3 Ph, 50 Hz, 4.37 kW, Robatech glue unit, type: Concept C 5/2, serial number: 11111103-001, year of construction: 2016, plastic belts, belt width: 65 mm, dimensions plano: 680 mm x 450 mm, total dimensions: 2400 mm x 2300 mm x 2600 mm.	9000
423	Cabinplant	Cabinplant separation tumbler, type: SEPERATORTROMLE, number: 8431, diameter drum: 350 mm, length: 1200 mm, Scanvaegt indicator, type: 411, max: 30 Kg, min: 0.2 Kg, e= 0.01 Kg, dimensions weighing scale: 400 mm x 300 mm, total dimensions: 1750 mm x 1250 mm x 2100 mm.	1500
424	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. horizontal slicer for cheese, type: Horizontale deelmachine 2, serial number: 20400, year of construction: September 2003, 400 V, 3 Ph, 50 Hz, 4.9 A, 3 kW, 10 kA, 6 bar, plastic rollers, roller width: 400 mm, total dimensions: 2700 mm x 1250 mm x 2050 mm.	2000
425	NN tilting device	S/s tilting device for pallet boxes, clearance: 1200 mm x 1000 mm x 1000 mm, total dimensions: 1900 mm x 1200 mm x 1550 mm.	250
426	Deltapack	Deltapack vertical form-, fill-, and seal machine, type: DC 260, machine number: 179, year of construction: 2001, diameter filling pipe: 150 mm, vertical seal length: 250 mm, horizontal seal length: 260 mm, film width: 520 mm, total dimensions: 1850 mm x 1300 mm x 2250 mm.	750
427	Rühle	Rühle vacuum tumbler, Busch vacuum pump, type: KC 0016 D IZO, capacity: 16 m <sup>3</sup> per hour, dimensions: 1950 mm x 1100 mm x 1920 mm. Incomplete, missing cooling compressor and lifting attachment.	1000
428	PFM packaging machinery	PFM packaging machinery vertical bag form-, fill-, and seal machine, model: A ZIMYTH S INOX, serial number: 2212, year of construction: 2013, 400 V, 50 Hz, 20 A, 10.1 kW, weight: 1000 kg, vertical seal length: 500 mm, horizontal seal length: 350 kg, total dimensions: 2150 mm x 1550 mm x 2140 mm. Technical condition unknown.	1500
429	Suhner AG	Suhner AG injector, type: WS 80 F, number: 9680203, 400 V, 50 Hz, 3.5 A, 1.1 kW, 80 needles, s/s mesh belt, belt width:	500



Nr	Title	Description	Start €
		285 mm, total dimensions: 1300 mm x 500 mm x 1820 mm. Missing needles.	
430	Fortress	Fortress metal detector, model: Stealth, serial number: EP-2602, year of construction: 2015, plastic belt, belt width: 265 mm, clearance: 325 mm x 535 mm, total dimensions: 1270 mm x 780 mm x 1900 mm.	750
431	Sealpac	Sealpac traysealer, type: Sealpac 750, serial number: TVS 04 1650 01, year of construction: 2007, 3x400/230 V, 50-60 Hz, 6.5 kW, dye: (5x) Ø 122 mm, total dimensions: 3200 mm x 800 mm x 2000 mm. Incomplete, technical condition unknown.	950
432	Henk Maas Scales	Henk Maas Scales weighing scale, type: ISC-V, serial number: HM2115883, 230 V, maximum capacity: 30 kg, minimum capacity: 0.2 kg, e= 0.01 kg, scale dimensions: 400 mm x 300 mm, total dimensions: 500 mm x 300 mm x 450 mm.	25
433	NN transport belt	Transport belt, plastic belt, belt width: 600 mm, total dimensions: 7050 mm x 850 mm x 300 mm.	750
434	New Motion B.V.	New Motion B.V. transport belt with 2 rejectors, type: BC-S, serial number: 17289-02-000, year of construction: 2018, plastic belt, belt width: 600 mm, 5300 mm x 800 mm x 400 mm.	1000
435	Metaalbewerking JDK	Metaalbewerking JDK transport belt, number: 2018.4605, year of construction: 2018, 1.5 kW, plastic belt, belt width: 6100 mm x 1150 mm x 300 mm.	750
436	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. transport belt, year of construction: 2017, plastic belt with dividers, belt width: 370 mm, divider height: 10 mm, distance between dividers: 90 mm, total dimensions: 4150 mm x 700 mm x 500 mm.	750
437	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. elevating belt, year of construction: 2022, plastic belt, belt width: 460 mm, elevating height: 750 mm, total dimensions: 4500 mm x 900 mm x 750 mm.	750
438	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. 90° curved elevating belt, year of construction: 2016, plastic mesh belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 6300 mm x 2000 mm x 1350 mm.	1000
439	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 569, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 210 mm, foot control, total dimensions: 260 mm x 950 mm x 1000 mm.	300
440	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 liter meat bins, model: RS 4001, serial number: Q300007, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 6.3 kW, Busch vacuum pump, dimensions: 1350 mm x 1350 mm x 2650 mm.	4000
441	Tummers Machinebouw	Tummers Machinebouw sliver remover, number: 352970-011, year of construction: 2015, working width:	5500



Nr	Title	Description	Start €
		1950 mm, total dimensions: 2950 mm x 2050 mm x 1820 mm.	
442	NN pump	Mobile pump, dimensions: 1000 mm x 1000 mm x 2000 mm.	200
443	Pen-Tec	Pen-Tec metal detector with checkweigher and rejecter, model metal detector: PenTec DUAL FREQUENCY, number: 09820, clearance: 300 mm x 135 mm, plastic belt, belt width: 240 mm, model checkweigher: MSR-1200, serial number: P01215, year of construction: 2015, 230 V, 50 Hz, 4 A, maximum weight: 1200 gram, minimum weight: 50 gram, T= -750 gram, e=d= 0.5 gram, total dimensions: 1800 mm x 950 mm x 1800 mm.	500
444	Frey	Frey vacuum filling machine, type: Konti 50, machine number: K50 23 03 88, 380 V, dimensions: 750 mm x 900 mm x 1450 mm.	1000
445	Metaalbewerking JDK	Metaalbewerking JDK transport belt, number: 2021.9895, year of construction: 2021, plastic belt width dividers, belt width: 600 mm, divider height: 60 mm, distance between dividers: 190 mm, total dimensions: 6750 mm x 950 mm x 600 mm.	1500
446	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 380 mm, divider height: 110 mm, distance between dividers: 200 mm, elevating height: 7200 mm, total dimensions: 3000 mm x 650 mm x 7400 mm.	2000
447	Multivac	Multivac mobile labelling machine with side labeller, type: MR313, machine number: 159009, year of construction: 2012, 230 V, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 1500 mm x 1200 mm x 1850 mm.	1500
448	NN cheese portioner	Grid for cheese portioner, 20 portions, diameter: 400 mm and 23 portions, diameter: 400 mm.	250
449	PF Pumps und Feuerlöschtechnik GmbH	2 PF Pumps und Feuerlöschtechnik GmbH pumps, type: AFJ 15.1LB, year of construction: 2003, dimensions: (2x) 180 mm x 970 mm x 240 mm.	1000
450	Becker	Becker vacuum pump, type: VT 4.40, number: A 2619468, year of construction: 2012, 50/60 Hz, capacity: 40/48 m³ per hour, dimensions: 570 mm x 270 mm x 300 mm.	100
451	Becker	Becker vacuum pump, type: VT 3.40, number: F 1258056, year of construction: 2013, capacity: 40 m³ per hour, dimensions: 500 mm x 230 mm x 360 mm.	200
453	Busch	Busch vacuum pump, type: RA 0040 F 5R3, serial number: DEM124430385, year of construction: 2024, capacity: 40 m³ per hour, dimensions: 620 mm x 270 mm x 260 mm.	500
454	Safeline	Pallet with 4 Safeline pipeline metal detectors, clearance: Ø 180 mm, total dimensions: (4x) 600 mm x 400 mm x 300 mm. Technical condition unknown.	400
455	Dansensor	Dansensor gas mixing stations, model: Module TGC-2 225, serial number: 33060829 and 33091025, year of	200



Nr	Title	Description	Start €
		construction: 2006, 207-253 V, 1 Ph, 50/60 Hz, 180 W, dimensions: 400 mm x 350 mm x 300 mm.	
456	CV Valentin	Box with CV Valentin barcode printer for packaging machines, type: Dynacode 53-12, serial number: 12580926, 110-230 V, 50-60 Hz, 3/1.5 A, dimensions: 600 mm x 450 mm x 350 mm.	250
457	Ceia	Pallet with Ceia metal detector head, model: T/ SLMS21-400175007, serial number: 21200224008, year of construction: 2012, 100-240 V, 1 Ph, 50/60 Hz, 2.2 A, clearance: 400 mm x 175 mm, total dimensions: 750 mm x 400 mm x 250 mm.	1000
458	Zomerdam	Zomerdam metal detecting head, type: MN 5.1 CI 300/150, serial number: 910208 CI, 100-240 V, 50/60 Hz, 50-300 mA, clearance: 300 mm x 150 mm, total dimensions: 750 mm x 260 mm x 400 mm.	250
459	NN mixer	Mixer, dimensions: 1300 mm x 1020 mm x 220 mm.	200
460	Automator B.V.	Automator B.V. smart date printer for vertical bag form-, fill- and seal machine, type: Smartdate 2, serial number: COB 5621, year of construction: 1996, 115/230 V, 1 Ph, 50/60 Hz, dimensions: 1100 mm x 350 mm x 350 m.	200
461	Sen Seitz Zenit	Sen Seitz Zenit filter, type: 40/30, number: 59505, year of construction: 1986, width: 3 mm, total dimensions: 1250 mm x 650 mm x 800 mm.	500
462	Handtmann	Handtmann linking attachment, type: 93-32, number: 313, dimensions: 440 mm x 350 mm x 120 mm.	350
463	Handtmann	Handtmann linking attachment, type: 93-32, number: 374, dimensions: 370 mm x 320 mm x 120 mm.	200
464	Handtmann	Handtmann linking attachment, type: 93-32, number: 844, dimensions: 440 mm x 350 mm x 120 mm.	200
465	Handtmann	Handtmann linking attachment, type: 34-5, number: 10867, dimensions: 360 mm x 190 mm x 120 mm.	200
466	Handtmann	Handtmann linking attachment, type: 34-5, number: 11553, dimensions: 320 mm x 180 mm x 140 mm.	200
467	Handtmann	2 Handtmann parts for linking machine, dimensions: (2x) 540 mm x 240 mm x 80 mm.	300
468	Handtmann	2 Handtmann parts for linking machine, dimensions: (2x) 370 mm x 320 mm x 280 mm.	300
469	Handtmann	Handtmann part for linking machine, dimensions: 370 mm x 320 mm x 280 mm.	150
470	Zep	Zep soap dispenser, dimensions: 350 mm x 120 mm x 300 mm.	10
471	Busch	Busch vacuum pump, type: RA 0400 B 461 DUBI, number: C9937000579, capacity: 400 m <sup>3</sup> per hour, dimensions: 1300 mm x 850 mm x 1400 mm.	500
472	Loma Systems	Loma Systems pipeline metal detector with rejector, model: Pipeline IQ4, serial number: DPL022063-53890D, year of construction: 5.10.2020, diameter clearance: 50 mm, total	1000



Nr	Title	Description	Start €
		dimensions: 560 mm x 960 mm x 780 mm. Control screen damaged.	
473	Lock Inspection Systems LTD.	Lock Inspection Systems LTD. pipeline metal detector, serial number: 36260/2, year of construction: 04-08, clearance: Ø 150 mm, dimensions head: 400 mm x 400 mm x 160 mm, dimensions control panel: 520 mm x 140 mm x 470 mm.	250
474	Ollari e Conti	Ollari e Conti defrosting machine with lifter for meat bins, model: TF-1500, serial number: 2022, year of construction: 2020, 400 V, 7.7 kW, dimensions defrosting machine: 2400 m mx 2100 mm x 3000 mm, dimensions lifter: 2900 mm x 1600 mm x 1300 mm. With s/s frame with switch cabinet, dimensions: 2000 mm x 500 mm x 2500 mm.	6000
475	Intech International a/s	Intech International a/s lifter for crates, type: IL 350, serial number: E19153, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 350 kg, dimensions: 1200 mm x 460 mm x 2700 mm.	1250
476	Nimo KG	Nimo KG tilting device, type: SK 800 HA, number: 10222, year of construction: 2005, capacity: 1000 kg, tilting height: 1200 mm, total dimensions: 1600 mm x 1600 mm x 1850 mm.	2000
477	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, distance between dividers: 250 mm, divider height: 100 mm, elevating height: 1800 mm, total dimensions: 3600 mm x 600 mm x 2000 mm.	400
478	Boldt Systems	Boldt Systems infeed bunker with outfeed belt, model: BFC5 24.12H, serial number: BFO 09-010.03, year of construction: 2009, inside dimensions: 3500 mm x 1100 mm x 800 mm, plastic belt, belt width: 490 mm, total dimensions: 4300 mm x 1700 mm x 2830 mm.	4000
480	NN table	Wooden table, steel frame, height adjustable, dimensions: 2400 mm x 1200 mm.	50
481	NN workbench	Workbench, steel frame, wooden top with s/s cover, dimensions: 4000 mm x 900 mm x 980 mm.	100
484	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 100 mm, elevating height: 1900 mm, total dimensions: 3200 mm x 650 mm x 2200 mm.	500
485	Groba	Groba starch mixing tumbler, type: PM-800, order number: 110466, year of construction: 2005, 300 kg, dimensions drum: Ø 800 mm x 1200 mm, total dimensions: 2400 mm x 1300 mm x 1660 mm. With trolley for washing drums.	2000
486	Niko	Niko belt press, type: TP50, serial number: 21, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 1.5 kW, 650 kg, plastic belt, belt width: 430 mm, total dimensions: 1600 mm x 1250 mm x 1560 mm.	3000
487	PFM / Smipack	PFM flowpacker with Smipack shrink tunnel, model: Shamal, serial number: D.1624, year of construction: 2012, 400 V, 50 Hz, 12 A, 8 kW, 1100 kg, plastic belt, belt width: 250 mm,	4500





Nr	Title	Description	Start €
		seal width: 340 mm, total dimensions flowpacker: 5400 mm x 1500 mm x 1600 mm, type Smipack: T452, serial number: 80237, year of construction: 2021, 380-415 V, 50-60 Hz, 19 A, 12750 W, total dimensions shrink tunnel: 1800 mm x 800 mm x 1500 mm.	
488	Kramer+Grebe	Kramer+Grebe grinder, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 72 A, plate diameter: 160 mm, total dimensions: 1660 mm x 1300 mm x 1680 mm.	3500
489	Ishida	Ishida 20 heads multihead weigher, model: CCW-R-220W-1D/30-WP, number: 50612, year of construction: July 2007, 240 V, 50 Hz, 5.0 A, capacity per bucket: 800 gram, dimensions: 1600 mm x 1600 mm x 2400 mm.	5500
490	Bizerba	Bizerba weighing and labelling machine, model: GLM-I 40, number: 10807906, 400 V, 3 Ph, 50 Hz, 6 A, dimensions: 2500 mm x 2200 mm x 1500 mm.	3500
491	Stephan	Stephan Combicut cheese processing machine, type: TC 300, machine number: 716.815, number: 2878172, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 67 kW, 123 A, dimensions: 3500 mm x 1800 mm x 2400 mm. Including s/s switch cabinet, dimensions: 2350 mm x 700 mm x 2200 mm.	25000
500	Meyn	Meyn double shaft paddle mixer on weighing cells, machine number: 49433, year of construction: 1992, inside dimensions drum: 2500 mm x 1500 mm x 700 mm, total dimensions: 3100 mm x 1800 mm x 1850 mm.	3000
501	NN tilting device	S/s tilting device for pallet boxes, clearance: 670 mm x 990 mm x 670 mm, total dimensions: 2500 mm x 1900 mm x 2750 mm.	800
502	Syspal	Syspal lifter for 200 liter meat bins, type: GE100-1018, serial number: K3574-2, year of construction: 2011, safe working load: 200 kg, lifting height: 2650 mm, total dimensions: 1150 mm x 1150 mm x 4170 mm. Damaged.	750
503	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 485 mm, elevating height: 1300 mm, total dimensions: 3000 mm x 700 mm x 1300 mm.	250
504	NN transport belt	Transport belt, plastic belt, belt width: 485 mm, total dimensions: 3300 mm x 1100 mm x 400 mm.	200
506	Claypack	Claypack mobile 2 lane elevating belt, type: CPC, number: 8300, year of construction: 2019, plastic belts with dividers, belt width: (2x) 100 mm, divider height: 50 mm, distance between dividers: 95 mm, elevating height: 2100 mm, total dimensions: 2700 mm x 1300 mm x 2250 mm.	400
507	Boldtus Systems	Boldtus Systems transport belt, model: BFCB 24.06, serial number: BFO 09-019.08, year of construction: 2009, plastic belt, belt width: 600 mm, total dimensions: 1900 mm x 1000 mm x 300 mm.	200
508	Boldt Systems	Boldt Systems elevating screw on weighing cells, model: BFCS 20.19, serial number: BFO 09-010.02, year of	2500



Nr	Title	Description	Start €
		construction: 2009, elevating height: 3100 mm, total dimensions: 6500 mm x 1800 mm x 4000 mm.	
509	NN infeed bunker	S/s infeed bunker with outfeed screw, dimensions outfeed: Ø 100 mm, inside dimensions: 3000 mm x 2000 mm x 1000 mm, total dimensions: 5000 mm x 2150 mm x 2100 mm.	750
510	Tummers	Tummers brushing machine, number: 23 2797-040, year of construction: 2004, brush length: 1000 mm, dimensions machine: 2100 mm x 2500 mm x 2500 mm, dimensions pallet: 2100 mm x 1100 mm x 1200 mm.	5000
511	NN tumbler	S/s tumbler, tub dimensions: Ø 1300 mm x 2500 mm, total dimensions: 3100 mm x 1400 mm x 2100 mm. Without lid.	750
512	Kiremko	Kiremko elevating belt, number: 06-1086-BA, plastic belt, belt width: 400 mm, elevating height: 1720 mm, total dimensions: 3950 mm x 700 mm x 1850 mm.	400
513	Murre Techniek b.v.	Murre Techniek b.v. s/s vibrating gutter with blower, model: 25203003, year of construction: 2007, weight: 220 kg, dimensions: 3400 mm x 2200 mm x 3100 mm.	2000
514	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1100 mm, total dimensions: 3150 mm x 500 mm x 1100 mm.	400
515	Loma	Loma metal detector with rejector, serial number: MH308-100001D, 230 V, 1 Ph, 50 Hz, 0.3 A, year of construction: 2009, plastic mesh belt, belt width: 570 mm, total dimensions: 6800 mm x 1900 mm x 2350 mm.	1500
516	LAC	LAC elevating belt, type: Weigher Infeed, serial number: F10359-4A, year of construction: June 2011, plastic belt, belt width: 500 mm, elevating height: 1050 mm, total dimensions: 4400 mm x 650 mm x 1060 mm.	400
517	Colleluori Remo	Colleluori Remo infeed bunker, model: BUNKER DI ACCUMULO PRODOTTO, machine number: 011, year of construction: 2011, 380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 600 mm, total dimensions: 2050 mm x 910 mm x 1370 mm.	400
518	Numafa	Numafa crate dryer, type: P 3.01 V.CENT, serial number: 19.60.566.600, year of construction: 2019, plastic mesh belt, belt width: 450 mm, total dimensions: 5000 mm x 1000 mm x 2700 mm.	2500
519	Numafa	Numafa crate dryer, type: P 3.02 V.CENT, serial number: 19.60.566700, year of construction: 2019, plastic mesh belt, belt width: 450 mm, total dimensions: 5000 mm x 1000 mm x 2700 mm.	2500
520	NN vibrating gutter	Vibrating gutter, gutter width: 500 mm, total dimensions: 1600 mm x 1000 mm x 1370 mm.	400
521	NN roller conveyor	Steel driven roller conveyor, steel rollers, roller width: 400 mm, total dimensions: 2100 mm x 580 mm x 650 mm.	100
522	NN roller conveyor	Mobile steel driven roller conveyor, steel rollers, roller width: 600 mm, total dimensions: 3000 mm x 750 mm x 850 mm.	100



Nr	Title	Description	Start €
523	NN switch cabinet	S/s switch cabinet, dimensions: 1200 mm x 750 mm x 1350 mm.	100
524	EMVE i Astorp AB	EMVE i Astorp AB elevating belt, model: Elevato E 550x4000, serial number: 7753, year of construction: 2007, plastic belt with dividers, belt width: 560 mm, divider height: 50 mm, distance between dividers: 300 mm, elevating height: 2900 mm, total dimensions: 4000 mm x 1750 mm x 3200 mm.	1250
525	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 6150 mm x 900 mm x 300 mm.	200
526	Graco	Graco membrane pump, model: Husky 2140, dimensions: 450 mm x 350 mm x 600 mm.	50
527	AWB	AWB transport belt, type: LB, serial number: 85, year of construction: 07-15, 0.37 kW, weight: 80 kg, plastic belt, belt width: 550 mm, total dimensions: 1050 mm x 800 mm x 1200 mm.	100
528	SAS DISPAC	SAS DISPAC tilting device for 200 liter meat bins with outfeed belt, type: VIDEP, serial number: 08V27, year of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	500
529	SAS DISPAC	SAS DISPAC tilting device for 200 liter meat bins with outfeed belt, type: VIDEP, serial number: 08V28, year of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	500
530	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 300 mm, divider height: 40 mm, distance between dividers: 300 mm, elevating height: 1750 mm, total dimensions: 2700 mm x 450 mm x 1900 mm.	50
531	Burg's Machinefabriek	Burg's Machinefabriek elevating belt, s/s frame, electric driven plastic rollers, roller width: 750 mm, elevating height: 1720 mm, total dimensions: 2000 mm x 1900 mm x 1800 mm.	450
532	Saclark	Saclark rollstock bag filling machine, type: SCH 38, number: 183 07, 380 V, 16 A, 5 kW, net width: 900 mm, plastic belt, belt width: 300 mm, total dimensions: 4000 mm x 2400 mm x 2100 mm. Technical condition unknown.	2000
533	NN platform	S/s platform, working height: 660 mm, total dimensions: 6800 mm x 1600 mm x 1750 mm.	300
534	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 480 mm, divider height: 50 mm, distance between dividers: 400 mm, elevating height: 4100 mm, total dimensions: 4200 mm x 1200 mm x 4100 mm.	500
535	NN tub	S/s tub with drain, inside dimensions: 2250 mm x 1000 mm x 750 mm, total dimensions: 2800 mm x 1300 mm x 1100 mm.	200
536	NN platform	S/s platform, working height: 1900 mm, total dimensions: 2200 mm x 1800 mm x 2900 mm.	300
537	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 250 mm, divider height: 50 mm, distance between dividers: 200 mm,	500



Nr	Title	Description	Start €
		elevating height: 3400 mm, total dimensions: 4250 mm x 600 mm x 3600 mm.	
538	NN steps	2 s/s steps, dimensions: (2x) 600 mm x 400 mm x 600 mm.	50
539	Bemei	Bemei mobile elevating belt, serial number: 30.9673-1, year of construction: 2021, plastic belt with dividers, plastic belt, belt width: 400 mm, divider height: 50 mm, distance between dividers: 285 mm, elevating height: 3500 mm, total dimensions: 4200 mm x 1000 mm x 3700 mm.	1500
540	Altrex	Altrex aluminium platform, maximum capacity: 250 kg, working height: 800 mm, total dimensions: 2300 mm x 700 mm x 1900 mm.	200
541	Kersting	Kersting lifter for 200 liter meat bins, type: Hebekipper, machine number: A-5773-327-7, year of construction: 09/1998, 400 V, 50 Hz, lifting height: 5900 mm, total dimensions: 900 mm x 1100 mm x 7000 mm.	250
542	NN stairs	S/s stairs, 7 steps, dimensions: 2700 mm x 700 mm x 1000 mm.	50
543	NN stairs	S/s stairs, 7 steps, dimensions: 2200 mm x 720 mm x 1300 mm.	200
544	NN stairs	S/s stairs, 9 steps, dimensions: 3600 mm x 800 mm x 1350 mm.	200
545	NN stairs	S/s stairs, 12 steps, dimensions: 4150 mm x 800 mm x 1300 mm.	200
546	Boldt Systems	Boldt Systems lifter for pallet boxes, year of construction: 2000, lifting height: 2650 mm, dimensions lifter: 2800 mm x 1100 mm x 4600 mm, dimensions lifting bin: 1900 mm x 1500 mm x 1200 mm.	750
547	NN stairs	S/s stairs, 13 steps, dimensions: 4700 mm x 1000 mm x 1000 mm.	350
548	NN platform	S/s platform, already dismantled, dimensions: 2700 mm x 2100 mm x 600 mm.	500
549	NN stairs	S/s stairs, 9 steps, dimensions: 400 mm x 800 mm x 1600 mm.	350
550	NN platform	S/s platform with stairs, platform height: 3150 mm, total dimensions: 6000 mm x 4800 mm x 4150 mm.	3000
551	NN platform	S/s platform with rack for multihead weigher baskets, dimensions: 3300 mm x 2800 mm x 2500 mm.	2000
552	NN elevating belt	Steel tub used as salt bath with steel elevating belt, belt width: 100 mm and 600 mm, total dimensions: 7100 mm x 2300 mm x 2500 mm.	2500
553	NN stairs	S/s stairs, 13 steps, dimensions: 4100 mm x 700 mm x 900 mm.	350
554	NN stairs	S/s stairs, 9 steps, dimensions: 2100 mm x 700 mm x 2800 mm.	200
555	GKS	GKS s/s platform with stairs, serial number: 05488, year of construction: 09-2023, platform height: 2020 mm, total dimensions: 3250 mm x 2530 mm x 3150 mm.	2500



Nr	Title	Description	Start €
556	NN platform	S/s platform with stairs, platform height: 1830 mm, total dimensions: 2650 mm x 2600 mm x 2820 mm.	1500
557	NN stairs	3 s/s stairs, 6 steps each, dimensions: (3x) 1900 mm x 600 mm x 300 mm.	150
558	NN platform	S/s platform, 6 steps, working height: 1370 mm, total dimensions: 2100 mm x 1100 mm x 2300 mm.	250
559	NN stairs	S/s stairs, 6 steps, dimensions: 2500 mm x 800 mm x 700 mm.	100
560	NN stairs	S/s stairs, 7 steps, dimensions: 2800 mm x 680 mm x 900 mm.	100
561	NN platform	S/s platform, 10 steps, dimensions: 4350 mm x 1130 mm x 1800 mm.	200
562	NN platform	S/s platform, dimensions: 3400 mm x 3000 mm x 300 mm.	1000
563	NN stairs	Mobile s/s stairs, 9 steps, dimensions: 1800 mm x 670 mm x 2050 mm.	450
564	NN elevating belt	Elevating belt with infeed bunker, s/s frame, plastic belt with dividers, belt width: 700 mm, distance between dividers: 250 mm, divider height: 40 mm, total dimensions: 4400 mm x 1500 mm x 1650 mm.	1250
565	Kiremko	Kiremko elevating screw, type: S-BRSE, machine number: 13-1048-AA, year of construction: 2013, 400 V, 3 Ph, 50 Hz, s/s screw, screw diameter: 600 mm, tier: 310 mm, elevating height: 3100 mm, dimensions hopper: 2000 mm x 2000 mm x 1200 mm, total dimensions: 7200 mm x 2400 mm x 2750 mm.	3500
566	NN platform	S/s platform with stairs, dimensions: 2000 mm x 1900 mm x 1300 mm.	1000
568	NN tanks	Steel frame with 4 s/s tanks, dimensions each tank: Ø 900 mm x 3000 mm, total dimensions: 5750 mm x 1000 mm x 3300 mm.	3500
569	NN platform	S/s platform, platform height: 1750 mm, total dimensions: 3500 mm x 3250 mm x 2750 mm.	1000
570	Boldt Systems	Boldt Systems elevating screw, type: BFCS 16/12, serial number: BFO 09-019.05, year of construction: 2009, s/s screw, diameter screw: 370 mm, tier: 220 mm, elevating height: 1900 mm, total dimensions: 3800 mm x 2000 mm x 3400 mm.	2500
571	Thele	Thele nitrogen belt freezer, model: LN2 Froster, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 25/24 A, 7 kW, maximum belt width: 660 mm, dimensions: (1x) 3900 mm x 1400 mm x 2400 mm, (1x) 4400 mm x 1600 mm x 1800 mm. Incomplete.	1500
573	NN mesh belt	S/s mesh belt, belt width: 700 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	200
574	Teha	20 ft container used as soap mixing station, Teha soap mixers, 2 Ramex hose reels, dimensions: 6100 mm x 2900 mm x 2600 mm.	500



Nr	Title	Description	Start €
576	APL Apparatebau GmbH	APL Apparatebau GmbH tubular heat exchanger, type: GFGG 100.80-I, manufacturing number: 00-31.6606, year of construction: 2000, volume: 2050 liter, 7000 kg, dimensions: 9400 mm x 2000 mm x 2000 mm.	4500
577	NN platform	S/s platform, dimensions: 5000 mm x 2700 mm x 1450 mm.	2000
578	NN stairs	S/s stairs, 6 steps, dimensions: 1900 mm x 800 mm x 2400 mm.	250
579	NN platform	S/s platform, dimensions: 2800 mm x 2500 mm x 2400 mm.	1500
580	Hyster	Hyster diesel forklift truck, model: H4.00XL-5, serial number: G005A02931R, year of construction: 1994, nominal power: 61.5 kW, own weight: 5640 kg, fork length: 1220 mm, maximum lifting height: 4370 mm, capacity: 4000 kg, total dimensions: 4200 mm x 1200 mm x 2150 mm. Fork extenders not included.	1500
581	NN meat bins	8 s/s meat bins, volume: (5x) 200 liter, (3x) 300 liter.	400
582	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 700 mm, total dimensions: 2250 mm x 800 mm x 920 mm.	200
583	KSB	KSB centrifugal pump, type: Sewatec E 150-401GH, year of construction: 2021, Q: 50.35 m³/h, dimensions: 1500 mm x 980 mm x 1290 mm.	1250
584	KSB	KSB centrifugal pump, dimensions: 1100 mm x 980 mm x 1290 mm.	1250
585	Mafo	Mafo crate washer, type: 230 SN, serial number: 9674-620/5-1993+200-10497-620-5-2010, 400 V, 3 Ph, 50 Hz, 44.4 A, 25.6 kW, clearance: 620 mm x 500 mm, total dimensions: 3400 mm x 1250 mm x 1900 mm. New pump.	2000
586	NN vibrating gutter	S/s vibrating gutter, gutter width: 880 mm, total dimensions: 2500 mm x 1250 mm x 1800 mm. Incomplete.	1250
587	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 2100 mm x 460 mm x 210 mm.	250
588	KSB	KSB centrifugal pump, dimensions: 1100 mm x 980 mm x 1290 mm.	1250
590	Alfa Laval	Alfa Laval heat exchanger, dimensions: 2250 mm x 400 mm x 450 mm.	1250
591	ZakkenCentrale	ZakkenCentrale netting machine, number: 839, year of construction: 2019, brush length: (2x) 200 mm, diameter pipe: 160 mm, total dimensions: 1000 mm x 750 mm x 2100 mm.	250
592	NN washing tub	S/s washing tub, dimensions: 1900 mm x 750 mm x 750 mm.	250
593	Intermas	Intermas netting machine, brush length: 250 mm, total dimensions: 1000 mm x 900 mm x 1850 mm. Incomplete.	50
594	NN vibrating gutter	S/s vibrating gutter, gutter width: (2x) 750 mm, total dimensions: 2400 mm x 1630 mm x 1180 mm.	1250
595	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3400 mm x 550 mm x 1330 mm.	400
596	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3050 mm x 700 mm x 1300 mm.	500



Nr	Title	Description	Start €
597	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 700 mm, total dimensions: 2800 mm x 1200 mm x 1600 mm.	500
598	NN double elevating belt	Double elevating belt, s/s frame, plastic belts, belt width: (2x) 600 mm, elevating height: 1300 mm and 1800 mm, total dimensions: 4300 mm x 1200 mm x 1950 mm.	800
599	Kelvion	Kelvion s/s evaporator, type: Goedhart KB.h, year of construction: 2019, weight: 275 kg, V: 49 dm <sup>3</sup> , dimensions: 3100 mm x 650 mm x 1750 mm.	750
600	Fortress	Fortress metal detector, model: Fortress Stealth, plastic belt, belt width: 620 mm, clearance: 610 mm x 310 mm, total dimensions: 6300 mm x 1200 mm x 2500 mm. Incomplete, missing one leg.	1500
601	NN tubular heat exchanger	S/s tubular heat exchanger, dimensions: 2700 mm x 1000 mm x 2130 mm.	1000
602	Proseal	Proseal transport belt, s/s frame, plastic belt, serial number: 2827, year of construction: 2013, 230 V, 50 Hz, 6 bar, belt width: 200 mm, total dimensions: 3960 mm x 570 mm x 830 mm.	500
603	Cabinplant	Cabinplant mobile elevating belt, number: 9-8796-05-03-0s/ s frame, plastic belt, belt width: 400 mm, elevating height: 2150 mm, total dimensions: 6500 mm x 800 mm x 2400 mm.	750
604	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 520 mm, total dimensions: 1600 mm x 660 mm x 1540 mm.	200
605	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 2800 mm x 700 mm x 1000 mm. Incomplete.	150
606	Pesutekno OY	Pesutekno OY dishwasher, model: TERHI ECO, number: 5002091202, year of construction: 2009, 400 V, 50 Hz, 32 A, 23000 W, inside dimensions: 530 mm x 500 mm x 580 mm, total dimensions: 740 mm x 650 mm x 1640 mm.	50
607	Awila	Awila mobile elevating screw, type: Rohförderschnecke FS 210, serial number: 136280-01-00, year of construction: 2004, 7.5 kW, elevating height: 3900 mm, total dimensions: 6500 mm x 2400 mm x 4100 mm.	1500
608	NN transport belt	Transport belt, 2 plastic belts, belt width: 225 mm and 175 mm, s/s rollers, roller width: 400 mm, total dimensions: 3950 mm x 1400 mm x 1360 mm.	500
609	Cabinplant	Cabinplant mobile transport belt, order number: 8796-01, 250 kg, plastic belt, belt width: 600 mm, total dimensions: 4000 mm x 1000 mm x 1000 mm.	600
610	NN transport belt	Transport belt, plastic belt, belt width: 520 mm, wire belt, belt width: 520 mm, total dimensions: 5200 mm x 900 mm x 1200 mm.	500
611	Hoyer	Hoyer s/s tank, volume: 1000 liter, dimensions: 1100 mm x 1200 mm x 670 mm.	250
612	Numafa	Numafa crate washer, type: HWR 200/1, serial number: 703008, year of construction: 1999, clearance: 750 mm x	2000



Nr	Title	Description	Start €
		600 mm, total dimensions: 6000 mm x 1600 mm x 2520 mm.	
613	NN transport belt	Mobile transport belt, plastic belt, belt width: 750 mm, total dimensions: 4000 mm x 900 mm x 1000 mm.	600
614	NN trolley	Mobile s/s trolley, dimensions: 2300 mm x 1000 mm x 1000 mm.	250
616	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2400 mm x 650 mm x 1500 mm.	400
617	NN cooling tower	Cooling tower, dimensions: 3400 mm x 1800 mm x 2200 mm.	1250
618	Mafo Holtkamp	Mafo Holtkamp crate washer, double lane, clearance: (2x) 400 mm x 220 mm, total dimensions: 8300 mm x 2400 mm x 2050 mm.	2000
619	Crane Solutions	Crane Solutions s/s beam with hoist, capacity: 100 kg, dimensions: 5200 mm x 900 mm x 600 mm.	250
620	GEA	GEA cooling tower, type: XT 2.720-M-185, serial number: 19310070203, year of construction: 02/2007, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 4275 kg, water load: 259 m³ per hour, 8000 mm x 3500 mm x 3500 mm.	3500
621	NN stands	2 s/s stands, dimensions: 4000 mm x 650 mm x 850 mm.	750
622	SAS DISPAC	SAS DISPAC elevating belt, type: ELEV, serial number: 08G46, year of construction: 2008, plastic belt, belt width: 600 mm, total dimensions: 6800 mm x 1000 mm x 820 mm.	750
623	Colleluori Remo	Colleluori Remo transport belt, model: NASTRO ALIMENTAZIONE PESATRICE, machine number: 113, year of construction: 2011, 380 V, 50 Hz, plastic belt, belt width: 500 mm, total dimensions: 6000 mm x 950 mm x 1500 mm.	600
624	NN vegetable washing tub	Mobile vegetable washing tub with dryer and outfeed belt, plastic sieve belt, belt width: 380 mm, inside dimensions: 4000 mm x 1250 mm x 650 mm, total dimensions: 8000 mm x 1900 mm x 2750 mm.	4000
625	Burg's Machinefabriek	Burg's Machinefabriek tilting device for pallet boxes, type: H.K.D.-S.A.+, serial number: 3822, year of construction: 2008, 230/400 V, 50 Hz, 2.3 kW, 3.3 KVA, weight: 1438 kg, clearance: 1350 mm x 800 mm, total dimensions: 2100 mm x 2070 mm x 2250 mm.	1000
626	NN tanks	2 plastic tanks on steel frame, dimensions: (2x) 1100 mm x 1100 mm x 1200 mm.	1
627	SAS DISPAC	SAS DISPAC elevating belt, type: ELEV, serial number: 08G44, year of construction: 2008, plastic belt, belt width: 600 mm, total dimensions: 6800 mm x 1000 mm x 820 mm.	750
628	Colleluori Remo	Colleluori Remo tilting device for 200 liter meat bins, model: RIBALTATORE CONTENITORI, machine number: 006, year of construction: 2015, 380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 500 mm, total dimensions: 2400 mm x 1440 mm x 1400 mm. Including s/s switch cabinet, dimensions: 750 mm x 750 mm x 1900 mm.	500





Nr	Title	Description	Start €
629	SAS DISPAC	SAS DISPAC elevating belt, type: ELEV, serial number: 08G48, year of construction: 2008, plastic belt, belt width: 600 mm, total dimensions: 6800 mm x 1000 mm x 820 mm.	750
630	Kronen	Kronen inspection table, type: SCHNEIDER RV/R/80, serial number: 4398, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 0.12 kW, plastic rollers, roller width: 800 mm, total dimensions: 2600 mm x 1150 mm x 830 mm.	250
631	BVT	Transport belt, s/s frame and top cover, plastic belt, belt width: 1240 mm, total dimensions: 3450 mm x 1600 mm x 1670 mm.	850
632	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1050 mm, total dimensions: 7200 mm x 950 mm x 1120 mm.	750
633	Ingenieursbureau Schneider b.v.	Ingenieursbureau Schneider b.v. transport belt, s/s frame, plastic belt, belt width: 480 mm, total dimensions: 8500 mm x 650 mm x 550 mm.	1000
634	Murre Techniek b.v.	Murre Techniek b.v. elevating belt, s/s frame, belt width: 400 mm, total dimensions: 5250 mm x 600 mm x 1100 mm. Missing belt.	600
635	De Bruyne NV	De Bruyne NV vibrating gutter with s/s frame, type: TRL 130-80, year of construction: 2001, 380 V, gutter width: 800 mm, total dimensions: 1950 mm x 1240 mm x 600 mm.	950
636	NN transport belt	Pallet with frames for transport belt and 90° curve conveyor, approximate belt width: 450 mm, total dimensions: 1800 mm x 1200 mm x 500 mm.	250
637	NN tilting device	Mobile s/s tilting device for 200 liter meat bins, dimensions: 1200 mm x 950 mm x 1470 mm.	500
638	NN outfeed cone	Pallet with s/s outfeed cone for multihead weigher, dimensions: Ø 850 mm x 750 mm.	200
639	Pro-Pak International	Pro-Pak International transport belt, type: SVBP 550, machine number: 104746-5553, year of construction: 03-2005, s/s frame, plastic belt, belt width: 550 mm, total dimensions: 1600 mm x 700 mm x 700 mm.	250
640	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 6050 mm x 1100 mm x 1300 mm.	600
641	Ammeraal Beltech	Ammeraal Beltech transport belt, s/s frame, number: ZND S-3, plastic belt, belt width: 500 mm, total dimensions: 7900 mm x 800 mm x 600 mm.	250
642	NN transport belt	Double transport belt, plastic belt, belt width: (2x) 300 mm, total dimensions: 5800 mm x 770 mm x 240 mm.	500
643	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 4500 mm x 900 mm x 370 mm.	350
644	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 40 mm, distance between dividers: 320 mm, total dimensions: 7100 mm x 750 mm x 500 mm.	500
645	NN transport belt	Transport belt, s/s frame, type: Transportband Trogvorm, machine number: 00106, year of construction: 2002, plastic	400



Nr	Title	Description	Start €
		belt, belt width: 550 mm, total dimensions: 4000 mm x 700 mm x 450 mm.	
646	NN outfeed cone	S/s outfeed cone for multihead weigher, dimensions: Ø 850 mm x 1150 mm.	200
647	OptiServe	OptiServe French fries slicer, type: Glide 900, number: 10997, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 1.52 A, 0.75 kW, weight: 120 kg, dimensions: Ø 900 mm x 950 mm.	250
648	OptiServe	OptiServe French fries slicer, type: glide, dimensions: Ø 900 mm x 950 mm.	250
649	NN outfeed cone	S/s outfeed cone for multihead weigher, dimensions: Ø 1300 mm x 1200 mm.	200
650	NN transport belt	Transport belt, s/s frame, plastic chain conveyor, belt width: 350 mm, divider height: 30 mm, distance between dividers: 160 mm, total dimensions: 1140 mm x 500 mm x 600 mm. Missing motor.	150
651	NN transport belt	Transport belt, s/s frame, plastic chain conveyor, belt width: 300 mm, total dimensions: 2500 mm x 550 mm x 330 mm. Missing motor.	250
652	RMA Techniek	RMA Techniek transport conveyor, conveyor width: 450 mm, total dimensions: 1300 mm x 900 mm x 400.	100
653	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 140 mm, total dimensions: 2000 mm x 350 mm x 500 mm.	250
654	NN parts	Pallet with parts for vegetable slicer, dimensions: 1200 mm x 800 mm x 700 mm.	100
655	NN motor	Motor, dimensions: 600 mm x 570 mm x 450 mm.	20
656	Elektro bv	Elektro bv transformer unit, model: Medium, serial number: 1394, year of construction: 11/05/00, dimensions: 750 mm x 750 mm x 900 mm.	100
657	Feltracon	Feltracon elevating belt, type: 53E, number: 140064-53E2, year of construction: 2014, 230/400 V, 0.74 kW, plastic belt, belt width: 600 mm and 450 mm, elevating height: 2980 mm, total dimensions: 6700 mm x 970 mm x 2100 mm. Missing belt.	500
658	BCK Holland	Transport belt with dividers, plastic belt, belt width: 400 mm, distance between dividers: 400 mm, divider height: 50 mm, total dimensions: 7600 mm x 750 mm x 380 mm.	800
659	NN part for multihead weigher	Pallet with outfeed hopper for multihead weigher, dimensions: 600 mm x 500 mm x 550 mm.	100
660	Abracad	Abracad elevating belt with dividers, type: 9 2000, number: 1206, plastic belt, belt width: 600 mm, distance between dividers: 170 mm, divider height: 80 mm, total dimensions: 8200 mm x 850 mm x 1100 mm.	750
661	NN turning table	Turning table, s/s frame, plastic top, dimensions: Ø 1800 mm x 1000 mm.	250
662	Emve		100



Nr	Title	Description	Start €
		Emve turning table, s/s frame, plastic top, dimensions: Ø 1500 mm x 880 mm. Damaged.	
663	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 430 mm, total dimensions: 770 mm x 1320 mm x 800 mm.	150
664	NN curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 100 mm, total dimensions: 1600 mm x 4000 mm x 900 mm.	200
665	Siersema Elpress	Siersema Elpress crate washer, clearance: 400 mm x 200 mm, total dimensions: 4300 mm x 1400 mm x 2100 mm.	1250
666	NN smoke trolleys	3 s/s Z-shaped smoke trolleys, 8 floors, dimensions each floor: 1000 mm x 900 mm, total dimensions: (3x) 1080 mm x 1040 mm x 2000 mm.	300
667	Kelvion	Kelvion chiller, model: KB.H 48x16-4884-60X60, serial number: 200475973, year of construction: 2022, volume: 1370 dm <sup>3</sup> , dimensions: 5600 mm x 1200 mm x 1800 mm.	2250
668	Kelvion	Kelvion chiller, model: KB.H 48x16-4884-60X60, dimensions: 5600 mm x 1200 mm x 1800 mm.	2250
669	NN tank	S/s tank with drain, dimensions: 1100 mm x 1100 mm x 1200 mm.	200
670	NN mixing tub	S/s mixing tub, inside dimensions: 1110 mm x 920 mm x 850 mm, total dimensions: 1230 mm x 1050 mm x 1850 mm.	500
671	OptiServe	OptiServe French fries slicer, type: glide, dimensions: ø 900 mm x 950 mm.	250
672	NN elevating belt	Elevating belt, plastic belt, belt width: 560 mm, elevating height: 1370 mm, total dimensions: 1950 mm x 730 mm x 1600 mm.	500
673	NN mixing tub	S/s mixing tub, inside dimensions: 1110 mm x 920 mm x 850 mm, total dimensions: 1230 mm x 1050 mm x 1850 mm.	500
674	NN tank	S/s tank, dimensions tank: Ø 1100 mm x 2000 mm, total dimensions: 1200 mm x 1200 mm x 2900 mm.	750
675	NN tank	S/s double jacketed tank, inside dimensions: ø 680 mm x 1000 mm, total dimensions: ø 800 mm x 1770 mm.	250
676	NN elevating belt	Mobile goose neck elevating belt, s/s frame, plastic belt with dividers, belt width: 370 mm, distance between dividers: 160 mm, divider height: 100 mm, total dimensions: 5200 mm x 900 mm x 2300 mm.	1500
677	NN mixing tubs	5 s/s mixing tubs, inside dimensions: (5x) 1110 mm x 920 mm x 850 mm, total dimensions: (5x) 1230 mm x 1050 mm x 1850 mm.	2000
678	NN screen	2 Mobile plastic screens, s/s frame, dimensions: (2x) 2150 mm x 350 mm x 1650 mm.	50
679	NN smoke sticks	Pallet with large amount of aluminium smoke sticks, length: 1000 mm.	150
680	Beerepoot B.V.	Beerepoot B.V. transport belt, type: BE, serial number: 151560, plastic belt, belt width: 450 mm, total dimensions: 750 mm x 710 mm x 1430 mm.	50
681	Beerepoot B.V.		50



Nr	Title	Description	Start €
		Beerepoort B.V. transport belt, type: BE, serial number: 151568, plastic belt, belt width: 450 mm, total dimensions: 750 mm x 710 mm x 1430 mm.	
682	NN elevating screw	S/s elevating screw, diameter screw: 350 mm, tier: 330 mm, elevating height: 2800 mm, total dimensions: 6000 mm x 1400 mm x 3700 mm.	1500
683	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 140064-53W1, year of construction: 2014, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm.	100
684	NN tank	S/s tank, volume: 3000 liter, dimensions: 1500 mm x 1500 mm x 4000 mm.	1000
685	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 3900 mm x 600 mm x 1000 mm.	400
686	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 3845-53W7, year of construction: 2011, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm.	100
687	NN frame	Mobile s/s frame, dimensions: 1300 mm x 1300 mm x 800 mm.	50
688	Geva Werken	Geva Werken steel container, type: VTC700L, year of construction: 2006, tilt-able, dimensions: 1560 mm x 1300 mm x 920 mm.	100
689	NN mixing tank	S/s mixing tank, inside dimensions: ø 1200 mm x 1000 mm, total dimensions: ø 1300 mm x 2000 mm. Missing motor.	150
690	NN elevating screw	S/s mobile elevating screw, diameter screw: 450 mm, tier: 300 mm, elevating height: 900 mm, total dimensions: 2600 mm x 650 mm x 1880 mm.	500
691	Viscon	Viscon mobile transport belt, type: Vitra Bandtr. Serial number: 68419-470, year of construction: 2008, aluminium frame, plastic belt, belt width: 500 mm, total dimensions: 3000 mm x 700 mm x 1000 mm.	300
692	Technocean	Technocean elevating belt, type: Nastro di Uscita, serial number: 19-09, year of construction: 2008, s/s frame, plastic belt, belt width: 500 mm, elevating height: 1000 mm, total dimensions: 3000 mm x 750 mm x 1200 mm.	500
694	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 530 mm, divider height: 70 mm, distance between dividers: 260 mm, total dimensions: 3800 mm x 950 mm x 1300 mm.	250
695	Jasa	Jasa mobile transport belt, type: Aanvoerband, machine number: 12700, year of construction: 2016, 230 V, 1 Ph, 0.75 kW, s/s frame, plastic belt, belt width: 420 mm, total dimensions: 4100 mm x 750 mm x 1300 mm.	500
696	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 4700 mm x 980 mm x 1500 mm.	500
697	Ammeraal Beltech		375



Nr	Title	Description	Start €
		Ammeraal Beltech transport belt, s/s frame, number: ZND S-2, plastic belt, belt width: 400 mm, total dimensions: 3700 mm x 600 mm x 750 mm.	
698	Stöcklin Logistique SA	Stöcklin Logistique SA s/s tank, fabrication number: 93187, year of construction: 1999, working pressure: +1/-015 bar, working temperature: -10/+50°C, capacity: 1000 liter, weight: 128 kg, dimensions: Ø 1000 mm x 2000 mm.	400
699	New Motion	New Motion levelling belt, serial number: 12010-06-000, year of construction: 2012, clearance: 360 mm x 200 mm, plastic rollers, roller width: 230 mm, total dimensions: 1000 mm x 820 mm x 1470 mm.	200
700	New Motion	New Motion levelling belt, serial number: 12010-02-000, year of construction: 2012, clearance: 360 mm x 200 mm, plastic rollers, roller width: 230 mm, total dimensions: 1000 mm x 820 mm x 1470 mm.	200
701	NN roller conveyor	Mobile roller conveyor, steel frame, s/s rollers, roller width: 520 mm, total dimensions: 2000 mm x 580 mm x 770 mm.	50
702	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 500 mm, total dimensions: 2850 mm x 500 mm x 1020 mm.	300
703	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 660 mm, total dimensions: 3150 mm x 740 mm x 580 mm.	300
704	NN transport belt	Transport belt, aluminium frame, plastic belt with dividers, belt width: 260 mm, total dimensions: 3300 mm x 400 mm x 250 mm.	300
705	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 400 mm, total dimensions: 700 mm x 440 mm x 70 mm.	75
706	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 400 mm, total dimensions: 3400 mm x 600 mm x 1100 mm.	350
707	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 630 mm, total dimensions: 2500 mm x 800 mm x 400 mm.	250
708	NN roller conveyor	Roller conveyor, steel frame, plastic rollers, roller width: 400 mm, total dimensions: 3000 mm x 450 mm x 80 mm.	50
709	Feltracon	Feltracon roller conveyor, s/s frame, type: 72K, number: 3580-72K1, year of construction: 2008, plastic rollers, roller width: 400 mm, total dimensions: 3100 mm x 500 mm x 800 mm.	200
710	Feltracon	Feltracon roller conveyor, s/s frame, type: 72K, number: 3577-72K1, year of construction: 2008, plastic rollers, roller width: 400 mm, total dimensions: 3100 mm x 500 mm x 800 mm.	200
711	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 600 mm, total dimensions: 6000 mm x 640 mm x 1600 mm.	600
712	Food Technology	Food Technology driven roller conveyor, plastic rollers, roller width: 400, total dimensions: 6350 mm x 600 mm x 350 mm.	650
713	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 430 mm, total dimensions: 2800 mm x 480 mm x 150 mm.	275



Nr	Title	Description	Start €
714	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 230 mm, total dimensions: 5200 mm x 600 mm x 1100 mm.	500
715	NN batcher	Batcher, 2 lanes, dimensions: 950 mm x 660 mm x 1850 mm.	350
716	Food Technology	2 Food Technology driven roller conveyors, plastic rollers, roller width: 400, total dimensions: 6500 mm x 600 mm x 350 mm.	650
717	Behälter kg - Bremen	Behälter kg - Bremen s/s tank on steel frame, fabrication number: 37455, year of construction: 11.04, volume: 1081 liter, dimensions frame: 1150 mm x 1150 mm x 1750.	200
718	Behälter kg - Bremen	Behälter kg - Bremen s/s tank on steel frame, fabrication number: 39282, year of construction: 12.06, volume: 794 liter, dimensions frame: 1150 mm x 1150 mm x 1300 mm.	200
719	Behälter kg - Bremen	Behälter kg - Bremen s/s tank on steel frame, volume: 1081 liter, dimensions frame: 1150 mm x 1150 mm x 1750.	200
720	Behälter kg - Bremen	2 Behälter kg - Bremen s/s tanks on steel frames, fabrication number: 37457, year of construction: 11.04, tank dimensions: (2x) Ø 1100 mm x 1400 mm, dimensions frame: (2x) 1150 mm x 1150 mm x 1750.	300
721	NN trolleys	4 s/s trolley, (4x) 14 floors, dimensions floors: (14x) 1000 mm x 500 mm, total dimensions: (4x) 1200 mm x 1000 mm x 1900 mm.	125
722	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 140063-53W2, year of construction: 2014, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1950 mm.	100
723	Romonta B.V.	Romonta B.V. transport belt, serial number: 28854, year of construction: 2015, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 11200 mm x 900 mm x 600 mm.	1200
724	Tivadar Apparatebau	Tivadar Apparatebau tubular heat exchanger used for Palm Oil, type: NEU 900/4800 - 2 Passes, serial number: 21-151, year of construction: 2022, volume: 1680 litres, weight: 6510 kg, steam heated, dimensions: 6500 mm x 1300 mm x 1750 mm.	8000
725	Industriële Aanhangers	Industriële Aanhangers flatbed trailer, type: DSL, serial number: 22254, year of construction: 2021, capacity: 8000 kg, maximum speed: 6 km/h, dimensions: 6200 mm x 1400 mm x 1670 mm.	750

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the



supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




## This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.



# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

