



## Industrial Auctions

2028: Online auction food processing machinery,  
catering and butchery equipment in Anzegem (BE)

**END DATE**  
07 January 2026 14:00

## General terms and conditions of the online auction

End date	07 January 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyerbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	14 January 2026 from 09:00 till 16:00 hrs.
Pick up address	Beukenhofstraat 77A 8570 Anzegem Belgium
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbachener Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Peiner	Peiner tower crane, type: SMK202, number: 108, year of construction: 1998, maximum weight: 2200 kg, maximum length: 25000 mm, lifting height: 20000 mm, total dimensions transport: 14700 mm x 2500 mm x 3700 mm. Including extra weights: (1x) 4600 kg, (7x) 2000 kg. Lot located in Nevele (BE). Viewing and pick-up in consultation with Industrial Auctions BV.	2500
2	Rex	Rex vacuum filling machine with linking attachment, type: RVF 327, machine number: 3277091311, 400 V, 3 Ph, 50 Hz, 16 A, 3 kW, working hours: 4990, dimensions: 1000 mm x 800 mm x 1680 mm.	4000
3	Colussi Ermes	Colussi Ermes crate washing and drying line, type: L013/01, type: 9973, serial number: 1856, year of construction: 2010, maximum crate size: 600 mm x 400 mm x 330 mm, consisting of: infeed belt, plastic mesh belt, belt width: 620 mm, total dimensions: 7250 mm x 970 mm x 930 mm, washing machine with tilting device, dimensions: 7700 mm x 2500 mm x 3600 mm, dryer, dimensions: 9000 mm x 2600 mm x 3600 mm, outfeed belt, dimensions: 6160 mm x 1100 mm x 1100 mm, switch cabinet, dimensions: 1620 mm x 650 mm x 2260 mm. Lot located in Sint-Pieters-Leeuw (BE). Viewing and pick-up in consultation with Industrial Auctions BV.	12500
4	Digi Europe LTD	Digi Europe LTD top and bottom labeling machine, model: HI-700, LAB SHN 700, serial number: 020156001, 080156701, year of construction: 02, 08, 230 V, 1 Ph, 50 Hz, 10 A, air pressure: 4 bar, temperature range: 0-30°C, plastic belt, (4x) 100 mm, (2x) 230 mm, clearance: 300 mm x 200 mm, total dimensions: (1x) 1080 mm x 600 mm x 1530 mm, (1x) 1080 mm x 700 mm x 1850 mm.	2500
5	Bizerba	Bizerba checkweigher with labeller, model: GLM-E, number: 10636681, plastic belt, belt width: 296 mm and (2x) 135 mm, model labeller: GLE, number: 10636735, max: 6 kg, min: 20 gram, e=1 gram, total dimensions: 1630 mm x 650 mm x 1700 mm.	2500
6	Hobart	Hobart dishwasher, model: UCA, serial number: 94-0047, year of construction: 24/01/1996, 400 V, 50 Hz, 3 Ph, 51.6 A, 31.9 kW, clearance: 600 mm x 600 mm, total dimensions: 4200 mm x 850 mm x 2400 mm. Rollies not included.	500
7	Bizerba	Bizerba checkweigher with labeller, model: GLM-E, number: 10573354, plastic belt, belt width: 296 mm and (2x) 135 mm, model labeller: GT-6M, number: 10573401, max: 6 kg, min: 20 gram, e=1 gram, total dimensions: 1630 mm x 650 mm x 1700 mm.	2500
8	Bizerba	Bizerba checkweigher with labeller, model: GLM-E, number: 10743832, plastic belt, belt width: 296 mm and (2x) 135 mm, max: 6 kg, min: 20 gram, e=1 gram, total dimensions: 1630 mm x 650 mm x 1700 mm.	2500



Nr	Title	Description	Start €
9	Sielaff GmbH&Co. KG	Sielaff GmbH&Co.; KG reverse vending machine, type: SiVario 360, serial number: 90481362, bottle diameter: Ø 135 mm, plastic belt, belt width: 440 mm x 490 mm, clearance: 430 mm x 450 mm, plastic roller, roller width: 490 mm, total dimensions: 3170 mm x 1750 mm x 1900 mm.	1500
10	Opem/Rovema/ Colombini	Coffee processing line, consisting of; Colombini grinding mill, type: TA 300, serial number: 814, year of construction: 2006 Opem coffee pod machine, model: PEGASO 500, number: 572, year of construction: 2006, 380 V, 50 Hz, weight: 5000 kg, working hours: 61942.1, paper width: 495 mm, dye: (6x) Ø 70 mm, plastic belt, belt width: 175 mm, total dimensions: 4120 mm x 2650 mm x 5400 mm Rovema packaging machine, type: VPI 260/PFS, number: 15786, year of construction: 2008, plastic belt, belt width: 530 mm, 330 mm and 110 mm, 2000 pads per minute, with form-, fill- seal machine, seal length: 370 mm and 280 mm, with Markem imaje printer, total dimensions: 7000 mm x 3700 mm x 3000 mm Delta Neu suction device, 400 V, 3 Ph, 7.5 kW, 3000 tour per minute, dimensions: 2200 mm x 1800 mm x 2250 mm FT Solutions 90° curve belt, type: SL090, year of construction: 2021, belt width: 900 mm, dimensions: 4000 mm x 900 mm x 1050 mm CFM mobile industrial vacuum cleaner, type: 3151 X, serial number: 11AG795, year of construction: 2006, dimensions: 700 mm x 480 mm x 1150 mm 3 pallets with parts. Sartorius checkweigher not included.	12500
11	Hobart	Hobart dishwasher, type: FTN-Serie, year of construction: 1998, plastic belt, belt width: 565 mm, clearance: 610 mm x 470 mm, total dimensions: 7080 mm x 980 mm x 1890 mm.	750
12	Hakvoort Horeca	Hakvoort Horeca refrigerated counter, inside dimensions: 1280 mm x 510 mm x 180 mm, total dimensions: 1600 mm x 850 mm x 1600 mm.	200
13	Meca Plastic	Meca Plastic traysealer, type: MECA 2003 MF, number: 5492, year of construction: 09.03, chain infeed conveyor with dividers, chain width: 450 mm, distance between dividers: 390 mm, outfeed roller conveyor, plastic rollers, roller width: 970 mm, total dimensions: 4100 mm x 1000 mm x 2000 mm. Including pallet with 8 extra dye's, dye dimensions: 300 mm x 250 mm, 320 mm x 260 mm, (2x) 250 mm x 140 mm, (4x) 140 mm x 120 mm. Rollies not included.	4500
14	EBM	EBM kebab slicer, type: BT, fabrication number: 86/B-978, 0.37 kW, plastic infeed belt with dividers, belt width: 480 mm, distance between dividers: 350 mm, divider height: 50 mm, 18 knives, distance between knives: 20 mm, plastic outfeed belt: 400 mm, total dimensions: 2850 mm x 950 mm x 1850 mm.	2500
15	NN dough portioner	Mobile elevating belt with dough portioner, plastic belt, belt width: 700 mm, elevating height: 2700 mm, total dimensions: 6100 mm x 1350 mm x 2850 mm.	1000
16			750



Nr	Title	Description	Start €
	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 5100 mm x 850 mm x 1000 mm.	
17	HSM GmbH+Co.KG	HSM GmbH+Co.KG horizontal bale press, model: HSM HL 4809 Li, number: 6404.114, serial number: 470002624, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 22.7 A, 11 kW, dimensions inside: 1020 mm x 900 mm, total dimensions: 4630 mm x 2150 mm x 2680 mm. Without rollies.	7500
18	Bertrand	Bertrand mobile liquid sourdough fermentation tank, model: SEBP BPU, type: FERMENTOLEVAIN FL80, serial number: 9300000000015940, year of construction: 05/2014, 400 V, 50/60 Hz, 3.75 A, 1.5 kW, fluid: R404A, machine weight: 220 kg, tank: Ø 600 mm x 500 mm, total dimensions: 1150 mm x 830 mm x 1500 mm. Control panel not working.	750
19	Bertrand	Bertrand mobile liquid sourdough fermentation tank, model: SEBP BPU, type: Leaven processor FERMENTOLEVAIN FL80, serial number: 9300000000040649, year of construction: 05/2016, 400 V, 3 Ph, 50/60 Hz, 3.75 A, 1.5 kW, fluid: R404A, machine weight: 220 kg, tank: Ø 600 mm x 500 mm, total dimensions: 1150 mm x 830 mm x 1500 mm. Control panel not working.	750
20	Bertrand	Bertrand mobile liquid sourdough fermentation tank, model: SEBP BPU, type: FERMENTOLEVAIN FL140, serial number: 9300000000044328, year of construction: 09/2016, 400 V, 3 Ph, 50 Hz, 5.25 A, 2.1 kW, fluid: R404A, machine weight: 265 kg, tank: Ø 600 mm x 750 mm, total dimensions: 1150 mm x 800 mm x 1500 mm. Control panel not working.	750
21	Animo	Animo double coffee machine, model: number: 10640/ 2U 13921, volume: (2x) 10 liter, total dimensions: 910 mm x 580 mm x 1700 mm.	150
22	France	France transfo mobile transformer, type: NBN HD 428.1 S1 -CC', serial number: 409976-01, year of construction: 2006, 400 V, 225.3 A, weight: 915 kg, 160 kVA, dimensions: 800 mm x 1100 mm x 1380 mm.	1250
23	Electrolux	Electrolux braising pan, inside dimensions: 860 mm x 650 mm x 200 mm, total dimensions: 1080 mm x 1000 mm x 900 mm.	250
24	Lamber	Lamber dishwasher, model: 015/24L-L24, number: 20048925, 400 V, 3 Ph, 50 Hz, 25 A, 10.3 kW, dimensions inside: 580 mm x 530 mm, total dimensions: 860 mm x 750 mm x 1430 mm.	150
25	Comenda	Comenda dishwasher, model: C100, number: DB013593/12/04, 380/400 V, 3 Ph, 50 Hz, 14 A, 8/9.1 kW, dimensions inside: 500 mm x 500 mm, total dimensions: 830 mm x 730 mm x 1530 mm.	300
26	Hobart	Hobart high speed steam cooker, model: 304G, serial number: 97-0164-366, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 39.2 A, 27.9 W, inside dimensions: 520 mm x 300 mm, total dimensions: 800 mm x 600 mm x 950 mm.	350
27			50



Nr	Title	Description	Start €
	Bizerba / August Sauter KG.	Bizerba / August Sauter KG. weighing scale, type: F, serial number: 528562, year of construction: 1976, scale: 540 mm x 450 mm, total dimensions: 750 mm x 900 mm x 1300 mm.	
28	NN spraying machine	S/s mobile glazing machine, s/s mesh belt, belt width: 900 mm, clearance: 910 mm x 455 mm, total dimensions: 1700 mm x 1150 mm x 1650 mm.	200
29	Dito-Sama	Dito-Sama bowl mixer, type: MC40S, serial number: 19274 0230 025, 230/400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 900 W, volume: 40 liter, inside dimensions bowl: ø 400 mm x 400 mm, total dimensions: 620 mm x 750 mm x 1410 mm.	350
30	NN mixer	Mixer, dimensions: 830 mm x 500 mm x 1000 mm.	100
31	Deco	Deco mixer, model: imperator 30, type: PL, number: 73357, dimensions: 680 mm x 600 mm x 1070 mm. Including whisk and hook.	350
32	Robot Coupe	Robot Coupe mixer, model: Robot-Chef 40, serial number: T12701153 11, 400 V, 3 Ph, 50 Hz, 3.4 A, 1500 W, s/s bowl, volume: 40 liter, dimensions: 800 mm x 700 mm x 1320 mm. With whisk, hook and flat beater.	500
33	Gruppo Fabbri S.p.A.	Gruppo Fabbri S.p.A. packaging machine, model: Elixa Plus XS-B.228.XS, serial number: 1/12917, year of construction: 2009, 230 V, 1 Ph, 50-60 Hz, 8,6 A, weight: 170 kg, wire infeed belt, belt width: 325 mm, plastic outfeed belt, belt width: 340 mm, total dimensions: 1300 mm x 1130 mm x 1300 mm.	500
34	NN aquarium	Mobile cooled oyster aquarium, inside dimensions: 730 mm x 730 mm x 300 mm, total dimensions: 810 mm x 810 mm x 1070 mm.	100
35	NN double sink	S/s cabinet with double sink and pre-rinse faucet, dimensions: 3750 mm x 850 mm x 1600 mm	200
36	NN double sink	S/s double sink, dimensions: 2000 mm x 650 mm x 880 mm.	100
37	Meiko	Meiko crate washer, model: K 200KV, serial number: 0005005, year of construction: 03.2001, 400 V, 3 Ph, 50 Hz, 19 A, 9 kW, clearance: 510 mm x 510 mm, total dimensions: 1910 mm x 780 mm x 1950 mm. Incomplete. Including pallet with switch cabinet, dimensions: 1730 mm x 600 mm x 300 mm and pallet with dryer, dimensions: 1190 mm x 870 mm x 1000 mm.	500
38	Safescan	Safescan coin counter, model: 1200, serial number: 2008040408, 230 V, 3.15 A, 45 W, dimensions: 350 mm x 350 mm x 300 mm.	80
39	Speco	Speco vertical elevating screw, diameter screw: 300 mm, output height: 3350 mm, total dimensions: 1050 mm x 770 mm x 4600 mm.	750
40	JMC coin ace	JMC coin ace coin counter, model: CS-30-14, serial number: 0109116865, 220 V, 50 Hz, 0.3 A, dimensions: 390 mm x 230 mm x 350 mm.	150
41	NN cooling cabinet	Refrigerated cabinet, 4 doors, dimensions: 2200 mm x 700 mm x 900 mm.	300
42	NN table	S/s table, dimensions: 1200 mm x 700 mm x 1000 mm.	75



Nr	Title	Description	Start €
43	NN table	S/s table, dimensions: 1400 mm x 500 mm x 1030 mm.	75
44	NN table	S/s table, dimensions: 800 mm x 600 mm x 980 mm.	75
45	NN disinfection cabinet	UV-disinfection cabinet, strip width: 450 mm, inside dimensions: 520 mm x 500 mm x 100 mm, total dimensions: 650 mm x 530 mm x 120 mm.	25
46	NN disinfection cabinet	UV-disinfection cabinet, strip width: 450 mm, inside dimensions: 520 mm x 500 mm x 100 mm, total dimensions: 650 mm x 530 mm x 120 mm.	25
47	Antoine	Antoine beer tap with double sink, model: COMP38/60ANSKZ, 220/240 V, 50 Hz, refrigerant: R134A, 275 g, dimensions: 2910 mm x 500 mm x 1500 mm.	200
48	Crown Gabelstapler GmbH & Co. KG	Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5200, serial number: 5A221602, nominal capacity: 1600 kg, retracted mast height: 3690 mm, fork length: 1140 mm, total dimensions: 2600 mm x 1300 mm x 3350 mm. Including Hawker battery charger, 3x400 V, 50 Hz, 10 A.	1500
49	Blanco	Blanco sink, model: HAU-P 5x7, dimensions: 700 mm x 500 mm x 1000 mm.	400
50	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG clipper, type: PCD 8026, number: 1091, year of construction: 08, 6-8 bar, dimensions: 930 mm x 450 mm x 980 mm. Including clips. Table not included.	400
51	Hobart	Hobart dishwasher, model: FX800, serial number: 87171534, year of construction: 2005, 400 V, 50 Hz, 16 A, 9.1 kW, dimensions inside: 490 mm x 490 mm, total dimensions: 600 mm x 600 mm x 820 mm.	250
52	NN cabinet	S/s heated cabinet, dimensions: 1400 mm x 710 mm x 950 mm.	250
53	NN frame	S/s frame, (4x) place for gastronorm bins, dimensions: (4x) 305 mm x 155 mm, total dimensions: 800 mm x 800 mm x 1500 mm.	200
54	Atag	Atag 2-pit stove, type: TTFMNR KG02370B/A03, serial number: 0063/99, Aardgas G25, 3.60 kW, dimensions: 700 mm x 350 mm x 950 mm.	300
55	Atag	Atag 2-pit stove, type: KSO.217.5U.1, serial number: 410359-01, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 16 A, 4.6 kW, dimensions: 700 mm x 350 mm x 920 mm.	300
56	Atag	Atag deep fryer, inside dimensions: 390 mm x 220 mm x 150 mm, total dimensions: 700 mm x 350 mm x 1050 mm.	300
57	Atag	Atag table, dimensions: 700 mm x 700 mm x 900 mm.	200
58	Combisteel	Combisteel refrigerated saladette, type: 7950.0405, serial number: 512032165, 230 V, dimensions: 1370 mm x 700 mm x 1290 mm.	250
59	Robot Coupe	Robot Coupe mixer, type: MP 450 V.V. Ultra, serial number: Q7620274201, 220/240 V, 50/60 Hz, 500 W, diameter knife: 95 mm, total dimensions: 880 mm x 200 mm x 130 mm.	150



Nr	Title	Description	Start €
60	Robot Coupe	Robot Coupe mixer, type: MP550U.C, serial number: L6450205601, 220/240 V, 50/60 Hz, 750 Watt, diameter knife: 95 mm, total dimensions: 880 mm x 200 mm x 130 mm.	150
62	Modesta	Modesta blower, type: MX15/351, serial number: B5211242, year of construction: okt-05, 11 kW, capacity: 10390 m³/h, weight: 500 kg, outfeed diameter: 350 mm, total dimensions: 1380 mm x 1000 mm x 1670 mm.	300
63	Gernal	Gernal smoke generator for wood dust, dimensions: 1200 mm x 1100 mm x 1900 mm.	200
64	Meester	Meester planetary mixer, 220 V, s/s bowl: Ø 570 mm x 350 mm, total dimensions: 1070 mm x 600 mm x 1150 mm.	200
65	NN counter	S/s heated counter, dimensions: 1900 mm x 700 mm x 1580 mm.	250
66	Melior-Ganda	Melior-Ganda tenderizer, model: 35NSH, number: 12050098, clearance: 290 mm x 100 mm, dimensions: 440 mm x 400 mm x 1670 mm.	250
67	Melior-Ganda	Melior-Ganda tenderizer, model: 35NSH, number: 16040484, year of construction: 16, clearance: 290 mm x 100 mm, dimensions: 440 mm x 400 mm x 1670 mm.	250
68	Melior-Ganda	Melior-Ganda tenderizer, model: 35NH, number: 0009705, clearance: 290 mm x 100 mm, dimensions: 440 mm x 400 mm x 1670 mm.	250
69	Scharfen	Scharfen slicer, model: G330 F T, type: G330, number: 2061460, 230 V, 2.2 A, 300 W, dimensions: 760 mm x 700 mm x 570 mm.	300
70	Bizerba	Bizerba slicer, model: SE 12, year of construction: 2001, dimensions: 700 mm x 600 mm x 450 mm.	300
71	Bizerba	Bizerba slicer, model: SE12, serial number: 00316522001, year of construction: 2001, 230 V, 50 Hz, 1.79 A, dimensions: 700 mm x 600 mm x 450 mm.	300
72	Bizerba	Bizerba slicer, type: SE 3, machine number: 402494, 220 V, 50 Hz, 1.3 A, 0.280 kW, dimensions: 730 mm x 450 mm x 450 mm.	300
73	NN knife sharpener	Knife sharpener, dimensions: 240 mm x 320 mm x 140 mm.	150
74	Maja	Maja mobile twister for bacon, type: Speed Twister, number: C-01024, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.10 A, 0.75 kW, dimensions: 1250 mm x 610 mm x 1230 mm.	900
75	Merrychef	Merrychef oven, model: eikon e5, 230 V, 1 Ph, 50 Hz, 2 floors, floor dimensions: 300 mm x 440 mm, total dimensions: 700 mm x 630 mm x 650 mm.	1000
76	Louis Tellier	Louis Tellier tomato slicer, 11 knives, distance between knives: 5 mm, total dimensions: 200 mm x 480 mm x 270 mm.	50
77	Louis Tellier	Louis Tellier tomato slicer, 8 knives, distance between knives: 5 mm, total dimensions: 330 mm x 140 mm x 180 mm.	50
78	Santos		50



Nr	Title	Description	Start €
		Santos cheese grater, type: N° 8, number: 37898, year of construction: 91, 220 V, 1 Ph, 50 Hz, 21 A, dimensions: 400 mm x 210 mm x 350 mm.	
79	Enomatic	Enomatic 4-bottle wine dispenser climate cabinet, serial number: 090008496, year of construction: 04/2009, 220 V, 50 Hz, 150 W, dimensions: 750 mm x 250 mm x 650 mm.	350
80	Inventum	Inventum oven, model: OV607B/01, serial number: 23010361, 220/240 V, 50/60 Hz, 1 floor, floor dimensions: 350 mm x 450 mm, total dimensions: 630 mm x 450 mm x 420 mm.	70
81	Hendi	Hendi grill, serial number: 400479-000016, 230 V, 2400 W, 21 Ip, grill dimensions: 470 mm x 240 mm, total dimensions: 550 mm x 400 mm x 250 mm.	150
82	Amana	Amana microwave, model: RFS518S, serial number: 0808305837, year of construction: 2008, 230 V, 50 Hz, 1 Ph, 2.6 kW, operating frequency: 2450 MHz, dimensions: 500 mm x 500 mm x 360 mm.	50
83	Roband Australia PTY LTD	Roband Australia PTY LTD grill, model: GSA815S, serial number: 2061, year of construction: 2017, 230 V, 50 Hz, 13 A, 2990 W, grill dimensions: 470 mm x 240 mm, total dimensions: 490 mm x 560 mm x 240 mm.	100
84	Caterlite	Caterlite deep fryer, model: GG198-E, 220/240 V, 50 Hz, 2000 W, dimensions: 560 mm x 220 mm x 220 mm.	100
85	Salamander	Salamander grill, type: OS 200, serial number: 680.1005, year of construction: 18.10.2008, 220 V, 1 Ph, 50 Hz, 6.9 A, 3200 W, weight: 52 kg, dimensions: 600 mm x 530 mm x 560 mm.	75
86	Jungheinrich	Jungheinrich electric forklift, model: EFG 316, serial number: FN505843, year of construction: 2016, rated capacity: 1600 kg, fork length: 1200 mm, total dimensions: 3400 mm x 1100 mm x 3550 mm. Including battery charger. Battery renewed in 2024.	3800
87	Duni AB	Duni AB traysealer, type: DF25, machine number: DF251876, 230 V, 1 Ph, 50 Hz, 1.0 kW, seal length: 290 mm, total dimensions: 750 mm x 310 mm x 650 mm. Without dye.	150
88	NN kitchen	Mobile kitchen with Bosch induction plate, dimensions: 1020 mm x 860 mm x 1150 mm.	50
89	Wathelet	Wathelet dishwasher, serial number: 600900, year of construction: 24/07/2008, 400 V, 3 Ph, 50 Hz, 16 A, 5.9 kW, H <sup>2</sup> O: 300-400 Kpa, temperature: 010-050°C, crate: 530 mm x 500 mm, total dimensions: 640 mm x 630 mm x 820 mm.	250
90	Winterhalter	Winterhalter, type: UC-L, serial number: 1061840, year of construction: 2011, 380/415 V, 3 Ph, 50 Hz, 7.9/6.0 kW, crate: 500 mm x 500 mm, total dimensions: 650 mm x 600 mm x 840 mm.	300
91	Convootherm	Convootherm combi steamer, type: C4eD20.20 ES, serial number: XS716051165, 400 V, 3Ph, 50/60 Hz, 67.3 kW, 97.3 A, dimensions: 1150 mm x 1100 mm x 1950 mm. Including 2 s/s trolleys, 20 floors each, dimensions floors: (20x) 650 m x 535 mm.	4000



Nr	Title	Description	Start €
92	Dumon	Dumon 45° roller conveyor, fabrication number: 1910052, s/s frame, plastic rollers, roll width: 160 mm, total dimensions: 2200 mm x 920 mm x 940 mm.	50
93	Grundfos	Grundfos pump, serial number: A96123983P11233, 50 Hz, 18.5 kW, 64 m³ per hour, with 2 Reflex pressure vessels, dimensions: 1600 mm x 500 mm x 1520 mm.	750
94	Delrue	Delrue oven, number: 00890481, 4 floors, dimensions floor: 730 mm x 710 mm, total dimensions: 900 mm x 800 mm x 2400 mm.	400
95	NN ice machine	flake ice machine with bunker, model: IMS-100, serial number: SHS100 1018028, 230 V, 50 Hz, 12.4 A, 520 W, netto weight: 58 kg, refrigerant: R134A, 130 g, capacity: 100 kg per hour, dimensions: 500 mm x 610 mm x 930 mm.	200
96	Carpigiani	Carpigiani mobile ice cream machine, model: LABO 20/30 M, serial number: IC32714, 380-415 V, 3 Ph, 50 Hz, 16 A, 2.9 kW, refrigerant: R404a, 0.7 kg, dimensions: 870 mm x 460 mm x 1280 mm.	3000
97	Antoine	Antoine bottle cooler, model: 1200 2DX SF, number: 112468 638981, year of construction: 2007, 230 V, 50 Hz, refrigerant: R134a, (2x) 2 floors, dimensions each floor: 340 mm x 540 mm, total dimensions: 1200 mm x 580 mm x 830 mm.	150
98	Antoine	Antoine bottle cooler, model: 2400 4 DX SF, number: 112480 63995, year of construction: 2007, 230 V, 50 Hz, refrigerant: R134a, (4x) 2 floors, dimensions each floor: 340 mm x 540 mm, total dimensions: 2400 mm x 600 mm x 840 mm.	350
99	Winterhalter	Winterhalter dishwasher, type: GR 62/2, serial number: 376 004, 230 V, 50 Hz, 27 A, 10 kW, dimensions: 600 mm x 660 mm x 840 mm.	200
100	NN hood	S/s hood, dimensions: 1600 mm x 450 mm x 2000 mm.	200
101	Strautmann	Strautmann baler, type: AutoLoad, machine number: 411.51.012, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4 kW, dimensions: 2200 mm x 2100 mm x 3200 mm.	1500
102	Sacmi Labelling	Sacmi Labelling labelling machine for cans, model: RHM5046T, type: SR S1F, serial number: 00421, year of construction: 2006, 380 V, 50 Hz, 16 A, 8 kW, weight: 2500 kg, cans: Ø 100 mm, total dimensions: 2450 mm x 2100 mm x 2180 mm. Missing belt. Without rollies.	3000
103	Cimec	Cimec filling and closing machine for bottles, type: MO.LD.12.1EAGLE C, serial number: 2032, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 4.5 kW, s/s belt, belt width: 80 mm, bottles: Ø 60 mm, 12 filling stations, total dimensions: 5100 mm x 1600 mm x 2600 mm. Without rollies.	7500
104	Winterhalter	Winterhalter dishwasher, type: GR 62/2, serial number: 2807, 230 V, 3 Ph, 50 Hz, 25.5 A, 10 kW, dimensions inside: 640 mm x 570 mm, total dimensions: 850 mm x 660 mm x 1850 mm.	200
105	Ott freezer	Ott freezer mobile ice machine, type: F3, number: 5249, 220 V, 4/6.4 A, 0.35/0.9 kW, dimensions: 700 mm x 420 mm x 1100 mm.	1000



Nr	Title	Description	Start €
106	Frigor	Friger freezer, type: G 115, number: 118107, year of construction: 2006/7, 230 V, 50 Hz, 1 A, refrigerant: R600a/50g, weight: 32 kg, volume: 110 liter, dimensions: 600 mm x 550 mm x 860 mm.	70
107	Convootherm	Convootherm combi steamer, type: OSP 6.10, number: O1R02081845, 380-415 V, 3 Ph, 50/60 Hz, 9-11 kW, 14-16 A, 6 floors, dimensions: 1130 mm x 900 mm x 1560 mm.	500
108	Frigor	Friger freezer, model: G115A+, number: B30FG4B0N00BSC960040, 220/240 V, 50 Hz, 0.4 A, 70 W, refrigerant: R600a, weight: 31 kg, dimensions: 550 mm x 570 mm x 850 mm.	70
109	Kühlschrank	Kühlschrank refrigerator, model: KS 155 PROF, serial number: 762777, year of construction: 07.2000, 220/230 V, 50 Hz, 110 W, refrigerant: R134a, 6 floors, floor dimensions: 500 mm x 340 mm, total dimensions: 630 mm x 580 mm x 840 mm.	70
110	Gram Commercial A/S	Gram Commercial A/S freezer, type: HOSHIZAKI F 210 RH 3, serial number: 10193504, 230 V, 50 Hz, 1.06 A, 129 W, refrigerant: R134a/70g, 8 floors, floor dimensions: (3x) 430 mm x 470 mm, total dimensions: 650 mm x 600 mm x 830 mm.	300
111	Solymac	Solymac gas stove with 2 burners and 1 wok and oven, inside dimensions: 650 mm x 540 mm, total dimensions: 1200 mm x 800 mm x 910 mm.	500
112	Rosinox	Rosinox frying pan, number: B-29258, 400 V, inside dimensions: 800 mm x 600 mm x 180 mm, total dimensions: 1000 mm x 900 mm x 1000 mm.	400
113	Cleveland	Cleveland tiltable cooking vessel on s/s table, model: KET-12T, serial number: WT8775-90D-10, year of construction: 1990, volume: 45 liter, dimensions: 1000 mm x 950 mm x 1550 mm.	300
114	Rational	Rational combi steamer on s/s cabinet, model: SCC WE 102G, type: A3, B13, B13BS, serial number: G12SH12082313829, 230 V, 50/60 Hz, 800 W, 10 floors, dimensions each floor: 650 mm x 535 mm, total dimensions: 1070 mm x 1050 mm x 1800 mm.	1500
115	NN stove	1-pit stove, dimensions: 670 mm x 590 mm x 510 mm.	100
116	Ambach	Ambach cooking station, cabinet dimensions: 640 mm x 740 mm, inside dimensions: 300 mm x 505 mm x 180 mm.	250
117	Angelo Po	Angelo Po double fryer, model: 70FE1, serial number: 501150001, year of construction: 93, 220 V, 3 Ph, 50 Hz, 37 A, 14.1 kW, dimensions: 920 mm x 400 mm x 1100 mm.	250
118	Küppersbusch	Küppersbusch deep fryer, model: NEF-144, serial number: 523 114 001, year of construction: V, 220 V, 3 Ph, 50 Hz, 9.0 kW, dimensions: 850 mm x 600 mm x 1000 mm.	200
119	ERRE 2 srl	ERRE 2 srl stove, model: CT-7200, number: 05 04 88, dimensions: 800 mm x 700 mm x 980 mm.	100
120	Hendi	Hendi plate heater, 230/240 Vac, 1000 W, 3 floors, dimensions floors: (3x) 345 mm x 310 mm, total dimensions: 460 mm x 450 mm x 950 mm.	20
121	Küppersbusch		300



Nr	Title	Description	Start €
		Küppersbusch 4-pit stove with oven, model: NEH-413, number: 524 097001, year of construction: W, 380 V, 3 Ph, 50 Hz, 15.5 kW, dimensions: 880 mm x 800 mm x 900 mm.	
122	ERRE 2 srl	ERRE 2 srl gas stove with oven, model: 90/200 FE, number: OM12057002, 400 V, 3 Ph, 50 Hz, 6.55 kW, dimensions: 800 mm x 900 mm x 970 mm.	400
123	Morice / Furka	Morice / Furka grill, type: SA0003 0601, serial number: 3090160105, dimensions: 780 mm x 470 mm x 800 mm.	250
124	Scaiola	Scaiola mobile refrigerated showcase, 3 floors, floor dimensions: Ø 750 mm, total dimensions: 1050 mm x 1050 mm x 1890 mm.	300
125	Diamond	Diamond refrigerated counter, model: DT178/R2, serial number: 180639, year of construction: 2019, 220/240, 1 Ph, 50 Hz, 1.3 A, dimensions: 1750 mm x 700 mm x 840 mm.	150
126	Coolhead	Coolhead refrigerated counter, model: S903 STF, serial number: RWB1307S903STD6104001, 240 V, 50 Hz, 2 A, 300 W, weight: 107 kg, refrigerant: R134a, dimensions: 1370 mm x 700 mm x 840 mm.	100
127	Diamond	Diamond refrigerated counter with saladette, model: SR3/DZ, 220-240 V, 50 Hz, refrigerant: R134a, dimensions: 1370 mm x 700 mm x 1050 mm.	600
129	Sagi	Sagi freezer, 20 floors, floor dimensions: 650 mm x 520 mm, total dimensions: 810 mm x 750 mm x 2000 mm.	400
130	Everlasting	Everlasting double doors freezer, model: PRO 1502 BTV REM, serial number: 99543, 230 V, 1 Ph, 50 Hz, refrigerant: R404A, 8 floors, dimensions freezer: 1500 mm x 830 mm x 2090 mm. Including Tecumsek condensing unit, model: SILAJ2446ZFZ, serial number: 16B 10 064757 SJ80530202, 220/240 V, 50 Hz, 4.1 A, refrigerant: R404A, dimensions condensing unit: 900 mm x 550 mm x 820 mm.	700
131	Gram	Gram refrigerator, type: PLUS K 1400 RSG 10 M, number: 12 00 66 32, serial number: 086, 230 V, 50 Hz, 800 W, 3.50 A, refrigerant: R290, 110 g, dimensions: 1400 mm x 850 mm x 2160 mm.	450
132	Rivacold	Rivacold freezer, serial number: 11304705, 230 V, 1 Ph, 50 Hz, 6 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 810 mm x 730 mm x 2100 mm.	350
133	Everlasting	Everlasting double doors freezer, model: PRO 1502 BTV REM, serial number: 99542, 230 V, 1 Ph, 50 Hz, refrigerant: R404A, 8 floors, dimensions freezer: 1500 mm x 830 mm x 2090 mm.	500
134	Tecumsek	Tecumsek condensing unit, model: SILAJ2446ZFZ, 220/240 V, 50 Hz, 4.1 A, refrigerant: R404A, dimensions condensing unit: 900 mm x 550 mm x 820 mm.	200
135	Diamond	Diamond refrigerated counter model: MR3/R2, serial number: 8102693283, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 1.6 A, refrigerant: R2-230, 102 gram, dimensions: 1800 mm x 700 mm x 850 mm.	250
136	De Rigo		200



Nr	Title	Description	Start €
		De Rigo mobile refrigerated showcase, inside dimensions: 1170 mm x 1220 mm x 250 mm, total dimensions: 1400 mm x 1330 mm x 920 mm.	
137	Delrue	Delrue cooking vessel, number: 20950162, inside dimensions: 500 mm x 500 mm x 430 mm, total dimensions: 800 mm x 1000 mm x 1700 mm.	300
138	Delrue	Delrue 4-burner stove, model: 2X94F, number: 98F4120581, year of construction: 2012, dimensions: 920 mm x 800 mm x 1400 mm.	200
139	Krefft	Krefft induction plate, type: KCN0207, number: 625772, 400-415 V, 3 Ph, 50 Hz, plate dimensions: 715 mm x 575 mm, total dimensions: 850 mm x 800 mm x 1080 mm.	150
140	MKN	MKN electric fryer, type: 2024101-01, serial number: 8401541, 400 V, 3 Ph, 14.4 kW, volume: 80 liter, dimensions: 1050 mm x 1120 mm x 1100 mm.	300
141	Delrue	Delrue cooking vessel, serial number: 22941130, inside dimensions: Ø 500 mm x 470 mm, total dimensions: 900 mm x 1100 mm x 1700 mm.	150
142	Erre 2 srl	Erre 2 srl gas stove, grill and oven, model: 90/200, type: B11, number: OM12057001, 400 V, 3 Ph, 50 Hz, 1.48 m³ per hour, 3 floors, dimensions each floor: 630 mm x 540 mm, total dimensions: 1600 mm x 910 mm x 1000 mm.	800
143	Gico	Gico 4-pit stove, type: 2CY-S2DY-S, serial number: AS78921001, year of construction: 12/01/18, 18.00 kW, dimensions: 700 mm x 800 mm x 900 mm.	300
144	ATA	ATA 4-pit stove, dimensions: 700 mm x 800 mm x 870 mm.	300
145	Pelican	Pelican refrigerated showcase, model: BB-B2, 220/240 V, 50 Hz, 190 W, capacity: 210 liter, weight: 58 Kg, (2x) 2 floors, dimensions each floor: 400 mm x 345 mm, total dimensions: 900 mm x 500 mm x 870 mm.	350
146	NN tub	S/s tub, dimensions: 1210 mm x 820 mm x 900 mm.	100
147	NN tub	S/s mobile tub, dimensions: 770 mm x 770 mm x 810 mm.	50
148	NN tub	S/s mobile tub, dimensions: 770 mm x 770 mm x 810 mm.	50
149	NN cup holder trolley	S/s cup holder trolley for 15 cups, cup dimensions: Ø95 mm x 140 mm, dimensions: 800 mm x 705 mm x 1490 mm. Missing 1 cup.	50
150	NN tub	S/s tub, dimensions: 1000 mm x 815 mm x 835 mm.	75
151	NN tub	S/s tub, dimensions: 1130 mm x 980 mm x 860 mm.	100
152	NN trolleys	4 s/s trolleys for combi steamer, 20 floors each, dimensions floors: (20x) 650 mm x 535 mm, total dimensions: (4x) 850 mm x 750 mm x 1850 mm.	600
153	NN trolleys	4 s/s trolleys for combi steamer, 20 floors each, dimensions floors: (20x) 650 mm x 535 mm, total dimensions: (4x) 850 mm x 750 mm x 1850 mm.	600
154	NN E2 crates	rollie with 14 plastic E2 crates, each crate: (14x) 600 mm x 400 mm x 200 mm.	50
155	NN E2 crates		50



Nr	Title	Description	Start €
		rollie with 14 plastic E2 crates, each crate: (14x) 600 mm x 400 mm x 200 mm.	
156	NN trolley	S/s trolley, 19 floors, floor dimensions: 800 mm x 600 mm, total dimensions: 830 mm x 670 mm x 1520 mm.	50
157	NN E2 crates	2 rollies with 20 plastic E2 crates, each crate: (20x) 600 mm x 400 mm x 200 mm.	70
158	NN trolley	S/s trolley, 24 floors, floor dimensions: 380 mm x 500 mm, total dimensions: 860 mm x 570 mm x 1770 mm.	50
159	NN trolley	S/s trolley, 24 floors, floor dimensions: 380 mm x 500 mm, total dimensions: 860 mm x 570 mm x 1770 mm.	50
160	NN trolley	S/s trolley, 10 floors, floor dimensions: 640 mm x 410 mm, total dimensions: 660 mm x 470 mm x 1780 mm.	50
161	NN trolley	S/s trolley, 26 floors, floor dimensions: 560 mm x 340 mm, total dimensions: 770 mm x 570 mm x 1780 mm.	50
162	NN trolley	S/s trolley, 6 floors with plates, plate dimensions: 730 mm x 440 mm, total dimensions: 740 mm x 530 mm x 1340 mm.	50
163	NN trolley	S/s trolley, 4 floors, floor dimensions: 900 mm x 550 mm, total dimensions: 930 mm x 570 mm x 1300 mm.	50
164	NN trolley	S/s oven trolley, 20 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 700 mm x 540 mm x 1860 mm.	50
165	NN trolley	S/s oven trolley, 20 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 700 mm x 540 mm x 1860 mm.	50
166	NN trolley	S/s trolley, 3 floors, floor dimensions: 1400 mm x 600 mm, total dimensions: 1480 mm x 600 mm x 1440 mm.	50
167	Leventi	3 s/s trolleys, wooden floors, floor dimensions: 1020 mm x 450 mm, total dimensions: 1080 mm x 510 mm x 1630 mm.	100
168	NN rack	Aluminum rack, 5 floors, 1120 mm x 540 mm, total dimensions: 1200 mm x 600 mm x 1600 mm.	50
169	NN trolley	S/s trolley, total dimensions: 600 mm x 500 mm x 1000 mm.	50
170	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: 830 mm x 850 mm, total dimensions: 850 mm x 920 mm x 1650 mm.	225
171	NN frame	S/s mobile frame, dimensions: 1280 mm x 500 mm x 1640 mm.	50
172	NN rack	Aluminum rack, 4 floors, floor dimensions: 1450 mm x 330 mm, total dimensions: 1500 mm x 390 mm x 1780 mm.	50
173	NN trolley	S/s trolley for glasses, 8 floors, floor dimensions: 630 mm x 650 mm, max glass diameter: 85 mm, total dimensions: 1000 mm x 800 mm x 2000 mm.	150
174	NN trolley	S/s trolley, 9 floors, floor dimensions: 790 mm x 400 mm, total dimensions: 810 mm x 480 mm x 1040 mm.	50
175	NN trolley	S/s trolley, 9 floors, floor dimensions: 790 mm x 400 mm, total dimensions: 810 mm x 480 mm x 1040 mm.	50
176	NN trolley	S/s trolley, 9 floors, floor dimensions: 790 mm x 400 mm, total dimensions: 810 mm x 480 mm x 1040 mm.	50
177	NN trolley	S/s trolley, 2 floors, total dimensions: 900 mm x 500 mm x 940 mm.	50
178	NN desk		50



Nr	Title	Description	Start €
		S/s mobile desk, inside dimensions: 520 mm x 550 mm x 180 mm, total dimensions: 540 mm x 560 mm x 1110 mm.	
179	Eurokraft	Eurokraft mobile PC cabinet, dimensions: 600 mm x 600 mm x 1730 mm.	100
180	FhiaBa / Boretti	FhiaBa / Boretti wine climate cabinet, model: X7491TWT3, serial number: F20091128000003, 220/240 V, 50 Hz, 0.7 A, 105 W, refrigerant: R600a, 9 floors, floor dimensions: (9x) 540 mm x 545 mm x 80 mm, total dimensions: 760 mm x 750 mm x 2100 mm.	3000
181	LHT	LTH refrigerator, type: HO_700 DEM, year of construction: 2006, 230 V, 50 Hz, 1.9 A, 250 W, netto volume: 540 liter, netto weight: 140 kg, refrigerant: R 134a - 0.28 kg, temperature range: -2/+8 °C, dimensions: 700 mm x 800 mm x 2000 mm.	350
182	NN refrigerator	Refrigerator with 4 floors, type: HO 600 DEN-EX, number: 117985, year of construction: 1998, 230 V, 50 Hz, 270 W, weight: 140 kg, volume: 575 liter, refrigerant: R034a, floor dimensions: 500 mm x 650 mm, total dimensions: 710 mm x 790 mm x 2050 mm.	200
183	LTH	LTH refrigerator, type: HO_700 DEM, year of construction: 2006, 230 V, 50 Hz, 1.9 A, 250 W, netto volume: 540 liter, netto weight: 140 kg, refrigerant: R 134a - 0.28 kg, temperature range: -2/+8 °C, dimensions: 700 mm x 800 mm x 2000 mm.	350
184	Helkama	Helkama refrigerator, type: C4G V STANDARD, number: 706034202, year of construction: 29.08.2006, 230-240 V, 50 Hz, 295 W, refrigerant: R134a - 95 g, gross volume: 405 liters, net volume: 380 liters, dimensions: 650 mm x 590 mm x 1900 mm.	150
185	Diamond	Diamond oven, model: CPE644 N, serial number: 2013072000098, 400 V, 3 Ph, 50/60 Hz, 6.265 kW, 4 floors, floor dimensions: 400 mm x 600 mm, total dimensions: 820 mm x 670 mm x 560 mm.	300
186	Leventi	Leventi combimat combisteamer, model: DGT, 6 floors, floor dimensions: 550 mm x 450 mm.	300
187	Küppersbusch	Küppersbusch combi steamer, type: KEG 0058, 230/400 V, 3 Ph, 50 Hz, 10 floors, floor dimensions: 550 mm x 330 mm, total dimensions: 1030 mm x 850 mm x 1000 mm.	600
188	Leventi	Leventi combi steamer on s/s frame, model: COMBIMAT MM 3B 10PL MK3, number: 999050076, 220/240 V, 3 Ph, 50 A, 18.5 kW, 10 floors, dimensions floors: (10x) 600 mm x 400 mm, total dimensions: 970 mm x 970 mm x 1850 mm.	400
189	NN grill	Mobile grill, 4 baskets, basket width: 1070 mm, total dimensions: 1500 mm x 600 mm x 1620 mm.	200
190	Unox	Unox oven on trolley, model: XF193, serial number: 2751, year of construction: 31/03/2008, 230/400 V, 3 Ph, 50/60 Hz, 6.3 kW, 4 floors, floor dimensions: 610 mm x 370 mm, total dimensions: 800 mm x 800 mm x 1230 mm.	250
191	Unox	Unox oven, model: XFT190, serial number: 2016I0066593, 220/240 V, 3 Ph, 50/60 Hz, weight: 61 kg, 4 floors, floor	250



Nr	Title	Description	Start €
		dimensions: 600 mm x 370 mm, total dimensions: 800 mm x 780 mm x 510 mm.	
192	Exkal concept S.L.	Exkal concept S.L. mobile refrigerated showcase, model: IHON-1,5.00, serial number: 000004739, year of construction: 12/2017, refrigerant: R134A, 230 V, 50 Hz, dimensions: 1150 mm x 1060 mm x 950 mm.	75
193	Metos	Metos combi steamer, model: CPCM 10G, type: B13/A3, serial number: G11CD02091074660, 230 V, 1 Ph, 50-60 Hz, 1.0 kW, gas heated, 10 floors, dimensions each floor: 540 mm x 330 mm, with s/s frame with rack for plates, total dimensions: 900 mm x 830 mm x 1885 mm.	1250
194	Leventi	Leventi combimat combi steamer, dimensions: 1000 mm x 900 mm x 750 mm. Incomplete.	300
195	Electrolux	Electrolux combi steamer, model: AOS201ECA1, serial number: 94600001, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 34.5 kW, total dimensions: 900 mm x 1000 mm x 1800 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 505 mm x 330 mm.	1250
196	Rational	Rational combi steamer, type: CPC 201, serial number: E21CA98121854, 400 V, 3 Ph, 50 Hz, 38 kW, electric heated, with s/s trolley, 20 floors, dimensions each floor: 530 mm x 325 mm, total dimensions: 900 mm x 500 mm x 1800 mm.	1250
197	Winterhalter	Winterhalter dishwasher, type: GS640, dimensions inside: 700 mm x 630 mm, total dimensions: 755 mm x 860 mm x 1610 mm.	1000
198	Hobart	Hobart dishwasher with 2 Suma soap stations, crate: 500 mm x 500 mm, total dimensions: 770 mm x 750 mm x 1600 mm.	300
199	Hoonved	Hoonved dishwasher, type: ED 700/90, 400 V, 3 Ph, 50 Hz, 8700 W, dimensions: 950 mm x 780 mm x 1750 mm.	300
200	Dibo	Dibo dishwasher, model: LP105DDDTEB type: U61HE, serial number: 935435, year of construction: 11/07/2008, 400 V, inside dimensions: 640 mm x 670 mm x 1000 mm, total dimensions: 780 mm x 800 mm x 1900 mm.	500
201	Diamond	Diamond refrigerated showcase, 3 floors, dimensions: 750 mm x 1000 mm x 1380 mm.	350
202	Colged	Colged dishwasher, model: GL72, serial number: 111292, year of construction: 08/09/2005, 400 V, 3 Ph, 50 Hz, 16 A, clearance: 500 mm x 500 mm, total dimensions: 830 mm x 700 mm x 1570 mm.	400
203	Colged	Colged dishwasher, model: PT810 / PROTECH810, serial number: 169960, year of construction: 04/11/2008, 400 V, 3 Ph, 50 Hz, 16 A, 8.8 kW, 1-6 bar, dimensions: 840 mm x 700 mm x 1560 mm.	400
204	NN thermometer	5 thermometers, model: P 300 W.	25
205	Hanna	5 Hanna thermometers.	25
206	Hanna	5 Hanna thermometers, model: E/05.	25



Nr	Title	Description	Start €
207	Testo AG	5 Testo AG thermometers, model: T106.	25
208	NN salad bar	Mobile salad bar, model: BR4GN, serial number: 18233-003, 220-240 V, 50 Hz, 507 W, refrigerant: R134a/190 g, inside dimensions: 1280 mm x 500 mm x 140 mm.	150
209	Palux	Palux combi steamer on s/s cabinet, 220 V, 7 floors, dimensions each floor: 495 mm x 560 mm, total dimensions: 980 mm x 850 mm x 1370 mm.	200
210	Animo	Animo double coffee machine, type: CB 2x40 NG, serial number: 1YD49921, 380-415 V, 3 Ph, 50/60 Hz, 18375 W, volume: (2x) 40 liters, dimensions: 1230 mm x 700 mm x 1800 mm.	200
211	NN drains	4 s/s drains, dimensions: (4x) 1000 mm x 180 mm x 220 mm.	200
212	TurboChef Technologies	TurboChef Technologies pizza oven, model: HCW2620EW, serial number: Hhc2620EWED00504, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 21 A, 4.4 kW, s/s mesh belt, belt width: 655 mm, total dimensions: 1550 mm x 1000 mm x 370 mm. Without table.	1500
213	Zoin Refrigerazione srl	Zoin Refrigerazione srl refrigerated showcase, model: Artemis 129 standard - Tutto Grigio, serial number: 2286/15, year of construction: 12/06/2015, 230 V, 50 Hz, refrigerant: R404, 0.520 kg, dimensions: 1320 mm x 950 mm x 950 mm.	300
214	Diamond	Diamond refrigerated showcase, serial number: 2286/15, year of construction: 2015, refrigerant: R404, 230 V, 50 Hz, dimensions: 1000 mm x 850 mm x 900 mm.	200
215	Costan	Costan mobile refrigerated showcase, model: 3A2858000, serial number: A02EW00E, 220/230 V, 50 Hz, refrigerant: R404A/0.50 kg, floor dimensions: 1250 mm x 960 mm and 1250 mm x 400 mm, total dimensions: 1300 mm x 1300 mm x 1200 mm.	50
216	Sharpenset Engineering Ltd	Sharpenset Engineering Ltd knife sharpener, model: sharpenset whetstone, 220-240 V, 1 Ph, 50 Hz, 180 W, dimensions: 300 mm x 250 mm x 370 mm.	75
217	Rewebo	Rewebo cheese slicer, model: 8H, number: AB 915500036-1, 220-380 V, working width: 200 mm, total dimensions: 360 mm x 390 mm x 160 mm.	50
218	NN cheese slicer	Cheese slicer, working width: 240 mm, total dimensions: 400 mm x 430 mm x 200 mm.	50
219	Diamond	Diamond au bain-marie, model: BM1/X, 220-240 V, 50 Hz, 1500 W, inside dimensions: 300 mm x 500 mm x 160 mm, total dimensions: 560 mm x 330 mm x 250 mm.	50
220	Diamond	Diamond au bain-marie, model: BM1/X, 220-240 V, 50 Hz, 1500 W, inside dimensions: 300 mm x 500 mm x 160 mm, total dimensions: 560 mm x 330 mm x 250 mm.	50
221	MetalTech	MetalTech lid closer for metal trays, type: 227, serial number: 8207, year of construction: 2016, dye: 230 mm x 175 mm, total dimensions: 300 mm x 350 mm x 390 mm.	100
222	Gedelec BVA	Gedelec BVA waffle maker, model: WECiFA B0, number: 080617, 230 V, 50/60 Hz, 8 A, 1800 W, dimensions waffle: (2x)	100



Nr	Title	Description	Start €
		105 mm x 145 mm, total dimensions: 400 mm x 450 mm x 180 mm.	
223	NN coin changer	Coin changer dimensions: 310 mm x 210 mm x 710 mm.	25
224	HygroMatik	HygroMatik steam generator, dimensions: 400 mm x 450 mm x 200 mm.	100
225	Cleveland	Cleveland cooking vessel, model: KET-5T, serial number: 3902-4J-01, 220/380 V, 3 Ph, 50/60 Hz, 10.3 A, 6800 W, inside dimensions: Ø 350 mm x 300 mm, total dimensions: 600 mm x 320 mm x 600 mm.	300
226	Steelco	Steelco table model dishwasher, type: DS 50/2 DRS, serial number: 1018021, 240 V, 50 Hz, 12 A, 2750 W, dimensions: 620 mm x 550 mm x 560 mm.	500
227	Multivac	Multivac vacuum machine, type: A 300/16, machine number: 3930, 400 V, 3 Ph, 50 Hz, 3.8 A, 0.8 kW, chamber dimensions: 430 mm x 330 mm, seal length: 490 mm, total dimensions: 560 mm x 520 mm x 400 mm.	150
228	Brunner	Brunner vegetable slicer, type: GSM 4-SA, serial number: 81457, 230 V, 1 Ph, 50 Hz, 1.8 A, 0.22 kW, dimensions: 500 mm x 250 mm x 530 mm.	250
229	NN bandsaw	Bandsaw, table dimensions: 350 mm x 370 mm, total dimensions: 500 mm x 500 mm x 800 mm.	250
230	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG table model clipper, type: SCD - 600, number: 6203/10, pressure: 5-7 bar, dimensions: 370 mm x 260 mm x 950 mm.	400
231	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG clipper, dimensions: 350 mm x 250 mm x 950 mm.	500
232	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG clipper type: SCD 7000, serial number: 7851, pressure: 5-7 bar, dimensions: 400 mm x 1800 mm x 920 mm.	75
233	Cafe bar	Cafe Bar coffee machine, model: type: 832.V.W.A, number: 6943439, 230 V, dimensions: 500 mm x 250 mm x 460 mm.	20
234	Recsi	Recsi slicer, diameter knife: 215 mm, total dimensions: 550 mm x 360 mm x 360 mm.	25
235	Giles & Posner	2 Giles & Posner fondue fountain, serial number: 1010884, dimensions: (2x) Ø 200 mm x 400 mm.	50
236	NN ventilator	Tube ventilator, type: RS 250L, number: F00-25060, 230 V, 50/60 Hz, 0.58 A, Ø 250 mm.	25
237	Karma Global Ltd.	2 coffee percolators consisting of: Karma Global Ltd. s/s Coffee percolator and filter, model: 688092, serial number: C030015, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 1620 W, volume: 15 liter, dimensions: 350 mm x 280 mm x 650 mm. And Regal coffee aluminum percolator and filter, number: 7203, 220 V, 1500 W, dimensions: 320 mm x 330 mm x 530 mm.	25
238	NN clamp	Clamp, dimensions: 540 mm x 380 mm x 150 mm.	25
239			175



Nr	Title	Description	Start €
	NN burger forming attachment	Burger forming attachment, oval forms: (4x) 70 mm x 90 mm, total dimensions: 440 mm x 320 mm.	
240	Bizerba	Bizerba strip cutter, type: S 111 PLUS, number: 10113761, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 2.7 A, working width: 175 mm, distance between knives: 5 mm, total dimensions: 410 mm x 340 mm x 480 mm. Including extra knife set, distance between knives: 3 mm.	450
241	NN stove	4-burner stove, dimensions: 800 mm x 700 mm x 320 mm.	125
242	NN roller conveyor	Plastic roller conveyors, roller width: 450 mm, total dimensions: (2x) 980 mm x 480 mm x 60 mm. Missing rollers.	75
243	Gust Convent	Gust Convent 2-pits stove, gas heated, dimensions: 450 mm x 650 mm x 150 mm.	200
244	L.Bossuyt	L.Bossuyt piston filler, dimensions inside: Ø 190 mm x 300 mm, total dimensions: 400 mm x 250 mm x 840 mm.	200
245	Dick	Dick manual piston filler, dimensions inside: Ø 190 mm x 420 mm, total dimensions: 400 mm x 260 mm x 1150 mm.	200
246	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with label printer, type: E1300 / ETM03, serial number: 3031371, 100-240 V, 50/60 Hz, 2.2 A, minimum load: 40 g, maximum load: 6/15 kg, e=2/5 g, scale dimensions: 400 mm x 220 mm, total dimensions: 400 mm x 500 mm x 150 mm.	200
247	NN chop block	Wooden chop block, dimensions: 400 mm x 330 mm x 120 mm.	100
248	Robot Coupe	Robot Coupe mixer, type: R.4, number: 24/4420, 220/380 V, 50 Hz, 3.6-3.1 / 2.1-1 A, 3700/6700 W, dimensions: 270 mm x 330 mm x 370 mm.	200
249	Diko GmbH	Diko GmbH double waffle iron with depositor, type: WBG, waffle dimensions: (2x) 240 mm x 200 mm, total dimensions: 570 mm x 450 mm x 700 mm.	400
250	NN grill	Double grill, type: Panini DR, serial number: 111232587, 220-240 V, 50-60 Hz, 3000 W, grill dimensions: (2x) 350 mm x 220 mm, total dimensions: 800 mm x 500 mm x 260 mm.	30
251	Uwe/Riba B.V.	7 Uwe/Riba B.V. weighing scales, model: ADW-15KE, maximum weight: 15 kg, minimum weight: 100 gram, e=d= 5 gram, dimensions: (7x) 270 mm x 270 mm x 150 mm.	70
252	R.V.Rutland&Co Ltd	R.V.Rutland&Co Ltd plate heater, model: R210, serial number: 8098, 240 V, 1 Ph, 1.3 kW, 10 floors, dimensions each floor: 270 mm x 150 mm, total dimensions: 380 mm x 220 mm x 470 mm.	100
253	Diamond	2x Diamond au bain-marie, model: BM1/X, 220-240 V, 50 Hz, 1500 W, inside dimensions: 300 mm x 500 mm x 160 mm, total dimensions: 560 mm x 330 mm x 250 mm.	100
254	Potis	Potis kebab slicer, model: S 180 plus, 230 V, 50-60 Hz, working width: 80 mm, total dimensions: 110 mm x 250 mm x 110 mm and 90 mm x 160 mm x 90 mm.	80
255	NN piston filler		200



Nr	Title	Description	Start €
		Manual piston filler, inside dimensions: Ø 190 mm x 400 mm, dimensions: 400 mm x 260 mm x 1200 mm.	
256	Duniform	Duniform tray sealer, type: DF10, machine number: DF1001181, 230 V, 50 Hz, 0.5 kW, dye: 145 mm x 245 mm, total dimensions: 260 mm x 550 mm x 340 mm.	120
257	Digi Teraoka	Digi Teraoka weighing scale with label printer, model: SM-5000BS, serial number: 14929584, 220-240 V, 50/60 Hz, 0.9 A, 90 W, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 gram, scale dimensions: 380 mm 280 mm, total dimensions: 400 mm x 400 mm x 620 mm.	300
258	Diamond/MPR	Diamond/MPR grill, model: 60/60 FTE2, number: 2014101700112, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 6 kW, grill dimensions: 595 mm x 470 mm, total dimensions: 630 mm x 600 mm x 420 mm.	100
259	Robot coupe	Parts for Robot coupe support marmite, number: 102736, dimensions: 490 mm x 340 mm x 100 mm.	25
260	Baxtran	2x Baxtran weighing scale, model: SS, serial number: 910516FR0280, 12 V, 830 mA, weighing capacity: 15 kg, dimensions: (2x) 260 mm x 225 mm x 120 mm.	50
261	PMC Millot	3x PMC Millot weighing scales, model: SUPER-SS, serial number: 1212770592, 12 V, 830 mA, maximum weight: 15 kg, dimensions: (3x) 290 mm x 235 mm x 120 mm.	75
262	NN coat rack	3 steel coat racks, dimensions: 930 mm x 450 mm x 320 mm.	30
263	Frigomec S.p.A.	Frigomec S.p.A. pressure vessel, type: FSR 90+2SGR7+SV(R7/R7), number: 0182262, year of construction: 2017, volume: 90 liter, dimensions: 380 mm x 350 mm x 1100 mm.	75
264	Sibola	Sibola seal machine, type: TNDV 500 SFN, serial number: 6198, year of construction: 1988, 110-240 V, 0.26 A, 480 W, seal length: 550 mm, total dimensions: 610 mm x 750 mm x 180 mm.	30
265	Kitchenplus	Kitchenplus refrigerated work bench, dimensions: 1700 mm x 700 mm x 900 mm.	500
266	Coldline	Coldline refrigerated work bench, model: TA13/1M, serial number: 101814695, year of construction: 2014, 230 V, 50 Hz, 3.1 A, 546 W, refrigerant: R452a/260 g, dimensions: 1300 mm x 700 mm x 900 mm.	500
267	Henkelman	Henkelman vacuum machine, type: Boxer 42, machine number: H0B10150003, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 5 A, 0.8 kW, chamber dimensions: 430 mm x 420 mm, seal length: 425 mm, total dimensions: 500 mm x 520 mm x 480 mm.	300
268	NN vacuum machine	Mobile vacuum machine, dimensions chamber: 490 mm x 480 mm, seal length: 445 mm, with Rietschle vacuum pump, type: SVLE 60, number: 246261, capacity: 60 m³/h, 1400 rpm, total dimensions: 800 mm x 680 mm x 1080 mm.	150
269	Cretel	Cretel skinning machine on s/s trolley with foot control, type: 362 RK, number: 16090806, year of construction: 2006,	250



Nr	Title	Description	Start €
		220/400 V, 3 Ph, 50 Hz, 3.8/2.4 A, 0.75 kW, working width: 315 mm, total dimensions: 620 mm x 605 mm x 1050 mm.	
270	Alto-Shaam	Alto-Shaam mobile warming cabinet, model: 750-B/TRP-3, serial number: 5067-13-390, 220 V, 1 Ph, 3000 W, (3x) 12 floors, dimensions each floor: 650 mm x 540 mm, total dimensions: 820 mm x 730 mm x 1920 mm.	750
271	Bartscher GmbH	Bartscher GmbH insect killer, type: GC1-40, number: 300317, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 45 W, dimensions: 640 mm x 100 mm x 370 mm.	20
272	Dadaux	Dadaux meat slicer with integrated cooling, type: NEOCUT, number: P-1656, year of construction: 05-2016, 230 V, 50 Hz, refrigerant: R134a/140 gram, dimensions: 350 mm x 500 mm x 600 mm. Never used.	1000
273	Cretel	Cretel skinning machine on s/s trolley with foot control, type: 361 F, number: 732.98.05, year of construction: 1998, 220/380 V, 3 Ph, 50 Hz, 1.85/1.05 A, 0.37 kW, working width: 315 mm, total dimensions: 600 mm x 500 mm x 1150 mm.	250
274	Renove	Renove mobile bread slicer, working width: 600 mm, distance between knives: 7.5/8.5 mm, total dimensions: 800 mm x 800 mm x 1150 mm.	500
275	Firex	Firex mobile automated multi-purpose industrial cooker, model: CBTE070, serial number: 029527PL11/2011, 400 V, 50 Hz, dimensions: 1000 mm x 730 mm x 1040 mm.	1250
276	Europack	Europack mobile vacuum machine, seal length: (2x) 500 mm, chamber: 500 mm x 520 mm, Busch vacuum pump, type: RA 0040 F 5R3, capacity: 40 m³ per hour, total dimensions: 710 mm x 700 mm x 1050 mm.	1250
277	Italdibipack S.p.A.	Italdibipack S.p.A. mobile heat-shrinking L-sealer system, model: Dibipack 4255EVX restyling, serial number: 022634, year of construction 2021, 230 V, 50/60 Hz, 3.5 kW, weight: 90 Kg, film width: 515 mm, seal length: 570 mm x 440 mm, total dimensions: 800 mm x 1300 mm x 1500 mm. Including 2 extra film rolls.	450
278	VMI	VMI mixer, model: PH602 XV, machine number: 150493, year of construction: 27/03/08, 400 V, 50 Hz, 8.1 A, 2.2 kW, s/s tub, tub dimensions: Ø 450 mm x 450 mm, total dimensions: 1000 mm x 650 mm x 1520 mm. Including extra flat beater.	1000
279	Nilfisk	Nilfisk floor scrubbing machine, type: 421 A, number: 372721, 230 V, 50 Hz, 750 W, diameter brush: 410 mm, total dimensions: 500 mm x 410 mm x 1100 mm. Including extra brush.	100
280	Cretel	Cretel skinning machine with foot control, type: 360F, number: A894.90.03, year of construction: 23-03-1990, 220/380 V, 50 Hz, 2.46/1.42 A, 0.55 kW, working width: 325 mm, total dimensions: 550 mm x 450 mm x 350 mm. Without table.	200
281	Ferrari	Ferrari mobile double jacketed mixer, year of construction: 1993, gas heated, inside dimensions: Ø 490 mm x 640 mm, total dimensions: 690 mm x 680 mm x 2150 mm.	750



Nr	Title	Description	Start €
282	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD semi automatic weigh, wrap and labelling machine, model: AW-4600CP, serial number: 14172045, year of construction: 2014, 220-240 V, 1 Ph, 50/60 Hz, 5 A, 1.0 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=-2.999 kg, dimensions: 1100 mm x 1050 mm x 1500 mm.	1500
283	Schaerer/ Vitrifrido	2 Schaerer coffee machines with Vitrifrido fridge and cabinet, model fridge: C60 P DX, serial number: 16251706, 220/240 V, 50 Hz, 0.17 A, 30.5 W, volume: 60 liter, refrigerant: R600a, dimensions fridge: 430 mm x 470 mm x 610 mm, dimensions coffee machines: (2x) 550 mm x 420 mm x 670 mm, dimensions cabinet: 390 mm x 270 mm x 520 mm.	500
284	Cretel	Cretel mobile skinning machine, working width: 437 mm, total dimensions: 820 mm x 700 mm x 950 mm.	300
285	Weber	Weber mobile skinning machine, type: ASE 553, number: 1110, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 800 mm x 650 mm x 1000 mm.	500
286	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 13102019, year of construction: 20/06/2013, 400 V, 3 Ph, 50/60 Hz, 1.50 A, 0.49 kW, weight: 230 kg, working width: 410 mm, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	400
287	Jac	Jac mobile bread slicer, model: SLD 450/10, number: 00/0046/04, year of construction: 01/00, 380 V, 3 Ph, 50 Hz, 1.8 A, 0.55 kW, weight: 188 kg, working width: 440 mm, distance between knives: 100 mm, total dimensions: 590 mm x 690 mm x 1290 mm.	400
288	Dito-Sama	Dito-Sama planetary mixer, model: BMXE80AS, number: FF357, year of construction: 11/95, 230-400 V, 3 Ph, 50 Hz, 7.1-4.1 A, 2000 W, volume: 80 liter, dimensions: 700 mm x 1100 mm x 1450 mm. Including s/s bowl, whisk and aluminum paddle.	1200
289	Dadaux	Dadaux strip cutter, chamber dimensions: 70 mm x 70 mm x 170 mm, distance between knives: 7 mm, total dimensions: 680 mm x 500 mm x 640 mm.	450
290	Dito-Sama	Dito-Sama spiral mixer, model: XBE20, s/s tub, tub dimensions: Ø 310 mm x 300 mm, total dimensions: 700 mm x 450 mm x 1200 mm. Including extra aluminum whisk and flat beater.	500
291	Maja	Maja mobile skinning machine, type: ESM 5550, serial number: M-55334, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 2.37 A, 0.75 kW, weight: 170 kg, working width: 540 mm, total dimensions: 1000 mm x 860 mm x 1000 mm.	1250
292	Multivac	Multivac tray sealer, type: Galaxy, model: TS 355, machine number: 996, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2.3 A, 8.75 kW, film width: 500 mm, dye: (3x) 211 mm x 163 mm, with Busch vacuum pump, type: RA 0063 E 5Z1, 63 m³/h, total dimensions: 730 mm x 1250 mm x 1540 mm.	1750
293	Reepack		1500



Nr	Title	Description	Start €
		Repack mobile tray sealer, model: 511VG, number: 3803076, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 18 A, dye: 320 mm x 255 mm, film width: 360 mm, with Busch oxygen vacuum pump, type: RC 0063 E 453, number: 03026309, capacity: 63 m <sup>3</sup> per hour, total dimensions: 950 mm x 600 mm x 1540 mm. Including 3 boxes with plastic trays, model trays: 1/2 GN 100 WH CMH 950 CTN.	
294	Firex	Firex cooking vessel, model: HIGH-P070E, number: 29140PH30, year of construction: 2011, volume: 70 L, dimensions: 1300 mm x 900 mm x 1150 mm. Overhauled in 2024.	3000
295	Thermodyne	Thermodyne mobile slow cook and hold oven, model: 1900G, serial number: 14567, year of construction: 1/1/17, 230/440 V, 3 Ph, 50 Hz, 11 A, 10 floors, floor dimensions: 650 mm x 550 mm, total dimensions: 830 mm x 680 mm x 1960 mm.	3500
296	NN forming machine	Forming machine with various diameter forms, diameters: (6x) 15 mm, (4x) 20 mm, (2x) 27 mm, total dimensions: 610 mm x 300 mm x 1100 mm.	150
297	Perfecta	Perfecta fryer, type: Perfection RH, serial number: 160182, year of construction: 2016, 400 V, 105 kW, fuel: natural gas, dimensions: 5800 mm x 950 mm x 2150 mm, including Bartscher steamer, type: KT061, 400 V, 6.9 kW and 2 Amana microwaves, model: URS511MB.	20000
298	Bakon B.V Food Equipment	Bakon B.V Food Equipment jelly machine, model: JELLY JUNIOR, serial number: 1.02.2530, year of construction: 1999, 220 V, 50 Hz, 2000 W, dimensions: 500 mm x 250 mm x 470 mm.	50
299	Romeo Agustoni	Romeo Agustoni salad spinner, model: GT90, number: 0942, 220-380 V, 50 Hz, drum diameter: 450 mm, total dimensions: 650 mm x 600 mm x 1000 mm.	450
300	NN mixer	S/s mobile mixing arm, diameter mixing head: 150 mm, total dimensions: 400 mm x 1250 mm x 1530 mm.	450
301	NN frikadel machine	S/s frikadel machine, 24 V, working width: 300 mm, total dimensions: 650 mm x 500 mm x 450 mm. Technical condition unknown.	250
302	NN paper dispenser	Paper dispenser, maximum size of paper rolls: Ø 700 mm x 1650 mm, total dimensions: Ø 800 mm x 1900 mm.	200
303	Pele Vite	Pele Vite peeler, inside dimensions: Ø 380 mm x 280 mm, total dimensions: 800 mm x 600 mm x 920 mm.	750
304	NN pulper	S/s manual pulper for soft products, perforations: Ø 3 mm, total dimensions: 500 mm x 500 mm x 1000 mm.	150
305	IPSO	IPSO dryer, model: CD10, serial number: 1903034601, 400 V, 3 Ph, 50 Hz, 9.5 A, 5300 W, maximum capacity: 8.2 kg, dimensions: 700 mm x 700 mm x 1050 mm.	200
306	Pama Parsi Machine S.r.l.	Pama Parsi Machine S.r.l. mobile pasteurizer, model: PS 150, serial number: 3621, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 14 A, 9 kW, weight: 150 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 1580 mm x 850 mm x 2450 mm.	2500



Nr	Title	Description	Start €
307	Turbo Systems LTD	Turbo Systems LTD mobile dosing machine, type: UPG110512, machine number: D150P5709666, year of construction: 2011, tub dimensions: Ø 570 mm x 430 mm, total dimensions: 1200 mm x 940 mm x 1725 mm.	750
308	Courvertec	Courvertec transport belt, model: STB-2.5, serial number: 102, plastic belt with dividers, belt width: 150 mm, distance between dividers: 250 mm, total dimensions: 2550 mm x 550 mm x 1260 mm.	300
309	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 814, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 500 mm, total dimensions: 900 mm x 850 mm x 950 mm.	600
310	Thermoplan ag	Thermoplan ag automatic cream whipping machine, type: Whipper 5, serial number: 88508073, 220 V, 50 Hz, 400 W, refrigerant: Freon 12 / 60 g, dimensions: 330 mm x 580 mm x 430 mm.	100
311	Merrychef ltd	Merrychef ltd microwave, model: 2000, serial number: 05M10212, 220 V, 50 Hz, 17.5 A, 3.8 kW, 2250 W, inside dimensions: 490 mm x 350 mm x 190 mm, total dimensions: 600 mm x 400 mm x 480 mm.	50
312	Alpina	Alpina heated showcase, model: ADA SGd 25, fabrication number: 162, year of construction: 2012, 230 V, 50 Hz, 2.5 kW, weight: 65 kg, 3 floors, dimensions floor: (3x) 730 mm x 570 mm, total dimensions: 950 mm x 630 mm x 880 mm. Trolley not included.	450
313	Ora	Ora seal machine, type: 2031, serial number: 1 323, year of construction: 2008, 230 V, 50/60 Hz, 1.5 A, working width: 500 mm, total dimensions: 600 mm x 320 mm x 350 mm.	100
314	Roband Australia Pty Ltd	Roband Australia Pty Ltd grill, model: GSA815R, serial number: 898, year of construction: 2017, 230 V, 50 Hz, 13 A, 2990 W, grill dimensions: 500 mm x 380 mm, total dimensions: 530 mm x 450 mm x 220 mm.	100
315	Roller Grill	Roller Grill grill, type: Salamandre, 380 V, 2 Ph, 4000 W, grill plate dimensions: 750 mm x 300 mm, total dimensions: 860 mm x 450 mm x 450 mm.	150
316	Roband Australia Pty Ltd	Roband Australia Pty Ltd griddle toaster, model: GT700, serial number: 496, year of construction: 2016, 400-230 V, 50 Hz, 12.8 A, 5.9 kW, toaster dimensions: 700 mm x 400 mm, total dimensions: 730 mm x 600 mm x 375 mm.	100
317	Olis	Olis grill, model: SE60/4, number: 80400042, 400 V, 2 Ph, 50-60 Hz, 4000 W, grill plate dimensions: 550 mm x 330 mm, total dimensions: 600 mm x 550 mm x 500 mm.	50
318	Kranzle	Kranzle high pressure cleaner, type: 1150T, 230 V, 50 Hz, 12 A, 2.8/2.0 kW, capacity: 10 liter per minute, dimensions: 300 mm x 300 mm x 1050 mm.	250
319	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190011C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1000



Nr	Title	Description	Start €
320	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190012C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1000
321	Packo	Packo cryogene freezer, type: tunnel, number: 0QF1014, year of construction: 09/01, working width: 645 mm, total dimensions: 4600 mm x 1300 mm x 1780 mm, 4000 mm x 1300 mm x 1750 mm and 4500 mm x 1350 mm x 1800 mm. Incomplete. Missing belt.	5000
322	Videojet	2 Videojet inkjet printer, model: 1620, serial number: 16292105C23ZH and 16190019C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1000
323	NN roller conveyor	Mobile driven roller conveyor, s/s frame, plastic rollers, roller width: 600 mm, total dimensions: 1600 mm x 700 mm x 930 mm.	250
324	Flauw S.A	Flauw S.A mobile transport belt, machine number: 06/113, year of construction: 07/2006, plastic belt, belt width: 350 mm, total dimensions: 1500 mm x 650 mm x 1100 mm.	300
325	IC-S	IC-S mobile mesh belt, type: Grilleband, serial number: IG156-00-0100, year of construction: 2015, 400 V, 3 Ph, 0.25 kW, weight: 110 kg, s/s frame, s/s mesh belt, belt width: 210 mm, total dimensions: 1600 mm x 640 mm x 1365 mm.	300
326	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 500 mm, total dimensions 2100 mm x 1500 mm x 1050 mm.	250
327	AC-Hand	AC-Hand pallet lifter, serial number: 12011395-7/104, year of construction: 2012, capacity: 2500 kg, fork width: 540 mm, fork length: 1150 mm, total dimensions: 1550 mm x 550 mm x 1250 mm. Defect.	25
328	NN roller conveyor	Mobile roller conveyor, s/s frame, plastic rollers, roller width: 540 mm, total dimensions: 1600 mm x 620 mm x 860 mm.	200
329	Alinox	Alinox refrigerated showcase, dimensions: 1430 mm x 390 mm x 450 mm.	400
330	Cryovac	Cryovac mobile bag strapper, model: BL19, serial number: 02002, year of construction: 1978, 220-380 V, 50 Hz, dimensions: 1250 mm x 530 mm x 670 mm.	50
331	Fornotel	Fornotel grill, dimensions: 860 mm x 600 mm x 450 mm.	75
332	Tefcold	Tefcold salad bar, model: VK38-150, 230 V, 50 Hz, 1.0 A, 150 W, refrigerant: R134a/130 g, including 6 1/3 gastro norm bins, dimensions: 1500 mm x 400 mm x 250 mm.	100
333	Quarto	3 Quarto payment systems with receipt printer from which 6 in a frame, dimensions each: 600 mm x 600 mm x 440 mm. Table not included.	300
334	Quarto	4 Quarto payment systems with receipt printer from which 6 in a frame, dimensions each: 600 mm x 600 mm x 440 mm. Table not included.	400
335	GGG Gastro	GGG Gastro salad bar, model: VRX1600/330 S/S, year of construction: 2016, 230 V, 50 Hz, 1.0 A, 150 W, refrigerant:	100



Nr	Title	Description	Start €
		R134a/0.135 kg, volume: 47.9 liter, dimensions: 1600 mm x 350 mm x 270 mm.	
336	Colged	Colged dishwasher, type: PL220 DDI, serial number: 114918, year of construction: 2005, 400 V, 63 A, 35.5 kW, dimensions sink: 940 mm x 840 mm x 1150 mm, dimensions dishwasher: 3000 mm x 800 mm x 1890 mm, dimensions 180° curve: 1400 mm x 820 mm x 850 mm, dimensions roller conveyor: 1150 mm x 630 mm x 860 mm. Rollies not included.	2000
337	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 480 mm, total dimensions: 2000 mm x 650 mm x 850 mm.	200
338	Spako	Spako cooking vessel, type: RHA400, number: 0085 BM 0459, year of construction: 2014, 230 V, 50 Hz, 60 W, 27.9/31 kW, gas heated, natural gas, gas consumption: 2.70 m³ per hour, inside dimensions: 1100 mm x 650 mm x 485 mm, total dimensions: 1400 mm x 1170 mm x 985 mm.	750
339	Rubbens	Rubbens cooking vessel, type: SNK150G, number: 2005 045151 0001, 230 V, 50 Hz, 10 A, 0.7 kW, 2.86 m³ per hour, volume: 150 liter, total dimensions: 1000 mm x 1250 mm x 1250 mm.	250
340	Viessmann	Viessmann boiler with electric burner, model: Vitocorral 200, dimensions: 2100 mm x 820 mm x 2000 mm. Including Reflex pressure vessel.	2000
341	Logitrans	Logitrans s/s pallet lifter, serial number: 083B04064236, year of construction: 2008, capacity: 2000 kg, fork length: 1140 mm, total dimensions: 1600 mm x 520 mm x 1220 mm.	350
342	Logitrans	Logitrans s/s pallet lifter, type: GL 2081RF-SEMI, serial number: 112B04087057, year of construction: 2011, capacity: 2000 kg, fork length: 1140 mm, total dimensions: 1600 mm x 520 mm x 1220 mm.	350
343	NN waste bag holders	5 s/s waste bag holders, dimensions: (5x) 400 mm x 380 mm x 720 mm.	100
344	Insectazap	5 Insectazap insect killers, dimensions: (5x) 380 mm x 120 mm x 340 mm.	50
345	Winterhalter	Winterhalter dishwasher, type: GR1221, number: 230 685, 220 V, 3 Ph, 50 Hz, 30.0 A, 10.5 kW, dimensions: 800 mm x 930 mm x 1610 mm.	250
346	Alpina	Alpina heated showcase, type: ADA WG 20-11, number: 158, year of construction: 2017, 230 V, 50 Hz, 1600 W, 50 kg, total dimensions: 800 mm x 750 mm x 1760 mm.	250
347	Alpina	Alpina heated showcase, type: ADA WG 20-11, number: 144, year of construction: 2017, 230 V, 50 Hz, 1600 W, 50 kg, total dimensions: 800 mm x 750 mm x 1760 mm.	250
348	NN trolley	S/s trolley for dyes, width: 660 mm, total dimensions: 1070 mm x 800 mm x 1330 mm.	100
349	NN frame	S/s frame, dimensions: 900 mm x 820 mm x 1340 mm	25
350	Kwik Lok	Pallet with approximately 28 boxes with large amount of Kwik Lok bag closures.	250



Nr	Title	Description	Start €
351	NN stairs	Stairs with 5 steps, working height: 1100, total dimensions: 950 mm x 3800 mm x 2200 mm.	100
352	NN stairs	Stairs with 6 steps, dimensions: 950 mm x 2900 mm x 1100 mm.	100
353	AHT	AHT mobile freezer, type: RIO S 175, serial number: 331801 00000144, 220-240 V, 50 Hz, 3.70 A, 370 W, netto volume: 396 dm <sup>3</sup> , dimensions: 1730 mm x 650 mm x 900 mm.	100
354	IC-S	IC-S mobile elevating belt with spray unit, plastic belt, belt width: 300 mm, elevating height from 1000 mm to 1400 mm, total dimensions: 6000 mm x 950 mm x 1800 mm.	1250
355	NN lifting table	Lifting table, dimensions: 1550 mm x 1000 mm x 880 mm.	350
356	RDL Engineering N.V.	RDL Engineering N.V. lifting table, type: BX 10-8/6, number: 103.882-04, year of construction: 2015, rated load: 500 kg, dimensions of standing area: 1440 mm x 790 mm, total dimensions: 1550 mm x 900 mm x 1700 mm. Including switch cabinet.	500
357	NN trolley	S/s trolley with large amount of meat hooks, meat hook length: 1300 mm, trolley dimensions: 800 mm x 1220 mm x 1990 mm.	450
358	NN trolleys	2 s/s trolleys with large amount of meat hooks, meat hook length: 1300 mm, trolley dimensions: 800 mm x 1220 mm x 1990 mm.	450
359	NN trolleys	5 s/s trolleys with large amount of meat hooks, meat hook length: 1300 mm, trolley dimensions: 800 mm x 1220 mm x 1990 mm.	450
360	Charot	Charot pressure vessel, type: ECS, year of construction: 09-1994, capacity: 1000 liter, pressure: 7 bar, dimensions: 900 mm x 900 mm x 2500 mm.	100
361	NN cabinet	S/s isolated cabinet with doors on 2 sides, 8 floors, floor dimensions: 360 mm x 500 mm, total dimensions: 1200 mm x 800 mm x 1720 mm. Mounted on pallet.	250
362	NN cabinet	S/s isolated cabinet with doors on 2 sides, 8 floors, floor dimensions: 360 mm x 500 mm, total dimensions: 1200 mm x 800 mm x 1720 mm. Mounted on pallet.	250
363	NN cabinet	S/s isolated cabinet with doors on 2 sides, 8 floors, floor dimensions: 360 mm x 500 mm, total dimensions: 1200 mm x 800 mm x 1720 mm. Mounted on pallet.	250
364	NN cabinet	S/s isolated cabinet with doors on 2 sides, 8 floors, floor dimensions: 360 mm x 500 mm, total dimensions: 1200 mm x 800 mm x 1720 mm. Mounted on pallet.	250
365	NN cabinet	S/s cabinet, inside dimensions: 1900 mm x 280 mm, total dimensions: 2000 mm x 350 mm x 600 mm.	100
366	Grohe	Grohe faucet, dimensions: 240 mm x 240 mm x 200 mm.	25
367	NN burners	2 gas burners, dimensions: (2x) 260 mm x 260 mm x 300 mm.	20
368	NN steps	S/s steps with plastic anti slip grip top, dimensions: 510 mm x 510 mm x 470 mm.	10
369			25



Nr	Title	Description	Start €
	Secoh Sangyo Co. Ltd	Secoh Sangyo Co. Ltd air pump, model: SLL-40, year of construction: 07-2007, 220-240 V, 50 Hz, 35-40 W, capacity: 40 liter per minute, dimensions: 300 mm x 150 mm x 150 mm.	
370	NN mixer	Mixer, mixing diameter: 70 mm, total dimensions: 600 mm x 200 mm x 120 mm.	10
371	Manuraux	7 Manuraux meat hooks, number: 1369, dimensions: (7x) 340 mm x 150 mm.	35
372	Krups	Krups coffee machine, type: KP110, 220-240 V, 50/60 Hz, 1340-1600 W, dimensions: 250 mm x 200 mm x 300 mm.	10
373	Sicli	Sicli foam fire extinguisher, dimensions: 550 mm x 160 mm x 1140 mm.	75
374	NN cabinet	S/s cabinet, inside dimensions: 1750 mm x 310 mm, total dimensions: 1800 mm x 400 mm x 600 mm.	50
375	NN table	Mobile s/s table with plastic top, dimensions: 800 mm x 800 mm x 850 mm.	150
376	NN table	S/s table with plastic work top, dimensions: 2200 mm x 700 mm x 950 mm.	175
377	Leventi	Leventi combi steamer with 6 floors, floor dimensions: 400 mm x 600 mm, total dimensions: 960 mm x 900 mm x 1520 mm.	350
378	OMP-Possenti	OMP-Possenti mobile meat press, type: Einziehpresse PFN1, machine number: 025, year of construction: 1992, with 4 pipes, pipe diameter: 90 mm, 100 mm, 110 mm, 130 mm, total dimensions: 2900 mm x 550 mm x 1500 mm.	300
379	Kerres	Kerres smoking, cooking and frying chamber with smoke generator for wood chips, type: OS 700 o1, serial number: 09.0323, year of construction: 09.89, 380 V, 50 Hz, 6 floors, dimensions floor: (6x) 700 mm x 800 mm, total dimensions: 1060 mm x 920 mm x 1800 mm.	500
380	NN Freezer	Freezer, model: ERC 130, 230 V, 1 Ph, 50 Hz, 4.6 A, 587 W, refrigerant: R290/150 g, freezing capacity: 220 kg/24 h, volume: 1310 liter, 4 floors, floor dimensions: 1250 mm x 500 mm, total dimensions: 1400 mm x 800 mm x 2000 mm.	750
381	Sicli	10 Sicli foam fire extinguishers, volume: 6 liter.	40
382	Sicli	10 Sicli powder fire extinguishers, volume: 9 kg.	75
383	Sicli	10 Sicli foam fire extinguishers, volume: 9 liter.	75
384	Sicli	10 Sicli CO <sub>2</sub> fire extinguishers, volume: 5 kg.	75
385	Sicli	10 Sicli foam fire extinguishers, volume: 9 liter.	75
386	Sicli	15 Sicli foam fire extinguishers, volume: 9 liter.	110
387	Sicli	10 Sicli foam fire extinguishers, volume: 6 liter.	40
388	Xerox	Xerox printer, model: J-B133, 220/240 V, 50/60 Hz, 10 A, dimensions: 800 mm x 700 mm x 1130 mm.	100
389	Mile High Equipment	Mile High Equipment flake ice machine with bunker, model: CF705A48P, serial number: W227-00495-W, 230 V, 1 Ph, 50 Hz, bunker dimensions: 720 mm x 610 mm x 580 mm, total dimensions: 1230 mm x 760 mm x 1040 mm.	500
390	NN platform		300



Nr	Title	Description	Start €
		S/s platform, 14 steps, working height: 2570 mm, total dimensions: 7000 mm x 6000 mm x 3600 mm.	
391	NN platform	S/s platform, working height: 2270 mm, total dimensions: 3000 mm x 4000 mm x 2270 mm.	250
392	BVM Brunner GmbH u. Co.KG	BVM Brunner GmbH u. Co.KG film packaging machine, type: Compacta 5022 EGS, number: 20090641881, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 8 kVA, plastic belt, belt width: 400 mm, knife width: 560 mm, total dimensions: 2600 mm x 1800 mm x 1800 mm.	1500
393	BVM Brunner GmbH u. Co.KG	BVM Brunner GmbH u. Co.KG shrink tunnel, type: SC 4530 SD, number: 20090641882, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 18 kW, plastic mesh belt, belt width: 440 mm, clearance: 450 mm x 330 mm, total dimensions: 2400 mm x 1150 mm x 1620 mm.	1000
394	Bizerba	Bizerba checkweigher with labeller, number: 10743142, 230 V, 50 Hz, 2.4 A, plastic belt, belt width: (2x) 135 mm and 30 mm, labeller number: 10743131, total dimensions: 3550 mm x 950 mm x 1750 mm. Without rollies.	5000
395	Itra	Itra mobile transport belt, number: 10-0342, plastic belt, belt width: 390 mm, total dimensions: 2540 mm x 620 mm x 860 mm.	250
396	NN trolley	Trolley, 4 floors, floor dimensions: 630 mm x 540 mm, total dimensions: 1250 mm x 720 mm x 1530 mm.	100
397	NN trolley	Trolley, 4 floors, floor dimensions: 1250 mm x 560 mm, total dimensions: 1400 mm x 1400 mm x 1560 mm.	100
398	Debotec	Debotec piston filler, dimensions inside: Ø 230 mm x 450 mm, total dimensions: 550 mm x 450 mm x 1150 mm.	750
399	Dito-Sama	Dito-Sama spiral mixer, model: XBE20, s/s tub, tub dimensions: Ø 310 mm x 300 mm, total dimensions: 700 mm x 450 mm x 1200 mm. Including extra whisk and flat beater.	300
400	Etipack	Etipack labelling machine, model: Spiderplus4/8, serial number: 16/000002368, year of construction: 2016, 230 V, 50/60 Hz, 0.8 A, dimensions: 500 mm x 600 mm x 500 mm.	250
401	Röschermatic	Röschermatic mobile vacuum tumbler, type: RH-150, serial number: 542, 380/220 V, 0.85 kW, volume: 150 liter, inside dimensions: Ø 500 mm x 650 mm, total dimensions: 900 mm x 800 mm x 1700 mm. Without vacuum pump.	1000
402	Busch	Busch vacuum pump, type: SV 1025 B 000, number: C0101000363, year of construction: 01, capacity: 25 m³/h, dimensions: 480 mm x 270 mm x 600 mm.	200
403	Busch	Busch vacuum pump, type: SV 1025 B 000, number: NF00810103, year of construction: 96, capacity: 25 m³/h, dimensions: 480 mm x 330 mm x 550 mm.	200
404	Yaskawa	Yaskawa motor, model: KVB 284HTNA7026AA R152 I, serial number: 70013608-02, 460 V, 60 Hz, 1770 rpm, dimensions: 750 mm x 570 mm x 470 mm.	100
405	ABB	ABB motor, dimensions: 600 mm x 470 mm x 440 mm.	100



Nr	Title	Description	Start €
406	Elektrimax	Elektrimax motor, model: CC068A, dimensions: 430 mm x 300 mm x 230 mm.	100
407	Busch	Busch vacuum pump, type: SV 1025 B 000 1 KXX, number: C0002000116, year of construction: 00, capacity: 25 m³/h, dimensions: 550 mm x 440 mm x 370 mm.	200
408	Busch	Busch vacuum pump, type: SV 1016 B 000, serial number: C0219000166, year of construction: 02, capacity: 16 m³/h, dimensions: 420 mm x 210 mm x 320 mm.	200
409	Busch	Busch vacuum pump, type: SV 1025 C 000, number: C0333000262, year of construction: 03, dimensions: 480 mm x 250 mm x 440 mm.	200
410	ABB	ABB motor, model: 3GQA 082301-BSA, serial number: 3GC11500367239011050, year of construction: 2011.1, weight: 17 kg, dimensions: 380 mm x 200 mm x 230 mm.	100
411	ABB	ABB motor, model: 3GQA 132101-HDA, number: 3GC11500365471011020, year of construction: 2011.1, dimensions: 460 mm x 250 mm x 330 mm.	100
412	NN skinning machine	Skinning machine for fish, working width: 30 mm, dimensions: 330 mm x 260 mm x 90 mm.	100
413	NN transport belt	Transport belt, s/s mesh belt, belt width: 170 mm, total dimensions: 4700 mm x 500 mm x 860 mm.	200
414	Dadaux	Dadaux grinder, type: SETNA, serial number: 0-1375, year of construction: 03/15, 400 V, 50 Hz, refrigerent: R134a, plate diameter: 80 mm, total dimensions: 550 mm x 450 mm x 500 mm.	300
415	Mondial	Mondial refrigerator, 230 V, dimensions: 700 mm x 870 mm x 1930 mm.	100
416	NN machine parts	large amount of machine parts.	100
417	NN machine parts	large amount of machine parts.	100
418	NN switch cabinet	Switch cabinet, dimensions: 920 mm x 330 mm x 1080 mm.	100
419	Embraco	2 Embraco cooling compressors with fans, model: UNEU2168U, number: 563IA0304AA, 220/240 V, 1 Ph, 50 Hz, dimensions: 340 mm x 340 mm x 300 mm, 500 mm x 400 mm x 340 mm.	100
420	NN parts	21x gas springs, 2x Illinois Pneumatics, model: 16SAL-1-CMB-NS, 2x Clippard Minimatic, 17x Bimba Stainless.	200
421	Bizerba	Bizerba slicer parts.	50
422	Bilanciai	Bilanciai weighing scale, model: EV7-S, 230 V, dimensions: 460 mm x 570 mm x 540 mm.	50
423	Bizerba	Bizerba automatic slicer parts, model: A406 FB, s/s mesh belt, dimensions: 840 mm x 720 mm x 640 mm, 1220 mm x 270 mm. Including diverse parts.	100
424	Aariac	Aariac air compressor, model: CPRD 4200 N 8298 MT V230, year of construction: 2014, 230 V, 3 Ph, 50 Hz, 3 kW, maximum	100



Nr	Title	Description	Start €
		pressure: 11 bar, weight: 121 kg, dimensions: 1550 mm x 500 mm x 950 mm.	
425	AHT	AHT freezer, model: RIO S 175, type: B 835N, serial number: 331801 00000180, 220-240 V, 50 Hz, 3.7 A, 370 W, refrigerant: R290/0.080 Kg, inside dimensions: 1600 mm x 500 mm, total dimensions: 1730 mm x 650 mm x 880 mm.	100
426	AHT	AHT Cooling Systems GmbH mobile chest freezer, type: PARIS 185(-), serial number: 250301 0368064, year of construction: 05-2009, 220-240 V, 50 Hz, 2.8 A, 480 W, refrigerant: R4040A, 0.230 kg, volume: 625 dm <sup>3</sup> , dimensions: 1820 mm x 900 mm x 1000 mm.	100
427	Deko	Deko slicer, model: 800 S, number: 516263, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 180 W, dimensions: 570 mm x 750 mm x 590 mm.	200
428	Ebara	2 Ebara centrifugal pumps, type: (2x) 3M/I 65-200/15 IE3, year of construction: 09/2017, / 10.2020, 400 V, 3 Ph, 50 Hz, capacity: (2x) 42-132 m <sup>3</sup> per hour.	1500

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products.

Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

### **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

### **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## Industrial Auctions

## Notes

# CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

