



**Industrial  
Auctions**

**2029: Online auction machinery for the food  
industry in Bożacin (PL)**

**END DATE**  
08 January 2026 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	08 January 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	15 January 2026 from 09:00 till 16:00 hrs.
Pick up address	Ul. Ogrodowa 43 63-700 Bożacin Poland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Vemag	Vemag vacuum filling machine with lifter for meat bins, model: HP20E, number: 1630035, year of construction: 2007, 400-460/575 V, 3 Ph, 50/60 Hz, 31/35/29 A, 25 kW, dimensions: 2200 mm x 1400 mm x 2150 mm.	9500
2	Multivac	Multivac mobile traysealer, type: Galaxy, model: TS 355, machine number: 948, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 23 A, 8.75 kW, Busch vacuum pump, type: RA 0100 E 5Z1, number: 01003130, capacity: 100 m³ per hour, dimensions dyes: (4x) 180 mm x 140 mm, total dimensions: 1400 mm x 800 mm x 1550 mm.	1500
3	Poly-clip System GmbH & Co. Kg	Poly-clip System GmbH & Co. Kg mobile double clipper, type: FCA 120, number: 143, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 6.0 A, 4.0 kW, plastic outfeed belt, belt width: 75 mm, total dimensions: 2100 mm x 1250 mm x 1850 mm.	17500
4	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bin, type: VF 830, number: 38725, year of construction: 2016, 200/575 V, 50/60 Hz, 7.2/17.3 A, 6 kW, dimensions: 2200 mm x 1500 mm x 2150 mm. Including crate with parts.	30000
5	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 228-01, number: 16800980, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 8.3 A, 5.5 kW, weight: 655 kg, type hanging line: 242-16, number: 10903245, year of construction: 2016, weight: 210 kg, dimensions hanging line: 2600 mm x 700 mm x 1500 mm, dimensions linking machine: 1800 mm x 900 mm x 1500 mm.	10000
6	Carnia	Carnia paunch washer, inside dimensions: Ø 950 mm x 250 mm, total dimensions: 1500 mm x 1200 mm x 1300 mm. Technical condition unknown.	800
8	Henkelman	Henkelman mobile double chamber vacuum machine, type: 600, machine number: 600406052, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 12 A, 2.7 kW, seal length: (2x) 620 mm, dimensions chamber: 770 mm x 700 mm, total dimensions: 1500 mm x 800 mm x 1400 mm.	2000
9	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG vacuum machine, type: VC999 07PF15, machine number: 07921568, year of construction: 1992, 400 V, 3 Ph, 50 Hz, 25 A, 10 kW, Rietschle vacuum pump, type: CLFH 200 (20), year of construction: 2000, capacity: 200 m³ per hour, seal length: 950 mm and (2x) 450 mm, dimensions chamber: 950 mm x 450 mm, plastic outfeed rollers, roller width: 480 mm, total dimensions: 1250 mm x 750 mm x 1050 mm.	1000
10	Cintex	Cintex mobile metal detector, model: Auto 2, serial number: 15776, 220 V, plastic belt, belt width: 600 mm,	1000



Nr	Title	Description	Start €
		clearance: 640 mm x 320 mm, total dimensions: 1800 mm x 1200 mm x 1450 mm.	
11	Ballweg + Böttner GmbH	Ballweg + Böttner GmbH mobile multi slicer, type: 900SZ, serial number: 72000910, year of construction: 2017, 400 V, 50 Hz, 16 A, 1.1 kW, weight: 820 kg, working width: 850 mm, total dimensions: 1050 mm x 1350 mm x 2050 mm.	1250
12	Loma Systems	Loma Systems mobile pipeline metal detector, model: IQ <sup>2</sup> , clearance: Ø 53 mm, total dimensions: 550 mm x 500 mm x 1530 mm.	1250
13	Birgter Maschinenfabrik GmbH	Birgter Maschinenfabrik GmbH mobile organic shredder, type: AZV, number: 820211, year of construction: 1982, 380 V, 50 Hz, 8.7 A, 4 kW, dimensions: 820 mm x 820 mm x 1480 mm.	750
14	Safeline	Safeline mobile pipeline metal detector, type: 477/SF/05_1, serial number: 80466, 230 V, 50 Hz, 4-6 A, clearance: Ø 55 mm, total dimensions: 700 mm x 600 mm x 1360 mm.	500
15	Risco	Risco cooled vacuum double shaft paddle mixer, model: RS 200 SV, number: 000109, year of construction: 1988, volume: 200 liter, Rietschle vacuum pump, type: VGA-15, capacity: 14/16 m <sup>3</sup> per hour, total dimensions: 1400 mm x 800 mm x 1500 mm.	2500
16	Vemag	Vemag vacuum filling machine, model: ROBBY, number: 136 0192, year of construction: 2005, 400-460 V, 3 Ph, 50/60 Hz, 11 A, 5.4 kW, dimensions: 900 mm x 1000 mm x 1700 mm.	3500
17	Vemag	Vemag waterwheel, 8 outfeed gaps, dimensions: 550 mm x 900 mm x 1400 mm.	4000
18	Westfalia	Westfalia bowl mixer, volume: 350 liter, inside dimensions: Ø 1100 mm x 600 mm, total dimensions: 1700 mm x 1100 mm x 1540 mm.	1750
19	NN bandsaw	Bandsaw, dimensions: 1050 mm x 1250 mm x 1900 mm.	750
20	Vemag	Vemag mobile depositor, model: SK4675, number: SK4675000000, year of construction: 2009, 400-460 V, 3 Ph, 50/60 Hz, 1.5 A, 0.5 kW, 6 heads, inside dimensions vessel: Ø 350 mm x 400 mm, total dimensions: 800 mm x 950 mm x 1950 mm.	2500
21	Vemag	Vemag mobile portioning machine, model: MMP 220, number: 2200537, year of construction: 2014, 400/460 V, 3 Ph, 50/60 Hz, 2 A, 1.5 kW, plastic belt, belt width: 240 mm, knife width: 260 mm, total dimensions: 1670 mm x 650 mm x 1270 mm.	3800
22	Kolbe	Kolbe mobile portioning machine, type: PF 110, machine number: 76 0017, year of construction: 2001, 230 V, 3 Ph, 50 Hz, 7.6 A, 0.2 kW, diameter infeed: 140 mm, clearance: 110 mm x 25 mm, total dimensions: 650 mm x 360 mm x 900 mm.	500



Nr	Title	Description	Start €
23	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, type: F-LINE F222, machine number: F222T1074179, year of construction: 2019, 400 V, 50/60 Hz, 11.10 kW, dimensions: 2000 mm x 1340 mm x 1980 mm. Including crate with parts.	10000
24	Electrolux Professional AG	Electrolux Professional AG cooking vessel, model: PBEN08EJEM, serial number: 41510001, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 26 A, 18.2 kW, inside dimensions: 550 mm x 350 mm x 440 mm, total dimensions: 950 mm x 700 mm x 920 mm.	500
25	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP 5, number: 151 0060, year of construction: 2015, 400-460 V, 3 Ph, 50/60 Hz, 10 A, 6 kW, Vemag vacuum pump, type: KC 0016, serial number: D15321035, year of construction: 2015, capacity: 16 m <sup>3</sup> per hour, dimensions: 1840 mm x 1280 mm x 1990 mm. Including filling pipes.	10000
26	Vemag	Vemag linking attachment, type linking attachment: 859 000 330, dimensions: 310 mm x 140 mm x 265 mm.	550
27	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP6, number: 152 0068, year of construction: 2015, 220/240 V, 3 Ph, 50/60 Hz, 6.5 kW, Vemag vacuum pump, type: KC 0016, serial number: CZM123160122, year of construction: 2023, capacity: 19 m <sup>3</sup> per hour, dimensions: 1760 mm x 1280 mm x 2170 mm.	12500
28	Vemag	Vemag linking attachment and case holding device, linking attachment number: 859-0-1237, case holding device number: 8020036, dimensions: 480 mm x 310 mm x 130 mm.	1250
29	Vemag	Vemag mobile indexing conveyor, model: 712, number: 7120301, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 2.7 A, 1.9 kW, weight: 650 kg, plastic belt, belt width: 1000 mm, total dimensions: 4850 mm x 1750 mm x 970 mm.	4500
30	Vemag	Crate with plates for Vemag grinding head, diameter plates: 130 mm, diameter perforations: 7 mm and 2 mm.	150
31	Vemag	Crate with plates for Vemag grinding head, diameter plates: 130 mm, diameter perforations: 7 mm and 2 mm.	150
32	Vemag	Crate with plates for Vemag grinding head, diameter plates: 130 mm, diameter perforations: 7 mm and 2 mm.	150
33	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOTHP10, type: 140/250B-1, number: 1400512, year of construction: 1995, 220/240 V, 3 Ph, 50/60 Hz, 37 A, dimensions: 2200 mm x 1240 mm x 2030 mm.	3500
34	Unimasz	Unimasz sole cleaner, type: MPB-02, serial number: 1658/17/002, year of construction: 2017, brush length:	750



Nr	Title	Description	Start €
		1000 mm, total dimensions: 1900 mm x 1000 mm x 1250 mm.	
35	Kittner-Bulgaria	Kittner-Bulgaria hygiene station, serial number: 08554, year of construction: 2007, 400 V, 50 Hz, 0.6 kW, dimensions: 1850 mm x 1100 mm x 1650 mm.	750
36	Solia	Solia mobile vegetable slicer, type: G450, number: 459504, year of construction: 1995, output: Ø 340 mm, dimensions: 1150 mm x 700 mm x 1320 mm. Including extra knives.	1500
37	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile steaker presser, type: GTP 600, serial number: 34477, year of construction: 2015, 400 V, 16 A, 4.5 kW, plastic belt, belt width: 595 mm, working width: 570 mm, total dimensions: 2250 mm x 2050 mm x 2050 mm.	4500
38	Vakona GmbH	Vakona GmbH mobile vacuum tumbler, type: 100 IP, number: 9041, year of construction: 2001, 230/400 V, 50 Hz, 2.6 A, 1.0 kW, volume: 100 liter, Busch vacuum pump, type: RB 0009 D, number: 05007184, year of construction: 2005, capacity: 9 m <sup>3</sup> per hour, dimensions: 1200 mm x 800 mm x 1300 mm. Without agitator.	1750
39	NN boot cleaner	Boot cleaner, type: SRGI-IISIL95110, year of construction: 1995, 400 V, 16 A, 0.75 kW, dimensions brush: (3x) 370 mm and (2x) 180 mm, total dimensions: 1200 mm x 760 mm x 1280 mm.	450
40	Parker	Parker hydraulic pump in s/s cabinet, dimensions: 900 mm x 410 mm x 510 mm.	250
41	NN ham press	S/s mobile ham press, inside dimensions: 1200 mm x 300 mm x 900 mm.	250
42	Höcker	Höcker sole cleaner, type: DSOWM-800, machine number: 1121390-2, 400 V, 3 Ph, 2 x 0.25 kW, brush length: (2x) 750 mm, total dimensions: 2100 mm x 1060 mm x 1200 mm.	450
43	Vemag	Vemag mobile hamburger forming machine, model: FM250, number: 2500630, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 2.5 kW, diameter clearance: 70 mm, plastic belt, belt width: 250 mm, total dimensions: 2100 mm x 860 mm x 1550 mm.	7500
44	Bakeres Sp. z o.o	Bakeres Sp. z o.o vacuum paddle mixer, model: MIESIARKA PRÓZNIOWA, serial number: UM_1600_0111, year of construction: 2023, 230 V, 50 Hz, 1.3 kW, weight: 280 kg, volume: 400 liter, dimensions: 1600 mm x 1150 mm x 1450 mm.	2500
45	NN sole cleaner	Sole cleaner, brush length: (2x) 720 mm, total dimensions: 1300 mm x 900 mm x 1300 mm.	750
46	Kilia	Kilia cutter, type: EX2000S, serial number: 3819178, 380 V, 35/44 A, 16/20 kW, steel bowl and s/s knives, volume: 65 liter, dimensions: 1300 mm x 1100 mm x 1200 mm.	1750
47	Vemag		4500



Nr	Title	Description	Start €
		Vemag mobile vacuum filling machine, model: Robot 500, serial number: 1284785, year of construction: 2014, 400-460 V, 3Ph, 50/60 Hz, 13 A, 4.9 kW, Vemag vacuum pump, type: KC 0016, serial number: D14421335, year of construction: 2014, capacity: 16 m <sup>3</sup> per hour, grinder head diameter: 100 mm, total dimensions: 980 mm x 650 mm x 1750 mm. Including extra parts.	
48	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine, type: KONTE-E120, machine number: KE120007974, 400 V, 50 Hz, 5.1 kW, dimensions: 700 mm x 1150 mm x 1700 mm.	4500
49	Mettler Toledo / Safeline	Mettler Toledo / Safeline mobile pipeline metal detector, serial number: 166893, clearance: Ø 60 mm, total dimensions: 750 mm x 700 mm x 1330 mm.	500
50	Bizerba	Bizerba mobile slicer, s/s mesh belt, belt width: 300 mm, total dimensions: 2370 mm x 890 mm x 1830 mm.	2500
51	Gamar	Gamar hygiene station, consisting of: sole cleaner and hand disinfection unit, model: STERIPLUS INOX, serial number: 10105562, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 0.4 A, 40 W, brush length: (2x) 1100 mm, total dimensions: 2120 mm x 1150 mm x 1630 mm.	950
52	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP10E, number: 1570058, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 18 A, 12 kW, dimensions: 2050 mm x 1300 mm x 2100 mm.	15000
53	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins and mincing and portioning attachment, model: HP20E, number: 1630709, year of construction: 2014, 400-460 V, 3 Ph, 50-60 Hz, 38 A, 23 kW, dimensions: 1400 mm x 2000 mm x 1950 mm. Without vacuum pump.	12500
54	Elpress Cleaning Systems	Elpress Cleaning Systems hygiene station, consisting of: sole cleaner and tourniquet, type: 12705749-83202080, serial number: 17785, year of construction: 14-01-2013, 400 V, 50 Hz, 16 A, 0.1 kW, maximum pressure: 3 bar, maximum temperature: 40 °C, weight: 180 kg, brush length: (2x) 1500 mm, total dimensions: 2630 mm x 920 mm x 1550 mm.	950
55	Poly-clip System GmbH & Co. Kg	Poly-Clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 160, number: 184, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 6.0 A, 4.0 kW, 5-7 bar, dimensions: 1500 mm x 1120 mm x 1850 mm.	17500
56	FAM	FAM mobile slicer / dicer, type: CHD-3D, number: 5277, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 7.5 kW, weight: 475 kg, adjustable thickness from 1.5 mm to 19.05 mm, length crosscut knives maximum 38.1 mm, total dimensions: 1460 mm x 1240 mm x 1860 mm.	6500
57	CFS Slagelse A/S	CFS Slagelse A/S cooled double shaft paddle mixer on weighing cells, type: UNIMIX I 2500, machine number:	17500





Nr	Title	Description	Start €
		5000068168 POS 26, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 41.2 A, 22 kW, CO2 injection, volume: 2500 liter, dimensions: 4600 mm x 2200 mm x 3500 mm.	
58	CFS Slagelse A/S	CFS Slagelse A/S cooled double shaft paddle mixer on weighing cells, type: UNIMIX I 2500, machine number: 5000068161 POS 25, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 41.2 A, 22 kW, CO2 injection, volume: 2500 liter, dimensions: 4600 mm x 2200 mm x 3500 mm.	17500
59	GEA Niro Soavi S.p.A.	GEA Niro Soavi S.p.A. mobile homogenizer, type: 2006 L, serial number: 3812, year of construction: 1999, maximum pressure: 150 Mpa, rated flow: 40 dm <sup>3</sup> per hour, dimensions: 880 mm x 670 mm x 1370 mm.	1500
60	NN mixing tank	S/s mixing tank, volume: 1000 liter, dimensions: 1200 mm x 1200 mm x 2200 mm.	850
61	Inotec	Inotec mobile sausage slicer, type: WT 99-S, machine number: 007-182, year of construction: 2008, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 2 kW, clearance: 30 mm x 60 mm, total dimensions: 900 mm x 780 mm x 1500 mm.	2000
62	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile double clipper, type: FCA 50, number: 115, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 6.0 A, 4.0 kW, 5-7 bar, dimensions: 1700 mm x 1000 mm x 1850 mm.	12500
63	Bobet Materiel	Bobet Materiel sole and boot cleaner, type: LBM LS, serial number: 1140, year of construction: 1999, brush length: (4x) 480 mm and (2x) 400 mm, total dimensions: 900 mm x 1500 mm x 1300 mm.	750
64	Rühle	Rühle cooled vacuum tumbler with lifter for 200 liter meat bins, model: MKR 300, number: 178, Becker vacuum pump, type: U 1.16 SA-31, year of construction: 2000, capacity: 16/19 m <sup>3</sup> per hour, dimensions: 2000 mm x 1250 mm x 3000 mm.	2500
65	NN filter tub	Mobile s/s filter tub for injector, dimensions: 2000 mm x 1200 mm x 520 mm.	450
66	Scanio Technology	Scanio Technology satellite station, type: S 3100, dimensions: 500 mm x 400 mm x 200 mm.	75
67	Wolfking	Wolfking frozen meat grinder, type: C 400-Uni, number: 61671, year of construction: 2001, 400 V, 50 Hz, 162 A, 90 kW, diameter plate: 400 mm, total dimensions: 2500 mm x 2900 mm x 1600 mm. With Carnitech lifter for meat bins, type: L25, number: 3882, year of construction: 1986, 220 V, 3 Ph, 3.1 A.	19000
68	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile clipper, type: FCA 3430, number: 215, year of construction: 2002, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, 5-7 bar, dimensions: 1600 mm x 1450 mm x 2000 mm. Completely overhauled.	15000
69	NN hygiene station		1200





Nr	Title	Description	Start €
		Hygiene station, consisting of: sole cleaner, hand disinfection unit and tourniquet, brush length: (2x) 1600 mm, total dimensions: 2550 mm x 1050 mm x 1810 mm.	
70	Diosna	Diosna mixer, type: SP 120-E, number: 933-006, 400 V, 3 Ph, 50 Hz, 27 A, 10.7 kW, s/s bowl, volume bowl: 120 liter, plastic outfeed belt, belt width: 280 mm, total dimensions: 2370 mm x 1480 mm x 1550 mm.	4500
71	Kilia	Kilia cutter, serial number: 59814041, s/s bowl and knives, volume bowl: 60 liter, dimensions: 1200 mm x 1300 mm x 1300 mm, including switch cabinet, dimensions: 900 mm x 1100 mm x 500 mm.	4500
72	Townsend	Townsend mobile sausage peeler with suction device, model: 2600, serial number: 10068, year of construction: 2008, 380 V, 3 Ph, 50 Hz, 2.07/8.0 A, 7.5/3.7 kW, diameter pipe: 65 mm, total dimensions: 2200 mm x 700 mm x 1450 mm.	2500
73	Kolbe	Kolbe bandsaw, type: K 330, serial number: 98 0203, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1750 mm.	1750
74	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, model: FGM 88sw, machine number: 9315-2015, 400 V, 3 Ph, 50 Hz, 26 A, s/s walking beam, beam width: 600 mm, dimensions: 2350 mm x 1350 mm x 2300 mm.	2500
75	Dieta Oy	Dieta Oy steam heated double jacketed cooking vessel, model: Maxer-400, serial number: 051008, 380-415 V, 3 Ph, 78 A, 54 kW, volume: 400 liter, dimensions: 1730 mm x 1480 mm x 1900 mm.	1500
76	Dieta Oy	Dieta Oy double tiltable cooking vessel, model: PEC, serial number: 2011, year of construction: 2011, 380-415 V, 3 Ph, 25-42 A, 15-27 kW, inside dimensions: Ø 700 mm x 350 mm and Ø 550 mm x 330 mm, total dimensions: 2450 mm x 950 mm x 1050 mm.	1000
77	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP12E, number: 1650655, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 27 A, 16 kW, Vemag vacuum pump, type: KC 0040 D IZO, serial number: D15251636, year of construction: 2015, capacity: 16 m³ per hour, dimensions: 2300 mm x 1380 mm x 2050 mm.	25000
78	Mettler Toledo	Mettler Toledo metal detector with rejector, model: V45 C, serial number: 121031, plastic belt, belt width: 240 mm, clearance: 350 mm x 120 mm, total dimensions: 2400 mm x 1100 mm x 1100 mm.	1000
79	Handtmann	Handtmann mobile hanging line, type: 241-16, number: 647, year of construction: 2007, dimensions: 2650 mm x 750 mm x 1550 mm.	1200
80	Handtmann		30000



Nr	Title	Description	Start €
		Handtmann vacuum filling machine with lifter for meat bins and grinding attachment, type: VF630, number: 35447, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 26 A, 18 kW, Busch vacuum pump, type: KB 0040 D IZO, serial number: D18370192, capacity: 40 m <sup>3</sup> per hour, dimensions: 2000 mm x 1400 mm x 2300 mm. Grinding attachment incomplete.	
81	Eillert	Eillert mobile vegetable slicer, type: G3300, serial number: 416-9211, 220 V, 1 Ph, plastic belt, belt width: 250 mm, clearance: 260 mm x 175 mm, total dimensions: 2300 mm x 850 mm x 2000 mm.	1500
82	Redpack	Redpack flowpacker, type: P3250, machine number: 846, year of construction: July 2011, 380/415 V, 3 Ph, weight: 1500 kg, seal width: 300 mm, dimensions: 5400 mm x 1200 mm x 2000 mm.	3500
83	Vemag	Vemag vacuum filling machine, model: HP 20 E, number: 1630393, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 37 A, 20 kW, dimensions: 1450 mm x 1250 mm x 2070 mm.	8500
84	Laska	Laska double shaft z-arm mixer, type: V952, double jacketed, inside dimensions: 1010 mm x 760 mm x 700 mm, total dimensions: 1970 mm x 1050 mm x 1620 mm. Including switch cabinet, dimensions: 600 mm x 260 mm x 750 mm and N&N lifter for 200 liter meat bins, lifting height: 1800 mm, capacity: 250 kg, total dimensions lifter: 1180 mm x 800 mm x 2980 mm.	12500
85	Inotec	Inotec double shaft paddle-mixer on weighing cells, type: IM-1000, machine number: 300-00183, year of construction: 2005, 230/400V, 3 Ph, 50 Hz, 18.8 A, 11.2 kW, volume: 1500 litres, dimensions: 3300 mm x 1350 mm x 1800 mm.	5000
86	Loma Systems	Loma Systems metal detector with rejector, model: MDP305, serial number: 20113D, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 0.5 A, plastic mesh belt, belt width: 505 mm, clearance: 550 mm x 165 mm, total dimensions metal detector: 2150 mm x 1040 mm x 1640 mm, total dimensions roller conveyor: 1550 mm x 840 mm x 1340 mm.	2500
87	Henkelman	Henkelman mobile traysealer, type: Vortex, machine number: V1004008, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 6 A, 4 kW, dimensions dye: (2x) 160 mm x 210 mm, with Busch vacuum pump, type: RB 0021 B 3Z4, year of construction: 2008, capacity: 21 m <sup>3</sup> per hour, total dimensions: 630 mm x 900 mm x 1500 mm. With extra dye, dimensions: (6x) 100 mm x 80 mm.	1500
88	Handtmann	Handtmann vacuum filling machine with lifter for meat bins and grinding attachment, type: VF628, number: 24750, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 26	12500



Nr	Title	Description	Start €
		A, 18 kW, Busch vacuum pump, type: KB 0040 D IZO, capacity: 40 m³ per hour, dimensions: 2200 mm x 1400 mm x 2300 mm. Grinding attachment incomplete.	
89	Jugema	Jugema cooking vessel, type: K80(P)-W, serial number: 438/211/14, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 6 bar, weight: 850 kg, inside dimensions: 1900 mm x 900 mm x 520 mm, total dimensions: 2500 mm x 1400 mm x 1500 mm.	3000
90	Röschermatic	Röschermatic mobile tumbler, type: MM-300, serial number: 1328, 50 Hz, 0.9 kW, volume: 300 liter, dimensions: 1080 mm x 1000 mm x 1680 mm.	750
91	Seewer Rondo	Seewer Rondo mobile dough sheeter, type: 391, number: 874002, dimensions: 3300 mm x 900 mm x 1150 mm.	500
92	Weber	Weber mobile skinning and derinding machine, type: ASB 560, number: 198, year of construction: 2006, 400 V, 50 Hz, 1.1 kW, weight: 400 kg, plastic belt, belt width: 500 mm, working width: 500 mm, total dimensions: 2100 mm x 1000 mm x 1250 mm. Missing derinding roll and knife.	1250
93	Kolbe	Kolbe mobile bandsaw, type: K 380 RS, serial number: 89 0011, year of construction: 2014, 400 VAC, 3 Ph, 50 Hz, 5.7 A, 2.5 kW, weight: 265-275 kg, s/s rollers, roller width: 380 mm, total dimensions: 600 mm x 860 mm x 1840 mm.	2000
94	Metos	Metos tiltable cooking vessel, type: PROVENO 3G300S D253, serial number: 10912001160020, year of construction: 2020, 400/230 V, 3 Ph, 50 Hz, 18 A, 5 kW, volume: 300 liter, dimensions: 1600 mm x 1100 mm x 1600 mm.	4000
95	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: FCA 3430, 230/400 V, 50/60 Hz, 16 A, 3 kW, dimensions: 1600 mm x 1450 mm x 2000 mm. Missing front wheel.	5000
96	Robot Coupe	Robot Coupe universal machine, type: R 30 5400 W, serial number: A3320119311, 400 VAC, 3 Ph, 50 Hz, 10/11.6 A, 4400 Watt, volume: 30 liter, dimensions: 730 mm x 590 mm x 1240 mm. Including extra parts.	2000
97	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic clipper, type: FCA 3430, number: 859, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, weight: 595 kg, dimensions: 1600 mm x 1250 mm x 2000 mm.	12500
98	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF622, number: 15280, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 13 A, 9 kW, Busch vacuum pump, type: KB 0040 D, number: 060098007, year of construction: 2009, capacity: 40 m³ per hour, dimensions: 1750 mm x 1000 mm x 1400 mm.	11000
99	Rational AG		1500



Nr	Title	Description	Start €
		Rational AG Vario Cooking Center, type: VCC 211, serial number: E21VG10108007500, 400 V, 3 Ph, 28 kW, water pressure: 150-600 kPa, dimensions: 1140 mm x 930 mm x 1100 mm.	
100	NN hamburger forming machine	Mobile hamburger forming machine, dimensions: 980 mm x 710 mm x 1890 mm. Incomplete, technical condition unknown.	250
101	Solia	Solia mobile grinder / strip cutter, type: M30, machine number: 66/01 0200, 400 V, 3 Ph, 50 Hz, 3.3/3.9 A, 1.4/1.8 kW, diameter plate: 80 mm, working width strip cutter: 190 mm, distance between knives: 20 mm, total dimensions: 1000 mm x 600 mm x 950 mm.	500
102	Handtmann	Handtmann mobile linking machine, type: 241-21, number: 507, year of construction: 2002, dimensions: 1750 mm x 1000 mm x 1400 mm.	4000
103	Sepamatic	Sepamatic separator with infeed hopper with product screw and lifter for 200 liter meat bins, type: SEPA 1200 ST, machine number: 196186, 400 V, 50 Hz, 14 A, 7 kW, dimensions: 2000 mm x 1600 mm x 3100 mm. Including s/s trolley with machine parts.	15000
104	Waldner	Waldner sleever, type: Sleever, machine number: 2654, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 36 A, 25 kW, 6.0 bar, weight: 3800 kg, jars/cups per hour : 3600, NORDSON glue unit, type: PROBLEU L7, Busch vacuum pump, type: SV 1040 C 000 INXX, dimensions: 5950 mm x 1900 mm x 2500 mm.	7000
105	Seydelmann	Seydelmann emulsifier, type: KK250AC6, machine number: 10144-1, year of construction: 2010, 400 V, 50 Hz, 368 A, 205 kW, diameter plate: 250 mm, total dimensions: 2400 mm x 1000 mm x 2100 mm. With trolley and 2 pallets with parts, dimensions trolley: 1200 mm x 800 mm x 1000 mm. Technical condition unknown.	17500
106	Mainca	Mainca piston filler, model: EM 25, number: 3139, year of construction: 1997, 380 V, 1 Ph, 50 Hz, 2.9 A, 1.1 kW, volume: 25 liter, dimensions: 470 mm x 460 mm x 1110 mm. Including filling pipes.	650
107	Karl Schnell GmbH & Co. KG	Karl Schnell GmbH & Co. KG emulsifier, model: F150, type: 049, machine number: 38717, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 32 A, 7.5 kW, weight: 152 kg, dimensions: 950 mm x 700 mm x 1100 mm.	4500
108	Karl Schnell GmbH & Co. KG	Karl Schnell GmbH & Co. KG process automat, model: B22-300, type: 250, machine number: 25342, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 60 A, 32 kW, dimensions: 1500 mm x 1000 mm x 2050 mm.	7500
109	NN cutter	Cutter, s/s bowl, dimensions bowl: Ø 1030 mm x 195 mm, s/s knives, total dimensions: 1790 mm x 1400 mm x 1890 mm.	850
110	NN mixer		3500



Nr	Title	Description	Start €
		Double shaft ribbon mixer with lifter for 200 liter meat bins, inside dimensions: 1900 mm x 1300 mm x 1000 mm, total dimensions: 2990 mm x 2030 mm x 2680 mm.	
111	NN crates	Approximately 98 plastic crates, dimensions: (98x) 730 mm x 410 mm x 170 mm.	100
112	CFS Slagelse A/S	CFS Slagelse A/S grinder for frozen & fresh meat, type: AUTOGRIND-280, machine number: 63995, year of construction: 2004, 400 V, 50 Hz, 223.04 A, 165.50 kW, diameter plate: 280 mm, total dimensions: 2500 mm x 1200 mm x 2450 mm.	15000
113	Laska Maschinenfabrik	Laska Maschinenfabrik frozen block grinder with lifter for 200 liter meat bins, type grinder: WWB 200, number: 13129, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 130 A, 68 kW, diameter plate: 200 mm, type lifter: BA 24, number: 12432, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3.5 A, 1.5 kW, total dimensions grinder: 2400 mm x 1700 mm x 2000 mm, dimensions lifter: 1160 mm x 700 mm x 2900 mm.	35000
114	AMK	AMK mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 500 mm, divider height: 60 mm, distance between dividers: 340 mm, elevating height: 2500 mm, total dimensions: 3300 mm x 700 mm x 2800 mm.	950
115	Automation Systems B.V.	Automation Systems B.V. mobile cutter for boiled eggs, type: VETO11, year of construction: 1-2-2010, capacity: 80 boiled eggs per minute, 3200 mm x 1500 mm x 2250 mm.	3000
116	Urschel	Urschel mobile slicer, model: RA-A, serial number: 1113, working width: 140 mm, distance between knives: 3 mm, total dimensions: 1100 mm x 850 mm x 1800 mm.	1750
117	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: C 2351, fabrication number: 1433048950010, year of construction: 2019, 230 V, 50-60 Hz, max: 15 kg, min: 9.5 kg, e- 0.01 kg, belt width: 395 mm and 440 mm, total dimensions: 2300 mm x 1200 mm x 1970 mm.	1500
118	Mettler Toledo	Mettler Toledo checkweigher, type: C2330, fabrication number: 73000003, year of construction: 2017, 100-240 V, 50-60 Hz, maximum weight: 17 kg, minimum weight: 8 kg, e=d=: 0.01 kg, T=- 15.3 kg, maximum belt speed: 40 meter per minute, capacity: 59 pieces per minute, plastic belt, belt width: 400 mm, total dimensions: 2000 mm x 1400 mm x 1700 mm.	1250
119	Lima	Lima separator, type: RM 350 S, number: 1025, year of construction: 2010, diameter drum: 150 mm, width perforations: 1 mm, total dimensions: 2100 mm x 1150 mm x 2230 mm. Incomplete.	7500
120			2000



Nr	Title	Description	Start €
	Jasa Packaging Solutions B.V.	Jasa Packaging Solutions B.V. vertical bag form-, fill-, and seal machine, horizontal seal length: 270 mm, film width: 620 mm, total dimensions: 2800 mm x 1450 mm x 2350 mm.	
121	Carnitech	Carnitech double shaft paddle mixer, type: CT 3045, number: 05-0177, year of construction: 2005, dimensions: 2500 mm x 1600 mm x 2200 mm.	7500
122	Marel	Marel mobile elevating belt, type: INO210, plastic belt with dividers, belt width: 235 mm, distance between dividers: 45 mm, divider height: 20 mm, elevating height: 1900 mm, total dimensions: 3550 mm x 960 mm x 2080 mm.	500
123	NN natural colouring mixing installation	Natural colouring mixing installation consisting of 2 s/s tanks with agitator, inside dimensions: (2x) ø 590 mm x 850 mm, dimensions tanks: (2x) ø 600 mm x 1650 mm, manifold with 7 GEA Tuchenhausen GmbH valves, Sera GmbH dosing pump, Endress+Hauser flowmeter, type: PROMAG A and APV s/s control cabinet.	750
124	Grasselli	Grasselli mobile skinning and derinding machine, model: NX450-Line, serial number: 080897/2PN025, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 2.8 A, plastic belt, belt width: 360 mm, working width: 400 mm, total dimensions: 1850 mm x 1300 mm x 1630 mm. Including pallet with belts. Incomplete / technical condition unknown	2500
125	Skov & Weidemann	Skov & Weidemann frying belt, s/s belt, belt width: 440 mm, clearance: 440 mm x 70 mm, total dimensions: 3750 mm x 900 mm x 1280 mm.	1500
126	Weber	Weber mobile skinning and strip cutting machine, type: ASL 560, number: 366, year of construction: 2012, 400 V, 50 Hz, 11 kW, weight: 550 kg, plastic belt, belt width: (1x) 500 mm, (1x) 300 mm, 17 knives, distance between knives: 30 mm, total dimensions: 2200 mm x 1300 mm x 1800 mm. Including extra parts and knives.	2500
127	NN transport belt	Mobile transport belt with roller conveyor, s/s frame, plastic belt, belt width: 615 mm, s/s rollers, roller width: 590 mm, total dimensions: 1880 mm x 1290 mm x 1660 mm.	200
128	V-TECH-2 Sp. z o.o.Sp.K.	V-TECH-2 Sp. z o.o.Sp.K. mobile vibrating gutter, type: PRG-700/890-NM, serial number: 299/29, year of construction: 2019, 400 V, 50 Hz, 2.1 A, weight: 341 kg, gutter width: 700 mm, total dimensions: 1150 mm x 1450 mm x 2100 mm.	500
129	Handtmann	Handtmann mobile linking machine, type: 220-16, number: 774, year of construction: 2000, 400 V, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1700 mm x 700 mm x 1400 mm	950
130	Magurit		4500



Nr	Title	Description	Start €
		Magurit frozen block cutter, type: 547, machine number: 2681, year of construction: 1999, 380 V, 10 kW, working width: 700 mm, total dimensions: 2700 mm x 1250 mm x 2300 mm.	
131	FAM	FAM mobile horizontal vegetable slicer, type: TS-1D, serial number: 5947, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.5 kW, weight: 350 kg, V-shaped belt, belt width: (2x) 90 mm, total dimensions: 3000 mm x 780 mm x 1450 mm.	8500
132	Vemag	Vemag multi-tray loader with shuttle conveyor, model: MTL280, number: 2800123, year of construction: 2018, 220/575 V, 3 Ph, 50/60 Hz, 14 A, 10 kW, plastic belts, belt width: 590 mm and 230 mm, total dimensions: 2600 mm x 2500 mm x 1650 mm.	20000
133	Maja	Maja ice machine, type: SA 415 S, serial number: I-39890, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 5.42 A, 1.9 kW, refrigerant: R 404A, 2.0 kg, dimensions: 1900 mm x 1350 mm x 1650 mm. Including cooling compressor, dimensions: 800 mm x 600 mm x 900 mm.	2500
134	NN grinder	Grinder, diameter plate: 160 mm, total dimensions: 1600 mm x 1300 mm x 1700 mm. Missing outfeed screw.	1200
135	Setu AB	Setu AB mobile elevating belt with dividers, s/s frame, model: SUL, serial number: 22503, year of construction: 2011, plastic belt with dividers, belt width: 550, divider height: 30 mm, distance between dividers: 100 mm, elevating height: 2550 mm, total dimensions: 1720 mm x 1000 mm x 2600 mm. Plastic mesh belt broken.	750
136	Pakkarakenne Oy	Pakkarakenne Oy elevating screw, s/s screw, screw width: 300 mm, elevating height: 1300 mm, total dimensions: 2500 mm x 600 mm x 1950 mm.	650
137	AK	AK piston filler, model: 50, serie: SC, fabrication number: 1204, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, 1410 rpm, dimensions: 550 mm x 410 mm x 1380 mm.	1500
138	Arco / Bitzer Kühlmaschinenbau GmbH	Arco compressor rack with Bitzer Kühlmaschinenbau GmbH cooling compressors, type: R404A-SL32, serial number: 001760, year of construction: 03-10-00, 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (1x) 6F-40.2 Y, serial number: 15850136, capacity: 151.6/181.9 m <sup>3</sup> per hour, type: (1x) 6GE-34Y-40P, serial number: 1606614761, capacity: 127/153 m <sup>3</sup> per hour, dimensions: 2300 mm x 1100 mm x 2050 mm.	1500
139	Tipper Tie technopack	Tipper Tie technopack mobile clipper, number: 5451-456-054/400, dimensions: 1050 mm x 750 mm x 1820 mm.	750
140	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning and derinding machine, working width: 380 mm, plastic belt, belt	350





Nr	Title	Description	Start €
		width: 370 mm, total dimensions: 1900 mm x 680 mm x 1100 mm. Incomplete, missing outfeed belt.	
141	Mesutronic	Mesutronic mobile pipe line metal detector with rejector, clearance: Ø 55 mm, total dimensions: 700 mm x 600 mm x 1200 mm.	1250
142	Max Weishaupt GmbH	Max Weishaupt GmbH burner, type: GL3/1-E, serial number: 2528079, year of construction: 1983, 90-680 kW, 20-140 bar, 14.5-58 kg per hour, dimensions: 1100 mm x 700 mm x 500 mm.	100
143	Bitzer	Bitzer cooling compressor, type: F 400 H, number: 4810377, year of construction: 1995, volume: 39 liter, dimensions: 2800 mm x 1300 mm x 1900 mm. Including storage tank and Grundfos circulation pump, dimensions: Ø 1100 mm x 2600 mm and pallet with switch cabinet, dimensions: 850 mm x 1300 mm x 350 mm.	1500
144	NN tray denester	Tray denester, 2 nests, clearance: (2x) 230 mm x 180 mm, total dimensions: 1090 mm x 580 mm x 1770 mm.	450
145	Ilpra	Ilpra traysealer, serie: FOODPACK, model: BIG MEC V/G, serial number: FP 4698, year of construction: 2002, 400 V, film width: 280 mm, plastic string belt, belt width: 255 mm, dimensions dye: (4x) 220 mm x 165 mm, plastic outfeed belt, belt width: 300 mm, total dimensions: 4040 mm x 1050 mm x 1630 mm. Including infeed chain conveyor with dividers, chain width: 80 mm, divider height: 15 mm, distance between dividers: 350 mm, total dimensions infeed conveyor: 4700 mm x 400 mm x 1060 mm.	5000
146	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 1700 mm x 530 mm x 960 mm.	200
147	Bizerba	Bizerba weighing and labelling machine with top and bottom labeller, plastic belts, belt width: (2x) 95 mm, (2x) 135 mm and 300 mm, total dimensions checkweigher: 2150 mm x 660 mm x 1400 mm, total dimensions labeller: 1000 mm x 650 mm x 1660 mm. Including Weber label unit, model: Alpha Compact, type: 120-LH, serial number; 50020802, year of construction: 11/09/17.	450
148	Linde / Bitzer Kühlmaschinenbau GmbH	Linde / Bitzer Kühlmaschinenbau GmbH compressor rack, type: VHM 316-4521, serial number: 10309, year of construction: 1993, 25/13 bar, refrigerant: R22, (3x) Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (1x) S4G-12.2 Y, (2x) S4G-12.2-40P, 380 / 420 / 440 / 480 V, 3 Ph, 50/60 Hz, capacity: 42.3/51 m³ per hour, dimensions: 2930 mm x 830 mm x 1870 mm.	1000
149	Tipper Tie technopack	Tipper Tie technopack mobile clipper, model: TCV 1590 E-N, number: 5480.406.252/500, dimensions: 1100 mm x 700 mm x 1850 mm.	1000



Nr	Title	Description	Start €
150	Poly-clip System GmbH&Co.KG	Poly-clip System GmbH&Co.KG mobile labelling machine, type: ES 5000, number: 150306, 230 V, 3 Ph, 50 Hz, 5 A, 2.2 kW, dimensions: 600 mm x 500 mm x 1400 mm.	1000
151	Sammic S.L.	Sammic S.L. bandsaw, type: SH-155, serial number: 51500201970017, year of construction: 12-2019, 230/400 V, 3 PH, 50 Hz, table dimensions: 430 mm x 390 mm, total dimensions: 440 mm x 420 mm x 850 mm.	700
152	Turbovac	Turbovac vacuum machine, type: SB 15 H, number: 92144389, 220 V, 8.5 A, seal length: 400 mm, chamber: 420 mm x 420 mm, total dimensions: 500 mm x 500 mm x 450 mm.	150
153	NN linking attachment	Linking attachment, dimensions: 390 mm x 310 mm x 115 mm.	650
154	Vemag	Vemag linking and case holding device, number: 9375120, dimensions: 430 mm x 560 mm x 180 mm.	1250
155	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF616, number: 26190, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 17.3 A, 12.0 kW, Busch vacuum pump, type: KC 0016 E, serial number: V19220646, capacity: 19 m <sup>3</sup> per hour, dimensions: 1900 mm x 1350 mm x 2120 mm.	15000
156	Loma / Handtmann	Loma pipe line metal detector with Handtmann linking attachment, metal detector type: IQ <sup>2</sup> , serial number: MHPLEU-36885, year of construction: 21-10-2004, 230 V, 1 Ph, 50 Hz, 0.2 A, clearance: Ø 55 mm, type Handtmann linking attachment: 34-5, number: 13059, total dimensions: 500 mm x 600 mm x 500 mm.	1000
157	Bizerba	Bizerba grinder, type: T25738, number: 198, diameter plate: 80 mm, total dimensions: 400 mm x 350 mm x 430 mm.	250
158	Bizerba	Bizerba grinder, type: FW 82, serial number: 30020, 220/380 V, 3 Ph, 50 Hz, 7.1/4.1 A, 2.3 kW, diameter plate: 80 mm, total dimensions: 460 mm x 440 mm x 470 mm.	250
159	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP10E, number: 1570100, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 25 A, 15 kW, dimensions: 2250 mm x 1400 mm x 2120 mm.	17500
160	Vemag	Vemag mobile length portioning line, consisting of: Vemag mobile high-speed length portioning machine, model: LPG 208, number: 208890003, year of construction: 2009, 400-460 V, 3 Ph, 50/60 Hz, 10 a, 6 kW, dimensions: 1740 mm x 930 mm x 1300 mm and Vemag mobile hanging line, model: AH 212, number: 2120423, year of construction: 2016, dimensions: 3620 mm x 760 mm x 1520 mm.	7000
161	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 7 E, number: 1600168, year of	13000



Nr	Title	Description	Start €
		construction: 2008, 400-460 V, 3 Ph, 50-60 Hz, 15-20 A, 10 kW, dimensions: 1800 mm x 1380 mm x 2100 mm.	
162	Vemag	Vemag mobile linking and hanging line, model linker: LPG 208, number: 2080273, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 9 A, 6 kW, dimensions: 1560 mm x 800 mm x 1440 mm, model hanging line: AH 204, number: 2040417, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 3.5 A, 1.5 kW, dimensions: 4000 mm x 800 mm x 1250 mm.	7500
163	Laska	Laska frozen block cutter, type: G 644, number: B 705, 380/400 V, 3 Ph, 50 Hz, 26 A, 13 kW, working width: 640 mm, total dimensions: 1250 mm x 1900 mm x 2000 mm.	3500
164	Vemag	Vemag mobile flexible sausage line, model linker: FSL 210, number: 2100032, year of construction: 2011, 400/460 V, 3 Ph, 50/60 Hz, 9 A, 6.2 kW, dimensions linker: 2050 mm x 800 mm x 1250 mm, dimensions hanging line: 3500 mm x 760 mm x 1460 mm.	10000
165	Fritsch	Fritsch mobile croissant rolling machine, type: CRH-120-400, machine number: 100003506-02410-01501, year of construction: 2014, belt width: 350 mm and 580 mm, dimensions: 1800 mm x 1100 mm x 1300 mm.	1500
166	Weber	Weber mobile skinning and derinding machine, type: ASB 600, number: 1730, 400 V, 50 Hz, 0.85 kW, working width: 400 mm, plastic belt, belt width: 320 mm, total dimensions: 1800 mm x 800 mm x 1500 mm.	1000
167	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with casing spooler and linking attachment, type: F-LINE F222, machine number: F222T036806SA, year of construction: 2019, 400 V, 50 Hz, 14.75 kW, dimensions: 2000 mm x 1200 mm x 2200 mm.	17500
168	Reiser	Reiser mobile portioning machine, plastic belt, belt width: 190 mm, infeed diameter: 95 mm, total dimensions: 1600 mm x 580 mm x 1380 mm.	1500
169	Cryovac	Cryovac belt vacuum machine, model: VS95TS, serial number: SN02021, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 32 A, Busch vacuum pump, type: WR 1250 D 2V1 ZZXX, number: C0828000208, capacity: 1250 m³ per hour, plastic belt, belt width: 730 mm, seal length: (2x) 1530 mm, total dimensions: 3750 mm x 1300 mm x 1900 mm. Including transport belt, s/s frame, plastic mesh belt, belt width: 730 mm, total dimensions transport belt: 1350 mm x 880 mm x 960 mm and s/s frame for rest film, dimensions frame: 910 mm x 750 mm x 1410 mm.	7500
170	Webomatic	Webomatic dip tank, type: STB W-60/80-W, machine number: 72KE1723, 400 V, 3 Ph, 50 Hz, 6 A, 2 kW, s/s mesh belt, belt width: 540 mm, total dimensions: 1200 mm x 900 mm x 1600 mm.	2000



Nr	Title	Description	Start €
171	Webomatic	Webomatic dryer, type: TRL 10, Busch blower, s/s mesh belt, belt width: 540 mm, total dimensions: 1450 mm x 900 mm x 1600 mm.	1500
172	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 610 mm, total dimensions: 1300 mm x 900 mm x 930 mm.	150
174	Thermo Goring Kerr	Thermo Goring Kerr metal detector with rejecter, type: DSP-IP, plastic belt, belt width: 300 mm, clearance: 450 mm x 150 mm, total dimensions: 1300 mm x 850 mm x 1400 mm.	500
175	Maja-Maschinenfabrik	Maja-Maschinenfabrik skinning and derinding machine, type: BXM 554, serial number: M-48410, year of construction: 2009, 400 V, 3 Ph, plastic belt, belt width: 500 mm, plastic mesh belt, belt width: 500 mm, working width: 550 mm, total dimensions: 2700 mm x 1100 mm x 1230 mm.	2000
176	Itec	Itec sole cleaner, type: 2386, series: 140, year of construction: 04/1997, brush length: 300 mm, total dimensions: 750 mm x 600 mm x 1100 mm.	350
177	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: Robot DP 10 C, number: 1530272, year of construction: 1998, 220-240 V, 3 Ph, 50/60 Hz, 35/63 A, dimensions: 2150 mm x 1280 mm x 2250 mm.	5000
178	Carnitech	Carnitech mixer grinder, type: CT 3126, machine number: 05.0118, year of construction: 2005, diameter plate: 280 mm, total dimensions: 2800 mm x 1500 mm x 2700 mm.	12500
179	Kolbe	Kolbe bandsaw, type: 4601, machine number: 46032, year of construction: 1901/91, 380 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, dimensions table: 660 mm x 600 mm, total dimensions: 680 mm x 600 mm x 1600 mm.	500
180	Handtmann	Handtmann vacuum filling machine, type: VF 80, number: 214, 380 V, 50 Hz, dimensions: 820 mm x 700 mm x 1600 mm.	1500
181	Dadaux	Dadaux bandsaw, type: SX 300 S, number: USX300-8106, year of construction: 10-2020, 400 V, 3 Ph, 50 Hz, dimensions table: 660 mm x 540 mm, total dimensions: 700 mm x 650 mm x 1600 mm.	750
182	Marel	Marel Iceland ehf. checkweigher, machine: Smartline DWU, W300, model: GR8211, type: 0007-007, serial number: A136873, year of construction: 2016, clearance: 360 mm x 130 mm, total dimensions: 1050 mm x 680 mm x 1550 mm. Missing belt.	650
183	NN tumbler	Mobile tiltable vacuum tumbler, inside dimensions: Ø 600 mm x 550 mm, Busch vacuum pump, type: 010-112, number: 300219, capacity: 10 m³ per hour, total dimensions: 1000 mm x 880 mm x 1620 mm. Including extra drum.	2500
184	Alfa Laval		12500



Nr	Title	Description	Start €
		Alfa Laval centrifuge used as whey skimmer, machine number: 31829-02912, dimensions centrifuge: 1580 mm x 1200 mm x 1900, dimensions switch cabinet: 750 mm x 340 mm x 1100 mm, dimensions pallets: (2x) 1200 mm x 800 mm x 650 mm.	
185	Glass GmbH	Glass GmbH mobile tiltable vacuum tumbler, type: VSM 300, machine number: 2159, year of construction: 1995, 400 V, 50 Hz, 3.2 A, 1.12 kW, volume: 300 liter, with vacuum pump, dimensions: 1150 mm x 900 mm x 1500 mm.	1500
186	Vemag	Vemag shuttle conveyor, model: SCL361, number: 3610087, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 3 kW, weight: 570 kg, plastic belt, belt width: 190 mm, total dimensions: 2440 mm x 750 mm x 1560 mm.	10000
187	Heinrich Frey Maschinenbau	Heinrich Frey Maschinenbau piston filler, type: Kompakta 2, machine number: K2 30 08 10 90, 380 V, knee control, dimensions: 780 mm x 1000 mm x 1080 mm. Including various filling pipes.	1500
188	Webomatic	Webomatic packaging line, consisting of: Webomatic double chamber vacuum machine, type: PNC 20A-D-M2, machine number: 555912033, 220/380 V, 50 Hz, 3.5 A, Busch roots vacuum pump, seal length: (2x) 800 mm, chamber dimensions: 800 mm x 600 mm, total dimensions: 2000 mm x 1100 mm x 1350 mm; Webomatic shrinking tunnel, type: STP 60/80 D+E, number: 72911302, 380 V, 3 Ph, 50 Hz, 35 A, dimensions: 1300 mm x 900 mm x 1400 mm; s/s roller conveyor, dimensions: 2000 mm x 700 mm x 800 mm.	3500
189	A.E.W. Engineering	A.E.W. Engineering bandsaw, model: 400M, serial number: LHS 410699, 380 V, 3 Ph, 50 Hz, 4.7 A, weight: 250 kg, table dimensions: 1600 mm x 900 mm, total dimensions: 1200 mm x 1000 mm x 2000 mm.	1000
190	Vemag	Vemag mobile meat ball forming machine, model: BC236, name: Ball Control, number: 2361018, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 18 A, 11.2 kW, 1400 kg, (2x) 12 lanes, meat ball weight: up to 20 g, dimensions meat ball: maximum Ø 30 mm or rolls: 30 mm x 120 mm, total dimensions: 1620 mm x 2500 mm x 1300 mm.	35000
191	Vemag	Vemag mobile linking and hanging line, model linker: LPG209, number: 2090231S, year of construction: 2015, 400-460 V, 8 A, 5.5 kW, weight: 637 kg, dimensions: 1800 mm x 850 mm x 1500 mm, model hanging line: AH212, number: 2120407, year of construction: 2015, 3 Ph, 50/60 Hz, 0.5 kW, weight: 298 kg, dimensions: 4500 mm x 800 mm x 1500 mm.	12000
192			350



Nr	Title	Description	Start €
	NN portioning machine	Mobile portioning machine with interleaver, working width: 235 mm, total dimensions: 800 mm x 800 mm x 1450 mm.	
193	Hobart	Hobart double high speed cooker on s/s frame, model: 2227, serial number: 97-1063-109, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 39.2 A, 1.7-3.4 bar, dimensions: 800 mm x 600 mm x 1800 mm.	350
194	Fam	Fam slicer, model: GD, number: 750035/2015, 400 V, 3 Ph, 50 Hz, 4.6 A, 2.2 kW, plastic belt, belt width: 510 mm, total dimensions: 2800 mm x 900 mm x 1700 mm.	2500
195	Stork Titan B.V.	Stork Titan B.V. mobile forming/portioning machine, model: TEX 10 TA1101, type: 4775000AA, serial number: 10052060, year of construction: 2005, dimensions: 1050 mm x 1300 mm x 2440 mm. Incomplete.	1750
196	Food Dosing Packing Machines SP. Z.O.O.	Food Dosing Packing Machines SP. Z.O.O. cup filling and sealing machine, type: PAK 5.0, machine number: 457, year of construction: 2015, 400 V, 3 Ph, 7.5 kW, 6-8 bar, weight: 1500 kg, plastic belt with dividers, belt width: 90 mm, divider height: 20 mm, distance between dividers: 115 mm, clearance: 260 mm x 85 mm, 2 lane cup denester, denester clearance: 100 mm x 80 mm, dimensions: 4900 mm x 1500 mm x 2300 mm.	10000
197	Bastra	Bastra cooking vessel, type: B110-2, number: 22884, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 0.150 kW, gas heated, volume: 200 liter, dimensions: 1400 mm x 840 mm x 1660 mm.	600
199	A/S Wodschow & Co.	A/S Wodschow & Co. mixer, type: RN20/VL 2, machine number: 20008781, year of construction: 2008, 230 V, 1 Ph, 50/60 Hz, 8 A, 1.2 kW, s/s bowl, dimensions bowl: Ø310 mm x 250 mm / 20 liter, s/s spiral, total dimensions: 650 mm x 430 mm x 970 mm.	150
200	Mado	Mado mobile grinder, type: MEW 515, number: 9631226, 230/400 V, 3 Ph, 50 Hz, 8.8/5.2 A, 2.2 kW, diameter plate: 100 mm, total dimensions: 950 mm x 500 mm x 1320 mm.	1000
201	Vemag	Vemag mobile Link grouper, model: SK5909, number: SK5909000000, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 1 A, 1.5 kW, weight: 635 kg, sausage dimensions: 35 mm x 180 mm, total dimensions: 2000 mm x 1900 mm x 1440 mm.	32500
202	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: VBA500A, machine number: 488933438, plastic belt, belt width: 450 mm, working width: 500 mm, total dimensions: 1300 mm x 880 mm x 1200 mm.	500
203	Weishaupt	Weishaupt burner, type: RL70/1-A, fabrication number: 3966779, year of construction: 1993, dimensions: 2000 mm x 1600 mm x 1300 mm.	750
204	NN transport belt		150



Nr	Title	Description	Start €
		Transport belt, s/s frame, plastic belt, belt width: 440 mm, total dimensions: 1550 mm x 720 mm x 980 mm.	
205	Handtmann	Handtmann mobile linking machine, type: 141-01, number: 299, year of construction: 2002, 420 V, 3 Ph, 50 Hz, 6.9 A, 5 kW, dimensions: 1700 mm x 850 mm x 1550 mm.	1250
206	Glass	Glass mobile all-round high-speed mixer with emulsifier, machine type: VAS-150, machine number: 3388, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 31.5, 16.085 kW, weight: 950 kg, volume: 150 liter, total dimensions: 2100 mm x 1300 mm x 2200 mm.	7500
207	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3442, number: 235, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 4 A, 5-7 bar, plastic rollers, roller width: 340 mm, total dimensions: 970 mm x 870 mm x 1820 mm.	8000
208	Meissner GmbH	Meissner GmbH cutter, type: RS-65, machine number: 128 8122, 380 V, 50 Hz, 24/35 A, 11/15 kW, s/s bowl, volume: 65 liter, dimensions: 1200 mm x 1100 mm x 1200 mm.	4000
209	Foodmate	Foodmate tenderizer, plastic belt, belt width: 270 mm, working width: 230 mm, total dimensions: 2000 mm x 850 mm x 1200 mm. Incomplete.	1000
210	Autojet	Autojet mobile spraying/cleaning belt, brush width: (2x) 100 mm and (2x) 150 mm, plastic belt, belt width: 220 mm, total dimensions: 1670 mm x 650 mm x 1900 mm.	450
211	Atlas Copco	Atlas Copco water pump, type: WEL PST 100 CNP, serial number: ITH0028007, year of construction: 2019, 9.8 kW, capacity: 100 m <sup>3</sup> per hour, maximum: 20 m, speed: 2000 rpm, dimensions: 2400 mm x 1150 mm x 1570 mm.	4500
212	NN tilting device	S/s tilting device for (2x) 200 liter meat bins, type: W2-C, year of construction: 2008, 400 V, 3 Ph, 50 Hz, dimensions: 2300 mm x 1200 mm x 1200 mm.	1000
213	FAM	11 knife sets for FAM slicer, diameter knives: 220 mm, (4x) 3/8, (4x) 5/16 (1x) 7/16 (2x) unknown.	1500
214	CFS	CFS pump grinder, type: PG 225, machine number: 61719, year of construction: 2002, 400 V, 50 Hz, 42 A, 22 kW, total dimensions: 1500 mm x 900 mm x 1500 mm.	2500
215	Laska	Laska frozen block grinder, type: WW 130 G, machine number: K 5786, year of construction: 1998, 380/400 V, 3 Ph, 50 Hz, 33 A, 17 kW, plate diameter: 130 mm, total dimensions: 1100 mm x 1250 mm x 1680 mm.	6000
216	Weisser	Weisser mobile fill- and portioning machine, model: AP1 - 200-SP, 230 V, 50 Hz, 1.1 kW, output: (2x) 35 mm, total dimensions: 850 mm x 820 mm x 1800 mm.	400
217	Rühle	Rühle injector with lifter for crates, type: IR 56, number: 0500, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 16 A, 8.7 kW, s/s walking beam, walking beam width: 350	2500





Nr	Title	Description	Start €
		mm, clearance: 350 mm x 170 mm, 56 needles, dimensions: 1800 mm x 1000 mm x 2100 mm.	
218	Kilia	Kilia z-arm mixer-grinder with lifter for 200 liter meat bins, diameter plate: 160 mm, total dimensions: 2500 mm x 1600 mm x 2120 mm. Including s/s switch cabinet: 860 mm x 210 mm x 970 mm.	5000
219	Fomaco	Fomaco injector, model: FGM 88 SC, machine number: 10354-2006, 400 V, 3 Ph, 50 Hz, 29 A, 6 bar, 88 needles, plastic mesh belt, belt width: 720 mm, total dimensions: 2300 mm x 1150 mm x 2240 mm.	4500
220	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 01 1031 01, year of construction: 2004, 3x400/230 V, 3 Ph, 10 kW, weight: 2000 kg, infeed- and outfeed wire belt, belt width: (2x) 220 mm, dye dimensions: (4x) 220 mm x 160 mm, total dimensions: 8500 mm x 900 mm x 2000 mm. Including pallet with parts and Busch vacuum pump, type: 250-132, serial number: 49167, capacity: 250 m³ per hour, dimensions dye: (3x) 288 mm x 220 mm.	5000
221	Marel Townsend Further Processing B.V.	Marel Townsend Further Processing B.V. mobile vacuum cleaner, machine: Dust Exhaust Unit, model: TDE TDO 202, type: 4/40012, serial number: 10112666, year of construction: 2013, dimensions: 900 mm x 1600 mm x 1650 mm. Incomplete, missing drum.	1000
222	Pregesbauer	Pregesbauer mobile plate washer, type: BPM-DFA 100/60, 380 V, 3 Ph, 10 A, 0.75 kW, dimensions plates: 600 mm x 400 mm, total dimensions: 2200 mm x 500 mm x 1400 mm.	1250
223	Grasselli	Grasselli automatic skinning machine, model: FA1000-P, serial number: W12Q06/002, year of construction: 2006, 400 V, 3 Ph, 50 Hz, working width: 1000 mm, screw diameter: 340 mm, tier: 240 mm, total dimensions: 1050 mm x 1500 mm x 2200 mm.	1500
224	Stephan	Stephan universal mixer, type: VM450, machine number: 35451, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 4 kW, dimensions: 2150 mm x 2000 mm x 2880 mm.	5000
225	Stork Food System	Stork Food System mobile 5-heads filling machine, model: Masterfill, type: DTF, serial number: 0410609, year of construction: 2009, 400 V, 16 kW, temperature: -10/+ 40 ° Celsius, dimensions: 1500 mm x 935 mm x 1780 mm.	1500
226	Maja	Maja flake-ice machine, type: SA 85 S, number: 35122, year of construction: 2005, 230 V, 50 Hz, 3.9 A, 0.53 kW, refrigerant: R 404 A, capacity: 85 kg per 24 hours, dimensions: 700 mm x 700 mm x 1350 mm.	1000
227	NN cooking vessel	S/s cooking vessel, volume: 100 liter, electric heated, dimensions: 650 mm x 650 mm x 850 mm.	200
228	Vemag		3500



Nr	Title	Description	Start €
		Vernag mobile waterwheel with 10 heads, dimensions: 900 mm x 1100 mm x 1500 mm. Including pallet with parts.	
229	NN batcher	Mobile batcher, 2 / 8 heads, dimensions: 1500 mm x 900 mm x 1550 mm.	500
230	Urschel Laboratories Inc.	Urschel Laboratories Inc. dicer/strip cutter, working width: 170 mm, distance between knives: 57 mm, dimensions: 1500 mm x 1200 mm x 2200 mm.	4500
231	Sanamij	Sanamij water heated tiltable cooking vessel with cooling function and mixing arm, type: Kantelbare kookk., number: 00.106, year of construction: 2000, 230/400 V, 4 kW, 400 V, volume: 200 liter, dimensions: 1850 mm x 1200 mm x 1500 mm.	1000
232	Inject Star / Pökelmaschinen Ges.m.b.H.	Inject Star / Pökelmaschinen Ges.m.b.H. vacuum tumbler, type: ES-3300-C, number: 308, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 6.4 kW, dimensions: 3200 mm x 1800 mm x 2700 mm.	3000
233	P-M-B	P-M-B meat bin washer with lifter for 200 litre meat bins, type: KABINETT, machine number: B01060374, year of construction: 05/2001, clearance: 810 mm x 780 mm, total dimensions: 3100 mm x 1500 mm x 2150 mm. Without pump.	2000
234	Inotec GmbH	Inotec GmbH emulsifier, type: I175CDI-75, machine number: 103-00605, year of construction: 2007, 230/400 V, 50 Hz, 152 A, 91 kW, 106 kVA, dimensions: 2000 mm x 900 mm x 850 mm. With s/s switch cabinet, dimensions: 1200 mm x 600 mm x 2100 mm. Missing knife set, technical condition unknown.	6500
235	Equimex	Equimex mobile flattener, plastic belt, belt width: 300 mm, total dimensions: 700 mm x 1680 mm x 1740 mm.	1250
236	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3401/4, number: 118409, 380 V, 50 Hz, 4 A, 5-7 bar, dimensions: 1300 mm x 1300 mm x 1950 mm. Including crate with parts. Technical condition unknown.	1250
237	CSB System	CSB System s/s mobile computer cabinet with Sato label printer, model cabinet: IPC Box, serial number: 18000500, 12 V, 5 A, model printer: CL4NX Plus, serial number: DL102844, 100-240 V, 50-60 Hz, 3.0 A, dimensions: 860 mm x 680 mm x 1740,	500
238	TVM	TVM mobile portioning machine, dimensions dyes: (2x) 160 mm x 70 mm, total dimensions: 1750 mm x 650 mm x 2450 mm.	1200
239	NN tilting device	Mobile s/s tilting device for pallet boxes, tilting height: 1200 mm, total dimensions: 3000 mm x 1500 mm x 1600 mm. Wheel broken.	1750
240	NN mixing tank		1250



Nr	Title	Description	Start €
		S/s heated mixing tank with mixing arm, inside dimensions: Ø 1050 mm x 600 mm, total dimensions: 1600 mm x 1300 mm x 1700 mm.	
241	Schomaker	Schomaker mobile slicer line, consisting of: infeed belt with plastic belt, belt width: 90 mm, total dimensions infeed belt: 1800 mm x 850 mm x 1200 mm, slicer, machine number: SW-1-250-12, s/s mesh belt, belt width: 250 mm, working width: 250 mm, total dimensions slicer: 1120 mm x 1500 mm x 1700 mm, outfeed belt with s/s mesh belt, belt width: 250 mm, total dimensions outfeed belt: 2800 mm x 550 mm x 1200 mm.	1500
242	Handtmann	Handtmann piston filler, type: FA 40-1, number: 1097-1, 220/380 V, 50 Hz, 12.5/7.1 A, dimensions: 700 mm x 930 mm x 1370 mm.	750
243	S.A.M	S.A.M. slicing, packaging, weighing and labelling system, consisting of: S.A.M. automatic slicer, type: S.A.M. 310 f P2, serial number: 19983, year of construction: 2006, 3x400 V, 50 Hz, 1.54 A, string belt, belt width: 210 mm, dimensions slicer: 880 mm x 1100 mm x 700 mm; S.A.M. interleaver, model: S.A.M. P 21/21, serial number: 401641, year of construction: 2006, 230 V, 50 Hz, 0.96 A, pressure: 6-7 bar. 'S.A.M. sealing machine, type: S.A.M. IL-1-220, year of construction: 2006, plastic width: 210 mm, dimensions sealing machine: 800 mm x 400 mm x 380 mm; Digi/Teraoka weighing and labelling system, model: LI-3600E, serial number: 06166858, year of construction: 2007, 230 V, 50 Hz, 0.05 A, 150 W, maximum weight: 2 kg, minimum weight: 20 gram, e=1 gram, T=0.999 kg, belt width: 220 mm, dimensions weighing and labelling system: 780 mm x 600 mm x 650 mm. Including s/s cabinet, dimensions cabinet: 1800 mm x 700 mm x 850 mm and s/s mobile table, dimensions table: 1000 mm x 700 mm x 900 mm.	1250
244	CA.VE.CO s.r.l.	CA.VE.CO s.r.l. mobile 1 head depositor, type: DPW, serial number: 5001, year of construction: 11/05/2001, 400 V, 50 Hz, dimensions: 1000 mm x 700 mm x 1070 mm.	400
245	Cintex	Cintex x-ray scanner, clearance: 300 mm x 110 mm, total dimensions: 1350 mm x 700 mm x 1560 mm. Incomplete, missing belt.	250
246	Röschermatic	Röschermatic mobile vacuum tumbler, inside dimensions: Ø 500 mm x 350 mm, total dimensions: 850 mm x 800 mm x 1400 mm. Without vacuum pump.	350
247	Baader	Baader 886 X-ray scanner, type: MXR-75HP/20, article number: 915377.51, serial number: 485554, year of construction: 2014, focal spot: d= 1.0 mm, dimensions: 3800 mm x 1100 mm x 2300 mm.	4000
248	Busch		250



Nr	Title	Description	Start €
		Busch vacuum pump, type: RA 0160 D 5Z1 QLZZ, number: C0848000416, year of construction: 2008, capacity: 160 m <sup>3</sup> per hour, dimensions: 850 mm x 500 mm x 400 mm.	
249	Seydelmann	Seydelmann double shaft paddle-mixer, type: P 2000, machine number: 05220-1, year of construction: 2005, 400 V, 50 Hz, 39 A, 10 kW, 6-10 bar, volume: 2000 liter, dimensions: 3400 mm x 2100 mm x 2300 mm.	7500
250	Concept Engineers	Concept Engineers optical sorting machine, type: OSS12142030, machine number: 99228, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 14 A, weight: 2500 kg, plastic belt, belt width: 1400 mm, clearance: 1200 mm x 120 mm, total dimensions: 4150 mm x 1900 mm x 2600 mm.	12500
251	CFS	CFS emulsifier, type: ECOCUT CAP2, machine number: 5000067485, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 357 A, 205 kW, dimensions emulsifier: 3300 x mm x 1800 mm x 1800 mm, dimensions hopper: 2000 mm x 2000 mm x 1500 mm, dimensions switch cabinet: 800 mm x 2100 mm x 600 mm. Including large amount of spare parts.	10000
252	Palmia	Palmia paddle mixer with cooling function, type: BE 3000.7, number: 4684, inside dimensions: 2000 mm x 850 mm x 1000 mm, capacity: 3000 liter, total dimensions: 3300 mm x 1000 mm x 1730 mm.	6000
253	Mitsubishi	Mitsubishi packaging robot, 2 robot arms, dimensions: 3200 mm x 2000 mm x 2500 mm.	5000
254	Stork Townsend B.V.	Stork Townsend B.V. mobile back bone cutter, model: BBC1500W, serial number: C36E589, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 250 kg, dimensions: 2100 mm x 1300 mm x 1500 mm.	1500
255	Mado	Mado bandsaw, dimensions: 900 mm x 800 mm x 1700 mm.	750
256	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile bread slicer, model: Diskus, machine number: 601003.60168.5364, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.25 A, 0.9 kW, weight: 200 kg, chamber dimensions: 500 mm x 200 mm x 170 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	1000
257	MTV Förder	MTV Förder washing machine for 200 liter meat bins, type: PSB29.1MRD, serial number: 0238123829, year of construction: 2002, dimensions: 2900 mm x 1700 mm x 2400 mm.	2000
258	Metos	Metos tiltable cooking vessel with agitator, type: Proveno Cool Pro 200E M C3P, serial number: 10911112130020, year of construction: 2011, 400/230 V, 3 Ph, 50 Hz, 62/64 A, 35.5 kW, inside dimensions: Ø 800 mm x 500 mm,	500



Nr	Title	Description	Start €
		total dimensions: 1400 mm x 1000 mm x 1300. Technical condition unknown.	
259	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 130, number: 506, 380 V, 3 Ph, 50 Hz, 3.15 kW, volume: 130 liter, total dimensions: 1150 mm x 750 mm x 1250 mm. Missing cover	2000
260	NN bandsaw	Bandsaw, number: 910298, table dimensions: 580 mm x 790 mm, total dimensions: 720 mm x 800 mm x 1700 mm. Incomplete.	750
261	Risco / TAP Machinebouw BV	Risco / TAP Machinebouw BV mobile hamburger forming machine with denester, type forming machine: TVM260 PN, serial number: 090-09097, year of construction: 2012, dye: (2x) Ø 100 mm, plastic belt, belt width: (2x) 25 mm and 110 mm, total dimensions: 2000 mm x 1200 mm x 1660 mm.	1500
262	Weber	Weber mobile skinning and derinding machine, type: ASB 1400, number: 349, 380 V, 50 Hz, 1.5 kW, plastic belt, belt width: 624 mm, working width: 670 mm, total dimensions: 2100 mm x 900 mm x 1300 mm.	750
263	Alfa Laval Kolding	Alfa Laval Kolding pressure vessel, production number: 1591, year of construction: 2006, work temperature: -10/250 °C, work pressure: -1/3 bar, dimensions: 850 mm x 850 mm x 1590 mm.	1500
264	CFS Slagelse A/S	CFS Slagelse A/S mobile transport belt, s/s frame, type: BELT F MASTERSNACK, machine number: 5000068485 POS 22, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 1.15 A, 0.37 kW, plastic belt, belt width: 580 mm, total dimensions: 1400 mm x 1100 mm x 1580 mm.	250
265	Handtmann	Handtmann linking attachment, number: 34-4/7293, dimensions: 300 mm x 200 mm x 120 mm.	500
266	NN washing drum	S/s washing drum with elevating belt, belt width: 370 mm, divider height: 60 mm, distance between dividers: 200 mm, diameter drum: 800 mm, total dimensions: 3700 mm x 1250 mm x 2230 mm.	950
267	Handtmann	Handtmann linking attachment, number: 34-5/20959, dimensions: 300 mm x 200 mm x 120 mm.	500
268	Itra	Itra dividing belt, machine number: 06-06686, plastic mesh belt, belt width: 795 mm, total dimensions: 1040 mm x 500 mm x 1400 mm.	250
269	Rhewa	Rhewa floor weighing scale with indicator, min/max: 2/200 kg, dimensions scale: 800 mm x 800 mm, total dimensions: 1020 mm x 800 mm x 140 mm.	400
270	NN chain hoist	Chain hoist, type: R6, number: 3567060, year of construction: 1979, dimensions: 500 mm x 600 mm x 400 mm.	150
271	Rühle	Grids for Rühle SR2 dicer, dimensions chamber: 100 mm x 100 mm.	150
272	Rhewa		500



Nr	Title	Description	Start €
		Rhewa floor weighing scale with indicator, type: 82basic, 230 Vac, 50/60 Hz, 15 A, min/max: 2/300 kg, dimensions scale: 1000 mm x 800 mm, total dimensions: 1080 mm x 1000 mm x 300 mm.	
273	Koppens	Koppens mobile croquette rolling machine, type: CR 400, machine number: CR400-21, 380 V, 3 Ph, 50 Hz, 3 A, plastic belt, belt width: 400 mm, s/s mesh outfeed belt, belt width: 400 mm, total dimensions: 1750 mm x 750 mm x 2000 mm. Incomplete.	1000
274	NN hygiene station	S/s hygiene station, consisting of: 2 hand disinfection units and tourniquet, dimensions: 1780 mm x 1250 mm x 1500 mm.	650
275	Baader	Baader mobile separator, type: 696, machine number: 12 5653 0696, year of construction: 1978, 380 V, 3 Ph, 50 Hz, 3.7 A, perforations drum: 1 mm and 3 mm, total dimensions: 1100 mm x 650 mm x 1040 mm. Including Baader infeed bunker, dimensions infeed bunker: 1350 mm x 900 mm x 2220 mm.	2500
276	Food Dosing Packing Machines SP. Z.O.O.	Food Dosing Packing Machines SP. Z.O.O. cup filling and sealing machine, type: DOZOWNIK 2G, number: 439, year of construction: 2014, 400 V, 3 Ph, 2.5 kW, 6-8 bar, weight: 1150 kg, dimensions: 4200 mm x 1300 mm x 1800 mm.	1500
277	Alfa Laval	Alfa Laval circumferential piston pump, pump type: DURACIRC 73, serial number: E256143, year of construction: 2021, dimensions: 1600 mm x 600 mm x 800 mm.	1250
278	Rademaker B.V.	Filling line consisting of: Rademaker B.V. product pump with infeed funnel, dimensions: 1700 mm x 1100 mm x 2250 mm. S/s mobile dosing unit, dimensions: 1700 mm x 1100 mm x 2250 mm. Meyer transport belt, plastic mesh belt, belt width: 910 mm, total dimensions: 3400 mm x 1500 mm x 1690 mm. Including trolley with extra parts.	4000
279	Sanamij	Sanamij double cooking vessel with agitators, type: Kookketel, number: 00.105, year of construction: 2000, 230/400 V, 4 kW, volume: 100 liter, water heated, dimensions: 2710 mm x 1000 mm x 900 mm.	1750
280	NN lifter	Lifter for meat bins, lifting height: 2400 mm, total dimensions: 3200 mm x 1100 mm x 1200 mm.	1000
281	Maf Roda Agrobotic	Maf Roda Agrobotic s/s brush bed with 18 brushes, type: CEP. 18B1500-TDDI, serial number: 20R5200/2, year of construction: 19-02-2021, brush width: 1500 mm, total dimensions: 2500 mm x 1900 mm x 2200 mm.	7500
282	Soteco	Soteco double s/s brush bed with 12 brushes each, brush width: 2000 mm, total dimensions: 2600 mm x 1600 mm x 2900 mm. Including pallet with switch cabinet.	12500
283			15000



Nr	Title	Description	Start €
	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile clipper, type: FCA 100, number: 157, year of construction: 2019, 400 V, 3 Ph, 50/60 Hz, 16 A, 3.0 kW, dimensions: 1620 mm x 1135 mm x 2130 mm. Completely overhauled.	
284	Mafo Howden B.V.	Mafo Howden B.V. washing machine for pallet boxes, serial number: MAFO, serial number: 8981-594/1, year of construction: 1998, clearance: 900 mm x 1200 mm, total dimensions: 4800 mm x 1300 mm x 2200 mm.	1500
286	Pomac / LKM	Pallet with 2 centrifugal pumps, Pomac centrifugal pump, type: CP29068/230 X 15, serial number: 22 818, year of construction: 12-2011, capacity: 45 m³/h, power: 15.0 kW, dimensions: 950 mm x 400 mm x 500 mm, LKM centrifugal pump, type: LKH 20/155 5.5 kW, manufacturing number: 20-02319, dimensions: 700 mm x 380 mm x 400 mm	500
287	Bakeres Sp. z o.o	Bakeres Sp. z o.o vacuum paddle mixer, model: MIESIARKA PRÓZNIOWA, serial number: UM_1600_0108, year of revision: 2023, 230 V, 50 Hz, 1.3 kW, weight: 280 kg, volume: 400 liter, dimensions: 1600 mm x 1150 mm x 1450 mm. Without vacuum pump.	2500
288	Emerson	Emerson chiller, 1300 kW, dimensions: 13500 mm x 2500 mm x 2400 mm. Screen damaged.	17500
289	Seydelmann	Seydelmann cooled vacuum double shaft paddle mixer with Oslos lifter for pallet boxes, type: PV 4000, machine number: 11422-1, year of construction: 2011, 400 V, 50 Hz, 125 A, 60 kW, weight: 6500 kg, dimensions: 4250 mm x 2300 mm x 2750 mm. Oslos lifter, type: Column Loader 1000S, serial number: E011270705118/9001, year of construction: 09/2021, 380 V, 3 Ph, 50 Hz, 5.2 A, 2.2 kW, capacity: 1000 kg, dimensions lifter: 700 mm x 2600 mm x 4200 mm, dimensions lifting arm: 1750 mm x 1600 mm x 1250 mm.	35000
290	Zacmi	Zacmi washing drum used for potatoes, diameter drum: 1180 mm, total dimensions: 5500 mm x 2400 mm x 4250 mm.	3000
291	Spomasz	Spomasz autoclave, type: WSA 18, serial number: 106, year of construction: 2010, 3 x 400 V, 50 Hz, 16 A, dimensions: 5400 mm x 2600 mm x 2300 mm.	30000
292	Maskinfabrikken Hillerslev a/s	Maskinfabrikken Hillerslev a/s crate washer, plastic chain belt, belt width: 350 mm, clearance: 650 mm x 200 mm, total dimensions: 7300 mm x 1500 mm x 2000 mm.	3500
293	Ulbricht	Ulbricht s/s cooled vacuum tumbler, type: VKTH 8002, serial number: 0948, year of construction: 2000, volume: 8000 liter, weight: 4850 kg, 400 V, 15 kW, diameter infeed: 600 mm, Busch vacuum pump, type: RA 0100 F, capacity: 100 m³/h, dimensions: 5050 mm x 2330 mm x 2640 mm.	15000
294	NN conveyor		10000





Nr	Title	Description	Start €
		3 level conveyor, s/s mesh belt, belt width: 1500 mm, total dimensions: 16300 mm x 2400 mm x 3100 mm.	
295	CFT S.p.A.	CFT S.p.A. receiving hopper with drum sieve, type: VASCA di LAVAGGIO con ELEVATORE, model: L945 1/13, serial number: 24621, year of construction: 2013, plastic mesh belt with dividers, belt width: 540 mm, divider height: 30 mm, distance between dividers: 200 mm, elevating height: 1950 mm, sieve: 1 mm, total dimensions: 3400 mm x 2950 mm x 1950 mm.	12500
296	CFT S.p.A.	CFT S.p.A. inspection belt with s/s work platform, type: NASTRO di CERNITA, model: L945-3/13, serial number: 24622, year of construction: 2013, plastic belt, belt width: 600 mm, total dimensions: 4200 mm x 2800 mm x 1680 mm.	4000
297	NN bunker	S/s bunker with volume sensor, dimensions: 1750 mm x 1600 mm x 1250 mm.	2500
298	CFT S.p.A.	CFT S.p.A. elevating belt, plastic belt with dividers, belt width: 600 mm, divider height: 120 mm, distance between dividers: 700 mm, elevating height: 3100 mm, total dimensions: 5000 mm x 1900 mm x 3900 mm.	2750
299	CFT S.p.A.	CFT S.p.A. crusher with progressive cavity outfeed pump, type: TRITAGHIACCIO, model: CR 2, serial number: 24602, year of construction: 2013, inside dimensions hopper: 950 mm x 1000 mm x 900 mm, total dimensions: 5800 mm x 2100 mm x 3500 mm.	17500
300	Seydelmann	Seydelmann grinder with Lachnit lifter for meat bins, model: AV 250, machine number: 06088-1, year of construction: 2006, 400 V, 50 Hz, 147 A, 82 kW, plate diameter: 250 mm, total dimensions grinder: 2000 mm x 1650 mm x 2500 mm, type Lachnit: 300 S, serial number: 2149, year of construction: 2006, 400 V, 50 Hz, 3.75 A, 1.5 kW, weight: 900 kg, capacity: 400 kg, dimensions lifter: 1550 mm x 500 mm x 3550 mm, dimensions switch cabinet: 1200 mm x 550 mm x 2150 mm.	12500
301	Atlas Copco	Atlas Copco air compressor, type: GA75VSD, number: API658285, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 75 kW, maximum pressure: 12.8 bar, quantity: 244.7 liter per second, 2975 rates per minute, weight: 1830 kg, total dimensions: 2300 mm x 1080 mm x 1970 mm.	1500
302	Atlas Copco	Atlas Copco air compressor, type: GA45P, serial number: API519157, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 45 kW, maximum pressure: 7.8 bar, quantity: 133.7 liter per second, 2965 rates per minute, weight: 1150 kg, dimensions: 2250 mm x 950 mm x 1850 mm.	1500
303	Loos Bosch Group / Weishaupt GmbH	Loos Bosch Group steam boiler, type: U-ND 800, serial number: 109582, year of construction: 10/2011, total volume: 1108 liter, steam capacity: 800 kg per hour with Weishaupt GmbH burner, burner type: WM - L10/3-A,	7500



Nr	Title	Description	Start €
		year of construction: 2011, minimum: 250 kW, maximum: 800 kW, dimensions steam boiler: 2500 mm x 1600 mm x 1900 mm, Achenbach GmbH storage tank, volume: 800 liter, dimensions: 1600 mm x 850 mm x 2600 mm and switch cabinet, dimensions: 1000 mm x 180 mm x 750 mm.	
304	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 0720, machine number: 072008.74121.0678-1, year of construction: 1990, 220/330 V, 3 Ph, 50 Hz, 11/20 A, chamber: 550 mm x 120 mm, total dimensions: 2300 mm x 900 mm x 1450 mm. Without grids.	1500
305	NN mixer	Mixer, s/s bowl and dough hook, dimensions bowl: Ø 900 mm x 500 mm, total dimensions: 1300 mm x 950 mm x 1400 mm.	250
307	Rational	Rational combisteamer, iCombi Pro, model: LM100DE.AXXXXA, serial number: E11SJ23113099309, year of construction: 2023, 400 V, 3 Ph, 50/60 Hz, 18.9 kW, electric heated, dimensions: 900 mm x 900 mm x 1100 mm. Never used, still in box.	10000
310	NN switch cabinet	S/s switch cabinet, dimensions: 760 mm x 300 mm x 770 mm.	150
311	Eldon/IPBE	Eldon and IPBE switch cabinets, dimensions: 400 mm x 230 mm x 770 mm and 1000 mm x 300 mm x 1000 mm.	400
312	DP Pumps	DP Pumps pump hydro-unit, model: HU 4 UL DPV15/4 SVP NW100 R L LEFT, ID: 0945600033, year of construction: 08/2020, 3x400 V, 50 Hz, 32.2 A, dimensions pumps: 1350 mm x 900 mm x 950 mm, dimensions switch cabinet: 600 mm x 350 mm x 1520 mm.	2000
313	Danfoss	Pallet with 4 Danfoss frequency converters.	750
314	Hovac / Pomac / APV	Various parts for pasteurising line, consisting of: Hovap centrifugal pump, type: HP-5032/170, serial number: 33740, capacity: 35 m³/h, power: 7.5 kW, dimensions: 700 mm x 320 mm x 550 mm, Pomac centrifugal pump, type: CP19555 / 165 x 10, serial number: 20080, year of construction: 2007, capacity: 30 m³/h, power: 5.5 kW, dimensions: 700 mm x 350 mm x 450 mm, Endress+Hauser flowmeter, and APV valves.	750
315	APV	Approximately 14 APV valves	250
316	Nocado	Pallet with pipes and 5 Nocado valves.	150
317	Alfa Laval	Manifold with 11 Alfa Laval valves and 6 regulators, dimensions: 800 mm x 550 mm x 1200 mm.	750
318	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH-50, serial number: 252968, year of construction: 2020, dimensions: 650 mm x 360 mm x 530 mm.	300
319	APV	Pallet with pipes and 8 APV valves.	200
320	Samson	Pallet with pipes and Samson pneumatic actuator.	150
321	Alfa Laval / Nocado		1250



Nr	Title	Description	Start €
		Manifold with approximately 20 Alfa Laval and Nocado valves, dimensions: 1300 mm x 800 mm x 850 mm.	
322	Alfa Laval	Manifold with 14 Alfa Laval valves and 8 regulators, dimensions: 1050 mm x 1000 mm x 1250 mm.	1000
323	Alfa Laval	Manifold with 24 Alfa Laval valves and 16 regulators, dimensions: 1900 mm x 1300 mm x 1300 mm.	1500
324	Alfa Laval	Alfa Laval manifold with large amount of valves, type: LKLA-T NC and Unique	1500
325	Alfa Laval	Alfa Laval manifold with large amount of valves, type: LKLA-T NC and Unique	1500
326	Anema	Anema centrifugal pump, number: 32078, capacity: 12 bar, dimensions: 650 mm x 400 mm x 450 mm.	200
327	Hilge / Anema	Hilge centrifugal pump, pump type: EURO-HYGIA-B-SUPER-II/60 B, number: 23/96/11349, capacity: 30 m³/h, power: 11.0 kW, dimensions: 750 mm x 350 mm x 450 mm and Anema centrifugal pump, dimensions: 530 mm x 300 mm x 300 mm.	200
328	NN peeler	S/s peeler, screw diameter: 600 mm, tier: 300 mm, brush length: 2200 mm, total dimensions: 3500 mm x 1800 mm x 1900 mm.	3000
329	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 3000 mm x 750 mm x 950 mm.	400
330	Vemag	Vemag separator for bone particles, cartilage and sinews, model: 813, number: 8130149, year of construction: 2017, dimensions: 400 mm x 200 mm x 650 mm.	750
331	Danfoss	Danfoss frequency converter, model: VLT, serial number: 058002G113, 400 V, 50/60 Hz, 2.7/2.6 A, 1.1 kW.	100
332	Danfoss	Danfoss frequency converter, model: VLT, serial number: 277102G340, 380-480 V, 3 Ph, 50/60 Hz, 4.7/3.9 A, 2.2 kW.	100
333	Allen Bradley	Allen Bradley frequency converter, serial number: BD2P3N0W17090203, 380-480 V, 3 Ph, 48-63 Hz, 3.2 A, 0.75 kW.	100
334	Allen Bradley	Allen Bradley frequency converter, serial number: BD2P3N0W2150356, 380-480 V, 3 Ph, 48-63 Hz, 3.2 A, 0.75 kW.	100
335	Danfoss	Danfoss frequency converter, model: VLT, serial number: 277002G340, 380-480 V, 3 Ph, 50/60 Hz, 4.7/3.9 A, 2.2 kW.	100
336	Danfoss	Danfoss frequency converter, model: VLT, serial number: 042202G242, 400 V, 50/60 Hz, 2.7/2.6 A, 1.1 kW.	100
337	Danfoss	Danfoss frequency converter, model: VLT, type: 2030, 380-460 V, 3 Ph, 50/60 Hz, 3.8 A.	100
338	Danfoss	Danfoss frequency converter, model: VLT, type: 2030, 380-460 V, 3 Ph, 50/60 Hz, 3.8 A.	100
339	Allen Bradley		100



Nr	Title	Description	Start €
		Allen Bradley frequency converter, serial number: BD1P4N0W3120264, 380-480 V, 3 Ph, 48-63 Hz, 1.8 A, 0.4 kW.	
340	Danfoss	Danfoss frequency converter, model: VLT, serial number: 056702G113, 380-480 V, 3 Ph, 50/60 Hz, 4.7/3.9 A, 2.2 kW.	100
341	Danfoss	Danfoss frequency converter, model: VLT, serial number: 051729G165, 380-460 V, 3 Ph, 50/60 Hz, 3.8 A.	100
342	Danfoss	Danfoss frequency converter, model: VLT, serial number: 012910G123, 380-460 V, 3 Ph, 50/60 Hz, 3.7/3.1 A, 1.5 kW.	100
343	Busch	Busch vacuum pump, type: RA 0100 F 5R3, serial number: 080095515, year of construction: 2008, capacity: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 500 mm x 430 mm.	300
344	KPA	KPA centrifugal pump, type: KN 45/5A, number: 180911, year of construction: 18, 50 Hz, pump weight: 139, capacity: 45 m <sup>3</sup> per hour, dimensions: 1370 mm x 550 mm x 650 mm.	1000
345	Busch	Busch vacuum pump, type: RA 0160 D 501, serial number: C1718000153, year of construction: 2017, capacity: 160 m <sup>3</sup> per hour, dimensions: 860 mm x 600 mm x 500 mm.	300
346	Pomac B.V.	Pomac B.V. centrifugal pump, type: 1FMOM07, serial number: 8701, 380/660 V, 50 Hz, capacity: 80 m <sup>3</sup> per hour, dimensions: 720 mm x 400 mm x 400 mm.	200
347	Busch	Busch vacuum pump, type: RA 0160 D 5Z1 GQZZ, serial number: C0936000122, year of construction: 2009, capacity: 160 m <sup>3</sup> per hour, dimensions: 870 mm x 520 mm x 450 mm.	400
348	Canton / SEW	Pallet with 9 Canton / SEW motors, dimensions: 1200 mm x 800 mm x 450 mm.	200
349	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: 120076712, year of construction: 2012, capacity: 100 m <sup>3</sup> per hour, dimensions: 750 mm x 500 mm x 300 mm.	300
350	Spako	Spako cooking vessel, gas heated, volume: 1000 liter, dimensions: 2100 mm x 1700 mm x 1250 mm.	1000
351	Spako	Spako cooking vessel, type: RHV 1100, 230 V, 50 Hz, 130 W, gas heated, volume: 1000 liter, dimensions: 2100 mm x 1700 mm x 1250 mm.	1000
352	Alfa Laval / Tetra Pak	Alfa Laval / Tetra Pak heat exchanger used as buttermilk pasteurizer, type: C8-K8M, serial number: 30107-33855, year of construction: 2012, volume: 559.0 litres, PS: 16.0 litres, PT: 22.9 bar, TS: 120 °C, dimensions: 3200 mm x 550 mm x 1850 mm.	3300
353	NN blancher		2500



Nr	Title	Description	Start €
		S/s blancher, screw diameter: Ø 1200 mm, tier: 300 mm, s/s mesh belt, belt width: 500 mm, total dimensions: 9000 mm x 2800 mm x 2800 mm.	
354	NN blancher	S/s blancher, screw diameter: Ø 430 mm, tier: 400 mm, drum diameter: Ø 1700 mm, total dimensions: 9000 mm x 2600 mm x 2800 mm.	2500
355	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3005 H-4, year of construction: 1989, medium: Salatmayonnaise, capacity: 5000 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 580 kg, dimensions: Ø 1800 mm x 4900 mm. Tank is damaged.	1250
356	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3006 H-2, year of construction: 1989, medium: Salatmayonnaise, capacity: 10000 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 1150 kg, dimensions: Ø 2600 mm x 5500 mm. Tank is damaged.	1250
357	Holvrieka	Holvrieka s/s isolated tank, fabrication number: 212.059, year of construction: 1982, volume: 5000 litres, dimensions: Ø 1800 mm x 3800 mm.	2500
358	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3007 H-4, year of construction: 1989, medium: Salatmayonnaise, capacity: 3500 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 425 kg, dimensions: Ø 2000 mm x 3600 mm.	1250
359	NN vibrating gutter	Vibrating gutter with s/s work platform, gutter width: 1020 mm, total dimensions: 4150 mm x 2800 mm x 1750 mm.	1500
360	NN washing machine for peas	Washing machine for peas, inside dimensions tub: 1050 mm x 1100 mm x 400 mm, total dimensions: 4900 mm x 2400 mm x 2700 mm.	2000
361	NN blanching screw	Blanching screw, inside dimensions: Ø 800 mm x 3000 mm, tier: 300 mm, screw width: 600 mm, total dimensions: 4400 mm x 1100 mm x 950 mm.	2000
362	NN mushroom slicer	Mushroom slicer, 13 lanes, lane width: (13x) 55 mm, distance between knives: 5 mm, s/s mesh belt, belt width: 750 mm, total dimensions: 3200 mm x 1350 mm x 1700 mm.	2500
365	Rational	Rational combisteamer, type: CPC 101, serial number: E11CC00101033793, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 19 kW, electrically heated, dimensions: 900 mm x 800 mm x 1100 mm.	1500
366	Rational	Rational combisteamer, type: CPC 101, serial number: E11CD01101055296, year of construction: 2001, 400 V, 3 Ph, 50-60 Hz, 19.0 kW, electrically heated, dimensions: 900 mm x 800 mm x 1150 mm.	1500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
367	Advanced	Advanced spiral freezer, model: Optifreeze, s/s mesh belt, belt width: 1300 mm, total dimensions: 8700 mm x 2500 mm x 3200 mm. Switch cabinet incomplete. Lot located on different location in Essen (DE), viewing and pick up in consultation with Industrial Auctions.	15000
368	Rational	Rational combisteamer, type: CPC 201, serial number: E21CB99101014540, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 38 kW, electrically heated, dimensions: 900 mm x 800 mm x 1950 mm.	2000
369	Rational	Rational combisteamer, type: SCC 102, serial number: E12SG09062184261, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 37,0 kW, electrically heated, dimensions: 1100 mm x 1100 mm x 1750 mm.	1500
370	Rational	Rational combisteamer, type: CPC 101, serial number: E11CA97091604, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 19 kW, electrically heated, dimensions: 900 mm x 800 mm x 1100 mm.	1500

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.




## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.



# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

