



**Industrial
Auctions**

**2031: Online auction commercial kitchen and
catering equipment in Milsbeek (NL)**

END DATE
13 January 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	13 January 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	20 January 2026 from 09:00 till 16:00 hrs.
Pick up address	Sprockelveld 5 6596 DH Milsbeek Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Metos	Metos combi steamer, type: ICEM071E, serial number: LA020169810, year of construction: 2021, 230-400 V, 3 PH, 50 Hz, 12.5 kW, 8 floors, floor dimensions: (8x) 540 mm x 420 mm, total dimensions: 780 mm x 730 mm x 950 mm.	650
2	Panasonic	Panasonic microwave, model: NE-2153-2, serial number: 5AD1140060, year of construction: 12/2021, 230 V, 50 Hz, 14.4 A, 3160 W, inside dimensions: 330 mm x 310 mm x 160 mm, total dimensions: 420 mm x 500 mm x 340 mm.	200
3	Frima	Frima VarioCooking Center, inside dimensions: 720 mm x 590 mm x 280 mm, total dimensions: 1320 mm x 950 mm x 1100 mm. Incomplete and technical condition unknown.	100
4	Rational	Rational combi steamer, type: SCC 101 G, serial number: G11SG09122200859, year of construction: 2009, 10 floors, floor dimensions: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1040 mm.	800
5	Lubron	Lubron water softener, serial number: 12051501, year of construction: 05/12, 230 V, 50 Hz, 4 W, pressure: 2-7 bar, capacity: 7 liter, dimensions: 400 mm x 200 mm x 650 mm.	50
6	Saro	Saro hose reel with Nito pistol, dimensions: 470 mm x 490 mm x 180 mm. New with damage.	200
7	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction hob, model: 301-1020/CW-25A, serial number: 190814038, 230 V, 50 Hz, 2500 W, dimensions: 490 mm x 380 mm x 160 mm. Including pan.	150
8	Convotherm	Convotherm combi steamer, model: OES 6.10, serial number: ES1018D3000A0, 400 V, 3 Ph, 50/60 Hz, 7 floors, floor dimensions: (7x) 330 mm x 540 mm, total dimensions: 1010 mm x 810 mm x 910 mm.	350
9	Zorro B.V.	Zorro B.V. coffee machine, model: ZKM 26, serial number: SRV28624050067, year of construction: 20240525, 230 V, 50/60 Hz, 8 A, 1.9 kW, weight: 6.4 kg, capacity: 2 liter, dimensions: 390 mm x 210 mm x 550 mm.	50
10	NN grill	Grill plate, dimensions grill: 385 mm x 360 mm, total dimensions: 490 mm x 560 mm x 260 mm.	150
11	Hoshizaki	2 Hoshizaki ice makers, model: DKM-30DE, serial numbers: A02539, A02498, 220-240 V, 50 Hz, 540 W, refrigerant: R134a/0.18 kg, weight: 59 kg, dimensions: (2x) 350 mm x 510 mm x 1700 mm. Defect.	50
12	Metos/Brema	Metos/Brema crushed ice machine, model: G 160A HC, number: 2021021043312, year of construction: 2021, 220-240 V, 50 Hz, 830 W, refrigerant: R290/0.135 kg, inside dimensions: 410 mm x 710 mm x 920 mm, total dimensions: 560 mm x 820 mm x 1720 mm.	450
13	Metos	Metos cooking counter with induction plate and au bain-marie, dimensions: 1700 mm x 620 mm x 910 mm.	500



Nr	Title	Description	Start €
14	Bitzer Kühlmaschinenbau GmbH / Ecostar	Bitzer Kühlmaschinenbau GmbH / Ecostar condensing unit with cooling compressor, type: 2DES-3.F1Y-40S, serial number: 1699201606, 220-240 V, 50 Hz, 13.4 m³/h, dimensions: 1350 mm x 700 mm x 1660 mm.	800
15	Juno Großküchen GmbH	Juno Großküchen GmbH 2-pits stove, dimensions: 1180 mm x 600 mm x 940 mm.	100
16	IMC	IMC food waste processor, dimensions: 700 mm x 1000 mm x 900 mm.	350
17	Rational	Rational combi steamer, model: SCC WE 61G, serial number: G61SH15032450011, year of construction: 2015, 230 V, 1 Ph, 50-60 Hz, 230 V, 1 Ph, 50/60 Hz, 400 W, 6 floors, floor dimensions: (6x) 530 mm x 330 mm, total dimensions: 850 mm x 850 mm x 840 mm.	1500
18	Rational	Rational combi steamer, model: MSCC WE 101, serial number: E11SH1110227666, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, 10 floors, floor dimensions: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1040 mm.	1700
19	Rational	Rational combi steamer, 10 floors, floor dimensions: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 820 mm x 1030 mm.	900
20	Rational	Rational combi steamer, model: CM 61G, serial number: G61MG09112198060, year of construction: 2009, 230 V, 3 Ph, 50 Hz, 300 W, gas heated, 6 floors, dimensions floors: (6x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 800 mm.	700
21	Weisser	Weisser mobile depositor, dimensions: 700 mm x 600 mm x 1250 mm.	900
22	Rational	Rational combi steamer with s/s trolley, model: MSCC 202, serial number: E22SE07072107308, year of construction: 2007, 400 V, 3 Ph, 50-60 Hz, dimensions: 1080 mm x 1080 mm x 1790 mm. S/s trolley, 20 floors, floor dimensions: (20x) 530 mm x 660 mm, total dimensions: 680 mm x 920 mm x 1700 mm.	3000
23	Frima	Frima VarioCooking Center, dimensions: 1200 mm x 800 mm x 1130 mm.	2500
24	Rational	Rational combi steamer, type: SCC WE 101G, serial number: G11SI18042663612, year of construction: 2018, 10 floors, floor dimensions: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1040 mm.	2000
25	NN seal machine	Seal machine, seal length: 460 mm, dimensions: 550 mm x 700 mm x 110 mm.	50
26	NN seal machine	Seal machine, seal length: 460 mm, dimensions: 550 mm x 700 mm x 110 mm.	50
27	Zanussi	Zanussi top part of workbench, model: KN/2, serial number: 55100018, year of construction: 2005, dimensions: 900 mm x 800 mm x 250 mm.	50
28	Frima		3000



Nr	Title	Description	Start €
		Frima VarioCooking Center, type: VCC 211, serial number: E21PH15118021630, year of construction: 11-2015, 400 V, 3 Ph, 50-60 Hz, dimensions: 1170 mm x 940 mm x 1100 mm.	
29	Adieu	Adieu grill plate, dimensions grill: 985 mm x 575 mm, total dimensions: 1020 mm x 630 mm x 895 mm.	350
30	Brema	Brema ice machine, inside dimensions: 680 mm x 580 mm x 610 mm, total dimensions: 840 mm x 740 mm x 1230 mm.	500
31	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s trolley, 18 floors, floor dimensions: (18x) 400 mm x 600 mm, total dimensions: 460 mm x 600 mm x 1740 mm.	75
32	Framec	Framec refrigerated showcase, 3 floors, floor dimensions: (3x) 900 mm x 285 mm, total dimensions: 980 mm x 580 mm x 2010 mm.	75
33	Framec	Framec refrigerated showcase, 3 floors, floor dimensions: (3x) 900 mm x 285 mm, total dimensions: 980 mm x 580 mm x 2010 mm.	75
34	Metro	Metro refrigerator, model: GSC4280, serial number: GSC4280ZV1I0014V1, 220-240 V, 50 Hz, 1.5 A, refrigerant: R600a/0.045 kg, capacity: 280 liter, 6 floors, floor dimensions: (6x) 510 mm x 340 mm, total dimensions: 600 mm x 560 mm x 1590 mm.	100
35	Metos	Metos ice machine, model: CB 425A HC, serial number: 2020071018717, year of construction: 2020, 220-240 V, 50 Hz, 450 W, refrigerant: R290/0.100 kg, inside dimensions: 460 mm x 450 mm x 460 mm, total dimensions: 500 mm x 580 mm x 860 mm.	200
36	NN cabinet	S/s cabinet with drawer, inside dimensions: 500 mm x 300 mm x 150 mm, total dimensions: 600 mm x 400 mm x 320 mm.	50
37	NN frame	S/s frame, dimensions: 840 mm x 580 mm x 190 mm.	50
38	Schott Ceran	Schott Ceran ceramic warming plate, dimensions: 1120 mm x 610 mm x 170 mm.	100
39	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s counter top servery refrigerator, model: VRX 1600 S/S, serial number: 23026598, 220-240 V, 3 Ph, 50 Hz, 110 W, refrigerant: R600a/0.045 kg, inside dimensions: 1250 mm x 310 mm x 140 mm, dimensions: 1600 mm x 395 mm x 280 mm.	100
40	Angelo PO	Angelo PO dishwasher, type: LF50E-ZMRO, serial number: AP/B12202, year of construction: 01-13, 400 V, 3 Ph, 50 Hz, 4900 W, inside dimensions: 500 mm x 500 mm, total dimensions: 630 mm x 580 mm x 860 mm.	150
41	Metos	Metos dishwasher, model: MM3 EL D XP DDE DVGW, serial number: DWA1021647, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 9.5 A, 560 W, clearance: 500 mm x 500 mm, total dimensions: 640 mm x 600 mm x 850 mm.	200
42	Convotherm		450



Nr	Title	Description	Start €
		Convotherm combi steamer, type: OES 10.10 mini, serial number: XSPO82777, 400 V, 3 Ph, 50/60 Hz, 10.5 kW, 15.7 A, 20 floors, floor dimensions: (20x) 335 mm x 510 mm, total dimensions: 510 mm x 840 mm x 860 mm.	
43	NN work bench	S/s top part of workbench, dimensions: 700 mm x 600 mm x 280 mm.	75
44	NN knock-off tray	S/s knock of tray for coffee, dimensions: 380 mm x 300 mm x 300 mm.	40
45	Gram	Gram freezer, type: FS 146 CS, serial number: 510/6, 230 V, 50 Hz, 125 W, refrigerant: R134a/0.055 kg, 2 floors, floor dimensions: (2x) 440 mm x 490 mm, total dimensions: 600 mm x 630 mm x 820 mm.	50
46	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator / freezer combination, model: GN 60 DTV, serial number: 23026557, 220-240 V, 50 Hz, 1.5/2 A, 250 /300 W, weight: 150 kg, refrigerant: R600a/0.120, R290/0.100, inside dimensions fridge: 650 mm x 560 mm x 640 mm, 2 floors, floor dimensions: (2x) 640 mm x 530 mm, inside dimensions freezer: 650 mm x 560 mm x 640 mm, 2 floors, floor dimensions: (2x) 640 mm x 530 mm, total dimensions: 810 mm x 680 mm x 1960 mm.	400
47	Meiko	Meiko dishwasher, inside dimensions: 1170 mm x 580 mm, total dimensions: 1180 mm x 860 mm x 1440 mm.	300
48	Gram	Gram freezer, type: 3012-1A2B, serial number: 0406080258, 230 V, 50 Hz, 0.42 A, 91 W, refrigerant: R134A/0.102 kg, 2 floors, floor dimensions: (2x) 440 mm x 490 mm, total dimensions: 600 mm x 660 mm x 830 mm.	50
49	Rhima	Rhima dishwasher, type: WD-4S, serial number: WD161445, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 16 A, 7.65 kW, inside dimensions: 510 mm x 530 mm, total dimensions: 600 mm x 670 mm x 860 mm.	300
50	Alphatech	Alphatech combi steamer, type: A05RES, number: LA020035778, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6.25 kW, 6 floors, floor dimensions: (6x) 500 m x 360 mm, total dimensions: 800 mm x 600 mm x 600 mm.	100
51	Giorik	Giorik salamander grill, dimensions grill: 540 mm x 360 mm, total dimensions: 570 mm x 580 mm x 530 mm.	150
52	NN valve	Gas safety valve.	50
53	Samsung	Samsung microwave, model: MJ26A6053AT, serial number: 0C7Y7WRT700141P, year of construction: July 2022, 230-240 V, 50 Hz, 12.7 A, 1450 W, inside dimensions: 370 mm x 370 mm x 200 mm, total dimensions: 460 mm x 560 mm x 370 mm.	150
54	Rhima	Rhima presflo multi electronic pump controller, type: AB, serial number: 20150189, dimensions: 530 mm x 500 mm x 800 mm.	150
55	Miele	Miele washing machine, dimensions: 700 mm x 600 mm x 870 mm.	150



Nr	Title	Description	Start €
56	Unox	Unox oven, model: XVC205EP, serial number: 2014N0078922, 380-415 V, 3 Ph, 50/60 Hz, 9.4 kW, weight: 68 kg, 5 floors, floor dimensions: (5x) 540 mm x 330 mm total dimensions: 800 mm x 750 mm x 1360 mm.	750
57	Metos	Metos dishwasher, model: METOS PREMIUM50 PS DDE BT PAP, serial number: DWD1027756, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 12 A, 6650 W, dimensions: 650 mm x 600 mm x 1370 mm.	300
58	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH warming bridge, dimensions: 800 mm x 400 mm x 400 mm.	150
59	Nitto	Nitto mobile serving tray rack, dimensions: 570 mm x 550 mm x 890 mm.	150
60	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction hob, serial number: 2024040449, year of construction: April 2024, 380-400 v, 3 Ph, 50-60 Hz, 10 A, 5000 A, weight: 10.2 kg, dimensions: 530 mm x 400 mm x 200 mm.	100
61	Berkel	Berkel slicer, type: 834 S, number: 629834, year of construction: 1996, 230 V, 1 Ph, 50 Hz, 220 W, dimensions: 700 mm x 600 mm x 520 mm.	300
62	Chocofairy	Chocofairy hot chocolate dispenser, model: Chocofairy-5L, serial number: KL32742307F5015, 220 V, 50 Hz, 1006 W, weight: 7.3 kg, capacity: 5 liter, dimensions: 410 mm x 280 mm x 465 mm.	100
63	NN step	S/s step, dimensions: 600 mm x 430 mm x 280 mm.	50
64	Amana	Amana microwave, model: RCS511A, serial number: 0807305333, year of construction: July 2008, 230 V, 1 Ph, 50 Hz, 1.6 kW, inside dimensions: 360 mm x 410 mm x 240 mm, total dimensions: 550 mm x 500 mm x 360 mm.	100
65	Henkovac	Henkovac vacuum machine, serial number: 20101996, year of construction: 2010, 220-240 V, 1 Ph, 50 Hz, 4.6 A, seal length: 460 mm, total dimensions: 560 mm x 540 mm x 470 mm.	300
66	Rhima	Rhima reversed osmosis machine, dimensions: 550 mm x 300 mm x 450 mm.	50
67	Metos	Metos dishwasher, type: DW124E, serial number: DWN1003896, 380-415 V, 3 Ph, 50 Hz, 15.1 A, 5150 W, dimensions: 640 mm x 600 mm x 860 mm.	200
68	Miele	Miele dishwasher, model: G 4300 SC, 230 V, 50 Hz, 2.2 kW, dimensions: 600 mm x 600 mm x 850 mm.	50
69	NN trolley	S/s trolley, 11 floors, floor dimensions: (11x) 550 mm x 330 mm, total dimensions: 590 mm x 380 mm x 1670 mm.	100
70	NN refrigerator	Refrigerator, model: GN650BTG, year of construction: 2021, 220-240 V, 50 Hz, 3.3 A, 495 W, refrigerant: R290/130 g, volume: 650 liter, weight: 139 kg, 3 floors, floor dimensions: (3x) 640 mm x 530 mm, total dimensions: 820 mm x 750 mm x 1880 mm.	400
71	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction plate, type: DENISE, serial number: 2025040422, year of construction:	100



Nr	Title	Description	Start €
		April 2025, 220-240 V, 1 Ph, 50-60 Hz, 16 A, 3500 W, weight: 5.7 kg, dimensions: 580 mm x 300 mm x 60 mm.	
72	NN sink	S/s double sink, dimensions: 1800 mm x 700 mm x 940 mm.	175
73	Moduline srl	Moduline srl heating cabinet, type: HSW013E, number: 1700073002C, year of construction: 2017, 230 V, 50 Hz, 8 A, 1 kW, 3 drawers, drawer dimensions: (3x) 500 mm x 290 mm x 100 mm, total dimensions: 660 mm x 600 mm x 720 mm.	200
74	SB	SB microwave, model: SB4662, 230 V, 50 Hz, 1450 W, inside dimensions: 330 mm x 330 mm x 230 mm, total dimensions: 520 mm x 520 mm x 320 mm.	50
75	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH heating lamp, model: 172-3082, serial number: 471835, 230 V, 1 Ph, 50 Hz, 250 W, dimensions: 220 mm x 220 mm x 880 mm.	150
76	Inoxfera	Inoxfera static refrigerated top, model: PR6-3, serial number: 19043172200601003, 220-240 V, 1 Ph, 50 Hz, 320 W, refrigerant: R452A/0.200 kg, dimensions: 1120 mm x 610 mm x 470 mm.	150
77	NN trolley	S/s trolley for rational combi steamer, 20 floors, floor dimensions: (20x) 660 mm x 540 mm, total dimensions: 970 mm x 740 mm x 1700 mm.	150
78	Polar	Polar freezer, model: G595-E-02, 230 V, 50 Hz, 710 W, 5 A, refrigerant: R290/0.150 kg, 6 floors, floor dimensions: (6x) 540 mm x 650 mm, total dimensions: 1340 mm x 810 mm x 1990 mm.	250
79	Gamko	Gamko refrigerator, type: LG1/150FG84, serial number: 201535 505213, year of construction: 2015, 220-240 V, 50/60 Hz, 175 W, 1.1 A, refrigerant: R134 A,/0.145 kg, 1 floor, floor dimensions: 370 mm x 530 mm, total dimensions: 600 mm 510 mm x 840 mm.	100
80	NN table	S/s table, dimensions: 1800 mm x 300 mm x 710 mm.	100
81	NN cabinet	Wooden cabinet, dimensions: 1800 mm x 360 mm x 600 mm.	100
82	Unox	Unox water filter, dimensions: Ø130 mm x 560 mm.	50
83	NN crates	Rollie with 27 plastic crates, dimensions crate: (27x) 530 mm x 310 mm x 200 mm.	100
84	Metos	Metos dishwasher, model: METOS LUX60EL, 240 V, 50 Hz, 16 A, 8450 W, dimensions: 640 mm x 600 mm x 850 mm.	250
85	NN freezer	Freezer workbench, dimensions: 910 mm x 700 mm x 880 mm.	250
86	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated showcase, model: SVEN, serial number: 1570608200024, year of construction: 20.08.2024, 220-240 V, 50 Hz, 2.3 A, 380 W, volume: 235 liter, refrigerant: R290/90 g, 4 floors, floor dimensions: (4x) 420 mm x 380 mm, total dimensions: 460 mm x 520 mm x 1700 mm.	250



Nr	Title	Description	Start €
87	Catertech	Catertech dishwasher, model: DS111ERCCRC, serial number: DIA69150713, 380-400 V, 3 Ph, 50 Hz, 16.5 A, 11.1 kW, dimensions: 820 mm x 730 mm x 2280 mm.	350
88	NN waste bag holder	S/s waste bag holder, dimensions: Ø 380 mm x 620 mm.	30
89	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: THERMO 48 ECO, serial number: SRPD3862408003, year of construction: 26.06.2024, 230 V, 50/60 Hz, 9 A, 1.9 kW, weight: 12.8 kg, capacity: (2x) 2.5 liter, dimensions: 500 mm x 400 mm x 550 mm.	100
90	Brita	Brita water softener, dimensions: 260 mm x 260 mm x 600 mm.	20
91	NN work bench	Refrigerated workbench, 3 floors, floor dimensions: (3x) 330 mm x 530 mm, dimensions: 1360 mm x 710 mm x 850 mm.	300
92	Italiana Macchi	Italiana Macchi slicer, model: AV 330 S, serial number: 24163, 220 V, 50 Hz, 1.7 A, 0.18 kW, dimensions: 660 mm x 600 mm x 440 mm.	175
93	MKN	MKN combi steamer, type: 1926506, number: 545, 380 V, 3 Ph, 50 Hz, 16 A, 9.4 kW, 6 floors, floor dimensions: (6x) 530 mm x 340 mm, total dimensions: 1060 mm x 800 mm x 720 mm.	100
94	NN ice tub	S/s tub for crushed ice, inside dimensions: 550 mm x 690 mm, total dimensions: 750 mm x 620 mm x 260 mm.	100
95	Blanco	Blanco trolley for s/s trays, type: Blanco Inmotion Korbspender Cek 53/53, serial number: 47261, 3 trays, tray dimensions: (3x) 500 mm x 500 mm x 75 mm, dimensions: 720 mm x 720 mm x 930 mm.	75
96	Nan extraction hood	S/s extraction hood, dimensions: 670 mm x 180 mm x 830 mm.	30
97	Climainox	Climainox dish washer, model: PBW 500 P, serial number: 0924T0925, year of construction: 09.2024, 220-230 V, 50 Hz, 5.2 kW, weight: 55 kg, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 610 mm x 840 mm. Including 2 plastic crates.	300
98	NN trolley	Plastic trolley.	30
99	NN rack	S/s rack for combi steamer, 7 floors, floor dimensions: (7x) 330 mm x 550 mm, total dimensions: 560 mm x 820 mm x 820 mm.	100
100	Fri-Jado b.v	Fri-Jado b.v mobile rotary grill, model: STG5-P, number: 100061969, 400/230 V, 50/60 Hz, 9 A, 6100 W, dimensions: 900 mm x 650 mm x 1750 mm.	300
101	NN trolley	S/s trolley for Rational combi steamer, 20 floors, floor dimensions: (20x) 660 mm x 540 mm, total dimensions: 970 mm x 740 mm x 1700 mm.	150
102	Metro	Metro wine cooler, model: GWC3091, 220-240 V, 50 Hz, 0.7 A, 5 floors, floor dimensions: (5x) 460 mm x 430 mm, total dimensions: 540 mm x 530 mm x 1210 mm.	150



Nr	Title	Description	Start €
103	Catertech	Catertech contact grill, model: 588400, serial number: C010023, year of construction: 19/08/2007, 230 V, 1 Ph, 50 Hz, 1800 W, dimensions grill: 230 mm x 230 mm, total dimensions: 290 mm x 370 mm x 210 mm.	75
104	Convotherm	Convotherm oven, model: AR 18 (ACSA0030S015), number: ACS04033667, 380-415v V, 3 Ph, 50/60 Hz, 14 A, 5.5 kW, 7 floors, floor dimensions: (7x) 380 mm x 300 mm, total dimensions: 800 mm x 490 mm x 730 mm.	200
105	NN frame	S/s frame, dimensions: 600 mm x 530 mm x 500 mm.	50
106	NN spiral cooler	Spiral cooler, dimensions: 870 mm x 500 mm x 700 mm.	50
107	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH counter top food warmer, model: BRUCE, serial number: XD 143124, year of construction: 25.07.2023, 230 V, 50/60 Hz, 4.3 A, 1000 W, dimensions: 330 mm x 560 mm x 680 mm.	100
108	FAC	FAC slicer, type: S 220 AF, number: 060 12603, year of construction: 2006, 230 V, 50 Hz, 0.185 kW, dimensions: 400 mm x 430 mm x 360 mm.	100
109	Caterchef	Caterchef salamander grill, model: 688145, serial number: C010031, year of construction: 110/09/2006, 230 V, 1 Ph, 50 Hz, 2800 W, dimensions: 450 mm x 480 mm x 510 mm.	100
110	NN knife/fork box	S/s knife/fork box, 4 holes, dimensions holes: (4x) Ø 100 mm x 100 mm, total dimensions: 330 mm x 280 mm x 200 mm.	50
111	Metro	Metro bottle cooler, model: GBC3103, serial number: GBC3103ZVII019V1, 220-240 V, 50 Hz, 0.78 A, 160 W, capacity: 308 liter, 3 floors, floor dimensions: (3x) 1240 mm x 350 mm, total dimensions: 1350 mm x 520 mm x 870 mm.	200
112	Colged	Colged dishwasher, serial number: 4313221, year of construction: 12/12/2016, 230 V, 1 Ph, 50 Hz, 10 A, 0.5 kW, clearance: 500 mm x 500 mm, dimensions: 630 mm x 730 mm x 2260 mm.	350
113	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: DK 134 PRO ROUND 325-2255, year of construction: 06/2024, 220-240 V, 50 Hz, 0.78 A, 115 W, refrigerant: R600A/0.75 kg, weight: 70 kg, 6 floors, floor dimensions: (6x) 280 mm x 300 mm, total dimensions: 440 mm x 400 mm x 1790 mm.	150
114	Küpperbusch	Küpperbusch roasting pan, type: OEB 230, 400 V, 2 Ph, 50 Hz, 3.5 kW, dimensions: 510 mm x 800 mm x 750 mm.	150
115	NN cabinet	S/s cabinet, dimensions: 700 mm x 500 mm x 900 mm.	75
116	NN sauce pump	S/s sauce pump, dimensions: 290 mm x 140 mm x 400 mm.	100
117	WMF	WMF coffee machine, type: 03.1400, number: 30803, year of construction: 11.2008, 220/230 V, 1 Ph, 50/60 Hz, 2.0/2.2 kW, dimensions: 600 mm x 330 mm x 680 mm.	250
118	Palux		50



Nr	Title	Description	Start €
		Palux drawer of workbench, inside dimensions: 500 mm x 480 mm x 120 mm, total dimensions: 600 mm x 600 mm x 300 mm.	
119	Lubron	Lubron water softener, serial number: 08102309, year of construction: 10/08, 230 V, 50 Hz, 4 W, pressure: 2.8 bar, capacity: 7 liter, dimensions: 400 mm x 200 mm x 650 mm.	50
120	Gamko	Gamko bottle cooler, type: VK12R, serial number: 201521496566, year of construction: 2015, 220-240 V, 50 Hz, 1.1 A, 170 W, refrigerant: R134A/0.80 kg, inside dimensions: 350 mm x 260 mm x 240 mm, total dimensions: 500 mm x 370 mm x 500 mm.	100
121	Tecfrigo	Tecfrigo refrigerating showcase, model: CHEF 2 TURBO, serial number: M16667, year of construction: 13/02/2008, 230 V, 50 Hz, 3 A, 0.48 kW, refrigerant: R404a/0.250 kg, dimensions: 750 mm x 770 mm x 550 mm.	150
122	WMF	WMF coffee machine, type: 03.9460.0001, year of construction: 02.2006, 230 V, 1 Ph, 50/60 Hz, 0.07 kW, volume: 3.9 liter, refrigerant: R134A, dimensions: 500 mm x 250 mm x 570 mm and 550 mm x 250 mm x 620 mm.	50
123	WMF	WMF milk cooler, type: 03.9460.0001, year of construction: 02.2006, 230 V, 1 Ph, 50/60 Hz, 0.07 kW, volume: 3.9 liter, refrigerant: R134A, dimensions: 500 mm x 250 mm x 570 mm and 550 mm x 250 mm x 620 mm.	20
124	Kaak Terborg	Kaak Terborg couverture bin, type: Couverture bak 201, 220 V, 50 Hz, dimensions: 330 mm x 330 mm x 200 mm. Inner tray missing	50
125	Lubron	Lubron water softener, serial number: 07081412, year of construction: 08/07, 230 V, 50 Hz, 4 W, pressure: 2.8 bar, capacity: 7 liter, dimensions: 400 mm x 200 mm x 650 mm.	50
126	Gamko	Gamko bottle cooler, type: VK12R, serial number: 201521496567, year of construction: 2015, 220-240 V, 50 Hz, 1.1 A, 170 W, refrigerant: R134A/0.80 kg, inside dimensions: 350 mm x 260 mm x 240 mm, total dimensions: 500 mm x 370 mm x 500 mm.	100
127	Electrolux	Electrolux dishwasher, model: NUC1DP, 230 V, 1 Ph, 50 Hz, dimensions: 630 mm x 600 mm x 820 mm.	200
128	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction hob, model: 301-1001/AT-25C, serial number: 170622005, 230 V, 50 Hz, 2500 W, dimensions plate: 280 mm x 270 mm, total dimensions: 420 mm x 330 mm x 100 mm.	175
129	Dito Sama	Dito Sama mixer with grinding head attachment, type: BM20AS, number: A3084, year of construction: 04/95, 230-400 V, 50 Hz, 3.1/1.8 A, 750 W, 400 V, 520 mm x 700 mm x 1420 mm. Including whisk, paddle and hook.	300
130	Hoshizaki	Hoshizaki ice cube machine, model: IM-45CLE, serial number: G11621, 220-240 V, 50 Hz, 370 W, refrigerant:	250



Nr	Title	Description	Start €
		R134A/0.210 kg, weight: 54 kg, inside dimensions: 560 mm x 400 mm x 340 mm, total dimensions: 630 mm x 500 mm x 700 mm.	
131	Metos	Metos dishwasher, type: WD-7E, number: 064607, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 16 A, 10.1 kW, dimensions: 740 mm x 700 mm x 1500 mm. Including 2 plastic baskets.	300
132	Cunill	Cunill coffee machine, dimensions: 290 mm x 170 mm x 540 mm.	50
133	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH juice dispenser, model: 398-1005, serial number: KL24156AX2409D2436, year of construction: 2024.11, 220 V, 1 Ph, 50 Hz, 1.9 A, 0.29 kW, refrigerant: R290/0.030 kg, volume: 1.2 liter, dimensions: 430 mm x 220 mm x 650 mm.	200
134	Metro	Metro heated showcase, 3 floors, floor dimensions: (3x) 640 mm x 340 mm, total dimensions: 680 mm x 560 mm x 680mm.	150
135	SKF Actuation System	Large amount of SKF Actuation System Actuators, type: MAX64-B050265A01M0-000, number: L05368447, year of construction: 11.11, 230 V, 50 Hz, 0.9 A, dimensions: 800 mm x 600 mm x 450 mm. Plastic crate not included.	50
136	NN sink	S/s sink, dimensions: 450 mm x 320 mm x 400 mm.	50
137	Ambach	Ambach double cooking vessel, type: BPE/80, numbers: 412116 and 412117, 400 V, 3 Ph, 50 Hz, 18.2 and 22.5 A, 12 and 15 kW, capacity: 60 and 80 liter, inside dimensions: Ø 600 mm x 300 mm and Ø 440 mm x 430 mm, total dimensions: 1500 mm x 960 mm x 860 mm.	900
138	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated salad bar, model: SB-H-130-INF HOT, serial number: 23005004, year of construction: 2/2/2023, 220-240 V, 1 Ph, 50 Hz, 0.3 A, 2.028 kW, inside dimensions: 950 mm x 510 mm x 50 mm (3x 1/1 gastronorm), total dimensions: 1300 mm x 880 mm x 1310 mm.	450
139	Duke	Duke proofer with oven, model: TSC-6/18M, serial number: 11171507, 400 V, 3 Ph, 50 Hz, 7200 W, 12 floors, floor dimensions: (12x) 660 mm x 400 mm, total dimensions: 950 mm x 740 mm x 1960 mm.	400
140	Iarp	Iarp refrigerator, model: AB 500 PV, serial number: 11CB26280, 230 V, 50 Hz, 1.1 A/ 2.1 A, 180 W, refrigerant: R134a/0.160 kg, 4 floors, floor dimensions: (4x) 500 mm x 640 mm, total dimensions: 760 mm x 700 mm x 1700 mm.	150
141	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction hob, model: 301-1005/CT-35A, serial number: 190412026, 230 V, 50 Hz, 3500 W, dimensions: 490 mm x 380 mm x 200 mm. Including pan.	175
142	NN braising pan	Tiltable braising pan, inside dimensions: 605 mm x 865 mm x 170 mm, total dimensions: 1190 mm x 1000 mm x 900 mm.	200



Nr	Title	Description	Start €
143	NN furnace	4-pits stove with fryer, dimensions: 1600 mm x 880 mm x 880 mm.	300
144	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction plate, serial number: 2022120364, year of construction: December 2022, 380-400 V, 3 Ph, 50-60 Hz, 10 A, 5000 W, weight: 10.2 kg, dimensions induction plate: 320 mm x 300 mm, total dimensions: 540 mm x 400 mm x 200 mm.	150
145	Metro	Metro hot air oven, model: GCO 3400, serial number: 0124000233, 230-240 V, 50/60 Hz, 3.65 kW, 4 floors, floor dimensions: (4x) 600 mm x 400 mm, total dimensions: 790 mm x 710 mm x 640 mm.	300
147	NN drawers	3 boxes with drawers, 2 drawers per box, drawers used for refrigerated counters, dimensions per drawer: 590 mm x 420 mm x 300 mm.	70
148	Metos	Metos dishwasher, type: WD-6, dimensions: 800 mm x 700 mm x 2150 mm.	300
149	NN cabinet	Cabinet, dimensions: 2800 mm x 360 mm x 610 mm.	100
150	Metos	Metos dishwasher, type: WD-7 EH, number: 95520, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 25 A, 13.1 kW, dimensions: 720 mm x 720 mm x 1470 mm. Including 2 plastic baskets.	300
151	Saro Gastro-Products GmbH	8 Saro Gastro-Products GmbH s/s disinfection dispensers, dimensions: (8x) 300 mm x 300 mm x 1440 mm.	200
152	NN shelfe	S/s shelfe, dimensions: 1500 mm x 300 mm x 65 mm.	100
153	Gamko	Gamko refrigerated cabinet, type: GM/21261, year of construction: 1996, 220/240 V, 50 Hz, 475 W, refrigerant: R134a/0.180 kg, 2 floors, floor dimensions: (2x) 530 mm x 400 mm, total dimensions: 1700 mm x 560 mm x 970 mm.	50
154	NN extraction hood	S/s extraction hood, dimensions: 1000 mm x 1000 mm x 530 mm.	200
155	NN knife/fork box	S/s knife/fork box, 4 holes, dimensions holes: (4x) Ø 100 mm x 100 mm, total dimensions: 330 mm x 280 mm x 200 mm.	50
156	Metos	Metos au-bain marie, inside dimensions: 500 mm x 300 mm x 130 mm, total dimensions: 760 mm x 400 mm x 930 mm.	150
157	Colged	Colged dishwasher, model: TT820R, serial number: 4216781, year of construction: 13/07/2011, 400 V, 3 Ph, 50 Hz, 20 A, 10.6 kW, dimensions: 800 mm x 700 mm x 2150 mm. Including basket.	350
158	Pökomat	Pökomat mobile injector, type: R10/300, fabrication number: 582.1, 380 V, 1.8 A, 0.75 kW, weight: 126 kg, 10 needles, s/s belt, belt width: 300 mm, clearance: 300 mm x 140 mm, total dimensions: 1170 mm x 430 mm x 1750 mm.	250
159	NN extraction hood	S/s extraction hood, dimensions: 1000 mm x 500 mm x 1600 mm.	175



Nr	Title	Description	Start €
160	NN table	S/s table, 8 floors, floor dimensions: (8x) 470 mm x 400 mm, total dimensions: 600 mm x 600 mm x 860 mm.	100
161	Palux	Palux work bench with grill plate, dimensions grill plate: 510 mm x 490 mm, total dimensions: 1400 mm x 600 mm x 900 mm.	200
162	Lubron	Lubron water softener, dimensions: 500 mm x 300 mm x 750 mm.	100
163	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: SK 301, serial number: 23104415, 220-240 V, 50 Hz, 1 A, 165 W, refrigerant: R600A/0.060 kg, weight: 71 kg, 5 floors, floor dimensions: (5x) 460 mm x 350 mm, total dimensions: 680 mm x 450 mm x 1890 mm.	250
164	NN cabinet	Cabinet, dimensions: 2100 mm x 360 mm x 610 mm. 1 door is missing.	100
165	Liebherr	Liebherr refrigerator for crates, dimensions: 740 mm x 740 mm x 1630 mm.	100
166	Animo/Bravilor	Animo coffee dispenser, type: DWI GL 90, serial number: 20027, 400 V, 3 Ph, 50 Hz, 9800 W, dimensions: 300 mm x 400 mm x 900 mm, Bravilor coffee dispenser, type: 8.321.801.100, 380 V, 3 Ph, 50/60 Hz, 6000 W, dimensions: 300 mm x 400 mm x 900 mm.	100
167	Giveg	Giveg kebab grill, model: shoarma grill, year of construction: 1991, 220 V, 50 Hz, 10.5 kW, gas heated, skewer length: 550 mm, dimensions: 640 mm x 520 mm x 1050 mm. Including extra skewer.	150
168	NN frame	S/s frame with glass, dimensions: 1200 mm x 220 mm x 560 mm.	50
169	Combisteel	Combisteel refrigerated counter, model: 7950.0082, serial number: 496750389 6139 2404, dimensions: 1800 mm x 700 mm x 860 mm.	250
170	NN trolley	S/s trolley, 11 floors, floor dimensions: (11x) 550 mm x 330 mm, total dimensions: 590 mm x 380 mm x 1670 mm.	100
171	Zoin Refrigerazione srl	Zoin Refrigerazione srl refrigerator, model: SMALL 70, serial number: 3056/17, 230 V, 50 Hz, refrigerant: R404A/0.520 kg, 3 floors, floor dimensions: (3x) 600 mm x 300 mm, total dimensions: 700 mm x 550 mm x 1900 mm.	75
172	Electrolux	Electrolux refrigerator, model: RS06NX1F, serial number: 01000002, 230 V, 50 Hz, 2.1 A, 0.33 kW, net volume: 600 liter, refrigerant: R134A/0.13 kg, 4 floors, floor dimensions: 620 mm x 600 mm, total dimensions: 800 mm x 720 mm x 2000mm.	250
173	NN heating lamp	Heating lamp, dimensions: Ø 250 mm x 400 mm.	50
174	NN sink	S/s counter with 2 sinks and faucet, dimensions: 4200 mm x 700 mm x 1250 mm.	250
175	Ignis	Ignis refrigerator, model: ARF910/IG, serial number: S1912400250, 220 V, 50 Hz, 0.8 A, 95 W, dimensions: 600 mm x 530 mm x 530 mm.	10



Nr	Title	Description	Start €
176	Zorro B.V.	Zorro B.V. refrigerator, model: ZK 280 / 204.062.004, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600A/0.062 kg, volume: 282 liter, weight: 62 kg, 7 floors, floor dimensions: (7x) 430 mm x 380 mm, total dimensions: 540 mm x 540 mm x 1850 mm.	150
177	NN table	Mobile table, wooden frame, s/s top, dimensions: 2000 mm x 800 mm x 900 mm.	150
178	NN extraction hood	S/s extraction hood, dimensions: 1100 mm x 1000 mm x 700 mm.	100
179	Caterchef	Caterchef plate warmer, model: 688052, serial number: C011505006, year of construction: 2015.05, 230 V, 1 Ph, 50 Hz, 1200 W, dimensions: 750 mm x 450 mm x 850 mm.	100
180	Roeder	Roeder fryer, model: GF477, inside dimensions: 280 mm x 340 mm x 300 mm, total dimensions: 400 mm x 750 mm x 1270 mm.	200
181	Smeg	Smeg induction plate, model: S15952B Piano Iduzion, serial number: 23204652011101640111, dimensions: 900 mm x 510 mm x 50 mm.	100
182	NN table	S/s table, dimensions: 1000 mm x 700 mm x 900 mm.	100
183	Keyfrost	Keyfrost cooling installation, model: KS 11 TNEM, serial number: 00081488, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.2 kW, refrigerant: R404A, dimensions: 730 mm x 450 mm x 400 mm.	100
184	NN cooling compressor	Cooling compressor, dimensions: 1200 mm x 800 mm x 700 mm.	100
185	Iarp	Iarp refrigerator, serial number: 07BA24744, 230 V, 50 Hz, 1.9 A, 250 W, refrigerant: R134A/0.260 kg, volume: 525 liter, 6 floors, floor dimensions: (6x) 650 mm x 500 mm, total dimensions: 770 mm x 760 mm x 1700 mm. Including 7 plastic crates, dimensions: (7x) 500 mm x 300 mm x 180 mm.	100
186	Hobart	Hobart dishwasher with sink and roller conveyor, model dishwasher: BARAID900-10N, serial number: 86585373, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 14.7 A, 7 kW, dimensions: 800 mm x 750 mm x 1500 mm, dimensions roller conveyor: 2050 mm x 630 mm x 900 mm, dimensions sink: 1700 mm x 740 mm x 1980 mm.	750
187	NN frame	Steel frame, dimensions: 600 mm x 540 mm x 610 mm.	50
188	Monodisco	Monodisco floor scrubbing machine, diameter brush: Ø 400 mm, total dimensions: 1100 mm x 400 mm x 1050 mm. Including charger, type: E 24/17, serial number: 36316/0/0009/02/5, 230 V, 1 Ph, 50 Hz, 3.6 A. Missing the sweeping brush and technical condition unknown.	100
189	NN cabinet	Cabinet, 3 drawers, dimensions: 400 mm x 620 mm x 630 mm.	50
190	NN cabinet	Wooden cabinet, 5 floors, floor dimensions: (5x) 760 mm x 450 mm, total dimensions: 800 mm x 500 mm x 2000 mm.	10



Nr	Title	Description	Start €
191	NN trolley	S/s trolley, 10 floors, floor dimensions: (10x) 470 mm x 400 mm, total dimensions: 560 mm x 470 mm x 1660 mm.	150
192	NN trolley	S/s trolley, (2x) 12 floors, floor dimensions: (24x) 380 mm x 550 mm, total dimensions: 870 mm x 560 mm x 1790 mm.	100
193	MKN	MKN combi steamer, type: CJE630227, machine number: 05020735, 400 V, 3 Ph, 50 Hz, 5.5 kW, dimensions: 550 mm x 690 mm x 730 mm.	250
194	NN ice tub	S/s tub for crushed ice, inside dimensions: 550 mm x 690 mm, total dimensions: 750 mm x 620 mm x 260 mm.	100
195	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. refrigerated work bench, model: SPC02032, serial number: 130920001, 220-230 V, 50 Hz, 2.5 A, dimensions: 2010 mm x 510 mm x 840 mm.	250
196	Gamko	Gamko bottle cooler, type: E3/2222GMU84, serial number: 202315000278, 220-240 V, 50 Hz, 205 W, 1.3 A, refrigerant: R600A/0.070 kg, dimensions: 2540 mm x 510 mm x 870 mm.	400
197	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH ashtray, dimensions: Ø 290 mm x 980 mm.	50
198	Polar refrigeration	Polar refrigeration freezer, model: CD084-E, 230 V, 50 Hz, 0.9 A, 130 W, refrigerant: R600A/0.100 kg, 3 floors, floor dimensions: (3x) 640 mm x 500 mm, total dimensions: 770 mm x 700 mm x 1900 mm.	150
199	True	True refrigerator, model: TUC-24G-HC-FGD01, serial number: 9630498, 230 V, 50 Hz, 1 A, 176 W, 2 floors, floor dimensions: (2x) 510 mm x 360 mm, total dimensions: 610 mm x 640 mm x 810 mm.	100
200	Combisteel	Combisteel refrigerated counter, model: 7950.0084, serial number: 6647 2466 2112 0931, dimensions: 2230 mm x 700 mm x 860 mm.	375
201	Mercatus	Mercatus refrigerated counter, model: U1-1200, serial number: 183956, year of construction: 2019, 220-240 V, 1 Ph, 50 Hz, 1 A, 210 W, refrigerant: R290/0.080 kg, dimensions: 1200 mm x 700 mm x 670 mm.	200
202	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH burning paste, model: START 200, 2 boxes, each box: 72 pieces, dimensions: (2x) 520 mm x 360 mm x 180 mm.	100
203	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH electric oven, model: FEMG04NEGNV, serial number: 202532943R, year of construction: 05-2025, 220-240 V, 1 Ph, 50/60 Hz, 350 W, 4 floors, floor dimensions: (4x) 540 mm x 300 mm, total dimensions: 700 mm x 670 mm x 600 mm.	300
204	NN sink	S/s sink, dimensions: 1710 mm x 810 mm x 800 mm.	100
205	NN crates	31 plastic crates, dimensions: (31x) 330 mm x 530 mm x 200 mm.	50
206	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated showcase, model: LISBETH 202, serial number: 1615401200286, year of construction: 2025.01.20, 220-240 V, 50 Hz, 2.4 A, 400	300



Nr	Title	Description	Start €
		W, refrigerant: R290/0.075 kg, capacity: 200 liter, weight: 88.5 kg, dimensions: 1210 mm x 570 mm x 680 mm.	
207	Metos	Metos dishwasher, model: METOS LUX 60 EL D PS DDE, serial number: DWD1020535, year of construction: 2010, 220-240 V, 50 Hz, 15.5 A, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 650 mm x 840 mm.	200
208	Jordao Cooling Systems	Jordao Cooling Systems refrigerated showcase, serial number: 22.54129, 230 V, 50 Hz, 10.09 A, 750 W, refrigerant: R290A, 4 floors, floor dimensions: (4x) 1470 mm x 400 mm, total dimensions: 1650 mm x 830 mm x 2120 mm.	100
209	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH minibar, model: MB40, serial number: 30123002070036, year of construction: 23/02/07, 220 V-240 V, 50 Hz, volume: 33 liter, weight: 17.5 kg, refrigerant: R717, 2 floors, floor dimensions: (2x) 300 mm x 140 mm, total dimensions: 460 mm x 400 mm x 570 mm.	100
210	Metos	Metos refrigerated counter, type: KST 03 TN Tavol, serial number: BN020083103, 230 V, 50/60 Hz, 2.53 A, 355 W, refrigerant: R134A/0.290 kg, 4 drawers, dimensions drawers: 560 mm x 300 mm x 300 mm, 2 floors, floor dimensions: (2x) 550 mm x 330 mm, total dimensions: 1700 mm x 700 mm x 900 mm.	275
211	Metos	Metos grill and ceramic hob, dimensions grill: 530 mm x 340 mm x 40 mm, dimensions ceramic hob: 570 mm x 340 mm, total dimensions: 1400 mm x 770 mm x 960 mm.	275
212	Loggere Metaalwerken	2 Loggere Metaalwerken coat racks with hangers, dimensions: (2x) 2350 mm x 730 mm x 1730 mm.	100
213	Metos	Metos build-in warming plate, dimensions: 1310 mm x 535 mm x 230 mm.	250
214	Ecofrost	Ecofrost refrigerated workbench, model: 7950.5175, serial number: 6655 2461 2202 0519, 220-240 V, 50 Hz, 1.3 A, 230 W, refrigerant: R290/0.070 kg, weight: 121 kg, dimensions: 1800 mm x 700 mm x 900 mm.	300
215	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated showcase, model: G-HTS1200SD, serial number: 23006120, 220/240 V, 50 Hz, 5.0 A, maximum: 800 W, machine weight: 257 kg, refrigerant: R290/0.150, 4 floors, dimensions: 770 mm x 1260 mm x 1950 mm. Damaged	700
216	Saro Gastro-Products GmbH	3 Saro Gastro-Products GmbH heating lamps, model: BONNIE, 230 V, 50 Hz, 0.25 kW, weight: 2 kg, dimensions: (3x) 300 mm x 400 mm x 360 mm. Phillips infrared lights included.	200
217	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s cabinet, dimensions: 1800 mm x 700 mm x 900 mm.	700
218	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH drive-in refrigerator, model: RT1, serial number: 23006122, 220-240 V, 50 Hz, 2 A, 300 W, weight: 158 kg, refrigerant: R290 / 0.105 kg,	650



Nr	Title	Description	Start €
		temperature range: 2-10°C, inside dimensions: 800 mm x 650 mm x 1750 mm, total dimensions: 1120 mm x 880 mm x 2200 mm.	
219	Metos	Metos build-in warming plate, dimensions: 1310 mm x 535 mm x 230 mm.	200
220	VDW CoolSystems	VDW CoolSystems refrigerated showcase, type: Wandkoeling, model: MT100, serial number: FA 110153, year of construction: refrigerant: R404/0.72 kg, 4 floors, floor dimensions: (4x) 900 mm x 400 mm, total dimensions: 970 mm x 830 mm x 2400 mm.	250
221	NN work bench	Mobile work bench, dimensions: 1400 mm x 710 mm x 1400 mm.	75
222	NN trolley	Trolley for plates, dimensions: 1200 mm x 530 mm x 960 mm.	75
223	NN trolley	Trolley for plates, dimensions: 1200 mm x 530 mm x 960 mm.	75
224	NN trolley	Trolley for plates, dimensions: 1200 mm x 530 mm x 960 mm.	75
225	NN trolley	S/s trolley, for (2x) 2/1 gastronorm bins, 20 floors, floor dimensions: (20x) 530 mm x 650 mm, total dimensions: 1180 mm x 710 mm x 1550 mm.	100
226	Metos	Metos refrigerator, type: S 70R TN, serial number: BN020102872, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1.53 A, 350 W, refrigerant: R134A/0.300 kg, capacity: 617 liter, dimensions: 710 mm x 840 mm x 2050 mm.	200
227	Gram	Gram drive-in refrigerator, inside dimensions: 850 mm x 700 mm x 1800 mm, total dimensions: 1050 mm x 900 mm x 2270 mm.	350
228	Catertech B.V.	Catertech B.V. freezer, model: SPA BT 70 CON S, serial number: BN020003153, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 4.2 A, 452 W, refrigerant: R404A/0.295 kg, capacity: 500 liter, 5 floors, floor dimensions: (5x) 530 mm x 650 mm, total dimensions: 700 mm x 800 mm x 2040 mm.	250
229	NN cabinet	Mobile steel cabinet, 3 floors, floor dimensions: (3x) 780 mm x 540 mm, total dimensions: 900 mm x 620 mm x 1520 mm.	50
230	NN trolley	S/s serving trolley, 2 floors, floor dimensions: (2x) 830 mm x 510 mm, total dimensions: 860 mm x 600 mm x 920 mm.	50
231	Rieber	Rieber mobile plate warmer, model: RRV-H/2 220-300, number: 89010226/1/08041, year of construction: 22.03.2001, 230 V, 1 Ph, 50/60 Hz, 2 storages, diameter storage: (2x) 300 mm, total dimensions: 980 mm x 480 mm x 930 mm.	75
232	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: HK 601 S/S (456-3005), serial number: 4312407060012, 220-240 V, 50 Hz, 1 A, 140 W, refrigerant: R600A/0.070 kg, volume:	300



Nr	Title	Description	Start €
		473 liter, weight: 78.5 kg, 5 floors, floor dimensions: (5x) 670 mm x 520 mm, total dimensions: 780 mm x 700 mm x 1910 mm.	
233	Gram	Gram refrigerator, type: K 400 RE H L2 6N, 230 V, 50 Hz, 1.11 A, 178 W, refrigerant: R134A/0.120 kg, 4 floors, floor dimensions: (4x) 530 mm x 440 mm, total dimensions: 590 mm x 620 mm x 1800 mm.	100
234	NN trolley	S/s trolley, (2x) 12 floors, floor dimensions: (24x) 380 mm x 550 mm, total dimensions: 870 mm x 560 mm x 1790 mm.	75
235	NN trolley	S/s trolley, dimensions: 900 mm x 600 mm x 960 mm.	75
236	Fogal	Fogal Refrigeration refrigerated showcase, model: ALASKA 150, type: 01, serial number: FA170125, 230 V, 50 Hz, 5 A, 902 W, refrigerant: R404a, dimensions: 1510 mm x 790 mm x 1920 mm.	100
237	Pastorkalt a.s.	Pastorkalt a.s. refrigerated showcase, type: MILO 1875 M2, serial number: 33965, year of construction: 2012, volume: 925 dm ³ , dimensions: 1960 mm x 810 mm x 2010 mm.	100
238	NN showcase	Mobile refrigerated showcase, inside dimensions: 1000 mm x 620 mm x 510 mm, total dimensions: 1060 mm x 940 mm x 1310 mm.	75
239	NN frame	S/s frame, 9 floors, floor dimensions: (9x) 330 mm x 660 mm, dimensions: 700 mm x 690 mm x 660 mm.	100
240	NN furnace	Mobile 3-pits furnace, medium: propane, dimensions: 2040 mm x 760 mm x 850 mm.	150
241	Foster	Foster refrigerator, model: PROG600HU, serial number: E5225166, 230 V, 50 Hz, 2.7 A, 386 W, refrigerant: R134A/0.350 kg, 2 floors, floor dimensions: (2x) 530 mm x 650 mm, total dimensions: 700 mm x 800 mm x 2040 mm.	200
242	Gram	Gram blast chiller, type: KPS 60 CH CW, serial number: 257, 400 V, 50 Hz, 11.64 A, 2331 W, refrigerant: R404A, inside dimensions: 460 mm x 760 mm x 1550 mm, total dimensions: 800 mm x 1020 mm x 2250 mm.	700
243	Silensys/Delta Technics Engineering B.V.	Silensys condensor with Delta Technics Engineering B.V. evaporator, year of construction: 17-04-2013, refrigerant: R404A, dimensions: 880 mm x 600 mm x 870 mm, model evaporator: MCS-17, serial number: 1169, year of construction: 2001, 230 V, 50 Hz, 2 fans, dimensions: 1200 mm x 460 mm x 150 mm.	150
244	Silensys/Friga-Bohn	Silensys condensor with Tecumseh cooling compressor and Friga-Bohn evaporator, type cooling compressor: S981330202, 220-240 V, 50 Hz, 6.9 A, refrigerant: R404A, dimensions: 890 mm x 550 mm x 670 mm, model evaporator: MR 210, serial number: LR0022, 230 V, 1 Ph, 50-60 Hz, 3 fans, dimensions: 1150 mm x 430 mm x 180 mm.	150
245	Fri-jado		250



Nr	Title	Description	Start €
		Fri-jado rotary grill, model: TG330-H, number: 1000031416, 230/400 V, 50/60 Hz, 14.5 A, 9500 W, 5 baskets, dimensions: 990 mm x 790 mm x 1850 mm.	
246	NN conveyor	S/s roller conveyor for dishwasher, roller length: 530 mm, total dimensions: 1150 mm x 620 mm x 900 mm.	100
247	NN waste bag holder	Mobile s/s waste bag holder, dimensions: 800 mm x 460 mm x 990 mm.	50
248	NN showcase	Refrigerated showcase, inside dimensions: 1000 mm x 620 mm x 510 mm, total dimensions: 1060 mm x 940 mm x 1310 mm.	75
249	NN plate warmer	Mobile plate warmer, 2 storages, diameter storage: (2x) 330 mm, total dimensions: 920 mm x 480 mm x 900 mm.	75
250	Electrolux	Electrolux combi steamer, model: FCE101, serial number: 43600003, year of construction: 2004, 380/400 V, 3 Ph, 50 Hz, 10 floors, floor dimensions: (10x) 530 mm x 280 mm, total dimensions: 960 mm x 890 mm x 1700 mm.	300
251	NN trolley	S/s trolley, 11 floors, floor dimensions: 550 mm x 330 mm, total dimensions: 590 mm x 380 mm x 1670 mm.	100
252	Tecfrigo	Tecfrigo refrigerated salad bar, model: ISOLA 4, inside dimensions: 1420 mm x 550 mm x 260 mm, total dimensions: 1510 mm x 780 mm x 1500 mm.	100
253	Angelo-po	Angelo-po grill plate, dimensions grill: 500 mm x 300 mm, total dimensions: 600 mm x 350 mm x 250 mm.	100
254	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH slicer, type: IVORNO/418-1003, serial number: 210820020, year of construction: 10.08.2021, 230 V, 1 Ph, 50 Hz, 1 A, 0.23 kW, dimensions: 500 mm x 400 mm x 360 mm.	150
255	Zorro B.V.	Zorro B.V. soup kettle, model: ZTK 10, serial number: 24HL7633A-227, year of construction: June 10.2024, 220-240 V, 1 Ph, 50/60 Hz, 1.739 A, 0.4 kW, capacity: 10 liter, dimensions: 300 mm x 300 mm x 350 mm.	50
256	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH conveyor toaster, model: TS-2002 (175-4000), year of construction: 2024, 230 V, 50 Hz, 2800 W, weight: 17 kg, s/s mesh belt, belt width: 250 mm, clearance: 260 mm x 60 mm, total dimensions: 370 mm x 560 mm x 395 mm.	250
257	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH sausage warmer, model: HW 1, serial number: 1015-2023050016, year of construction: 2023.05.25, 230 V, 50 Hz, 2 A, 450 W, weight: 6 kg, inside dimensions: Ø 190 mm x 230 mm, total dimensions: 320 mm x 320 mm x 370 mm.	100
258	Mettler Toledo	Mettler Toledo weighing scale, type: LPe-GT, serial number: 2851394, 100-240 V, 50/60 Hz, dimensions scale: 360 mm x 280 mm, total dimensions: 470 mm x 420 mm x 500 mm. Defect.	10
259	Smeva	Smeva condensor, number: 12153, year of construction: February 2015, refrigerant: R507A, dimensions: 1150 mm x 400 mm x 880 mm.	10



Nr	Title	Description	Start €
260	Caterchef	Caterchef combi steamer, model: 0130IU, number: 0007414, 400 V, 2 Ph, 5.4 kW, 4 floors, floor dimensions: (4x) 530 mm x 340 mm, total dimensions: 880 mm x 670 mm x 560 mm.	100
261	Culligan	Culligan water treatment, dimensions: 760 mm x 360 mm x 560 mm.	150
262	Metos/Schott Ceran	Metos control unit with 4 Schott Ceran warming plates, type control unit: HO/1N 1-4 3200-GN RTCsmp, serial number: HO252.00359.0515, 230 V, 1 Ph, 50/60 Hz, 3.2 kW, dimensions induction plates: (4x) 520 mm x 320 mm x 60 mm.	100
263	Metro	Metro coffee machine, model: GCM4015, serial number: GCM4015ZI00513V1, 220-240 V, 50-60 Hz, 1650 W, dimensions: 350 mm x 300 mm x 520 mm.	50
264	Saro Gastro-Products GmbH	35 Saro Gastro-Products GmbH gastronorm bins, 2/3-20 GN.	100
265	Mettler Toledo	Mettler Toledo weighing scale, type: LPe-GT, serial number: 2851266, 100-240 V, 50/60 Hz, dimensions scale: 360 mm x 280 mm, total dimensions: 470 mm x 420 mm x 500 mm. Defect.	10
266	NN cups and saucers	3 crates with cups and 4 crates with saucers.	100
267	Zorro B.V.	Zorro B.V. s/s serving trolley, 2 floors, maximum load: 50 kg, dimensions: 860 mm x 540 mm x 940 mm.	50
268	Metos	2 Metos refrigerators, model: KST 01 TN Tavol, serial numbers: BN020027965 and BN020027965, year of construction: 2009, 240 V, 1 Ph, 50 Hz, 150 W, refrigerant: R134a/0.165 kg, (2x) 4 floors, floor dimensions: 560 mm x 330 mm, total dimensions: (2x) 900 mm x 700 mm x 800 mm.	200
269	Roller Grill	Roller Grill grill, type: RG 9 B, serial number: 200705104, 220-240 V, 50-60 Hz, 1125 W, roller length: 440 mm, total dimensions: 540 mm x 460 mm x 490 mm.	100
270	Zorro B.V.	Zorro B.V. s/s serving trolley, 2 floors, maximum load: 50 kg, dimensions: 860 mm x 540 mm x 940 mm.	50
271	Metro	Metro refrigerated showcase, model: GHS2150, 220-240 V, 50 Hz, 2 A, 135 W, refrigerant: R290/0.050 kg, inside dimensions: 1100 mm x 300 mm x 140 mm, total dimensions: 1500 mm x 400 mm x 260 mm.	100
272	Tarrington House	Tarrington House microwave, model: MWD 5130, serial number: 2024070023, year of construction: 2024, 230 V, 50 Hz, 1580 W, inside dimensions: 330 mm x 360 mm x 220 mm, total dimensions: 520 mm x 370 mm x 320 mm.	50
273	Euromax	Euromax grill, model: 1370RRTDX, serial number: 55BJJB0069, year of construction: 2020/02, 220/240 V, 50/60 Hz, 13 A, 3000 W, weight: 13 kg, dimensions grill: 340 mm x 290 mm, total dimensions: 440 mm x 420 mm x 150 mm.	100



Nr	Title	Description	Start €
274	Metro	Metro microwave, model: GMW1125, serial number: GMW1125ZIV0000002527, 230 V, 50 Hz, 1550 W, inside dimensions: 325 mm x 330 mm x 205 mm, total dimensions: 510 mm x 410 mm x 310 mm.	75
275	Nedermann	Nedermann hose reel, diameter reel: 500 mm, total dimensions: 700 mm x 300 mm x 500 mm.	175
276	NN au bain-marie	2 s/s au bain-marie, dimensions: (2x) 570 mm x 350 mm x 240 mm.	50
277	Saro Gastro Products	Saro Gastro Products grater, model: EVO 75, working width: 80 mm, dimensions: 240 mm x 160 mm x 260 mm.	100
278	Metro	Metro electric sausage warmer, model: GSW1000, serial number: GSW1000ZIII0015V1, 220-240 V, 50 Hz, 1000 W, inside dimensions: 240 mm x 300 mm x 140 mm, total dimensions: 350 mm x 270 mm x 250 mm.	50
279	NN heating lamps	3 heating lamps, dimensions: (3x) Ø 185 mm x 510 mm.	50
280	Metro	Metro refrigerated showcase, model: GHS2150, 220-240 V, 50 Hz, 2 A, 135 W, inside dimensions: 1100 mm x 300 mm x 190 mm, total dimensions: 1500 mm x 400 mm x 470 mm.	100
281	Gamko	Gamko showcase, type: AV/MS111N, serial number: 018.004572, year of construction: 2001, 220/240 V, 50 Hz, 380 W, 1 floor, floor dimensions: 770 mm x 190 mm, dimensions: 1110 mm x 510 mm x 550 mm.	100
282	NN ice tub	S/s tub for crushed ice, inside dimensions: 550 mm x 690 mm, total dimensions: 750 mm x 620 mm x 260 mm.	75
283	Rhima	Rhima dishwasher, model: NDR 50, serial number: DWH1019011, year of construction: 2014, 380-400 V, 3 Ph, 50 Hz, 15.1 A, 560 W, inside dimensions: 500 mm x 500 mm, total dimensions: 590 mm x 600 mm x 840 mm.	250
284	Unox	Unox combi steamer, model: XV593, serial number: 2015D0024742, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, weight: 100.9 kg, 7 floors, floor dimensions: (7x) 530 mm x 300 mm, total dimensions: 870 mm x 880 mm x 910 mm.	375
285	Rational	Rational combi steamer, type: CM 6, serial number: 06M 89061834, 380 V, 3 Ph, 50 Hz, 9.4 kW, 6 floors, floor dimensions: (6x) 330 mm x 500 mm, total dimensions: 900 mm x 760 mm x 660 mm.	175
286	NN ice tub	S/s ice tub, dimensions: 750 mm x 630 mm x 250 mm.	50
287	NN ice tub	S/s ice tub, dimensions: 750 mm x 630 mm x 250 mm.	50
288	Autonumis	Autonumis milk machine, type: NU, serial number: 0214NU04139, year of construction: 2014, 230 V, 50/60 Hz, 5 A, 130 W, refrigerant: R134A/0.034 kg, 460 mm x 370 mm x 800 mm.	30
289	Brita	Brita water softener.	30
290	Küppersbusch		450



Nr	Title	Description	Start €
		Küppersbusch furnace, model: EGH 610/00670, year of construction: 2003, 10 burners, dimensions: 2310 mm x 720 mm x 840 mm.	
291	Wiha	Wiha heated showcase, dimensions: 550 mm x 680 mm x 620 mm.	125
292	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated showcase, dimensions: 700 mm x 600 mm x 680 mm.	125
293	NN container	Container for crushed ice with compartment for cooling cans, inside dimensions: 1090 mm x 610 mm x 220 mm, total dimensions: 900 mm x 1180 mm x 960 mm.	250
294	KBS	KBS refrigerator, model: KGCP-701 R, serial number: 8101997163, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 0.9 A, refrigerant: R600A/0.098 kg, weight: 144 kg, 2 floors, floor dimensions: (2x) 530 mm x 670 mm, total dimensions: 660 mm x 840 mm x 2100 mm.	200
295	Zanussi	Zanussi work bench, dimensions: 400 mm x 730 mm x 850 mm.	75
296	Sillo	Sillo braising pan, inside dimensions: 730 mm x 490 mm x 200 mm, total dimensions: 800 mm x 870 mm x 920 mm.	425
297	NN rack	S/s rack for combi steamer, dimensions: 880 mm x 760 mm x 920 mm.	100
298	Crionovo	Crionovo refrigerator, model: TS09/1M-710, serial number: 072008235, year of construction: 2014, 220-240 V, 50 Hz, 1.15 A, 250 W, 7 floors, floor dimensions: (7x) 320 mm x 560 mm, total dimensions: 880 mm x 700 mm x 850 mm.	175
299	NN rack	S/s rack for combi steamer, dimensions: 900 mm x 700 mm x 760 mm.	100
300	Samsung	Samsung microwave, model: CM1029A, 230 V, 50 Hz, 1.7 kW, inside dimensions: 370 mm x 370 mm x 190 mm, total dimensions: 460 mm x 590 mm x 370 mm.	150
301	NN extraction hood	S/s extraction hood, dimensions: 830 mm x 800 mm x 360 mm.	75
302	NN cooking counter	Cooking counter with furnace, dimensions: 1700 mm x 630 mm x 1100 mm.	150
303	Metos	Metos refrigerated work bench, model: KSTP03TN H710 R, serial number: BN020145514, year of consecution: 2014, 230 V, 50 Hz, refrigerant: R404A, 15 floors, floor dimensions: (15x) 330 mm x 550 mm, total dimensions: 1540 mm x 700 mm x 890 mm.	75
304	Küppersbusch	Küppersbusch double fryer, inside dimensions: (2x) 200 mm x 370 mm x 150 mm, total dimensions: 600 mm x 750 mm x 940 mm.	350
305	Metos	Metos hob, model: 74/10 TCE, serial number: MA020254230, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 10 kW, hob dimensions: 710 mm x 535 mm, total dimensions: 770 mm x 800 mm x 940 mm.	250



Nr	Title	Description	Start €
306	Combisteel	Combisteel refrigerator, model: HR200 S/S, serial number: 5043000, 230 V, 50 Hz, 1 A, 120 W, refrigerant: R134A/ 0.100 kg, weight: 44 kg, 5 floors, floor dimensions: (5x) 510 mm x 410 mm, total dimensions: 600 mm x 590 mm x 860 mm.	50
307	NN freezer	Freezer, model: F600, serial number: 442230913001, year of construction: 2023, 220-240 V, 50 Hz, 2 A, refrigerant: R290/0.120 kg, capacity: 411 liter, 6 floors, floor dimensions: (6x) 640 mm x 510 mm, dimensions: 780 mm x 700 mm x 1880 mm.	150
308	Winterhalter	Winterhalter dishwasher, inside dimensions: 500 mm x 500 mm, total dimensions: 620 mm x 800 mm x 1440 mm.	175
309	Afinox	Afinox blast chiller, 5 floors, floor dimensions: (5x) 600 mm x 350 mm, total dimensions: 760 mm x 760 mm x 850 mm.	300
310	Winterhalter	Winterhalter dishwasher, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 660 mm x 810 mm.	250
311	NN sink	S/s sink, dimensions: 590 mm x 500 mm x 1070 mm.	75
312	NN extraction hood	S/s extraction hood, dimensions: 1000 mm x 450 mm x 710 mm.	150
313	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. refrigerated work bench, serial number: 130920002, 2.5 A, dimensions: 1470 mm x 510 mm x 850 mm.	200
314	NN saladette	Saladette, model: ES 900G, serial number: 708032131, dimensions: 900 mm x 700 mm x 1280 mm.	225
315	NN workbench	S/s work bench with 4-pits furnace and double sink, dimensions: 3600 mm x 700 mm x 950 mm.	400
316	NN rack	S/s rack, (2x) 7 floors, floor dimensions: (14x) 220 mm x 700 mm, total dimensions: 750 mm x 700 mm x 570 mm.	100
317	Ascobloc Gastro-Gerätebau GmbH	Ascobloc Gastro-Gerätebau GmbH grill, grill dimensions: 510 mm x 600 mm, total dimensions: 600 mm x 850 mm x 940 mm.	450
318	NN trolley	S/s trolley, 18 floors, floor dimensions: (18x) 410 mm x 600 mm, dimensions: 500 mm x 640 mm x 1750 mm.	75
319	Metro	Metro refrigerator, model: GSC2350, serial number: GSC2350ZIV0000000215V1, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600A/0.080 kg, capacity: 324 liter, 21 floors, floor dimensions: (21x) 530 mm x 360 mm, total dimensions: 620 mm x 640 mm x 2010 mm.	175
320	Metos	Metos dishwasher, type: WD-6, number: 1022357, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 660 mm x 1420 mm.	350
321	Metos	Metos workbench with 4 pits stove and electric heated hob, model: IGH 410, 17 kW, dimensions: 2980 mm x 950 mm x 1120 mm.	250
322			1100



Nr	Title	Description	Start €
	Ascobloc Gastro-Gerätebau GmbH	Ascobloc Gastro-Gerätebau GmbH induction plate, 30 kW, dimensions: 1200 mm x 860 mm x 920 mm.	
323	MBM	MBM 6-pits furnace, model: Gs8, serial number: 0418562, dimensions: 1350 mm x 910 mm x 900 mm.	250
324	NN work bench	Refrigerated work bench, dimensions: 1800 mm x 700 mm x 850 mm.	250
325	NN work bench	Work bench, dimensions: 1000 mm x 700 mm x 940 mm.	150
326	Smeg	4 Smeg refrigerators, model: FR148AP, 220-240 V, 50 Hz, 0.5 A, refrigerant: R600A/0.029 kg, 9 floors, floor dimensions: 530 mm x 360 mm, total dimensions: (4x) 600 mm x 540 mm x 810 mm.	20
327	Metos	Metos refrigerated work bench, model: KST02TN H71 TAV, serial number: BN020202614, year of construction: 2016, 230 V, 50 Hz, 2.1 A, 280 W, refrigerant: R134A/0.200 kg, dimensions: 1260 mm x 690 mm x 850 mm.	150
328	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GTK 600 PRO, year of construction: 04.01.24, 220-240 V, 50 Hz, 2.3 A, 323 W, refrigerant: R290/0.085 kg, weight: 130 kg, capacity: 459 liter, 5 floors, floor dimensions: (5x) 630 mm x 500 mm, total dimensions: 750 mm x 690 mm x 2000 mm.	500
329	Metro	Metro freezer, model: GFR6400S, serial number: GFR6400SZI0050V1, 220-240 V, 50 Hz, 2.5 A, 480 W, refrigerant: R290/0.080 kg, capacity: 380 liter, 5 floors, floor dimensions: (5x) 460 mm x 500 mm, total dimensions: 600 mm x 640 mm x 1890 mm.	250
330	NN trolleys	2 trolleys for trays, dimensions: (2x) 510 mm x 720 mm x 890 mm. Trays included.	100
331	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH pastry filler, model: PD-019, weight: 3 kg, dimensions: 180 mm x 180 mm x 420 mm.	75
332	Gamko	Gamko bottle cooler, type: GM/212ST, year of construction: 2007, 220-240 V, 50 Hz, 3.8 A, 585 W, refrigerant: R134A, dimensions: 1670 mm x 580 mm x 860 mm.	275
333	Electrolux	Electrolux furnace with 4 burners and double fryer, dimensions: 2000 mm x 750 mm x 980 mm.	350
334	Infricool	Infricool refrigerated workbench, 200-240 V, 1 Ph, 50 Hz, 2.9 A, 460 W, refrigerant: R290/0.90 kg, dimensions: 1960 mm x 700 mm x 800 mm.	300
335	Ecolab	Ecolab hand soap, type: Epicare 2, (12x) 500 ml.	10
336	Ecolab	Ecolab hand disinfectant, type: Epicare Des, (150x) 500 ml.	30
337	Ecolab	Ecolab speed disinfectant, type: Sirafan Speed, (53x) 750 ml.	30
338	Ecolab	Ecolab speed disinfectant, type: Sirafan Speed, (16x) 5 liter.	30
339	CMT	CMT disinfection gel, approximately: 96 pieces.	75
340	Metro		150



Nr	Title	Description	Start €
		Metro refrigerator, model: GSC4280B, serial number: GSC4280BZV0022V1, 220-240 V, 50 Hz, 1.5 A, refrigerant: R600A/0.045 kg, volume: 280 liter, 6 floors, floor dimensions: (6x) 510 mm x 350 mm, total dimensions: 600 mm x 540 mm x 1580 mm.	
341	Gamko	Gamko bottle cooler, dimensions: 1660 mm x 620 mm x 860 mm.	550
342	Smeg	Smeg dishwasher, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 620 mm x 820 mm.	300
343	Celcio	Celcio refrigerated work bench, dimensions: 1290 mm x 770 mm x 880 mm.	450
344	Rhima	Rhima dishwasher, type: WD-7E, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 25 A, 13.1 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 660 mm x 710 mm x 1500 mm.	450
345	Rational	Rational combi steamer, model: SCC 61, serial number: E61SE07102118270, year of construction: 2007, 400 V, 3 Ph, 50-60 Hz, 6 floors, floor dimensions: (6x) 400 mm x 580 mm, total dimensions: 850 mm x 830 mm x 830 mm.	1250
346	NN tap	Sensor controlled faucet, dimensions: 280 mm x 200 mm.	50
347	Winterhalter	Winterhalter tool washing machine, type: GS 640, serial number: 176678, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 17.5 A, 11.4 kW, inside dimensions: 700 mm x 650 mm, total dimensions: 900 mm x 750 mm x 1600 mm.	750
348	NN hot plate	S/s hot plate, model: PPC8FG7, serial number: 53710004, dimensions plate: 750 mm x 560 mm, total dimensions: 700 mm x 800 mm x 1040 mm.	100
349	Zorro B.V.	Zorro B.V. refrigerator, model: ZKB 360, year of construction: 2024, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600a/0.084 kg, weight: 72 kg, volume: 347 liter, dimensions: (2x) 620 mm x 620 mm x 1740 mm.	300
350	Mile High Equipment Co.	Mile High Equipment Co. condensor, model: VRC2061B1, serial number: 12051280010674, 208-230 V, 60 Hz, dimensions: 710 mm x 750 mm x 650 mm.	150
351	Rational	Rational combi steamer, type: MCM 101, 400 V, 3 Ph, 50/60 Hz, 19.0 kW, water pressure: 150–600 kPa, 10 floors, floor dimensions: (10x) 330 mm x 530 mm, total dimensions: 850 mm x 800 mm x 1050 mm.	1500
352	Smeva	Smeva condensor, number: 12153, year of construction: September 2015, refrigerant: R507A, dimensions: 1150 mm x 400 mm x 880 mm.	150
353	Silensys	Silensys condensing unit with Lúnite Hermetique cooling compressor, type: Koelinstallatie, number: 12047V170592, year of construction: 2017, refrigerant: R134A, model cooling compressor: S982630202, serial number: 17D11 123725 S982630202, 220-240 V, 50 Hz, 3.4 A, refrigerant: R134A, dimensions: 890 mm x 560 mm x 820 mm.	200
354	ECO Refrigerazione		100



Nr	Title	Description	Start €
		ECO Refrigerazione evaporator, model: MTE23L7ED, serial number: 8G201000615, year of construction: 05/03/2010, 230 V, 3 Ph, 50-60 Hz, 1350 W, 1300-1550 rpm, max pressure: 28 bar, dimensions: 1190 mm x 570 mm x 250 mm.	
355	NN bins	Box with 8 s/s bins, dimensions: (8x) 340 mm x 520 mm x 230 mm.	300
356	Luvata	Luvata evaporator, model: EVS180, serial number: AE201206508, year of construction: 09/03/2012, 230 V, 3 Ph, 50-60 Hz, 1350 W, 1300 rpm, max pressure: 28 bar, dimensions: 1110 mm x 450 mm x 160 mm.	100
357	Silensys	Silensys condensing unit with Lúnite Hermetique cooling compressor, type: Vriescel, year of construction: 13-1-2015, refrigerant: R404A, model cooling compressor: S993230202, serial number: 14L12 083500 S993230202, 220-240 V, 50 Hz, 3.8 A, refrigerant: R404A, dimensions: 1100 mm x 560 mm x 820 mm.	100
358	Bradan	Bradan mobile au bain-marie, inside dimensions: 950 mm x 510 mm x 230 mm, total dimensions: 600 mm x 1100 mm x 910 mm.	150
359	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s double sink, dimensions: 2020 mm x 710 mm x 950 mm.	650
360	NN tubs	Rollie with 3 plastic tubs, dimensions: (3x) 760 mm x 580 mm x 690 mm.	50
361	Giorik S.p.A.	Giorik S.p.A. combi steamer, model: EME52, serial number: 001333/01/20, 400 V, 3 Ph, 50 Hz, 6.3 kW, 5 floors, floor dimensions: (5x) 600 mm x 380 mm, total dimensions: 870 mm x 740 mm x 650 mm.	500
362	ECO Refrigerazione	ECO Refrigerazione evaporator, model: CTE034L8ED, serial number: AC200711917, year of construction: 25/07/2007, 230 V, 3 Ph, 50-60 Hz, 1350 W, 1275 rpm, max pressure: 28 bar, dimensions: 1010 mm x 480 mm x 400 mm.	50
363	Selbach	Selbach cooling machine, type: BK20, serial number: BL 31582, 230 V, 50 Hz, 1.4 A, 250 W, refrigerant: R134A/0.120 kg, dimensions: 300 mm x 400 mm x 300 mm.	30
364	Van West Koeltechniek	Van West Koeltechniek cooling machine, model: WWKGD40de, serial number: B20062074, year of construction: 2006, 230 V, 50 Hz, 1.1 A, 170 W, refrigerant: R134a/0.165 kg, dimensions: 290 mm x 290 mm x 380 mm.	30
365	Veba Meditemp	Veba Meditemp cooling unit, model: 2600, serial number: 0441-01421, 220-240 V, 50 Hz, 150 W, dimensions: 280 mm x 440 mm x 260 mm.	50
366	Lúnite Hermetique	Lúnite Hermetique cooling compressor, model: CAE9460Z MHR-513-F, serial number: 00M18 135711 4388330513, 220-240 V, 50 Hz, 3.5 a, refrigerant: R404A, dimensions: 500 mm x 500 mm x 240 mm.	50
367	Rieber		1000



Nr	Title	Description	Start €
		Rieber transport belt, number: ZH-263052/1-4, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 295 mm, total dimensions: 4420 mm x 570 mm x 910 mm.	
368	NN condensing unit	Condensing unit, dimensions: 630 mm x 700 mm x 580 mm.	50
369	ECO Refrigerazione	ECO Refrigerazione evaporator, model: CTE023L8ED, serial number: AC200908991, year of construction: 31/07/2009, 230 V, 1 Ph, 50-60 Hz, 750 w, 1300 rpm, max pressure: 28 bar, dimensions: 600 mm x 440 mm x 400 mm.	75
370	Hobart	Hobart high speed cooker, model: 305G, serial number: 97-0205-236, year of construction: 2012, 400 V, 3 Ph, 50/60 Hz, 38.7 A, 26.7 kW, 4 floors, floor dimensions: 540 mm x 320 mm, inside dimensions: Ø 380 mm x 620 mm, total dimensions: 830 mm x 600 mm x 1690 mm.	450
371	Holland Techno Groep	Holland Techno Groep oven, model: Hot Air-CO-P-E-Maxi/H-DE, serial number: HA-CO-E-Maxi/M-THL-015, 400 V, 3 Ph, 50/60 Hz, 29 A, 20.4 kW, 12 floors, floor dimensions: (12x) 600 mm x 570 mm.	500
372	Kuba	Kuba evaporator, type: DSAE 17, year of construction: 1987, 2 fans, dimensions: 990 mm x 400 mm x 430 mm.	75
373	Friga-Bohn	Friga-Bohn evaporator, model: MF 4, serial number: EY 6622, 230 V, 1 mPh, 50/60 Hz, dimensions: 600 mm x 440 mm x 180 mm.	50
374	Gea Küba GmbH	Gea Küba GmbH evaporator, model: DFB 031 E DECKEN-LUFTKÜHLER JUNIOR, number: F441505, year of construction: 2015, 230 V, 50/60 Hz, 24 W, dimensions: 530 mm x 510 mm x 230 mm.	50
375	NN induction plate	Ceramic hob, model: PCVE60DB, 8 kW, dimensions: 600 mm x 600 mm x 50 mm.	50
376	Nortech	Nortech chiller, model: NAT 19 GN, serial number: 162506889, 400 V, 50 Hz, 3400 W, 19 floors, floor dimensions: (19x) 530 mm x 330 mm, total dimensions: 740 mm x 780 mm x 2210 mm.	1500
377	NN conveyor	S/s roller conveyor for dishwasher, roller length: 530 mm, total dimensions: 740 mm x 2600 mm x 890 mm.	150
378	NN trolley	S/s trolley, (2x) 12 floors, floor dimensions: (24x) 380 mm x 550 mm, total dimensions: 870 mm x 560 mm x 1790 mm.	100
379	WMF	9 WMF coffee machines, dimensions: (9x) 450 mm x 560 mm x 440 mm. Technical condition unknown.	400
380	Viessmann	Viessmann cooling cell, type: CS 900 EVO -111, serial number: 775791901034102, year of construction: 15-7-2016, 230 V, 1 Ph, 50 Hz, 16 A, 567 W, refrigerant: R134A/0.65 kg, inside dimensions: 2240 mm x 1340 mm x 2250 mm, total dimensions: 2400 mm x 1500 mm x 2410 mm.	1250
381	NN cooling cell	Cooling cell, dimensions: 1250 mm x 2000 mm x 950 mm and 1700 mm x 2250 mm x 1250 mm.	1000



Nr	Title	Description	Start €
382	NN pallets	12 various sized pallets.	30
383	NN pallets	4 plastic EURO H1-pallets, dimensions: (4x) 1200 mm x 800 mm x 180 mm.	20
384	NN pallets	10 plastic pallets, dimensions: (10x) 1200 mm x 1000 mm x 160 mm.	50
385	Southern Pride	Southern Pride rotisserie smoker, model: SPK-500, serial number: K5001042FU, year of construction: 8/2013, 230 V, 1 Ph, 60 Hz, 5 A, gas heated, dimensions: 1500 mm x 1850 mm x 2000 mm. Incomplete.	4000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.




This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.



This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

