



## Industrial Auctions

2034: Online auction machinery for the food industry in Middelbeers (NL)

**END DATE**  
15 January 2026 14:00

## General terms and conditions of the online auction

End date	15 January 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyerbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	22 January 2026 from 09:00 till 16:00 hrs.
Pick up address	Langereijt 29A 5091 JP Oost-, West- en Middelbeers Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbachener Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Boldt	Boldt double shaft paddle mixer with Koppens lifter for 200 liter meat bins, inside dimensions mixer: 1600 mm x 1050 mm x 2350 mm, total dimensions mixer: 3900 mm x 1950 mm x 1980 mm, type lifter: L 25L, machine number: L 25L-1096, 380 V, 3 Ph, 50 Hz, 1.8 A, 0.5 kW, weight: 310 kg, dimensions lifter: 1900 mm x 800 mm x 2900 mm.	3000
2	NN platform	S/s platform with stairs, working height: 570 mm, total dimensions: 1800 mm x 1300 mm x 1315 mm.	200
3	NN platform	S/s platform with stairs, working height: 570 mm, total dimensions: 1800 mm x 1300 mm x 1315 mm.	200
4	NN platform	S/s platform with stairs, working height: 970 mm, total dimensions: 2000 mm x 1600 mm x 2350 mm.	200
5	Karl Schnell GmbH & Co	Karl Schnell GmbH & Co double shaft ribbon mixer with Koppens lifter for 200 liter meat bins, inside dimensions mixer: 2450 mm x 650 mm x 1090 mm, total dimensions mixer: 3900 mm x 1950 mm x 1980 mm. Type lifter: L 25, machine number: L 25-608, 380 V, 3 Ph, 50 Hz, 3.1 A, 0.55 kW, weight: 310 kg, dimensions lifter: 1900 mm x 800 mm x 2900 mm.	3000
6	NN platform	S/s platform with stairs, working height: 590 mm, total dimensions: 1800 mm x 1050 mm x 1325 mm.	200
7	NN platform	S/s platform with stairs, working height: 590 mm, total dimensions: 1800 mm x 1050 mm x 1325 mm.	200
8	Travaini	Travaini vacuum pump on s/s frame, type: TRSE 125-1550/XC/RZ, serial number: GG307, year of construction: 2018, weight: 1334 kg, pipe diameter: 120 mm, total dimensions: 2350 mm x 770 mm x 2050 mm.	750
9	Europack	Europack wrapping and shrinking line, serial number: 02.10775.1, year of construction: 2002, 415 V, 3 Ph, 50 Hz, 29 kW, clearance infeed: 340 mm x 120 mm, film width: 780 mm, s/s belt, belt width: 660 mm, clearance shrink tunnel: 750 mm x 420 mm, outfeed belt width: 750 mm, total dimensions: 4650 mm x 3200 mm x 2000 mm. Including extra infeed wheels. Missing control panel.	1000
10	Wolfking Scanio	Wolfking Scanio vacuum tumbler with lifter for 200 liter meat bins, type: TRC2.5, serial number: 9241, year of construction: 2000, 415 V, 50 Hz, 20.4 A, total dimensions: 3750 mm x 2400 mm x 2750 mm. Lifter dimensions: 1600 mm x 1550 mm x 2720 mm. Without vacuum pump.	2000
11	Repak	Repak thermoformer, type: RF3, machine number: 20321, year of construction: 2002, 220/380 V, 3 Ph, 50 Hz, 54 A, 20 kW, dye: (4x) 185 mm x 185 mm x 55 mm, plastic outfeed belts, belt width: (2x) 155 mm, ELS labeller, type: 520, machine number: 3854/2002, total dimensions: 10570 mm x 1680 mm x 2000 mm. Including suction device for rest film, dimensions: Ø 530 mm x 1160 mm, Additif film unwinding device, type: Jumbo, dimensions: 1150 mm x 850 mm x 900	2000



Nr	Title	Description	Start €
		mm, and 4 pallets with parts and dyes, dyes: (4x) 185 mm x 180 mm, (6x) 180 mm x 115 mm. Without vacuum pump.	
12	Dixie Union	Dixie Union thermoformer, model: EVOLUTION, machine number: EVO.0245, year of construction: 1999, plastic belt, belt width: 380 mm, dye dimensions: (3x) 170 mm x 105 mm x 30 mm, Rietschle vacuum pump, type: VCA 60 (01), year of construction: 1999, capacity: 60 m³/h, total dimensions: 8100 mm x 1300 mm x 1900 mm. Including 2 pallets with parts.	1500
13	Bradman Lake Group	Bradman Lake Group dual feed flow packer, machine type: FT120CLX, serial number: 7098, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 10 kW, plastic belt with dividers, belt width: (2x) 40 mm, divider height: 35 mm, distance between dividers: 300 mm, seal width: 230 mm, total dimensions: 5750 mm x 1200 mm x 2500 mm. Including infeed and outfeed belt, plastic infeed belt, belt width: 160 mm, total dimension: 3500 mm x 980 mm x 1550 mm. plastic outfeed belt, plastic mesh belt, belt width: 300 mm, total dimensions: 2600 mm x 600 mm x 1250 mm.	1000
14	Aja Ltd	Aja Ltd double 5-heads linear batch weigher, model number: BWS-1000, serial number: B1000EX1004, 200-250 VAC, 50-60 Hz, 2 KVA, minimum capacity: 20 gram, maximum capacity: 500 gram, dimensions: 1800 mm x 1080 mm x 1480 mm. Cover damaged.	200
15	Bradman Lake Group	Bradman Lake Group dual feed flow packer, machine type: FT120CLX, serial number: 7097, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 10 kW, plastic infeed belt with dividers, belt width: (2x) 40 mm, divider height: 35 mm, distance between dividers: 300 mm, seal width: 230 mm, total dimensions: 5750 mm x 1200 mm x 2500 mm. Including infeed and outfeed belt, plastic mesh infeed belt, 160 mm, total dimensions: 3500 mm x 980 mm x 1550 mm. Plastic outfeed belt, belt width: 300 mm, total dimensions: 2600 mm x 600 mm x 1250 mm.	1000
16	NN trolley	S/s mobile trolley, working width: 390 mm, total dimensions: 1500 mm x 480 mm x 1010 mm.	75
17	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, 2 lanes, dimensions cartons: 150 mm x 98 mm x 30 mm, with Becker vacuum pump, type: BOL/4X, total dimensions: 1500 mm x 1350 mm x 2140 mm. With pallet box with large amount of parts for carton erector, dimensions: 1200 mm x 1000 mm x 1050 mm.	1500
18	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, 2 lanes, dimensions cartons: 150 mm x 98 mm x 30 mm, with Becker vacuum pump, type: BOL/4X, total dimensions: 1500 mm x 1350 mm x 2140 mm. With pallet box with large amount of parts for carton erector, dimensions: 1200 mm x 1000 mm x 1050 mm.	1500
19	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, type: JR, serial number: 225S, dimensions cartons: 163 mm x 163 mm x 30 mm, total	1000



Nr	Title	Description	Start €
		dimensions: 1400 mm x 1450 mm x 2160 mm. Missing vacuum pump.	
20	Jansen Techniek	Jansen Techniek shuttle conveyor, type: SBK150, model: schietband, year of construction: 2019, plastic belt, belt width: 240 mm, total dimensions: 1400 mm x 600 mm x 1250 mm. Including switch cabinet, dimensions: 700 mm x 500 mm x 1250.	2000
21	Jansen Techniek	Jansen Techniek shuttle conveyor, type: SBK150, model: Schietband, year of construction: 2019, plastic belt, belt width: 240 mm, total dimensions: 1400 mm x 600 mm x 1250 mm. Including switch cabinet, dimensions: 700 mm x 500 mm x 1250.	2000
22	Jansen Techniek	Jansen Techniek shuttle conveyor, type: SBK150, model: Schietband, year of construction: 2019, plastic belt, belt width: 240 mm, total dimensions: 1400 mm x 600 mm x 1250 mm. Including switch cabinet, dimensions: 700 mm x 500 mm x 1250.	2000
23	Karl Schnell	Karl Schnell vacuum filling machine with lifter for 200 liter meat bins, type: 573-SE, serial number: 20691, 380 V, 3 Ph, 50 Hz, 13.6 A, 7.3 kW, total dimensions: 2950 mm x 1100 mm x 1530 mm.	1750
24	Dimaco Ltd	Dimaco Ltd pack label VeriPack verification machine, model: 932-5149/A, serial number: 1304949, year of construction: 21-05-13, 240 V, 50 Hz, 6.0 A, belt width: 275 mm, total dimensions: 1200 mm x 780 mm x 1700 mm. Technical condition unknown.	100
25	Formax	Formax infeed SNS scanner, clearance: 240 mm x 115 mm, total dimensions: 2600 mm x 880 mm x 1920 mm.	500
26	Cryovac	Cryovac shrink tunnel, ST85 LHE, serial number: A51700619, year of construction: 2003, 380/415 V, 50 Hz, 79 A, 55 kW, belt width: 870 mm, clearance: 900 mm x 550 mm, total dimensions: 2000 mm x 1400 mm x 2200 mm.	1750
27	Herbert	Herbert labeller with double top and double bottom labeller, model: PZ-113-00777-2, serial number: 5055TBXR028, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
28	PBI-Dansensor A/S	PBI-Dansensor A/S leak detector, type: LeakPointer, serial number: 71090383, year of construction: 2010, 207-253 VAC, 50/60 Hz, 1000 VA, dimensions chamber: 500 mm x 400 mm x 160 mm, total dimensions: 600 mm x 720 mm x 500 mm.	250
29	Scanaegt	Scanaegt rejector belt, type: DropDown, serial number: BQI00044, year of construction: 2005, 3x230 V, 3 Ph, 50/60 Hz, 1.2 A, weight: 50 kg, belt width: 275 mm, total dimensions: 800 mm x 670 mm x 1390 mm.	100
30	NN transport belt	Transport belt, s/s frame, plastic mesh belt with dividers, belt width: 300 mm, divider height: 15 mm, distance between dividers: 450 mm, total dimensions: 2320 mm x 550 mm x 620 mm.	150



Nr	Title	Description	Start €
31	Linak A/S	Linak A/S labeller with double top and double bottom labeller, type: LP25A0000200405, plastic belt, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
32	Linak A/S	Linak A/S labeller with double top and double bottom labeller, type: LP25A0000200405, plastic belt, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
33	Multivac	Multivac labeller with double top and double bottom labeller, type: MR339, model: MR339 TQ2419BS6000RG, machine number: 30102/11, year of construction: 2011, 3x400 V, 4000 VA, plastic belts, belt width: (2x) 85 mm, total dimensions labeller: 2600 mm x 950 mm x 2100 mm, including s/s switch cabinet, dimensions: 1200 mm x 550 mm x 1680 mm.	1000
34	Sealpac	Sealpac dyes on s/s rack, dimensions dye: (6x) 170 mm x 120 mm, (3x) 300 mm x 240 mm, dimensions rack: 4900 mm x 750 mm x 1300 mm.	750
35	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 4850 mm x 500 mm x 1100 mm.	150
36	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt, belt width: 405, working width: 325 mm, divider height: 25 mm, distance between dividers: 295 mm, elevating height: 1060 mm, total dimensions: 3750 mm x 1200 mm x 1190 mm.	500
37	NN infeed funnel	Infeed funnel with mobile screw and product pump., screw diameter: 260 mm, tier: 110 mm, clearance: 1790 mm x 455 mm, dimensions screw trolley: 2500 mm x 550 mm x 630 mm, dimensions funnel: 2500 mm x 700 mm x 2150 mm.	400
38	Ellegaard	Ellegaard transport belt, plastic belt, belt width: 285 mm, distance between dividers: 290 mm, divider height: 50 mm, total dimensions: 4000 mm x 750 mm x 950 mm.	250
39	Ellegaard	Ellegaard transport belt, type: VOLTRA FEMB3, plastic belt, belt width: 285 mm, distance between dividers: 295 mm, divider height: 50 mm, total dimensions: 8250 mm x 650 mm x 500 mm.	250
40	Marel	Marel mobile lifter for 200 liter meat bins, model: L25, type: PM1114, 400 V, 3 Ph, 50 Hz, 1.9 A, lifting height: 2300 mm, total dimensions: 1450 mm x 1500 mm x 2980 mm.	950
41	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 1100 mm x 670 mm x 770 mm.	150
42	Escon Electronic A/S	Escon Electronic A/S primal cutting saw, model: SAWCIRC003, dimensions: 1400 mm x 800 mm x 1500 mm. Saw blade is missing.	500
43	NN slicer	Vegetable slicer, s/s frame, clearance: 250 mm x 250 mm, inside dimensions: Ø 570 mm x 240 mm, 10 knives, knife length: 240 mm, total dimensions: 1360 mm x 1150 mm x 1500 mm.	750
44	Nematec	Nematec cutter, type: SM 65 S, machine number: 110, year of construction: 1994, 400 V, 3 Ph, 50 Hz, weight: 920 kg, s/s	2500



Nr	Title	Description	Start €
		bowl, volume: 65 liter, total dimensions: 1280 mm x 1000 mm x 1350 mm.	
45	Gardner Denver	Gardner Denver vacuum pump, type: V-VC 303(20), serial number: SC12013474005, year of construction: 2014, 200/230/400 V, 60 Hz, 8 kW, capacity: 360 m³ per hour, total dimensions: 920 mm x 520 mm x 420 mm. Never used.	500
46	Elmo Rietschle	Elmo Rietschle vacuum pump, type: V-VC 303(20), serial number: SC10213474001, year of construction: 2014, capacity: 360 m³ per hour, total dimensions: 920 mm x 520 mm x 440 mm.	500
47	Risco SPA	Risco SPA vacuum filling machine, type: RS 1040, serial number: A194007, year of construction: 1994, 415 V, 9/16 A, 3.7 kW, dimensions: 700 mm x 800 mm x 1650 mm. Rotor is incomplete, scraper is missing.	2000
48	NN bandsaw	Bandsaw, dimensions saw table: 1050 mm x 850 mm, total dimensions: 1050 mm x 1000 mm x 1900 mm. Incomplete, technical condition unknown.	500
49	HP. Auriol	HP. Auriol cooking vessel with mixing arm and scrapers, number: 2578 B, year of construction: 07/1999, 380 V, 50 Hz, volume: 300 liter, dimensions: 1950 mm x 1400 mm x 1870 mm. Control panel broken	1200
50	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 270 mm, total dimensions: 1100 mm x 600 mm x 1060 mm.	150
51	Formax	Formax knife sharpener, model number: H-180, serial number: 122, 24 VDC, dimensions: 1020 mm x 810 mm x 1940 mm.	250
52	Weber	Weber knife sharpener, type: SSG, number: 276, year of construction: 09/2007, 400 V, 50 Hz, 0.25 kW, weight: 800 kg, clearance: 240 mm x 115 mm, total dimensions: 1100 mm x 800 mm x 1770 mm.	500
53	Kortlever	Kortlever spraying belt, serial number: 2920, plastic belts, belt width: 1000 mm, 950 mm, (5x) 190 mm, (5x) 180 mm, (5x) 90 mm, total dimensions: 9500 mm x 1700 mm x 2100 mm. Without spraying system.	1500
54	Murzan	Murzan mobile diaphragm pump, model: SBR2X2IR, serial number: 09077320, dimensions: 860 mm x 430 mm x 1090 mm.	400
55	Videojet	Videojet inkjet printer, model: EXCEL 170i, 50/60 V, 2 A, dimensions: 510 mm x 210 mm x 800 mm.	75
56	Videojet	Videojet inkjet printer, model: EXCEL 17/01, 220 V, 50/60 Hz, 2 A, dimensions: 510 mm x 210 mm x 800 mm.	75
57	NN cabinet	S/s cabinet for 2 jerry cans, inside dimensions: 650 mm x 290 mm x 450 mm, total dimensions: 660 mm x 310 mm x 570 mm.	25
58	Homra	Homra trash bin, dimensions: 400 mm x 285 mm x 450 mm.	25
59	NN cabinet	Steel cabinet, dimensions: 1000 mm x 420 mm x 1950 mm.	5
60		Converging Solutions converging inliner, model: Integrator, serial number: 5173, year of construction: 10/2004, 240 V, 1	300



Nr	Title	Description	Start €
	Converging Solutions	Ph, 50 Hz, 16 A, plastic belts, belt width: 625 mm and (4x) 110 mm, total dimensions: 1620 mm x 820 mm x 1120 mm.	
61	ENE	ENE double lane transport belt, type: Conveyor 105, serial number: 171128, year of construction: 11-2017, 415 V, 50 Hz, 0.18 kW, plastic belts, belt width: (2x) 380 mm, total dimensions: 1700 mm x 1140 mm x 940 mm.	300
62	Consol Converging Solutions	Consol Converging Solutions lane dividing belt, model: INT3, serial number: CS 6696, year of construction: 2019, 230 V, 16 A, plastic belts, belt width: (1x) 680 mm, (2x) 135 mm, total dimensions: 2650 mm x 860 mm x 1150 mm.	750
63	Proseal UK LTD	Proseal UK LTD mobile rotating traysealer, serial number: 1058, 240 V, 50 Hz, 5 bar, film width: 205 mm, dye: (2x) 105 mm x 160 mm, total dimensions: 1150 mm x 1000 mm x 1680 mm. Including s/s rack with large amount of extra forms, dye: (2x) 140 mm x 165 mm, (2x) 120 mm x 160 mm, (2x) 170 mm x 215 mm, 175 mm x 215 mm, (2x) 115 mm x 115 mm, (2x) 165 mm x 215 mm, (2x) Ø 135 mm, total dimensions rack: 1000 mm x 900 mm x 1600 mm.	2000
64	Proseal UK LTD	Proseal UK LTD mobile traysealer, serial number: 1974, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 6 bar, plastic belt, belt width: (4x) 25 mm, total dimensions: 4600 mm x 1100 mm x 2050 mm. Incomplete.	1000
65	Fomaco	Fomaco injector, model: FGM 64 DC M3, serial number: 14818-2013, 400 V, 3 Ph, 50 Hz, 63 A, 19 kW, 6 bar, plastic mesh belt, belt width: 525 mm, total dimensions: 3200 mm x 1150 mm x 2500 mm. Incomplete. Including trolley for belt, dimensions: 2950 mm x 700 mm x 1220 mm.	1750
66	Pester Pac Automation	Pester Pac Automation shrink wrap and seal machine, type: PEWO-pack 800/therm III 800 E, machine number: 10671A, year of construction: 2003, 3x400 V, 50 Hz, 25.5 A, 16.5 kW, plastic belt, belt width: 780 mm, clearance: 780 mm x 350 mm, seal length: 850, steel rollers: roller length: 845 mm, total dimensions: 3850 mm x 1650 mm x 2300 mm. Incomplete.	1250
67	Fomaco	Fomaco A/S injector, model: FGM 64F SW, machine number: 7897 1999, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 18/32 A, 6 bar, s/s walking beam width: 540 mm, clearance: 540 mm x 150 mm, total dimensions: 1680 mm x 850 mm x 2220 mm. Including Fomaco A/S mobile filter tub, model: PFS 5/225 ROS, machine number: 8720, year of construction: 2001, dimensions: 1800 mm x 620 mm x 920 mm. Filter tub is incomplete.	2500
68	Fomaco	Fomaco injector, model: FGM 44/88, machine number: 8060 2000, year of construction: 2000, 3x415 V, 50 Hz, 9.0/25.0 A, s/s mesh belt, belt width: 550 mm, clearance: 560 mm x 200 mm, total dimensions injector: 2700 mm x 980 mm x 2280 mm, including Fomaco A/S mobile filter tub, dimensions: 1700 mm x 600 mm x 630 mm. Filter tub is incomplete.	2500



Nr	Title	Description	Start €
69	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF622, serial number: 16055, year of construction: 2002, 420 V, 3 Ph, 50 Hz, 12.4 A, 9 kW, Busch vacuum pump, type: KB 0040 D IZO, capacity: 48 m³ per hour, total dimensions: 1900 mm x 1400 mm x 2100 mm.	12500
70	Fomaco	Fomaco injector, model: FGM 88 DC, machine number: 10861-2006, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 63 A, 37.0 kW, air: 6.0 bar, plastic mesh belt, belt width: 720 mm, total dimensions: 2900 mm x 1300 mm x 2300 mm. Including Fomaco mobile filter tub, model: PFS 7 / 225 R, dimensions: 1900 mm x 700 mm x 950 mm, mobile frame for belt, dimensions frame: 2900 mm x 900 mm x 1250 mm. Incomplete.	2500
71	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Derby 100S-CE, machine number: 274010.69891.100685, year of construction: 2005, 230 V, 3 Ph, 50/60 Hz, 10 A, weight: 281 kg, dimension chamber: 95 mm x 55 mm x 100 mm, 17 knifes, distance between knifes: 10 mm, total dimensions: 1360 mm x 920 mm x 1080 mm.	2000
72	Cryovac	Cryovac belt vacuum machine, model number: VS95TS, serial number: A03801415, year of construction: 2005, 3x400 V, 50 Hz, 32 A, 13.5 kW, 15 Nm³/h, plastic belt, belt width: 725 mm, seal length: (2x) 1550 mm, dimensions chamber: 1600 mm x 750 mm, with Busch booster vacuum pump, type: WP 1250 D 2V1 ZZXX, number: C0511000080, year of construction: 2005, total dimensions vacuum machine: 4200 mm x 1300 mm x 1950 mm. Including suction device for rest film, dimensions: 900 mm x 800 mm x 1400 mm and 7 seal bars.	5000
73	Inox Meccanica	Inox Meccanica meat press, output diameter: 135 mm, total dimensions: 2950 mm x 1100 mm x 1530 mm.	1250
74	Cryovac	Cryovac belt vacuum machine, model number: VS90, serial number: SN02426, year of construction: 2011, 400 V, 50 Hz, 20 A, 8.3 kW, 15 Nm³ per hour, 6 bar, plastic belt, belt width: 680 mm, total dimensions: 2800 mm x 1240 mm x 1970 mm. Without vacuum pump.	2500
75	Herbert	Herbert labeller with double top and double bottom labeller, model: PZ-113-00777-3, serial number: 5055TBXR 029, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
76	VWS Nederland B.V.	VWS Nederland B.V. double labeller, type: (2x) LP400L_Blow, model: 4/300, serial number: LP152511 and LP152512, 100-240 V, 50-60 Hz, 2 A, belt width: 295 mm, 255 mm, total dimensions: 1620 mm x 900 mm x 1960 mm.	1250
77	Cryovac	Cryovac belt vacuum machine, model number: VS95TS, serial number: SN02607, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 32 A, 15 Nm³ per hour, plastic belt, belt width: 725 mm, seal length: (2x) 1550 mm, dimensions chamber: 1600 mm x 750 mm, Busch vacuum pump, type: WP 1250 D 2F1 ZZZ,	1750



Nr	Title	Description	Start €
		total dimensions: 2360 mm x 1350 mm x 1910 mm. Including various parts.	
78	Multivac	Multivac labeller, type: L310, machine number: 266619, year of construction: 2018, 400 V, 3 Ph, 2000 VA, belt width: (2x) 135 mm, 90 mm, total dimensions: 1800 mm x 1500 mm x 1980 mm.	2500
79	Multivac	Multivac labeller, type: L310, machine number: 274011, year of construction: 2018, 400 V, 3 Ph, 2000 VA, belt width: (2x) 135 mm, 90 mm, total dimensions: 1800 mm x 1500 mm x 1980 mm.	2500
80	Winyard Engineering LTD	Winyard Engineering LTD mobile 1-head depositor, machine type: Mini-Fill Depositor MKII, serial number: MNS 1802164, dimensions: 1200 mm x 500 mm x 1380 mm.	250
81	Cryovac	Cryovac dip tank, model number: ST12 ELH, serial number: A51500108, year of construction: 1997, 380/415 V, 50 Hz, 51 A, 6 bar, s/s mesh belt, belt width: 600 mm, clearance: 650 mm x 230 mm, total dimensions: 1300 mm x 1250 mm x 1600 mm.	1500
82	ABB	ABB flexpalletizer with control unit, type: IRB640 M98, weight: 1900 kg, dimensions control unit: 950 mm x 700 mm x 970 mm, total dimensions robot: 2850 mm x 1350 mm x 2400 mm.	1500
83	Cryovac	Cryovac shrink tunnel, model number: ST98-800 STEAM, serial number: A56122511, year of construction: 2005, belt width: 870 mm, clearance: 800 mm x 300 mm, total dimensions: 1500 mm x 1200 mm x 1900 mm. Including outfeed roller conveyor, s/s rollers, roller width: 800 mm, total dimensions roller conveyor: 2000 mm x 850 mm x 940 mm.	5000
84	Converging Solutions	Converging Solutions converging lane dividing belt, model: Integrator Mk2, serial number: CS5455, year of construction: 08/2008, plastic belts, belt width: (2x) 225 mm, (1x) 625 mm, total dimensions: 1580 mm x 820 mm x 1120 mm.	300
85	Consol Converging Solutions	Consol Converging Solutions lane dividing belt, model: INT3 H/S, serial number: CS 6480, year of construction: 2018, 230 V, 16 A, plastic mesh belt, belt width: 680 mm, plastic belts, belt width: (4x) 115 mm, (4x) 80 mm, total dimensions: 2460 mm x 860 mm x 1230 mm.	750
86	Bobet Material	Bobet Material boots washer, type: C.C220, serial number: 1163, year of construction: 2002, brush length: (4x) 370 mm and (4x) 480 mm, total dimensions: 2200 mm x 1000 mm x 1200 mm.	750
87	Reverse Transducers	S/s floor weighing scale with Reverse Transducers indicator, model: VT200, dimensions scale: 1200 mm x 1200 mm x 150 mm. Including aluminium ramp.	150
88	Paktech	Paktech linear case erector, plastic belt, belt width: 400 mm, clearance: 225 mm, total dimensions: 3700 mm x 1650 mm x 2100 mm.	2500



Nr	Title	Description	Start €
89	Kuka	Kuka packaging robot, consisting of: Kuka robot, number: 991134623, 1600 mm x 800 mm x 1800 mm, ABB Robotics robot, dimensions: 2200 mm x 1100 mm x 2550 mm, 2 pallets with switch cabinets, dimensions: 1200 mm x 800 mm x 2250 mm, 1200 mm x 800 mm x 1950 mm, Busch pump, model: Mink MM 1144 BV, dimensions: 1200 mm x 800 mm x 650 mm, infeed conveyor, clearance: 285 mm, plastic belt, belt width: (2x) 200 mm, dimensions: 2850 mm x 1200 mm x 2100 mm, infeed belt, plastic mesh belt, belt width: 530 mm, total dimensions: 1650 mm x 1170 mm x 650 mm, roller conveyor, plastic rollers, roller width: 490 mm, total dimensions: 4150 mm x 1100 mm x 1000 mm, transport belt, coat belt, belt width: 545 mm, total dimensions: 1200 mm x 1150 mm x 1000 mm, pallet with racks, dimensions: 2300 mm x 1800 mm x 600 mm. Technical condition unknown.	2500
90	Formax	Formax knife sharpener, model: HPX3, serial number: 16113, 24 VDC, dimensions: 1170 mm x 800 mm x 1170 mm.	1500
91	Needham	Needham inkjet printer, model number: N16Plus-M-1-UK, serial number: 18-01-26-002, year of construction: 2018, dimensions: 570 mm x 500 mm x 550 mm.	50
92	Airmaster	Airmaster convector heater, model: HC2D, year of construction: 08-10-2017, 220-240 VAC, 50 Hz, 2 kW, dimensions: 650 mm x 150 mm x 430 mm.	5
93	Formax	Formax slicer, model: PowerMax 3500, serial number: PX3.5-16112, 400 V, 3 Ph, 50 Hz, 29.5 A, 18.5 kW, plastic belt, belt width: (2x) 100 mm, plastic wire belt, belt width: 390 mm, total dimensions: 3900 mm x 1500 mm x 2250 mm. Including trolley with knife holder, dimensions: 770 mm x 600 mm x 1350 mm.	25000
94	Formax	Formax checkweigher, plastic wire belt, belt width: (2x) 210 mm, total dimensions: 1570 mm x 1150 mm x 1000 mm. Missing wires.	1500
95	Multitec	Multitec outfeed belt, year of construction: 2016, belt width: 620 mm, total dimensions: 6100 mm x 2000 mm x 2080 mm. Missing belt.	5000
96	Bettcher Industries Inc.	Bettcher Industries Inc form press, model: Dynaform Pers, year of construction: 2010, 400 V, dimensions power unit: 1200 mm x 1070 mm x 960 mm, s/s tool trolley, dimensions: 1100 mm x 850 mm x 960 mm, total dimensions: 2450 mm x 800 mm x 2000 mm. Incomplete.	500
97	NN tank	S/s tank, tank dimensions: Ø 1500 mm x 2000 mm, total dimensions: Ø 1500 mm x 4800 mm.	1000
98	Celsiusfood	Celsiusfood teflon grill belt, belt width: (1x) 545 mm, (1x) 560 mm, clearance: 545 mm x 115 mm, electric heated, total dimensions: 4000 mm x 1350 mm x 1860 mm.	2000
99	NN vegetable washer	Vegetable washer with vibrating gutter, gutter width: 750 mm, perforations: Ø 5 mm, total dimensions: 5500 mm x 1600 mm x 2700 mm.	2250



Nr	Title	Description	Start €
100	Comair	Comair screw air compressor, year of construction: 1999, maximum pressure: 14 bar, working hours: 33551 hour, dimensions: 900 mm x 600 mm x 1600 mm.	250
101	Atlas Copco	Atlas Copco air compressor, type: RCE 75/8, serial number: API200184, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 75 kW, 8 bar, weight: 1388 kg, dimensions: 1950 mm x 1100 mm x 1800 mm.	1000
102	V.R.B. Friesland	V.R.B. Friesland air compressor, type: APS 30B/10, serial number: CAI980325, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 22 kW, working hours: 29760 hour, weight: 430 kg, dimensions: 1300 mm x 800 mm x 1200 mm.	1000
104	Inox Meccanica	Inox Meccanica meat press, model: P800 L XP, serial number: 2125, year of construction: 2010, 100/240 V, 50 Hz, 0.25 kW, 7 bar, dimensions: 1800 mm x 1000 mm x 1600 mm. Incomplete, technical condition unknown.	100
105	Nieros	Nieros boots cleaner, type: DR/400V300, serial number: N3F47-07, year of construction: 11/2015, 400 V, 3 Ph, 50 Hz, 1 kW, dimensions: 1600 mm x 1500 mm x 1250 mm.	1000
107	Silverson	Silverson mixer on s/s frame, length mixing arm: 550 mm, total dimensions: 950 mm x 900 mm x 1840 mm.	500
108	Silverson	Silverson mixer on mobile s/s frame, length mixing arm: 820 mm, total dimensions: 850 mm x 775 mm x 1870 mm.	500
109	Silverson	Silverson mixer on mobile s/s frame, length mixing arm: 550 mm, total dimensions: 950 mm x 900 mm x 1840 mm.	500
110	Silverson	Silverson mixer on mobile s/s frame, length mixing arm: 820 mm, total dimensions: 850 mm x 775 mm x 1870 mm.	500
111	Silverson	Silverson mixer on s/s mobile frame, length mixing arm: 820 mm, total dimensions: 850 mm x 775 mm x 1870 mm.	500
112	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: XE3DMS, serial number: 35004036, year of construction: 2012, 100/240 V, maximum: 3500 kg, minimum: 0.020 kg, e=: 0.001 kg, d=: 0.001 kg, T=: 3.150 kg, plastic belt, belt width: (6x) 300 mm, total dimensions: 1960 mm x 1070 mm x 1630 mm.	750
113	Mono	Mono rotary oven with 2 trolleys, inside dimensions: 950 mm x 950 mm x 1950 mm, total dimensions: 1500 mm x 1350 mm x 2600 mm. 2 s/s trolleys, 32 floors, floor dimensions: (32x) 760 mm x 460 mm, total dimensions: (2x) 770 mm x 530 mm x 1830 mm.	1000
114	Koppens	Koppens mobile forming machine, type: VM 400, number: VM 400- 459/S, 380 V, 3 Ph, 50 Hz, weight: 550 Kg, clearance: 365 mm x 100 mm, total dimensions: 1600 mm x 750 mm x 2330 mm. Incomplete.	500
115	Marel	2x Marel switch cabinets, model: (2x) JR0740, type: 7797862, 7797875, year of construction: 2023, dimensions: (2x) 480 mm x 450 mm x 1100 mm.	100
116	Marel	Marel transport belt, model: JR0710, type: 7799222, serial number: 10523966, year of construction: 2023, plastic belt,	1250



Nr	Title	Description	Start €
		belt width: 505 mm, total dimensions: 1100 mm x 850 mm x 1400 mm.	
117	Marel	Marel transport belt, model: JR0710, type: 7798323, serial number: 10523998, year of construction: 2023, plastic belt, belt width: 405 mm, total dimensions: 850 mm x 600 mm x 970 mm.	750
118	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523962, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 405 mm, total dimensions: 1050 mm x 800 mm x 1250 mm.	1500
119	Marel	Marel transport belt, number: 1100037841, year of construction: 21-08-2015, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 450 mm x 870 mm.	750
120	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523961, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 505 mm, total dimensions: 1250 mm x 900 mm x 1250 mm.	1500
121	Marel	Marel 2 lanes transport belt, model: JR0710, type: 7800297, 7799829, serial number: 10523996, 10523993, year of construction: 2023, plastic mesh belt, belt width: 400 mm, total dimensions: 3480 mm x 1100 mm x 950 mm.	1500
122	Mettler Toledo/ Ishida	Mettler Toledo metal detector with Ishida checkweigher and rejector, model: DACS-W-030-SB-WP-I, serial number: 552916, year of construction: 05/2003, plastic belt, belt width: 300 mm, clearance: 375 mm x 85 mm, total dimensions: 2100 mm x 1070 mm x 1480 mm.	1000
123	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523963, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 405 mm, total dimensions: 1050 mm x 800 mm x 1230 mm.	1500
124	Marel	Marel transport belt, number: 1100037992, year of construction: 21-08-2015, plastic belt, belt width: 300 mm, total dimensions: 1150 mm x 450 mm x 870 mm.	750
125	Marel	Marel transport belt, model: JR0710, type: 7800571, serial number: 10523992, year of construction: 2023, plastic belt, belt width: 305 mm, total dimensions: 1100 mm x 550 mm x 930 mm.	750
126	Marel	Marel transport belt, model: JR0710, type: 7797666, serial number: 10523997, year of construction: 2023, plastic belt, belt width: 405 mm, total dimensions: 950 mm x 600 mm x 960 mm.	750
127	Marel	Marel elevating belt, model: JR0710, type: 7799514, serial number: 10523991, year of construction: 2023, plastic belt, belt width: 610 mm, total dimensions: 1170 mm x 800 mm x 1230 mm.	1250
128	Koppens	Koppens mobile forming machine, type: VM 400/30, number: 2114, year of construction: 2000, 400 V, 3 Ph, 50 Hz, weight:	500



Nr	Title	Description	Start €
		630 Kg, clearance: 365 mm x 100 mm, total dimensions: 1600 mm x 750 mm x 2330 mm. Incomplete.	
129	Marel	3x Marel switch cabinets, model: (3x) JR0740, type: 7797861, 7797863, 7797869, year of construction: 2023, dimensions: (3x) 480 mm x 350 mm x 880 mm.	150
130	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523959, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 505 mm, total dimensions: 1050 mm x 900 mm x 1650 mm.	1500
131	Marel	Marel transport belt, model: JR0710, type: 7796640, serial number: 10523995, year of construction: 2023, plastic belt, belt width: 455 mm, total dimensions: 940 mm x 750 mm x 950 mm.	750
132	NN roller conveyor	Roller conveyor with plastic rollers, roller width: 785 mm, total dimensions: 800 mm x 450 mm x 1270 mm.	50
133	Edelstahl Maschinenbau Engler	Edelstahl Maschinenbau Engler mobile pocket filling machine, type: Pocketfillerdos10 LH(2,2), number: 991431, year of construction: 99/10, dye: 78 mm, dimensions 2750 mm x 1750 mm x 2950 mm.	2500
134	Ishida	8 pallets with dyes for Ishida traysealer, dimensions: (4x) 210 mm x 160 mm, (4x) 245 mm x 155 mm, (4x) 205 mm x 165 mm, (4x) 200 mm x 160 mm, (5x) 170 mm x 120 mm, (4x) 165 mm x 165 mm, (4x) 245 mm x 160 mm, (3x) Ø 180 mm, (3x) 280 mm x 190 mm, (3x) 230 mm x 150 mm. Including pallet with grippers.	700
135	Sealpac	Pallet with s/s covers for Sealpac traysealer, dimensions: 1200 mm x 800 mm x 1200 mm.	50
136	Marel	Marel 2 lanes transport belt, model: JR0710, type: 7799013, serial number: 10523994, year of construction: 2023, plastic mesh belt, belt width: 400 mm and 300 mm, total dimensions: 3670 mm x 1000 mm x 950 mm.	1500
137	Stein	Stein coating line, model: MB.3, serial number: 144, s/s belt, belt width: (1x) 305 mm (1x) 205 mm (1x) 155 mm, electric heated, working width: (1x) 205 mm (1x) 140 mm, clearance: 310 mm x 350 mm, total dimensions: 2250 mm x 550 mm x 1670 mm. Technical condition unkown.	500
138	NN ergo step	S/s ergo step, dimensions: 750 mm x 470 mm x 430 mm.	25
139	NN ergo step	S/s ergo step, dimensions: 750 mm x 470 mm x 430 mm.	25
140	NN ergo step	S/s ergo step, dimensions: 750 mm x 470 mm x 430 mm.	25
141	NN ergo step	S/s ergo step, dimensions: 750 mm x 470 mm x 430 mm.	25
142	NN floor weighing scale	S/s floor weighing scale with Marel indicator, type indicator: C2, serial number: A068512, 110/230 V, 0.16/0.1 A, Max1/e1: 600 kg / 200g, Max2/e2: 1500 kg / 500g, min1/min2: 4 kg / 10 kg, dimensions ramp: 1500 mm x 800 x 100 mm, dimensions: 1500 mm x 1250 x 100 mm.	25
143	Handtmann	Handtmann mobile collating system for sausages, type: 310-01, number: 153, year of construction: 2008, 400 V, 3 Ph,	2500



Nr	Title	Description	Start €
		50 Hz, 9 A, 4 kW, dimensions: 2150 mm x 900 mm x 1460 mm. Damaged.	
144	Inject Star	Inject Star vacuum tumbler, Bush vacuum pump, type: RA 0025 F, year of construction: 2009, capacity: 25 m³ per hour, drum dimensions: Ø 1000 mm x 1800 mm, total dimensions: 2550 mm x 1550 mm x 1670 mm. Without vacuum pump and lid.	750
145	DWM Copeland	DWM Copeland cooling compressor, type: DLFP-20X-EWL, number: 2078532, year of construction: 2003, 220/240/380/420 V, 3 Ph, 50 Hz, 7.8/4.5 A, capacity: 12.90 m³ per hour, total dimensions: 1250 mm x 500 mm x 720 mm.	25
146	DWM Copeland	DWM Copeland cooling compressor, type: DLFD-201-EWL/000, serial number: 370401, year of construction: 1983, 220/240/380/420 V, 3 Ph, 8.0/4.6 A, capacity: 12.9 m³ per hour, dimensions: 1250 mm x 500 mm x 720 mm.	25
147	Güntner	Güntner condenser, 1 fan, dimensions: 1150 mm x 1000 mm x 1300 mm.	50
148	Güntner	Güntner condenser, 1 fan, dimensions: 1400 mm x 1000 mm x 1000 mm.	50
149	Güntner	Güntner condenser, 1 fan, dimensions: 1350 mm x 1000 mm x 1280 mm.	50
150	Güntner	Güntner condenser, 1 fan, dimensions: 1550 mm x 1000 mm x 950 mm.	50
151	DWM Copeland	DWM Copeland cooling compressor, type: DLFD-201-EWL/000, serial number: 370310, year of construction: 1987, 220/240/380/420 V, 3 Ph, 50 Hz, 6.0/4.6 A, capacity: 12.9 m³ per hour, dimensions: 1250 mm x 500 mm x 720 mm.	25
152	DWM Copeland	DWM Copeland cooling compressor, type: 0829034, serial number: 370310, year of construction: 1992, 220/240/380/420 V, 3 Ph, 50 Hz, 9.5/5.5 A, capacity 12.9 m³ per hour, dimensions: 1250 mm x 500 mm x 720 mm.	25
153	NN steel rack	Steel rack consisting of: 4 uprights, height: (4x) 2000 mm and 12 shelves, dimensions: (12x) 1000 mm x 400 mm, total dimensions: 2000 mm x 800 mm x 450 mm.	50
154	Satex	Satex weighing scale, type: 46 SA 250, serial number: 28912846, max: 150 Kg, min: 0 g, e= 50 g, scale dimensions: 600 mm x 450 mm, total dimensions: 770 mm x 450 mm x 965 mm.	75
155	NN frame	S/s frame, dimensions: 1250 mm x 610 mm x 370 mm.	50
156	Tap Machinebouw bv	Tap Machinebouw B.V. mobile diaphragm, serial number: 1-2-3-6DF25/50/70, 3 x 400 V, 50 Hz, 0,37 Kw, clearance: Ø 58, total dimensions: 1350 mm x 785 mm x 1240 mm. Including 3 crates with parts.	200
157	Marel	Marel trim inspection and portioning system, model: 850-9000-0011, type: 0012-102-00013, serial number: A143817, year of construction: 2016, plastic infeed belt, belt width: 590 mm, plastic belt, belt width: (2x) 380 mm, plastic	4500



Nr	Title	Description	Start €
		mesh belt, belt width: 260 mm and 200 mm, total dimensions: 5150 mm x 1550 mm x 2160 mm. Including outfeed belt, dimensions: 1840 mm x 900 mm x 1180 mm, and 2x trolley for parts, dimensions: 2000 mm x 1150 mm x 1550 mm and 1650 mm x 1450 mm x 980 mm.	
158	Creemers	Creemers air compressor, type: RCC 22/10 I VR, serial number: CAI698583, year of construction: 2014, 400 V, 3P h, 50 Hz, 22 kW, frequency controlled, working hours: 58611, weight: 458 kg, dimensions: 1300 mm x 800 mm x 1200 mm.	1000
159	Atlas Copco	Atlas Copco air compressor, type: GA15, serial number: API456568, year of construction: 2008, 15 kW, 7.2 bar, 3540 rpm, 2.55m³ per minute, working hours: 26540, weight: 440/565 kg, dimensions: 1800 mm x 700 mm x 1550 mm.	1000
160	Ermatec	Ermatec ultrasonic slicing line used for cheese, type: 1717-19-12-08, serial number: Trancheur From, year of construction: 17/12/08, working width: 600 mm, 6 lanes, plastic belts, belt width: 75 mm, total dimensions: 13200 mm x 1900 mm x 2600 mm. Including pallet with various parts, dimensions: 1200 mm x 980 mm x 1120 mm.	4500
161	Digi Systems	Digi Systems weighing scale with label printer, type: DI-3600, serial number: 08121568, 220-240 V, 50/60 Hz, 0.3 A, min 100 gram, max 15 kg, e= 5 gram, scale dimensions: 345mm x 450 mm, total dimensions: 480 mm x 400 mm x 600 mm.	50
162	Loma	Loma systems checkweigher with rejector, model: CW3, serial number: ACW51533-57859F, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 3 A, plastic belt, belt width: 295 mm, clearance: 360 mm x 160 mm, total dimensions: 1460 mm x 900 mm x 1430 mm.	400
163	Lachnit	Lachnit lifter for 200 liter meat bins, type: 300, serial number: 1849, year of construction: 2004, 400/220 V, 50 Hz, lifting height: 2200 mm, total dimensions: 1200 mm x 1050 mm x 3050 mm.	1000
164	Helpman	Helpman evaporator, type: ZL 8.14-416-Q-V2-G2-Z-I, serial number: 62/4083-003, year of construction: 1996, 2 fans, dimensions: 3000 mm x 1350 mm x 1250 mm.	400
165	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: VCI-B 42637 E, manufacturing number: PJV130578, VK1300525/3303275040, year of construction: 2013, refrigerant: R-407C DX, 2 fans, dimensions: 2850 mm x 1350 mm x 1070 mm.	400
166	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: VCI-B 42637 E, manufacturing number: PJV130578, VK1300525/3303275040, year of construction: 2013, refrigerant: R-407C DX, 2 fans, dimensions: 2850 mm x 1100 mm x 1100 mm.	400
167	Helpman	Helpman evaporator, type: ZL 8.14-416-Q-V2-G2-Z-I, serial number: 62/4083-001, year of construction: 1996, 2 fans, dimensions: 3100 mm x 1350 m x 1250 mm.	400



Nr	Title	Description	Start €
168	Kelvion	Kelvion evaporator, type: Goedhart ZGZ-826312, manufacturing number: PJV160237, year of construction: 2016, dimensions: 2950 mm x 1300 mm x 1250 mm. Missing fans.	400
169	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523960, year of construction: 2023, max: 40 kg, min: 0.4 kg, e=d=0.02 kg, plastic belt, belt width: 607 mm, total dimensions: 1050 mm x 1000 mm x 1420 mm.	1500
170	Ishida	Ishida traysealer, model: QX775, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	2500
171	Ishida	Ishida traysealer, model: QX775, serial number: 580095, year of construction: 03/2004, 415 V, 3 Ph, 50 Hz, 16 A, 815 kg, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	2500
172	Ishida	Ishida traysealer, model: QX775, serial number: 557811, year of construction: 10/2007, 415 V, 3 Ph, 50 Hz, 16 A, 830 kg, dimensions dye: (4x) 265 mm x 165 mm, total dimensions: 4750 mm x 800 mm x 1820 mm. Missing infeed belt.	3000
173	Ishida	Ishida s/s rack for dye's, 4 dyes, dimensions: (5x) 165 mm x 120, (4x) 200 mm x 150 mm, (4x) 200 mm x 150 mm, (3x) Ø 185 mm, total dimensions: 3650 mm x 595 mm x 1350 mm.	500
174	NN dyes	2 pallets with dyes, 4 dyes, dimensions: (2x) 145 mm x 145 mm, (2x) 200 mm x 150 mm, 290 mm x 225 mm, (2x) 185 mm x 145 mm.	150
175	Ishida	Ishida traysealer, model: QX775, serial number: 580445, year of construction: 08/2006, 415 V, 3 Ph, 50 Hz, 16 A, 850 kg, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	3000
176	NN frame	S/s frame, dimensions: 2800 mm x 1200 mm x 1400 mm.	100
177	NN forming machine	Mobile forming machine, type: PAT, serial number: PAT-0302, 230 V, 1 Ph, dye: Ø 98 mm, total dimensions: 1000 mm x 450 mm x 1320 mm. Including crate with parts.	150
178	NN transport belt	S/s mobile mesh belt, belt width: 630 mm, total dimensions: 2100 mm x 1100 mm x 1150 mm.	550
179	NN transport belt	S/s mobile mesh belt, belt width: 690 mm, total dimensions: 2250 mm x 1000 mm x 1150 mm.	450
180	Wright Pugson	Wright Pugson mobile cheese slicer, model: C23 MARK IV, number: J8349, 415 V, 3 Ph, working width: 400 mm, plastic rollers, roller width: 280 mm, total dimensions: 2750 mm x 1050 mm x 2130 mm.	750
181	AEW Delford	AEW Delford mobile checkweigher, type: G2200-01, serial number: N3, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 3 A, maximum capacity: 990 g, minimum capacity: 10 g, plastic	450



Nr	Title	Description	Start €
		belts, belt width: 360 mm, dimensions: 1550 mm x 900 mm x 1500 mm.	
182	NN trolleys	6 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (6x) 770 mm x 530 mm x 1830 mm.	450
183	NN trolleys	6 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (6x) 770 mm x 530 mm x 1830 mm.	450
184	NN trolleys	4 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (4x) 770 mm x 530 mm x 1830 mm.	300
185	Mecapack	Mecapack traysealer, type: O <sup>2</sup> 7000, serial number: O07923, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 20 kW, weight: 3000 kg, film width: 355 mm, , total dimensions: 5800 mm x 900 mm x 2400 mm. Including s/s trolley with extra dye, dye dimensions: (5x) 148 mm x 233 mm, total dimensions trolley: 1400 mm x 1100 mm x 1400 mm.	4750
186	Schur Star System GmbH	12 boxes with Schur Star System GmbH plastic bags for Schur Packaging Systems a/s bag sealing machine, dimensions each bag: 350 mm x 350 mm, 7000 bags each box.	200
187	Sealpac	Sealpac 3 sets of grippers for traysealer, gripper length: (3x) 1500 mm.	45
188	Sealpac	Pallet with Sealpac dye, dye: (4x) 210 mm x 158 mm, total dimensions: 1200 mm x 800 mm x 850 mm.	100
189	Sealpac	Pallet with Sealpac dye, dye: (5x) 175 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 450 mm.	100
190	Sealpac	Pallet with Sealpac dye, dye: (5x) 174 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 850 mm.	100
191	NN workwear	6 pallets with workwear, trousers & jackets, dimensions: (6x) 1200 mm x 800 mm x 1000 mm.	1000
192	NN trolley	S/s trolley with 6 boxes, dimensions: 1000 mm x 750 mm x 1000 mm.	50
193	Ishida	Ishida trolley for dyes, dimensions: 1250 mm x 750 mm x 1200 mm.	200
194	Lachnit	Lachnit driven roller conveyor, type: 2552, serial number: 3055, year of construction: 2013, 400/230 V, 50 Hz, 0.25 kW, weight: 180 kg, plastic rollers, roller width: 380 mm, total dimensions: 2030 mm x 800 mm x 530 mm.	250
195	Multivac	Multivac metal detector with checkweigher and 2 rejectors, metal detector type: GLS 350/150/100/289/143, serial number: 10005099-H, 110/230 V, 50 Hz, 0.44/0.22 A, clearance: 350 mm x 100 mm, checkweigher type: MR822, number: 11108297, 120/220/240 V, 50/60 Hz, 5.0/3.0 A, maximum capacity: 1500/3000 g, minimum capacity: 50 g, e=d= 0.5/1 g, plastic belts, belt width: 300 mm, total dimensions: 3000 mm x 1500 mm x 1730 mm.	3500
196	Jansen Techniek	Jansen Techniek double transport belt, type: S1100 F6 PP, number: 20115047, year of construction: 2012, plastic mesh	250



Nr	Title	Description	Start €
		belt, belt width: (1x) 265 mm, total dimensions: 1250 mm x 1100 mm x 950 mm. Without 1 belt.	
197	Mettler Toledo	Mettler Toledo metal detector with rejector, model : V48-RAD, 50/60 Hz, 100/240V, 340 W, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 400 mm, total dimensions: 1450 mm x 1200 mm x 1250 mm.	1000
198	Ishida	Ishida traysealer, model: QX1100-RL-AMI-ST-WIDE, serial number: 561844, year of construction: 03/2012, 415 V, 3 Ph, 50 Hz, 25 A, weight: 2500 kg, dye: (6x) 247 mm x 174 mm, plastic belts, belt width: 210 mm, total dimensions: 4600 mm x 1400 mm x 1900 mm. Including frame for dye's, model: Maintenance station, serial number: 559329, year of construction: 01/2009, weight: 220 kg, dimensions: 1700 mm x 800 mm x 2050 mm. Including Ishida trolley for dye's, model: QX1100 Tooling trolley, serial number: 560010794, year of construction: 05/2016, weight: 125 kg, dimensions: 1360 mm x 950 mm x 1420 mm.	7500
199	Lensink	Lensink fish slicing line, plastic belt, belt width: 250 mm, dimensions: 4300 mm x 1000 mm x 1600 mm.	750
200	NN cabinet	Mobile wooden cabinet, dimensions: 1000 mm x 650 mm x 2100 mm.	40
201	Ishida	Ishida traysealer, model: QX775 FLEX, serial number: 560010289, year of construction: 2016, 380-415 V, 3 Ph, 50-60 Hz, 22 A, 9.5 kW, weight: 2000 kg, plastic belt, belt width: 200 mm, total dimensions: 3400 mm x 1400 mm x 2100 mm. Including s/s trolley for dyes, dimensions trolley: 1100 mm x 1050 mm x 1600 mm, including 2 s/s frames with dye's, dimensions dye's: (5x) 183 mm x 132 mm, (6x) 105 mm x 115 mm, dimensions frames: (2x) 1000 mm x 800 mm x 850 mm and 2 gripper arms.	4500
202	Mettler Toledo/ Ishida	Mettler Toledo safeline metal detector with rejector, serial number: 125565, year of construction: 2015, 50 Hz, 230 V, 50 Hz, 6 A, 0.5 kW, plastic mesh belt, belt width: 430 mm, clearance: 445 mm x 215 mm, total dimensions: 1850 mm x 1470 mm x 2110 mm.	1500
203	Lock Inspection Systems / Ishida	Lock Inspection Systems metal detector with Ishida checkweigher and 2 rejectors, model: DACS-W-012-SB/WP-I-N(CTS), serial number: 556343, year of construction: 09/2006, 220 V, 1 Ph, 50 Hz, 2 A, plastic belt, belt width: (2x) 220 mm, with Ishida checkweigher, serial number: 29583.1, year of construction: 09/2006, 230 V, 50 Hz, 0.25 A, weighing range: 1200 gram, plastic belt, belt width: 220 mm, clearance: 260 mm x 120 mm, total dimensions: 1750 mm x 1070 mm x 1520 mm.	1000
204	Winston Industries	Winston Industries oven, model: HA8503WE, serial number: 20120222-070, year of construction: 02/12, 120 V, 1 Ph, 60 Hz, 11.2 A, 8 trays, tray dimensions: (8x) 540 mm x 170 mm x 70 mm, total dimensions: 650 mm x 500 mm x 910 mm.	500



Nr	Title	Description	Start €
205	CFS	CFS mobile transport belt, type: TCP 600, machine number: 375, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 1.42 A, 0.74 kW, weight: 325 kg, plastic belt, belt width: 800 mm, total dimensions: 5250 mm x 1000 mm x 1230 mm.	800
207	NN infeed funnel	S/s infeed funnel on s/s trolley, inside dimensions: Ø 300 mm x 300 mm, total dimension: 900 mm x 850 mm x 1430 mm.	75
208	NN table	Mobile s/s table, 15 floors, (15x) dimensions: 580 mm x 405 mm, total dimensions: 2600 mm x 850 mm x 1040 mm. 3 wheels missing.	200
209	Wittkamp	Wittkamp s/s mobile elevating belt, type: FB 400/2000, serial number: 0005.14a, year of construction: 09/2014, 400 V, 16 A, plastic belt, belt width: 400 mm, elevating height: 800 mm, total dimensions: 2250 mm x 900 mm x 1400 mm.	300
210	NN transport belt	S/s mobile mesh belt, s/s mesh belt, belt width: 710 mm, total dimensions: 1220 mm x 900 mm x 1100 mm.	450
211	NN tumbler	S/s mobile marinate tumbler, drum dimensions: Ø 1230 mm x 1510 mm, total dimensions: 2000 mm x 1950 mm x 1850 mm.	750
212	NN tumbler	S/s mobile marinate tumbler, drum dimensions: Ø 1230 mm x 1510 mm, total dimensions: 2000 mm x 1950 mm x 1850 mm.	750
213	Kortlever	Kortlever mobile waterwheel, 5 heads, dimensions: 1700 mm x 1250 mm x 1700 mm. Incomplete. Including s/s trolley with parts, dimensions: 1300 mm x 750 mm x 1400 mm.	1750
214	Alexanderwerk	Alexanderwerk cutter, type: NCS 45, machine number: 04505022, 400 V, 50 Hz, 25.16/14.44 A, 7.5 kW, s/s bowl, volume: 45 liter, dimensions: 1150 mm x 950 mm x 1150 mm. Technical condition unknown.	2000
215	NN skinless sausage cutting machine	Skinless sausage cutting machine, length sausages: 300 mm, total dimensions: total dimensions: 1040 mm x 500 mm x 350 mm.	500
216	NN skinless sausage cutting machine	Mobile skinless sausage cutting machine, length sausages: 300 mm, total dimensions: total dimensions: 1040 mm x 500 mm x 1400 mm.	750
217	NN skinless sausage cutting machine	Skinless sausage cutting machine, plastic mesh belt, belt width: 760 mm, distance between dividers: 70 mm, divider height: 30 mm, length sausages: 300 mm, total dimensions: 1600 mm x 1550 mm x 980 mm.	1000
218	NN ergo steps	Pallet with 6 s/s ergo steps, dimensions: 750 mm x 470 mm x 430 mm.	150
219	Fomaco	Fomaco Injector, model: FGM 48 SW, machine number: 9205, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 19/35 A, 6 bar, 12 needles, s/s walking beam, clearance: 420 mm x 250 mm, total dimensions: 2300 mm x 1200 mm x 2300 mm. Including 2 pallet with parts, dimensions: 1200 mm x 800 mm x 400 mm. Incomplete.	750
220	NN trolley	S/s trolley with 6 boxes, dimensions: 1000 mm x 750 mm x 1000 mm.	50



Nr	Title	Description	Start €
221	Sealpac	Sealpac s/s frame for transport belt, 4 chains, chain width: 155 mm, total dimensions: 4200 mm x 660 mm x 1050 mm.	500
222	Sealpac	Sealpac denester, dye: 230 mm x 180 mm, chain conveyor, chain width: 110 mm, total dimensions: 2100 mm x 600 mm x 1750 mm. Including pallet with 3 dye's and chain, dye: (5x) 190 mm x 140 mm, (5x) 187 mm x 137 mm, (5x) 183 mm x 143 mm, total dimensions: 1200 mm x 1000 mm x 500 mm.	750
223	NN transport belt	Transport belt, chain conveyor, chain width: 115 mm, total dimensions: 1800 mm x 600 mm x 800 mm.	100
224	NN transport belt	Transport belt, chain conveyor, chain width: 190 mm, total dimensions: 1900 mm x 750 mm x 180 mm. 3 chains are missing.	75
225	Sealpac	Pallet with parts and s/s covers for Sealpac traysealer, dimensions: 1200 mm x 800 mm x 1200 mm.	50
226	NN machine parts	Pallet with various parts for traysealer, dimensions: 1200 mm x 800 mm x 1100 mm.	100
227	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 01194101, year of construction: 2008, 400/230 V, 3 Ph, 50/60 Hz, 10 kW, dye: (4x) 210 mm x 164 mm, total dimensions: 7000 mm x 900 mm x 2100 mm. Including s/s trolley for dye's, dye: (4x) 260 mm x 158 mm, total dimensions: 1450 mm x 1000 mm x 1500 mm.	3000
228	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 01225001, year of construction: 2010, 400/230 V, 3 Ph, 50/60 Hz, 15 kW, weight: 2000 kg, dye: (4x) 260 mm x 158 mm, total dimensions: 5250 mm x 900 mm x 2100 mm. Including trolley for dye's, dye: (5x) 175 mm x 128 mm, total dimensions: 1500 mm x 1000 mm x 1350 mm.	3000
229	Sealpac	Sealpac s/s grippers, gripper length: (2x) 1500 mm.	15
230	Sealpac	Sealpac s/s grippers, gripper length: 1650 mm, 2000 mm.	15
231	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 01109501, year of construction: 2004, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, dye: (6x) 258 mm x 70 mm, plastic belt, belt width: 360 mm, total dimensions: 6800 mm x 900 mm x 2100 mm. Including s/s trolley for dye's, dimensions: 1400 mm x 1000 mm x 1350 mm, pallet with dye, dye: (5x) 175 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	3000
232	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 018640, year of construction: 2003, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, film width: 325 mm, dye: (4x) 260 mm x 158 mm, total dimensions: 6000 mm x 900 mm x 2100 mm. Including s/s trolley for dye's, dye: (4x) 225 mm x 178 mm, (5x) 230 mm x 168 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	3000
233	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 0147801, year of construction: 2002, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, dimensions: 5200 mm x 900 mm x 2050	3000



Nr	Title	Description	Start €
		mm. Including s/s trolley for dye's, dye: (4x) 260 mm x 158 mm, total dimensions: 1500 mm x 1000 mm x 1500 mm, Sealpac heating unit, type: Sealpac VS, serial number: ZVS-0012, year of construction: 2016, 400/230 V, 3 Ph, 50/60 Hz, 12 kW, weight: 50 kg, dimensions: 600 mm x 250 mm x 600 mm.	
234	Sealpac	Sealpac traysealer, type: Sealpac 800, serial number: TVG 01124801, year of construction: 2005, 400/230 V, 3 Ph, 10 kW, dye: (4x) 258 mm x 158 mm, total dimensions: 6100 mm x 950 mm x 2100 mm. Including pallet with dye, dye: (2x) 304 mm x 243 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	3000
235	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH product scanner, type: CPS, number: 6708, year of construction: 2004, plastic belt, belt width: 420 mm, total dimensions: 2400 mm x 1100 mm x 1900 mm. Technical condition unknown.	750
236	Weber Maschinenbau GmbH	Weber loading conveyor, type: CWB, number: 6708, year of construction: 2004, plastic belt, belt width: 450 mm, total dimensions: 1270 mm x 830 mm x 1260 mm. Missing cover. Technical condition unknown.	500
237	Econopak	Econopak carton erector, type: GVE-DL, year of construction: 2003, 400 V, 3 PH, 50 Hz, 13 A, 6 kW, clearance: 150 mm x 105 mm, total dimensions: 4500 mm x 1250 mm x 2350 mm. Including glue unit.	1250
238	Econopak	Econopak carton erector, type: GVE-DL, year of construction: 2003, 400 V, 3 PH, 50 Hz, 13 A, 6 kW, clearance: 190 mm x 175 mm, total dimensions: 4500 mm x 1250 mm x 2350 mm. Incomplete.	1250
239	De Jager	De Jager washing machine, plastic chain belt, belt width: (1x) 40 mm, clearance: 420 mm x 240 mm, total dimensions: 1100 mm x 900 mm x 1800 mm. Including 2 pallets with parts.	100
240	NN transport belt	S/s mobile mesh belt, s/s mesh belt, belt width: 600 mm, total dimensions: 2260 mm x 850 mm x 1030 mm.	450
241	NN vibrating gutter	S/s vibrating gutter with sieve, gutter width: 730 mm, perforations: Ø 13 mm, total dimensions: 1850 mm x 1400 mm x 1050 mm. Without vibrating motors.	400
242	Spako	Spako cooking vessel, inside dimensions: 1580 mm x 710 mm x 440 mm, total dimensions: 1825 mm, 1320 mm x 960 mm.	400
243	Syspal Ltd	Syspal washing machine, type: 512 032448, number: 0233631, year of construction: 2009, plastic mesh belt, belt width: 580 mm, clearance: 590 mm x 430 mm, total dimensions: 2100 mm x 1150 mm x 1500 mm.	250
244	NN crates	2 pallets with large amount of crates, dimensions each crate: 600 mm x 400 mm x 150 mm, total dimensions: (2x) 1200 mm x 800 mm x 2100 mm.	130
245	NN transport belt	S/s mobile mesh belt, s/s mesh belt, belt width: 600 mm, total dimensions: 2260 mm x 850 mm x 1030 mm.	450



Nr	Title	Description	Start €
246	NN flattener	Mobile flattener, plastic belt, belt width: (2x) 250 mm, total dimensions: 1380 mm x 600 mm x 1260 mm.	1000
247	Mafo	Mafo washing and drying machine for crates with loading and unloading device, serial number: 200-800-890, year of construction: 01/2007, 400 V, 3 Ph, 50 Hz, 27.5/13.8 A, 15.0 kW, maximum crate width: 690 mm, dimensions: 15000 mm x 2500 mm x 2500 mm. Including switch cabinets, dimensions switch cabinet: (1x) 1250 mm x 450 mm x 2200 mm, (1x) 600 mm x 400 mm x 600 mm. Including s/s frames, dimensions: 4150 mm x 2100 mm x 900 mm.	2500
248	NN denester	Mobile denester, dye: 200 mm x 150 mm, total dimensions: 1650 mm x 550 mm x 1970 mm.	150
249	NN denester	Mobile denester, dye: 195 mm x 145 mm, total dimensions: 1450 mm x 600 mm x 1950 mm.	150
250	NN denester	Mobile denester, dye: 195 mm x 145 mm, total dimensions: 1500 mm x 600 mm x 1900 mm.	150
251	NN denester	Mobile denester, dye: 275 mm x 180 mm, total dimensions: 1600 mm x 550 mm x 2030 mm.	150
252	Van de Vecht	Van de Vecht de-sticker machine, 4 stations, inside dimensions: Ø 180 mm x 380 mm, total dimensions: 3200 mm x 1500 mm x 1440 mm.	750
253	Thom	Thom shuttle conveyor, model: Multi-Line Loader, number: 054543-001-00, year of construction: 2015, plastic belt, belt width: 650 mm, total dimensions: 2800 mm x 1150 mm x 1240 mm.	750
254	NN shuttle conveyor	Shuttle conveyor, plastic belt, belt width: 650 mm, total dimensions: 2800 mm x 1150 mm x 1240 mm.	500
255	NN tool trolley	S/s tool trolley, dimensions: 1350 mm x 1050 mm x 1170 mm.	50
256	CFS	CFS mobile bunker for bread crumbs, type: BRF 250, machine number: 213, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.49 A, 0.92 kW, weight: 230 kg, elevating height: 1860 mm, total dimensions: 1300 mm x 1000 mm x 2600 mm.	750
257	Alexanderwerk	Alexanderwerk grinder, type: HWN 114/1, machine number: 04902131, 400/690 V, 50 Hz, 9.24/5.34 A, 4 kW, plate diameter: 114 mm, total dimensions: 1100 mm x 650 mm x 1130 mm.	1500
258	Wachtel	Wachtel oven, type: mini Comet 10/64. serial number: 23101BRR, year of construction: 04/2010, 400 V, 3 Ph, 50 Hz, 22,1 kW, 20 floors, (10x) top floor dimensions: 590 mm x 405 mm, (10x) lower floor dimensions: 800 mm x 600 mm, total dimensions: 1700 mm x 980 mm x 2220 mm.	850
259	NN tool trolley	S/s tool trolley, dimensions: 1540 mm x 950 mm x 1980 mm.	75
260	Stephan	Stephan mobile universal machine, inside dimensions: Ø 640 mm x 400 mm, total dimensions: 1250 mm x 1000 mm x 1400 mm. Incomplete, without vacuum pump.	750
261	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Divider economic 400, serial number: 2570S8.115401.4070, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 6,9/16 A, 4,8 kW,	2000



Nr	Title	Description	Start €
		weight: 400 Kg, clearance: 250 mm x 100 mm, plastic string outfeed belt, belt width: 310 mm, total dimensions: 2150 mm x 1950 mm x 1950 mm. Including trolley and knife holder, trolley dimensions: 750 mm x 550 mm x 850 mm.	
262	Bakon	Bakon mobile jelly machine, type: Jelly comfort, serial number: 1.60.491, year of construction 1996, 220 V, 50 Hz, 2000 W, dimensions: 650 mm x 550 mm x 950 mm.	50
263	Seffelaar En Looyen BVBA	Seffelaar En Looyen BVBA mobile flattener, number: 82026, plastic belt, belt width: (2x) 250 mm, total dimensions: 1500 mm x 750 mm x 1350 mm.	1000
264	Espera / MR Etikettiertechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2050 mm x 750 mm x 1950 mm.	600
265	Espera / MR Etikettiertechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2050 mm x 750 mm x 2150 mm.	600
266	Espera / MR Etikettiertechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2000 mm x 750 mm x 2200 mm.	600
267	Mohn & Co. GmbH	2x Mohn & Co. GmbH sole cleaner, type: Combiclean-Control 1500 H, Sole Master, number: 13-62625/13, 13-62625/11, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 1.7 kW, brush width: (2x) 110 mm, total dimension: (2x) 700 mm x 400 mm x 1130. Incomplete.	200
268	Poly-Clip	Poly-clip system GmbH & Co.KG mobile double automatic clipper, type: FCA, dimensions: 1500 mm x 1200 mm x 1950 mm.	2000
269	Tonnaer	Tonnaer mixer for mobile tubs, type: TMH 6000, number: 741H60208, 220/380 V, 3 Ph, 50 Hz, 24/80 A, clearance: Ø 1150 mm, total dimensions: 1900 mm x 1400 mm x 2050 mm. Without mixing tubs.	1500
270	Van de Vecht	Van de Vecht washing and drying machine for crates, clearance: 600 mm x 500 mm, chain conveyor, plastic belt, belt width: 480 mm, total dimensions: 21350 mm x 1500 mm x 1850 mm.	2500
271	NN floor weighing scale	S/s floor weighing scale, model: 760286, number: 1288, dimensions: 1160 mm x 1000 mm x 180 mm. Without indicator.	150
272	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray filler, type: AIS autoload 500, serial number: 101, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, weight: 600 kg, maximum belt	1500



Nr	Title	Description	Start €
		width: 300 mm, total dimensions: 2700 mm x 1200 mm x 2050 mm.	
273	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray filler, type: AIS autoload 500, serial number: 102, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, weight: 600 kg, maximum belt width: 300 mm, total dimensions: 2700 mm x 1200 mm x 2050 mm.	1500
274	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH weighing belt with 4 rejectors, type: GMI multitray 800, serial number: 0013, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, 8 bar, 875 kg, belt width: 250 mm, total dimensions: 3600 mm x 1050 mm x 1540 mm.	1500
275	Marel	Marel weighing and labelling machine with rejector, plastic belt, belt width: (2x) 136 mm and 285 mm, total dimensions: 1720 mm x 1120 mm x 1220 mm.	750
276	SF Engeneering Food Processing Solutions	SF Engeneering Food Processing Solutions weighing table with indicator, type: SF-190, dimensions scale: 415 mm x 415 mm, total dimensions: 1150 mm x 1000 mm x 1450 mm.	100
277	NN transport belt	S/s transport belt, plastic belt, belt width: 275 mm, total dimensions: 3920 mm x 400 mm x 900 mm.	650
278	NN transport belt	S/s transport belt, maximum belt width: 505 mm, total dimensions: 2900 mm x 700 mm x 850 mm. Without belt.	450
279	Alup Kompressoren GmbH	Alup Kompressoren GmbH compressor, type: SOLO 30, production number: F0707167, year of construction: 2007, maximum working pressure: 13 bar, dimensions: 1300 mm x 1200 mm x 1700 mm.	1000
280	Leushuis	Leushuis insulated tank, number: A.32799.3001.C, year of construction: 09-97, capacity: 1500 liter, dimensions: Ø 1400 mm x 2550 mm.	750
281	Koppens	Koppens mobile breading machine, number: PR 200-44, 380 V, 3 Ph, 50 Hz, 3.7 A, 0.61 kW, weight: 135 kg, maximum belt width: 200 mm, clearance: 210 mm x 60 mm, total dimensions: 1550 mm x 500 mm x 1520 mm. Without belt.	1000
282	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 530 mm x 1320 mm.	10
283	Markem	Marken printer, model: 5400, serial number: 033253, 230 V, 16 A, dimensions: 700 mm x 500 mm x 850 mm. Including box with parts.	20
284	Alup Kompressoren GmbH	Alup Kompressoren GmbH screw compressor, type: SCK31-08, 22 kW, 10 bar, dimensions: 1300 mm x 850 mm x 1200 mm.	1000
285	Gardner Denver compressor	Gardner Denver compressor, type: L30-10A, number: CD10007544001, year of construction: 10/2011, 400 V, 3 Ph, 50 Hz, 71 A, 30 kW, dimensions: 1950 mm x 950 mm x 1700 mm.	1000
286	Gardner Denver compressor	Gardner Denver compressor, type: L30-10A, number: CD10007544001, year of construction: 10/2011, 400 V, 3 Ph,	1000



Nr	Title	Description	Start €
		50 Hz, 71 A, 30 kW, dimensions: 1950 mm x 950 mm x 1700 mm.	
287	Alup Kompressoren GmbH	Alup Kompressoren GmbH compressor, type: LARGO 22-10, serial number: CAI465970, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 22 kW, 10 bar, weight: 496 kg, dimensions: 1500 mm x 800 mm x 1550 mm.	1000
288	Parker	Parker air dryer, serial number: 398125800001, min/max circuit design pressure: 19/28 barg, min/max air pressure: 1/14 barg, min/max ambient temperature: 5/50 °C, max air in: 65 °C, 400 V, 3 Ph, 50 Hz, 5.24 A, 3.02 kW, weight: 145 kg, dimensions: 1250 mm x 800 mm x 1100 mm.	200
289	Busch	Busch vacuum pump, type: WP-100C A211, dimensions: 950 mm x 400 mm x 400 mm.	150
290	Flender	Flender gearbox, type: SZO 180, serial number: 480 811 009-2-7, dimensions: 700 mm x 600 mm x 450 mm.	100
291	NN transport belt	S/s transport belt, plastic belt, belt width: 375 mm, total dimensions: 530 mm x 500 mm x 850 mm.	100
292	Hyfra	Hyfra cooling unit, type: VWK 7/1-s, machine number: 08060336, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 4.90 A, 1.10 kW, refrigerant: R407C, 0.875 kg, dimensions: 750 m x 550 mm x 750 mm.	125
293	NN pump	Pump with 2 valves, dimensions: 900 mm x 600 mm x 850 mm.	200
294	TVI Entwicklung & Produktion GmbH	Part for TVI Entwicklung & Produktion GmbH machine, type: TDS 300, serial number: 130, year of construction: 2014, weight: 195 Kg, 230 V, 1 Ph, 50 Hz, dimensions: 1700 mm x 1000 mm x 550 mm.	250
295	SF Engineering Food Processing Solutions	SF Engineering Food Processing Solutions 180° curve conveyor, serial number: SF777115 955, year of construction: 22-9-2015, approximately belt width: 380 mm, total dimensions: 3400 mm x 3350 mm x 1100 mm. Missing belt.	600
296	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 550 mm x 880 mm.	10
297	Multiforce Contracts Limited	Multiforce Contracts Limited mobile transport belt, year of construction: 2019, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 720 mm x 1640 mm.	750
298	NN weighing belt	Double weighing belt, plastic mesh belts, belt width: 250 mm, total dimensions: 700 mm x 470 mm x 970 mm.	350
299	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH transport belt, plastic mesh belt, belt width: 255 mm, total dimensions: 1150 mm x 750 mm x 1050 mm.	350
300	NN roller conveyor	S/s frame with double roller conveyor, s/s rollers, roller width: 295 mm, total dimensions: 2020 mm x 880 mm x 1020 mm.	200
301	NN elevating belt	Elevating belt, plastic mesh belt, belt width: 285 mm, total dimensions: 2900 mm x 750 mm x 1200 mm.	250
302			300



Nr	Title	Description	Start €
	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH transport belt, plastic mesh belt, belt width: 250 mm, total dimensions: 2000 mm x 700 mm x 1000 mm.	
303	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray denester, type: TDS 300, serial number: 114, year of construction: 2012, 400 V, 3 Ph, weight: 70 Kg, dye: 232 mm x 146 mm, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 1000 mm x 1800 mm.	2000
304	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray denester, type: TDS 300, serial number: 115, year of construction: 2012, 400 V, 3 Ph, weight: 70 Kg, dye: 232 mm x 146 mm, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 1000 mm x 1800 mm.	2000
305	TVM	TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 09-99.26445 138, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.5 A, weight: 380 kg, plastic belt, belt width: 205 mm, total dimensions: 1600 mm x 1100 mm x 2100 mm. Including s/s trolley with parts, dimensions: 860 mm x 620 mm x 1800 mm.	1025
306	NN conveyor system	Conveyor system consisting of: s/s frame, dimensions: 4000 mm x 1000 mm x 1700 mm, pallet with 2 belts, belt width: (2x) 85 mm and 4 pallets with parts, dimensions: (1x) 1900 mm x 800 mm x 400 mm, (1x) 2200 mm x 800 mm x 500 mm, (1x) 2600 mm x 1000 mm x 450 mm, (1x) 4000 mm x 800 mm x 300 mm.	800
307	NN elevating belt	Elevating belt, plastic mesh belt, belt width: 330 mm, working width: 285, elevating height: 1630 mm, clearance: 410 mm x 285 mm, total dimensions: 2750 mm x 750 mm x 1800 mm.	350
308	Van De Vecht	Van de Vecht elevating belt, plastic belt, belt width: 300 mm, divider height: 10 mm, distance between dividers: 310 mm, elevating height: 1700 mm, total dimensions: 2800 mm x 750 mm x 1900 mm.	350
309	NN meat press	Mobile s/s meat press, dimensions: 1750 mm x 500 mm x 1000 mm. Incomplete.	150
310	AEW Thurne Ltd	AEW Thurne Ltd mobile bandsaw, model: 350 bandsaw, serial number: 1392066, year of construction: 2004, 415 V, 3 Ph, 50 Hz, weight: 142 kg, table dimensions: 740 mm x 660 mm, total dimensions: 760 mm x 720 mm x 1750 mm. Incomplete, without saw.	750
311	AEW Thurne Ltd	AEW Thurne Ltd mobile bandsaw, model: 350 bandsaw, serial number: 1182132, year of construction: 31-07-2007, 415 V, 3 Ph, 50 Hz, 4 A, weight: 142 kg, table dimensions: 740 mm x 660 mm, total dimensions: 760 mm x 720 mm x 1750 mm. Incomplete, without saw.	750
312	The A.E.W. Engineering	The A.E.W. Engineering band saw, type: MK8, machine: 350M, serial number: RH 100690, 415 V, 3 Ph, 3.5 A, table dimensions: 810 mm x 660 mm, total dimensions: 810 mm x 740 mm x 1700 mm. Incomplete, without saw.	500



Nr	Title	Description	Start €
313	Medoc	Medoc bandsaw, model: STL 480, table dimensions: 1080 mm x 940 mm, total dimensions: 1080 mm x 1060 mm x 1900 mm. Incomplete, without saw.	500
314	The A.E.W. Engineering	The A.E.W. Engineering band saw, type: MK9, machine: 400M, serial number: LHS63283, 415 V, 3 Ph, 5.08 A, table dimensions: 1050 mm x 880 mm, total dimensions: 1050 mm x 1000 mm x 1880 mm. Incomplete, without saw.	500
315	AEW Delford Systems Ltd	AEW Delford Systems Ltd band saw, model: 350, serial number: 1392140, year of construction: 13-6-2007, 415 V, 3 Ph, 4 A, table dimensions: 800 mm x 700 mm, total dimensions: 800 mm x 750 mm x 1750 mm. Incomplete, without saw.	250
316	NN transport belt	Transport belt, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 560 mm x 1060 mm.	300
317	Metller Toledo Safeline	Metller Toledo Safeline metal detector head, serial number: 92847, 50/60 Hz, 330 Watt, clearance: 350 mm x 125 mm, total dimensions: 870 mm x 290 mm x 410 mm.	100
318	Klerks	Klerks mobile transport belt, type: KPB 190065, serial number: 190065-02, year of construction: 2019, 400 V, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 560 mm x 1050 mm.	400
319	Econopak	Econopak mobile transport belt, type: GKF900-KB254, year of construction: 2018, plastic mesh belt, belt width: 250 mm, total dimensions: 4000 mm x 750 mm x 1050 mm.	400
320	Schut Systems	Schut Systems transport belt, type: LB2200, serial number: 16014-06-2, year of construction: 2016, plastic belt, belt width: 185 mm, total dimensions: 2050 mm x 500 mm x 1050 mm.	150
321	De Jager BV	De Jager BV 180° curve conveyor, type: 11-0608-08, year of construction: 01/2012, plastic mesh belt, belt width: 355, total dimensions: 6100 mm x 4900 mm x 1250 mm.	900
322	Metller Toledo Garvens GmbH	Metller Toledo Garvens GmbH checkweigher with rejector, type: C3571, fabrication number: 147027610010, year of construction: 2019, 100/240 V, 50/60 Hz, temperature: 0°/+40°C, maximum weight: 1500/3600 gram, minimum weight: 180 gram, e=d= 0.5, T= -900 gram, plastic belt, belt width: 290 mm, total dimensions: 1950 mm x 900 mm x 1960 mm.	350
323	Marel / AEW Delford	Marel / AEW Delford weighing and labelling machine, model: 9060, serial number: 1049954496084, Max capacity: 5.5 kg, 230 V, 50 Hz, belt speed: 0.3-0.5 m/s, plastic belt, belt width: 195 mm, total dimensions: 2600 mm x 650 mm x 1780 mm.	750
324	NN transport belt	Mobile transport belt, 2 lanes, s/s mesh belts, belt width: 510 mm, total dimensions: 8100 mm x 1900 mm x 1100 mm.	1200
325	Hobart	Hobart dishwasher, type: UXS-10N, serial number: 86642323, year of construction 2012, 400 V, 3 Ph, 50 Hz, 24,8 A, 15,6 kW, dimensions: 950 mm x 790 mm x 1980 mm.	500
326		Industrial Washing Machines crate washer, type: SAN 100 SP, number: 442 S1SP A/1510/01U, year of construction:	1500



Nr	Title	Description	Start €
	Industrial Washing Machines	04/11/2002, plastic mesh belt, belt width: (2x) 150 mm, clearance: (2x) 265 mm x 290 mm, total dimensions: 2500 mm x 1400 mm x 1950 mm.	
327	Icon Engineering	Icon Engineering s/s turning table, year of construction: 18/01/02, diameter table: 1010 mm, total dimensions: Ø 1040 mm x 860 mm.	500
328	De Jager BV	De Jager BV double 90° curve conveyor, type: 11-0608-02, year of construction: 01/2012, plastic mesh belts, belt width: 355 mm, total dimensions: 7800 mm x 4300 mm x 1400 mm.	1250
329	Autocoding systems	Autocoding systems mobile transport belt used for inject printer, model: MAC5001, serial number: 55203-1440-0808, 230 V, 50 Hz, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 600 mm x 1900 mm.	750
330	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: EVO390-XL, number: 3761/09, year of construction: 10/2009, 415 V, 3 Ph, 50 Hz, infeed chain with dividers, divider height: 20 mm, distance between dividers: 190 mm, plastic belts, belt width: 280 mm, total dimensions: 11900 mm x 1300 mm x 2450 mm. S/s trolley to change dye's, model: CPS/R, number: 3761/09, year of construction: 10/2009, dye: (6x) 202 mm x 153 mm, total dimensions 1650 mm x 900 mm x 1550 mm. Including 3 pallets with dye's, dye: (5x) 255 mm x 161 mm, (5x) 232 mm x 182 mm, (7x) 180 mm x 128 mm. S/s frame for 3 dye sets model: CP/S-3+3, number: 3762/09, year of construction: 10/2009, dimensions: 4200 mm x 750 mm x 1860 mm.	9500
331	NN cabinet	Cabinet, dimensions: 1800 mm x 710 mm x 1130 mm.	75
332	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
333	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
334	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
335	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
336	Rentokil	Rentokil insect killer, dimensions: 660 mm x 220 mm x 470 mm.	10
337	Rentokil	5 Rentokil insect killers, dimensions: 660 mm x 220 mm x 470 mm.	10
338	Rentokil	3 Rentokil insect killers, dimensions: 660 mm x 220 mm x 470 mm.	10
339	Rentokil	2 Rentokil insect killers, dimensions: 660 mm x 220 mm x 470 mm.	10
340	Mettler Toledo	Mettler toledo weighing scale, model: ECS226, maximum weight: 15 kg, minimum weight: 100 g, e= 5g, dimensions scale: 230 mm x 230 mm, total dimensions: 380 mm x 330 mm x 105 mm.	10
341	Baxtran		80



Nr	Title	Description	Start €
		8 Baxtran weighing scales, model: SS15 CS, max: 15 kg, dimensions scale: 225 mm x 190 mm, total dimensions: 260 mm x 225 mm x 120 mm.	
342	Baxtran	15 Baxtran weighing scales, model: SS15 CS, max: 15 kg, dimensions scale: 225 mm x 190 mm, total dimensions: 260 mm x 225 mm x 120 mm.	150
343	Baxtran	13 Baxtran weighing scales, model: SS15 CS, max: 15 kg, dimensions scale: 225 mm x 190 mm, total dimensions: 260 mm x 225 mm x 120 mm.	130
344	Baxtran	10 Baxtran weighing scales, model: SS15 CS, max: 15 kg, dimensions scale: 225 mm x 190 mm, total dimensions: 260 mm x 225 mm x 120 mm.	100
345	Baxtran	18 Baxtran weighing scale covers.	75
346	Fomaco	Fomaco meat press, model: FLL800-160, machine number: 10232-2005, year of construction: 2005, 400 V, 3 Ph, 16 A, dimensions chamber: Ø 135 mm x 860 mm, total dimensions: 2600 mm x 850 mm x 1680 mm.	1500
347	NN elevating belt	Elevating belt with infeed hopper, s/s frame, plastic belt, belt width: 455 mm, total dimensions: 1900 mm x 1200 mm x 1540 mm.	300
348	Parker Zander	Parker Zander refrigerated air dryer, model: KA-MT 95, serial number: 38307547, year of construction: 2011, 230 V, 50/60 Hz, air inlet pressure: 50 bar, 725 psig, dimensions: 1800 mm x 660 mm x 2050 mm.	150
349	Parry Catering	Parry Catering grill, model: Piastra Singola, serial number: 0321, year of construction: 01/2002, 230 V, 50 Hz, 3400 W, dimensions grill: 220 mm x 220 mm, total dimensions: 400 mm x 330 mm x 185 mm.	25
350	Attec Food Technology	Attec Food Technology fully automatic pig cutting line consisting of: steel hanging line, dimensions: 6500 mm x 400 mm x 1700, Attec automatic primal cutting line, type: AGOL-850, order number: ON17163, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 45 kW, capacity: 800 pigs/hr, product: pork carcasses, left & right, s/s outfeed belt for waste pork legs, belt width: 290 mm, automatic measuring system for precise and individual cuts of individual pork carcass, plastic belt, belt width: 800 mm, 1300 mm, 500 mm, 300 mm, 100 mm and s/s protection fence, total dimensions: 9800 mm x 4200 mm x 2200 mm. Line is never used.	75000
351	Hellenic	S/s weighing scale with Hellenic indicator, model indicator: TS8700, serial number: 21599, year of construction: 1995, 90/250 V, dimensions: 590 mm x 500 mm x 150 mm. Incomplete, missing scale plate.	25
352	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1255 mm x 110 mm. Without indicator.	50
353	NN floor weighing scale,	S/s floor weighing scale with indicator, type indicator: TS8001, serial number: 21351, 240 V, 50 Hz, dimensions: 1250 mm x 1250 mm x 95 mm.	100



Nr	Title	Description	Start €
354	NN floor weighing scale,	S/s floor weighing scale, dimensions: 1300 mm x 1300 mm x 90 mm. Without indicator.	50
355	NN floor weighing scale,	S/s floor weighing scale, dimensions: 1200 mm x 1200 mm x 65 mm. Without indicator.	50
356	NN floor weighing scale,	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 105 mm. Without indicator.	50
357	NN floor weighing scale,	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 105 mm. Without indicator.	50
358	NN floor weighing scale,	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 105 mm. Without indicator.	50
359	NN floor weighing scale,	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 105 mm. Without indicator.	50
360	NN ramp	S/s ramp, dimensions: 2100 mm x 1500 mm x 110 mm. Without indicator.	50
361	NN floor weighing scale	S/s floor weighing scale with Cardinal indicator, model indicator: 190, dimensions: 1850 mm x 1375 mm x 190 mm.	100
362	NN pallet with parts	Pallet box with various parts for Honeywell labeller	25
363	NN pallet	Pallet box with 10 Hellenic indicators.	200
364	NN pallet	Pallet box with 7 Hellenic indicators.	140
365	NN floor weighing scale,	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 105 mm. Without indicator.	50
366	NN floor weighing scale	S/s floor weighing scale with OHAUS indicator, model indicator: T32XW, 100/240 V, 50/60 Hz, 1 A, dimensions: 1500 mm x 1480 mm x 140 mm.	100
367	Avery Weigh-Tropix	Avery Weigh-Tropix weighing indicator, model: E1010, serial number: 131150250, year of construction: 2013, 110/240 V, 50/60 Hz, 2.2 A, dimensions: 235 mm x 235 mm x 220 mm.	100
368	Schut Systems	Mobile transport belt, type: Schakelband, serial number: 16068-01-000, year of construction: 2016, plastic mesh belt, belt width: 280 mm, working width: 260 mm, total dimensions: 3000 mm x 1550 mm x 1000 mm.	500
369	Brantly	Brantly helicopter, model: B2, serial number: 40, year of construction: 05-1960, including 3 pallet boxes with various parts, and the blades.	25000
370	Linx Airborne Technologies	Linx Airborne Technologies helicopter, showroom model, not for flying purposes, dimensions: 5200 mm x 2500 mm x 3200 mm. Including Stetzl & Söhne Ges.m.b.H. trailer, model: H 400 T, serial number: HST 400027, year of construction: 2013, maximum weight: 1600 kg, trailer dimensions: 6700 mm x 2550 mm x 1270 mm.	5000
371	NN crates	65 plastic crates, inside dimensions: 560 mm x 360 mm x 115 mm, total dimensions: 600 mm x 395 mm x 120 mm.	45
372	NN racks	6 steel racks, 11 floors per rack, floor dimensions: 1150 mm x 990 mm x 130 mm, total dimensions: (6x) 1200 mm x 1005 mm x 1890 mm.	300
373	NN racks		250



Nr	Title	Description	Start €
		5 steel racks, 11 floors per rack, floor dimensions: 1150 mm x 990 mm x 130 mm, total dimensions: (5x) 1200 mm x 1005 mm x 1890 mm.	
374	NN racks	4 steel racks, 11 floors per racks, 3 frames have closed floors, 1 frame has perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (4x) 1200 mm x 1005 mm x 1890 mm.	200
375	NN racks	8 steel racks, 11 floors per racks, 2 racks have closed floors, 6 racks have perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (8x) 1200 mm x 1005 mm x 1890 mm.	400
376	NN racks	8 steel racks, 11 floors per racks, 7 racks have closed floors, 1 rack has perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (8x) 1200 mm x 1005 mm x 1890 mm.	400
377	NN racks	8 steel racks 11 floors per rack, 3 racks have closed floors, 5 racks have perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (8x) 1200 mm x 1005 mm x 1890 mm.	400
378	NN racks	4 steel racks, 11 floors per rack, perforated floors, floor dimensions: 1155 mm x 930 mm x 135 mm, total dimensions: (4x) 1200 mm x 1005 mm x 1890 mm.	200
379	NN racks	4 steel racks, 11 floors per rack, 3 racks have closed floors, 1 rack has perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (4x) 1200 mm x 1005 mm x 1890 mm.	200
380	NN rack	4 steel racks, 11 floors per rack, perforated floors, floor dimensions: 1155 mm x 930 mm x 135 mm, total dimensions: (4x) 1200 mm x 1005 mm x 1890 mm.	200
381	Saeplast	4 Saeplast pallet boxes, inside dimensions: (4x) 1135 mm x 935 mm x 570 mm.	200
382	NN crates	6 pallets with plastic crates, approximately 360 crates in total, crate dimensions: (6x) 590 mm x 390 mm x 110 mm, total dimensions: (6x) 1200 mm x 800 mm x 1810 mm.	450
383	Schoeller Allibert	8 Schoeller Allibert plastic pallet boxes, dimensions: (8x) 1190 mm x 1000 mm x 765 mm.	200
384	Perstorp Plastic System	120 plastic pallet boxes, inside dimensions: (60x) 1110 mm x 900 mm x 575 mm, total dimensions: (60x) 1200 mm x 1000 mm x 800 mm.	3000
385	Saeplast	159 Saeplast pallets, dimensions (159x) 1200 mm x 1000 mm x 175 mm.	1500
386	NN crates	23 pallets with plastic crates, approximately 1665 crates in total, crate dimensions: 590 mm x 390 mm x 110 mm, total	1725



Nr	Title	Description	Start €
		dimensions: (19x) 1200 mm x 1000 mm x 1800 mm and (4x) 1200 mm x 800 mm x 1800 mm.	
388	NN crates	5 pallets with plastic crates, approximately 308 crates in total, crate dimensions: 590 mm x 390 mm x 110 mm, total dimensions: (5x) 1200 mm x 800 mm x 1810 mm.	250
389	NN crates	28 plastic crates, crate dimensions: 600 mm x 400 mm x 60 mm.	10
390	NN crates	3 plastic crates, crate dimensions: 600 mm x 380 mm x 245 mm.	1
391	NN rollies	10 plastic rollies, dimensions: (10x) 610 mm x 410 mm x 205 mm.	50
392	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer line, consisting of:Slicer, model: Divider 880, machine number: 541002.171338.113678, year of construction: 2012, 400-480 V, 3 Ph, 50 Hz, 19.5 A, weight: 1950 kg, 6 lanes, plastic infeed belt, belt width: 450 mm, dimensions: 6250 mm x 1970 mm x 2700 mm;Tray feeder line, model: Einlegerlinie, machine number: 431000.188602.118591, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 24 A, 13 kW, weight: 2300 kg, plastic belt, belt width: 505 mm, dimensions: 5700 mm x 1650 mm x 1880 mm, total dimensions: 10800 mm x 1870 mm x 2700 mm. Technical condition unkown.	10000
393	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer line, consisting of:Slicer, model: Divider 880, machine number: 541305.193115.122216, year of construction: 2015, 400/480 V, 3 Ph, 50/60 Hz, 19.5 A, 8.2 kW, weight: 3200 kg, 4 lanes, plastic wire belt, belt width: 480 mm, dimensions: 6200 mm x 2080 mm x 2700 mm;Tray feeder line, model: Einlegerlinie, machine number: 430009.156236.108465, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, 24 A, 13 kW, weight: 2300 kg, plastic belt, belt width: 550 mm, dimensions: 5680 mm x 1850 mm x 1950 mm.Techical condition unkown.	10000
394	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer line, consisting of:Slicer, model: Divider 880, machine number: 541304.184670.118165, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 19 A, 2 lanes, plastic wire belt, belt width: 480 mm, dimensions: 5450 mm x 1950 mm x 2300 mm. Tray feeder line, model: Einlegerlinie, machine number: 430001.184789.116682, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 24 A, 13 kW, weight: 2300 kg, plastic belt, belt width: 540 mm, dimensions tray feeder line: 5500 mm x 1760 mm x 1660 mm.Techical condition unkown.	10000
395	Treif Maschinenbau GmbH	Large amount of different parts for Treif Maschinenbau GmbH Divider 880 slicer line, among others: conveyors, lane dividing belts, s/s covers, moulds and trolleys.	2000
396	NN knives	Plastic pallet box with various knives for slicers.	200
397	NN knives	Plastic pallet box with various knives for slicers.	200



Nr	Title	Description	Start €
398	NN knives	Plastic pallet box with various knives for cutters.	200
399	NN knives	Plastic pallet box with various knives for slicers.	200
400	NN knives	2 E2 crates with various knives.	200
401	NN pallet	Pallet with various knives for dicer.	200
402	NN knives	2 E2 crates with various knives.	200
403	NN knives	Pallet with knives for Weber slicer.	200
404	NN knives	Pallet with various knives.	200
405	GEA	4 knives for GEA slicers.	200
406	NN knives	Pallet with various knives for cutters.	200
407	NN knives	Pallet with various knives for dicer.	200
408	NN knives	Pallet with various knives for dicer.	200
409	NN knives	Pallet with various knives for dicer.	200
410	NN knives	Plastic crate with various knives.	200
411	NN knives	Plastic pallet box with various knives.	200
412	Robot Coupe	Plastic crate with parts for Robot coupe machine.	200
413	NN parts	Plastic crate with machine parts.	200
414	NN parts	Plastic crate with machine parts.	200
415	NN parts	Plastic crate with machine parts.	200
416	NN parts	Plastic pallet box various machine parts.	200
417	NN knives	Plastic crate with various knives for cutter.	200
418	Combicut	Plastic crate with Combicut knives.	200
419	NN knives	Plastic crate with various knives for cutter.	50
420	NN knives	Plastic crate with various knives for cutter.	200
421	Robot Coupe	Plastic crate with various parts for Robot Coupe.	50
422	NN knives	Plastic pallet box with various knives for cutter.	200
423	NN knives	5 crates with various knives for cutter.	200
424	NN gutter	S/s gutter, inside dimensions: 1115 mm x 290 mm x 75 mm, total dimensions: 1120 mm x 340 mm x 210 mm.	25
425	NN gutters	10 s/s gutters.	100
426	NN knives	Bin with with cutter knives.	100
427	NN knives	Bin with with cutter knives.	50
428	NN knives	Bin with with cutter knives.	75
429	NN knives	Crate with with cutter knives.	50
430	NN knives	Crate with with cutter knives.	50
431	NN knives	Crate with with cutter knives.	50
432	NN knives	Plastic pallet box with various knives for cutter.	200
433	NN knives	Plastic bin with various knives for cutter.	200
434	NN knives	Plastic bin with various knives for cutter.	200
435	NN knives	Crate with various knives for cutter.	200
436	NN knives	Crate with various knives for cutter.	200
437	NN knives	Crate with various knives for cutter.	200
438	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Divider 880, machine number: 541301.160825.111010, year of construction: 2012, 400/480 V, 3 Ph, 50/60 Hz, 19.5 A, 8.2 kW, weight: 1950 kg, 4 lanes, plastic infeed belt, belt width:	10000



Nr	Title	Description	Start €
		445 mm, dimensions slicer: 5100 mm x 1870 mm x 2700 mm. Technical condition unknown.	
439	Tetra Pak Laval Food Hoyer	Tetra Pak Laval Food Hoyer ice cream sandwich line, year of construction: 1998, consisting of: Carton conveyor, dimensions: 8700 mm x 1700 mm x 2300 mm; Preparation line for sandwich cream, type: ARB.BORD IND, serial number: 348-5214, clearance: 155 mm, total dimensions: 7100 mm x 2200 mm x 2250 mm; Switch cabinet, dimensions: 1200 mm x 800 mm x 2300 mm; Ciemme carton erector, model: FM 140 DK, number: 1529, year of construction: 2000, dimensions: 1900 mm x 1450 mm x 2200 mm; Bedo box closing machine, model: VA 6115, number: 6115.1.52307, dip and transfer unit, dimensions: 3550 mm x 2450 mm x 2250 mm; Tetra pak wrapper, type: Hoywrap MW 1200-6, serial number: Z415.3872, dimensions: 2750 mm x 2200 mm x 2050 mm; 2 Retech evaporator blocks for spiral freezer installation, type: GLS 50-18-280, dimensions: (2x) 3500 mm x 2800 mm x 1650 mm; 8 switch cabinets; large amount of transport belts.	45000
440	NN frame	S/s mobile frame, dimensions: 1880 mm x 910 mm x 2050 mm.	20
441	Technovac	Technovac mobile traysealer, dye dimensions: (1x) 295 mm x 150 mm, total dimensions: 1180 mm x 1000 mm x 1530 mm.	500
442	FAM	FAM mobile horizontal vegetable slicer, type: TS-1D, serial number: 4946, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 350 kg, plastic belt: (2x) 85 mm (1x) 50 mm, knife length: 100 mm, distance between knifes: 80 mm, clearance: 90 mm x 90 mm, total dimensions: 3100 mm x 800 mm x 1450 mm.	2000
443	Tennant	Tennant floor scrubbing machine, type: 18/5TTM435, serial number: 510550467, dimensions: 1200 mm x 2100 mm x 1600 mm. With Chloride motive power battery charger, 36 V.	400
444	NN lifter for meat bins	S/s lifter for meat bins, lifting height: 1700 mm, maximum capacity: 350 kg, total dimensions: 1100 mm x 900 mm x 2950 mm.	400
445	Cryovac	Cryovac mobile bag blower, model: LU 15, serial number: SN00104, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 20 A, 0.55 kW, plastic belt, belt width: (1x) 30 mm, 2 lanes, total dimensions: 1060 mm x 800 mm x 1500 mm.	200
446	Cryovac	Cryovac mobile bag blower, model: LU 15, serial number: SN00105, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 20 A, 0.55 kW, plastic belt, belt width: (4x) 30 mm, 4 lanes, total dimensions: 1060 mm x 800 mm x 1500 mm.	200
447	NN transport belt	Transport belt, plastic mesh belt, belt width: 460 mm, total dimensions: 1100 mm x 820 mm x 920 mm.	250
448	Cryovac	Cryovac belt vacuum machine, type: VS95TS, serial number: SN02408, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 32 A, 18 kW, plastic belt, belt width: 730 mm Busch vacuum pump, type: WP: 1250 D 2F1, serial number: C1044000002,	9500



Nr	Title	Description	Start €
		year of construction: 2010, capacity: 250 m <sup>3</sup> per hour, total dimensions: 5000 mm x 1300 mm x 1900 mm. Including: infeed and outfeed belt: plastic mesh belt, belt width: (2x) 730 mm. Suction device, dimensions: Ø 540 mm x 1200.	
449	Cryovac	Cryovac shrink tunnel, model number: ST98-800 ELECTRIC, serial number: SN01202, year of construction: 2011, 400 V, 50 Hz, 67 A, s/s belt, belt width: 900 mm, clearance: 195 mm x 830 mm, total dimensions: 1550 mm x 1250 mm x 1900 mm.	2500
450	Cryovac	Cryovac dryer tunnel, model: WR81, serial number: SN7009, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, 13 A, 35 kW, s/s belt, belt width: 850 mm, clearance: 800 mm x 300 mm, total dimensions: 2050 mm x 1450 mm x 1600 mm.	3500
451	NN vessel	S/s trolley with vessel fitted with Tapflo pump, model pump: TR20 PTT, serial number: 2009 2077, year of construction: 2020, dimensions: Ø 550 mm x 1000 mm.	25
453	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filler with lifter for 200 liter meat bins, type: F-Line F223, machine number: F223T1204018 WK, year of construction: 2018, 400 V, 50/60 Hz, 5.5 kW, dimensions: 2050 mm x 1350 mm x 2500 mm.	50
454	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH mobile minced meat portioner, type: C-Linie, machine number: CLB 1191638, year of construction: 2018, 400 V, 50/60 Hz, 7 kW, plastic belt, belt width: (2x) 290 mm, working width: 155 mm, clearance: 290 mm x 30 mm, total dimensions: 1900 mm x 1200 mm x 1400 mm. With grinding head system, type: WK132, dimensions: Ø 95 mm, portioning device, dimensions: Ø 75 mm, working width: 160 mm and 2 s/s trolley's with parts, dimensions: (1x) 710 mm x 500 mm x 1015 mm (1x) 960 mm x 660 mm x 1035 mm.	7500
455	Thom Maschinenbau GmbH	Thom Maschinenbau GmbH shuttle conveyor, model: Multi-Line-Loader, machine number: 72392-001-00, year of construction: 2018, 19.75 kW, plastic belt, belt width: 250 mm, total dimensions: 2800 mm x 800 mm x 1650 mm.	2000
456	Thom Maschinenbau GmbH	Thom Maschinenbau GmbH shuttle conveyor, model: Multi-Line-Loader, machine number: 72392-001-00, weight: 1360 kg, plastic belt, belt width: 650 mm, total dimensions: 2650 mm x 1200 mm x 1250 mm.	2000
457	Multivac	Multivac thermoformer, model: R 530, serial number: 398, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 31 A, 14 kW, film width: (6x) 465 mm, dye: 175 mm x 125 mm x 45 mm, with inliner, plastic belt, belt width: (3x) 110 mm, plastic mesh belt, belt width: 480 mm, total dimensions: 9400 mm x 1150 mm x 2000 mm. Including suction device for rest film, dimensions: Ø 60 mm x 1110 mm.	7500
458	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH mobile minced meat portioner, type: CLB CAN, machine number: CLB 1471527, year of construction: 2017, 230 V, 50/60 Hz, 0.50 kW, plastic belt,	3500



Nr	Title	Description	Start €
		belt width: (2x) 300 mm, clearance: 300 mm x 70 mm, total dimensions: 2050 mm x 700 mm x 1750 mm. Including 2 mobile portioning devices, plastic belt, belt width: 300 mm, knife width: 235 mm, total dimensions: 680 mm x 550 mm x 1730 mm and 680 mm x 550 mm x 1470 mm.	
462	Oostwoud	3 steel 16-doors lockers, inside dimensions: (16x) 465 mm x 295 mm x 220 mm, total dimensions: (3x) 600 mm x 510 mm x 2210 mm. Including keys.	75
463	Oostwoud	3 steel 16-doors lockers, inside dimensions: (16x) 465 mm x 295 mm x 220 mm, total dimensions: (3x) 600 mm x 510 mm x 2210 mm. Including keys.	75
464	Oostwoud	3 steel 16-doors lockers, inside dimensions: (16x) 465 mm x 295 mm x 220 mm, total dimensions: (3x) 600 mm x 510 mm x 2210 mm. Including keys.	75
465	Oostwoud	3 steel 16-doors lockers, inside dimensions: (16x) 465 mm x 295 mm x 220 mm, total dimensions: (3x) 600 mm x 510 mm x 2210 mm. Including keys.	75
466	Oostwoud	3 steel 12-doors lockers, inside dimensions: (12x) 470 mm x 300 mm x 275 mm, total dimensions: (3x) 600 mm x 510 mm x 2210 mm. Without keys.	75
467	Oostwoud	2 steel 2-doors lockers, dimensions inside: (2x) 1770 mm x 800 mm x 950 mm., total dimensions: (2x) 1000 mm x 800 mm x 2200 mm. Without keys.	50
468	Oostwoud	2 steel 2-doors lockers, dimensions inside: (2x) 1770 mm x 800 mm x 950 mm., total dimensions: (2x) 1000 mm x 800 mm x 2200 mm. Without keys.	50
469	Oostwoud	3 steel 8-doors lockers, inside dimensions: (14x) 470 mm x 300 mm x 440 mm, total dimensions: (3x) 600 mm x 500 mm x 1950 mm.	75
470	Oostwoud	5 steel 8-doors lockers, inside dimensions: (40x) 470 mm x 300 mm x 440 mm, total dimensions: (2x) 600 mm x 500 mm x 1950 mm and (3x) 600 mm x 500 mm x 2200 mm.	125
471	ABAC	ABAC air compressors with hose reel, model: XPN, 230 V, 1 Ph, 50/60 Hz, 1100 W, weight: 8.5 kg, total dimensions: 400 mm x 250 mm x 300 mm.	150
472	ABAC	ABAC air compressors with hose reel, model: XPN, 230 V, 1 Ph, 50/60 Hz, 1100 W, weight: 8.5 kg, total dimensions: 400 mm x 250 mm x 300 mm.	150
473	ABAC	ABAC air compressors with hose reel, model: XPN, 230 V, 1 Ph, 50/60 Hz, 1100 W, weight: 8.5 kg, total dimensions: 400 mm x 250 mm x 300 mm.	150
474	STRØM Hansen	STRØM Hansen teflon grill, type: 6000/600, serial number: 855, year of construction: 1997, 3x400 V, 50 Hz, 272 kW, electric heated, belt width: 645 mm, frying length: 6000 mm, total dimensions: 8000 mm x 1400 mm x 2500 mm. With continuous belt washer and pneumatic belt control.	5000
475	Atlas Copco		750



Nr	Title	Description	Start €
		Atlas Copco oil-free scroll compressor, type: SF8-AII697116, working hours: 22996 hours, dimensions: 1500 mm x 750 mm x 1050 mm.	
476	Alup	Alup screw compressor, type: LARG055, serial number: API170959, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 55 kW, weight: 1130 kg, working hours: 20000 hours, dimensions: 1900 mm x 1100 mm x 1650 mm.	1000
477	Variovac	Variovac thermoformer, type: OPTIMUS, serial number: 420.OL0497.17, year of construction: 2017, 230/400 V, 50 Hz, 21 A, 13 kW, soft film, film width: 420 mm, dye: (2x) 172 mm x 255 mm, total dimensions: 4500 mm x 1100 mm x 1700 mm. Including pallet with foil, dimensions pallet: 850 mm x 600 mm x 550 mm.	5000
478	Marel	Marel Portion cutter, type: LR0325, model: I-Cut122, serial number: 10431550, year of construction: 2019, 380/480 V, 3 Ph, 50/60 Hz, 1 A, plastic belt, belt width: (2x) 200 mm, total dimensions: 4350 mm x 1520 mm x 1600 mm. Incomplete, technical condition unknown.	3500
480	NON	NON mobile lifter for 200 litre meat bins, lifting height: 1850 mm, total dimensions: 1200 mm x 1700 mm x 2900 mm.	500
481	Boldt Systems	Boldt Systems double shaft ribbon mixer, model: BFM 13_1000, serial number: BFO 99_072, year of construction: 1999, volume: 1000 litres, inside dimensions: 1500 mm x 920 mm x 600 mm, total dimensions: 2300 mm x 1200 mm x 2000 mm.	2250
482	NN platform	S/s platform, working height: 400 mm, total dimensions: 1850 mm x 700 mm x 1400 mm.	250
483	NN table	S/s table with plastic top, dimensions: 600 mm x 1300 mm x 950 mm.	150
484	Bizerba	Bizerba labelling machine with bottom and top labellers, type labelling unit: GLM-I, 230 V, 50 Hz, 2.4 A, plastic belt, belt width: (3x) 93 mm, total dimensions: 1600 mm x 850 mm x 2250 mm, 350 mm x 530 mm x 1150 mm.	750
485	MegaPack	MegaPack denester, number: 107027, dimensions trays: (2x) 192 mm x 65 mm, dimensions mould: (2x) Ø 110 mm, plastic belt, belt width: 175 mm, total dimensions: 1400 mm x 2650 mm x 1930 mm.	650
486	Kovu BV	Kovu BV freezer, model: HR600, serial number: 426139, 230 V, 50 Hz, 185 W, refrigerant: R134a, weight: 90 kg, dimensions: 700 mm x 800 mm x 1880 mm.	150
487	Safeline	Safeline metal detector with rejector, plastic belt, belt width: 200 mm, clearance: 305 mm x 85 mm, total dimensions: 1500 mm x 1150 mm x 1200 mm.	1500
488	Domino	Domino mobile inkjet printer, model: A300, dimensions: 650 mm x 700 mm x 1800 mm.	500
489	MegaPack	MegaPack denester, number: 103026, dimensions trays: (2x) 195 mm x 60 mm, total dimensions: 1800 mm x 1200 mm x 2030 mm.	650



Nr	Title	Description	Start €
490	Belam B.V.	Belam B.V. tenderiser, type: IT-3, machine number: 9306-951.0069, 380 V, 50 Hz, plastic belt, belt width: 300 mm, working width: 330 mm, total dimensions: 2000 mm x 950 mm x 1250 mm.	1250
491	Cryovac	Cryovac bag blower, model: BL 19, serial number: A50200511, year of construction: 2003, 230 V, 50 Hz, 0.4 A, 0.1 kW, s/s rollers, roller width: 420 mm, 250 mm, total dimensions: 1400 mm x 520 mm x 900 mm.	800
492	Cryovac	Cryovac bag blower, model: BL 19, serial number: A50200514, year of construction: 2003, 230 V, 50 Hz, 0.4 A, 0.1 kW, s/s rollers, roller width: 420 mm, 250 mm, total dimensions: 1400 mm x 520 mm x 900 mm.	800
493	NN table	S/s table, dimensions: 1100 mm x 1210 mm x 1380 mm.	100
494	Loma Systems	Loma Systems mobile pipeline metal detector, model: DPL40362, serial number: 34645, year of construction: 2004, 220 V, 1 Ph, 60 Hz, 2.0 A, diameter clearance: 55 mm, total dimensions: 550 mm x 750 mm x 1380 mm.	500
495	Loma Systems	Loma Systems mobile pipeline metal detector, model: DPL43646, serial number: 03038D, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter clearance: 55 mm, total dimensions: 550 mm x 750 mm x 1380 mm.	500
496	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 250 mm, total dimensions: 1600 mm x 600 mm x 350 mm.	350
497	NN film unwinding frame	S/s film unwinding frame, dimensions: 970 mm x 750 mm x 600 mm.	150
498	NN film unwinding frame	S/s film unwinding frame, dimensions: 970 mm x 750 mm x 600 mm.	150
499	NN film unwinding frame	S/s film unwinding frame, dimensions: 970 mm x 750 mm x 600 mm.	150
500	NN film unwinding frame	S/s film unwinding frame, dimensions: 970 mm x 750 mm x 600 mm.	150
501	NN film unwinding frame	S/s film unwinding frame, dimensions: 1200 mm x 750 mm x 680 mm.	150
502	NN ventilator	Mobile ventilator, dimensions: 1200 mm x 1300 mm x 1850 mm.	150
503	Mettler Toledo	Mettler Toledo weighing scale on s/s mobile frame, type indicator: SPIDER 1S-60LS/M, serial number: 2267474, year of construction: 1999, 230-240 V, 50/60 Hz, weighing range: 400g-60kg, e= 20g, dimensions scale: 400 mm x 500 mm, total dimensions: 700 mm x 800 mm x 1400 mm.	200
504	Verbufa	Verbufa dosing machine, type: 51834-A-0010, serial number: 211952, year of construction: 2012, 230 V, 50 Hz, 10 A, 2 kW, weight: 200 kg, dimensions: 900 mm x 600 mm x 1650 mm. Incomplete.	500
505	Automotion Systems BV	Automotion Systems BV transport belt, type: MER013, year of construction: 2004, 240 VAC, 16 A, 1 kW, plastic belt, belt width: 255 mm, total dimensions: 1520 mm x 450 mm x 1020 mm.	250



Nr	Title	Description	Start €
506	Machinefabriek Geurtsen Deventer B.V.	Machinefabriek Geurtsen Deventer B.V. mobile elevating belt, type: 9010231, serial number: BAND 1, 220/380 V, 0,18 kW, s/s mesh belt, belt width: 490 mm, elevating height: 1150 mm, total dimensions: 2000 mm x 840 mm x 1150 mm.	500
507	BG PACK SpA	BG PACK SpA mobile pre-heater, model: PRE HEATER-12, serial number: S.O. 55627, year of construction: 2015, 400 V, 50 Hz, 9.5 kW, 14 A, seal length: (2x) 1200 mm, total dimensions: 1800 mm x 850 mm x 1140 mm.	250
508	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 1600 mm, distance between dividers: 300 mm, divider height: 150 mm, elevating height: 1580 mm, total dimensions: 1100 mm x 1800 mm x 1700 mm.	500
509	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 02 823 01, year of construction: 2003, 400 V, 3 Ph, 3 kW, weight: 450 kg, dimensions dye: (2x) ø 115 mm, plastic belt, belt width: 250 mm, with Witt Gasetechnik gas mixing station total dimensions: 7000 mm x 700 mm x 1830 mm. Including s/s tool trolley, dimensions: 800 mm x 700 mm x 1350 mm.	1500
510	NN container	Steel container used for air compressor installation, dimensions: 12150 mm x 2450 mm x 4150 mm. Lot located in Best (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	3000

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products.

Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

### **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

### **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## Industrial Auctions

## Notes



## Industrial Auctions

## Notes



## Industrial Auctions

## Notes



## Industrial Auctions

## Notes

# CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

