



**Industrial
Auctions**

**2043: Online auction machinery for the food
industry in Boxtel (NL)**

END DATE
21 January 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	21 January 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	28 January 2026 from 09:00 till 16:00 hrs.
Pick up address	Schouwrooij 29 5281 RE Boxtel Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with lifter for 200 liter meat bins, type: F-Line F223, machine number: F223PT1092864, year of construction: 2014, 400 V, 50/60 Hz, 10.45 kW, Busch vacuum pump, type: RC 0021 C 3Z3, serial number: D18180231, year of construction: 2018, capacity: 24 m³ per hour, total dimensions: 2000 mm x 1300 mm x 2100 mm. Including box with various parts.	20000
2	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine, type: KONTI-E80, machine number: KE80 014312, 400 V, 50 Hz, 5.1 kW, Busch vacuum pump, total dimensions: 950 mm x 700 mm x 1600 mm. Including linking attachment.	2500
3	Dorit	Dorit washing machine for smoke trolleys, type: KRW 1, number: 24.014, year of construction: 09/2006, 400 V, 36 kW, dimensions inside: 1150 mm x 1080 mm x 2150 mm, total dimensions: 2200 mm x 1780 mm x 3050 mm.	4500
4	Dorit	Dorit washing machine for smoke trolley, type: KRW 1, serial number: 20.022, 400 V, 3 Ph, 50 Hz, 6.5 kW, dimensions inside: 1150 mm x 1080 mm x 2150 mm, total dimensions: 2250 mm x 1700 mm x 2950 mm. Incomplete.	3000
5	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x 1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm x 1280 mm.	1000
6	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x 1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm x 1280 mm.	1000
7	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x 1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm x 1280 mm.	1000
8	Spako	Spako parts for cooking vessel, dimensions switch cabinet: 830 mm x 570 mm x 330 mm, dimensions pallet with parts: 3450 mm x 1000 mm x 600 mm.	250
9	Maurer AG	Maurer AG smoke generator for wood chips, type: REZ G 1, serial number: X0274847, year of construction: 02/03, 400 V, 50 Hz, 2.7 kW, dimensions: 1150 mm x 870 mm x 2200 mm.	600
10	Maurer AG	Maurer AG smoke generator for wood chips, type: REZ G 1, serial number: X0274849, year of construction:	600



Nr	Title	Description	Start €
		02/03, 400 V, 50 Hz, 2.7 kW, dimensions: 1150 mm x 870 mm x 2200 mm.	
11	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST40, serial number: 041899, year of construction: 09/2003, maximum working pressure: 200 bar, dimensions: 500 mm x 350 mm x 500 mm.	100
12	Bastra	Bastra cooking vessel, dimensions inside: 1150 mm x 800 mm x 400 mm, total dimensions: 1360 mm x 1330 mm x 1060 mm. Including switch cabinet, dimensions: 700 mm x 300 mm x 340 mm.	1200
13	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: RVE 800 S, serial number: I-39152, year of construction: 2008, 400 V, 3 Ph, 50 Hz, refrigerant: R 404A, roller width: 340 mm, total dimensions: 1350 mm x 700 mm x 1430 mm.	2500
14	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: RVE 800 S, serial number: I-39147, year of construction: 2008, 400 V, 3 Ph, 50 Hz, refrigerant: R 404A, roller width: 340 mm, total dimensions: 1350 mm x 700 mm x 1430 mm.	2500
15	Stephan	Stephan universal machine, type: UM 44 A, machine number: 219.061.01, year of construction: 10-12, 220 V, 50 Hz, 20.9 A, 3.3/4.5 kW, dimensions: 800 mm x 550 mm x 1200 mm. Including 2 extra knives.	1800
16	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 150, number: 450, year of construction: 2003, 400 V, 50 Hz, 16 A, 3 kW, volume: 150 liter, Busch vacuum pump, type: KC 0010 D IZO, number: 03027214, capacity: 10 m³ per hour, total dimensions: 1250 mm x 980 mm x 1480 mm.	1300
17	De Jong Engineering 't Harde B.V.	De Jong Engineering 't Harde B.V. hamburger forming machine, machine type: planu, serial number: 469, year of construction: 2000, 230 V, plastic belt, belt width: 130 mm, diameter dye: 80 mm, total dimensions: 750 mm x 600 mm x 750 mm.	750
18	Rühle	Rühle mobile slicer, type: KR1, serial number: 041413, year of construction: 2013, 400 V, 3 Ph, 6.5 A, 2.6 kW, dimensions chamber: 235 mm x 215 mm, total dimensions: 1850 mm x 800 mm x 1250 mm.	1800
19	NN mixer	Mobile tiltable mixer, dimensions inside: 500 mm x 345 mm x 480 mm, total dimensions: 1100 mm x 400 mm x 820 mm.	900
20	Webomatic	Webomatic mobile dip tank, model: ST 40/45 RI, number: 06 S45R, 380 V, 50 Hz, 14.8 A, 9.3 kW, dimensions inside: 585 mm x 385 mm, total dimensions: 760 mm x 630 mm x 1170 mm.	750
21	PSS	PSS mobile microcutter, type: M-4000, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, 46 kW,	1500



Nr	Title	Description	Start €
		weight: 585 kg, dimensions: 2050 mm x 1020 mm x 1150 mm.	
22	Pökelmaschinen Ges.m.b.H	Pökelmaschinen Ges.m.b.H. brine mixer, type: CLB-400, number: K-73, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 6 kW, volume: 400 liter, total dimensions: 1550 mm x 1250 mm x 1600 mm.	1800
23	Karl Schnell GmbH & Co. KG	Karl Schnell GmbH & Co. KG process automat, type: 250, machine number: 25254, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 37 A, 18.4 kW, dimensions: 1380 mm x 1100 mm x 1830 mm.	3500
24	Pökelmaschinen Ges.m.b.H	Pökelmaschinen Ges.m.b.H s/s infeed bunker for brine mixer, inside dimensions: 530 mm x 490 mm x 200 mm, total dimensions: 900 mm x 730 mm x 1420 mm.	150
25	Sinmac Europe	Sinmac Europe mobile spiral mixer, model: KM-25, serial number: 1603010, year of construction: 2016.06, 380 V, 50 Hz, 5.5 A, 2.2 kW, capacity: 25 kg dough, weight: 135 kg, s/s bowl, bowl dimensions: Ø 440 mm x 300 mm, total dimensions: 850 mm x 480 mm x 1060 mm.	1000
26	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile jelly machine, model: JELLY EASY 2, production number: 710246/03, year of construction: 2021, 230 V, 50/60 Hz, 2720 W, dimensions: 680 mm x 500 mm x 1180 mm. Boiler clogged.	500
27	PSS	PSS mobile microcutter, type: M-4000, year of construction: 2007, weight: 585 kg, dimensions: 1350 mm x 750 mm x 1150 mm. Incomplete.	200
28	NN table	S/s mobile table, dimensions: 2900 mm x 800 mm x 950 mm.	200
29	NN filling frame	S/s filling frame with cooling plate, diameter dyes: (21x) 70 mm, total dimensions: 560 mm x 300 mm x 60 mm. Cooling plate dimensions: 560 mm x 245 mm x 90 mm.	50
30	NN table	S/s mobile table, dimensions: 3400 mm x 900 mm x 980 mm.	300
31	KitchenAid	KitchenAid mixer, model: 5KSM7990XEW, serial number: W94452603, 220/240 V, 50/60 Hz, 325 W, year of construction: 10/2019, s/s bowl: Ø 240 mm x 180 mm, total dimensions: 360 mm x 300 mm x 420 mm.	300
32	Hans Kratt	Hans Kratt whipped cream machine, number: 7271011 G, 230 V, 50 Hz, 500 W, refrigerant: R 134 a, dimensions: 500 mm x 400 mm x 520 mm.	450
33	NN trolley	S/s trolley, inside dimensions: (2x) 640 mm x 150 mm x 620 mm, dimensions: 700 mm x 330 mm x 750 mm.	20
34	NN trolley	S/s trolley, inside dimensions: (2x) 640 mm x 150 mm x 620 mm, dimensions: 700 mm x 330 mm x 750 mm.	20
35	Beko		100



Nr	Title	Description	Start €
		Beko mobile bread slicer, type: 3BSM3JAC003, 230 V, 2 knives, distance between knives: 100 mm, dimensions chamber: 450 mm x 120 mm x 100 mm, total dimensions: 730 mm x 600 mm x 1330 mm.	
36	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV mobile conical rounding machine, type: CR 59, machine number: H. 590562, year of construction: 1995, 230/400 V, 3 Ph, 50 Hz, 3/10 A, dimensions: 1100 mm x 1100 mm x 1500 mm.	1000
37	Gram	Gram freezer, type: BAKER F 950 CCG L2 2, serial number: 10225938, year of construction: 2016, 230 V, 50 Hz, 4.57 A, 736 W, refrigerant: R290 / 149 gram, 7 floor, dimensions each floor: 800 mm x 600 mm, total dimensions: 1100 mm x 820 mm x 2200 mm.	200
38	MKN	MKN s/s mobile double doughnut fryer, inside dimensions: (2x) 760 mm x 460 mm, total dimensions: 1760 mm x 630 mm x 1000 mm. Including extra baskets.	300
39	Sinmag Bakery Equipment	Sinmag Bakery Equipment spiral mixer, model: KM-80T, serial number: 1008049, year of construction: 2011.01, 380 V, 3 Ph, 50 Hz, 12.3 A, 5.25 kW, machine weight: 390 kg, capacity: 80 kg dough, s/s bowl, bowl dimensions: Ø 670 mm x 380 mm, total dimensions: 1250 mm x 700 mm x 1300 mm.	1000
40	WP Kemper GmbH	WP Kemper GmbH mobile mixer, type: Spiraalkneedmachine "schuifbaar" SP 25, machine number: KEM-0007584, year of construction: 03/17, 400 V, 3 Ph, 50 Hz, 16 A, 2.1 kW, capacity: 25 kg dough, s/s bowl, bowl dimensions: Ø 430 mm x 280 mm, total dimensions: 940 mm x 470 mm x 1200 mm.	2000
41	NN bread slicer	Mobile bread slicer, 33 knives, distance between knives: 10 mm, total dimensions: 650 mm x 570 mm x 1290 mm.	50
42	Berto's S.P.A.	Berto's S.P.A. grill, model: G7WG40M, type: A1, serial number: 16039/70312, grill dimensions: 500 mm x 360 mm, total dimensions: 700 mm x 400 mm x 1050 mm. With Bertos s/s cabinet, model: N7-4MC, serial number: 17264/02860, dimensions: 700 mm x 400 mm x 1050 mm.	150
43	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 250 mm, elevating height: 1700 mm, total dimensions: 1800 mm x 450 mm x 1750 mm.	150
44	Inject Star	Inject Star mobile ham press, inside dimensions: 1000 mm x 350 mm, total dimensions: 1600 mm x 450 mm x 1340 mm.	500
45	Maja Maschinenfabrik	Maja Maschinenfabrik mobile slicer for cordon blue, type: FS 90-540-2, serial number: H0143, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.4 A, 1.3 kW, plastic belt, belt width: (2x) 100 mm, total dimensions:	500



Nr	Title	Description	Start €
		1800 mm x 1100 mm x 1150 mm. Missing knives and one of the belts is missing.	
46	SES	SES mobile labelling machine, dimensions: 750 mm x 750 mm x 1760 mm.	150
47	Alliance International Bvba	Alliance International Bvba washing machine, model: BF3JXASG403EN01, serial number: 1605020085, 400 V, 3 Ph, 50 Hz, 9.8 A, 4800 Watt, dimensions: 730 mm x 680 mm x 1110 mm.	800
48	NN trolley	Steel trolley, 5 floors, dimensions floors: (5x) 1400 mm x 600 mm, dimensions: 1400 mm x 600 mm x 1730 mm.	20
49	Kortho	Kortho label printer in mobile s/s cabinet, type: 809518, dimensions: 960 mm x 750 mm x 1670 mm.	40
50	VLB	VLB mobile bread slicer, type: BN 45/11, number: 3320, year of construction: 2000, 220-380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 400 mm, total dimensions: 1550 mm x 700 mm x 1400 mm.	350
51	Rohema Maschinenbau GmbH	Rohema Maschinenbau GmbH mobile hanging line for sausages, type: AHV8000, number: 110, year of construction: 2012, 400 V, 50 Hz, 0.5 kW, 5-7 bar, dimensions: 2200 mm x 1200 mm x 1600 mm.	100
52	NN lifter for pallet boxes	S/s lifter for pallet boxes, lifting height: 2600 mm, capacity: 300 kg, dimensions pallet box: 1250 mm x 1000 mm, total dimensions: 1200 mm x 1700 mm x 3500 mm.	50
53	Payne pallet inverters	Payne pallet inverters pallet destacker, type: 6 I INVERTER, number: I64IR, year of construction: 07/11, capacity: 2000 kg, dimensions platform: 1300 mm x 1150 mm, total dimensions: 2050 mm x 1800 mm x 2270 mm.	1000
54	NN table	S/s table with opening, opening: Ø 160 mm, total dimensions: 1100 mm x 450 mm x 920 mm.	50
55	Kolbe	Kolbe mobile mixer-grinder, type: MWE 32, serial number: 125 941, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 11.4+2.8 A, 6.6 kW, weight: 480 kg, plate diameter: 98 mm, dimensions: 1350 mm x 770 mm x 1350 mm.	1500
56	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 210 mm, elevating height: 1400 mm, distance between dividers: 140 mm, divider height: 50 mm, total dimensions: 1500 mm x 700 mm x 1550 mm.	500
57	Foodcrest Machinery LTD	Foodcrest Machinery LTD mobile 2 heads depositor, machine number: WO 151-2, diameter heads: (2x) 40 mm, total dimensions: 850 mm x 1800 mm x 1440 mm.	200
58	Rubbermaid	Rubbermaid plastic tub, dimensions: 750 mm x 320 mm x 730 mm.	10
59	Hakvoort		120



Nr	Title	Description	Start €
		Hakvoort s/s heated cabinet, model: BWK-60, article number: 4295.005, 230 V, 0.8 kW, 4 floors, dimensions each floor: 380 mm x 400 mm, total dimensions: 485 mm x 450 mm x 870 mm.	
60	NN frame	S/s frame, dimensions: 560 mm x 960 mm x 670 mm.	50
61	Emil Kemper GmbH	Emil Kemper GmbH mobile mixer, type: SPL, number: 6710559, capacity: 75 kg dough, s/s bowl, bowl dimensions: Ø 760 mm x 400 mm, total dimensions: 1150 mm x 800 mm x 1380 mm.	750
62	Ziegra-Eismaschinen	Ziegra-Eismaschinen flake ice machine with BWT water softener, type: ZBE 350 EV, serial number: 140352, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R744, dimensions: 700 mm x 750 mm x 1600 mm.	350
63	Angelo Po	Angelo Po 2-doors refrigerator, type: MX140, serial number: 04229688203, 230 V, 50 Hz, 3.1 A, 530 W, refrigerant: R404A / 0.32 kg, dimensions: 1500 mm x 790 mm x 2000 mm.	300
64	Ilapak	Ilapak vertical bag form-, fill-, and seal machine, model: VT 2000 OF P, serial number: 063070047 S 3147/14, 400 V, 50 Hz, diameter filling pipe: 170 mm, vertical seal length: 400 mm, horizontal seal width: 450 mm, Videojet ink jet printer, model: 8.4 Clarity and Vortec switch cabinet cooler, model: 7035BSP, type: 4/4X, total dimensions: 1620 mm x 2380 mm x 2230 mm.	2000
65	Foster	Foster mobile refrigerator, model: EP1/2H, serial number: E5424341, 230 V, 1 Ph, 50 Hz, 2.0 A, 275 W, refrigerant: R290/150 g, nominal capacity: 200 liter, dimensions: 850 mm x 700 mm x 1400 mm.	300
66	Fri-Jado b.v	Fri-Jado b.v mobile rotary grill, model: STG5-P, number: 100027081, year of construction: 2005, 400/230 V, 50/60 Hz, 9 A, 6100 W, dimensions: 900 mm x 650 mm x 1750 mm.	300
67	Handtmann	Handtmann mobile linker, type: 115-21, number: 677, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5 kW, dimensions: 1300 mm x 700 mm x 1250 mm. Incomplete.	300
68	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5774, year of construction: 2003, 230 V, 50 Hz, 0.6 kVa, plastic belt, belt width: 140 mm, total dimensions: 1080 mm x 630 mm x 1600 mm. Last calibrated: 29 July 2020.	50
69	Giorik S.p.A.	Giorik S.p.A. combisteamer model: KB061W, serial number: 007759/09/20, 400 V, 3 Ph, 50 Hz, 7.9 kW, 10 floors, dimensions each floor: 330 mm x 430 mm, total dimensions: 520 mm x 800 mm x 760 mm.	1400
70	Flexicon		50



Nr	Title	Description	Start €
		Flexicon bulk bag discharger, model: 1500BEV, serial number: 12555, year of construction: 07/2013, dimensions: 1100 mm x 500 mm x 300 mm.	
71	Mammuth	Mammuth mobile foldable engine hoist, capacity: 1000 kg, dimensions: 1450 mm x 1250 mm x 1400 mm.	150
72	Polar	Polar 3-doors refrigerator, model: G622, 230 V, 50 Hz, 1.3 A, 235 W, refrigerant: R600a / 100 gram, dimensions: 1370 mm x 700 mm x 900 mm.	75
73	Gamko	Gamko refrigerator, type: ECO/222MU, year of construction: 2007, 220/240 V, 50 Hz, 370 W, refrigerant: R134A / 160 gram, floor dimensions: 370 mm x 480 mm, total dimensions: 800 mm x 2000 mm x 1040 mm.	250
74	Hobart	Hobart double dishwasher, inside dimensions: (2x) 300 mm x 500 mm x 400 mm, total dimensions: 1350 mm x 850 mm x 1500 mm. Technical condition unknown.	600
75	Rühle	Rühle cooled vacuum tumbler, type: MGR 400, number: 0049, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 32 A, 12 kW, Busch vacuum pump, type: KC 0016 E 3Z0, capacity: 16 m ³ per hour, dimensions: 2100 mm x 2100 mm x 1950 mm.	5000
76	Lundgrens IBS	Lundgrens IBS carton erector, type: E21, serial number: 99-291, 230/400 V, 3 Ph, 50/60 Hz, 3.7 kW, air pressure: 600 kPa, infeed width: 630 mm, total dimensions: 2500 mm x 1900 mm x 2250 mm.	850
77	Tecno Pack	Tecno Pack vertical bag form-, fill-, and seal machine, model: FV-210, serial number: T2607, year of construction: 2015, 400 V, 50 Hz, 9 A, 6 kW, weight: 650 kg, film width: 505 mm, diameter filling pipe: 140 mm, vertical seal length: 420 mm, horizontal seal width: 280 mm, total dimensions: 1050 mm x 2000 mm x 2180 mm.	1500
78	Jesco	Jesco gas heated double cooking vessel, model: CPG72M01, serial number: 1911.0205, 18 kW, inside dimensions: (2x) 200 mm x 340 mm x 300 mm, total dimensions: 950 mm x 770 mm x 1150 mm.	100
79	NN frying pan	Tiltble frying pan, type: 700/930, serial number: AS07885001, 400 V, 3 Ph, 50 Hz, 7.8 kW, 500 kPa, inside dimensions: 600 mm x 430 mm x 200 mm, total dimensions: 810 mm x 750 mm x 1030 mm.	450
80	NN rollie	S/s rollie for E2 crate, dimensions: 650 mm x 410 mm x 170 mm.	25
81	Multivac	5 Multivac film rolls, film width: 245 mm, thickness: 0.125 mm, length per roll: 550 meter.	10
82	NN steel cable	Steel cable.	5
83	Soehnle	Soehnle hook weighing scale with indicator, serial number: 28213350066, maximum weight: 150 kg,	100



Nr	Title	Description	Start €
		minimum weight: 1 kg, e= 50 gram, dimensions: 570 mm x 300 mm x 700 mm.	
84	Fimar	Fimar blender, model: SPM235M, serial number: 160701520, year of construction: 2016, 230 V, 1 Ph, 50-60 Hz, 150 W, weight: 3.8 kg, dimensions: 300 mm x 200 mm x 250 mm. Incomplete.	2
85	Bartscher	Bartscher grill, model: FTH-30 E, serial number: 18014235, 230 V, 50-60 Hz, 3 kW, dimensions: 330 mm x 540 mm x 310 mm.	50
86	Diamond	Diamond dishwasher, model: 051/6M, serial number: 2965950, year of construction: 05/11/2018, 230 V, 1 Ph, 50 Hz, 16 A, 3.5 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 600 mm x 810 mm.	250
87	Hoshizaki	Hoshizaki ice machine, model: IM-65LE, serial number: R05380, 220/240 V, 50 Hz, 550 W, weight: 63 kg, refrigerant: R134a / 0.230 kg, dimensions: 630 mm x 500 mm x 900 mm.	200
88	Leventi	Leventi combi steamer, model: Combimat, 10 floors, dimensions each floor: 550 mm x 390 mm, total dimensions: 980 mm x 950 mm x 1750 mm.	700
89	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07P F 15/W500, machine number: 07052425, 400 V, 3 Ph, 50 Hz, 11.5 A, 7.5 kW, dimensions chamber: 950 x 450 mm, seal length: (2x) 440 mm and (1x) 940 mm, total dimensions: 1300 mm x 850 mm x 1080 mm. Without vacuum pump.	750
90	NN frame	S/s frame, dimensions: 2000 mm x 300 mm x 700 mm.	40
91	Giga	Giga grill, dimensions: 600 mm x 600 mm x 600 mm.	100
92	Hsiao Lin Machine Co. Ltd	Hsiao Lin Machine Co. Ltd mixer with s/s bowl, year of construction: 2000, 220 V, 1 Ph, 3.5 A, bowl: Ø 245 mm, total dimensions: 500 mm x 370 mm x 650 mm.	250
93	Isocab	Isocab cooling door, dimensions: 2500 mm x 2250 mm x 300 mm.	400
94	EGGcellent Foodservice GmbH	EGGcellent Foodservice GmbH oven for eggs, type: POLLUX 60, serial number: SNP60PX0800N1143, 3x400 V, 3 Ph, 5 kW, inside dimensions: 500 mm x 320 mm x 95 mm, total dimensions: 620 mm x 600 mm x 250.	200
95	LEDA technologies	LEDA technologies oven for eggs, type: POLLUX 60 R01, serial number: SNPX60PXPX07210503, inside dimensions: 500 mm x 320 mm x 95 mm, total dimensions: 620 mm x 600 mm x 250.	200
96	Elpress	Elpress sole cleaner, type: DZW 1500, number: 6096, year of construction: 02/2010, water pressure: 3 bar, maximum water temperature: 20 °C, brush length: (4x) 700 mm, total dimensions: 2120 mm x 1100 mm x 1270 mm.	1300
97	Top Cold		400



Nr	Title	Description	Start €
		Top Cold refrigerated cabinet, model: FGB 451, number: 148005800005, 220-240 V, 50 Hz, refrigerant: R134a/290 g, dimensions: 2780 mm x 560 mm x 850 mm.	
98	NN sink	S/s double sink, dimensions: 1900 mm x 720 mm x 1200 mm.	270
99	Diamond	Diamond refrigerated cabinet, model: TS31-US/L, serial number: 1911.0007, 230 V, 50 Hz, 3.3 A, 2500 W, refrigerant: R452 A / 0.380 kg, dimensions: 2050 mm x 850 mm x 2100 mm.	300
100	Marel	Marel weighing and sorting line, consisting of: Marel grader and Marel 14-stations sorting line, type grader: Vision Unit-300, serial number: A038511, year of construction: 2006, 230/400 V, 3 Ph, 0.15 kW, plastic mesh belt, belt width: 310 mm, total dimensions grader: 1750 mm x 800 mm x 2470, Marel transport belt, type: con-mstr, serial number: A044894, year of construction: 2007, 230/400 V, 3 Ph, 0.25 kW, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions transport belt: 1050 mm x 700 mm x 1550 mm, Marel 14-stations sorting line, type: dis-ma43, serial number: A045229, year of construction: 2007, 230/400 V, 3 Ph, 0.75 kW, 2x elevating belt with dividers, plastic mesh belt, belt width: 560 mm, distance between dividers: 195 mm and 1800 mm, divider height: 25 mm and 100 mm, elevating height: 1450 mm, total dimensions sorting line: 7100 mm x 2200 mm x 2100 mm	6000
101	Gebr. Van den Heuvel	Gebr. Van den Heuvel mobile wooden cheese vat with agitator, inside dimensions: 1300 mm x 1300 mm x 680 mm, total dimensions: 1600 mm x 1450 mm x 1500 mm.	300
102	Ilapak Italia S.p.a.	Ilapak Italia S.p.a. flowpacker, type: UNO, serial number: 061 96, year of construction: 4/1996, 380 V, 50 Hz, 5000 W, plastic infeed belt with dividers, belt width: 100 mm, divider height: 55 mm, distance between dividers: 430 mm, seal width: 250 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 5900 mm x 1300 mm x 1310 mm.	1000
103	NN glazing machine	Mobile glazing machine, s/s mesh belt, belt width: 800 mm, total dimensions: 1700 mm x 1550 mm x 2440 mm.	1000
104	Jex Engineering	Jex Engineering nitrogen freezer for 1 trolley, serial number: CB1000/3/368, year of construction: October 2000, inside dimensions: 1150 mm x 750 mm x 1720 mm, total dimensions: 1550 mm x 1550 mm x 2650 mm.	300
105	Cegepac		250



Nr	Title	Description	Start €
		Cegepac box closing machine, model: R 65 A, serial number: KN/026001, year of construction: 07/97, 380 V, 3 Ph, 50 Hz, 1.5 A, 0.6 kW, weight: 170 kg, dimensions: 1160 mm x 1070 mm x 1800 mm.	
106	Hobart	Hobart washing machine, model: UW2, serial number: 86142229, 380 V, 3 Ph, 50 Hz, 8.6 A, inside dimensions: 1040 mm x 600 mm, dimensions crate: 500 mm x 500 mm, total dimensions: 1200 mm x 750 mm x 1700 mm.	200
107	Berkel Prior/Mectec	Berkel Prior checkweigher with 2 Mectec labelling machines, type checkweigher: weegmachine voor, serial number: Mc 22148, maximum weight: 15 kg, minimum weight: 0.1 kg, e=d= 0.005, Mectec labeller, type: PCU III-AXX-E, serial number: 53606, year of construction: 2007 and Mectec labeller, type: A1160-50-100/100-L, serial number: 53608, year of construction: 2007, plastic belt, belt width: 400 mm, total dimensions: 2100 mm x 900 mm x 1640 mm.	300
108	NN vacuum oven/ microwave	Vacuum oven/microwave, inside dimensions: (2x) Ø 440 mm x 690 mm, dimensions plastic forms: 500 mm x 370 mm x 550 mm, total dimensions: 1020 mm x 1600 mm x 2200 mm.	100
109	NN vacuum oven/ microwave	Vacuum oven/microwave, inside dimensions: (2x) Ø 440 mm x 690 mm, dimensions plastic forms: 500 mm x 370 mm x 550 mm, total dimensions: 1020 mm x 1600 mm x 2200 mm.	100
110	SureService Ltd	SureService Ltd weighing and labelling machine, model: GEMINI, serial number: HS85195, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, maximum weight: 4 kg, minimum weight: 0.1 kg, e=d= 0.002 kg, 60 packs per minute, plastic belt, belt width: 230 mm and (2x) 100 mm, total dimensions: 1700 mm x 800 mm x 2100 mm.	300
111	Thermo Fischer	Thermo Fischer x-ray scanner with rejecter, type: EZX 420, serial number: 08243260, year of construction: JUNE 2008, 100-240 V, 50//60 Hz, 7.5-15 A, plastic belt, belt width: 310 mm, clearance: 380 mm x 190 mm, total dimensions: 2000 mm x 1100 mm x 1730 mm.	950
112	NN rack	S/s rack, dimensions: 2330 mm x 680 mm x 1810 mm.	75
113	NN swing doors	Pallet with 2 plastic swing doors, total dimensions: 2400 mm x 800 mm x 300 mm.	5
114	Ilapak Italia S.p.a.	Ilapak Italia S.p.a. flowpacker, type: Superflow, serial number: 99 056, year of construction: 4/1999, 400 V, 3 Ph, 50 Hz, 10 A, 5000 W, seal width: 250 mm, plastic belt, belt width: 100 mm, film width: 400 mm and 350 mm, total dimensions: 6800 mm x 1300 mm x 1600 mm.	1000
115	Westfalia Separator AG		1500



Nr	Title	Description	Start €
		Westfalia Separator AG separator, type: MZA 6-69-905, machine number: 2204 463, dimensions: 900 mm x 800 mm x 1100 mm.	
116	Wiesheu GmbH	Wiesheu GmbH oven, type: EW 2 Standmodell, number: 32601, year of construction: 2004-10, 230 V, 50 Hz, 2.8 kW, 2 floors, floor dimensions: 510 mm x 720 mm, total dimensions: 720 mm x 860 mm x 800 mm.	100
117	AVC	AVC mobile seal and shrink machine, model: CS, serial number: 1502390711, 400 V, 3 Ph, 50 Hz, 16 A, 7 kW, weight: 350 kg, film width: 410 mm, seal width: 515 mm and 430 mm, total dimensions: 2720 mm x 1250 mm x 1550 mm.	500
118	Sharp	Sharp transport belt, number: SP40730-K, year of construction: 26-06-2018, plastic mesh belt, belt width: 470 mm, plastic rollers, roller width: 450 mm, total dimensions: 3100 mm x 1250 mm x 930 mm.	250
119	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 460 mm, total dimensions: 1400 mm x 600 mm x 1600 mm.	50
120	Leonhardt	Leonhardt depositor, type: TG1/100, number: 0140/974, year of construction: 1998, dimensions: 1450 mm x 550 mm x 1280 mm.	500
121	Ulma	Ulma transport belt for vision system, model: 6555580, year of construction: 2017, plastic belt, belt width: 300 mm, total dimensions: 1450 mm x 700 mm x 1240 mm.	50
122	NN parts for traysealer	S/s trolley with parts for traysealer, dimensions dye: (2x) 190 mm x 100 mm, total dimensions: 630 mm x 500 mm x 1220 mm.	25
123	NN mixer	S/s mixer, model: TR200, year of construction: 97-03, 380 V, 3 Ph, 50 Hz, 6 A, volume: 20 liter, total dimensions: 340 mm x 400 mm x 770 mm.	350
124	Hamba	Hamba 4 lanes cup filling machine, type: BK 6004, machine number: 44045, year of construction: 1980, 220/80 V, 50 Hz, 16-20 A, diameter cup: 100 mm, total dimensions: 4300 mm x 1500 mm x 2150 mm.	1000
125	Loma Systems	Loma Systems metal detector, model: Euroscan F, serial number: 32F188, year of construction: march 1991, 415/240 V, 3 Ph, 50 Hz, clearance: 450 mm x 140 mm, plastic belt, belt width: 350 mm, total dimensions: 1500 mm x 900 mm x 1370 mm.	200
126	Loma Systems	Loma Systems double metal detector with rejector, serial number: 894062, 415/240 V, 3/1 Ph, 50 Hz, clearance: 350 mm x 140 mm, plastic belt, belt width: 290 mm, total dimensions: 2500 mm x 800 mm x 1650 mm.	700
127	Bertrand		650



Nr	Title	Description	Start €
		Bertrand 5-pits wok stove, type: ASIA II C5R, serial number: 25.07.10.10.2457, (2x) soup burner and (3x) jumbo burner, gas heated, 89.50 kW, 20/25 mbar, dimensions: 1800 mm x 900 mm x 1330 mm.	
128	NN frame	S/s frame with plastic rollers, roller width: 420 mm, dimensions: 700 mm x 470 mm x 150 mm.	5
129	Gunnebo Italdis	Gunnebo Italdis tourniquet with hand disinfection unit, model: Turn-O-Mat, serial number: TM05429, year of construction: 1999, 230 V, 50 Hz, 0.8 A, dimensions: 1600 mm x 1200 mm x 900 mm.	150
130	Ulma	Ulma transport belt for vision system, model: 6555580, year of construction: 2017, plastic belt, belt width: 300 mm, total dimensions: 1450 mm x 700 mm x 1240 mm.	50
131	BVC	BVC industrial vacuum cleaner, model: TI 80 DLF, serial number: AC 00047, 400 V, 3 Ph, 50 Hz, 15 kW, dimensions: 1800 mm x 600 mm x 1850 mm.	50
132	Blackrow	Blackrow transport belt, type: tray transfer bend conveyor, serial number: 5018-127227, year of construction: 2015, s/s frame, plastic mesh belt, belt width: 350 mm, total dimensions: 850 mm x 850 mm x 1000 mm.	100
133	WSS	WSS mobile oven with proofer and hood, type oven: SBU8E-DE/1816, year of construction: 2002, 380 V, 3 Ph, 25 A, 12 kW, type proofer: GSU8M/2354, year of construction: 2002, 220 V, 1 Ph, 9.2 A, type hood: DAH-DK/7206, year of construction: 2002, 220 V, 1 Ph, 0.16 A, 0.63 kW, dimensions: 820 mm x 770 mm x 2150 mm.	150
134	Safeline	Safeline metal detector with rejector, serial number head: 101408, clearance: 310 mm x 140 mm, plastic belt, belt width: 250 mm, total dimensions: 2500 mm x 900 mm x 1850 mm.	200
135	Platz	Platz pump, serie: 48975, type: 407336, year of construction: 2002, 400 V, 50 Hz, 8.2 kW, capacity: 72 liter per minute, dimensions: 1140 mm x 760 mm x 1030 mm.	200
136	Rietschle	Rietschle vacuum pump, type: VF 251 01, number: 931508, year of construction: 1985, capacity: 250 m ³ per hour, dimensions: 850 mm x 650 mm x 1130 mm.	50
137	NN can washer	S/s can washer, clearance: 800 mm x 110 mm, plastic belt, belt width: (2x) 150 mm, total dimensions: 4230 mm x 850 mm x 1900 mm.	250
138	NN cutter	Mobile cutter, dimensions: 800 mm x 800 mm x 1300 mm.	500
139	D&T Products	D&T Products coffee machine, type: Toscane FD 518, serial number: 00083482, 230/400 V, 50 Hz, 2.8.8.4 kW, dimensions: 520 mm x 475 mm x 710 mm.	40



Nr	Title	Description	Start €
140	NN transport belt	Transport belt, s/s frame, dimensions: 1000 mm x 750 mm x 1100 mm.	50
141	Arnott	Arnott spraying belt, number: OC.11443-4, year of construction: 07-06, s/s mesh belt, belt width: 250 mm, total dimensions: 1250 mm x 850 mm x 1200 mm.	150
142	Charot	Charot boiler vessel, dimensions: Ø 900 mm x 2500 mm.	50
143	Charot	Charot boiler vessel, dimensions: Ø 900 mm x 2500 mm.	50
144	Metro	Metro refrigerated showcase, type: GHS1120, 220/240 V, 50 Hz, 1.1 A, 180 W, refrigerant: R600a, dimensions: 1200 mm x 400 mm x 470 mm.	80
145	Loma Systems	Loma Systems checkweigher with metal detector and rejector, model: 7000 series, serial number: PC39162-31458, year of construction: 2003, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 250 mm, clearance: 350 mm x 130 mm, total dimensions: 1650 mm x 1000 mm x 1370 mm.	200
146	Diamond	Diamond fryer, model: GC477 SC, serial number: 1086443, gas heated, dimensions: 400 mm x 800 mm x 950 mm.	200
147	Parry	Parry 4 pits stove, model: N1871, serial number: 160160283, 240/415 V, 50 Hz, 8.5/12.5/29.2 A, 7 kW, dimensions: 600 mm x 610 mm x 220 mm. Missing 2 buttons.	35
148	Liebherr	Liebherr refrigerator, type: 7 6003 4, serial number: 47.196.804.5, refrigerant: R600a / 22 gram, volume: 127 liter, dimensions: 500 mm x 600 mm x 850 mm.	25
149	Freund	Freund balancer, type: F20-2SK, serial number: 010588, year of construction: 2000, maximum length: 2000 mm, weight: 7.7 kg, capacity: 15 kg.	50
150	NN slicer	Slicer, dimensions: 590 mm x 450 mm x 450 mm. Including knife sharpener.	50
151	NN table	Table, s/s frame, plastic worktop, dimensions: 2000 mm x 600 mm x 800 mm.	150
152	Polar	Polar 3-doors refrigerator, model: G622, serial number: G622 6001388, 230 V, 50 Hz, 1.3 A, 235 W, refrigerant: R600a / 100 gram, dimensions inside: (3x) 345 mm x 580 mm, total dimensions: 1370 mm x 700 mm x 900 mm.	50
153	Fans & Blowers Ltd	Fans & Blowers Ltd blower, type: 560 BC22, serial number: CC 179 /1, year of construction: 14/10/2021, weight: 160 kg, dimensions: 1250 mm x 950 mm x 940 mm.	50
154	Hoshizaki	Hoshizaki mobile refrigerator, model: RTE-1703A, serial number: F00083, 230 V, 1 Ph, 50 Hz, 2.2 A, 358 W,	350



Nr	Title	Description	Start €
		refrigerant: R134a / 0.245 kg, weight: 134 kg, dimensions: 1700 mm x 700 mm x 850 mm.	
155	NN stove	4-pits stove, gas heated, dimensions: 2600 mm x 840 mm x 915 mm.	650
156	Numatic	Numatic floor scrubbing machine, type: TT84045/100, 220-240 V, 50/60 Hz, 10 A, dimensions: 1250 mm x 800 mm x 1150 mm.	250
157	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning and derinding machine, type: ASB 800/1, number: 452, 380 V, 50 Hz, 0.85 kW, working width: 380 mm, total dimensions: 670 mm x 850 mm x 1200 mm. Incomplete.	250
158	NN frame	S/s frame, dimensions: 820 mm x 630 mm x 260 mm.	20
159	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 80 mm, total dimensions: 1000 mm x 350 mm x 1100 mm.	30
160	NN frame for curved conveyor	Mobile s/s frame for curved conveyor, dimensions: 1800 mm x 750 mm x 940 mm.	10
161	Tramper	3 s/s frames for Tramper denester, dimensions: 740 mm x 620 mm x 1250 mm. Including plastic crate with parts.	30
162	Thermo Ramsey	Thermo Ramsey checkweigher with rejecter, model: Sentron C, serial number: 5773, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, maximum weight: 1500 gram, minimum weight: 35 gram, e= 0.5 gram, plastic belt, belt width: 195 mm, total dimensions: 900 mm x 800 mm x 1250 mm. With Thermo Ramsey control panel, dimensions: 500 mm x 430 mm x 1770 mm.	200
163	Cool Head	Cool Head refrigerated showcase, model: VRX 14/38/ S/S, year of construction: 08/2017, 220/240 V, 50 Hz, 1.3 A, 160 W, refrigerant: R600a / 40 g, weight: 42 kg, volume: 53 liter, dimensions: 1450 mm x 395 mm x 360 mm.	200
164	Bizerba	Bizerba hook weighing scale, type: ST, number: 11008533, 240 V, 50/60 Hz, 0.25 A, maximum weight: 150 kg, minimum weight: 1 kg, e= 0.05 kg, dimensions: 600 mm x 700 mm x 1300 mm.	180
165	True	True mobile refrigerator, model: GDM-33, serial number: 5176500, refrigerant: R134A, 0.34 kg, capacity: 935 liter, dimensions: 1000 mm x 750 mm x 2080 mm.	75
166	Ascobloc Gastro-Gerätebau GmbH	Ascobloc Gastro-Gerätebau GmbH mobile cooking vessel, inside dimensions: 1040 mm x 600 mm x 1900 mm, total dimensions: 1200 mm x 1000 mm x 980 mm.	150
167	Leventi	Leventi combi steamer, type: BM MM Q3, serial number: 08050089, year of construction: 2008, 380-415 V, 3 Ph, 50/60 Hz, 18.2 kW, 8 floors,	150



Nr	Title	Description	Start €
		dimensions each floor: 600 mm x 400 mm, total dimensions: 970 mm x 850 mm x 1100 mm.	
168	Stal Refrigeration	Stal Refrigeration mini screw cooling compressor unit, type: RVA 59, number: AAE-BBD-AOB-BAF-A, dimensions: 1200 mm x 1200 mm x 1950 mm.	500
169	NN pasteurization installation	S/s HTST pasteurization installation, capacity: 1000 liters per hour, dimensions: 2100 mm x 1700 mm x 2000 mm. Never used.	1500
170	Treif	Treif slicer, model: FALCON conti, machine number: 461004.61938.108350, year of construction: 2010, 380-480 V, 3 Ph, 50/60 Hz, 32 A, 8.6/11.7 kW, weight: 750 kg, plastic belt, belt width: 250 mm, clearance: 260 mm x 180 mm, total dimensions: 4600 mm x 1250 mm x 1830 mm. Without knife.	6000
171	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 210 mm, total dimensions: 5200 mm x 500 mm x 1100 mm.	200
172	Alpma	Alpma cheese packaging machine, type: U-64/D, fabrication number: 6450.214.339, year of construction: 1988, capacity: 50 per minute, weight: 900 kg, dimensions: 1800 mm x 900 mm x 1600 mm. Including 2 pallets with parts.	500
173	NN breaker	Breaker, plastic belt, plastic belt, belt width: 620 mm, working width: 600 mm, total dimensions: 3250 mm x 1000 mm x 1850 mm.	500
174	NN frame for dyes	S/s frame for dyes, dimensions: 2140 mm x 680 mm x 1350 mm.	30
175	NN machine parts	Plastic crate plastic air hose and s/s knife for sausage cutter.	5
176	Itec	Itec lifter for 200 liter meat bins, type: 2700, series: 163, year of construction: 7/98, 400 V, 50 Hz, lifting height: 2130 mm, total dimensions: 3150 mm x 1000 mm x 1150 mm. Incomplete.	500
177	SandenVendo Europe S.p.A.	SandenVendo Europe S.p.A. coffee machine, model: SVE TSH, serial number: 2914003776, year of construction: 04/2019, 220-240 V, 50-60 Hz, 3200 Watt, dimensions: 420 mm x 490 mm x 365 mm.	100
178	NN refrigerated sliding door	Refrigerated sliding door, thickness: 110 mm, dimensions door: 1500 mm x 2250 mm. Without rails.	100
179	Bizerba	Bizerba slicer, type: VS 12, number: 1770463, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 1.8 A, dimensions: 580 mm x 700 mm x 425 mm. Incomplete.	50
180	Alpeninox	Alpeninox refrigerated counter with 6 drawers, model: HB2PNT, serial number: 61510001, inside dimensions: (6x) 300 mm x 520 mm x 100 mm, total dimensions: 1220 mm x 700 mm x 820 mm.	500
181	Gainsborough Craftsmen	Gainsborough Craftsmen packaging machine for sausages with tray denester, machine number: 1495,	800



Nr	Title	Description	Start €
		year of construction: oct 2005, 415 V, weight: 1500 kg, plastic belt, belt width: 50 mm, tray dimensions: 140 mm x 190 mm, total dimensions: 3350 mm x 1050 mm x 1950 mm. Incomplete.	
182	Thermo Fischer	Thermo Fisher metal detector with rejecter, model: Apex500, serial number: 9628, year of construction: 2012, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 250 mm, clearance: 350 mm x 150 mm, total dimensions: 1400 mm x 960 mm x 1460 mm.	500
183	Gico	Gico grill, type: VF0014, number: AS53338001, year of construction: 2014, grill plate dimensions: 660 mm x 360 mm, gas heated, total dimensions: 900 mm x 480 mm x 980 mm.	350
184	Alco	Alco mobile coating machine, type: ADT 400, serial number: 02212214, year of construction: 2005, 400 V, 0.9 kW, s/s mesh belt, belt width: 400 mm, total dimensions: 2250 mm x 900 mm x 1680 mm.	1000
185	WSS	WSS oven, type: Cention C 1011, serial number: 14GG440001, year of construction: 0125, 400 V, 3 Ph, 25 A, 12 kW, dimensions: 810 mm x 820 mm x 1200 mm.	150
186	NN vacuum machine	Mobile vacuum machine, seal length: 450 mm, chamber dimensions: 850 mm x 460 mm, vacuum pump, total dimensions: 950 mm x 570 mm x 910 mm.	650
187	Rational	Rational combi steamer, model: ClimaPlus Combi CPC 201, serial number: E21CD02111079329, 400 V, 50 Hz, electric heated, s/s trolley, 20 floors, dimensions each floor: 530 mm x 330 mm, dimensions trolley: 850 mm x 540 mm x 1800, total dimensions: 1000 mm x 900 mm x 1900 mm.	1400
188	NN meat hooks	8 various meat hooks, dimensions: (8x) 400 mm x 400 mm x 1200 mm.	200
189	NN chairs	Large amount of wooden foldable chairs approximately: 60 pieces.	180
190	NN chains	Pallet with chains, dimensions: 1200 mm x 1000 mm x 400 mm.	20
191	Electrolux	Electrolux double stacked dryer, model: T4300, serial number: 2330/0015489, dimensions: 1110 mm x 800 mm x 1940 mm.	400
192	NN refrigerated showcase	Refrigerated showcase, dimensions: 1000 mm x 1300 mm x 2040 mm.	300
193	Thermo Fischer	Thermo Fischer metal detector with rejecter, model: Apex500, serial number: 9627, year of construction: 2012, 230 V, 50 Hz, plastic belt, belt width: 250 mm, clearance: 300 mm x 100 mm, total dimensions: 1400 mm x 1100 mm x 1350 mm.	500
194	Strapex	Strapex mobile binding machine, type: SMA10, serial number: 118071298, year of construction: 2018, 230	350



Nr	Title	Description	Start €
		V, 50 Hz, strap width: 12 mm, dimensions: 900 mm x 600 mm x 750 mm.	
195	NN knife sharpener	Knife sharpener, dimensions: 430 mm x 380 mm x 280 mm. Incomplete.	50
196	Bunn	Bunn coffee machine, model: CWA-APS, serial number: CW00072262, 220/240 V, 1 Ph, 50/60 Hz, 8.6/9.5 A, 1900/2300 W, dimensions: 210 mm x 500 mm x 620 mm.	10
197	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03DK, machine number: 0384457, 380 V, 3 Ph, 50 Hz, 9 kW, dimensions chamber: 950 mm x 430 mm x 150 mm, seal length: 950 mm x (2x) 450 mm, Rietschle vacuum pump, type: CLFH 220 V 1011, capacity: 220 m ³ per hour, total dimensions: 1150 mm x 800 mm x 1050 mm.	350
198	Leventi	Leventi double combi steamer, type: BM 6 MM NG and BM 4 MM NG, number: 13 03 57830 and 13 03 57829, 400 V, 3 Ph, 50/60 Hz, 9 kW, 4 and 6 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1000 mm x 900 mm x 2200 mm.	800
199	NN frame	S/s frame, dimensions: 800 mm x 720 mm x 720 mm.	50
200	Loma Systems	Loma systems checkweigher with metal detector and double rejector, serial number: 71A001, 240 V, 1 Ph, 50 Hz, plastic belt, belt width: 300 mm, clearance: 450 mm x 130 mm, total dimensions: 2750 mm x 1000 mm x 1050 mm.	700
201	Kolbe	Kolbe bandsaw, dimensions: 900 mm x 1000 mm x 1800 mm.	1250
202	NN au-bain marie	Wooden counter with au-bain marie, dimensions inside: 505 mm x 305 mm x 185 mm, dimensions: 1000 mm x 800 mm x 700 mm.	50
203	Fine Interkorea	Fine Interkorea checkweigher with rejecter, model: FAC-5500 W335 535, serial number: E065031, year of construction: 2006/06, weight range: 1-500 gram, plastic belt, belt width: 300 mm, total dimensions: 1670 mm x 900 mm x 1630 mm.	300
204	Lotus	Lotus au-bain marie, model: BM-78EM, number: 15070709, 230 V, 1 Ph, 50/60 Hz, 2.2 kW, dimensions: 800 mm x 1020 mm x 720 mm.	350
205	Collamat	Collamat top and bottom labelling machine on s/s frame, consisting of; Collamat labeller and Collamat label printer, type labeller: E 86, serial number: E 0029, year of construction: 04/07, type label printer: C8610/20, serial number: 1366, year of construction: 04/07, 110/240 V, 305 W, total dimensions: 1900 mm x 900 mm x 2060 mm.	400
206	4-matic design		400



Nr	Title	Description	Start €
		4-matic design mobile roller press, working width: 1000 mm, dimensions: 2200 mm x 1200 mm x 2200 mm.	
207	Hobart	Hobart dishwasher, model: ECO-F504-12B, serial number: 867181685, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 9.9 A, 5.9 kW, crate dimensions: 495 mm x 495 mm, total dimensions: 595 mm x 575 mm x 810 mm.	500
208	Falcon	Falcon gas stove with oven, model: G1006FX, serial number: F574077, dimensions: 900 mm x 950 mm x 900 mm.	150
209	Infrico	Infrico refrigerator, model: BMGN1470II, 220-230 V, 50 Hz, 3.13 A, 3.27 kW, gross volume: 873 liter, nett volume: 295 liter, refrigerant: R134a, 260/230 g, dimensions each floor: 540 mm x 330 mm, total dimensions: 1470 mm x 700 mm x 960 mm.	450
210	Arneg	Arneg refrigerated showcase, model: Banco Genius G.I. H145 L100, serial number: 1D08881401, year of construction: 2004, 230 V, 50 Hz, refrigerant: R404A, dimensions: 1000 mm x 700 mm x 1450 mm.	150
211	Marel	Marel mobile portioning machine, type: Portio 4003S, serial number: 0805-0071, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, weight: 500 kg, plastic mesh belt, belt width: 250 mm, total dimensions: 2700 mm x 800 mm x 3000 mm.	1000
212	Günther	Günther cooled vacuum tumbler, type: GPA 300K, machine number: 30342, year of construction: 2007, 400 V, 16 A, 2.5 kW, Becker vacuum pump, type: U 4.20/09, capacity: 18-21 m³ per hour, dimensions: 2100 mm x 1750 mm x 1630 mm.	3000
213	Thermo Fischer	Thermo Fischer metal detector with rejecter, model: Apex500, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 250 mm, clearance: 350 mm x 150 mm, total dimensions: 1750 mm x 800 mm x 1360 mm.	500
214	Lock	Lock metal detector, model: MET30+, plastic belt, belt width: 460 mm, clearance: 550 mm x 220 mm, total dimensions: 2000 mm x 1050 mm x 1150 mm. Missing driving motor.	300
215	Antoine	Antoine 4-door refrigerator, type: ANTOINE F.A. 2060 4DM SF vitré - LED, number: 112478 348411, year of construction: 2021, 230 V, 50 Hz, refrigerant: R134a, dimensions: 2060 mm x 550 mm x 820 mm. Without cooling compressor.	550
216	Röschermatic	Röschermatic mobile vacuum mixer, dimensions: 1500 mm x 900 mm x 1650 mm. Without vacuum pump.	350
217	Airpress	Airpress air compressor, model: 50MFL, year of construction: 2010, 220/240 V, 50 Hz, volume: 50 liter, dimensions: 670 mm x 620 mm x 665 mm.	250



Nr	Title	Description	Start €
218	NN crumbling machine	Mobile crumbling machine, type: RZ4, machine number: 911212, dimensions: 950 mm x 1200 mm x 1900 mm.	200
219	NN refrigerator	Mobile refrigerator, dimensions: 1100 mm x 680 mm x 1850 mm.	100
220	Frilec	Frilec refrigerator, type: 175.6719, 220/240 V, 50 Hz, 100 W, 0.8 kWh/24 h, volume: 178/158/17 dm ³ , dimensions: 600 mm x 600 mm x 840 mm.	10
221	NN water softener	Pallet with water softener, consisting of 3 vessels and 1 plastic bin.	50
222	Cretel	Cretel mobile skinning machine, type: SB46, serial number: 2041188, year of construction: 2004, 230-400 V, 3 Ph, 50 Hz, 3.8-2.2 A, 0.75 kW, working width: 435 mm, total dimensions: 750 mm x 500 mm x 990 mm.	300
223	NN plastic work tops	S/s trolley with 16 plastic work tops, dimensions work tops: (14x) 1000 mm x 600 mm x 20 mm, (1x) 950 mm x 550 mm x 40 mm and (1x) 420 mm x 550 mm x 40 mm, dimensions trolley: 700 mm x 700 mm x 1280 mm.	150
224	NN decorer/peeler	Decorer/peeler, dimensions: 600 mm x 340 mm x 300 mm.	100
225	NN ham moulds	3 s/s ham moulds, dimensions: (3x) 510 mm x 350 mm x 110 mm.	250
226	Loma Systems	Loma Systems mobile metal detector with rejector, year of construction: 1997, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 120 mm, total dimensions: 2200 mm x 1200 mm x 1100 mm.	500
227	NN lid closing machine	Mobile lid closing machine, s/s frame, plastic belt, belt width: 150 mm, diameter press: 90 mm, total dimensions: 1750 mm x 700 mm x 1400 mm.	350
228	Inomak S.A.	Inomak S.A. refrigerator, type: CE2140, number: 020713, 230 V, 50 Hz, 3.8 A, refrigerant: R134a, 0.670 kg, dimensions: 1390 mm x 840 mm x 2070 mm. Damaged.	250
229	Hoshizaki	Hoshizaki refrigerator, inside dimensions: 520 mm x 650 mm x 1300 mm, dimensions: 840 mm x 660 mm x 2000.	350
230	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: ALVAC II SM, machine number: 8069-2384, 220-380 V, 3 Ph, 50 Hz, 1.5 kW, seal length: 500 mm, Rietschle vacuum pump, type: VCA 60, total dimensions: 600 mm x 800 mm x 1000 mm.	650
231	Enterpack/Conpax	Enterpack/Conpax packaging machine, model: EPA-350AD, serial number: 3500E-01600, 230 V, 50 Hz, 340-480 Watt, diameter dye: 135 mm, maximum film width: 310 mm, dimensions: 452 mm x 354 mm x 410 mm.	200
232	NN frames		10



Nr	Title	Description	Start €
		2 s/s wall mounted frames, dimensions: (2x) 590 mm x 120 mm x 440 mm.	
233	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 850 mm.	180
234	Supertape	Supertape part for box closing machine, type: DOSEERENHEID H7.1, machine number: 95-601593, year of construction: 1995, weight: 75 kg, dimensions: 900 mm x 1000 mm x 1070 mm.	20
235	Pattfield	2 Pattfield electrical chain hoists, number: 000092, year of construction: 2019, 230 V, 50 Hz, dimensions: (2x) 350 mm x 230 mm x 130 mm.	150
236	Profinox	Profinox heated cabinet, serial number: 2020101805, 220-240 V, 1 Ph, 50/60 Hz, dimensions: 1200 mm x 400 mm x 250 mm.	250
237	AEW Delford	AEW Delford slicer, model: PolySlicer 3000V, serial number: 1890055, 400 V, 3 Ph, 50 Hz, 40 A, weight: 1100 kg, dimensions: 2800 mm x 1400 mm x 2350 mm. Without outfeed belt.	2000
238	Komet	Komet mobile vacuum machine, type: I300, machine number: 269 94 88, 220/380 V, 16 A, 1.1 kW, seal length: 400 mm, chamber dimensions: 400 mm x 540 mm, total dimensions: 490 mm x 700 mm x 950 mm.	250
239	NN dryer	Mobile dryer with plastic wired belt, belt width: 150 mm, clearance: 210 mm x 120 mm, total dimensions: 1410 mm x 600 mm x 1400 mm.	300
240	Foster	Foster mobile refrigerated counter, model: 43-102 EP1/2H, serial number: E6029371, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 0.9 A, volume: 172.3 liter, refrigerant: R290, 110 gram, dimensions: 1370 mm x 700 mm x 860 mm.	350
241	NN table	S/s table, dimensions: 1200 mm x 790 mm x 925 mm.	150
242	Maxima	Maxima double fryer, serial number: 19HL7280-1522, 230 V, 1 Ph, 50 Hz, 6500 Watt, volume: (2x) 8 liter, dimensions: 600 mm x 450 mm x 400 mm.	50
243	Diamond	Diamond refrigerator, 3 doors, model: TS3N/L, serial number: 1737.0006, 220-240 V, 50-60 Hz, refrigerant: R404a, floor dimensions: 320 mm x 530 mm, inside dimensions: 1230 mm x 500 mm x 570 mm, total dimensions: 1600 mm x 700 mm x 900 mm.	400
244	Franstal	Franstal refrigerator, serial number: 141025007, 220-230 V, 50 Hz, 2,8 A, refrigerant: R404a / 400 gram, dimensions: 870 mm x 700 mm x 700 mm. Missing cover.	40
245	Unox	Unox combisteamer, type: XBC405E, serial number: 2015C0016006, 220-240/380-415 V, 1/3 Ph, 50/60 Hz, 7.5 kW, net weight: 60 kg, 4 floors, dimensions each floor: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	400
246	Rosieres		100



Nr	Title	Description	Start €
		Rosieres grill, dimensions: 640 mm x 640 mm x 540 mm.	
247	Unox	Unox combisteamer, type: XBC404, serial number: 353, 230/400 V, 3 Ph, 50/60 Hz, net weight: 60 kg, 4 floors, dimensions each floor: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	400
248	Charot	Charot boiler, serial number: 229-98-2, year of construction: 09-93, 400 V, 48 kW, dimensions: 780 mm x 600 mm x 1800 mm.	400
249	Edlund	Edlund can opener, diameter: 155 mm, dimensions: 250 mm x 320 mm x 700 mm.	50
250	Rational	S/s trolley for Rational combi steamer, 20 floors, dimensions each floors: 530 mm x 330 mm, dimensions trolley: 700 mm x 550 mm x 1780 mm.	200
251	NN tub	S/s tub with Warick Controls electrode fitting, type fitting: 3E3C, , dimensions: 500 mm x 480 mm x 1150 mm.	20
252	Carver	Carver compression moulding press, model: CMG75H-24-CX-CE, serial number: 210499, year of construction: 02-2022, 415 V, 3 Ph, 50 Hz, 15000 Watt per plate, weight: 3039 kg, dimensions: 1550 mm x 1550 mm x 2000 mm.	2000
253	Leventi	Leventi double stacked combi steamer with hood, 5 and 6 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1050 mm x 900 mm x 2210 mm. Missing cover.	1200
254	Fanuc	Fanuc palletizing robot with part for palletising system, pallet size: 1200 mm x 1000 mm x 145 mm, system: R-J3IC, type robot: A05B-2513-B010, dimensions robot: 2950 mm x 1200 mm x 2290 mm, dimensions platform: 1700 mm x 1550 mm x 1700 mm. Including pallet with parts.	1000
255	Kortho	Kortho mobile label printer, type: 809518, dimensions: 960 mm x 750 mm x 1670 mm.	20
256	NN netting device	Netting device, diameter: 190 mm, total dimensions: 260 mm x 440 mm x 440 mm.	50
257	NN frame	S/s frame, dimensions: 1130 mm x 1040 mm x 1400 mm.	30
258	Ceia	Ceia mobile metal detector, model: THS, serial number: 20500202026, 230 V, 50-60 Hz, clearance: 600 mm x 300 mm, plastic mesh belt, belt width: 275 mm, total dimensions: 1800 mm x 1200 mm x 1380 mm.	1500
259	NN vacuum machine	Mobile vacuum machine, seal length: 450 mm, chamber dimensions: 850 mm x 460 mm, total dimensions: 950 mm x 570 mm x 910 mm.	650
260	Gastrotec	Gastrotec s/s sink with faucet, dimensions: 1300 mm x 710 mm x 1150 mm. Faucet is broken.	150



Nr	Title	Description	Start €
261	NN cabinet	Mobile s/s cabinet, dimensions: 1500 mm x 750 mm x 1700 mm.	300
262	NN side channel blowers	2 side channel blower with ESAM s.p.a. motors, type: MAXI JET 2S CE, number: 60200472, 60200474, dimensions: (2x) 600 mm x 400 mm x 700 mm.	100
263	Hatco	Hatco food warmer, dimensions: 1800 mm x 300 mm x 695 mm.	120
264	SMEG	SMEG dishwasher, type: GW4190, serial number: 40624, 400 V, 3 Ph, 50 Hz, 12 A, 7000 W, dimensions: 900 mm x 600 mm x 850 mm.	75
265	NN plastic belt	Plastic belt, belt width: 225 mm, length: 1020 mm.	10
266	Scanvaegt	Scanvaegt weighing scale with indicator, type indicator: 411, serial number: BPE02571, type receptor: 1025.30, serial number: BPE02571, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 20 gram, dimensions: 560 mm x 600 mm x 700 mm.	50
267	Foster	Foster mobile refrigerator with 4 drawers, type: G2, model: EP2/2H, serial number: E5370939, refrigerant: R290, 150 g, 230 V, 1 Ph, 50 Hz, 2.4/10 A, 305 W, dimensions: 1830 mm x 800 mm x 830 mm.	450
268	Bizerba	Bizerba hook weighing scale, number: 675 558-86, maximum weight: 150 kg, minimum weight: 5 kg, e=d= 100 gram, dimensions: 1200 mm x 600 mm x 600 mm.	150
269	Handtmann	Handtmann mobile linker, type: 115-21, number: 337, year of construction: 2000, 400 V, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1300 mm x 700 mm x 1250 mm. Missing belts.	300
270	NN grill	Grill, dimensions: 800 mm x 400 mm x 500 mm.	100
271	Electrolux	Electrolux combi steamer, type: Air-O-Steam, model: AOS061ETA1, serial number: 04304005, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 15 A, 10.1 A, dimensions: 900 mm x 900 mm x 850 mm.	850
272	NN skinning machine	Mobile skinning machine, working width: 500 mm, total dimensions: 900 mm x 660 mm x 980 mm.	350
273	Gram	Gram mobile refrigerator, type: K 610 RG C 4N, serial number: 10012444, 230 V, 50 Hz, 1.50 A, 291 W, refrigerant: R600a / 102 gram, dimensions: 700 mm x 870 mm x 2000 mm.	200
274	Eurogrill	Eurogrill rotary grill, model: TGW 50, serial number: 1120072, year of construction: 1997, 400 V, 4500 W, 50 Hz, 10,6 A, 3 floors, dimensions each floor: 320 mm x 350 mm, total dimensions: 1000 mm x 500 mm x 700 mm.	250
275	Porkka	Porkka refrigerator, type: TFUR720C-SS C 720 R/R OIK, number: 200527-144652.001, 230 V, 50 Hz, 334 Watt, refrigerant: R-134a, 375 gram, dimensions: 850 mm x 710 mm x 1980 mm.	150
276	K+G Wetter		2500



Nr	Title	Description	Start €
		K+G Wetter paddle mixer, type: 440/200 Ltr., machine number: 440/1006, year of construction: 2001, 400 V, 50 Hz, 5.6 A, 2.4 kW, volume: 200 liter, dimensions: 1800 mm x 1000 mm x 2310 mm.	
277	NN tub	S/s tub, dimensions: 1080 mm x 700 mm x 620 mm.	200
278	Capic	Capic grill, model: W040301, number: 120701053, 400 V, 3 Ph, 50 Hz, dimensions: 650 mm x 650 mm x 550 mm.	180
279	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0259001, year of construction: 2002, 400/230 V, 3 Ph, 50 Hz, 3 kW, dye: (2x) 145 mm x 210 mm, film width: 230 mm, total dimensions: 4550 mm x 700 mm x 1750 mm.	1000
280	True	True mobile refrigerator, model: TS-23G-2, serial number: 7681744, 230 V, 50 Hz, 4 A, refrigerant: R134A, 0.34 kg, capacity: 652 liter, floor dimensions: 580 mm x 540 mm, inside dimensions: 600 mm x 610 mm x 1450 mm, total dimensions: 690 mm x 800 mm x 2070 mm.	75
281	NN transport belt	Transport belt with rejecter, plastic belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 1350 mm. Incomplete.	40
282	NN tenderizer	Mobile s/s tenderizer, working width: 210 mm, total dimensions: 1050 mm x 530 mm x 1600 mm.	1500
283	EFM machinery	EFM machinery filling and lid closing machine, type: 01, serial number: 1511, year of construction: 2007, chain belt, belt width: 40 mm, lid diameter: 80 mm, total dimensions: 3100 mm x 750 mm x 2050 mm.	350
284	Omori Europe B.V.	Omori Europe B.V. flowpacker, type: S-5015EU-BX, serial number: X18228, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 10 kW, weight: 1500 kg, seal length: 250 mm, plastic outfeed belt, belt width: 180 mm, total dimensions: 3900 mm x 1100 mm x 1850 mm.	1500
285	NN depositor	Mobile s/s depositor, dimensions: 1350 mm x 820 mm x 1040 mm.	150
286	Robopack	Robopack box closing machine, model: ROBOTAPE 65 CF, serial number: KN/046851, year of construction: 10/2001, 400 V, 3 Ph, 50 Hz, 1.6 A, 0.6 kW, weight: 253 kg, dimensions: 2350 mm x 1200 mm x 2000 mm.	350
287	Bosgraaf	Bosgraaf mobile s/s writing desk, dimensions: 600 mm x 550 mm x 1200 mm.	150
288	Optima	Optima mobile bag clipping machine, type: CH3A, fabrication number: 20150, year of construction: 1988, dimensions: 1100 mm x 900 mm x 1050 mm.	150
289	Selo BV	Selo BV tray denester, type: SL Tray dispenser, serial number: T113-001-0001, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 1.7 kW, 2 lanes, lane width: (2x) 175	200



Nr	Title	Description	Start €
		mm, total dimensions: 1300 mm x 1050 mm, 1900 mm.	
290	Pesutekno	Pesutekno dishwasher, inside dimensions: 1080 mm x 650 mm, total dimensions: 1200 mm x 820 mm x 1720 mm.	50
291	NN refrigerated showcase	Refrigerated showcase, dimensions: 1100 mm x 720 mm x 690 mm.	50
292	NN sink	S/s sink with faucet, sensor control, dimensions: 450 mm x 500 mm x 1000 mm.	200
293	Marel	Marel film wrapper, model: ARANEA FILM WRAPPER, type: WM6201, serial number: AF558971, year of construction: 2019, plastic belt, belt width: 800 mm, seal length: 1200 mm, total dimensions: 1850 mm x 1450 mm x 2150 mm. Including crate with parts.	500
294	Fomaco	Fomaco injector, type: FGM 48 SC, machine number: 7829, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 17-32 A, 6 bar, (2x) 48 needles, plastic mesh belt, belt width: 400 mm, dimensions injector: 1270 mm x 750 mm x 2200 mm. Including Fomaco mobile filter unit, model: PFS 5/225 CS, machine number: 7831, year of construction: 1999, dimensions filter unit: 1700 mm x 650 mm x 700 mm. Filter unit is incomplete.	500
295	Electrolux	Electrolux 2-door freezer, model: RE4142FF, serial number: 30210002, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 4.9 A, refrigerant: R404a, 0.29 kg, dimensions: 1430 mm x 840 mm x 2050 mm. Damaged.	250
296	Marvu	Marvu mobile s/s frame for transport belt, dimensions: 2400 mm x 1000 mm x 1270 mm.	150
297	Supertape	Supertape box closing machine, type: HF-7, machine number: 95-74301, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 4.5 A, weight: 195 kg, dimensions: 1700 mm x 1050 mm x 2200 mm.	150
298	CRM	CRM mobile ice cream machine, model: GEL20E SIF, serial number: 02/328, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2.2 A, 0.66 kW, dimensions: 640 mm x 460 mm x 1000 mm. Missing 1 cover.	800
299	NN rejecter bin	S/s double rejecter bin, dimensions: 850 mm x 400 mm x 1100 mm.	40
300	NN cabinet	S/s cabinet, dimensions: 700 mm x 400 mm x 925 mm.	50
301	Conpax	Conpax traysealer on s/s trolley, film width: 230 mm, dye: 220 mm x 170 mm, total dimensions: 780 mm x 480 mm x 1150 mm.	150
302	NN sink	S/s sink, knee control, dimensions: 450 mm x 450 mm x 670 mm.	25
303	NN refrigerator	S/s 3-door refrigerator, model: S903 PZ, serial number: D1504H404S93PZ243, 220/240 V, 50 Hz, 1.6 A, 230 W,	150



Nr	Title	Description	Start €
		refrigerant: R134a, weight: 170 kg, dimensions: 1400 mm x 700 mm x 830 mm.	
304	NN refrigerated showcase	Refrigerated showcase, dimensions: 2150 mm x 800 mm x 1000 mm.	100
305	CZB	CZB weighing scale with label printer, model: EQUA 5000, serial number: 120950249, 110/230 V, 50/60 Hz, 24 W, maximum capacity: 12 kg, minimum capacity: 40 g, e= 2 g, T = -9.998 kg, dimensions: 500 mm x 360 mm x 480 mm.	50
306	Helmac Srl	Helmac Srl weighing scale with label printer, model: GP1 AP, serial number: 0232906342, 220/250 V, maximum weight: 12/30 kg, minimum weight: 0.04 kg, e= 2/5 kg, T= -12 kg, Lim: 54 kg, dimensions: 440 mm x 370 mm x 560 mm.	50
307	Hajek	Hajek thermoformer, type: VS20/420-100, number: 135227, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 11 kW, film width: 420 mm, dyes: 180 m x 180 mm, total dimensions: 2320 mm x 960 mm x 1770 mm.	4000
308	NN lid for cutter	Plastic lid for cutter, dimensions: 1120 mm x 500 mm x 180 mm. Broken.	20
309	Tedea	Tedea weighing scale without indicator, model: 1250, dimensions: 610 mm x 450 mm x 160 mm.	40
310	Hatco	Hatco s/s kitchen counter with au bain marie, model: GRAH-48, serial number: 7959302109, 220-230 V, 50-60 Hz, 5/5.2 A, 1100/1202 W, dimensions: 2600 mm x 720 mm x 1710 mm.	1100
311	Vaiotec	Vaiotec freezer, model: SNACKH400BTV, serial number: SK2224VG08SAK400B066, 230 V, 50 Hz, 2.7 A, refrigerant: R290, 120 gram, volume: 312 liter, dimensions: 750 mm x 700 mm x 1970 mm. Damaged.	250
312	T. Freemantle Ltd.	T. Freemantle Ltd. mobile semi automatic pre-glued sleever, model: S11, serial number: 03-178, year of construction: 03-2004, 240 V, 1 Ph, plastic belt, belt width: 250 mm, total dimensions: 4200 mm x 1200 mm x 1700 mm.	500
313	Rhima/Wexiödisk AB	Rhima/Wexiödisk AB dishwasher with infeed roller conveyor, type: WD-211E, number: 037198, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 80 A, 42 kW, dimensions: 3400 mm x 1400 mm x 1800 mm.	600
314	Youngsunpack	Youngsunpack box closing machine, type: MH-FJ-1A, serial number: 130508C S1-03, year of construction: 2012/2013/2014, 220 V, 1 Ph, 50 Hz, 600 W, aluminium rollers, roller width: (14x) 280 mm and (8x) 680 mm, total dimensions: 1100 mm x 800 mm x 900 mm. Incomplete.	30
315	Thermo Electron Corporation	Thermo Electron Corporation checkweigher with rejector, model: AC9 GP, serial number: 6858, year of	100



Nr	Title	Description	Start €
		construction: 2006, 230 V, 50 Hz, 0.6 kVA, weighing range: 35/1500 gram, e= 0,5 gram, d= 0.5 gram, T= 1500 gram, plastic belt, belt width: 150 mm, 190 mm, total dimensions: 1700 mm x 750 mm x 1950 mm.	
316	Maja Maschinenfabrik	Part for Maja Maschinenfabrik ice machine, dimensions: 740 mm x 180 mm x 1020 mm.	25
317	NN refrigerator	Refrigerator, dimensions: 2370 mm x 740 mm x 730 mm.	650
318	Rohema Maschinenbau GmbH	Rohema Maschinenbau GmbH mobile hanging line for sausages, dimensions: 2200 mm x 1200 mm x 1600 mm.	100
319	Tournus	Tournus s/s sink with faucet, dimensions: 330 mm x 330 mm x 400 mm.	50
320	Combisteel	Combisteel refrigerator, model: SEC900, serial number: 277439, 230 V, 50 Hz, 1.6 A, 230 Watt, refrigerant: R134a / 165 gram, dimensions: 900 mm x 700 mm x 870 mm.	250
321	Rubbens	Rubbens blast chiller, model: Y4, serial number: 184866, year of construction: 2019, 220-240 V, 1 Ph, 50 Hz, 2.6 A, refrigerant: R452A / 0.370 kg, dimensions: 720 mm x 510 mm x 2080 mm. Damaged.	200
322	Aristarco	Aristarco dishwasher, model: Lavab. AL 40.28 V230M 1D, type: 3310, serial number: 7491001, 230 V, 1 Ph, 50 Hz, 16 A, 3050 W, dimensions: 480 mm x 550 mm x 750 mm. Including osmos maxi boiler.	350
323	Gamko	Gamko refrigerator, type: ECO/222MU, year of construction: 2013, 220-240 V, 50 Hz, 370 Watt, refrigerant: R134A / 160 gram, floor dimensions: 370 mm x 480 mm, total dimensions: 800 mm x 2000 mm x 1040 mm.	400
324	NN table	S/s table, dimensions: 2100 mm x 920 mm x 940 mm.	250
325	Bosgraaf	Bosgraaf hygiene station with sole cleaner and tourniquet, length brush: (4x) 710 mm, total dimensions: 3600 mm x 1500 mm x 1280 mm.	1000
326	Herbert	Herbert weighing machine with labeller, type: IH500, maximum: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, T = -1.000 kg, dimensions: 900 mm x 550 mm x 1600 mm.	100
327	Unox	Unox combisteamer, type: XBC405E, serial number: 2014C0020325, 220-240/380-415 V, 1/3 Ph, 50/60 Hz, 7.5 kW, gross weight: 77 kg, net weight: 60 kg, 4 floors, dimensions each floor: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	400
328	Domino	Domino mobile inkjet printer, model: A420i, serial number: AST000104778, 100-240 V, 50-60 Hz, 4 A, dimensions: 820 mm x 680 mm x 1430 mm. Incomplete.	500
329	Handtmann		200



Nr	Title	Description	Start €
		Plastic crate with Handtmann screen and case holding device, type: 60-7, number: 4092, dimensions: 600 mm x 400 mm x 200 mm.	
330	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0130863, year of construction: 2003, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	150
331	Bettcher Industries Inc.	Plastic crate with parts for Bettcher Industries Inc. Trimmer, dimensions: 600 mm x 400 mm x 200 mm.	50
332	Handtmann	Plastic crate with Handtmann pump house for vacuum filling machine, dimensions: 600 mm x 400 mm x 200 mm.	50
333	Handtmann	Plastic crate with Handtmann housing, dimensions: 600 mm x 400 mm x 200 mm.	50
334	NN dyes	Plastic crate with dyes for traysealer, dye: (2x) 170 mm x 160 mm, total dimensions: 600 mm x 400 mm x 300 mm.	50
335	NN dye	Plastic crate with dye, dye: 315 mm x 255 mm, total dimensions: 600 mm x 400 mm x 200 mm.	50
336	Laska	Plastic crate with 6 knives for Laska cutter, dimensions: 600 mm x 400 mm x 200 mm.	50
337	Vemag	Plastic crate with 2 Vemag grinder housings and plates for vacuum filling machine, diameter plate: 130 mm, total dimensions: 600 mm x 400 mm x 200 mm.	50
338	Handtmann	Plastic crate with 3 rotors for Handtmann vacuum filling machine, dimensions: 600 mm x 400 mm x 200 mm. Without veins.	50
339	NN dye	Plastic crate with dye, dye: 275 mm x 180 mm, total dimensions: 600 mm x 400 mm x 300 mm.	50
340	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0452337, year of construction: 2007, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	150
341	Vemag	Plastic crate with Vemag linking attachment and case holding device, total dimensions: 600 mm x 400 mm x 200 mm.	50
342	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0130853, year of construction: 2003, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	150
343	Handtmann	Plastic crate with 2 Handtmann linking attachment, type: 93-32, number: 399 and 486, dimensions: 600 mm x 400 mm x 200 mm.	75
344	Handtmann	Plastic crate with Handtmann parts for vacuum filling machine, number: 860673, dimensions: 600 mm x 400 mm x 300 mm.	50
345	Vemag		150



Nr	Title	Description	Start €
		Plastic crate with Vemag linking attachment and case holding device, number: 03 ADG 138, dimensions: 600 mm x 400 mm x 200 mm.	
346	Bartscher	Bartscher grill, type: AT-360B, year of construction: 2019, 230 V, 50 Hz, 3000 W, electric heated, dimensions: 440 mm x 250 mm x 400 mm.	75
347	Avery Berkel	Avery Berkel weighing scale with indicator and label printer, model: MO200, 220-240 V, 50/60 Hz, 0.75 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T = -2 kg, dimensions scale: 350 mm x 250 mm, total dimensions: 470 mm x 400 mm x 610 mm.	10
348	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD weighing scale, model: S-WP, serial number: 12612669, maximum weight: 6 kg. Incomplete.	5
349	PBI Dansensor	PBI Dansensor gas mixing station, type: module TGC-2 122, serial number: 33030583, year of construction: 2003, 207-253 VAC, 50/60 Hz, dimensions: 460 mm x 360 mm x 300 mm.	10
350	NN table	S/s table with drawer, dimensions: 700 mm x 520 mm x 1000 mm.	150
351	NN cooking vessel	Mobile cooking vessel, inside dimensions: Ø 700 mm x 520 mm, total dimensions: 850 mm x 1150 mm x 1050 mm.	450
352	Packaging Automation	Packaging Automation rotary cup filling-, sealing- and closing machine, type: FastFill 60, diameter cups, 105 mm, belt width: 120 mm, total dimensions: 1300 mm x 2100 mm x 2350 mm. Including pallet with parts.	2500
353	Lutetia	Lutetia vacuum tumbler, type: 4, serial number: 16555, year of construction: 2004, 400 V, 50 Hz, volume: 1800 liter, Busch vacuum pump, type: RA 0040 F 503, capacity: 40 m³ per hour, dimensions: 3300 mm x 1500 mm x 2100 mm.	3500
354	Lutetia	Lutetia vacuum tumbler, volume: 1800 liter, Leybold vacuum pump, type: SV40B, year of construction: 2019, capacity: 40 m³ per hour, dimensions: 3300 mm x 2100 mm x 2300 mm.	3500
355	Inject Star	Inject Star vacuum tumbler, type: ES 2200, year of construction: 2000, volume: 2200 liter, Busch vacuum pump, type: RA 0063 F 503, capacity: 63 m³ per hour, dimensions tumbler: Ø 1250 mm x 1900 mm, total dimensions: 1950 mm x 1400 mm x 1800 mm. Incomplete.	500
356	NN tilting device for barrels	S/s tilting device for barrels, dimensions: 1200 mm x 1000 mm x 1210 mm.	400
357	Classeq	Classeq washing machine, type: HYDRO 857, dimensions: 850 mm x 750 mm x 1530 mm. Incomplete.	50



Nr	Title	Description	Start €
358	DiBo N.V.	DiBo N.V. hot water pressure cleaner, type: SBH-G 150bar 15ltr, serial number: 2-0155/16, 400 V, 3 Ph, 50 Hz, gas heated boiler, pressure: 150 bar, operating hours: 3225, dimensions: 850 mm x 920 mm x 1180 mm.	250
359	Mado	Mado bandsaw, type: MKB 654, serial number: 30404, year of construction: 2003, 230/400 V, 3 Ph, 50 Hz, 8.6/5.0 A, table dimensions: 850 mm x 720 mm, total dimensions: 1300 mm x 1000 mm x 1800 mm. Missing cover.	1200
360	Salvis	Salvis salamander grill, type: HL-C, serial number: 446747-BZ 1, year of construction: 2016, 400 V, 2 Ph, 50/60 Hz, 4.6 kW, dimensions heater: (2x) 295 mm x 160 mm, plate dimensions: 480 mm x 330 mm, total dimensions: 600 mm x 530 mm x 445 mm.	250
361	Salvis	Salvis salamander grill, type: HL-C, serial number: 454614-BZ 1, year of construction: 2017, dimensions heater: (2x) 295 mm x 160 mm, plate dimensions: 480 mm x 330 mm, total dimensions: 600 mm x 530 mm x 445 mm.	250
362	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2500 mm x 500 mm x 1200 mm.	200
363	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG vacuum machine, type: VC999 07S H15/205, machine number: 07152588, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 7 kW, VC999 vacuum pump, type: 9603030/10, serial number: 1403600, year of construction: 2014, capacity: 205/245 m³ per hour, seal length: (2x) 450 mm and (1x) 1000 mm, dimensions chamber: 1050 mm x 530 mm, total dimensions: 1350 mm x 850 mm x 1100 mm.	1250
364	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5466, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, plastic belt, belt width: 140 mm, total dimensions: 1260 mm x 670 mm x 1700 mm.	80
365	Thermo Fischer	Thermo Fisher Scientific mobile metal detector, type: Apex 500, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 400 mm, clearance: 500 mm x 200 mm, total dimensions: 1750 mm x 900 mm x 1230 mm. Last calibrated: 04-08-2022.	500
366	Alto Shaam	Alto Shaam heated showcase, model: 300-HW-D6, serial number: 2791533-000, 230 V, 1 Ph, 50/60 Hz, 1800 W, dimensions: 1200 mm x 700 mm x 930 mm.	250
367	Pesutekno Oy	Pesutekno Oy chainmail glove and apron washer, model: Mahti 02, 14 racks, inside dimensions: 1060 mm x 510 mm x 670 mm, total dimensions: 1220 mm x 780 mm x 1680 mm.	150



Nr	Title	Description	Start €
368	Marvu	Marvu transport belt, type: 380, serial number: 001, year of construction: 03-2009, 230/400 V, 50 Hz, weight: 750 kg, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3600 mm x 810 mm x 1510 mm.	75
369	NN sink	S/s sink, dimensions: 1800 mm x 700 mm x 1800 mm.	75
370	Alto Shaam	Alto Shaam heated showcase, model: 300-HW/D6, serial number: 2791532-000, 230 V, 1 Ph, 50/60 Hz, 1800 W, dimensions: 1200 mm x 700 mm x 930 mm.	200
371	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 550 mm, divider height: 50 mm, distance between dividers: 300 mm, total dimensions: 4500 mm x 950 mm x 1800 mm. Missing frame.	200
372	Webomatic	Webomatic thermoformer, type: APS ML 3300, machine number: F 6515SI562, 400 V, 3 Ph, 50 Hz, 17.5 A, 11.5 kW, film width: 410 mm, dimensions dye: (6x) 120 mm x 110 mm, plastic outfeed belt, belt width: 355 mm, 2 Busch vacuum pumps, type: RA 0100 F 503 / RA 0021 B 3Z3 APXX, capacity: 100 m ³ per hour / 21 m ³ per hour, total dimensions: 3500 mm x 1200 mm x 1620 mm. Including 3 crates with parts.	3000
373	NN frame	S/s wall mounted frame, dimensions: 530 mm x 320 mm x 170 mm.	5
374	NN pump	Pump, dimensions: 700 mm x 300 mm x 300 mm.	20
375	Mettler-Toledo GmbH	Mettler-Toledo GmbH pipe line metal detector, diameter clearance: 150 mm, total dimensions: 450 mm x 450 mm x 500 mm.	50
376	Beko	Beko 5-pits gas stove with oven, type: G 03H04, 220-240 V, 50 Hz, 15.5 kW, 1127g/h, dimensions: 900 mm x 650 mm x 800 mm.	250
377	Loma Systems	Loma Systems pipe line metal detector, serial number: DPL080267-07747D, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 55 mm, total dimensions: 600 mm x 400 mm x 500 mm.	300
378	Aqualex	Aqualex water cooler and hot boiler, model: JCLASS IN 45 IB ACWG and HOT BOILER EVO, dimensions: 260 mm x 400 mm x 400 mm and 200 mm x 300 mm x 400 mm.	100
379	Leventi	Leventi combi steamer, model: Combimat Mk3.1 MM 3B 6PL, number: 019040033, 3 x 380/415 V, 3 Ph, 50 Hz, 16 A, 9.5 kW, 6 floors, floor dimensions: (6x) 550 mm x 400 mm, total dimensions: 965 mm x 850 mm x 800 mm.	550
380	Liebherr	Liebherr refrigerator, model: 1850 Index 21F/001, serial number: 9983087-06, refrigerant: R600a/35 g, capacity: 180 liter, 2 floors, dimensions each floor: 530 mm x 400 mm, total dimensions: 600 mm x 650 mm x 850 mm.	150



Nr	Title	Description	Start €
381	Nayati	Nayati electric teppanyaki grill, model: NETY 8.1 J, serial number: A20708AE003BDS, 8.1 kW, dimensions: 900 mm x 500 mm x 140 mm.	100
382	Bosgraaf	Bosgraaf s/s writing desk, dimensions: 600 mm x 550 mm x 1200 mm.	100
383	Thompson	Thompson mixer-grinder, type: 3000, serial number: 3000.M1.2.34, year of construction: 6/2011, 415 V, plate diameter: approx. 120 mm, total dimensions: 1200 mm x 1250 mm x 1300 mm. Without knife plates.	1250
384	Bizerba	Bizerba weighing scale with indicator, model: SCII 800, number: 20081383, 120-240 V, 50/60 Hz, 0.35/0.25 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e= 2/5 gram, dimensions: 500 mm x 360 mm x 560 mm.	100
385	Inauen	Inauen VC999 mobile vacuum machine, with Rietschle vacuum pump, type: CLFH 220 (20), dimensions: 1100 mm x 800 mm x 1020 mm. Technical condition unknown.	275
386	Bobet Materiel	Bobet Materiel boot cleaner, type: L.B.M 92E, serial number: 1255, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 110 kg, brush length: (2x) 350 mm, total dimensions: 1500 mm x 600 mm x 1280 mm.	600
387	NN frame	S/s table, dimensions: 700 mm x 200 mm x 900 mm.	10
388	DEM weighing systems	DEM weighing systems weighing scale and indicator, model: GSE 350, scale dimensions: 1000 mm x 1000 mm.	150
389	NN traysealer forms	Pallet with large amount of forms for traysealer, dimensions dyes: 260 mm x 175 mm, 180 mm x 135 mm and 260 mm x 175 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	20
390	Parker	Parker compressed air adsorption dryer with cleaning stage, type: KA-MT 7, fabrication number: 38304379, year of construction: 2011, 230 V, 50/60 Hz, dimensions: 1400 mm x 600 mm x 300 mm. Technical condition unknown.	50
391	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with label printer, type: M-15S-EB, serial number: 2375801, 100-240 V, 50/60 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -9,995 kg, dimensions: 400 mm x 350 mm x 520 mm.	25
392	Dibal S.A.	Dibal S.A. weighing scale with label printer, model: DIBAL 4 A-650, serial number: 121226, 230 V, 50 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -995 gram, dimensions: 500 mm x 360 mm x 480 mm.	50
393	NN kitchen counter		450



Nr	Title	Description	Start €
		S/s kitchen counter with 2 sinks, faucet, induction plate and grill, dimensions: 2100 mm x 1100 mm x 180 mm.	
394	Leventi	Leventi combi steamer with s/s trolley , model: CM 1.20 MM BDI ME, serial number: 16 05 67127, 400 V, 3 Ph, 50/60 Hz, 36 kW, total dimensions: 910 mm x 910 mm x 2150 mm, s/s trolley, 20 floors, floor dimensions: (20x) 600 mm x 400 mm.	1700
395	Colged	Colged dishwasher, type: Gold74, serial number: 116688, year of construction: 09/02/2006, 400 V, 3 Ph, 50 Hz, 11.1 kW, inside dimensions: 500 mm x 500 mm x 320 mm, total dimensions: 700 mm x 800 mm x 1300 mm.	550
396	Giorik	Giorik combi steamer, 400 V, 3 Ph, 50 Hz, 6 floors, dimensions each floor: 510 mm x 330 mm, total dimensions: 850 mm x 850 mm x 830 mm.	950
397	Gram	Gram refrigerator, type: K 400 (H), serial number: 261/1, 230 V, 50 Hz, refrigerant: 120 gr R134a, inside dimensions: 500 mm x 450 mm x 1500 mm, total dimensions: 600 mm x 600 mm x 1720 mm.	10
398	Kitchen Concept	Kitchen Concept s/s table, hole diameter: 205 mm, total dimensions: 1200 mm x 700 mm x 870 mm.	50
399	Bosgraaf	Bosgraaf s/s writing desk, dimensions: 600 mm x 550 mm x 1200 mm. Damaged	100
400	NN sink	S/s sink with faucet, dimensions: 800 mm x 700 mm x 1540 mm.	150
401	Antoine	Antoine 3-doors refrigerator, type: ANTOINE F.I. 2140 3DXG vitré - R290, number: 113238 339477, year of construction: 2020, 230 V, 50 Hz, 0.65 A, 0.15 kW, refrigerant: R290, 68 gram, dimensions: 2150 mm x 550 mm x 820 mm.	380
402	Centauro	Centauro refrigerator, model: APD-126, serial number: 10520, year of construction: 2010, 230 V, 50 Hz, 2 doors, dimensions: 1550 mm x 600 mm x 900 mm.	250
403	Parise Compressori	Parise Compressori air compressor, model: P150 CT, serial number: L1867/11, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.2 kW, dimensions: 1350 mm x 500 mm x 900 mm.	200
404	Novameta	Novameta s/s outfeed table, dimensions: 750 mm x 700 mm x 1050 mm.	50
405	Liebherr	Liebherr freezer, serial number: 86.445.735.4, 220/240 V, 50 Hz, 0.6 A, 143 liter, refrigerant: R600a, 0.49 gram, 3 floors, dimensions each floor: 470 mm x 430 mm, total dimensions: 650 mm x 600 mm x 850 mm.	250
406	Hoshizaki	Hoshizaki ice machine, model: IM-45CLE, serial number: G11628, 220/240 V, 50 Hz, 370 Watt, weight: 54 kg, refrigerant: R134a, 0.210 kg, dimensions: 630 mm x 500 mm x 700 mm.	300



Nr	Title	Description	Start €
407	Mondial Group S.r.l.	Mondial Group S.r.l. refrigerated showcase, type: E6106M0100, number: 626RA13997, 220/240 V, 50 Hz, 4.5 A, 940 W, refrigerant: R507, 0.610 kg, 3 floors, dimensions each floor: 285 mm x 900 mm, total dimensions: 600 mm x 980 mm x 2020 mm. Damaged.	120
408	NN cooking vessel	Tiltable cooking vessel, inside dimensions: 800 mm x 700 mm x 200 mm, total dimensions: 1250 mm x 1000 mm x 1100 mm.	350
409	Diamond	Diamond dishwasher, model: D281/EK-NP, serial number: 2896263, year of construction: 27-02-2017, 230 V, 1 Ph, 50 Hz, 3.44 kW, inside dimensions: 400 mm x 400 mm x 300 mm, total dimensions: 470 mm x 560 mm x 700 mm.	250
410	NN sink	S/s sink with faucet, dimensions: 350 mm x 450 mm x 1150 mm.	200
411	NN smoke trolleys	2 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (2x) 1020 mm x 1000 mm x 1980 mm.	200
412	UNI TROCK	UNI TROCK dryer for shoe rack, type: 2000, dimensions: 280 mm x 410 mm x 220 mm.	25
413	Kitchen Concept	Kitchen Concept s/s table, dimensions: 750 mm x 700 mm x 940 mm.	100
414	Hoshizaki	Hoshizaki ice machine, model: FM-120EE, serial number: K21534, 220/240 V, 50 Hz, 3.5 A, weight: 71 kg, refrigerant: R134a, 0.150 kg, dimensions: 650 mm x 650 mm x 800 mm.	350
415	Ecofrost	Ecofrost refrigerator, model: 4752. 005, serial number: 6951 1419 2001 0507, 220/240 V, 50 Hz, 1 A, 170 W, refrigerant: R290, 95 g, weight: 134 kg, 5 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 740 mm x 840 mm x 2000 mm.	450
416	Diamond	Diamond dishwasher, inside dimensions: 500 mm x 500 mm x 360 mm, total dimensions: 580 mm x 610 mm x 820 mm.	300
417	NN refrigerated cabinet	S/s refrigerated cabinet, model: 1000100026275, serial number: 6720 4226 1910 0403, 220-240 V, 50 Hz, 1.2 A, 170 W, weight: 81 kg, refrigerant: R600a, dimensions: 900 mm x 700 mm x 880 mm.	250
418	NN refrigerator	Refrigerator, model: BB-B3, 220/240 V, 50 Hz, 220 Watt, refrigerant: R134a, 200 gram, dimensions: 1350 mm x 500 mm x 850 mm.	350
419	Novameta	Novameta s/s sink with faucet, dimensions: 1060 mm x 745 mm x 2030 mm.	250
420	Vega	Vega refrigerated showcase, model: 81373, 220/240 V, 50 Hz, 1.35 A, 185 W, refrigerant: R134a, 160 g, weight: 42 kg, dimensions: 1200 mm x 400 mm x 470 mm.	70
421	Unika	Unika table model vacuum machine, model: VT30, serial number: V1075, year of construction: 1999,	100



Nr	Title	Description	Start €
		220/240 V, 50/60 Hz, 4.55/4.17 A, 1 kW, seal length: (1x) 340 mm, total dimensions: 540 mm x 420 mm x 400 mm. Incomplete.	
422	Gram	Gram mobile refrigerator, type: K600, serial number: 516/12, 4 floors, dimensions each floor: 525 mm x 590 mm, total dimensions: 700 mm x 850 mm x 2000 mm.	200
423	Rhima	Rhima dishwasher, model: DR 60, serial number: 95.811, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 25 A, 10 kW, dimensions: 800 mm x 700 mm x 1450 mm.	400
424	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET trays, tray dimensions: 173 mm x 133 mm x 35 mm.	30
425	Unifrost	Unifrost mobile refrigerator with saladette, dimensions: 1250 mm x 760 mm x 1130 mm.	200
426	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET trays, tray dimensions: 173 mm x 133 mm x 35 mm.	30
427	Rosinox	Rosinox gas heated grill, dimensions heated surface: 640 mm x 400 mm, total dimensions: 650 mm x 650 mm x 500 mm.	150
428	NN frame	S/s frame, dimensions: 800 mm x 610 mm x 510 mm.	40
429	Hobart	Hobart dishwasher, serial number: 86588994, 50 Hz, 14.7/21.8 A, 7/4.9 kW, inside dimensions: 500 mm x 500 mm x 400 mm, total dimensions: 760 mm x 850 mm x 1520 mm.	400
430	Antoine	Antoine refrigerator, type: 1540 2DX SF, number: 112662 273358, year of construction: 2017, 230 V, 50 Hz, 3.16 A, 0.49 kW, refrigerant: R134a, 140 gram, floor dimensions: 490 mm x 390 mm, total dimensions: 1550 mm x 560 mm x 850 mm.	150
431	Novameta	Novameta heated cabinet, model: LPK1, serial number: 002G1033706100101, year of construction: 2021, 230 V, 50 Hz, 2.2 A, 500 Watt, dimensions: 600 mm x 700 mm x 1500 mm.	250
432	NN cabinet	S/s cabinet, dimensions: 400 mm x 700 mm x 980 mm.	100
433	Garbin	Garbin oven, model: 104 PE VAP, serial number: 104000, year of construction: 10/08/25, 400 V, 3 Ph, 50-60 Hz, 13.7 kW, 10 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 970 mm x 830 mm x 1100 mm.	650
434	Diamond	Diamond refrigerator with 9 drawers, model: TG4N/H-R2, serial number: 2007.0005, 230 V, 50 Hz, 1 A, 250 W, refrigerant: R290, 0,080 kg, floor dimensions: 520 mm x 320 mm, inside dimensions: (9x) 520 mm x 300 mm x 95 mm, total dimensions: 2250 mm x 700 mm x 760 mm.	750
435	Electrolux	Electrolux washing machine, model: WE170P, type: FLI0641B5, serial number: 810 00002, 230 V, 50 Hz, 10	150



Nr	Title	Description	Start €
		A, 2200 Watt, dimensions: 600 mm x 625 mm x 850 mm	
436	Mondial Group S.r.l.	Mondial Group S.r.l. refrigerated showcase, type: E6106M0100, number: 626RA14002, 220/240 V, 50 Hz, 4.5 A, 940 W, refrigerant: R507, total dimensions: 600 mm x 980 mm x 2020 mm.	120
437	Maxima	Maxima refrigerated showcase, model: MSHC98L-W, serial number: 2107050299, 230 V, 1 Ph, 50 Hz, 180 W, refrigerant: R600a, volume: 98 liter, dimensions: 430 mm x 370 mm x 1100 mm.	100
438	Embraco	Embraco cooling compressor, type: UNEK6210Z, R 134A, 220-240 V, 1 Ph, 50 Hz, dimensions: 350 mm x 400 mm x 400 mm.	200
439	Hakvoort	Hakvoort s/s table, dimensions: 900 mm x 780 mm x 1200 mm.	50
440	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1980 mm.	400
441	Wiesheu GmbH	Wiesheu GmbH mobile combi steamer, type: M216CR+TS350+P.C1, number: 62678, year of construction: 1999, 400 V, 50 Hz, 18.6 kW, 10 floors, dimensions each floor: 520 mm x 330 mm, total dimensions: 950 mm x 870 mm x 2050 mm.	1200
442	Liebherr	Liebherr refrigerator, type: K 2714 Index 20A/001, number: 9970803-01, 220-240 V, 50 Hz, 110 W, volume: 263 liter, refrigerant: R600 a : 26g, dimensions: 550 mm x 620 mm x 1400 mm.	50
443	Salvis	2 Salvis salamander grill, type: HL-C, serial number: 446812-BZ 1 and 419230-BZ 1, year of construction: 2016 and 2011, dimensions heater: (4x) 295 mm x 160 mm, plate dimensions: (2x) 480 mm x 330 mm, total dimensions: (2x) 600 mm x 530 mm x 445 mm.	500
444	Franstal	Franstal combi steamer, type: CLASAGB101/17, number: LA020151670, year of construction: 2019, 230 V, 50 Hz, 0.55/1 kW, dimensions: 950 mm x 900 mm x 1750 mm.	950
445	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. product pump, type: 518, machine number: 21290, year of construction: 2001, 400 V, 50 Hz, 23 A, dimensions: 1550 mm x 1050 mm x 1400 mm.	1500
446	NN smoke trolleys	4 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1960 mm.	400
447	NN smoke trolleys	5 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1960 mm.	500
448	NN trolley	Steel trolley, dimensions: 820 mm x 730 mm x 1530 mm.	50



Nr	Title	Description	Start €
449	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1980 mm.	400
450	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1980 mm.	400
451	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1980 mm.	500
452	Top Cold	Top Cold refrigerated counter, model: TCTP-7-180-30 SP, serial number: 1711220270P, year of construction: 2017, 50 Hz, refrigerant: R-134a, 370 gram, floor dimensions: 570 mm x 330 mm, total dimensions: 1800 mm x 700 mm x 900 mm.	450
453	Capitol	Capitol refrigerated showcase, 5 floors, dimensions each floor: 1500 mm x 400 mm, total dimensions: 1600 mm x 750 mm x 2050.	370
454	NN smoke trolleys	4 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1960 mm.	400
455	NN roller conveyor	S/s roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 3100 mm x 660 mm x 900 mm. Missing rollers.	50
456	Top Cold	Top Cold refrigerated counter, model: TCTP-7-180-30 SP, serial number: 1711220277P, year of construction: 2017, 50 Hz, refrigerant: R-134a, 370 gram, floor dimensions: 570 mm x 330 mm, total dimensions: 1800 mm x 700 mm x 900 mm.	350
457	Alup Kompressoren	Alup Kompressoren screw compressor, model: SCK 26-8, 18.5 kW, volume flow rate: 3.01 m ³ /min, compressor discharge pressure: 8 pe bar, dimensions: 800 mm x 1300 mm x 1500 mm.	300
458	Alto Shaam	Alto Shaam heated cabinet, model: 500-1D, serial number: 1985323-000, year of construction: 18/05/17, 230 V, 1 Ph, 50/60 Hz, 590 Watt, dimensions: 670 mm x 620 mm x 295 mm.	600
459	Bizerba	3 sets of Bizerba weighing scales with indicator and label printer, model scale: KF D08-09-021, serial number: 10810802, 230 V, 50 Hz, 0.35 A, scale dimensions: 280 mm x 280 mm.	300
460	Top Cold	Top Cold refrigerated counter, model: TCTP-7-180-30 SP, serial number: 1711220269P, year of construction: 2017, 50 Hz, refrigerant: R-134a, 370 gram, floor dimensions: 570 mm x 330 mm, total dimensions: 1800 mm x 700 mm x 900 mm.	350
461	NN floors	Plastic pallet box with s/s floors, dimensions each floor: 1000 mm x 500 mm.	20
462	Boekels		200



Nr	Title	Description	Start €
		Boekels mobile metal detector, type: BMK (16) 180x30.3, year of construction: 2000, 230/400 V, 50 Hz, clearance: 300 mm x 350 mm, plastic belt, belt width: 300 mm, total dimensions: 2000 mm x 700 mm x 1320 mm. Incomplete.	
463	NN divider	Mobile s/s divider, dimensions: 2620 mm x 900 mm x 2100 mm.	100
464	Bizerba	Bizerba weighing scale with label printer, model: KH 800, serial number: 10879754, maximum load: 6/15 kg, minimum load: 40 g, e= 2/5 g, T= -6/15 kg, 230 V, 50 Hz, 0.35 A, scale dimensions: 390 mm x 250 mm, total dimensions: 450 mm x 450 mm x 600 mm.	100
465	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 490 mm, total dimensions: 1700 mm x 650 mm x 1150 mm.	200
466	Dowson	Dowson mobile bread slicer, model: D55-1, serial number: 02531096, 50 knives, distance between knives: 14 mm, total dimensions: 850 mm x 620 mm x 1120 mm.	150
467	FMC FoodTech	FMC FoodTech mobile multi-fruit juicer, model: POS-1, serial number: 82005006, 220 V, 1 Ph, 50 Hz, 10 A, dimensions: 850 mm x 550 mm x 1860 mm.	1250
468	NN diaphragm	Mobile diaphragm, diameter form: 65 mm, total dimensions: 760 mm x 1400 mm x 1370 mm.	300
469	B&B Slasoft	B&B; Slasoft computer cabinet, dimensions: 760 mm x 740 mm x 720 mm.	25
470	Hakpro	Hakpro s/s mobile heated cabinet, model: Heating strip 1000 mm, 230 V, 50 Hz, 0.75 kW, dimensions cabinet: 630 mm x 860 mm, total dimensions: 1000 mm x 820 mm x 1520 mm.	550
471	Convotherm	Convotherm combi steamer, model: OGS 10.10 HS301813K40A00, serial number: HS3ID2407, 400 V, 3 Ph, 50/60 Hz, 1.2 kW, 11 floors, dimensions each floor: 490 mm x 330 mm, total dimensions: 970 mm x 940 mm x 1160 mm.	200
472	Electrolux/Zanussi	Electrolux/Zanussi pasta cooker, model: Z7PCEH2KFO, serial number: 02420001, year of construction: 2020, 380-400 V, 3 Ph, 50/60 Hz, 12 kW, dimensions: 1200 mm x 750 mm x 1550 mm.	700
473	Itec	Itec mobile sausage cutter, type: SB-CUT, serial number: 0100, year of construction: 05/06, 400 V, 3 Ph, 50 Hz, 5 kW, dimensions: 1700 mm x 800 mm x 1500 mm.	1000
474	Zumex	Zumex mobile juicer, model: ZUMEX SPEED SELF-SERVICE, serial number: 413999, year of construction: 04/2013, 230 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	450
475	NN trolley		75



Nr	Title	Description	Start €
		S/s cooking trolley, 6 floors, dimensions each floor: 1000 mm x 1000 mm, total dimensions: 1050 mm x 1020 mm x 2000 mm.	
476	Dörr Kampen BV	Dörr Kampen BV mobile tray denester, type: verpakkingmachine, serial number: 51879-526, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 200 W, dye: (2x) 230 mm x 170 mm, total dimensions: 1500 mm x 900 mm x 1800 mm.	200
477	Consol Converging Solutions	Consol Converging Solutions infeed belt, plastic mesh belt, belt width: 520 mm, total dimensions: 1200 mm x 2100 mm x 1350 mm.	350
478	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 432596, year of construction: 11-2015, 220/240 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	500
479	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 430875, year of construction: 07/2015, 220/240 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	400
480	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 439369, year of construction: 09/2016, 220/240 V, 50/60 Hz, 0.300 kW, dimensions: 700 mm x 680 mm x 1750 mm.	400
481	NN diaphragm	Mobile diaphragm, diameter form: 65 mm, total dimensions: 890 mm x 1100 mm x 1370 mm. Incomplete.	200
482	NN computer cabinet	S/s computer cabinet, dimensions: 1260 mm x 650 mm x 1920 mm.	35
483	NN sink	S/s sink, dimensions: 1500 mm x 700 mm x 900 mm.	150
484	Ehecor B.V. Bakery Equipment	Ehecor B.V. Bakery Equipment bread rolls machine, type: TPB 2, number: 15598, year of construction: 2012, 230 V, 1/4 Ps, infeed: Ø 60 mm, cloth belt, belt width: 180 mm, total dimensions: 480 mm x 280 mm x 270 mm.	200
485	NN table	S/s mobile table, dimensions: 3990 mm x 860 mm x 910 mm.	400
486	Hoshizaki	Hoshizaki ice cube machine, model number: IM-65NE-HC-SN, serial number: M0238IJ, 220-240 V, 50 Hz, 2.5 A, refrigerant: R290/110 gram, weight: 50 kg, dimensions: 630 mm x 500 mm x 970 mm.	650
487	NN cooling cell	Cooling cell with Keyfrost wall mounted cooling unit, inside dimensions: 1700 mm x 1760 mm x 2100 mm, Keyfrost cooling unit, model: KBF 14 NE, serial number: 00103719, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 6.6 A, 1.3 kW, 26 bar, weight: 60 kg, total dimensions: 2200 mm x 1850 mm x 2180 mm.	400
488	NN smoke trolleys		500



Nr	Title	Description	Start €
		5 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (5x) 1020 mm x 1000 mm x 1960 mm.	
489	NN smoke trolleys	7 s/s smoke trolleys, 6 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (7x) 1020 mm x 1000 mm x 1980 mm.	700
490	NN smoke trolleys	S/s smoke trolley, 5 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: 1020 mm x 1000 mm x 1980 mm.	100
491	NN smoke trolleys	S/s smoke trolley, 5 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: 1020 mm x 1000 mm x 1980 mm.	100
492	NN smoke trolleys	4 s/s smoke trolleys, 8 floors, dimensions each floor: 1010 mm x 1000 mm, total dimensions: (4x) 1020 mm x 1000 mm x 1960 mm.	400
493	NN evaporator	Evaporator, 2 fans, dimensions: 1700 mm x 2000 mm x 540 mm.	100
494	NN evaporator	Evaporator, 2 fans, dimensions: 1450 mm x 800 mm x 450 mm.	100
495	Friga-Bohn	Friga-Bohn evaporator, 2 fans, type: GKB08.C, serial number: MY0080, 230/400 V, 3 Ph, 50 Hz, dimensions: 1700 mm x 600 mm x 680 mm.	200
496	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 630 mm x 650 mm.	200
497	Goedhart	Goedhart evaporator, 2 fans, type: SKU38 62634, manufacturing number: PJV071614. VK0701376/270702170, year of construction: 2007, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-1°C, volume: 41 dm ³ , dimensions: 2860 mm x 780 mm x 1250 mm.	300
498	NN evaporator	Evaporator, 2 fans, dimensions: 1700 mm x 1800 mm x 550 mm.	100
499	Helpman	Helpman evaporator, 3 fans, dimensions: 2620 mm x 700 mm x 800 mm.	200
500	Goedhart	Goedhart evaporator, 2 fans, type: SKU38 62634, manufacturing number: PJV071614. VK0701376/270702170, year of construction: 2007, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-1°C, volume: 41 dm ³ , dimensions: 2860 mm x 850 mm x 1100 mm.	300
501	GEA Searle	GEA Searle evaporator, 2 fans, model: LSR123-66-8D, serial number: 1104394, 400 V, 3 Ph, weight: 272 kg, dimensions: 2550 mm x 1400 mm x 930 mm.	250
502	GEA Searle	GEA Searle evaporator, 2 fans, model: LSR123-66-8D, serial number: 1104393, 400 V, 3 Ph, 50 Hz, 14300 W, maximum work pressure: 21 bar, volume: 38.6 liter, weight: 272 kg, dimensions: 2550 mm x 1400 mm x 930 mm.	250



Nr	Title	Description	Start €
503	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 2 fans, type: DVS-42634, manufacturing number: PJV101888, number: 003, year of construction: 2010, refrigerant: R404a, maximum work pressure: 28 bar, working temperature: +55/-5°C, volume: 38 dm ³ , dimensions: 2500 mm x 1500 mm x 900 mm.	250
504	Searle	Searle evaporator, 2 fans, model: DSR116-6 AL, serial number: 928888, maximum work pressure: 21 bar, 220/240 V, 1 Ph, 50 Hz, 70 W, dimensions: 2530 mm x 950 mm x 450 mm.	150
505	Goedhart	Goedhart evaporator, 1 fan, type: SKU38 41634, manufacturing number: PJV071615. VK0701376/270702180, year of construction: 2007, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-1°C, volume: 15 dm ³ , dimensions: 1660 mm x 730 mm x 1080 mm.	300
506	Goedhart Bohemia	Goedhart Bohemia evaporator, 2 fans, type: BSD 452-7-230 E, number: 99 1063 000, 400 V, 50 Hz, 8760 W, maximum work pressure: 19.5 bar, weight: 158 kg, dimensions: 2200 mm x 1050 mm x 550 mm.	300
507	Goedhart Bohemia	Goedhart Bohemia evaporator, 2 fans, type: BSD 452-7-230 E, number: 99 1063 000, 400 V, 50 Hz, 8760 W, maximum work pressure: 19.5 bar, weight: 158 kg, dimensions: 2200 mm x 1050 mm x 550 mm.	300
508	Helpman	Helpman evaporator, 2 fans, type: LEX 22-7-E / 220-50-1, serial number: 903741, maximum work temperature: -40/55 °C, volume: 20.4 dm ³ , weight: 111 kg, dimensions: 1880 mm x 670 mm x 850 mm.	200
509	Helpman	Helpman evaporator, 3 fans, dimensions: 2620 mm x 700 mm x 800 mm.	200
510	Goedhart	Goedhart evaporator, 2 fans, type: VCB 52457, manufacturing number: 99-0835-010, year of construction: 1999, maximum working temperature: -10/42 °C, maximum working pressure: 19.5 bar, volume: 21 dm ³ , weight: 130 kg, dimensions: 2050 mm x 850 mm x 750 mm.	300
511	Alfa Laval	Alfa Laval evaporator, 2 fans, type: LEX 22-7 230, serial number: SA-1207-0400002603-10648-30367, year of construction: 2012, maximum temperature: -55/63 °C, maximum pressure: 25 bar, volume: 20.4 liter, weight: 111 kg, dimensions: 1850 mm x 730 mm x 700 mm.	200
512	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 680 mm x 600 mm.	200
513	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 680 mm x 600 mm.	200
514	Searle	Searle evaporator, 2 fans, model: LSR122-66-8D, serial number: 296384, 400 V, 3 Ph, 50 Hz, maximum	150



Nr	Title	Description	Start €
		pressure: 21 bar, weight: 203 kg, dimensions: 1900 mm x 1400 mm x 800 mm.	
515	Searle	Searle evaporator, 2 fans, model: LSR122-66-8D, serial number: 296383, 400 V, 3 Ph, 50 Hz, maximum pressure: 21 bar, weight: 203 kg, dimensions: 1900 mm x 1400 mm x 800 mm.	150
516	Goedhart	Goedhart evaporator, 3 fans, type: VCB 63457, manufacturing number: 99-0835-020, year of construction: 1999, maximum working temperature: -10/42 °C, maximum working pressure: 19.5 bar, volume: 35 dm ³ , weight: 190 kg, dimensions: 2850 mm x 850 mm x 700 mm.	300
517	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 3 fans, type: FC38SBp 63457-230 E, manufacturing number: VK1302089. 706738/331075010, year of construction: 2013, maximum work pressure: 28 bar, working temperature: +55/-40 °C, volume: 28 dm ³ , dimensions: 2700 mm x 650 mm x 700 mm.	300
518	Kelvion Refrigeration B.V.	Kelvion Refrigeration B.V. roof condensor, 4 fans, model: RF-SJ104L3-063N04D, serial number: 1139377, 400 V, 3 Ph, 50 Hz, 1250 W, maximum pressure: 32 bar, maximum temperature: -40/120 °C, weight: 162.4 kg, dimensions: 4250 mm x 830 mm x 950 mm.	300
519	Kelvion Refrigeration B.V.	Kelvion Refrigeration B.V. roof condensor, 4 fans, model: RF-SJ104L3-5038155, serial number: 1168498, dimensions: 4250 mm x 830 mm x 950 mm.	300
520	NN evaporator	Roof condensor, 2 fans, dimensions: 2620 mm x 910 mm x 1150 mm.	100
521	Helpman	Helpman evaporator, 3 fans, year of construction: 2004, 230 V, 1 Ph, 50 Hz, maximum temperature: -55/63 °C, maximum pressure: 25 bar, volume: 30.9 dm ³ , weight: 159 kg, dimensions: 2650 mm x 700 mm x 700 mm.	200
522	Helpman	Helpman evaporator, 3 fans, dimensions: 2620 mm x 700 mm x 700 mm.	200
523	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, 2 fans, type: DVS-42634, manufacturing number: PJV101888, year of construction: 2010, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-5 °C, volume: 38 dm ³ , dimensions: 2500 mm x 1500 mm x 970 mm.	250
524	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 4 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4JTC-10KY-40P, 4JTC-10KY-40S, serial number: 1672506278, 1672504853, 1672504854, 1672504851, capacity: (4x) 9/10.9 m ³ per hour, dimensions: 2200 mm x 1150 mm x 1950 mm.	1500
525			2500



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) HSK6461-60-40P, serial number: 1079100320, 1079100321, 1079100318, capacity: 165/198 m ³ per hour, year of construction: 2013, refrigerant: R404A, dimensions: 3600 mm x 1350 mm x 1970 mm. Including 2 Tecnac liquid receiver, model: (2x) RV-610-300, number: RV-0772-13, RV-0773-13, volume: 300 liter, maximum temperature: -20/100 °C, maximum pressure: 32 bar, dimensions: 1780 mm x 1180 mm x 1580 mm.	
526	TVM GmbH & Co KG	TVM GmbH & Co KG mobile portioning machine, type: Portio 4000, serial number: 05-00.26725215, year of construction: 2000, machine weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 1800 mm x 800 mm x 1750 mm. Including trolley with parts.	500
527	Treif	Treif slicer, type: 1943, machine number: 194306.61622.0350, year of construction: 2000, 230/400 V, 50 Hz, 8.2/16 A, 3.40 kW, plastic belt, belt width: 240 mm, machine weight: 305 kg, dimensions chamber: 230 mm x 215 mm, dimensions knife: 530 mm, total dimensions: 1950 mm x 930 mm x 1430 mm.	1750
528	Treif	Treif slicer, dimensions chamber: 220 mm x 180 mm, dimensions: 1850 mm x 860 mm x 1350 mm.	1250
529	Knecht	Knecht mobile portioning machine and filling machine, type: BWA 45, number: 73054545, year of construction: 1998, dimensions : 1000 mm x 750 mm x 1550 mm.	400
530	Variovac	Variovac mobile dip tank, type: TB 70, machine number: 2109, year of construction: 2000, 230/400 V, 50 Hz, 9 kW, dimensions inside: 500 mm x 355 mm, total dimensions: 730 mm x 650 mm x 1180 mm.	1250
531	MaDo/Carsø	MaDo mixer-grinder with Carsø lifter for 200 liter meat bins, diameter plate: 160 mm, dimensions mixer- grinder: 1320 mm x 1100 mm x 1850 mm, lifter type: HKV200, serial number: 94606, year of construction: 2001, 400 V, 3 Ph, 0.75 kW, lifting height: 2000 mm, dimensions lifter: 3300 mm x 1400 mm x 700 mm.	4250
532	Rühle	Rühle dicer with lifter for 200 liter meat bins, type: SR 3, number: 0071, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 32 A, 7 kW, dimensions: 3150 mm x 1400 mm x 2070 mm.	4000
533	Food Logistik GmbH	Food Logistik GmbH mobile dicer, type: MS84.2, machine number: 0412, year of construction: 2004, 380 V, 50 H, 2.5 kW, dimensions chamber: 290 mm x 90 mm x 200 mm, grid with 13 knives, distance	1250



Nr	Title	Description	Start €
		between knives: 5 mm, total dimensions: 1300 mm x 650 mm x 1080 mm.	
534	Rühle	Rühle mobile dicer, type: SR 1, number: 813, year of construction 1999, 400 V, 50 Hz, dimensions chamber: 100 mm x 100 mm, distance between knives: 5 mm, total dimensions: 1000 mm x 700 mm x 1100 mm.	1500
535	Bizerba	Bizerba packaging machine, type: FP M, number: 2031420, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 2.3 A, 530 VA, dye: 220 mm x 170 mm, film width: 250 mm, total dimensions: 780 mm x 500 mm x 420 mm.	500
536	Sibola A/S	Sibola A/S trolley, serial number: 11445, year of construction: 1991, 220/240 V, 0.26 A, 480 W, dimensions: 620 mm x 550 mm x 970 mm.	50
537	Espera	Espera top and botton labeller, type: ES7000, serial number: 1760000568, 230 V, 50/60 Hz, 10 A, plastic belt, belt width: 150 mm, label width: 90 mm, total dimensions: 2350 mm x 850 mm x 1900 mm.	600
538	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 350 mm, dividers height: 40 mm, distance between dividers: 250 mm, elevating height: 1600 mm, total dimensions: 2600 mm x 1150 mm x 2470 mm.	300
539	Weber	Weber mobile skinning machine, type: ASE 553, number: 869, 230 V, 50 Hz, 0.4 A, working width: 500 mm, total dimensions: 800 mm x 550 mm x 1000 mm. Incomplete.	300
540	Teraoka Seiko co., LTD.	Teraoka Seiko co., LTD. mobile weigh-, wrap-, and label machine, model: AW-5600FX, serial number: 18110306, year of construction: 2018, 220/240 V, 1 Ph, 50/60 Hz, 1.8 kW, maximum: 3/6 kg, minimum: 20g, e=1/2 kg, T=-2999 g, m=250 kg, clearance: 380 mm x 280 mm, film width: 380 mm, total dimensions: 970 mm x 800 mm x 1440 mm.	3500
541	NN transport belt	Transport belt, plastic belt, belt width: 350 mm, total dimensions: 5450 mm x 650 mm x 170 mm.	150
542	Multivac	Multivac traysealer, model: T 800, plastic mesh belt, belt width: 190 mm, plastic belt, belt width: 250 mm, clearance: 370 mm x 170 mm, film width: 520 mm, total dimensions: 5950 mm x 1050 mm x 2200 mm. Including trolley with dyes, dye: (5x) 230 mm x 180 mm, dimensions trolley: 1220 mm x 920 mm x 1100 mm.	10000
543	Multivac	Multivac traysealer, model: T 800, serial number: 239815, year of construction: 12-2016, 220/127 V, 3 Ph, 60 Hz, 32/50 A, 8.4 kW, plastic mesh belt, belt width: 300 mm, clearance: 500 mm x 170 mm, film width: 520 mm, total dimensions: 5400 mm x 1020 mm x 2100 mm. Including trolley with dye, dye: (5x)	10000



Nr	Title	Description	Start €
		190 mm x 130 mm, dimensions trolley: 1050 mm x 1050 mm x 1320 mm.	
544	Multivac	Multivac traysealer, model: T 800, plastic mesh belt, belt width: 250 mm, clearance: 350 mm x 170 mm, film width: 520 mm, infeed belt, belt with dividers, belt width: 205 mm, dividers height: 35 mm, distance between dividers: 290 mm, total dimensions: 6450 mm x 1050 mm x 2060 mm.	10000
545	CFS	CFS thermoformer, type: EVOLUTION, serial number: 4046100391, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 20 A, 10 kW, film width: 350 mm, dyes: (4x) 300 mm x 90 mm, index: 470 mm, belt width: 430 mm, label width: 85 mm, plastic belt, belt width: 420 mm, total dimensions: 13400 mm x 1300 mm x 2160 mm. Including 5 pallets with machine parts, among others: dyes: (8x) 200 mm x 65 mm, (3x) 255 mm x 130 mm. Transport rollies not included.	4000
546	Legion	Legion cooking vessel, model: LEC-60, serial number: 850396, double jacketed, electric heated, volume: 60 liter, dimensions: Ø 1000 mm x 1200 mm.	500
547	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 360 mm, divider height: 40 mm, distance between dividers: 270 mm, elevating height: 1100 mm, total dimensions: 1600 mm x 750 mm x 1400 mm.	250
548	CRM / Termoelettroneccanica spa	CRM / Termoelettroneccanica spa mobile ice cream machine, model: EX42-60 W, serial number: 05/871, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 13 A, 6.7 kW, refrigerant: R404, dimensions: 750 mm x 500 mm x 1150 mm.	800
549	Marel	Marel weighing scale, type: M2200-T02, serial number: A131936, 110-230 V, 0.24-0.12 A, plastic belt, belt width: 250 mm, total dimensions: 550 mm x 450 mm x 1200 mm.	200
550	NN weighing scale	Weighing scale with 12 scales, dimensions: 1400 mm x 670 mm x 1200 mm.	200
551	Mark S.p.A.	Mark S.p.A. cooled mixer, type: VC 100, serial number: 780, 380 V, 50 Hz, 13 kW, refrigerant: R 12, dimensions: 820 mm x 670 mm x 1500 mm.	500
552	Mark S.p.A.	Mark S.p.A. cooled mixer, type: VC 100, serial number: 780, 380 V, 50 Hz, 13 kW, refrigerant: R 12, dimensions: 820 mm x 670 mm x 1500 mm.	500
553	Hoyer	Hoyer continuous ice cream freezer, type: KF1150, serial number: 114-2001, dimensions: 1950 mm x 750 mm x 2140 mm.	2000
554	Bilwinco	Bilwinco linear weigher consisting of: 2 6-lanes linear weighers, lane width: 120 mm, total dimensions: (2x) 1200 mm x 700 mm x 1300 mm, 2 vibrating gutters,	3500



Nr	Title	Description	Start €
		gutter width: 350 mm, total dimensions: (2x) 1300 mm x 700 mm x 1600 mm, s/s frame with infeed hopper and switch cabinet, dimensions: 1600 mm x 1100 mm x 1750 mm. 1 weigher is incomplete.	
555	Carpigiani	Carpigiani mobile ice cream machine, type: LABO 20/30w, serial number: 355451, 380 V, 3 Ph, 50 Hz, 6.6 A, 2 kW, refrigerant: R502, dimensions: 800 mm x 600 mm x 1250 mm.	1500
556	Frigomat	Frigomat mobile ice cream machine, dimensions: 850 mm x 460 mm x 1250 mm. Incomplete, technical condition unknown.	75
557	APV	APV plate heat exchanger, type: SR26B, dimensions: 440 mm x 400 mm x 1350 mm.	150
558	Scanvaegt	Scanvaegt transport belt, plastic belt, belt width: 230 mm, total dimensions: 2000 mm x 450 mm x 1350 mm.	100
559	Hermanos Rodríguez Gómez S.L.	Hermanos Rodríguez Gómez S.L. glaze container, model: GL 3003, fabrication number: 39728-16-2, year of construction: 2008, plastic belt with dividers, belt width: 800 mm, divider height: 100 mm, distance between dividers: 300 mm, total dimensions: 3500 mm x 1600 mm x 2000 mm.	4000
560	Günther	Günther injector, type: PI 21 M, machine number: 35978, year of construction: 2017, 400 V, 16 A, 2.2 kW, plastic mesh belt, belt width: 260 mm, working width: 250 mm, total dimensions: 1200 mm x 650 mm x 1900 mm.	2500
561	Rühle	Rühle mobile tumbler, type: MKR 150, number: 0908, year of construction: 2008, 400 V, 50 Hz, 16 A, 3 kW, volume: 150 liter, dimensions: 1200 mm x 950 mm x 1700 mm.	1500
562	Alexanderwerk	Alexanderwerk vacuum filling machine with linking attachment, type: NFV 50, machine number: 04708664, 230/400 V, 50 Hz, 6.9 A, 3 kW, Rietschle vacuum pump, type: VCB-20, capacity: 20/24 m³ per hour, dimensions: 750 mm x 600 mm x 1600 mm.	2500
563	HFE vacuum systems bv	HFE vacuum systems bv mobile traysealer, type: TPS COMPACT XL, serial number: 10111, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 5 A, weight: 150 kg, film width: 420 mm, dye: 440 mm x 330 mm, total dimensions: 800 mm x 600 mm x 1300 mm.	750
564	Rühle	Rühle injector, type: PR 8, number: 2643, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 A. 1.1 kW, s/s belt, belt width: 270 mm, working width: 250 mm, total dimensions: 1200 mm x 400 mm x 1600 mm.	500
565	Rhima	Rhima dishwasher, model: MDR145, serial number: DWH1011369, year of construction: 2014, 400 V, 3 Ph,	300



Nr	Title	Description	Start €
		50 Hz, 1250 W, dimensions: 600 mm x 700 mm x 1400 mm.	
566	Henkovac	Henkovac mobile dip tank, type: Dompelaar, machine number: D8098248, 380 V, 3 Ph, 50 Hz, 14 A, 9.3 kW, inside dimensions: 580 mm x 410 mm x 550 mm, total dimensions: 700 mm x 620 mm x 1630 mm.	500
567	NN skinning machine	Mobile skinning machine, plastic belt, belt width: 400 mm, working width: 380 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	750
568	Weber	Weber mobile skinning machine, type: AS450, machine number: 1006, 380 V, 50 Hz, 0.37 kW, working width: 400 mm, total dimensions: 650 mm x 500 mm x 980 mm.	750
569	Townsend	Townsend mobile skinning machine, working width: 500 mm, total dimensions: 850 mm x 550 mm x 1000 mm. Incomplete.	400
570	Maja	Maja mobile skinning machine, type: EVM 3006, number: 41726, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2 A, 0.75 kW, working width: 550 mm, foot controll, total dimensions: 900 mm x 550 mm x 1000 mm.	750
571	Mobile Containing B.V.	Mobile Containing B.V. heated cup dispenser, model: THS-MS/G, serial number: 188279, year of construction: 2016, dimensions: 400 mm x 670 mm x 1000 mm.	25
572	Mobile Containing B.V.	Mobile Containing B.V. heated cup dispenser, model: THS-MS/G, serial number: 188277, year of construction: 2016, dimensions: 400 mm x 670 mm x 1000 mm.	25
573	T&S	T&S cooking vessel, inside dimensions: 1350 mm x 950 mm x 550 mm, total dimensions: 1450 mm x 1550 mm x 1050 mm.	1000
574	NN trolleys	3 s/s trolleys, 18 floors each, dimensions each floor: 535 mm x 700 mm, total dimensions: (3x) 700 mm x 590 mm x 1600 mm.	150
575	NN trolley	S/s trolley, 11 floors, dimensions each floor: 535 mm x 700 mm, total dimensions: 700 mm x 590 mm x 1600 mm.	50
576	Henkelman	Henkelman mobile vacuum machine, type: 300 II A, number: 30809682, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 6 A, 2 kW, seal length: (2x) 500 mm, dimensions chamber: 520 mm x 500 mm x 700 mm, Busch vacuum pump, type: RA 0063 E 5K1, capacity: 63 m ³ per hour, total dimensions: 700 mm x 680 mm x 1070 mm.	750
577	Nilfisk	Nilfisk mobile high pressure cleaner, model: Typhoon 50HZ, serial number: 94665, year of construction: 20.09.2013, 380 V, 50 Hz, 4.75 A, weight: 126 kg, max	700



Nr	Title	Description	Start €
		temperature: 70 °C, maximum water supply: 50 litres per minute, dimensions: 1450 mm x 600 mm x 1020 mm.	
578	Henkovac	Henkovac vacuum machine, type: E-152, number: 20012075, year of construction: 2001, 230 V, 6 A, 1.3 kW, seal length: 440 mm, dimensions chamber: 450 mm x 370 mm x 70 mm, total dimensions: 450 mm x 500 mm x 550 mm.	400
579	MaDo	MaDo mobile mixer-grinder, type: MEW 620, number: 30976, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 21/12.1 A, 5.5 kW, diameter plate: 105 mm, total dimensions: 1050 mm x 900 mm x 1180 mm.	2000
580	NN tumbler	Mobile tiltable tumbler, dimensions inside: 600 mm x 600 mm x 550 mm, total dimensions: 860 mm x 860 mm x 1660 mm.	900
581	Primus	Primus washing machine, model: C6, serial number: 6C001282VC, year of construction: 2012, 380/415 V, 3 Ph, 50 Hz, 16 A, 6.5 kW, capacity: 6 kg, dimensions: 690 mm x 630 mm x 1090 mm.	400
582	Miele	Miele dryer, type: PW 6101 EL, machine number: 6009870, 380/415 V, 3 Ph, 50/60 Hz, 16 A, 9 kW, dimensions: 920 mm x 820 mm x 1220 mm.	1000
583	NN dryer	Double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1200 mm x 760 mm x 2200 mm.	300
584	NN dryer	Double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1200 mm x 760 mm x 2200 mm.	300
585	Follet	Follett ice machine, model: E-ITS700SG-30, clearance: 570 mm x 270 mm, total dimensions: 1300 mm x 820 mm x 1900 mm.	1500
586	NN smoke trolleys	3 S/s smoke trolleys, 8 floors, dimensions each floor: 1000 mm x 1000 mm, total dimensions: (3x) 1080 mm x 1030 mm x 2000 mm.	300
587	NN dryer	Double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1200 mm x 760 mm x 2200 mm.	300
588	Gram	Gram blast chiller, type: KPS 60 CH, serial number: 10215294, 400 V, 50 Hz, 11.64 A, 2331 W, refrigerant: R404A/1.200g, dimensions inside: 820 mm x 430 mm x 1550 mm, total dimensions: 1030 mm x 800 mm x 2220 mm.	500
589	Kärcher	Kärcher mobile high pressure cleaner, type: HDS 990, year of construction: 1992, water capacity: 3.3 liter, dimensions: 1260 mm x 650 mm x 800 mm.	400
590	Wiesheu GmbH	Wiesheu GmbH oven on s/s trolley, type: B8EMIS500, serial number: 10112789, year of construction: 02/2007, 400 V, 3 Ph, 50 Hz, 16 A, 10 kW, 10 floors	400



Nr	Title	Description	Start €
		oven, dimensions each floor: 610 mm x 370 mm, 6 floors trolley, dimensions each floor: 690 mm x 400 mm, total dimensions: 940 mm x 880 mm x 1860 mm.	
591	MIWE	MIWE mobile oven, type: aeromat 8.64 T MUCS, number: 805 655, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 16 kW, 8 floors, dimensions each floor: 650 mm x 400 mm, total dimensions: 1350 mm x 900 mm x 2100 mm.	400
592	Cookmax	Cookmax saladette, model: Saladette AK900X, serial number: 26060108, year of construction: 2016, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, temperature: 2-8 °C, weight: 70 kg, dimensions inside: (2x) 550 mm x 330 mm, total dimensions: 910 mm x 710 mm x 850 mm.	200
593	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, RVH 400, serial number: 1442414, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 1.07 A, 0.24 kW, refrigerant: R404A, clearance: 195 mm x 105 mm, total dimensions: 1250 mm x 580 mm x 520 mm.	400
594	Bizerba	Bizerba slicer, type: VS 8 D, number: 1540464, year of construction: 1997, 230/400 V, 3 Ph, 50 Hz, 2.1/1.5 A, dimensions: 860 mm x 600 mm x 460 mm. Including knife sharpener.	500
595	S.A.M.	S.A.M. slicer, model: S.A.M. 310I T21, number: 1990, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3.3 A,	360
596	Bizerba	Weighing scale with Bizerba indicator, model: MCE-BW, maximum weight: 150 kg, minimum weight: 2.5 kg, dimensions: 1000 mm x 800 mm x 580 mm.	250
597	Frima	Frima VarioCooking Center, model: VCC 211 P, serial number: E21PB07078002599, water pressure: 150 - 600 kPa, dimensions: 1160 mm x 950 mm x 1120 mm.	2500
598	Bizerba	Bizerba slicer, dimensions: 610 mm x 540 mm x 420 mm.	250
599	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1901213091520, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	400
600	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1806213090740, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	350
601	Graef	Graef slicer, type: 3002, number: 3025451, 230 V, 1 Ph, 50 Hz, 2.4 A, 0.5 kW, dimensions: 610 mm x 600 mm x 420 mm.	200
602	Electrolux	Electrolux shock freezer, 6 floors, dimensions each floor: 610 mm x 360 mm, total dimensions: 760 mm x 700 mm x 850 mm.	300
603	Graef		250



Nr	Title	Description	Start €
		Graef slicer, type: EURO 3004, number: 9940784, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0.85 A, 0.5 kW, dimensions: 640 mm x 600 mm x 430 mm.	
604	Henkelman	Henkelman vacuum machine, type: BOXER 42 I, machine number: B100910424, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 5 A, 0.8 kW, seal length: 420 mm, dimensions chamber: 420 mm x 370 mm x 70 mm, total dimensions: 520 mm x 480 mm x 450 mm.	400
605	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1402213091046, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	400
606	Convotherm	Convotherm combi steamer, model: OES 6.10 mini, number: XSMKJ2227, 400 V, 3 Ph, 50/60 Hz, 14.3 A, 7.1 kW, water pressure: 200-600 kPa, 12 floors, dimensions each floor: 530 mm x 325 mm, total dimensions: 850 mm x 515 mm x 670 mm.	400
607	Miele	Miele dryer, type: PW 6137 EL MF, serial number: 00/99964739, 380/415 V, 3 Ph, 50/60 Hz, 3x25 A, 15 kW, dimensions: 920 mm x 820 mm x 1220 mm.	1500
608	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1701213090427, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	350
609	Henkelman	Henkelman vacuum machine, type: BOXER 42 XL II, machine number: B201105330, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 8.5 A, 1 kW, seal length: 425 mm, dimensions chamber: 425 mm x 425 mm x 70 mm, total dimensions: 620 mm x 500 mm x 480 mm.	400
610	Henkelman	Henkelman vacuum machine, type: JUMBO 35, machine number: J200509131, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.6 kW, seal length: 360 mm, dimensions chamber: 360 mm x 365 mm x 45 mm, total dimensions: 550 mm x 450 mm x 430 mm.	400
611	MKN	MKN combi steamer, type: SKECOD610T0018, serial number: 16213601, year of construction: 2016, 380-415 V, 3 Ph, 50 Hz, 7.8 kW, 5 floors, dimensions each floor: 525 mm x 325 mm, total dimensions: 850 mm x 550 mm x 800 mm.	500
612	Henkelman	Henkelman vacuum machine, type: JUMBO PLUS, number: 10302039, year of construction: 2003, 230 V, 1 Ph, 50 Hz, 1 kW, seal length: 280 mm, dimensions chamber: 305 mm x 285 mm x 50 mm, total dimensions: 450 mm x 340 mm x 300 mm.	350
613	NN refrigerated counter	Refrigerated counter, model: VIPDT105, serial number: 07POP 005410, year of construction: jan 07, 220-230 V, 50 Hz, 3.1 A, refrigerant: R404A, capacity: 260 liter, dimensions: 1100 mm x 700 mm x 880 mm.	50



Nr	Title	Description	Start €
614	Henkovac	Henkovac vacuum machine, model: T2, serial number: 20160199, year of construction: 2016, 220-240 V, 1 Ph, 50/60 Hz, 2.5 A, seal length: 275 mm, dimensions chamber: 315 mm x 295 mm x 40 mm, pump capacity: 4 m ³ per hour, total dimensions: 500 mm x 380 mm x 300 mm.	500
615	WEDA	WEDA weighing scale with indicator, number: 6011048, maximum: 15 kg, minimum: 0.1 kg, e=d=5g, dimensions scale: 360 mm x 240 mm x 110 mm.	150
616	Scholl Apparatebau	Scholl Apparatebau warming plate, serial number: 541362-003, 230 V, 50 Hz, 1.25 kW, dimensions: 800 mm x 600 mm x 650 mm.	100
617	Rembrandt packaging	Rembrandt Packaging carton erector, type: RCE-1-T, serial number: 20004076, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 1.6 kW, plastic belts, belt width: 70 mm and 100 mm, working width: 445 mm and 205 mm, clearance: 625 mm x 420 mm, Becker vacuum pump, type: VT 4.16, 16/19 m ³ per hour, total dimensions: 2350 mm x 2420 mm x 2000 mm.	500
618	GKS Packaging	GKS Packaging vertical bag form-, fill- and seal machine with elevating belt, type: CP300HS-T, serial number: 04421, year of construction: 2012-01, plastic belt with dividers, belt width: 340 mm, distance between dividers: 195 mm, divider height: 50 mm, gutter width: 210 mm, film width: 640 mm, seal width: (2x) 350 mm, seal length: 240 mm, total dimensions: 3150 mm x 1000 mm x 2550 mm. Including 2 pallets with 20 film rolls .	5000
619	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000
620	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000
621	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000
622	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000



Nr	Title	Description	Start €
623	NN crates	Pallet with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	1000
624	NN crates	2 Pallets with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	2000
625	NN crates	2 Pallets with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	2000
626	NN crates	2 Pallets with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	2000
627	NN crates	2 Pallets with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	2000
628	NN crates	2 Pallets with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	2000
629	NN crates	5 Pallets with 350 foldable plastic crates, suitable for -40C, dimensions each crate: 600 mm x 400 mm x 160 mm. Lot is located on another location in Katwijk aan Zee (NL). Pick-up in consultation with Industrial Auctions BV.	5000
630	Logiqs B.V. / AGV International	Logiqs B.V. / AGV International iCUBE automatic pallet storage system.Year of construction: 2022Capacity: 328 palletsMaximum pallet size: 1200 mm x 800/1000 mm x 1700 mmMaximum pallet weight: 300 kgConsisting of: • iCube pallet transport, 8 lanes, distance between conductors: 970 mm, length for top and bottom lanes: (8x) 15450 mm and (4x) 3270 mm; • 2 iCUBE carriers, 2000 W, speed: 0.75 m/s, weight: 325 kg, maximum weight: 1500 kg, 2000 W, including charger, dimensions: 1248 mm x 938 mm x 280 mm; • 2 iCUBE vertical transporters, 400 V, 6.25 kW, speed: 0.2 m/s, weight: 900 kg, maximum lifting weight: 650 kg, dimensions: 1632 mm x 1825 mm x 3060 mm; • 2	100000



Nr	Title	Description	Start €
		Nassau electric shutter doors, type: M2 Freezer, serial number: NL70955H and NL70955G, year of construction: 1-2022. Lot is located on another location in Oss (NL), viewing, dismantling and pick up in consultation with Industrial Auctions BV.	
631	Everlasting	Everlasting refrigerator, (2x) 6 floors, dimensions each floor: 650 mm x 530 mm, maximum temperature: -2/+10°C, total dimensions: 1480 mm x 840 mm x 2080 mm.	950
632	Ecofrost	Ecofrost refrigerator, model: 4752.015, serial number: 6160142120050103, (2x) 5 floors, dimensions each floor: 650 mm x 530 mm, total dimensions: 1440 mm x 880 mm x 2000 mm.	950
633	Foster	Foster mobile refrigerator, model: G1440L, serial number: E5457353, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 5.1 A, 1050 W, refrigerant: R290, 5 floors, dimensions each floor: 650 mm x 530 mm, total dimensions: 1440 mm x 840 mm x 2060 mm.	900
634	Franstal	Franstal refrigerator, type: FSAHD7-OP4H, serial number: 11720057601, 230 V, 50 Hz, 1.2 A, 250 W, 4 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	800
635	Franstal	Franstal refrigerator, type: FHIM 70TNN AR., serial number: HPO20032094, year of construction: 2021, 220-240 V, 50 Hz, 1.13 A, 250 W, refrigerant: R290, 3 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	800
636	Foster	Foster mobile refrigerator, model: EPRO25BSF, serial number: E5411154, 230 V, 1 Ph, 50 Hz, 3.2 A, 675 W, refrigerant: R290, 150 gram, 16 floors, 5 plastic crates, crate dimensions: 760 mm x 450 mm x 90 mm, total dimensions: 700 mm x 930 mm x 2270 mm.	600
637	Foster	Foster mobile refrigerator, model: EP820LW, serial number: E5465284, 230 V, 1 Ph, 50 Hz, 5.2 A, 1025 W, refrigerant: R404a, 3 floors, dimensions each floor: 540 mm x 650 mm, total dimensions: 800 mm x 700 mm x 2050 mm.	600
638	Franstal	Franstal refrigerator, type: FHIM 70TNN AR., serial number: HPO20032096, year of construction: 2021, 220-240 V, 50 Hz, 1.13 A, 250 W, refrigerant: R290, 2 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	700
639	Mercatus	Mercatus refrigerator, model: GE PAST 1400BT, serial number: 158436, year of construction: 2017, 220-240 V, 50 Hz, 3.8 A, 790 W, refrigerant: R-404A, (2x) 17 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1440 mm x 850 mm x 2050 mm.	950
640	Franstal		600



Nr	Title	Description	Start €
		Franstal refrigerator, type: FHIM 70BT AR., serial number: HPO20047493, year of construction: 2021, 220-240 V, 50 Hz, 2.55 A, 260 W, refrigerant: R290, 2 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	
641	Henkelman	Henkelman vacuum machine, type: Jumbo Plus, machine number: HOJ10160588, year of construction: 2016, 220/230 V, 1 Ph, 50/60 Hz, 3.5 A, 0.5 kW, seal length: 280 mm, chamber dimensions: 280 mm x 310 mm, total dimensions: 460 mm x 330 mm x 350 mm.	650
642	NN cabinet	S/s cabinet, floor dimensions: 1580 mm x 570 mm, total dimensions: 1600 mm x 700 mm x 860 mm.	150
643	Ecofrost	Ecofrost refrigerator, model: 4750.058, number: 6332 4218 1808 1527, 220-240 V, 50 Hz, 1.2 A, 170 W, refrigerant: R600A/0.065 kg, weight: 81 kg, dimensions: 910 mm x 700 mm x 1000 mm.	450
644	Gastro-Cool	Gastro-Cool refrigerated showcase, model: GCUC301, serial number: 245403-0516-10008, 220-240 V, 50 Hz, 1.2 A, 220 W, refrigerant: R600A/0.073 kg, weight: 83 kg, volume: 301 liter, 6 floors, dimensions each floor: (6x) 395 mm x 320 mm, total dimensions: 1350 mm x 520 mm x 860 mm.	150
645	Coldline	Coldline chiller, model: W5UG, serial number: 012001022, 220-240 V, 50 Hz, 5.2 A, 1030 W, refrigerant: R452A/1400 g, 11 floors, dimensions: 710 mm x 700 mm x 860 mm.	350
646	Ecofrost	Ecofrost refrigerator, model: 4750.058, number: 6332 4218 1808 1509, dimensions: 910 mm x 700 mm x 1000 mm.	450
647	Convotherm	Convotherm combi steamer on s/s frame, type: C4eT 6.10ES, serial number: XS117109476, 400 V, 3 Ph, 50/60 Hz, 15.9 A, 11 kW, 7 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 1000 mm x 800 mm x 1530 mm.	2600
648	Rational	Rational combi steamer, 400 V, 50 Hz, 8 floors, floor dimensions: (8x) 410 mm x 610 mm, total dimensions: 980 mm x 850 mm x 1860 mm.	550
649	Gram	Gram refrigerator, 4 floors, floor dimensions: (4x) 430 mm x 530 mm, total dimensions: 620 mm x 720 mm x 2000 mm.	300
650	Berto's SPA	Berto's SPA double fryer, model: E7F10-8MS, number: 11258/78532, 380/415 V, 3 Ph, 50/60 Hz, 18 kW, inside dimensions: (2x) 230 mm x 340 mm x 150 mm, total dimensions: 800 mm x 700 mm x 1040 mm.	200
651	Diamond	Diamond mobile au bain-marie, model: CT331/D-N, serial number: 19031397, 230 V, 50-60 Hz, 2.1 kW, dimensions: 1280 mm x 600 mm x 910 mm.	150
652	Baron		250



Nr	Title	Description	Start €
		Baron grill, 400 V, 50/60 Hz, dimensions: 570 mm x 370 mm x 510 mm.	
653	Roband Australia PTY LTD	Roband Australia PTY LTD grill, model: GSA610R, serial number: 1306, year of construction: 2016, 230 V, 50 Hz, 9.6 A, 2200 W, dimensions: 400 mm x 420 mm x 230 mm.	250
654	Hobart	Hobart dishwasher, crate dimensions: 490 mm x 490 mm, total dimensions: 900 mm x 760 mm x 1500 mm. Missing hood.	1200
655	Electrolux	Electrolux dishwasher, model: HHT8, serial number: 91610005, year of construction: 2019, 230/400 V, 1/3 Ph, 50 Hz, 12.9 kW, dimensions: 750 mm x 900 mm x 1570 mm.	1300
656	Electrolux	Electrolux dishwasher, model: EHT8IWSG, serial number: 70310003, year of construction: 2017, 400/230 V, 3/1 Ph, 50 Hz, 12.9 kW, inside dimensions: 500 mm x 500 mm x 440 mm, total dimensions: 760 mm x 900 mm x 1550 mm.	750
657	Frigoglass Romania SRL	Frigoglass Romania SRL refrigerator, type: ICOOL-150C, serial number: RO5812054450, year of construction: 17/10/17, 230 V, 50 Hz, 0.65 A, 98 W, volume: 120 liter, refrigerant: R600a/0.065 kg, dimensions each floor: 370 mm x 400 mm, total dimensions: 600 mm x 500 mm x 900 mm.	150
658	Frigoglass Romania SRL	Frigoglass Romania SRL refrigerator, type: ICOOL-150C, serial number: RO5812029453, year of construction: 01/08/17, 230 V, 50 Hz, 0.65 A, 98 W, volume: 120 liter, refrigerant: R600a/0.065 kg, 2 floors, dimensions each floor: 370 mm x 400 mm, total dimensions: 600 mm x 500 mm x 900 mm.	150
659	Hoshizaki	Hoshizaki ice machine, model: FM-150KE-50-N, serial number: G21816, 220-240 V, 50 Hz, 5 A, weight: 81 kg, refrigerant: R134a/0.22 kg, dimensions: 940 mm x 620 mm x 800 mm.	750
660	Maja	Maja mobile skinning machine, type: ESM 435, number: 41319, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2 A, 0.75 kW, working width: 430 mm, total dimensions: 770 mm x 730 mm x 980 mm.	650
661	Frey	Frey mobile piston filler, type: KOMPAKT2, machine number: K230C10434895, year of construction: 2015, 400 V, 50 Hz, 3.7 kW, dimensions: 1000 mm x 800 mm x 1230 mm.	9500
662	Moller & Co	Moller & Co grinder, plate diameter: 98 mm, total dimensions: 600 mm x 900 mm x 1200 mm.	900
663	Lakidis	Lakidis mobile mixer-grinder, type: MG-100, serial number: 410621, year of construction: 2021, 6.25 kW, plate diameter: 100 mm, total dimensions: 1400 mm x 730 mm x 1400 mm.	8500



Nr	Title	Description	Start €
664	Mado	Mado mobile grinder, type: MEW 620, number: 1530074, 230/400 V, 50 Hz, 11.1/6.4 A, 3 kW, plate diameter: 98 mm, total dimensions: 1060 mm x 870 mm x 1160 mm.	3000
665	Talsa	Talsa mixer, type: MIX150P, number: 274608, year of construction: 2007, 230/400 V, 50 Hz, volume: 150 liter, total dimensions: 1100 mm x 800 mm x 1410 mm.	2300
666	DMS	DMS mixer, type: DMM 90 VM, serial number: S 17476, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.85 A, 0,75 kW, weight: 110 kg, volume: 90 liter, dimensions: 600 mm x 900 mm x 1120 mm.	1700
667	Dadaux	Dadaux mixer, type: PMX 90, number: VPMX90 5820, year of construction: 01/21, 400 V, 50 Hz, volume: 90 liter, dimensions: 600 mm x 900 mm x 1120 mm.	1700
668	Talsa	Talsa mobile mixer, model: MIX95, serial number: 1711191, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1 A, 0.8 kW, volume: 95 liter, dimensions: 1280 mm x 840 mm x 1150 mm.	1900
669	SMEG	SMEG dishwasher, type: 3002-16, model: UG520DL, serial number: 1 243085 80123 0001 0307, crate dimensions: 490 mm x 510 mm, total dimensions: 600 mm x 600 mm x 720 mm.	400
670	Kärcher	Kärcher vacuum cleaner, type: MV3 P, serial number: 038440, 220-240V, 50/60 Hz.	100
671	Siemens	Siemens vacuum cleaner, type: VBBS600V00, number: VS06G1600/01, 230-240 V, 50 Hz, 1600 W.	10
672	Foster	Foster mobile refrigerator, model: EP820LW, serial number: E5438526, 230 V, 1 Ph, 50 Hz, 5.2 A, 1025 W, refrigerant: R404a, 4 floors, dimensions each floor: 540 mm x 650 mm, total dimensions: 800 mm x 700 mm x 2050 mm.	600
673	Franstal	Franstal refrigerator, type: FSANE7-0P4H, 230 V, 50 Hz, 1.2 A, 210 Watt, refrigerant: R290, 0.08 kg, 20 floors, floor dimensions: (20x) 635 mm x 525 mm, total dimensions: 800 mm 690 mm x 2000 mm.	950
674	Leventi	Leventi combi steamer, model: CM 1.20 MM BDI ME, serial number: 16 05 67126, 400 V, 3 Ph, 50/60 Hz, 36 kW, total dimensions: 910 mm x 910 mm x 2150 mm. Including s/s trolley, 20 floors, dimensions each floor: 600 mm x 400 mm.	1200
675	Merrychef	Merrychef high speed oven, model: eikon e3, item number: e3NEE305AAU2P3UK, serial number: 1206213090771, 2 floors, dimensions each floor: 330 mm x 250 mm, total dimensions: 600 mm x 600 mm x 560 mm.	850
676	Zanussi	Zanussi pasta cooking machine, double basket, model: Z7PCEH2KF0, serial number: 036200001, 380-400 V, 3	1000



Nr	Title	Description	Start €
		Ph, 50/60 Hz, 12 kW, dimensions: 1200 mm x 730 mm x 1450 mm. Including 5 baskets.	
677	Eurochef	Eurochef double deep fryer, type: Multi Fry, model: KLO, serial number: TD 18041, year of construction: 2015, 380 V, 3 Ph, 50/60 Hz, dimensions: 700 mm x 800 mm x 820 mm.	850
678	Küpperbusch	Küpperbusch cooking vessel, inside dimensions: Ø 590 mm x 460 mm, total dimensions: 800 mm x 940 mm x 980 mm.	800
679	Diamond	Diamond oven, model: BRIO64/X N, serial number: 2013102600043, 230 V, 50/60 Hz, 3.335 kW, 4 floors, dimensions each floor: 600 mm x 300 mm, total dimensions: 720 mm x 700 mm x 600 mm.	200
680	Ecofrost	Ecofrost blast chiller, model: 4750.705, serial number: 6530 1525 1908 0706, 220/240 V, 50 Hz, 4.5 A, 750 W, weight: 108 kg, refrigerant: R290/250g, 5 floors, dimensions each floor: 600 mm x 370 mm, total dimensions: 800 mm x 800 mm x 1000 mm.	650
681	Alto-Shaam	Alto-Shaam mobile heated cabinet, model: 500-S, serial number: 2472085-000, 230 V, 1 Ph, 50/60 Hz, 950 W, 11 floors, dimensions: 450 mm x 600 mm x 800 mm.	900
682	Alto-Shaam	Alto-Shaam mobile heated cabinet, model: 500-2DN, serial number: 2726582-000, 230 V, year of construction: 2020, 1 Ph, 50/60 Hz, 590 W, dimensions: 420 mm x 750 mm x 480 mm.	900
683	Spako	Spako cooking vessel with agitator, type: TRK100, serial number: 21.532, 230/400 V, 50 Hz, 9.5 kW, inside dimensions: Ø 600 mm x 400 mm, total dimensions: 1160 mm x 880 mm x 1590 mm.	3000
684	Monolith GmbH	Monolith GmbH grill, type: RC 800-G/0631, gas heated, dimensions: 540 mm x 400 mm x 310 mm.	100
685	Electrolux	Electrolux 4-pits stove, dimensions: 800 mm x 940 mm x 900 mm.	500
686	Kolbe	Kolbe bandsaw, number: 940135, dimensions: 780 mm x 740 mm x 1620 mm. Missing saw blade.	1500
687	Henkelman	Henkelman mobile double chamber vacuum machine, type: Titaan 2-90, machine number: HTN10190004, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 5.5 kW, seal length: (4x) 850 mm, chamber dimensions: (2x) 850 mm x 900 mm, working hours: 46:32, Busch vacuum pump, type: RD 0360 A 5H3, capacity: 300 m³ per hour, total dimensions: 2500 mm x 1200 mm x 1150 mm. Only 40 working hours.	17000
688	Rational	Rational Vario Cooking Center, type: VCC 112T, serial number: E12vj20038046107, year of construction: 2020, 400 V, 3 Ph, 50/60 Hz, 13 kW, temperature: 30-250°C, water pressure: 150-600 kPa, volume: (2x)	1000



Nr	Title	Description	Start €
		14 liter, inside dimensions: (2x) 330 mm x 440 mm x 140 mm, total dimensions: 960 mm x 740 mm x 1040 mm. Including 2 s/s baskets.	
689	Leventi	Leventi double stacked combi steamer with hood, model: BM 6 MM YOU, serial number: 14 03 61910, 400 V, 50-60 Hz, 9 kW, 5 and 6 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 900 mm x 900 mm x 2210 mm.	800
690	Leventi	Leventi combi steamer on s/s rack, type: BM MM Q4, serial number: 069020064, year of construction: 2007, 380/415 V, 3 Ph, 50/60 Hz, 12 floors, dimensions each floor: 410 mm x 600 mm, total dimensions: 960 mm x 880 mm x 1820 mm.	1000
691	Franstal	Franstal combi steamer on s/s frame, type: ME061T, serial number: LA020009220, 6 floors, floor dimensions: 530 mm x 300 mm, total dimensions: 950 mm x 900 mm x 1720 mm.	650
692	Giorik S.p.A	Giorik S.p.A. oven, model: KB061W, serial number: 007517/09/20, 400 V, 3 Ph, 50 Hz, 6.6 kW, 11 floors, dimensions each floor: 330 mm x 420 mm, total dimensions: 600 mm x 850 mm x 800 mm.	1400
693	Convotherm	Convotherm combi steamer on s/s rack, type: OES 10.10, number: FS301003000A00, 400 V, 3 Ph, 50/60 Hz, 26.3 A, 19.8 kW, 11 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 900 mm x 930 mm x 1800 mm.	1300
694	Berkel	Berkel bandsaw, type: BS1750 R, number: 53827, 220/380 V, 3 Ph, 50 Hz, 1.1 KW, dimensions: 520 mm x 490 mm x 950 mm.	400
695	Soehnle	Soehnle weighing scale with indicator, model: 3700, serial number: 9121.052008026, 100-240 V, 50-60 Hz, maximum weight: 60 kg, d= 2 gram, dimensions: 400 mm x 380 mm x 80 mm.	100
696	SMO	SMO meat ball forming attachment, type: 15-0240-1, serial number: 15-0240-1-168, year of construction: 2018, 230 V, 50 Hz, 1 Ph, 0.18 kW, diameter forms: 18 mm, 30 mm and 42 mm, total dimensions: 540 mm x 270 mm x 165 mm.	750
697	Dadaux	Dadaux piston filler, type: PH13L, serial number: P-680, year of construction: 09-16, 400 V, 50 Hz, total dimensions: 600 mm x 450 mm x 1050 mm.	1700
698	Topcold	Topcold refrigerated showcase, model: VRX1500II/INOX, serial number: 6128935, year of construction: 07.2016, 230 V, 50 Hz, 0.6 A, 110 W, weight: 31 kg, refrigerant: R600a, dimensions: 1500 mm x 400 mm x 1280 mm.	150
699	Bizerba		550



Nr	Title	Description	Start €
		Bizerba slicer, type: VS 8, number: 1655141, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 1.79 A, dimensions: 655 mm x 530 mm x 430 mm.	
700	Scharfen	Scharfen slicer, type: ES300, model: E 300 WA, number: 2031337 S, 230 V, 2.2 A, 300 W with Mettler Toledo weighing scale, maximum weight: 3 kg, minimum weight: 40 gram, e = 2 gram, total dimensions: 630 mm x 550 mm x 420 mm.	550
701	Graef	Graef slicer, type: Master 3370, serial number: 7617243, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 450 W, dimensions: 710 mm x 630 mm x 650 mm.	850
702	Graef	Graef slicer, type: Euro 3310, serial number: 6255730, year of construction: 2007, 230 V, 50 Hz, 2.2 A, 500 W, dimensions: 550 mm x 700 mm x 500 mm.	500
703	Berkel	Berkel slicer, type: 834 S, number: 626354W 95, with weighing scale, 230 V, 1 Ph, 50 Hz, 220 W, dimensions: 600 mm x 700 mm x 450 mm.	650
704	Whirlpool	Whirlpool microwave, model: AVM 860/WP/ST, 230 V, 50 Hz, 2.7 kW, dimensions: 660 mm x 600 mm x 470 mm.	200
705	Bizerba	Bizerba mobile automatic slicer, model: A 404 FB, number: 1742198, year of construction: 1999, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh outfeed belt, belt width: 250 mm, total dimensions: 1700 mm x 1000 mm x 1600 mm.	1700
706	Delrue	Delrue cooking vessel, model: A200A1, number: 20030911A, year of construction: 2003, 18.5 kW, inside dimensions: 620 mm x 620 mm x 540 mm, total dimensions: 900 mm x 940 mm x 1120 mm.	500
707	NN rack	S/s rack, 4 floors, dimensions each floor: 1210 mm x 460 mm, total dimensions: 1210 mm x 460 mm x 1850 mm.	50
708	NN showcase	Refrigerated showcase, dimensions: 1250 mm x 900 mm x 1170 mm.	200
709	NN showcase	Refrigerated showcase, dimensions: 1880 mm x 900 mm x 1170 mm.	300
710	Heinrich GmbH	Heinrich GmbH mobile sausage cutter, machine number: 99004, year of construction: 1999, 220 V, 50 Hz, diameter drum: 510 mm, total dimensions: 1660 mm x 870 mm x 1400 mm.	1500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, leaving small margins at the top and bottom. There are no vertical margin lines, text, or other markings on the page.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

