



**Industrial  
Auctions**

**2045: Online auction cheese processing machinery  
(including grating, portioning and packaging lines) in  
Kapelle (NL)**

**END DATE**  
05 February 2026 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)



## General terms and conditions of the online auction

End date	05 February 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	12 February 2026 from 09:00 till 16:00 hrs.
Pick up address	Amfoor 6 4421 SE Kapelle Netherlands
Pick up instructions	You are fully responsible for the loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 440 mm, total dimensions: 5100 mm x 550 mm x 1060 mm.	750
2	Selvex SA	Selvex SA cutting and distributing line for cheese cubes, type: DECOUPE + DISTRIBUTION DE CUBES, registration: COL25, year of construction: 2005, 20 kW, plastic belt, belt width: (5x) 410 mm, clearance: 720 mm x 140 mm, (3x) Kuka cutting robot, type: (3x) KR 16, serial numbers: 858406, 858408, 858407, year of construction: (3x) 2004, Kuka cutting robot weight: (3x) 235 kg, total dimensions: 3660 mm x 2900 mm x 2050 mm. Switch cabinets dimensions: (1x) 1000 mm x 350 mm x 1510 mm, (1x) 760 mm x 350 mm x 900 mm, switch cabinet for Kuka cutting robots, dimensions: (3x) 900 mm x 630 mm x 1320 mm.	17500
3	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 410 mm, elevating height: 900 mm, total dimensions: 2880 mm x 700 mm x 1050 mm.	500
4	Groba	Groba cheese cube distributor with infeed and outfeed belt: Infeed elevating belt, type: TB-304, L=1600-29°, number: 122698, year of construction: 2014, weight: 115 kg, plastic belt with dividers, belt width: 250 mm, dividers height: 35 mm, distance between dividers: 120 mm, elevating height: 1130 mm, elevating belt dimensions: 1470 mm x 670 mm x 1250 mm. Cube distributor, type: PM-625, number: 122698, year of construction: 2014, weight: 215 kg, infeed: Ø 485 mm, outfeed: Ø 400 mm, drum length: 1020 mm, cube distributor dimensions: 1620 mm x 600 mm x 1290 mm. Outfeed elevating belt, type: TB-304, L=1600-38,5°, number: 122698, year of construction: 2014, machine weight: 150 kg, plastic belt with dividers, belt width: 250 mm, dividers height: 35 mm, distance between dividers: 115 mm, elevating height: 1250 mm, elevating belt dimensions: 1600 mm x 750 mm x 1380 mm, total dimensions: 2740 mm x 2300 mm x 1850 mm.	2500
5	NN transport belt	Transport belt on s/s rails, plastic belt, belt width: 350 mm, total dimensions: 3300 mm x 750 mm x 1250 mm.	1250
6	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, dividers height: 80 mm, distance between dividers: 250 mm, elevating height: 4650 mm, total dimensions: 5450 mm x 880 mm x 4760 mm.	2500
7	Stumaco	Stumaco mobile elevating belt, type: 20 209 02, year of construction: 2021, plastic belt with dividers, belt width: 680 mm, dividers height: 150 mm, distance between dividers: 550 mm, elevating height: 1950 mm, total dimensions: 7400 mm x 1350 mm x 2430 mm.	1950
8	Stumaco	Stumaco mobile elevating belt, type: 20 209 03, year of construction: 2021, plastic belt, belt width: 600 mm, elevating height: 1270 mm, total dimensions: 4500 mm x 1200 mm x 1720 mm.	1950
9			1250



Nr	Title	Description	Start €
	NN transport belt	Transport belt on s/s rails, plastic belt, belt width: 350 mm, total dimensions: 3300 mm x 750 mm x 1250 mm.	
11	NN platform	S/s platform, (2x) 14 steps, working height: 2570 mm, total dimensions: 6800 mm x 3700 mm x 3670 mm.	1950
12	NN cabinet	Plastic cabinet, 5 floors, dimensions: 780 mm x 430 mm x 1810 mm.	25
13	CFS	CFS thermoformer, type: 660, machine number: 661/0234, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 40/50 A, dyes: (6x) 200 mm x 115 mm, belt width: (3x) 130 mm, index: 550 mm, roll width: 430 mm, plastic belt, belt width: 400 mm, total dimensions thermoformer: 12000 mm x 1700 mm x 2250 mm. outfeed belt, plastic mesh belt, belt width: (3x) 130 mm, total dimensions outfeed belt: 1260 mm x 870 mm x 1000 mm. Including, Gardner Denver vacuum pump, dimensions: 1550 mm x 920 mm x 920 mm, Markem smartlaser with labeller, Markem smartlaser unit, model: ES400i, serial number: ES400i-312, year of construction: 2005-03, 220/240 V, 1 Ph, 50/60 Hz, 6/15 A, dimensions: 720 mm x 400 mm x 770 mm, water chiller, dimensions water chiller: 700 mm x 500 mm x 730 mm.	3500
14	Safeline	Safeline metal detector on 90° curve conveyor, type: R Series profile, serial number: 93537, plastic mesh belt, belt width: 190 mm, clearance: 250 mm x 100 mm, total dimensions: 2700 mm x 1550 mm x 1140 mm.	1750
15	Espera	Espera weighing and labeling machine with bottom labeller, type: ES 7000, serial number: R C 0750100474, year of construction: 2009, 24 V, maximum: 3/6/8 kg, e= 1/2/5 g, minimum: 20 g, T= -3000 g, du= .01€/kg, dp= 0.01 €, plastic belt, belt width: (6x) 140 mm, (3x) 90 mm, clearance: 375 mm x 120 mm, total dimensions: 2400 mm x 700 mm x 1490 mm.	1750
16	Leon Torfs	Leon Torfs roller conveyor, number: 263C043, year of construction: 2007, s/s frame, s/s rollers, roller width: 300 mm, total dimensions: 3000 mm x 400 mm x 870 mm.	200
17	NN table	S/s table, dimensions: 800 mm x 500 mm x 740 mm.	50
18	NN table	S/s table, dimensions: 1000 mm x 700 mm x 880 mm.	50
19	Selvex SA	Selvex SA transport system with turning device, type: LIGNE DE DECOUPE, year of construction: 2002, 12 kW, plastic belt, belt width: (2x) 790 mm, (1x) 5540 mm, diameter turning device: 1380 mm, total dimensions: 9700 mm x 1380 mm x 1200 mm.	1500
20	Selvex SA	Selvex SA portioning machine, number: COL21-2, year of construction: 2002, 400 V, 3 Ph, 7 kW, infeed plastic belt, belt width: 1000 mm, clearance: 1230 mm x 500 mm, knife width: (1x) 1060 mm (1x) 340 mm, plastic belt, belt width: 350 mm, total dimensions: 2150 mm x 5000 mm x 2100 mm.	2950
21	Selvex SA	Selvex SA portioning machine with ejector, plastic belt, belt width: 270 mm and 310 mm, clearance: 410 mm x 150 mm, plastic rollers, roller width: 350 mm, knife width: 270 mm, total dimensions: 3650 mm x 1300 mm x 2220 mm.	2950



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
22	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1100 mm, total dimensions: 3600 mm x 1100 mm x 1330 mm.	1250
23	NN buffer belt	Buffer belt with 90° infeed curve conveyor, plastic mesh belt, belt width: 190 mm, 5 stations, plastic belt, belt width: (5x) 200 mm, dimensions infeed belt: 1270 mm x 1360 mm x 1260 mm, dimensions buffer belt: 2650 mm x 780 mm x 1300 mm.	1250
24	Ilapak	Ilapak flowpacker, type: DELTA 3000 LDRBSX, serial number: D.230.04.061, year of construction: SETT.2007, 400 V, 50/60 Hz, 7500 W, clearance: 150 mm x 120 mm, plastic belt, belt width: (2x) 300 mm, seal length: 360 mm, 2 Dansensor gas mixing stations, type: MAP Mix Provectus, 2-gas and MAP Check 3 O2 + CO2, serial number: 89130201 and 88161268, Markem smart laser unit, model: ES400i Issue 2, serial number: 06/07/ ES400i-771, year of construction: 06/2007, 220/240 V, 50/60 Hz, 6.20 A, dimensions smart laser unit: 730 mm x 400 mm x 780 mm, total dimensions: 4000 mm x 1400 mm x 2150 mm.	2750
25	Safeline	Safeline metal detector on elevating belt, type: R Series Profile, serial number: 93542, plastic mesh belt, belt width: 190 mm, clearance: 750 mm, total dimensions: 4000 mm x 800 mm x 1150 mm.	1500
26	Espera	Espera weighing and labeling machine with bottom labeller, type: ES 7000, serial number: R/C 0750100456, year of construction: 2009, 24 V, maximum: 3/6/8 kg, e= 1/2/5 g, minimum: 20 g, T= -3000 g, du= .01€/kg, dp= 0.01 €, plastic belt, belt width: (6x) 140 mm, (3x) 90 mm, clearance: 375 mm x 120 mm, total dimensions: 2400 mm x 700 mm x 1490 mm.	1750
27	Leon Torfs	Leon Torfs transport belt, number: 263C047, year of construction: 2008, plastic belt, belt width: 300 mm, total dimensions: 2400 mm x 560 mm x 1080 mm.	500
28	Leon Torfs	Leon Torfs s/s turning table, number: 263 V 046, year of construction: 2008, diameter table: 1230 mm, total dimensions: 1250 mm x 1250 mm x 1400 mm.	950
29	NN table	S/s table, dimensions: 1200 mm x 600 mm x 920 mm.	50
30	NN table	S/s table, dimensions: 650 mm x 500 mm x 840 mm.	50
31	Intrion	Intrion s/s cabinet, dimensions: 600 mm x 400 mm x 1310 mm.	50
32	NN platform	S/s platform, dimensions: 1500 mm x 500 mm x 220 mm.	25
33	NN transport system	Transport system with turning device, plastic belt, belt width: (2x) 790 mm, (1x) 550 mm, diameter turning device: 330 mm, total dimensions: 8040 mm x 1350 mm x 990 mm.	1500
34	Selvex SA	Selvex SA portioning machine, type: Ligne de découpe de fromages, registration: HAL02X, year of construction: 2007, 400 V, 3 Ph, 8 kW, clearance: 1150 mm x 490 mm, plastic belt, belt width: 1000 mm and 300 mm, knife width: 1100 mm, total dimensions: 2850 mm x 2700 mm x 2250 mm.	2950
35	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 380 mm, elevating height: 1170 mm, total dimensions: 2000 mm x 500 mm x 1520 mm.	1250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
36	NN block cutter	Block cutter, plastic belt, belt width: 540 mm, clearance: 430 mm x 165 mm, knife width: 450 mm, total dimensions: 2050 mm x 1510 mm x 2000 mm.	2950
37	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 330 mm, elevating height: 870 mm, total dimensions: 1900 mm x 500 mm x 1150 mm.	950
38	NN tilting device	Tilting device for Dolav boxes, plastic belt, belt width: 460 mm, total dimensions: 2300 mm x 2500 mm x 2550 mm.	2250
39	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 340 mm, elevating height: 1540 mm, total dimensions: 5500 mm x 500 mm x 1700 mm.	1500
40	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 780 mm, total dimensions: 3150 mm x 1050 mm x 1070 mm.	1250
41	NN portioning machine	Portioning machine, plastic belt, belt width: (1x) 1000 mm and (1x) 300 mm, clearance: 1260 mm x 420 mm, knife width: 1200 mm, total dimensions: 2100 mm x 3060 mm x 2200 mm.	2950
42	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 340 mm, elevating height: 1180 mm, total dimensions: 2070 mm x 480 mm x 1420 mm.	950
43	NN block cutter	Block cutter, plastic belt, belt width: 310 mm, clearance: 550 mm x 440 mm, knife width: 450 mm, 8 knives, distance between knives: 45 mm, total dimensions: 2850 mm x 1250 mm x 2300 mm.	2950
44	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 350 mm, elevating height: 1130 mm, total dimensions: 4000 mm x 500 mm x 1300 mm.	1250
45	Selvex SA	Selvex SA dosing and conveying system, type: COL5, year of construction: 2000, 400 V, 3 Ph, 6 kW, lifter for bins, lifting height: 4000 mm, s/s bin dimensions: Ø 600 mm x 500 mm, dividing belt width: 370 mm, clearance bunkers: (3x) 1200 mm x 990 mm, outfeed belt width: (3x) 380 mm, s/s platform, 14 steps, working height: 2780 mm, total dimensions: 5000 mm x 6800 mm x 4750 mm.	6500
46	Mettler Toledo	Weighing transport belt with Mettler Toledo indicator, indicator model: IND331 Harsh, serial number: B903102709, 100/240 V, 50/60 Hz, 0.1 A, plastic belt, belt width: 370 mm, total dimensions: 3600 mm x 630 mm x 1810 mm.	1250
47	NN transport system with bin press	Transport system with bin press, plastic belts, belt width: (4x) 630 mm, diameter press: 630 mm, total dimensions: 3800 mm x 3950 mm x 3100 mm.	1500
48	NN fence	2 s/s fences, dimensions: (1x) 600 mm x 50 mm x 1100 mm, (1x) 2100 mm x 50 mm x 1170 mm.	100
49	NN lifter	S/s lifter for bins, lifting height: 5850 mm, bin dimensions: Ø 600 mm x 500 mm, total dimensions: 1600 mm x 1280 mm x 6360 mm.	1250
50	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 350 mm, elevating height: 2100 mm, total dimensions: 2000 mm x 520 mm x 2430 mm.	750



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
51	Urschel	Urschel slicer/shredder, model: CC, serial number: 4601, year of construction: 2005, infeed diameter: 450 mm, knife diameter: 410 mm, knife width: 100 mm, total dimensions: 1550 mm x 1300 mm x 2240 mm. Including 2 extra knives.	5000
52	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 330 mm, elevating height: 1000 mm, total dimensions: 1400 mm x 620 mm x 1300 mm.	750
53	Bodijn	Bodijn vibrating gutter, gutter length: 1900 mm, gutter width: 450 mm, outfeed: Ø 300 mm, total dimensions: 1970 mm x 850 mm x 500 mm.	500
54	Klinger	Klinger 14-heads multihead weigher, type: Tellmengenwaage TW-14, machine number: 14.10-104, year of construction: 02/05, 400 V, 3 Ph, 50 Hz, 5.7 A, each basket: 130 mm x 100 mm x 260 mm, total dimensions: 1530 mm x 1450 mm x 2000 mm.	1950
55	Ilapak	Ilapak vertical bag form-, fill-, and seal machine, model: Vegatronic 2000 OF, serial number: 0741812003, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 17 A, filling pipe: Ø 75 mm, vertical seal length: 650 mm, horizontal seal length: 320 mm, film width: 470 mm, total dimensions: 2800 mm x 2500 mm x 2450 mm. Markem laser unit, model: ES400i, serial number: 03/09/ES400i-1120, year of construction: 03/2009, 230 V, 50/60 Hz, 6.20 A, dimensions: 720 mm x 400 mm x 790 mm, s/s switch cabinet: 1450 mm x 600 mm x 1330 mm, 2 extra filling pipes: Ø (2x) 70 mm, 3 extra film holders, film holder width: (3x) 1320 mm.	4500
56	Ceia	Ceia metal detector on elevating belt, model: THS, serial number: 20500210016, plastic mesh belt with dividers, belt width: 330 mm, dividers height: 25 mm, distance between dividers: 210 mm, clearance: 400 mm x 200 mm, elevating height: 1100 mm, total dimensions: 2300 mm x 900 mm x 1250 mm.	1750
57	Bizerba	Bizerba checkweigher with rejector, model: CWE, serial number: 10754551, year of construction: M 11, 220/240 V, 50/60 Hz, 5.0/3.0 A, maximum: 1500/3000 g, minimum: 50 g, e=d= 0.5/1 g, plastic belt, belt width: (3x) 300 mm, total dimensions: 1820 mm x 930 mm x 1700 mm.	1250
58	NN turning table	S/s turning table, diameter table: 1500 mm, total dimensions: 1600 mm x 1510 mm x 950 mm.	950
59	NN frame	S/s frame, dimensions: 620 mm x 560 mm x 900 mm.	50
60	NN lifter	S/s lifter for bins, lifting height: 5850 mm, bin dimensions: Ø 600 mm x 500 mm, total dimensions: 1600 mm x 1280 mm x 6360 mm.	1250
61	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, clearance bunker: 830 mm x 690 mm, total dimensions: 2000 mm x 700 mm x 1050 mm.	500
62	Urschel	Urschel slicer/shredder, model: CC, serial number: 5003, year of construction: 2007, infeed diameter: 450 mm, knife diameter:	6000



Nr	Title	Description	Start €
		410 mm, knife width: 100 mm, total dimensions: 1550 mm x 1300 mm x 2240 mm. Including 2 extra knives.	
63	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 320 mm, clearance bunker: 600 mm x 470 mm, elevating height: 800 mm, total dimensions: 2500 mm x 600 mm x 1180 mm.	750
64	Yamato	Yamato 14-heads multihead weigher, model: ADW-514SD, serial number: WG 990491, weight range: 20 g, - 2000 g, 220/240 V, 1 Ph, 50/60 Hz, 10 A, each basket: 110 mm x 140 mm x 280 mm, total dimensions: 1250 mm x 1250 mm x 1850 mm.	4000
65	Ilapak	Ilapak vertical bag form-, fill-, and seal machine, model: Vegatronic 2000 OF, serial number: 0741812004, 400 V, 3 Ph, 50 Hz, 17 A, vertical seal length: 650 mm, horizontal seal length: 320 mm, filling pipe: Ø 130 mm, film width: 480 mm, total dimensions: 2700 mm x 2350 mm x 2450 mm, Markem laser unit, model: ES400i, serial number: ES400i-521 Issue 2, year of construction: 2006 03, 220/240 V, 1 Ph, 50/60 Hz, dimensions: 700 mm x 400 mm x 770 mm, switch cabinet: 1450 mm x 600 mm x 1330 mm, 2 extra filling pipes: Ø 80 mm and Ø 170 mm, film holders width: (3x) 1320 mm.	4500
66	Ceia	Ceia metal detector, model: THS, plastic mesh belt with dividers, belt width: 330 mm, dividers height: 25 mm, distance between dividers: 210 mm, clearance: 400 mm x 200 mm, elevating height: 1100 mm, total dimensions: 2300 mm x 900 mm x 1250 mm.	1750
67	Bizerba	Bizerba checkweigher with rejector, model: CWE, serial number: 10754552, year of construction: M 11, 220/240 V, 50/60 Hz, 5.0/3.0 A, maximum: 1500/3000 g, minimum: 50 g, e=d= 0.5/1 g, plastic belt, belt width: (3x) 300 mm, total dimensions: 1820 mm x 930 mm x 1700 mm.	1250
68	NN turning table	S/s turning table, diameter table: 1500 mm, total dimensions: 1600 mm x 1510 mm x 950 mm.	950
69	NN frame	S/s frame, dimensions: 620 mm x 560 mm x 900 mm.	50
70	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 540 mm, total dimensions: 1970 mm x 470 mm x 650 mm.	250
71	Urschel	Urschel slicer/shredder, model: CC, serial number: 3947, year of construction: 1999, infeed diameter: 450 mm, knife diameter: 410 mm, knife width: 100 mm, total dimensions: 1550 mm x 1300 mm x 2240 mm. Including 3 extra knives.	4500
72	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 330 mm, elevating height: 1230 mm, total dimensions: 1640 mm x 550 mm x 1400 mm.	750
73	Impulse HS Key	Impulse HS Key vibrating gutter, type: MVEIC, serial number: 4209348, year of construction: 2006, gutter length: 2050 mm, gutter width: 400 mm, outfeed diameter: Ø 250 mm, total dimensions: 2000 mm x 480 mm x 650 mm.	950
74	Yamato	Yamato 14-heads multihead weigher, model: ADW-514SW, serial number: WG051006, 220/240 V, 1 Ph, 50/60 Hz, 10 A,	4000



Nr	Title	Description	Start €
		weight range: 20 g - 2000 g, each basket: 120 mm x 140 mm x 290 mm, total dimensions: 1250 mm x 1250 mm x 1850 mm.	
75	Ilapak	Ilapak vertical bag form-, fill-, and seal machine, model: Vegatronic 2000 OF, serial number: 0741812002, 400 V, 3 Ph, 50 Hz, 17 A, filling pipe: $\varnothing$ 120 mm, vertical seal length: 270 mm, horizontal seal length: 320 mm, film width: 470 mm, total dimensions: 2700 mm x 2350 mm x 2450 mm. Markem smartlaser unit, model: ES500, serial number: 05/13/ES500-960, year of construction: 05/2013, 230 V, 50/60 Hz, 12.5 A, dimensions: 440 mm x 430 mm x 980 mm, switch cabinet: 1450 mm x 600 mm x 1330 mm, 2 extra filling pipes: $\varnothing$ 80 mm and 130 mm, trolley for filling pipe, dimensions: 580 mm x 640 mm x 1000 mm, trolley with film holders, film holder width: (3x) 1320 mm, dimensions trolley: 960 mm x 650 mm x 1040 mm.	4500
76	Ceia	Ceia metal detector, model: THS, plastic mesh belt with dividers, belt width: 330 mm, dividers height: 25 mm, distance between dividers: 210 mm, clearance: 400 mm x 200 mm, elevating height: 1100 mm, total dimensions: 2300 mm x 900 mm x 1250 mm.	1750
77	Bizerba	Bizerba checkweigher with rejector, model: CWE, serial number: 10754550, year of construction: M 11, 220/240 V, 50/60 Hz, 5.0/3.0 A, maximum: 1500/3000 g, minimum: 50 g, e=d= 0.5/1 g, plastic belt, belt width: (3x) 300 mm, total dimensions: 1820 mm x 930 mm x 1700 mm.	1250
78	NN turning table	S/s turning table, diameter table: 1500 mm, total dimensions: 1600 mm x 1510 mm x 950 mm.	950
79	NN frame	S/s frame, dimensions: 620 mm x 560 mm x 900 mm.	50
80	NN platform	S/s platform, (1x) 13 steps and (3x) 5 steps, working height: 2700 mm and 3630 mm, total dimensions: 10330 mm x 6300 mm x 4630 mm.	3000
81	NN cleaning frame	2 s/s frames for cleaning baskets from multihead weigher, 41 places, total dimensions: (1x) 1500 mm x 250 mm x 1700 mm, (1x) 3000 mm x 250 mm x 1700 mm.	750
82	Markem	Markem smart laser unit, dimensions: 370 mm x 170 mm x 400 mm.	250
83	NN rack	2 s/s racks for filling pipes, (2x) 6 places, total dimensions: (2x) 4800 mm x 1100 mm x 1930 mm. Without filling pipes.	500
84	Nederman	Nederman hose reel with pistol, dimensions: 730 mm x 300 mm x 550 mm	75
85	Tawi	Tawi vacuum tifting device, type: VM230, number: 1874, year of construction: 2014, maximum: 120 kg, suction cup: $\varnothing$ 320 mm. Including vacuum pump.	250
86	Tawi	Tawi vacuum tifting device, type: VM230, number: 1877, year of construction: 2014, maximum: 120 kg, suction cup: $\varnothing$ 320 mm. Including vacuum pump.	250
87	Tawi		250



Nr	Title	Description	Start €
		Tawi vacuum tifting device, type: VM230, year of construction: 2014, maximum: 120 kg, suction cup: Ø 320 mm. Including vacuum pump.	
88	NN trolleys	2 s/s trolleys, (2x) 2 floors, dimensions: (2x) 1280 mm x 800 mm x 1490 mm.	100
89	NN hose reel	S/s hose reel with hose, dimensions: 430 mm x 230 mm x 420 mm.	100
90	NN pole	S/s pole, dimensions: 280 mm x 80 mm x 910 mm.	10
91	Intrion	Intrion s/s wall mounted cabinet with double socket.	25
92	Prominox	Prominox s/s wall mounted computer cabinet, dimensions: 650 mm x 800 mm x 1330 mm.	75
93	NN cheese processing station	S/s cheese processing station, plastic worktops, chamber dimensions: (2x) 460 mm x 130 mm x 140 mm, total dimensions: 2410 mm x 1280 mm x 1850 mm.	950
94	NN transport belt	Mobile transport belt, year of construction: 1998, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3340 mm x 730 mm x 1150 mm. Missing 1 wheel.	1250
95	NN film roll holder	S/s film roll holder, pin length: 660 mm, maximum working height: 700 mm, total dimensions: 980 mm x 560 mm x 1080 mm.	75
96	Espera	Espera weighing scale with indicator and label printer, type weighing scale: ES3060, year of construction: 2014, capacity: 100 kg, scale dimensions: 480 mm x 370 mm, type indicator: ESC 964, type label printer: ESD 104, 230 V, 50/60 Hz, total dimensions: 1000 mm x 860 mm x 1620 mm.	125
97	Markem Imaje	Markem Imaje laser fume extractor, type: ES500i+, serial number: 00816, year of construction: 06/2018, 230 V, 50 Hz, 10 A, dimensions: 600 mm x 430 mm x 980 mm.	200
98	Weber	Weber labeller, model: Alpha Compact, type: 120-30-LH-TBM5, serial number: 50008002, year of construction: 19/08/2015, label width: 40 mm, total dimensions: 1000 mm x 750 mm x 1820 mm.	500
99	Weber	Weber labeller, model: Alpha Compact, serial number: 13030037, year of construction: 07/03/2013, 100-240 V, 47-63 Hz, 300 W, label width: 40 mm, total dimensions: 1000 mm x 760 mm x 1740 mm.	500
100	Urschel	Urschel mobile dicer, type: RA-A, serial number: 2772, year of construction: 2007, infeed clearance: 300 mm x 340 mm, working width: 145 mm, knife dimensions: 100 mm x Ø 330 mm, total dimensions: 1350 mm x 1100 mm x 2100 mm.	2750
101	Groba	Groba mobile elevating belt, type: TB-504, year of construction: 2005, weight: 230 kg, plastic belt, belt width: 500 mm, elevating height: 1330 mm, total dimensions: 4000 mm x 770 mm x 1350 mm.	950
102	NN trolley for crates	S/s trolley for crates, clearance: 730 mm x 400 mm, total dimensions: 830 mm x 490 mm x 340 mm.	50
103		Safeline / Mettler Toledo metal detector head on s/s frame, type: R series profile, model: V4-RAD, serial number: 93539,	500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	Safeline / Mettler Toledo	100-240 V, 50/60 Hz, 340 W, clearance: 250 mm x 170 mm, total dimensions: 800 mm x 450 mm x 1100 mm.	
104	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector head on s/s frame, type: R series profile, model: V4-RAD, serial number: 93540, 100-240 V, 50/60 Hz, 340 W, clearance: 250 mm x 170 mm, total dimensions: 800 mm x 450 mm x 1100 mm.	500
105	NN curve conveyor	S/s 90° curve conveyor, belt width: 240 mm, total dimensions: 1150 mm x 850 mm x 240 mm. Missing belt.	25
106	NN curve conveyor	S/s 90° curve conveyor, belt width: 220 mm, total dimensions: 1450 mm x 600 mm x 1050 mm. Missing belt.	50
107	NN table	S/s table, dimensions: 670 mm x 460 mm x 850 mm.	25
108	NN hose reel	S/s hose reel with hose and pistol, dimensions: 430 mm x 230 mm x 420 mm.	100
109	Intrion	Intrion s/s cabinet, dimensions: 600 mm x 400 mm x 1310 mm.	25
110	Prominox	Prominox s/s wall mounted computer cabinet, dimensions: 650 mm x 800 mm x 1830 mm.	75
111	NN computer cabinet	S/s mobile computer cabinet, dimensions: 800 mm x 1020 mm x 2300 mm.	75
112	NN hose reel	S/s hose reel with hose, dimensions: 430 mm x 230 mm x 420 mm.	100
113	Ishida	Ishida checkweigher with rejector, type: DACS-G-S060-36/WP-I-S, serial number: 562767, year of construction: 02-2013, 240 V, 1 Ph, 50 Hz, 4.5 A, clearance: 600 mm x 220 mm, plastic belt, belt width: (3x) 340 mm, total dimensions: 1950 mm x 1200 mm x 1680 mm.	750
114	NN cabinet	Plastic cabinet, 5 floors, dimensions: 780 mm x 430 mm x 1810 mm.	25
115	Macs Machinebouw bv	Macs Machinebouw bv s/s switch cabinet with display, type: line control, serial number: 12115, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 32 A, dimensions: 1400 mm x 1000 mm x 500 mm.	125
116	Trapo	Trapo 90° curve conveyor, year of construction: 03/2013, plastic mesh belt, belt width: 140 mm, total dimensions: 1250 mm x 1200 mm x 930 mm.	100
117	NN hose reel	S/s hose reel with hose and pistol, dimensions: 430 mm x 230 mm x 420 mm.	100
118	Nederman	Nederman hose reel with pistol, dimensions: 730 mm x 300 mm x 550 mm.	75
119	NN hose reel	S/s hose reel with hose, dimensions: 430 mm x 230 mm x 420 mm.	100
120	Sesotec	Sesotec metal detector, type: GLS 450/250/125/289/143, serial number: 11227009665-H, year of construction: 2012, 100-240 VAC, 50/60 Hz, 0.5-0.25 A, plastic belt, belt width: 390 mm, clearance: 450 mm x 200 mm, total dimensions: 1750 mm x 1000 mm x 1200 mm.	1250
121	Intrion	Intrion s/s cabinet, dimensions: 600 mm x 400 mm x 1310 mm.	25
122	NN frame		25



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		2 s/s frames, diameter: 110 mm and 90 mm, total dimensions: (2x) 1400 mm x 1700 mm x 820 mm.	
123	Markem	Markem smart laser, model: SL1101, serial number: 068252, year of construction: APR 06/2006, dimensions: 600 mm x 170 mm x 120 mm.	25
124	MACS Machinebouw bv	MACS Machinebouw machine part, dimensions: 890 mm x 900 mm x 1500 mm.	100
126	Colruyt Group	Colruyt Group switch cabinet with display, machine: Slicinglijn kaas, type: FLO A, year of construction: 2019, dimensions: 1300 mm x 820 mm x 310 mm.	150
127	NN hose reel	S/s hose reel with hose, dimensions: 430 mm x 230 mm x 420 mm.	100
128	NN hose reel	S/s hose reel with hose, dimensions: 430 mm x 230 mm x 420 mm.	100
129	R+M	R+M s/s hose reel with hose and pistol, type: ST14/10e, serial number: 191261, year of construction: 05/2022, dimensions: 430 mm x 230 mm x 420 mm.	100
130	NN film holder	Wall mounted film holder, dimensions: 1500 mm x 150 mm x 150 mm.	10
131	NN cabinet	S/s mobile cabinet, dimensions: 1000 mm x 800 mm x 2300 mm.	100
132	Prominox	Prominox s/s wall mounted computer cabinet, dimensions: 650 mm x 800 mm x 1830 mm.	75
133	NN table	S/s table, dimensions: 1200 mm x 600 mm x 930 mm.	75
134	NN hose reel	S/s hose reel with hose, dimensions: 430 mm x 230 mm x 420 mm.	100
135	NN cabinet	Plastic cabinet, 5 floors, dimensions: 780 mm x 430 mm x 1810 mm.	25
136	NN trolley	S/s trolley, 3 floors, dimensions: 1000 mm x 700 mm x 900 mm.	25
137	NN hose reel	S/s hose reel with hose and pistol, type: ST 71, serial number: 051640, year of construction: 06/2005, dimensions: 430 mm x 230 mm x 420 mm.	100
138	NN frame	Wall mounted frame, 2 floors, dimensions: 700 mm x 440 mm x 820 mm.	10
139	R+M	R+M s/s hose reel with hose and pistol, type: ST14/10e, serial number: 162661, year of construction: 09/2019, dimensions: 430 mm x 230 mm x 420 mm.	100
140	Intrion	Intrion s/s wall mounted cabinet with s/s wall mounted frame, dimensions cabinet: 600 mm x 320 mm x 600 mm, dimensions frame: 550 mm x 360 mm x 360 mm.	25
141	NN platforms	6 s/s platforms, dimensions: (3x) 750 mm x 600 mm x 260 mm, (1x) 700 mm x 400 mm x 330 mm, (1x) 700 mm x 260 mm x 340 mm, (1x) 600 mm x 300 mm x 220 mm.	150
142	NN table	S/s table, dimensions: 860 mm x 400 mm x 600 mm.	50
143	NN hose reel	S/s hose reel with hose and pistol, dimensions: 430 mm x 230 mm x 420 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
144	Nederman	Nederman hose reel with pistol, dimensions: 730 mm x 300 mm x 550 mm.	75
145	NN hose reel	S/s hose reel with hose, dimensions: 430 mm x 230 mm x 420 mm.	100
146	NN cabinet	Plastic cabinet, 5 floors, dimensions: 780 mm x 430 mm x 1810 mm.	25
147	Nederman	Nederman hose reel with pistol, dimensions: 730 mm x 300 mm x 550 mm.	75
148	NN hose reel	S/s hose reel with hose, dimensions: 430 mm x 230 mm x 420 mm.	100
149	R+M	R+M s/s hose reel with hose and pistol, type: ST14/10e, year of construction: 2013, dimensions: 430 mm x 230 mm x 420 mm.	100
150	NN hose reel	S/s hose reel with hose and pistol, dimensions: 430 mm x 230 mm x 420 mm.	100
151	NN hose reel	S/s hose reel with hose and pistol, dimensions: 430 mm x 230 mm x 420 mm.	100
152	NN parts	Palletbox with various parts for thermoformer.	100
153	NN transport belts	Large amount of plastic belts and machine spare parts. Without racks.	500
154	FAM	FAM mobile dicer, type: Hymaks, number: 7267, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 20.5 kW, 65.8 A, 1100 kg, dimensions: 2100 mm x 1400 mm x 2000 mm. Including tool trolley, 3 mm and 8 mm knife set and 4 crates with various parts.	5000

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.







# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

