



Industrial Auctions

2047: Online auction cleaning, weighing and packaging line for bio products in Senden (DE)

END DATE
10 February 2026 14:00

General terms and conditions of the online auction

| | |
|--------------------------------------|--|
| End date | 10 February 2026 from 14:00 hrs. |
| Viewing days | |
| Organising company | Industrial Auctions BV Looyerbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com |
| Buyers premium | 18% over the highest bid |
| VAT | 19% over the highest bid including premium |
| Pick up days | 17 February 2026 from 09:00 till 16:00 hrs. |
| Pick up address | Ascheberger Str. 2 48308 Senden Germany |
| Pick up instructions | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place. |
| Payment details | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbachener Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. |
| Combinations | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable. |
| Prolongation | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed. |



| Nr | Title | Description | Start € |
|----|-------------------|--|---------|
| 1 | ABUS | Steel frame with ABUS electric chain hoist, type: GM6 1250.8-1/AB-16957436-0020, year of construction: 2020, dimensions frame: 4800 mm x 4600 mm x 6600 mm. | 500 |
| 2 | Velmering | Velmering steel infeed silo, inside dimensions: 1450 mm x 2000 mm x 1500 mm, total dimensions: 3400 mm x 1700 mm x 3600 mm. | 1500 |
| 3 | Humbert&Pohl | Humbert&Pohl; elevating conveyor, dimensions baskets: 140 mm x 210 mm x 100 mm, elevating height: 6280 mm, capacity with wheat flower: 3000 kg/hour, total dimensions: 2700 mm x 400 mm x 7700 mm. | 1250 |
| 6 | Cimbria Heid GmbH | Cimbria Heid GmbH weight sorting machine, type: GA 71 L, machine number: 954.539, year of construction: 2018, capacity: 4000 kg/hour, dimensions: 1500 mm x 2100 mm x 1800 mm. Fan drive 4.0 kW, eccentric drive, 0.55 kW, table surface area 1.5 m ² , total air requirement 250 m ³ /min. | 5500 |
| 7 | Humbert&Pohl | Humbert&Pohl; elevating conveyor, dimensions baskets: 140 mm x 210 mm x 100 mm, elevating height: 6280 mm, capacity with wheat flower: 3000 kg per hour, total dimensions: 2700 mm x 400 mm x 7700 mm. | 1250 |
| 8 | NN valve | Manual valve, dimensions: 400 mm x 500 mm x 100 mm. | 100 |
| 10 | Cimbria S.r.l. | Cimbria S.r.l. colour sorting machine, model: CHROMEX-3 TN-TR, serial number: CX3-TN-TRC1680-17, year of construction: 2017, 230 V, 1 Ph, 50-60 Hz, weight: 1060 kg, 6 digital color cameras and additionally 3 NIR and 3 NIR InGaAs cameras for best possible detection, 2 CCD cameras per chute for real color detection, 4,048 pixels, camera resolution 0.07 mm/pixel, number of nozzles: 162, nozzle spacing: 5 mm, automatic interval cleaning of the detection system, chute width: from 810 mm, total dimensions: 1800 mm x 1100 mm x 2300 mm. | 50000 |
| 11 | Humbert&Pohl | Humbert&Pohl; elevating conveyor, dimensions baskets: 140 mm x 210 mm x 100 mm, elevating height: 6280 mm, capacity with wheat flower: 3000 kg per hour, total dimensions: 2700 mm x 400 mm x 7700 mm. | 1250 |
| 12 | Goudsmit | Goudsmit Permanent magnetic pipe magnet, magnetic separator, serial number: PO3201180, dimensions: Ø 260 mm x 700 mm. Inlet/Outlet: Ø150 mm Flange Ø210xØ150 mm; Ptc Ø180 mm - 6xØ10 mm (2x)Anisotrope ferrite GSFD-33H, Br 4000 Gauss (at 20°C), Tmax 250°C | 500 |



| Nr | Title | Description | Start € |
|----|--------------------------|---|---------|
| 13 | Münch-Edelstahl GmbH | Münch-Edelstahl GmbH big bag filling machine, type: TG8010, year of construction: 2016, inside dimensions silo: 1900 mm x 1600 mm x 1100 mm, total dimensions: 1900 mm x 1600 mm x 5200 mm. | 6500 |
| 14 | Münch-Edelstahl GmbH | Münch-Edelstahl GmbH big bag closing belt with Fischbein portable bag closer, serial number: 1611283F, plastic belt, belt width: 300 mm, total dimensions: 2900 mm x 900 mm x 1600 mm. | 750 |
| 15 | NN platform | Steel platform, working height: 2600 mm, total dimensions: 4300 mm x 6300 mm x 3800 mm. | 750 |
| 16 | NN platform | Steel platform, working height: 2000 mm, total dimensions: 3700 mm x 2800 mm x 3000 mm. | 400 |
| 17 | NN platform | Steel platform, working height: 2000 mm, total dimensions: 2800 mm x 4400 mm x 3000 mm. | 400 |
| 18 | Heinrich de Fries GmbH | Steel frame with Heinrich de Fries GmbH electric chain hoist, dimensions frame: 1600 mm x 1450 mm x 2800 mm. | 250 |
| 19 | NN infeed table | S/s infeed table, dimensions: 900 mm x 1050 mm x 800 mm. | 150 |
| 20 | Radwag | Radwag weighing scale, type indicator: WPT/150C2/K, weighing range: 1-150 kg, d=50g, e=50g, T=-150kg, dimensions scale: 400 mm x 500 mm x 100 mm. | 75 |
| 21 | NN table | Table, dimensions: 700 mm x 1400 mm x 750 mm. | 20 |
| 22 | NN ladder | Aluminium ladder, dimensions: 1200 mm x 500 mm x 2000 mm. | 30 |
| 23 | Velmering | Velmering basket elevating conveyor, year of construction: 2016, dimensions: 900 mm x 900 mm x 5250 mm. | 1750 |
| 24 | JK Machinery | JK Machinery horizontal peeling machine, type: KMPO 700, serial number: 17026, year of construction: 2017, 400 V, 3 Ph, 5.5 kW, weight: 390 kg, dimensions: 1800 mm x 700 mm x 2300 mm. | 5000 |
| 26 | Tornado Horstkötter silo | Steel silo, volume: approx. 6 m³, dimensions: 1700 mm x 3000 mm x 6000 mm. | 2500 |
| 27 | Radwag | Radwag weighing scale for pallets, model: WPY/4P 1500C, serial number: 532598, year of construction: 2017, weighing range: 10-1500kg, e=0.5kg, dimensions: 1300 mm x 850 mm x 1000 mm. | 350 |
| 28 | Bühler | Bühler combinator with blower and steel platform, type: MTCD 65/150, serial number: 10194811, dimensions: 5600 mm x 3000 mm x 3650 mm. | 4500 |
| 29 | NN vibrating sieve | Vibrating sieve with 2 Stiletto electromagnetic vibrating motors, gutter width: 440 mm, diameter perforations: 10 mm, 5 mm and 1 mm, total dimensions: 2600 mm x 500 mm x 1000 mm. | 500 |
| 30 | NN electric chain hoist | Steel frame with electric chain hoist, dimensions frame: 4300 mm x 1600 mm x 7200 mm. | 300 |



| Nr | Title | Description | Start € |
|----|-----------------------------|---|---------|
| 31 | Kenwei | Kenwei 14-head mulithead weigher, type: JW-A14, identify code: A14-1-17, 220V, 50/60 Hz, 10 A, 1200W, weight: 470 kg, hopper volume: 1.6/2.5L, dimensions: 1300 mm x 1200 mm x 1900 mm. | 3500 |
| 32 | Rovema | Rovema, vertical bag forming, filling and sealing machine, type: VPX250, horizontal seal width: 280 mm, vertical seal length: 360 mm, total dimensions: 2000 mm x 1400 mm x 2050 mm. Including 2 steel cabinets with spare parts, dimensions cabinets: (2x) 605 mm x 1200 mm x 2040 mm. Label printer (thermal transfer), option with gas flushing for protective atmosphere. | 5000 |
| 33 | NN elevating belt | Elevating belt, plastic belt, belt width: 200 mm, elevating height: 900 mm, total dimensions: 1550 mm x 500 mm x 950 mm. | 200 |
| 34 | Goring Kerr Limited | Goring Kerr Limited metal detector, type: OSP3, serial number: 203194, year of construction: 2003, plastic belt, belt width: 240 mm, clearance: 300 mm x 210 mm, total dimensions: 1400 mm x 900 mm x 1800 mm. | 400 |
| 35 | Mettler-Toledo Garvens GmbH | Mettler-Toledo Garvens GmbH checkweigher with rejector, type: E3, fabrication number: 33004666, year of construction: 2006, 230 V, 50/60 Hz, plastic belt, belt width: 400 mm, maximum weight: 5500 gram, total dimensions: 900 mm x 2400 mm x 1700 mm. | 1250 |
| 36 | MR Etikettiertechnik | MR Etikettiertechnik labelling machine, model: MR 4272 BS TB 2019, machine number: 6755/89, 220 V, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 1600 mm x 800 mm x 1680 mm. | 500 |
| 37 | MBGM | MBGM 90° curve conveyor, type: XM, fabrication number: 1254/2, year of construction: 1988, plastic belt, belt width: 80 mm, total dimensions: 900 mm x 900 mm x 920 mm. | 150 |
| 38 | Herma | Herma labelling machine, type: H400 V8L, serial number: 9909637, year of construction: 2007, plastic belt, belt width: 245 mm, total dimensions: 1400 mm x 800 mm x 1600 mm. | 350 |
| 39 | NN turning table | S/s turning table, diameter top: 1200 mm, total dimensions: Ø 1250 mm x 900 mm. | 200 |
| 40 | Bedo-Verpackungsmaschinen | Bedo-Verpackungsmaschinen box closing machine, model: VA 300, serial number: 4569, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 2.5 A, adjustable clearance, dimensions: 1250 mm x 400 mm x 2050 mm. | 250 |
| 41 | MR Etikettiertechnik | MR Etikettiertechnik labelling machine, type: MB000-00-00, plastic belt, belt width: 380 mm, total dimensions: 1250 mm x 1300 mm x 1350 mm. | 150 |
| 42 | NN tables | | 50 |



| Nr | Title | Description | Start € |
|----|---------------------------|--|---------|
| | | 2 tables, dimensions: 700 mm x 1400 mm x 750 mm, 800 mm x 800 mm x 730 mm. | |
| 43 | NN platform | Steel platform, working height: 2400 mm, total dimensions: 5800 mm x 9000 mm x 3800 mm. | 2500 |
| 44 | NN stairs | S/s stairs, top platform height: 1050 mm, total dimensions: 1500 mm x 600 mm x 1920 mm. | 500 |
| 45 | NN elevating belt | Mobile elevating belt, plastic belt, belt width: 400 mm, elevating height: 1450 mm, total dimensions: 6000 mm x 850 mm x 1600 mm. | 1500 |
| 46 | NN cabinets | 2 steel cabinets, dimensions: (2x) 420 mm x 950 mm x 1950 mm. Without content. | 200 |
| 48 | YoungSun Pack Europe | YoungSun Pack Europe pallet wrapper, type: WPI H3200, serial number: 4085784, year of construction: 2009, 220 V, 3 Ph, 60 Hz, 1000 W, film width: 500 mm, diameter turning surface: 1600 mm, total dimensions: 2600 mm x 1600 mm x 3300 mm. | 1250 |
| 49 | Linde Material Handling | Linde Material Handling electric forklift, type: E16C-02, serial number: H2X335T05197, year of construction: 2006, capacity: 1600 kg, fork length: 1180 mm, total dimensions: 3000 mm x 1100 mm x 2500 mm. Including Eurotron battery charger. | 4500 |
| 50 | NN pallet racks | Steel pallet racks, 12 uprights, dimensions: (12x) 1120 mm x 4400 mm, 38 beams, length: (38x) 2700 mm. | 500 |
| 51 | Jansen GmbH & Co. KG | Jansen GmbH & Co. KG road sweeper, model: MKB-500; BS 6,5 PS, Briggs & Stratton Motor, year of construction: 2020, weight: 78 kg, working width: 1000 mm, dimensions: 2100 mm x 1050 mm x 1300 mm. | 750 |
| 52 | NN elevating belt | Elevating belt, plastic belt with dividers, dimensions compartments: 180 mm x 280 mm x 40 mm, elevating height: 2070 mm, total dimensions: 3500 mm x 700 mm x 2100 mm. | 500 |
| 53 | Avermann Maschinenfabrik | Avermann Maschinenfabrik bale press, type: AVOS MK-380, machine number: 70020, year of construction: 1992, 380 V, 50 Hz, 2.6 A, dimensions: 600 mm x 750 mm x 2300 mm. | 350 |
| 54 | NN platform | Steel platform, working height: 3600 mm, total dimensions: 8500 mm x 8500 mm x 4500 mm. | 3500 |
| 55 | Bedo-Verpackungsmaschinen | Bedo-Verpackungsmaschinen box closing machine, model: VA 300, serial number: 4515, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 2.2 A, adjustable clearance, dimensions: 2100 mm x 1000 mm x 2150 mm. | 350 |
| 56 | NN cabinet | Steel cabinet, dimensions: 420 mm x 955 mm x 1950 mm. Without content. | 100 |
| 57 | NN protection rails | Several s/s protection rails, different sizes, rail height: 1160 mm. | 250 |
| 58 | Herma | Pallet with 2 Herma labelling units type: H300 SLK 8. | 50 |



| Nr | Title | Description | Start € |
|----|--------------------------------------|---|---------|
| 59 | NN labelling units | Pallet with 2 labelling units and 3 Alphas. | 50 |
| 60 | MR Etikettiertechnik | MR Etikettiertechnik labelling machine, model: MR 162, type: TT4292, serial number: 10704/94, 230 V, 50 Hz, 700 VA. | 50 |
| 61 | Brühl | Brühl safety fence with 2 safety sensors, dimensions: 2300 mm x 800 mm x 800 mm, 600 mm x 2100 mm x 2200 mm, 2200 mm x 1250 mm x 400 mm. | 300 |
| 62 | Weber Waagenau U. Wägelektronik GmbH | Weber Waagenau U. Wägelektronik GmbH mobile bag filling machine, type: Dialog 165V-SWA, fabrication number: 6907, year of construction: 2001, 230/400 V, 50 Hz, weighing range: 0.05-2.5 kg, dimensions: 1350 mm x 1200 mm x 3100 mm. | 1250 |
| 63 | MR Etikettiertechnik | MR Etikettiertechnik mobile labelling machine, type: MR335, machine number: 25347/06, year of construction: 2006, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: 195 mm, total dimensions: 1500 mm x 800 mm x 1800 mm. | 1500 |
| 64 | Tecnall S.r.l. | Pallet with 3 Tecnall S.r.l. insect killers, type: Halley 2138, 230 V, 50 Hz, 140 W, dimensions: (3x) 510 mm x 150 mm x 380 mm. | 150 |
| 65 | NN turning table | Mobile turning table, steel frame, s/s top, diameter top: 1200 mm, total dimensions: ø 1330 mm x 900 mm. | 300 |
| 66 | NN turning table | Mobile turning table, s/s frame, s/s top, diameter top: 800 mm, total dimensions: ø 860 mm x 850 mm. | 300 |
| 67 | NN turning table | Turning table, s/s frame, wooden top, diameter top: 1200 mm, total dimensions: ø 1230 mm x 800 mm. | 300 |
| 68 | NN transport belt | Transport belt, aluminium frame, plastic belt, belt width: (2x) 190 mm, total dimensions: 1530 mm x 400 mm x 300 mm. | 100 |
| 69 | NN transport belt | Transport belt, aluminium frame, plastic belt, belt width: 150 mm, total dimensions: 1060 mm x 260 mm x 200 mm. | 100 |
| 70 | Leroy Somer | Pallet with 4 electromotors. | 100 |
| 71 | NN bag clipper | Mobile bag clipper, dimensions: 1300 mm x 1350 mm x 1000 mm. | 50 |
| 72 | NN cyclone | S/s cyclone for filtration system, dimensions: ø 750 mm x 1200 mm. | 150 |
| 73 | Spänex | Spänex blower, type: Sp. 20, fabrication number: 20, 4050 m³/h, dimensions: 650 mm x 650 mm x 800 mm. | 200 |
| 74 | NN tank | S/s tank, dimensions: ø 1100 mm x 1650 mm. | 500 |
| 75 | NN transport belt | Transport belt, plastic belt, belt width: 400 mm, total dimensions: 870 mm x 650 mm x 550 mm. | 250 |
| 76 | NN transport belt | Transport belt, plastic belt, belt width: 400 mm, total dimensions: 870 mm x 650 mm x 550 mm. | 250 |
| 77 | NN infeed modules | Pallet with 2 infeed modules. | 100 |
| 78 | NN pallet rack | | 400 |



| Nr | Title | Description | Start € |
|----|----------------------------------|--|---------|
| | | Steel pallet rack, 8 uprights, dimensions: (4x) 1200 mm x 600 mm, (2x) 5000 mm x 1200 mm, (2x) 5500 mm x 1200 mm, 14 beams, length: (6x) 1300 mm, (4x) 3600 mm, (4x) 2700 mm. | |
| 79 | NN transport belt | Transport belt, plastic belt, belt width: 300 mm, total dimensions: 2000 mm x 500 mm x 900 mm. | 350 |
| 80 | NN transport belt | Transport belt, plastic belt, belt width: 400 mm, total dimensions: 2000 mm x 500 mm x 900 mm. | 350 |
| 81 | NN transport belt | 4 transport belts, plastic belt, belt width: 300 mm, (3x) 400 mm, total dimensions: 2000 mm x 500 mm x 900 mm. | 1000 |
| 82 | NN transport belt | Transport belt, plastic belt, belt width: 400 mm, total dimensions: 1050 mm x 700 mm x 900 mm. | 350 |
| 83 | NN transport belt | Transport belt, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 440 mm x 900 mm. | 350 |
| 84 | NN curve conveyor | 90° curve conveyor, plastic mesh belt, belt width: 300 mm, total dimensions: 1400 mm x 440 mm x 900 mm. | 350 |
| 85 | NN parts | Pallet with parts, among others collection flap for Yamato scale and two sack clamps. | 100 |
| 86 | Rittal | Rittal steel switch cabinet, dimensions: 400 mm x 1000 mm x 2000 mm. | 500 |
| 87 | NN lockers | Pallet with 3 steel lockers, (2x) 2-doors, 3-doors, dimensions: (2x) 600 mm x 500 mm x 1800 mm, 500 mm x 900 mm x 1800 mm. | 150 |
| 88 | Kaeser Kompressoren GmbH | Kaeser Kompressoren GmbH air screw compressor, type: SX 6, serial number: 2452, year of construction: 2001, 4 kW, dimensions: 600 mm x 570 mm x 660 mm. | 400 |
| 89 | Zander | Pallet with steel pressure vessel and Zander air dryer, model: Arctic Star, dimensions: 1200 mm x 600 mm x 800 mm. | 500 |
| 90 | Rovema | Rovema volumetric dosing machine, type: VDX 5/311 KL, year of construction: 2007, 8 heads, dimensions: 1600 mm x 1000 mm x 1550 mm. | 650 |
| 91 | Georg Hartmann Maschinenbau GmbH | Georg Hartmann Maschinenbau GmbH bag clipper, type: HARTMANN-CLIP, serial number: 541, year of construction: 1997, 230/400 V, 50 Hz, weight: 175 kg, dimensions: 1400 mm x 1200 mm x 1100 mm. | 150 |
| 92 | NN transport belt | Pallet with transport belt, plastic belt, belt width: 150 mm, total dimensions: 900 mm x 220 mm x 500 mm. | 100 |
| 93 | Boekels | Pallet with Boekels metal detector, type: ESK 35X15, serial number: 6 1531 035015, year of construction: 1997, plastic belt, belt width: 100 mm, clearance: 150 mm x 325 mm, total dimensions: 930 mm x 450 mm x 800 mm. | 100 |
| 94 | NN parts | Pallet with parts for vertical bag forming, filling and sealing machine. | 350 |
| 95 | NN cables | Pallet with electric cables. | 250 |



| Nr | Title | Description | Start € |
|-----|--------------------|--|---------|
| 96 | Gura | Gura mobile extendable roller conveyor, total roller width: 400 mm, total dimensions: 4150 mm x 500 mm x 800 mm. | 500 |
| 97 | NN roller conveyor | Mobile extendable roller conveyor, total roller width: 300 mm, total dimensions: 1350 mm x 450 mm x 750 mm. | 350 |
| 98 | Gura | Gura mobile extendable roller conveyor, total roller width: 400 mm, total dimensions: 1700 mm x 450 mm x 700 mm. | 500 |
| 99 | Geppert | Geppert mobile transport belt, aluminium frame, plastic belt, belt width: 150 mm, total dimensions: 2700 mm x 450 mm x 950 mm. | 350 |
| 100 | NN roller conveyor | Mobile extendable roller conveyor, total roller width: 300 mm, total dimensions: 1100 mm x 400 mm x 800 mm. | 250 |
| 101 | NN roller conveyor | Mobile extendable roller conveyor, total roller width: 300 mm, total dimensions: 1100 mm x 400 mm x 800 mm. | 250 |
| 102 | Geppert | Geppert transport belt, type: AM-F, fabrication number: 1409054, year of construction: 2014, 220/240 V, 1 Ph, plastic belt, belt width: 305 mm, total dimensions: 3450 mm x 750 mm x 500 mm. | 300 |
| 103 | Gura | Gura mobile extendable roller conveyor, total roller width: 400 mm, total dimensions: 1500 mm x 500 mm x 800 mm. | 350 |
| 104 | NN transport belt | Transport belt, plastic belt, belt width: 300 mm, total dimensions: 2900 mm x 600 mm x 1000 mm. | 500 |
| 105 | NN roller conveyor | Electric driven roller conveyor for pallets, steel rollers, roller width: 840 mm, total dimensions: 12300 mm x 1150 mm x 700 mm. 7 SEW motors. | 950 |
| 106 | NN pallet rack | Steel pallet rack, 2 uprights, dimensions: (2x) 1100 mm x 4050 mm, 6 beams, length: (6x) 1750 mm. | 150 |
| 107 | NN pallet racks | Steel pallet racks, 5 uprights, dimensions: (3x) 1100 mm x 4850 mm, (2x) 1100 mm x 4050 mm, 16 beams, length: (4x) 2200 mm, (12x) 2700 mm. | 400 |
| 108 | NN table | Table, s/s frame, wooden top, dimensions: 1500 mm x 810 mm x 780 mm. | 100 |
| 109 | Klaeger | Klaeger metal saw, dimensions: 1300 mm x 300 mm x 1000 mm. Technical condition unknown. | 50 |
| 110 | NN elevating belt | Mobile elevating belt, s/s frame, plastic belt with dividers, dimensions compartments: 340 mm x 60 mm x 60 mm, elevating height: 2500 mm, total dimensions: 3200 mm x 1500 mm x 2500 mm. | 950 |
| 111 | NN transport belt | Transport belt, s/s frame, plastic belt, belt width: 330 mm, total dimensions: 6300 mm x 700 mm x 350 mm. | 450 |
| 112 | NN frame | Steel frame, dimensions: 1750 mm x 1200 mm x 1700 mm. | 100 |



| Nr | Title | Description | Start € |
|-----|---------------------------------------|---|---------|
| 113 | Bedo-Verpackungsmaschinen | Bedo-Verpackungsmaschinen box closing machine for parts, model: VA 301, serial number: 4587, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 2.2 A, adjustable clearance, dimensions: 1550 mm x 800 mm x 1800 mm. Incomplete. | 100 |
| 114 | NN pallet rack | Steel pallet rack, 4 uprights, dimensions: (4x) 1100 mm x 4850 mm, 12 beams, length: (8x) 2700 mm, (4x) 2200 mm. | 350 |
| 115 | NN pipes | Large amount of aluminium suction pipes. | 150 |
| 116 | Heinz Berger | Heinz Berger filter cabinet, dimensions: 1850 mm x 750 mm x 3050 mm. | 300 |
| 117 | EuroPack | EuroPack mobile vacuum machine, seal length: (2x) 550 mm, dimensions chamber: 560 mm x 670 mm x 120 mm, Busch vacuum pump, total dimensions: 700 mm x 800 mm x 1050 mm. Missing 2 seal holders. | 450 |
| 118 | NN cabinets | 4 steel cabinets, dimensions: (4x) 550 mm x 890 mm x 1950 mm. Without content. | 500 |
| 119 | NN cabinet | Steel cabinet, dimensions: 420 mm x 960 mm x 1950 mm. | 100 |
| 120 | NN tub | Mobile s/s tub, dimensions: 1450 mm x 750 mm x 800 mm. | 400 |
| 121 | BT | BT electric pallet lifter, fork length: 1200 mm, total dimensions: 1800 mm x 750 mm x 1400 mm. | 1250 |
| 122 | NN table | S/s table, dimensions: 800 mm x 3100 mm x 900 mm. | 150 |
| 124 | NN pipes | Large amount of aluminium suction pipes. | 100 |
| 125 | Vollenda | Vollenda weighing bunker for 50 kg batches, dimensions: 1150 mm x 1050 mm x 2250 mm. | 200 |
| 126 | President | President mill, dimensions: 1500 mm x 900 mm x 1000 mm. | 350 |
| 127 | Kaeser Kompressoren SE | Kaeser Kompressoren SE air screw compressor, model: SK 22 T, serial number: 1269, year of construction: 2016, 400 V, 3 Ph, 50 Hz, dimensions: 1200 mm x 750 mm x 1280 mm. | 1500 |
| 128 | VIG | VIG steel pressure vessel, fabrication number: 72272, year of construction: 2016, volume: 1000 litres, dimensions: ø 800 mm x 2450 mm. | 500 |
| 129 | Carl Nolte Technik | Carl Nolte Technik air filter, model: FCA 90 XNFAMW, year of construction: 2025, dimensions: 140 mm x 270 mm x 300 mm. | 100 |
| 130 | Donaldson Filtration Deutschland GmbH | Donaldson Filtration Deutschland GmbH oil-water separator, type: UFS-SP 5, dimensions: 350 mm x 350 mm x 600 mm. | 150 |
| 131 | NN filtration cabinet | Filtration cabinet, dimensions: 2400 mm x 2300 mm x 3300 mm. | 750 |
| 132 | NN filtration cabinet | Filtration cabinet, dimensions: 1000 mm x 5000 mm x 2900 mm. | 750 |
| 133 | NN blower | Blower, dimensions: 900 mm x 650 mm x 830 mm. | 150 |



| Nr | Title | Description | Start € |
|-----|------------------------|--|---------|
| 134 | Schärf | Schärf wooden desk, dimensions: 800 mm x 800 mm x 730 mm. | 20 |
| 135 | NN table | Table, dimensions: 800 mm x 1200 mm x 720 mm. | 20 |
| 136 | NN washing table | S/s wall mounted washing table with soap and paper dispenser, dimensions: 600 mm x 1200 mm x 900 mm. | 50 |
| 137 | Kareima | Kareima floor scrubbing machine, dimensions: 1200 mm x 600 mm x 1100 mm. Including battery charger, dimensions: 250 mm x 160 mm x 90 mm. | 450 |
| 138 | Kareima | Kareima wet-/dry vacuum cleaner, type: KA-30Z, dimensions: 400 mm x 300 mm x 1300 mm. | 50 |
| 139 | NN ladder | Aluminium extendable ladder, dimensions: 470 mm x 4050 mm. | 100 |
| 140 | Nordfab AS | Nordfab AS blower, dimensions: 800 mm x 800 mm x 1100 mm. | 250 |
| 141 | NN platform | S/s platform with stairs used for multihed weigher, dimensions: 2400 mm x 2450 mm x 1200 mm, 4500 mm x 800 mm x 1000 mm. | 300 |
| 142 | NN platform | Steel platform, working height: 550 mm, total dimensions: 1250 mm x 1250 mm x 1500 mm. | 150 |
| 143 | NN platform | Steel platform, working height: 550 mm, total dimensions: 1250 mm x 1250 mm x 1500 mm. | 150 |
| 144 | Makita | Makita battery charger. | 5 |
| 145 | Gebr. Becker GmbH | Gebr. Becker GmbH vacuum pump, dimensions: 300 mm x 150 mm x 300 mm. | 10 |
| 146 | NN electromotor | Electromotor, dimensions: 350 mm x 200 mm x 250 mm. | 10 |
| 147 | NN electromotor | Electromotor, dimensions: 250 mm x 200 mm x 150 mm. | 10 |
| 148 | NN vacuum pump | Vacuum pump, dimensions: 300 mm x 150 mm x 300 mm. | 10 |
| 149 | WEG | WEG electromotor, dimensions: 250 mm x 150 mm x 150 mm. | 20 |
| 150 | Eberhard Bauer | Eberhard Bauer electromotor, dimensions: 250 mm x 100 mm x 150 mm. | 10 |
| 151 | NN electromotor | Electromotor, dimensions: 200 mm x 120 mm x 80 mm. | 10 |
| 152 | BBK | BBK control unit, dimensions: 400 mm x 350 mm x 130 mm. | 30 |
| 153 | NN frequency converter | Frequency converter, dimensions: 250 mm x 350 mm x 350 mm. | 50 |
| 154 | NN wheels | Box with wheels. | 10 |
| 155 | NN bench vice | Steel bench vice, dimensions: 500 mm x 200 mm x 400 mm. | 10 |
| 156 | Trotec GmbH | Trotec GmbH electric heater, type: TDS 50 M, serial number: 2020/09/01294, 380-400 V, 3 Ph, 50 Hz, 9 kW, 13.7 A, dimensions: 270 mm x 350 mm x 500 mm. | 50 |
| 157 | Koganei | Koganei pneumatic air preparation unit. | 10 |



| Nr | Title | Description | Start € |
|-----|------------------------------|--|---------|
| 158 | NN battery charger | Battery charger, dimensions: 300 mm x 430 mm x 270 mm. | 10 |
| 159 | NN battery charger | Battery charger, dimensions: 300 mm x 160 mm x 130 mm. | 10 |
| 160 | NN cabinets | 3 pallets with wooden cabinets. | 75 |
| 161 | Magnetic Elektromotoren GmbH | Magnetic Elektromotoren GmbH electromagnetic vibrating motor, type: VPD 06010-002. | 50 |
| 162 | Zebra | Zebra labelling machine, model: Z090-302-00000, dimensions: 1550 mm x 300 mm x 530 mm. | 75 |
| 163 | Zebra | Zebra labelling machine, model: Z090-302-00000, dimensions: 1550 mm x 300 mm x 530 mm. Defect. | 50 |
| 164 | NN label unwindlers | Wooden plate with label unwindlers, dimensions: 950 mm x 300 mm x 450 mm. | 30 |
| 165 | Etis | Etis labelling unit, dimensions: 350 mm x 800 mm x 700 mm. | 50 |
| 166 | Zebra | Zebra labelling machine, model: Z090-302-00000, dimensions: 1550 mm x 300 mm x 530 mm. | 75 |
| 167 | MR Etikettiertechnik | Parts for MR Etikettiertechnik labelling machine. | 50 |
| 168 | Easyprint | Easyprint thermal printers for film, dimensions: 270 mm x 200 mm x 200 mm. | 50 |
| 169 | Easyprint | Easyprint touchscreen for thermal printer. | 50 |
| 170 | NN control unit | Control unit. | 10 |
| 171 | Easyprint | Easyprint control unit for thermal printers. | 50 |
| 172 | NN plate cutter | Steel plate cutter, dimensions: 800 mm x 550 mm x 2100 mm. | 50 |
| 173 | Peddinghaus | Peddinghaus steel plate cutter, dimensions: 1650 mm x 450 mm x 2400 mm. | 50 |
| 174 | Witt | Witt gas analyser, model: oxybaby, type M+i O2/N2. | 500 |
| 175 | Ohaus | Ohaus moisture analyzer, type: MB35, serial number: 1121311157. | 250 |
| 176 | Goudsmit | Goudsmit Permanent magnetic pipe magnet, magnetic separator.Inlet/Outlet: Ø150 mm Flange Ø210xØ150 mm; Ptc Ø180 mm - 6xØ10 mm (2x)Anisotrope ferrite GSFD-33H, Br 4000 Gauss (at 20°C), Tmax 250°C | 500 |
| 177 | Yamato | Yamato double timing hopper with discharge chute, dimensions timing hopper: 900 mm x 400 mm x 200 mm and dimensions discharge chute: 44 mm x 440 mm x 300 mm. | 100 |

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products.

Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



Industrial Auctions

Notes



Industrial Auctions

Notes



Industrial Auctions

Notes



Industrial Auctions

Notes

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

