



Industrial Auctions

2051: Online auction machinery for the bakery industry in Eindhoven (NL)

END DATE
16 February 2026 14:00

General terms and conditions of the online auction

End date	16 February 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	23 February 2026 from 09:00 till 16:00 hrs. 24 February 2026 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-Va, serial number: 10191059, year of construction: 2012-12, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm.	600
2	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-Va, serial number: 10185315, year of construction: 2011-11, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm.	600
3	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10255784, year of construction: 2013-10, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm.	600
4	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10220341, year of construction: 2012-10, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm.	600
5	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10363334, year of construction: 2017-10, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm. 1 side of the rack is missing.	600
6	Wiesheu GmbH	Wiesheu GmbH mobile oven, model: B4-EM, serial number: 10122888, year of construction: 2008-07, 400 V, 3 Ph, 50 Hz, 12.2 A, 8.4 kW, 5 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1240 mm x 2060 mm.	400
7	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 640 mm x 660 mm x 1230 mm.	150
8	VLB	VLB mobile bread slicer with infeed belt, type: B 45/11, number: 4020, year of construction: 2001, 220/380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 400 mm, plastic rollers, roller width: 400 mm, 38 knives, distance between knives: 11 mm, total dimensions: 2300 mm x 1100 mm x 1450 mm.	450
9	Werner&Pfleiderer	Werner&Pfleiderer dough divider and rounder, type: ROTAMAT EN, diameter plate: 400 mm, total dimensions: 700 mm x 700 mm x 1500 mm.	500
10	JAC	JAC mobile automatic bread slicer, model: EEL 450/11, machine number: 06/5912/06, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, weight: 155 kg, working width: 440 mm, distance between knives: 11 mm, total dimensions: 620 mm x 750 mm x 1200 mm.	150



Nr	Title	Description	Start €
11	FB-broodsnijmachines Benelux	FB-broodsnijmachines Benelux bread slicer, type: A 11, machine number: 05320, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 0.4 kW, working width: 385 mm, distance between knives: 10 mm, total dimensions: 550 mm x 660 mm x 1300 mm.	100
12	Emil Kemper GmbH	Emil Kemper GmbH mixer, fabrication number: 5710091, s/s bowl, inside dimensions: ø 560 mm x 350 mm, total dimensions: 850 mm x 800 mm x 920 mm.	750
13	NN long roller	Long moulder, plastic belt, belt width: 380 mm, working width: 340 mm, dimensions infeed: 210 mm, total dimensions: 850 mm x 600 mm x 1400 mm.	750
14	NN trolleys	S/s trolleys with plates, (2x) 18 floors, dimensions floors: (18x) 600 mm x 400 mm, total dimensions: (2x) 660 mm x 470 mm x 1900 mm. Including approximately 30 plates.	100
15	Küppersbusch AG	Küppersbusch AG combi steamer, type: KEG 0066, 400 V, 50 Hz, 18.9 kW, 10 floors, dimensions floors: (10x) 330 mm x 550 mm, total dimensions: 1020 mm x 850 mm x 950 mm.	250
16	NN table	S/s table with wooden top, dimensions: 2000 mm x 800 mm x 940 mm.	250
17	Leventi	Leventi oven, type: Bakermat Mk3.2 MM DI 10PL, number: 039060017, 380/415 V, 3 Ph, 50 Hz, 18.5 kW, 30 A, 8 floors, dimensions floors: (8x) 400 mm x 550 mm, total dimensions: 980 mm x 880 mm x 2140 mm.	300
18	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 640 mm x 660 mm x 1230 mm.	200
19	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 550 mm x 660 mm x 1390 mm.	100
20	VLB	VLB mobile bread slicer, type: VL-40/12.5, number: 94NA043, 220 V, 1 Ph, 50 Hz, 30 knives, distance between knives: 12 mm, total dimensions: 650 mm x 600 mm x 1320 mm.	150
21	Porlanmaz	Porlanmaz mobile bread slicer, working width: 450 mm, distance between knives: 15 mm, total dimensions: 700 mm x 900 mm x 1150 mm.	250
22	Wiesheu	Wiesheu GmbH mobile oven, year of construction: 2017, 10 floors, dimensions floors: (10x) 600 mm x 340 mm, total dimensions: 1100 mm x 930 mm x 2130 mm.	500
23	Daub-Verhoeven B.V.	Daub-Verhoeven B.V. small bread moulder, type: 97B, machine number: DV6769, 380 V, 3 Ph, 50 Hz, 0.25 kW, dimensions: 670 mm x 300 mm x 340 mm.	150
24	Rational	Rational combi steamer, model: CPC, 5 floors, dimensions each floor: 600 mm x 430 mm, dimensions: 900 mm x 800 mm x 850 mm. Incomplete.	750
25	Porlanmaz	Porlanmaz bread slicer, 26 knives, distance between knives: 19 mm, total dimensions: 880 mm x 750 mm x 1250 mm.	400
28	Rational		1500



Nr	Title	Description	Start €
		Rational combi steamer, model: SCC WE 61G, serial number: G61SH13072359659, year of construction: 2013, 230 V, 1 Ph, 50-60 Hz, 400 W, gas heated, 6 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 850 mm x 850 mm x 1550 mm.	
29	Turbochef Technologies	Turbochef Technologies turbo oven, model: I5EW, serial number: I5EW-D02070, year of construction: June 2010, 400 V, 3 Ph, 50 Hz, 19 A, 10000 W, inside dimensions: 610 mm x 400 mm x 250 mm, total dimensions: 750 mm x 690 mm x 610 mm.	250
30	Sveba-Dahlen AB	Sveba-Dahlen AB spiral mixer, model: MX80, serial number: 7137, year of construction: 08/2015, 400 V, 3 Ph, 50 Hz, 10.5 A, s/s bowl, volume: 80 liter, dimensions: 1180 mm x 700 mm x 1250 mm.	600
31	Wiesheu GmbH	Wiesheu GmbH mobile deck oven, model: EBO_1_128_B.Ofen, serial numbers: 10203675/10203674/10203676/10203673, year of construction: 06-2012, 400 V, 3 Ph, 50/60 Hz, 15.1 A, 10.45 kW, 4 decks, inside dimensions: (4x) 900 mm x 1200 mm x 150 mm, total dimensions: 1500 mm x 1550 mm x 2050 mm.	1500
32	Giorik	Giorik mobile fryer, model: FP18S, serial number: 10/D, 380 V, 3 Ph, 50 Hz, 6000 W, dimensions baskets: 610 mm x 360 mm x 60 mm, total dimensions: 1300 mm x 680 mm x 1050 mm.	200
33	Herman	Herman mobile bread slicer, type: De luxe, machine number: 108, year of construction: 2001, 230 V, 0.37 kW, weight: 125 kg, 30 knives, distance between knives: 12 mm, total dimensions: 700 mm x 660 mm x 1240 mm.	300
34	Zela	Zela mobile spraying machine, dimensions: 1100 mm x 800 mm x 900 mm.	500
35	Wiesheu	Wiesheu GmbH mobile oven, model: B04-EM, serial number: 10311135, year of construction: 07-2015, 400 V, 3 Ph, 50 Hz, 12.2 A, 8.4 kW, 5 floors, dimensions each floor: 610 mm x 400 mm, total dimensions: 1200 mm x 950 mm x 1800 mm.	500
36	Hagesana	Hagesana whip cream machine, model: CREAM-KING, machine number: 1433232 10L SE, year of construction: 2012, 230 V, 50 Hz, 750 W, refrigerant: R134 A / 160 gram, dimensions: 800 mm x 440 mm x 580 mm. Incomplete.	50
37	WP Haton	WP Haton mobile conical rounder, type: CR59, dimensions: 1150 mm x 1100 mm x 1550 mm.	850
38	Benier	Benier dough divider, type: Afweger-B84, number: 20834A/801761, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 4 A, plastic belt, belt width: 220 mm, total dimensions: 1450 mm x 720 mm x 1630 mm.	250
39	Fortuna		650



Nr	Title	Description	Start €
		Fortuna mobile dough divider and rounder, model: Automat, dimensions: 800 mm x 700 mm x 1530 mm. Missing plate.	
40	NN refrigerated pie display	Mobile refrigerated pie display, model: PVK400R, 220/240 V, 50 Hz, 2.8 A, 480 W, weight: 125 kg, 4 floors, floor dimensions: Ø 530 mm, total dimensions: Ø 690 mm x 1750 mm.	300
41	VLB	VLB mobile bread slicer, type: A Wave, number: 5506, year of construction: 2005, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 12.5 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	150
42	Tromp	Tromp mobile depositor, 5 heads, diameter heads: 30 mm, total dimensions: 1350 mm x 1200 mm x 1500 mm.	1000
43	AW	AW mixer, inside dimensions: Ø 550 mm x 350 mm, total dimensions: 700 mm x 650 mm x 1200 mm.	300
44	Leventi	Leventi oven, type: NM.TUT.CP, number: 94200045, year of construction: 24-5-94, 380 V, 3 Ph, 50 Hz, 9,5 kW, 5 floors, floor dimensions: 360 mm x 615 mm, total dimensions: 720 mm x 980 mm x 885 mm.	100
45	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10232536, year of construction: 01-2013, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B8-E2, serial number: 10232505, year of construction: 10-2013, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, dimensions: 765 mm x 530 mm x 1985 mm.	600
46	Leventi	Leventi oven on mobile s/s frame, type: BM MM Q2, serial number: 08020059, 380-415 V, 3 Ph, 50/60 Hz, 9.5 kW, 6 floors, dimensions each floor: 600 mm x 410 mm, total dimensions: 1000 mm x 800 mm x 1850 mm.	250
47	Kemper	Kemper mobile mixer, fabrication number: 92203, 220/380 V, 50 Hz, 11 A, 2.2 kW, s/s bowl, dimensions bowl: Ø 740 mm x 430 mm, total dimensions: 1040 mm x 960 mm x 1120 mm.	850
48	Wiesheu	Wiesheu oven, type: 5L 04, number: 1772, 380 V, 50 Hz, 0.12/8 kW, 2 floors, floor dimensions: 640 mm x 400 mm, total dimensions: 1020 mm x 700 mm x 1350 mm.	100
49	NN trolleys	2 s/s trolleys, 14 floors each, floor dimensions: 810 mm x 630 mm, total dimensions: (2x) 870 mm x 650 mm x 1940 mm. Including plates.	200
50	Framec	Framec freezer, model: 0000019500000, serial number: 200033787, year of construction: 00/29, 220-240 V, 50 Hz, 860 W, refrigerant: R507, 0.300 kg, volume: 363 dm ³ , dimensions: 670 mm x 700 mm x 1980 mm.	100
51	NN table	S/s table, dimensions: 2480 mm x 900 mm x 920 mm.	500
52	NN table	S/s table with wooden top, dimensions: 2520 mm x 800 mm x 950 mm.	500
53	Grupo Prat Gouet	Grupo Prat Gouet multi deck oven, model: STATIC-10, number: H-8957, year of construction: 20/01/20, 400 V, 50	1000



Nr	Title	Description	Start €
		Hz, 3500 W, gas/thermal oil heated, 10 decks, dimensions decks: 1280 mm x 850 mm, Weishaupt oil burner, model: WG20N/1-C Z-LN, serial number: 4057303720, capacity: 35-200 kW, dimensions oil burner: 1650 mm x 1400 mm x 2500 mm, total dimensions: 2400 mm x 1470 mm x 2300 mm. Including various part and oil vessel.	
54	Euro Grill	Euro Grill mobile rotisserie grill and oven, type: TGW 220-E, serial number: 3110002, year of construction: 1996, 400/230 V, 50 Hz, 8900 W, 13 A, 3 floors, dimensions floors: (3x) 500 mm x 530 mm, total dimensions: 650 mm x 830 mm x 1700 mm.	300
55	Tabantia	Tabantia mixer, serie: 1175189, number: 1304736, 220/380 V, 3 Ph, 50 Hz, 4.2/5.6 A, s/s bowl, dimensions bowl: Ø 800 mm x 400 mm, total dimensions: 950 mm x 980 mm x 1305 mm.	500
56	J. Slomp B.V.	J. Slomp B.V. mobile oven, type: Ideaal de luxe, number: 613, year of construction: 2005, 220/280 V, 1.5 kW, 10 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1350 mm x 1030 mm x 2060 mm.	450
57	Zilco	Zilco mobile chocolate tempering machine, model: Choco-40, number: 88072101, 3x 380 V, 50 Hz, 0.96 kW, dimensions: 650 mm x 650 mm x 1400 mm.	400
58	Sanomat B.V.	Sanomat B.V. whipped cream machine, model: EuroCream-Auto TBA, number: 55, 230 V, 50 Hz, 850 W, refrigerant: R134a, 75 gram, dimensions: 600 mm x 300 mm x 550 mm.	250
59	ABO	ABO mobile bread slicer, 28 knives, distance between knives: 11 mm, total dimensions: 1180 mm x 1020 mm x 1830 mm.	300
60	Record	Record dough divider and rounder, diameter moulds: 45 mm, total dimensions: 650 mm x 550 mm x 1850 mm.	150
61	Eurofours	Eurofours proofer, type: FET-M2T, serial number: FETM2TQ002, year of construction: 2016, 230 V, 50 Hz, 5.7 A, 1.2 kW, 16 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 980 mm x 820 mm x 900 mm.	200
62	VLB	VLB bread slicer, type: VLB 40/11, number: 77073, 110/220 V, 50 Hz, 34 knives, distance between knives: 11 mm, total dimensions: 670 mm x 600 mm x 1300 mm.	150
63	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10204883, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 9.2 kW, 13 A, type bottom oven: B8-E2, serial number: 10204917, year of construction: 2012, 400 V, 50 Hz, 26.6 A, 18.4 kW, dimensions: 1100 mm x 950 mm x 2110 mm. Including WIESHEU GmbH tray loading trolley, dimensions: 500 mm x 750 mm x 1920 mm. Incomplete.	600
64	W&E	W&E mobile jelly spraying machine, dimensions: 460 mm x 430 mm x 920 mm.	400
65	Wiesheu GmbH		500



Nr	Title	Description	Start €
		Wiesheu GmbH mobile oven, model: B08-B04-EM-VA, serial number: 10130773, year of construction: 05-2009, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 610 mm x 400 mm, total dimensions: 1000 mm x 1100 mm x 2070 mm. Glass broken.	
66	GGM Gastro	GGM Gastro dishwasher, model: TSS77, serial number: 20909, year of construction: 12-17, 400 V, 3 Ph, 50 Hz, 11450 W, inside dimensions: 570 mm x 570 mm, total dimensions: 750 mm x 680 mm x 1690 mm.	300
67	JAC	JAC mobile bread slicer, model: BFL 450/11, machine number: 08/6219/01, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 170 kg, 26 knives, distance between knives: 11 mm, total dimensions: 750 mm x 650 mm x 1380 mm. Missing some knives.	250
68	NN dough rolling machine	Dough rolling machine, 2 cloth belts, belt width: 835 mm, total dimensions: 2050 mm x 1150 mm x 1320 mm. Incomplete.	350
69	FB	FB mobile bread slicer, 30 knives, distance between knives: 12.5 mm, total dimensions: 700 mm x 580 mm x 1460 mm.	350
70	Bakon B.V. Food Equipment	Bakon B.V. Food Equipment mobile jelly spraying machine, model: Jelly 2000, serial number: 1.66.390, year of construction: 2000, 220 V, 50 Hz, 2.5 kW, hose length: 1900 mm, total dimensions: 610 mm x 520 mm x 1080 mm.	400
71	W&E	W&E mobile jelly spraying machine, dimensions: 470 mm x 420 mm x 1000 mm.	400
72	NN oven	Oven, 10 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 860 mm x 750 mm x 1700 mm. With 5 plates.	100
73	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	150
74	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	150
75	Boku	Boku cooled mixer, inside dimensions: Ø 360 mm x 460 mm, DWM Copeland cooling compressor, total dimensions: 900 mm x 600 mm x 1250 mm.	250
76	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	150
77	Bakon B.V.	Bakon B.V. mobile whipped cream mixer, model: TC 2/10C, serial number: 7.210.135, year of construction: 2004, 230 V, 50 Hz, 1.5 kW, inside dimensions: Ø 350 mm x 450 mm, total dimensions: 800 mm x 500 mm x 1160 mm.	750
78	Ismar Maschinenbau GmbH	Ismar Maschinenbau GmbH mobile bread crumber, type: mini, machine number: 0986-777, year of construction: 1986, dimensions: 610 mm x 510 mm x 1510 mm.	500
79	Leventi		250



Nr	Title	Description	Start €
		Leventi oven, type: CM MM Q2 B+DI, serial number: 06110136, 380/415 V, 3 Ph, 50/60 Hz, 9.5 kW, 6 floors, dimensions floors: (6x) 600 mm x 410 mm, total dimensions: 900 mm x 970 mm x 1000 mm.	
80	NN crates	17 plastic bread crates, dimensions: (17x) 700 mm x 560 mm x 210 mm.	20
81	Kalmeijer	Kalmeijer mobile moulder, clearance: 480 mm x 190 mm, total dimensions: 1000 mm x 630 mm x 1050 mm.	350
82	W&VE	W&VE mobile jelly spraying machine, dimensions: 770 mm x 380 mm x 1000 mm.	150
83	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model: Jelly 2000, serial number: 1.55.014, year of construction: 1998, 220 V, 50 Hz, 3000 W, dimensions: 550 mm x 630 mm x 1080 mm.	400
84	NN press	S/s almond press on mobile frame, diameter form: (10x) 20 mm, total dimensions: 1420 mm x 430 mm x 1000 mm.	20
85	NN mixer	Mobile mixer, steel bowl, dimensions bowl: Ø 830 mm x 620 mm, total dimensions: 1200 mm x 870 mm x 1400 mm. Missing cover.	300
86	Kalmeijer	Kalmeijer bread slicer, 30 knives, distance between knives: 13 mm, total dimensions: 800 mm x 600 mm x 1170 mm.	100
87	Gamko Holding BV	Gamko Holding BV refrigerator, type: MAXI25/500SC, year of construction: 2002, 220/240 V, 50 Hz, 560 W, dimensions: 920 mm x 550 mm x 1820 mm.	400
88	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm. Without lights.	150
89	Rational	Rational combi steamer, model: SCC 101, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 10 floors, dimensions floors: (10x) 530 mm x 330 mm, total dimensions: 900 mm x 850 mm x 1800 mm.	1500
90	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile jelly spraying machine, model: Micro Jelly 2000 TT, serial number: 1.79.032, year of construction: 2000, dimensions: 610 mm x 420 mm x 950 mm.	200
91	VLB	VLB mobile bread slicer, 230 V, 38 knives, distance between knives: 11 mm, total dimensions: 700 mm x 700 mm x 1350 mm.	200
92	VLB	VLB mobile bread slicer, type: B 45/11, number: 4074, year of construction: 2001, 220-380 V, 50 Hz, 0.37 kW, 38 knives, 45 knives, distance between knives: 11 mm, total dimensions: 650 mm x 2060 mm x 1570 mm.	350
94	Diosna	Diosna mobile spiral mixer, type: SP 80 D, number: 9610-201, 380 V, 3 Ph, 50 Hz, 11.5 A, capacity: 80 kg dough, bowl dimensions: Ø 650 mm x 390 mm, total dimensions: 700 mm x 1070 mm x 1220 mm.	1000
95	Kalmeijer	Kalmeijer forming machine with 5 forming rollers, dimensions: 560 mm x 590 mm x 1250 mm.	1000



Nr	Title	Description	Start €
96	Hobart	Hobart mobile mixer, model: NCM40, serial number: 97104702, 380/415 V, 3 Ph, 50 Hz, 2.6 A, 1.1 kW, capacity: 40 liter, bowl dimensions: Ø 320 mm x 350 mm, total dimensions: 700 mm x 740 mm x 1520 mm. Including extra bowl, batter mixers and hook.	500
97	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile jelly spraying machine, model: Jelly satellite 1, serial number: 1-57-01-08-155, year of construction: 2008, 230 V, 50 Hz, 2600 W, dimensions: 610 mm x 440 mm x 1380 mm.	500
98	Zela Techniek B.V.	Zela Techniek B.V. mobile greasing machine, type: ZM1500, number: 33451, year of construction: 1986, 280 V, 50 Hz, 6 bar, distance between chains: 165 mm, total dimensions: 1500 mm x 560 mm x 1350 mm.	750
99	Sea Productique	Sea Productique packaging line, type: Dépose film, serial number: SEA-36142, year of construction: 2017/04, 230 V, 1 Ph, dimensions: 1140 mm x 720 mm x 1530 mm.	500
100	Hobart	Hobart mixer, model: A200, number: 1795798, 230 V, 3 Ph, 50 Hz, 0.9 A, bowl dimensions: Ø 315 mm x 300 mm, total dimensions: 400 mm x 530 mm x 750 mm. Including extra whisk.	200
101	JAC	JAC automatic bread slicer, model: MRL 450/12, machine number: 22100777, year of construction: 14/02/2022, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, 126 kg, 35 knives, distance between knives, 12 mm, total dimensions: 580 mm x 650 mm x 750 mm.	500
102	Küpperbusch	Küpperbusch combi steamer, model: CBE 106, 400 V, 3 Ph, 50 Hz, 9.3 A, 6 floors, floor dimensions: (6x) 330 mm x 520 mm, total dimensions: 980 mm x 820 mm x 1550 mm.	300
103	JAC	JAC mobile automatic bread slicer, model: SLD 450/10, machine number: 12103861, year of construction: 06/08/2012, 230 V, 1 Ph, 50/60 Hz, 4.5 A, 0.49 kW, 230 kg, 42 knives, distance between knives: 10 mm, total dimensions: 590 mm x 640 mm x 1290 mm.	300
104	VLB	VLB bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 520 mm x 650 mm x 950 mm.	250
105	JAC	JAC mobile automatic bread slicer, model: SFN 450/10, machine number: 13103560, year of construction: 24/09/2013, 230 V, 1 Ph, 50/60 Hz, 4.5 A, 0.49 kW, 230 kg, 42 knives, distance between knives: 10 mm, total dimensions: 600 mm x 720 mm x 1230 mm.	350
106	JAC	JAC mobile automatic bread slicer, model: ECH/450/12, machine number: 97189102, year of construction: 9/97, 220 V, 1 Ph, 50 Hz, 4.7 A, 0.65 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	150
107	JAC	JAC mobile automatic bread slicer, model: ECH/450/0, machine number: 08/5372/33, 230 V, 1 Ph, 50 Hz, 4.7 A,	250



Nr	Title	Description	Start €
		0.65 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	
108	JAC	JAC mobile automatic bread slicer, model: ECH/450/99, machine number: 09/2801/14, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	250
109	JAC	JAC mobile automatic bread slicer, model: ECH/450/99, machine number: 09/5926/06, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	200
110	JAC	JAC mobile automatic bread slicer, model: ECH/450/99, machine number: 08/6338/17, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	200
111	JAC	JAC mobile automatic bread slicer, model: ECH/450/99, machine number: 07/6095/13, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	200
112	JAC	JAC mobile automatic bread slicer, model: ECH 450/12.5, machine number: 10/2819/15, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.5 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	200
113	JAC	JAC mobile automatic bread slicer, model: ECH/450/99, machine number: 06/4435/19, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	200
114	JAC	JAC mobile automatic bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	200
115	JAC	JAC mobile automatic bread slicer, model: SPL 450/10, machine number: 14104812, year of construction: 12/11/2014, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, 190 kg, 42 knives, distance between knives: 10 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	300
116	JAC	JAC mobile automatic bread slicer, model: ECH 450/12.5, machine number: 10/2819/44, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.5 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	300
117	Rollfix	Rollfix dough sheeter, type: 5/630, serial number: 630039125381, 220 V, 50 Hz, 2.9 A, 1.1 kW, 2 cloth belts, belt width: (2x) 590 mm, total dimensions: 3100 mm x 1200 mm x 1200 mm.	1000
118	JAC	JAC mobile automatic bread slicer, model: ECH 450/12, machine number: 96201403, year of construction: 12/96, 220 V, 1 Ph, 50 Hz, 4.7 A, 0.65 kW, 180 kg, 36 knives, distance between knives: 12 mm, total dimensions: 650 mm x 620 mm x 1330 mm.	200
119	Wiesheu GmbH		2000



Nr	Title	Description	Start €
		Wiesheu GmbH mobile deck oven, serial number: 10300582/10300586, year of construction: 2015-02, 400 V, 3 Ph, 50/60 Hz, 15.2 A, 9.9 kW, 4 decks, inside dimensions: (4x) 1240 mm x 870 mm x 165 mm, total dimensions: 1530 mm x 1470 mm x 2150 mm.	
120	Record	Record mobile dough divider and rounder, model: Automat, 30 portions, dimensions: 810 mm x 700 mm x 1620 mm. Technical condition unknown.	500
121	JAC	JAC mobile automatic bread slicer, model: ECH/450/99, machine number: 08/3179/17, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 12 mm, total dimensions: 590 mm x 610 mm x 1350 mm.	250
122	Baas Food Equipment	Baas Food Equipment small bread moulder, type: PM-2, year of construction: 2021, 230 V, 1.54 A, clearance: 150 mm x 60 mm, total dimensions: 480 mm x 350 mm x 250 mm.	100
123	Fri-Jado	Fri-Jado oven, model: BS10-1, number: 100049343, 400/230 V, 3 Ph, 50/60 Hz, 18800 W, 10 floors, dimensions: 910 mm x 780 mm x 2060 mm.	250
124	Werner&Pfleiderer-Haton	Werner&Pfleiderer-Haton mobile conical rounder, type: CR 59, machine number: H 590302, 3x 22/380 V, 50 Hz, 2.6 A, belt width: 300 mm, total dimensions: 1780 mm x 1060 mm x 1550 mm.	1000
125	Imperator	Imperator mixer, type: PLB 30, number: 78082, 380 V, 50 Hz, 1.8 A, bowl dimensions: ø 360 mm x 360 mm, total dimensions: 710 mm x 690 mm x 1430 mm. Including batter and hook.	500
126	Seewer Rondo	Seewer Rondo mobile dough sheeter, model: SSO 63, machine number: B2068008, cloth belt, belt width: 600 mm, total dimensions: 3500 mm x 1200 mm x 1300 mm.	1000
127	Kemper	Kemper mobile spiral mixer, bowl dimensions: ø 760 mm x 430 mm, total dimensions: 1200 mm x 800 mm x 1400 mm. Including control unit.	1000
128	NN trolley	S/s trolley, 20 floors, dimensions floors: 600 mm x 410 mm, total dimensions: 660 mm x 420 mm x 1730 mm. Including 20 s/s racks.	50
129	NN trolley	S/s trolley, 23 floors, dimensions floors: 650 mm x 420 mm, total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	50
130	NN trolley	S/s trolley, 23 floors, dimensions floors: 650 mm x 420 mm, total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	50
131	NN trolley	S/s trolley, 23 floors, dimensions floors: 650 mm x 420 mm total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	50
132	NN trolley	S/s trolley, 18 floors, dimensions floors: 730 mm x 600 mm, total dimensions: 740 mm x 660 mm x 1760 mm.	50
133	Baktec		950



Nr	Title	Description	Start €
		Baktec water chiller, type: BKL 200 ICE EF, serial number: 8618, year of construction: 2024, 220/240 V, 50 Hz, 4.2 A, 650 W, refrigerant: R290, 150 g, dimensions: 500 mm x 500 mm x 800 mm.	
134	NN trolley	S/s trolley, 23 floors, dimensions floors: 650 mm x 420 mm, total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	50
135	NN trolley	S/s trolley, 18 floors, dimensions floors: 600 mm x 410 mm, total dimensions: 610 mm x 420 mm x 1470 mm.	50
136	NN trolley	S/s trolley, 6 floors, dimensions floors: 600 mm x 410 mm, total dimensions: 650 mm x 420 mm x 570 mm.	10
137	Hacos	Hacos mobile filling machine, type: JD12, serial number: 7655, year of construction: 1989, 3x 220 V, 10 A, inside dimensions funnel: (2x) 450 mm x 430 mm x 450 mm, total dimensions: 2000 mm x 1000 mm x 1600 mm. Funnel slightly damaged but still working. two filling heads; one 6 and one 7 pistons	1000
138	Hacos	Hacos mobile filling machine, type: JD12, 8 filling heads, inside dimensions funnel: (2x) 450 mm x 430 mm x 450 mm, total dimensions: 2000 mm x 1000 mm x 1600 mm.	1000
139	Kombimix	Kombimix water dosing unit, type: FB10-24 automatic, dimensions: 400 mm x 350 mm x 370 mm.	250
140	Dedy GmbH	Dedy GmbH mobile enrobing machine, type: 220, number: 120052, 230 V, 2000 W, s/s, electronic air circulation, two thermostats, standby mode, work mode. 20 liter chocolate tank plus wheel, belt width: 220 mm, total dimensions: 1050 mm x 700 mm x 1600 mm.	2000
141	Betec n.v.	Betec n.v. mobile moulding- and enrobing machine, type: MBE 80/400, serial number: P269, year of construction: 2008, 230 Vac, 16 A, s/s mesh belt, 80kg tank, wheel, variable-speed, belt width: 400 mm, total dimensions: 1260 mm x 950 mm x 1350 mm.	1000
142	Werner&Pfleiderer	Werner&Pfleiderer rotary oven, type: REC1020H, serial number: 30050780/0020, year of construction: 03/2011, 400 V, 3 Ph, 50 Hz, 96 A, 60 kW, electrically heated, inside dimensions: 1400 mm x 880 mm x 2000 mm, total dimensions: 1600 mm x 1700 mm x 2600 mm.	1000
143	NN racks	5 mobile s/s racks, 18 floors, dimensions floors: (18x) 600 mm x 410 mm, total dimensions: (5x) 700 mm x 800 mm x 1900 mm.	375
144	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 650 mm x 550 mm x 1330 mm.	350
145	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 650 mm x 550 mm x 1330 mm.	350
146	JAC	JAC mobile bread slicer, model: SLD450/10, machine number: 13103506, year of construction: 2013, 230 V, 1 Ph, 50/60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives,	250



Nr	Title	Description	Start €
		distance between knives: 12 mm, total dimensions: 700 mm x 600 mm x 1400 mm.	
147	JAC	JAC mobile bread slicer, model: SFN 450/10, machine number: 12104603, year of construction: 2012, 230 V, 1 Ph, 50/60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives, distance between knives: 12 mm, total dimensions: 850 mm x 600 mm x 1320 mm.	250
148	Hobart	Hobart bowl mixer, model: PF 601, number: 736444, 380 V, 3 Ph, 50 Hz, 3 A, inside dimensions bowl: ø 400 mm x 350 mm, total dimensions: 900 mm x 500 mm x 1270 mm. Including extra whisk.	500
149	NN racks	5 mobile s/s racks, 8 floors, dimensions floors: (8x) 600 mm x 1500 mm, total dimensions: 620 mm x 1520 mm x 1780 mm.	150
150	Sinmac Europe	Sinmac Europe mobile spiral mixer, model: KM-25, serial number: 1603010, year of construction: 2016.06, 380 V, 50 Hz, 5.5 A, 2.2 kW, capacity: 25 kg dough, weight: 135 kg, s/s bowl, bowl dimensions: ø 440 mm x 300 mm, total dimensions: 850 mm x 480 mm x 1060 mm.	950
151	Werner & Pfeiderer Haton BV	Werner & Pfeiderer Haton BV mobile conical rounding machine, type: CR 59, machine number: H. 590562, year of construction: 1995, 230/400 V, 3 Ph, 50 Hz, 3/10 A, dimensions: 1100 mm x 1100 mm x 1500 mm.	950
152	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile jelly machine, model: JELLY EASY 2, production number: 710246/03, year of construction: 2021, 230 V, 50/60 Hz, 2720 W, dimensions: 680 mm x 500 mm x 1180 mm. Boiler clogged.	500
153	Beko	Beko mobile bread slicer, type: 3BSM3JAC003, 230 V, 2 knives, distance between knives: 100 mm, dimensions chamber: 450 mm x 120 mm x 100 mm, total dimensions: 730 mm x 600 mm x 1330 mm.	100
154	MKN	MKN s/s mobile double doughnut fryer, inside dimensions: (2x) 760 mm x 460 mm, total dimensions: 1760 mm x 630 mm x 1000 mm. Including extra baskets.	300
155	Rubbermaid	Rubbermaid plastic tub, dimensions: 750 mm x 320 mm x 730 mm.	10
156	NN table	S/s mobile table, dimensions: 2900 mm x 800 mm x 950 mm.	200
157	NN table	S/s mobile table, dimensions: 3400 mm x 900 mm x 980 mm.	300
158	NN table	S/s mobile table, dimensions: 3990 mm x 860 mm x 910 mm.	300
159	Ehecor B.V. Bakery Equipment	Ehecor B.V. Bakery Equipment bread rolls machine, type: TPB 2, number: 15598, year of construction: 2012, 230 V, 1/4 Ps, infeed: ø 60 mm, cloth belt, belt width: 180 mm, total dimensions: 480 mm x 280 mm x 270 mm.	200
160	Hans Kratt		350



Nr	Title	Description	Start €
		Hans Kratt whipped cream machine, number: 7271011 G, 230 V, 50 Hz, 500 W, refrigerant: R 134 a, dimensions: 500 mm x 400 mm x 520 mm.	
161	NN filling frame	S/s filling frame with cooling plate, diameter dyes: (21x) 70 mm, total dimensions: 560 mm x 300 mm x 60 mm. Cooling plate dimensions: 560 mm x 245 mm x 90 mm.	50
162	Celltherm Isolierung GmbH	Celltherm Isolierung GmbH cooling cell with Keyfrost cooling unit, inside dimensions: 1700 mm x 1760 mm x 2100 mm, Keyfrost cooling unit, model: KBF 14 NE, serial number: 00103719, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 6.6 A, 1.3 kW, 26 bar, weight: 60 kg, total dimensions: 2200 mm x 1850 mm x 2180 mm.	400
163	NN working desk	S/s mobile working desk, dimensions: 2000 mm x 800 mm x 970 mm.	250
164	Sanomat	Sanomat whipped cream machine, model: SANOMAT-EURO-PLUS Auto, number: 644, 230 V, 50 Hz, refrigerant: R134a/105 g, dimensions: 600 mm x 300 mm x 600 mm.	350
165	Beko	Beko mobile jelly machine, type: BEKO-GEL, fabrication number: 01428399, 230 V, 50 Hz, 10 A, 2100 W, dimensions: 500 mm x 400 mm x 1000 mm.	300

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products.

Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



Industrial Auctions

Notes

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

