



**Industrial
Auctions**

**2052: Online auction food processing machinery,
cooling- and catering equipment in Eindhoven (NL)**

END DATE
17 February 2026 12:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	17 February 2026 from 12:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	24 February 2026 from 09:00 till 16:00 hrs. 25 February 2026 from 09:00 till 16:00 hrs. 26 February 2026 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	EconoPak Verpackungstechnik GmbH	EconoPak Verpackungstechnik GmbH box packaging line consisting of; Denester, type: FA-KT-1300-1, year of construction: 2009, 400 V, 50 Hz, 9.3 A, 6.44 kVA, dimensions tray moulds: 195 mm x 135 mm x 35 mm, dimensions denester: 1770 mm x 1750 mm x 2500 mm Transport belt, s/s chain belt, distance between dividers: 355 mm, dimensions transport belt: 3530 mm x 600 mm x 1020 mm Infeed conveyor, plastic belt, belt width: 250 mm, dimensions infeed conveyor: 1000 mm x 650 mm x 1330 mm Box closing machine, type: WVE-R-LD-L, year of construction: 2010, 400 V, 50 Hz, 7.4 A, 5.1 kVA, dimensions: 2800 mm x 2050 mm x 2300 mm	15000
2	Zomerdam Produktidentificatie B.V.	Zomerdam Produktidentificatie B.V. checkweigher and metal detector with rejector, type checkweigher: DCW-1, fabrication number: 3480201, year of construction: 2016, 230 V, 50 Hz, weighing range: 40g-3kg, temperature range: 5°C-40°C, plastic belt, belt width: 200 mm, type metal detector: MN 7.0 CI 250/150, serial number: 1092-CI, year of construction: 2016, clearance: 250 mm x 105 mm, total dimensions: 3000 mm x 1030 mm x 1500 mm.	3000
3	Lambert Engineering Ltd.	Lambert Engineering Ltd. teat packaging machine, model: TEAT PACK 2 PACKAGING, serial number: 075983, year of construction: 2017, dimensions: 3100 mm x 3200 mm x 2500 mm, 2400 mm x 650 mm x 2200 mm.	12500
4	Lambert Engineering Ltd.	Lambert Engineering Ltd. tray/teat handling robot, model: POSTCURE CELL 3, serial number: 069637, year of construction: 2012, dimensions: 6600 mm x 3000 mm x 2500 mm, (2x) ø 1550 mm x 900 mm, 2300 mm x 1600 mm, 1250 mm x 1600 mm x 500 mm, 2550 mm x 3400 mm x 2000 mm. Including 6 s/s bins, dimensions: (6x) 700 mm x 600 mm x 1400 mm.	12500
5	MB Engineering	MB Engineering flue gas suction device, type: R300, dimensions: 1500 mm x 900 mm x 2500 mm.	1500
6	NN transport belt	Transport belt, plastic belt, belt width: 170 mm, total dimensions: 3500 mm x 700 mm x 1100 mm.	500
7	Charmilles Technologies	Charmilles Technologies die-sinking machine, type: FORM 20, number: 100464, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 4.6 A, dimensions: 1000 mm x 1200 mm x 2100 mm, 400 mm x 340 mm x 1350 mm.	3500
8	Domino	Domino rotating laser printer, model: D-Series plus, 380/400 VAC, 3 Ph, 50 Hz, 16 A, dimensions: 1300 mm x 500 mm x 2000 mm.	3500
9	Bradman Lake Group	Bradman Lake Group case packaging robot, type: SX 1200, serial number: 20404, year of construction:	16000



Nr	Title	Description	Start €
		2012, 400 V, 3 Ph, 50 Hz, 78 A, 43 kW, dimensions: 7100 mm x 3000 mm x 2800 mm. Nordson glue unit not included.	
10	Stork	Stork live-bird unloading system with crate washing machine, number: 94-03-22, total belt width: 1200 mm, plastic outfeed belt, belt width: 1600 mm, clearance washing machine: 1200 mm x 1400 mm, total dimensions: 10000 mm x 2600 mm x 3400 mm. Lot already dismantled.	9500
11	NN washing machine for bird crates	Washing machine for bird crates, total belt width: 1200 mm, clearance: 1200 mm x 1600 mm, total dimensions: 5000 mm x 10000 mm x 6400 mm. Lot already dismantled.	4000
12	Marel Stork Poultry Processing B.V.	Marel Stork Poultry Processing B.V. gas stunning tunnel, model: CAS-700 A8101, type: 3791381, serial number: 10129014, year of construction: 2014 (revised), plastic belt, belt width: 690 mm, total dimensions: 15500 mm x 1650 mm x 2300 mm. Lot already dismantled.	15000
13	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 8 Bitzer Kühlmaschinenbau GmbH and 1 Green Poin compressors, type: (3x) 6FE-40Y-40P, 6GE-30Y-40P, capacity: 151.6/215.9 m ³ per hour, 6JE-33Y-40P, 4GE-30Y-40P, capacity: 110.5/114.9 m ³ per hour, (2x) 2DSL-5K-40S, capacity: 9.23/11.06 m ³ per hour and 4PES-15-40P, capacity: 48/58 m ³ per hour, dimensions: 4100 mm x 1650 mm x 2400 mm. Missing some panels.	3000
14	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 2HSL-3KB-40S, dimensions: 3800 mm x 1700 mm x 2400 mm.	2000
15	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4NCS-12.2Y-40P, dimensions: 3600 mm x 1700 mm x 2500 mm.	2000
16	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4CC-6.2Y-40S, dimensions: 900 mm x 2200 mm x 1100 mm.	1500
17	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4CC-6.2Y-40S, capacity: 32.5/38.2 m ³ per hour, dimensions: 900 mm x 2200 mm x 1100 mm.	1500
18	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4DC-5.2Y-40S and (2x)	1500



Nr	Title	Description	Start €
		4VCS-10.2Y-40P, capacity: 26.8/32.4 m ³ per hour and (2x) 34.7/41.9 m ³ per hour, dimensions: 1000 mm x 2000 mm x 1500 mm.	
19	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4FTC-20KI-40P, dimensions: 3200 mm x 1200 mm x 2400 mm.	3500
20	DWM Copeland	DWM Copeland compressor rack in cabinet with 5 DWM Copeland cooling compressors, type: (2x) D2SC1-55X-EWL, (3x) D3DS5-150X-AWM/D, capacity: (2x) 26.8 m ³ per hour and (3x) 49.9 m ³ per hour, dimensions: 3300 mm x 1300 mm x 2300 mm.	1500
21	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4CES-6Y-40S, dimensions: 850 mm x 1220 mm x 2500 mm.	1000
22	Loma Systems	Loma Systems metal detector on mobile elevating belt, type: Blue IQ3 ST, serial number: Q3B55-10-28060D, year of construction: 17.3.2015, 110-240 V, 1 Ph, 50/60 Hz, 0.3-0.6 A, plastic belt, belt width: 410, clearance: 550 mm x 30 mm, elevating height: 1750 mm, total dimensions: 4600 mm x 1030 mm x 1760 mm.	500
23	O/K Packaging Systems bv	O/K Packaging Systems bv case erector, type: Superformer-1, serial number: 09-21768, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 10 A, weight: 1200 kg, maximum box width: 350 mm, plastic belts, belt width: (2x) 95 mm, total dimensions: 3250 mm x 1700 mm x 2130 mm.	4000
24	Norfo A/S	Norfo A/S mobile portion cutter, type: B 34/35, serial number: 1088.80.366, year of construction: 03.06.05, 400 V, 3 Ph, 50/60 Hz, 14/32 A, 6 kW, plastic belt, belt width: 300 mm, total dimensions: 3050 mm x 1320 mm x 1930 mm.	2000
25	Krämer+Grebe	Krämer+Grebe grinder, type: EW130, number: 66/101, year of construction: 1987, diameter plate: 130 mm, total dimensions: 1130 mm x 650 mm x 1120 mm.	450
26	Poly-clip System GmbH	Poly-clip System GmbH clipper on s/s trolley, type: DCD-E, number: 59539, bar: 5-7, dimensions: 830 mm x 700 mm x 1700 mm.	800
27	Deltapack	Deltapack vertical bag form-, fill-, and seal machine, type: DE420FU, machine number: 269, year of construction: 2003, film width: 740 mm, vertical seal length: 540 mm, horizontal seal length: 430 mm, total dimensions: 2300 mm x 1550 mm x 2000 mm.	2000
28	Boldt Systems	Boldt Systems infeed bunker with outfeed belt, model: BFCS 24.12H, serial number: BFO 09-010.03, year of construction: 2009, inside dimensions: 3500 mm x	4000



Nr	Title	Description	Start €
		1100 mm x 800 mm, plastic belt, belt width: 490 mm, total dimensions: 4300 mm x 1700 mm x 2830 mm.	
29	KSB	Steel frame with 2 KSB centrifugal pumps, several valves, Reflex expansion vessel and SWEP Wärmtetauscher Deutschland AG heat exchanger, dimensions: 1100 mm x 2600 mm x 1750 mm, 2150 mm x 1350 mm x 1750 mm.	1000
30	Frascold	Frascold cooling compressor, type: Z40-126Y, number: 3L001117, capacity: 125.72/150.86 m ³ per hour, dimensions: 800 mm x 1300 mm x 1100 mm.	750
31	Frascold	Frascold cooling compressor, type: Z40 154 Y, number: 3A000039, capacity: 154.38/185.26 m ³ per hour, dimensions: 700 mm x 2100 mm x 1000 mm.	750
32	Ammeraal Beltech	Pallet with 8 boxes with Ammeraal Beltech transport belts, belt width: 500 mm, 450 mm. Never used.	75
33	M.A.M	M.A.M centrifugal pump, type: AK-WF 100-160 VA, capacity: 54-154 m ³ per hour, dimensions: 2200 mm x 700 mm x 1400 mm.	400
34	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4P, fabrication number: 203 008, capacity: 22.7-47.1 m ³ per hour, dimensions: 1200 mm x 1000 mm x 900 mm.	200
35	NN steps	Pallet with approximately 25 s/s steps, dimensions: 800 mm x 240 mm.	50
36	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6F.2, fabrication number: 449 513, capacity: 94.1/183 m ³ per hour, dimensions: 850 mm x 800 mm x 1200 mm.	750
37	NN boxes for parts	Pallet with approximately 520 plastic boxes for parts, dimensions each box: 400 mm x 90 mm x 80 mm.	100
38	Bock	Bock cooling compressor, type: SAM6/153/4L, dimensions: 900 mm x 800 mm x 700 mm.	100
39	Bock	Bock cooling compressor, type: SAM6/153/4L, dimensions: 900 mm x 800 mm x 700 mm.	100
40	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF300B, number: 2645, 400 V, 50 Hz, 23.6 A, 9.5 kW, Becker vacuum pump, type: U 1.16SA-31, number: B 2678255, year of construction: 2012, capacity: 16 m ³ per hour, dimensions: 1700 mm x 1400 mm x 1970 mm.	2500
41	Handtmann	Handtmann mobile vacuum filling machine, type: VF300, number: 2804, year of construction: 1997, 400 V, 50 Hz, 21.8 A, 9 kW, dimensions: 1150 mm x 950 mm x 2050 mm. Incomplete.	3000
42	O/K Packaging Systems bv	O/K Packaging Systems bv case erector, type: Superformer-1, serial number: 06-21584, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 10 A, weight: 1200 kg, maximum box width: 350 mm, plastic belts,	5000



Nr	Title	Description	Start €
		belt width: (2x) 95 mm, total dimensions: 3250 mm x 1700 mm x 2130 mm.	
43	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 205 mm, divider height: 25 mm, distance between dividers: 75 mm, elevating height: 3700 mm, total dimensions: 3350 mm x 1170 mm x 3850 mm.	750
44	VH Verpakkingsmachines BV	VH Verpakkingsmachines BV multihead weigher, model: AC-6B, serial number: 0707120, year of construction: 2007, weighing range: 0.1-3000g, speed: 80 bag/m, dimensions: 1250 mm x 1060 mm x 1950 mm.	1500
45	UVA-BUTLER	UVA-BUTLER vertical bag forming-, filling- and sealing machine, type: BUT 3-320, machine number: 95666, year of construction: 1996, 415 V, 50 Hz, film width: 220 mm, diameter filling tube: 60 mm, vertical seal length: 345 mm, horizontal seal length: 380 mm, total dimensions: 2050 mm x 1550 mm x 2000 mm.	2000
46	Safeline	Safeline elevating metal detector, plastic belt, belt width: 195 mm, clearance: 225 mm x 100 mm, total dimensions: 2000 mm x 850 mm x 940 mm.	750
47	Elpress	Elpress s/s pressure vessel for foam, type: S75-B, number: 0045-08, dimensions: 650 mm x 570 mm x 1000 mm.	150
48	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EMA 350, machine number: 318126746, working width: 430 mm, total dimensions: 710 mm x 650 mm x 980 mm.	250
49	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EMA 500, machine number: 328227933, working width: 430 mm, total dimensions: 760 mm x 570 mm x 980 mm.	350
51	Elpress	Elpress cleaning system consisting of Grundfos pressure unit, 4 s/s hose reels with plastic hoses and several extra parts, type: 83301031, serial number: 27888, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 4 kW, pressure: 20B, maximum temperature: 70°C.	750
57	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 30 mm, distance between dividers: 656 mm, elevating height: 2550 mm, total dimensions: 2850 mm x 900 mm x 2600 mm.	1400
58	Bonino	Bonino cap feeding conveyor, serial number: 49265, year of construction: 2015, 400 V, 50 Hz, 0.7 A, 0.18 kW, weight: 210 kg, plastic belt with dividers: 300 mm, divider height: 50 mm, distance between dividers: 125 mm, elevating height: 2450 mm, total dimensions: 2700 mm x 1200 mm x 2650 mm.	1400
59	NN waste bag trolley		50



Nr	Title	Description	Start €
		S/s waste bag trolley, dimensions: 1200 mm x 580 mm x 99 mm.	
60	Safeline	Safeline metal detector, model: 30H, 200-240 VAC, 50/60 Hz, 300 W, plastic belt, belt width: 430 mm, clearance: 450 mm x 170 mm, total dimensions: 1150 mm x 930 mm x 1090 mm.	950
61	Firex	Firex cooking vessel with agitator, model: CBTG070, number: 24111, inside dimensions: ø 600 mm x 300 mm, total dimensions: 1000 mm x 820 mm x 1160 mm.	850
62	Marco	Marco weighing scale, model: Touchscreen DataMaster, serial number: 08131092, 100-240 V, dimensions scale: 600 mm x 500 mm, 300 mm x 300 mm, total dimensions: 1100 mm x 900 mm x 1600 mm. Including Intermec label printer and Datalogic hand scanner.	250
63	Espera	Espera weighing and labelling machine, model: ES 5000, plastic belt, belt width: 145 mm, total dimensions: 1550 mm x 800 mm x 1560 mm.	4000
64	NN shrink packaging machine	Mobile shrink packaging machine, model: EKH-455, serial number: 0709022B, 220 V, 1 Ph, 50 Hz, film width: 455 mm, seal length: 570 mm x 510 mm, total dimensions: 1320 mm x 1050 mm x 1200 mm.	3000
66	Saxon LTD	Saxon LTD bag sealing machine, model: SH1000, machine number: 86503, year of construction: 2011, 220/230 V, 2 Ph, 50 Hz, 3.1 A, plastic belt, belt width: 300 mm, total dimensions: 2570 mm x 1000 mm x 1880 mm.	500
67	NN turning packaging table	Turning packaging table, diameter top: 1350 mm, total dimensions: 2000 mm x 1350 mm x 1090 mm.	150
68	NN rollies	20 s/s rollies, dimensions: (20x) 650 mm x 410 mm x 170 mm.	390
69	NN rollies	20 s/s rollies, dimensions: (20x) 650 mm x 410 mm x 170 mm.	390
70	NN rollies	20 s/s rollies, dimensions: (20x) 650 mm x 410 mm x 170 mm.	390
71	Brown Boveri	Brown Boveri electro motor, dimensions: 1250 mm x 850 mm x 650 mm.	500
72	ARI Makina	ARI Makina double shaft paddle mixer, model: KRT-300, serial number: KRT-300/06/00, year of construction: 2006, 400 V, 50/60 Hz, 10.3 A, 5.5 kW, volume: 300 litres, capacity: 1200 kg, weight: 600 kg, dimensions: 2150 mm x 800 mm x 1770 mm.	1000
73	Wichelmann Metallbau	Wichelmann Metallbau strip cutter, type: Säge A1, machine number: 3132, year of construction: 2008, plastic belt, belt width: 250 mm, total dimensions: 2800 mm x 1200 mm x 1700 mm.	1500
74	Hoegger		3000



Nr	Title	Description	Start €
		Hoegger meat press, type: SP280, machine number: 114421, year of construction: 2014, dimensions: 2680 mm x 820 mm x 1700 mm.	
75	Still	Still electric pallet lifter, type: EXD-SF 20, serial number: F20284J00192, year of construction: 2018, capacity: 2000 kg, fork length: (2x) 1150 mm, total dimensions: 2150 mm x 750 mm x 1500 mm.	750
76	Wichelmann Metallbau	Wichelmann Metallbau elevating belt, plastic belt, belt width: 400 mm, elevating height: 1450 mm, total dimensions: 1750 mm x 620 mm x 1600 mm.	500
77	Koppens	Koppens mobile pre-duster, type: PRM600MEG, machine number: 1365, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 13.75 A, 4.05 kW, weight: 875 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 3300 mm x 1100 mm x 1800 mm.	2000
78	CFS Bakel B.V.	CFS Bakel B.V. wet coating machine, WTC600, machine number: 1721, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 8.95 A, 3.81 kW, weight: 195 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1350 mm x 1150 mm x 1850 mm.	1000
79	NN coating machine	Mobile coating machine, s/s mesh belt, belt width: 600 mm, total dimensions: 1730 mm x 900 mm x 1550 mm.	1000
80	Nieros	Nieros mobile elevating belt, plastic belt, belt width: 255 mm, elevating height: 1780 mm, total dimensions: 2150 mm x 700 mm x 2050 mm.	500
81	NN brine mixer	Mobile brine mixer, inside dimensions: ø 680 mm x 600 mm, total dimensions: 980 mm x 720 mm x 1160 mm.	750
82	Schorch	Schorch electro motor, 160 kW, dimensions: 1240 mm x 880 mm x 750 mm.	500
83	Glass	Glass tiltable mixer, type: VSM/F 600, machine number: 2350, year of construction: 1998, 400 V, 50 Hz, 8.0 A, 3.2 kW, volume: 600 litres, dimensions: 1650 mm x 650 mm x 2400 mm. Without lid.	1500
84	Glass	Glass tiltable mixer, type: VSM 600 K, machine number: 2164, year of construction: 1997, 400 V, 50 Hz, 12.6 A, 4.05 kW, volume: 600 litres, dimensions: 1650 mm x 650 mm x 2400 mm. Incomplete, without lid.	1500
85	Kolbe	Kolbe paddle-mixer grinder, diameter plate: 98 mm, total dimensions: 770 mm x 1250 mm x 1480 mm.	2300
86	NN plates	17 s/s plates, dimensions: (17x) 990 mm x 930 mm.	300
87	Weber	Weber flake ice machine, type: WE 665 L, number: 522, year of construction: 1994, 380 V, 50 Hz, refrigerant: R22, dimensions: 780 mm x 1000 mm x 980 mm.	750
88	Busch		950



Nr	Title	Description	Start €
		Busch vacuum pump, type: 630-216, number: 23141, dimensions: 1600 mm x 850 mm x 850 mm.	
89	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 280 mm, distance between dividers: 180 mm, divider height: 30 mm, elevating height: 1900 mm, total dimensions: 1900 mm x 500 mm x 2000 mm.	500
90	MIC S.A.	MIC S.A. electric pallet lifter, type: EMC 10G-117-156E, serial number: 97001430, year of construction: 2000, capacity: 1000 kg, fork length: 1170 mm, total dimensions: 1950 mm x 800 mm x 1850 mm. Including ENERGIC Plus battery charger.	750
91	icem s.r.l.	icem s.r.l. s/s electric pallet lifter, model: TPX-20F, serial number: 20226, year of construction: 2011, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1800 mm x 770 mm x 1350 mm. Including P.B.M. s.p.a. battery charger.	1250
92	NN rack	Mobile s/s rack, 18 floors, dimensions floors: (18x) 650 mm x 330 mm, total dimensions: 750 mm x 450 mm x 1635 mm.	75
93	NN carborundum peeler	Carborundum peeler, diameter infeed: 255 mm, total dimensions: 800 mm x 500 mm x 1300 mm.	350
94	NN tenderizer	Mobile tenderizer, dimensions: 860 mm x 500 mm x 1620 mm. Incomplete.	400
95	Alexanderwerk	Alexanderwerk piston filler, type: ACN 30, 220/380 V, 50 Hz, 2.2 kW, dimensions: 650 mm x 750 mm x 1530 mm.	750
96	Multivac	Multivac mobile dip tank, type: SE60, serial number: 130535, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 14 A, 6 kW, inside dimensions: 420 mm x 620 mm x 370 mm, total dimensions: 730 mm x 730 mm x 1970 mm. Foot control.	850
97	Endoline	Endoline mobile box closing machine, model: PS6, serial number: 080753309-1, aluminium rollers, roller width: 670 mm, total dimensions: 1000 mm x 900 mm x 1720 mm, 900 mm x 750 mm x 850 mm.	700
98	Maxima	Maxima mobile vacuum machine, model: MVAC500, serial number: 500-055, seal length: 400 mm, dimensions chamber: 440 mm x 420 mm, total dimensions: 560 mm x 500 mm x 1100 mm.	500
99	SCHARFEN	SCHARFEN tenderizer, type: Tender-Hit, number: 944010, 230/400 V, 4.2/2.4 A, 1100 W, dimensions: 750 mm x 700 mm x 1630 mm.	400
100	Stephan	Stephan micro cutter, type: MC12, machine number: 721.409.01/1, year of construction: 1994, 400 V, 50 Hz, 17.8 A, 9.0 kW, dimensions: 750 mm x 650 mm x 1000 mm.	1750
101	Bizerba		1250



Nr	Title	Description	Start €
		Bizerba mobile automatic slicer, type: A 400 FB, number: 10887981, year of construction: 2012, 400 V, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1600 mm x 1300 mm x 1370 mm.	
102	ABB Robotics	2 ABB Robotics packaging robots on s/s frame, type: IRB 2000-4435, dimensions: 1800 mm x 700 mm x 2050 mm.	250
103	METOS N.V.	METOS N.V. drive-in refrigerator, model: ROLL-IN 1P, serial number: 5044272, year of construction: 2004, 230 V, 50 Hz, refrigerant: R134a/305 g, dimensions: 1050 mm x 870 mm x 1250 mm.	250
104	True Manufacturing Co., Inc.	True Manufacturing Co., Inc. mobile refrigerator, model: T-23-2-HC, serial number: 7045657, 230 V, 50 Hz, 2.4 A, refrigerant: R290, dimensions: 760 mm x 680 mm x 2070 mm.	150
105	True Manufacturing Co., Inc.	True Manufacturing Co., Inc. mobile refrigerator, model: T-23F-2-HC-MC, serial number: 9222772, 230 V, 50 Hz, 1.9 A, refrigerant: R290, dimensions: 750 mm x 680 mm x 2120 mm.	150
106	Hobart	Hobart dishwasher, model: UW105, serial number: 86135330, 380 V, 50 Hz, dimensions: 710 mm x 640 mm x 1895 mm.	200
107	Schröter	Schröter s/s switch cabinet, dimensions: 1000 mm x 600 mm x 400 mm.	290
108	Getecha	Getecha plastic shredder, type: GRS252-A10.1, number: 10505, year of construction: 1998, dimensions: 950 mm x 1000 mm x 1200 mm.	150
109	NN dust extractor	Dust extractor, dimensions: 530 mm x 520 mm x 1190 mm, 300 mm x 550 mm x 600 mm, (2x) 800 mm x 210 mm x 800 mm.	150
110	Scharfen	Scharfen cheese portioning machine, type: AK4, model: AK4, number: 2077014, 230 V, 1 Ph, 850 A, 4.0 A, dimensions: 550 mm x 550 mm x 520 mm.	280
111	Scharfen	Scharfen cheese portioning machine, type: AK4, model: AK4, number: 2107002, 230 V, 1 Ph, 850 A, 4.0 A, dimensions: 550 mm x 550 mm x 520 mm.	280
112	Handtmann	Handtmann casing spooler, type: 78-6, number: 1394, year of construction: 2001, 230 V, 50 Hz, 0.67 A, 0.18 kW, dimensions: 550 mm x 240 mm x 250 mm.	200
113	NN air cone	Aluminium air cone, dimensions: ø 1000 mm x 1200 mm.	50
114	KABA	KABA tourniquet with payment system, serial number: 190820040000439, dimensions: 1750 mm x 300 mm x 850 mm.	100
115	WYDALE	WYDALE plastic oil container, dimensions: 1250 mm x 580 mm x 1200 mm.	75
116	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: RCA 3430, number: 372, year of	4800



Nr	Title	Description	Start €
		construction: 2003, 400 V, 3 Ph, 4 A, 3.8 kW, dimensions: 1300 mm x 1400 mm x 1860 mm.	
117	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. vacuum filling machine with lifter for 200 litre meat bins, type: 595, machine number: 21632, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 18.2 A, dimensions: 1750 mm x 1950 mm x 2070 mm. Including plastic crate with extra parts.	2300
118	Handtmann	Handtmann vacuum filling machine with case holding device, type: VF50, number: 2985, 380 V, 50 Hz, 11 A, dimensions: 850 mm x 1000 mm x 1700 mm.	3600
119	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 741, year of construction: 2009, 420 V, 3 Ph, 50/60 Hz, 3.4 A, 2.5 kW, dimensions: 1700 mm x 700 mm x 1300 mm.	750
120	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-A50, machine number: KA80049639 GU, 230 V, 60 Hz, 4.25 kW, dimensions: 750 mm x 1200 mm x 1650 mm. Incomplete.	950
121	Handtmann	Handtmann mobile linking machine, type: 217-21, number: 526, year of construction: 2010, 420 V, 3 Ph, 50/60 Hz, 3.5 kW, dimensions: 1700 mm x 700 mm x 1300 mm.	800
122	Hobart	Hobart crate washing machine, model: FUX-A, serial number: 86008695, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 34.2 kW, 53 A, dimensions: 3050 mm x 1000 mm x 1550 mm.	1500
123	Rietschle	S/s table with Rietschle vacuum pump, dimensions: 550 mm x 1300 mm x 1260 mm.	400
124	NN hamburger forming attachment	Hamburger forming attachment, diameter forms: (4x) 90 mm, total dimensions: 420 mm x 320 mm x 200 mm.	150
125	Berief	Berief Teflon grill belt, belt width: 655 mm, total dimensions: 8500 mm x 2200 mm x 2300 mm.	8000
126	Stork	Stork belt fryer, type: TBM 630/5000, serial number: 4T210506, s/s mesh belt, belt width: 630 mm, thermal oil, volume: 1200 liter, total dimensions: 8600 mm x 1700 mm x 2400 mm.	7500
127	Berkel	Berkel grinder, diameter plate: 170 mm, total dimensions: 1100 mm x 600 mm x 1250 mm.	450
128	Talsa	Talsa piston filler, model: H15P, serial number: 201292, year of construction: 2000, 400 V, 3 Ph, 50 Hz, dimensions: 750 mm x 300 mm x 1020 mm.	1250
129	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 699, year of construction: 2006, dimensions: 3400 mm x 700 mm x 1510 mm.	750
130	Busch	Busch vacuum pump, type: RA 0255 D 561 CUXX, number: C0536000151, year of construction: 2005,	250



Nr	Title	Description	Start €
		capacity: 250 m ³ /h, dimensions: 1200 mm x 750 mm x 850 mm.	
131	Mainca	Mainca piston filler, type: EB-12, 380 V, 50 Hz, dimensions: 500 mm x 350 mm x 1000 mm.	900
132	Talsa	Talsa bowl mixer, type: MIX 80E, serial number: 236834, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.55 kW, 1.5/2.5 A, volume: 80 litres, dimensions: 950 mm x 650 mm x 1100 mm.	1000
133	Rühle	Rühle mobile dicer, type: SR 1 turbo, number: 1115 G, year of construction: 2006, 400 V, 50 Hz, 16 A, 1.5 kW, dimensions chamber: 330 mm x 100 mm x 100 mm, total dimensions: 1050 mm x 600 mm x 1120 mm.	1500
134	Linde Material Handling	Linde Material Handling electric pallet lifter, type: T16, serial number: W41152C, year of construction: 2012, capacity: 1600 kg, fork length: 1150 mm, total dimensions: 1700 mm x 750 mm x 1300 mm. Including battery charger.	850
135	JPC	JPC excavator, model: KV15, serial number: 2506010, year of construction: 2025, maximum forward speed: 5 km/h, maximum digging depth: 1650 mm, maximum operating weight: 1500 kg, dimensions: 2700 mm x 1000 mm x 2300 mm.	2750
136	Komatsu	Komatsu electric forklift, type: FB 13 M2, serial number: 3220, year of construction: 1992, capacity: 1250 kg, fork length: 1100 mm, total dimensions: 2800 mm x 1000 mm x 2500 mm. Including Indatron battery charger.	1500
137	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, model: Felix 100-CE, machine number: 271007.69521.2015, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 1.0 kW, weight: 173.5 kg, dimensions chamber: 300 mm x 100 mm x 100 mm, total dimensions: 920 mm x 700 mm x 1550 mm. Including crate with extra parts.	1500
140	Koruma Maschinenbau GmbH	Koruma Maschinenbau GmbH dispersing machine, type: DH A160/400, machine number: 5052, year of construction: 1993, volume: 400 litres, dimensions: 1900 mm x 1300 mm x 2500 mm.	8000
141	Ets. André Zalkin	Ets. André Zalkin cap closing machine, type: CA/3/360/NG, serial number: 24576, year of construction: 2011, plastic belt, belt width: 80 mm, diameter cups: 80 mm, total belt length: 7700 mm, total dimensions cap closing machine: 3550 mm x 1450 mm x 3300 mm. With elevating infeed belt, plastic belt with dividers, divider height: 50 mm, total dimensions: 2100 mm x 1030 mm x 3650 mm. Including plastic pallet and meat bin with extra parts.	9800
142	HEMA	HEMA can filling machine, type: DM60R3, serial number: 441, year of construction 1990, s/s belt, belt	5400



Nr	Title	Description	Start €
		width: 85 mm, total dimensions: 1800 mm x 1100 mm x 1780 mm. Serviced in 2025.	
143	NN elevating screw	Mobile elevating screw, dimensions: 3150 mm x 600 mm x 1600 mm. Serviced in 2025.	1400
144	C-TRAC Conveyor LTD	C-TRAC Conveyor LTD bottle conveyor, type: MCC33, model: Webe, year of construction: 2024, motor: 6 kW, capacity: 5000 bottles per hour, dimensions: 1400 mm x 650 mm x 1600 mm. Serviced in 2025.	1200
145	Turbo Systems	Turbo Systems mobile depositor, type: Multi-4, machine number: MUL0605097, year of construction: 2005, diameter filling heads: (4x) 30 mm, service year: 2025, total dimensions: 2000 mm x 1400 mm x 2000 mm. Serviced in 2025.	3500
146	Lagarde	Lagarde autoclave, number: SA.508, year of construction: 1989, volume: 5455 liters, dimensions: 5750 mm x 1600 mm x 2530 mm.	10000
147	NN autoclave basket unloading machine	Autoclave basket unloading machine, dimensions: 1700 mm x 850 mm x 2000 mm.	1900
148	Durfo s.r.l.	Durfo s.r.l. monoblock filler for liquids with 10 filling heads, model: RMC 10, serial number: 11182, year of construction: 2011, 380 V, 50 Hz, weight: 600 kg, dimensions: 2100 mm x 1200 mm x 2150 mm. Including pallet with parts.	9500
149	Industriylften	Industriylften lifter for 200 liter meat bins, type: IL 300 PK, serial number: 191, year of construction: 2000, maximum capacity: 300 kg, lifting height: 1000 mm, total dimensions: 1000 mm x 840 mm x 2620 mm.	750
150	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 310 mm, total dimensions: 1500 mm x 600 mm x 1000 mm.	150
151	Tipper Tie Technopack	Tipper Tie Technopack mobile automatic double clipper, model: DCA-E 6.1, number: 20010332, dimensions: 1400 mm x 850 mm x 1800 mm.	1000
152	Industriylften	Industriylften lifter for 200 liter meat bins, type: IL 300 PK, maximum capacity: 300 kg, lifting height: 1000 mm, total dimensions: 1000 mm x 840 mm x 2620 mm.	750
153	Bizerba	Bizerba automatic slicer, type: A 404 FB, number: 1587786, 230 V, 1 Ph, 50 Hz, 3.1 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1600 mm x 1000 mm x 1400 mm.	1000
154	Busch	Busch vacuum pump, type: RA 0400 B 461 DUBI, number: C0049000307, year of construction: 2000, capacity: 400 m ³ per hour, dimensions: 1300 mm x 800 mm x 980 mm.	250
155	Mado	Mado mobile portioning machine, type: POG 421, number: 30153, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 0.6 A, 0.2 kW, plastic belt, belt width: 195	750



Nr	Title	Description	Start €
		mm, diameter clearance: 160 mm, total dimensions: 1480 mm x 760 mm x 1330 mm. Incomplete.	
156	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 220 mm, total dimensions: 2600 mm x 600 mm x 1010 mm.	500
157	Cyklop	Cyklop mobile semi automatic strapping machine, model: M-PAC IV, machine number: 5007931 / 705, 230 V, 1 Ph, 50/60 Hz, 0.25 kVa, dimensions: 780 mm x 540 mm x 900 mm.	150
158	Cyklop	Cyklop mobile semi automatic strapping machine, model: M-PAC IV 12 mm, machine number: 18002331, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 0.69 kVa, dimensions: 780 mm x 540 mm x 900 mm.	150
159	Cyklop	Cyklop mobile semi automatic strapping machine, model: M-PAC IV, machine number: 5007931 / 705, 230 V, 1 Ph, 50/60 Hz, 0.25 kVa, dimensions: 780 mm x 540 mm x 900 mm.	150
160	Cyklop	Cyklop mobile semi automatic strapping machine, model: M-PAC IV 12 mm, machine number: 18000886, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 0.69 kVa, dimensions: 780 mm x 540 mm x 900 mm.	150
161	Cyklop	Cyklop mobile semi automatic strapping machine, model: M-PAC IV 12 mm, machine number: 1700 0794 207, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 0.25 kVa, dimensions: 780 mm x 540 mm x 900 mm.	150
162	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH weighing and labelling machine with top labeller, type: PAS 3012, serial number: 170403, year of construction: 2005, 115 V, 50/60 Hz, maximum weight: 7500 gram, plastic belt, belt width: 280 mm, 290 mm and 300 mm, total dimensions: 1560 mm x 850 mm x 1660 mm.	1000
163	Bilwinco	Bilwinco 14-heads multihead weigher, type: BW114-W, order number: 5276, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 10 A, weighing range: 30 gram - 2000 gram, air pressure: 5 - 10 bar, dimensions: 1500 mm x 1300 mm x 1400 mm. Including control panel.	2250
164	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-C50, number: KC 50 20 01 99, 400 V, 50 Hz, dimensions: 850 mm x 630 mm x 1590 mm.	1250
165	T. Giusti & Son Ltd	T. Giusti & Son Ltd s/s double jacketed mixing tank with steam boiler and switch cabinet, serial number: J10717, year of construction: 1989, capacity: 500 liter, test pressure: 10.5 bar, working pressure: 6.5 bar, dimensions tank: Ø 1100 mm x 2600 mm, dimensions steam boiler: 800 mm x 620 mm x 1800 mm, dimensions switch cabinet, dimensions: 1750 mm x 500 mm x 500 mm.	3500
166	Carnitech		2000



Nr	Title	Description	Start €
		Carnitech pin bone remover, type: CT 2615.20, number: 05-0058, year of construction: 2005, plastic belts, belt width: (2x) 270 mm, total dimensions: 1300 mm x 900 mm x 1270 mm.	
167	NN box packaging line	Box packaging line consisting of 2 roller conveyors, plastic rollers, roll width: 430 mm, dimensions: 2000 mm x 1050 mm x 940 mm and 1500 mm x 570 mm x 890 mm and box lifter, dimensions platform: 620 mm x 580 mm, total dimensions: 870 mm x 730 mm x 1100 mm.	500
168	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: SAH 500 L, serial number: I-148633, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.78 A, 2.05 kW, refrigerant: R443 A, capacity: 500 kg per 24 hours, dimensions: 780 mm x 760 mm x 1000 mm.	1250
169	Safeline	Safeline mobile metal detector, plastic belt, clearance: 500 mm x 370 mm, total dimensions: 2220 mm x 930 mm x 1270 mm.	750
170	Berkel GmbH	Berkel GmbH mobile grinder, type: BW 32, number: 30499, 380 V, 50 Hz, 5.2 A, 2200 W, 1420 rates per minute, plate diameter: 98 mm, total dimensions: 900 mm x 600 mm x 1300 mm.	500
171	HTS	HTS vacuum filling machine with lifter for 200 liter meat bins, type: HTS 250H-SP/OP, year of construction: 2009, dimensions: 2100 mm x 1100 mm x 1950 mm. Including crate with some parts.	1500
172	Jøni Foodline A/S	Jøni Foodline A/S double cooking vessel, model: Easy, serial number: 016292-822 and 016292-823, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 kW volume: 50 liter and 30 liter, dimensions: 2100 mm x 850 mm x 1050 mm.	1250
173	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 0720, machine number: 072007.73671.0594-1, year of construction: 1989, 380/220 V, 3 Ph, 50 Hz, 11/20 A, chamber dimensions: 550 mm x 100 mm x 100 mm, total dimensions: 2250 mm x 900 mm x 1420 mm.	1500
174	Magurit	Magurit frozen block cutter, type: 053, machine number: 4973, year of construction: 2003, 230 V, 5.5 kW, maximum block size: 500 mm x 600 mm x 240 mm, total dimensions: 1850 mm x 1100 mm x 1750 mm.	2500
175	Weber	Weber slicer line consisting of Weber slicer, type: MCS 902, number: 1415, 400 V, 50 Hz, 10 kW, plastic belt, belt width: 360 mm, dimensions slicer: 2800 mm x 1350 mm x 2400 mm, Weber checkweigher, plastic belt, belt width: 360 mm, dimensions checkweigher: 800 mm x 450 mm x 1100 mm, Weber lane divider, type: CCR, number: 1523, plastic wire belt, belt width:	7500



Nr	Title	Description	Start €
		340 mm, 220 mm, dimensions lane divider: 900 mm x 700 mm x 800 mm and Weber outfeed conveyor, type: CCE, number: 6249, plastic belt, belt width: 420 mm, dimensions outfeed conveyor: 3500 mm x 800 mm x 1400 mm.	
176	JBG	JBG freezer, type: SNWE-02-0795, machine number: 20167468, year of construction: 2018, 230 V, 50 Hz, 922 W, 4.8 A, refrigerant: R290/0.11kg, dimensions: 900 mm x 700 mm x 2000 mm. Cooling compressor broken.	100
177	Koruma Maschinenbau GmbH	Koruma Maschinenbau GmbH dispersing machine, type: DH A-160/150, machine number: 3556, year of construction: 2011, dimensions: 1300 mm x 720 mm x 1150 mm.	4000
178	Baader	Baader piston filler, type: 702, machine number: 15 702 289, year of construction: 1986, 380 V, 50 Hz, 1.5 kW, dimensions: 600 mm x 350 mm x 1200 mm.	500
179	NN roll containers	4 steel roll containers, dimensions: (4x) 800 mm x 700 mm x 1900 mm.	30
180	ISA S.p.A.	ISA S.p.A. refrigeration showcase, type: GEL PRO, model: MILLENNIUM, serial number: 1050419060, year of construction: 2005, 230 V, 50 Hz, 2650 W, volume: 1300 litres, holds 24 containers, refrigerant: R404A/4.000kg, dimensions: 2150 mm x 1050 mm x 1400 mm.	500
181	Dometic	Dometic freezer, type: ML 405, serial number: 6221988, 220-240 V, 50 Hz, 240 W, volume: 355 litres, refrigerant: R134a/210g, dimensions: 600 mm x 600 mm x 800 mm.	100
182	Dometic	Dometic freezer, type: ML 295, serial number: 9340740, 220-240 V, 50 Hz, 140 W, volume: 322 litres, refrigerant: R134a/0.072g, dimensions: 600 mm x 600 mm x 800 mm.	100
183	larp	larp refrigerator, model: AB 500 Pve JUMBO, 230 V, 50 Hz, 180 W, refrigerant: R134a/0.160kg, dimensions: 750 mm x 720 mm x 1800 mm.	100
184	Logiqs B.V. / AGV International	Logiqs B.V. / AGV International iCUBE automatic pallet storage system.Year of construction: 2022Capacity: 328 palletsMaximum pallet size: 1200 mm x 800/1000 mm x 1700 mmMaximum pallet weight: 300 kgConsisting of:• iCube pallet transport, 8 lanes, distance between conductors: 970 mm, length for top and bottom lanes: (8x) 15450 mm and (4x) 3270 mm;• 2 iCUBE carriers, 2000 W, speed: 0.75 m/s, weight: 325 kg, maximum weight: 1500 kg, 2000 W, including charger, dimensions: 1248 mm x 938 mm x 280 mm;• 2 iCUBE vertical transporters, 400 V, 6.25 kW, speed: 0.2 m/s, weight: 900 kg, maximum lifting weight: 650	100000



Nr	Title	Description	Start €
		kg, dimensions: 1632 mm x 1825 mm x 3060 mm;• 2 Nassau electric shutter doors, type: M2 Freezer, serial number: NL70955H and NL70955G, year of construction: 1-2022.	
185	Digi Europe LTD	Digi Europe LTD mobile double heads labelling machine, model: HC-700, serial number: 100654003, 230 V, 50 Hz, 1.15 / 0.4 A, maximum speed: 285 packages per minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1800 mm x 800 mm x 1800 mm.	500
186	Kolbe	Kolbe mobile portioning machine, type: PM 150, machine number: 75 0282, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.25 kW, plastic belt, belt width: 190 mm, total dimensions: 1400 mm x 550 mm x 1300 mm.	1250
187	F-Tools	F-Tools tool trolley with large amount of tools, model: 2025, dimensions: 850 mm x 410 mm x 1000 mm.	300
188	F-Tools	F-Tools tool trolley with large amount of tools, model: 2025, dimensions: 850 mm x 410 mm x 1000 mm.	300
189	Asarums Industri AB	Asarums Industri AB evaporator, 3 fans, year of construction: 2007, TS°C: -80/175°C, PS, bar: 30, PT, bar: 43, Fluidgroup: 2, dimensions: 2600 mm x 700 mm x 1400 mm.	250
190	HK Refrigeration	HK Refrigeration roof condenser, model: H7 18 M1 16PS, serial number: EV 032, 400 V, 50 Hz, dimensions: 1250 mm x 1350 mm x 1300 mm.	300
191	Bizerba	Bizerba automatic slicer, type: VSI330 FT, number: 11611367, year of construction: 2018, 220-240 V, 1 Ph, 50/60 Hz, 2.9 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1200 mm x 1000 mm x 1500 mm.	4500
192	Henkovac	Henkovac mobile double chamber vacuum machine, year of construction: 2013, 380-400 V, 3 Ph, 50 Hz, seal length: (4x) 820 mm, dimensions chamber: 900 mm x 850 mm, total dimensions: 1800 mm x 1200 mm x 1400 mm.	2500
193	Epic Systems	Epic Systems mixing installation, model: 103, serial number: APS-1003-02, year of construction: 2019, 9.6 A, dimensions: 2400 mm x 3600 mm x 3000 mm.	5000
196	CFS	CFS mobile forming machine, type: MLF400, machine number: 2421, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 18 A, 8 kW, weight: 1200 kg, dimensions: 2300 mm x 1150 mm x 2500 mm. Incomplete.	2500
197	Multivac	Multivac mobile traysealer, type: T200, serial number: 144917, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 20 A, 3.5 kW, Busch vacuum pump, type: RA 0063 F 503, capacity: 63 m³ per hour, film width: 400 mm, total dimensions: 1300 mm x 250 mm x 1650 mm.	1250
198	Multivac		6500



Nr	Title	Description	Start €
		Multivac mobile thermoformer, type: R140, serial number: 104909, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 26 A, 10 kW, film width: 420 mm, dye: 375 mm x 365 mm, total dimensions: 4450 mm x 1100 mm x 2100 mm.	
199	Rühle	Rühle mobile tiltable cooled vacuum mixer, type: MKR150, serial number: 10010486G, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 12.1 A, 4.3 kW, volume: 150 liter, Busch vacuum pump, type: KC 0010 E 3Z0, capacity: 12 m ³ per hour, dimensions: 1000 mm x 1200 mm x 1750 mm.	2000
200	Atlanta S.p.a	Atlanta S.p.a pallet wrapper, model: LYBRA EASY, type: AVVOLGITORE WRAPPING MACHINE, serial number: S203415, year of construction: 2021, 230 V, 1 Ph, 50/60 Hz, 10 A, weight: 270 kg, maximum film width: 520, wrapping arm length: 1100 mm, total dimensions: 1940 mm x 720 mm x 3000 mm.	2500
201	Multivac	Multivac mobile traysealer, type: T250, serial number: 115818, year of construction: 2007, 415 V, 3 Ph, 50 Hz, 20 A, 6.2 kW, Busch vacuum pump, type: RA 0100 E 5Z1, number: 070020406, year of construction: 2007, capacity: 100 m ³ per hour, dimensions dye: 350 mm x 245 mm, total dimensions: 1330 mm x 800 mm x 1650 mm. Including additional dye, dimensions dye: (2x) 275 mm x 170 mm.	3000
202	Baader	Baader filleting machine, type: 208, serial number: 121700327/10, year of construction: 2011, 380 V, 3 Ph, 50 Hz, 10 A, 3.5 kW, dimensions: 3800 mm x 1200 mm x 1500 mm.	15000
203	NN defrosting trolleys	4 s/s defrosting trolleys with aluminium tins, 56 floors, floor dimensions: (56x) 650 mm x 500 mm, total dimensions: (4x) 1200 mm x 670 mm x 1950 mm.	600
204	NN hose reel	Mobile s/s hose reel with plastic hose and spraying pistol, model: STKi2 40/12, serial number: 819557, year of construction: 07/2021, maximum pressure: 200 bar, dimensions: 750 mm x 700 mm x 1180 mm.	250
205	SysTec GmbH	SysTec GmbH floor weighing scale, type: IT8000, serial number: 053956, 110-240 V, 50/60 Hz, 0.3 A, maximum weight: 1200 kg, minimum weight: 10 kg, e=: 0.5 kg, last calibrated: 06.02.2023, dimensions: 1500 mm x 1250 mm.	500
206	N. Aarnoudse BV	N. Aarnoudse BV s/s pallet lifter, fork length: 1150 mm, total dimensions: 1450 mm x 540 mm x 1250 mm. Defect.	250
207	Marel	Marel filleting machine, type: 2630, machine number: 11-0050, year of construction: 01-12-11, 3 x 400 V, 50 Hz, 11 A, input clearance: 160 mm x 140 mm, plastic belt with knife, belt width: (2x) 40 mm, distance	15000



Nr	Title	Description	Start €
		between knives: 20 mm, total dimensions: 2000 mm x 800 mm x 1650 mm.	
208	NN smoke trolleys	20 s/s smoke trolleys, 6 floors each, dimensions each floor: 1000 mm x 910 mm, total dimensions: (20x) 1020 mm x 1000 mm x 1920 mm.	3000
209	NN smoke trolleys	8 s/s smoke trolleys, 5 floors each, dimensions floors: 1000 mm x 1000 mm, total dimensions: (8x) 1000 mm x 1000 mm x 2000 mm.	800
210	NN smoke trolleys	3 s/s smoke trolleys, 8 floors, dimensions each floor: 910 mm x 850 mm, total dimensions: (3x) 1000 mm x 880 mm x 1900 mm.	300
211	Bizerba	Bizerba automatic slicer, model: VS 12 D, number: 10997709, 220-240 V, 50/60 Hz, 2.6 A, dimensions: 880 mm x 620 mm x 540 mm.	500
212	NN pin bone remover	Pin bone remover, 2 lanes, plastic belt, belt width: (2x) 350 mm, total dimensions: 1700 mm x 900 mm x 1700 mm.	500
213	Chart Ferox, a.s.	Chart Ferox, a.s. s/s tank for nitrogen, argon or natural gas, type: EC1000/24M12, serial number: 64933, year of construction: 2016, volume: 954 litres, dimensions: 1180 mm x 1180 mm x 2160 mm.	750
214	Norfo	Norfo mobile pin bone remover, type: 846.31.137, number: 31.168, year of construction: 2002, 200-240 V, 50/60 Hz, 4 A, 1 kW, plastic belt, belt width: 650 mm, total dimensions: 2150 mm x 1060 mm x 1400 mm.	1950
215	NN tub	Mobile s/s tub with power plus steam generator, type: POWX340, serial number: 10-01-2020/191076/0057, 220/240 V, 50 Hz, 1850/2200 W, total dimensions: 720 mm x 500 mm x 960 mm.	75
216	Marel	Marel mobile quickloader, type: QL 3565, serial number: A047814, year of construction: 2007, 3x400-480 Vac, 6 kW, belt width: 350 mm, total dimensions: 2000 mm x 1100 mm x 1400 mm.	500
217	Tetra Laval Food / Koppens	Tetra Laval Food / Koppens breeding machine, type: PR 600, machine number: 1087, year of construction: 1995, 380 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 600 mm, total dimensions: 2600 mm x 900 mm x 2100 mm.	1500
218	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D 0HO UN XX, number: BN 10100686 002 /0511, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	400
219	Busch	Busch vacuum pump, type: RA 0302 D 503, serial number: C15020000019, year of construction: 2015, capacity: 300 m³/h, 250 kg, dimensions: 1080 mm x 550 mm x 420 mm.	1500
220	Niro Soavi		1500



Nr	Title	Description	Start €
		Niro Soavi mobile homogenizer, model: PANDA, number: 2743, dimensions: 900 mm x 850 mm x 1320 mm.	
221	Alfa Laval	Alfa Laval plate heat exchanger, type: M10-BWREF, serial number: 30108-06402, year of construction: 2012, volume: 56.4 / 55.8 liter, dimensions: 800 mm x 470 mm x 1050 mm.	500
222	Goedhart	3 Goedhart s/s evaporators, type: PACi 402/4/230, year of construction: 2006, refrigerant: R22, 2 fans, dimensions: (3x) 2100 mm x 1150 mm x 780 mm.	1500
223	NN pallet lifter	S/s pallet lifter, capacity: 1000 kg, fork width: 540 mm, fork length: 1160 mm, total dimensions: 1500 mm x 550 mm x 1220 mm.	250
224	Meyn	Meyn mobile breeding machine, machine number: 2001080104, year of construction: 2001, belt width: 600 mm, total dimensions: 3000 mm x 1200 mm x 1900 mm. Incomplete, technical condition unknown.	750
225	Meyn	Meyn mobile breeding machine, machine number: 712293, year of construction: 2001, s/s mesh belt, belt width: 600 mm, clearance: 600 mm x 70 mm, total dimensions: 2700 mm x 1200 mm x 2120 mm.	1250
226	Russel	Russel sieve, model: 17240, serial number: 58672-1/1, year of construction: 2018, diameter sieve: 530 mm, total dimensions: 1100 mm x 700 mm x 1550 mm.	1250
227	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D OH0 UN XX, number: BN 10106334 006 /0611, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	400
228	Marel Meat Processing Inc.	Marel Meat Processing Inc. mobile sausage peeler with suction unit, machine: PEELER TB5102, model: 2800, type: 9823921AB, serial number: 10136366, year of construction: 2015, 380/415 V, 60 Hz, 9.0 A, 4.5 kW, weight: 330 kg, dimensions peeler: 900 mm x 800 mm x 1500 mm, dimensions suction unit: 1300 mm x 660 mm x 1200 mm. Including extra parts.	7500
229	NN beams for smoke generator	Pallet with approximately 240 wooden beams for friction smoke generator, dimensions beams: 70 mm x 70 mm x 750 mm, total dimensions: 1200 mm x 800 mm x 1250 mm.	100
230	Viskase	2 pallets with Viskase cellulose casings, type: Nojax, diameter: 17.5 mm, dimensions: (2x) 1200 mm x 800 mm x 900 mm	200
231	Poly-clip System GmbH & Co. KG	Pallet with Poly-clip System GmbH & Co. KG clips, dimensions: 1200 mm x 800 mm x 1230 mm.	500
232	NN casings	3 pallets with casings, dimensions: (3x) 1200 mm x 800 mm x 1250 mm.	250
233	NN lids for meat bins	Pallet with various s/s lids for 200 liter meat bins.	250
234			250



Nr	Title	Description	Start €
	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST40/12/1e, serial number: 11919, year of construction: 02/2014, working pressure: 200 bar, dimensions: 520 mm x 320 mm x 450 mm.	
235	NN harnesses	Crate with harnesses.	100
236	Demag	Demag electric chain hoist, type: DC-Com 10 1000 1/1 H5 V4/1, serial number: 94262041, year of construction: 08/2021, 380-415 W, 3 Ph, 50 Hz, capacity: 1000 kg, dimensions: 1200 mm x 800 mm x 500 mm.	250
237	Samson	2 Samson pneumatic actuators, type: 3277, dimensions: (2x) 300 mm x 200 mm x 600 mm.	50
238	Desage GmbH	Desage GmbH microbial air sampler, model: GS 100, serial number: 02175, 15 VDC, 1 A, dimensions: 240 mm x 160 mm x 170 mm.	75
239	Bizerba	2 knives for Bizerba slicer, type: A500, dimensions: 600 mm x 600 mm x 500 mm	500
240	Busch	Pallet with new Busch vacuum pump, type: RA 0040F 503, serial number: DEM122160004, capacity: 40 m ³ per hour, with spare parts and oil for vacuum pump, dimensions: 1200 mm x 800 mm x 400 mm.	1500
241	Toyota	Toyota battery charger, type: powertron E, serial number: 636000027396, 230 V, 1 Ph, 50 Hz, dimensions: 520 mm x 270 mm x 560 mm.	250
242	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386886, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	150
243	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386880, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	150
244	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386884, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	150
245	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386887, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	150
246	Koneteollisuus OY	Koneteollisuus OY fish skinning machine, type: KT-S, number: 53556, 220 V, 0.56 A, 0.1 kW, 1400 r/m, dimensions: 350 mm x 160 mm x 200 mm.	150
247	NN ham moulds		200



Nr	Title	Description	Start €
		28 s/s ham moulds, inside dimensions: 245 mm x 160 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 460 mm.	
248	Otto Klein	Otto Klein steel pressure vessel, serial number: 8113, volume: 1000 liter, dimensions: Ø 850 mm x 2200 mm	400
249	Interroll	5 Interroll drum motors, model: DM 0080, drum length: 540 mm, drum diameter: 90 mm, dimensions pallet: 800 m x 600 mm x 200 mm.	200
250	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector with filter tub and pump, type: PI81-184 MC2R, machine number: 32 775, year of construction: 2011, 400 V, 63 A, 17.5 kW, plastic mesh belt, belt width: 450 mm, total dimensions: 2320 mm x 1300 mm x 2500 mm, dimensions filter tub: 1900 mm x 600 mm x 900 mm, dimensions pump: 1850 mm x 780 mm x 500 mm, dimensions filter system: 1100 mm x 740 mm x 760 mm.	4000
251	Delta Technics Engineering	Delta Technics Engineering evaporator, model: FMX268EO, serial number: CEN240200-23, 220 V, 50 Hz, 120 W, 1 fan, dimensions: 1200 mm x 900 mm x 700 mm. Technical condition unknown.	40
252	Poly-clip System GmbH	Poly-clip System GmbH mobile double clipper, type: FCA 3461, plastic outfeed belt, belt width: 300 mm, total dimensions: 1350 mm x 1300 mm x 1950 mm. Including 2 crates with clips.	1500
253	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 134.0261, year of construction: 1993, 220-240/380-460 V, 3 Ph, 50/60 Hz, 25/20 A, dimensions: 950 mm x 900 mm x 1700 mm.	3500
254	Meissner	Meissner bowl cutter, steel bowl, s/s knives, dimensions bowl: Ø 760 mm x 140 mm, total dimensions: 1100 mm x 1000 mm x 1200 mm.	3000
255	Frey	Frey vacuum filling machine, type: KONTI-C50, machine number: KC 50 18 09 98, 400 V, 50 Hz, dimensions: 900 mm x 650 mm x 1610 mm.	3500
256	Stork	Stork flow pump, type: 100 C4, number: A 02 46, 380/660 V, 50 Hz, 2.2 kW, N: 1390, dimensions: 1650 mm x 750 mm x 500 mm.	100
257	BT	BT electric pallet lifter, type: SWE080L, number: 6277094, year of construction: 2013, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1800 mm x 750 mm x 1840 mm.	800
258	Dorit	Dorit mobile meat press, type: Combi-press, clearance: Ø 100 mm x 495 mm, total dimensions: 1800 mm x 700 mm x 1420 mm. Including 2 extra outfeed pipes, dimensions outfeed pipes: (1x) 90 mm and (1x) 120 mm.	400
259	NN grinder		2000



Nr	Title	Description	Start €
		Grinder, diameter plate: 114 mm, total dimensions: 1250 mm x 680 mm x 1230 mm.	
260	Food Technik	Food Technik mobile elevating belt, s/s frame, plastic belt, belt width: 700 mm, elevating height: 1300 mm, total dimensions: 1600 mm x 980 mm x 1300 mm.	500
261	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 800 mm, divider height: 80 mm, distance between dividers: 370 mm, elevating height: 1500 mm, total dimensions: 1500 mm x 1000 mm x 1670 mm.	750
262	NN trolley	S/s trolley with parts for multihead weigher, dimensions: 1350 mm x 600 mm x 1100 mm.	100
263	MGM S.r.l.	MGM S.r.l. mobile traysealer, type: SVL I M, serial number: 19306, year of construction: 2019, 400 V, 8 A, dimensions dye: (2x) 220 mm x 170 mm, total dimensions: 1100 mm x 570 mm x 1350 mm.	1000
264	Stephan	Stephan mobile vacuum mixer, type: VM 100, machine number: 718.949.01, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, volume: 100 liter, dimensions: 1100 mm x 1400 mm x 1400 mm. Missing vacuum pump.	600
265	Henkovac	Henkovac mobile double chamber vacuum machine, type: FC 8160, serial number: 20030612, year of construction: 2003, 230 V, 3 Ph, 50 Hz, 31.0 A, 522 kg, seal length: (4x) 620 mm, Busch vacuum pump, type: RA 0150, capacity: 150 m³ per hour, dimensions chamber: 830 mm x 620 mm, total dimensions: 1650 mm x 1060 mm x 1150 mm.	3000
266	Espera	Espera label printer with bottom and side labeller, model: ES 1220, plastic belt, belt width: 300 mm, total dimensions: 1650 mm x 1350 mm x 1900 mm.	200
267	Bergmann	Bergmann waste press, type: PS 8100-29 SB F, factory number: 01 4443 3270 / 91, year of construction: 01.1991, weight: 800 kg, dimensions: 1640 mm x 1300 mm x 2500 mm.	750
268	Schutten Machines BV	Schutten Machines BV water cup filling and closing machine, model: TML-250-1 number: 01005, year of construction: 2002, diameter cups: 75 mm, total dimensions: 4160 mm x 1690 mm x 2210 mm.	400
269	Kilia	Kilia grinder, diameter plate: 110 mm, total dimensions: 1560 mm x 770 mm x 950 mm.	600
270	Bilwinco	Bilwinco 14-heads multihead weigher, type: BW114-W, number: 5322, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 10 A, dimensions: 1500 mm x 1300 mm x 1400 mm.	3000
271	Bandall	Bandall mobile binding machine, type: BA72-30, machine number: 11185255, year of construction:	950



Nr	Title	Description	Start €
		2005, 230 V, 50 Hz, clearance: 680 mm x 360 mm, dimensions: 1300 mm x 520 mm x 1450 mm.	
272	HPSL	HPSL weighing scale on s/s frame, serial number: H5108515, year of construction: 2011, 230 V, 50 Hz, scale dimensions: 275 mm x 225 mm, total dimensions: 820 mm x 520 mm x 1610 mm.	50
273	Minipack Torre	Minipack Torre mobile vertical bag form-, fill-, and seal machine, model: XBAG, serial number: 0115, year of construction: 2011, 230 V, 50 Hz, 2.2 A, 500 W, seal width: 250 mm, total dimensions: 850 mm x 800 mm x 1600 mm. With box with additional parts.	2500
274	NN meat press	Mobile meat press, diameter press: 100 mm, total dimensions: 1800 mm x 580 mm x 1460 mm.	600
275	Bizerba	Bizerba mobile grinder, model: FW-N 32T/2, number: 11190681, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 100 mm, total dimensions: 1050 mm x 600 mm x 1330 mm.	1000
276	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 708, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, 1 HP, foot control, working width: 510 mm, total dimensions: 900 mm x 670 mm x 900 mm.	400
277	Jegerings	Jegerings dicer, type: PVP-300, serial number: 6.322.19036.002, 8 bar, clearance: 200 mm x 200 mm, dye's: (36x) 30 mm x 30 mm, total dimensions: 510 mm x 340 mm x 1120 mm.	450
278	Senking	Senking mobile tiltable braising pan, inside dimensions: 870 mm x 760 mm x 180 mm, total dimensions: 1070 mm x 1300 mm x 970 mm.	100
279	Crimex	Crimex air compressor, type: CRS 185, number: 2981, year of construction: 2002, 18.5 kW, maximum pressure: 10 bar, capacity: 2620 liter per minute, dimensions: 1220 mm x 750 mm x 1230 mm.	500
280	Bettcher Industries	Bettcher Industries trimmer, model: UN-84, machine number: 95090339, 230 V, 1Ph, 50 Hz, 2.1 A, 250 W, dimensions: 550 mm x 230 mm x 200 mm. Without trimming head.	200
281	Bos Machinebouw	Bos Machinebouw 2-lane transport belt, type: Transportband cat-01, serial number: 21875-S-Transportband, year of construction: 26-01-2022, plastic mesh belts, belt width: (2x) 300 mm, total dimensions: 2050 mm x 1100 mm x 1900 mm.	600
282	Steen	Steen fish skinning machine, type: 600, number: 1G5/4900B, 380 V, 6.4 A, belt width: 440 mm, plastic roll width: 460 mm, total dimensions: 2010 mm x 660 mm x 1410 mm.	1500
283	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double clipper, type: FCA 3 441, number: 513, year of	1200

Nr	Title	Description	Start €
		construction: 1998, 400 V, 50 Hz, 4 A, dimensions: 1200 mm x 650 mm x 1880 mm.	
284	Proseal	Proseal mobile traysealer, model: Fastpak F40, serial number: 1871, year of construction: 2009, 230 V, 50 Hz, plastic string belt, belt width: 175 mm, dimensions dye: (2x) 180 mm x 170 mm, total dimensions: 2350 mm x 860 mm x 1970 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 600 mm. Overhauled in 2023.	1500
285	Stephan	Stephan mobile emulsifier, type: MVH150KVS, machine number: M11051, year of construction: 2011, 400 V, 50 Hz, 53 A, 30 kW, dimensions: 2800 mm x 1200 mm x 2450 mm.	10000
286	Kohlhoff	Kohlhoff sole cleaner, type: Sohlenreiniger SORM/H, machine number: 318473.001.1, year of construction: 07/2021, 230 V, 1 Ph, 0.18 kW, brush length: 300 mm, total dimensions: 550 mm x 530 mm x 1020 mm.	200
287	Kohlhoff	Kohlhoff sole cleaner, type: Sohlenreiniger SORM/H, machine number: 315775.006, year of construction: 01/2021, 230 V, 1 Ph, 0.18 kW, brush length: 300 mm, total dimensions: 550 mm x 530 mm x 1020 mm.	200
288	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: PIH 17, machine number: 29613, year of construction: 2006, 400 V, 16 A, 1.5 kW, 17 needles, plastic mesh belt, belt width: 240 mm, clearance: 260 mm x 180 mm, total dimensions: 1380 mm x 550 mm x 1650 mm.	2000
289	NN packaging belt	Mobile packaging belt, s/s frame, 3 stations, plastic belt, belt width: 660 mm, total dimensions: 4350 mm x 1300 mm x 1290 mm.	1500
290	UNI-FOOD TECHNIC	UNI-FOOD TECHNIC mobile depositor, s/s frame, s/s mesh belt, belt width: 710 mm, total dimensions: 1900 mm x 1300 mm x 2040 mm.	1000
291	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	800
292	Hoyer	Hoyer continuous ice-cream machine, type: KF400, serial number: 1139/65, dimensions: 1850 mm x 650 mm x 1650 mm.	500
293	Espera	Espera mobile labelling machine, model: ESC 901, 230 V, 50-60 Hz, 2 A, dimensions: 1100 mm x 800 mm x 1670 mm.	750
294	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Puma 1100 E/EB (HS), machine number: 195316.195241.122801, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 8.2 A, 3.4 kW, 455 kg, dimensions chamber: 230 mm x 210 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 3150 mm x 900 mm x 1400 mm.	3000



Nr	Title	Description	Start €
295	Busch	S/s rack with 2 Busch vacuum pumps, type: (2x) RD 0360 A 503, serial number: CHM120330107 / CHM120330110, year of construction: 2020, capacity: (2x) 300 m ³ per hour, total dimensions: 1150 mm x 800 mm x 1850 mm.	3000
296	Altech s.r.l.	Altech s.r.l. mobile labeller, model: Alstep S, serial number: 1603000017914, year of construction: 2016, 220 V, 1 Ph, 50/60 Hz, 300 W, label width: 50 mm, total dimensions: 1250 mm x 720 mm x 1880 mm.	350
297	Ishida	Ishida 16-heads multihead weigher, model: CCW-NZ-216B-4M/20WP, number: 27588, year of construction: June 1998, 220 V, 50 Hz, 12.5 A, dimensions: 1500 mm x 1500 mm x 2000 mm.	3000
298	Marel	Marel checkweigher and labeller, model: 9000, serial number: 10449319, maximum weight: 3000 kg, minimum weight: 40 gram, e= 2 gram, maximum tare: 900 gram, plastic belts: (2x) 140 mm and 200 mm, total dimensions: 1580 mm x 600 mm x 1600 mm and 1080 mm x 750 mm x 1790 mm.	500
299	Lets BV	Lets BV hygiene pump, type: VP103HF, serial number: 832208021, year of construction: 07/2019, dimensions: 1450 mm x 640 mm x 1800 mm.	300
300	Weber	Weber mobile skinning and derinding machine, type: ASB 600, number: 2088, year of construction, 2003, 400 V, 50 Hz, 0.85 kW, weight: 230 kg, plastic belts, belt width: (2x) 320 mm, working width: 390 mm, roll width: 305 mm, total dimensions: 1800 mm x 750 mm x 1180 mm.	1000
301	NN mixer	S/s mixer used for egg white, inside dimensions: Ø 750 mm x 990 mm, total dimensions: 790 mm x 950 mm x 1830 mm.	500
302	Henneken	Henneken mobile steaker, type: HT 520, machine number: HT-520-3186, year of construction: 2017, 400 V, 50 Hz, 1.5 kW, 6 bar, 20 liter per minute, weight: 500 kg, plastic belt, belt width: 515 mm, working width: 500 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm, including tool trolley, dimensions: 660 mm x 520 mm x 820 mm.	3000
303	UNI-FOOD TECHNIC A/S	UNI-FOOD TECHNIC mobile depositor, s/s frame, type: DS 2000, serial number: 4025, year of construction: 2018, s/s mesh belt, belt width: 710 mm, total dimensions: 1900 mm x 1530 mm x 2040 mm.	1500
304	Scanvaegt	Scanvaegt weighing scale, serial number: BOW128, maximum weight: 3 kg, minimum weight: 0.02 kg, e=: 0.001 kg, dimensions: 300 mm x 280 mm x 450 mm.	50
305	Düker / Rex	Düker / Rex piston filler, model: FAN 30, volume: 30 liter, dimensions: 820 mm x 600 mm x 1200 mm.	750
306	NN curve conveyor		500



Nr	Title	Description	Start €
		Mobile 90° curve conveyor, s/s frame, plastic mesh belt, belt width: 275 mm, total dimensions: 2150 mm x 900 mm x 1320 mm.	
307	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: Easy, number: 43080, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 330 mm, total dimensions: 700 mm x 570 mm x 1000 mm.	390
308	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector, clearance: Ø 95 mm, total dimensions: 860 mm x 420 mm x 1380 mm.	1300
309	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill-, and seal machine, type: 350 Vezet, machine number: 11249, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 A, 4.5 kW, seal width: 370 mm, total dimensions: 1700 mm x 2000 mm x 2300 mm. With 2 pallets with parts.	1000
310	Steck	Steck mobile depositor, tub dimensions: Ø 660 mm x 550 mm, total dimensions: 1600 mm x 700 mm x 1220 mm.	400
311	Sanyo	Sanyo Ultra-low temperature freezer, model: MDF-794, serial number: 14020004, 230/240 V, 50 Hz, 4.9/5.0 A, 1100/1130 W, refrigerant: R-407D:R508, 460:295 gram, volume: 701 liter, dimensions: 2570 mm x 870 mm x 1080 mm.	1000
312	PHCBI	PHCBI ultra-low temperature freezer, model: MDF-DC700VX-PE, serial number: 19100039, year of construction: 2019, 230/240 V, 50 Hz, 4.8/5.0 A, 1070/1130 W, refrigerant: HFC-245fa/R-600/HFC-23/PFC-14, 0.550 kg, volume: 715 liter, dimensions: 2300 mm x 960 mm x 1070 mm.	1000
313	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning and derinding machine, type: ESB 441 H, number: 38228, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, plastic belt, belt width: 370 mm, working width: 400 mm, total dimensions: 950 mm x 850 mm x 1150 mm.	900
314	Formax	Formax shuttle conveyor, model: STS, serial number: 2, year of construction: 2001, 220 V, 50 Hz, 2.6 kVA, s/s belt, belt width: 740 mm, clearance: 740 mm x 50 mm, total dimensions: 3150 mm x 1100 mm x 1520 mm.	2000
315	Frey	Frey piston filler, inside dimensions: Ø 320 mm x 360 mm, total dimensions: 800 mm x 750 mm x 1200 mm.	750
316	Ilapak	Ilapak 10 heads multihead weigher, serial number: 0950112003, 230 V, 1 Ph, 50 Hz, 5.5 A, baskets: 155 mm x 160 mm x 250 mm, total dimensions: 1530 mm x 1560 mm x 1560 mm. With s/s rack for washing baskets, dimensions: 2250 mm x 290 mm x 1620 mm.	4500
317	NN pallet box with electric parts	Plastic pallet box with large amount of electric parts, dimensions: 1200 mm x 1000 mm x 750 mm.	400



Nr	Title	Description	Start €
318	Röscherwerke GmbH	Röscherwerke GmbH mobile double chamber vacuum machine, type: VM-61/2/C, number: 6311007, year of construction: 06/99, 230/400 V, 50 Hz, 6.2 kW, weight: 640 kg, seal length: (4x) 860 mm, chamber: (2x) 880 mm x 640 mm, Busch vacuum pump, type: RA 0250 D 561 QMZZ, number: C9920000012, capacity: 250 m³ per hour, total dimensions: 1950 mm x 920 mm x 1100 mm.	2000
319	Garos	Garos tumbler for 200 liter meat bins, type: GAT 300, machine number: 41015048, year of construction: 2000, 380/220 V, 50 Hz, 2.3 A, weight: 685 kg, capacity: 400 kg, dimensions: 1750 mm x 1600 mm x 1300 mm. Without rollics.	2500
320	Henkovac	Henkovac mobile vacuum machine, type: H2000, machine number: 208077793, 220/380 V, 3 Ph, 50 Hz, 8.9/8.7 A, 2.5 kW, Busch vacuum pump, type: 063-122, number: 154573, capacity: 63 m³ per hour, seal length: (2x) 500 mm, dimensions chamber: 550 mm x 500 mm, total dimensions: 700 mm x 620 mm x 1100 mm.	300
321	Günther	Günther injector, plastic mesh belt, belt width: 250 mm, 17 needles, clearance: 260 mm x 200 mm, total dimensions: 1300 mm x 470 mm x 1460 mm.	680
322	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3462, number: 161, year of construction: 1998, 400 V, 50 Hz, 16 A, plastic belt, belt width: 120 mm, total dimensions: 1450 mm x 1450 mm x 2000 mm.	1900
323	NN dishwasher	Dishwasher, clearance: 510 mm x 440 mm, total dimensions: 600 mm x 600 mm x 1480 mm.	100
324	Ascall Sensor S.L.	Ascell Sensor S.L. weighing scale, model: IP300, serial number: 0000035, year of construction: 2007, 230 V, 50/60 Hz, 10 W, maximum weight: 30 kg, minimum weight: 200 gram, e= 10 gram, dimensions scale: 400 mm x 300 mm, total dimensions: 510 mm x 300 mm x 550 mm.	10
325	Vakona GmbH	Vakona GmbH cooled vacuum tumbler, type: 125ESKSTL, number: 8065, year of construction: 1999, 230/400 V, 50 Hz, 1.6 A, 1.9 kW, volume: 125 liter, Busch vacuum pump, type: RB 0010 D OZO, year of construction: 1998, capacity: 10 m³ per hour, total dimensions: 1330 mm x 600 mm x 1330 mm.	2000
326	NN tenderizer	Tenderizer, clearance: 420 mm x 140 mm, working width: 340 mm, total dimensions: 860 mm x 620 mm x 1500 mm.	150
327	Hoegger AG	Hoegger AG meat press, type: SP-280 890, machine number: 7105, year of construction: 1997, 240 V, 50 Hz, 0.5 kW, dimensions: 2500 mm x 830 mm x 1700 mm.	2300



Nr	Title	Description	Start €
328	Vemag	Plastic crate with with housing and worm for Vemag vacuum filling machine, number 911310048.	290
329	Vemag	Plastic crate with with housing and worm for Vemag vacuum filling machine, number 911310048.	290
330	Sealpac	Sealpac traysealer, model: SP-M3, serial number: M3 01 1439, year of construction: 2006, 400/230 V, 3 Ph, 3 kW, 270 kg, dimensions dye: 315 mm x 265 mm, Busch vacuum pump, typer: RC 0063 E, capacity: 63 m ³ per hour, total dimensions: 950 mm x 1200 mm x 1770 mm.	1800
331	Risco S.p.a.	Risco S.p.a. double shaft paddle mixer, model Risco: RS 450, serial number: 0672, year of construction: 1992, volume: 450 liter, dimensions: 1600 mm x 1200 mm x 1600 mm.	2800
332	ABB	ABB palletizing robot, type robot: IRB 640 M2000, serial number: 64Z-20274, year of construction: 2018/12/12, weight: 1950 kg, type control cabinet: IRC5 M2004, serial number: 6640-102812. year of construction: 2024/10/23, 400 V, 3 Ph, 50-60 Hz, 20 A, weight: 150 kg, dimensions robot: 1800 mm x 950 mm x 1900 mm, dimensions steel frame for robot: 1800 mm x 950 mm x 1300 mm, dimensions control cabinet: 700 mm x 580 mm x 900 mm, dimensions gripper: 600 mm x 550 mm x 600 mm.	4000
333	NN shredder	Steel shredder, clearance: 1100 mm x 620 mm, total dimensions: 3550 mm x 920 mm x 1100 mm.	850
334	NN ham press	Mobile ham press, diameter pipe: 90 mm, total dimensions: 1350 mm x 350 mm x 1100 mm.	350
335	Mayekawa TORIDAS MARK II	Mayekawa TORIDAS MARK II automatic chicken whole leg deboning machine, model: MT-04R, serial number: 2384, year of construction: 12.6, capacity: 1000 pieces per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1600 mm x 1600 mm x 2350 mm.	50000
336	Mayekawa TORIDAS MARK II	Mayekawa TORIDAS MARK II automatic chicken whole leg deboning machine, model: MT-04L, serial number: 2397, year of construction: 12.6, capacity: 1000 pieces per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1600 mm x 1600 mm x 2350 mm. With 2 pallets with parts.	50000
337	Handtmann	Handtmann vacuum filling machine, type: VF300, number: 15015, year of construction: 2001, 440 V, 3 Ph, 60 Hz, 21.8 A, 9 kW, dimensions: 950 mm x 920 mm x 2020 mm.	1900
338	Fri-Jado BV/Bitzer Kühlmaschinenbau GmbH	Fri-Jado compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 2JHC-07K-40S, (3x) 4JTC-15K-40P, capacity: (2x) 3.48/4.18, (3x) 9.2/11 m ³ per hour, dimensions: 2700 mm x 920 mm x 2350 mm.	1800



Nr	Title	Description	Start €
339	NN degreasing tank	S/s degreasing tank, inside dimensions: 940 mm x 1700 mm x 500 mm, total dimensions: 2170 mm x 1150 mm x 1190 mm.	500
340	Grasselli SpA	Grasselli SpA slicer, model: NSL 600, serial number: Y13003/839, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 4 kW, working width: 610 mm, distance between knives: 20 mm, plastic belt, belt width: 540 mm, total dimensions: 1500 mm x 1200 mm x 1500 mm. Some knives are broken.	3500
341	Frey	Frey vacuum filling machine with linking attachment, type: Konti-E120, machine number: KE1201111320GU, year of construction: 2010, 400 V, 50 Hz, 4.8 kW, Busch vacuum pump, operating hours: 28406, dimensions: 950 mm x 700 mm x 1620 mm.	4000
342	Carrier/Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4CC-6.2Y-40S, capacity: 32.5/39.2 m ³ per hour, dimensions: 1200 mm x 800 mm x 2250 mm.	1000
343	Ilapak	Ilapak vertical bag form-, fill- and seal machine, type: VT 2000 GF S, serial number: 0740712021, year of construction: 11-2012, 400 V, 50 Hz, 500 W, diameter pipe: 180 mm, vertical seal length: 640 mm, horizontal seal length: 450 mm, total dimensions: 2300 mm x 1900 mm x 2500 mm.	3500
344	Weber	Weber mobile skinning and derinding machine, type: ASC 560, number: 215, 400 V, 50 Hz, 1.1 kW, plastic belt, belt width: 500 mm, working width: 560 mm, total dimensions: 2000 mm x 1050 mm x 1850 mm.	1600
345	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile clipper, type: PDC 600, number: 1098, year of construction: 2002, pressure: 5-7 bar, dimensions: 1280 mm x 700 mm x 1900 mm.	3000
346	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 142, year of construction: 1999, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	250
347	Van Rijn	Van Rijn s/s gutter, dimensions: 3100 mm x 1140 mm x 1530 mm.	450
348	NN sorting belt	Sorting belt, s/s frame, plastic belts, belt width: 345 mm and 570 mm, total dimensions: 7800 mm x 1100 mm x 1820 mm.	1500
349	MKM techniek b.v.	MKM techniek b.v. mobile transport belt, serial number: 23342, year of construction: 2022, 400 V, 3 Ph, 50 Hz, s/s frame, plastic mesh belt, belt width: 150 mm, total dimensions: 3600 mm x 600 mm x 1120 mm.	300
350	Marel		150



Nr	Title	Description	Start €
		Marel table with weighing scale, type: C2, serial number: A036926, maximum weight: 30 kg, minimum weight: 200 gram, e=: 10 gram, dimensions scale: 600 mm x 275 mm, total dimensions: 960 mm x 850 mm x 1380 mm.	
351	Loma systems	Loma systems metal detector with rejector, model: IQ3, serial number: DMC70617-06042D, year of construction: 2007, 380 V, 3 Ph, 50 Hz, 1.2 A, plastic belt, belt width: 100 mm, clearance: 315 mm x 150 mm, total dimensions: 1530 mm x 770 mm x 1470 mm.	2250
352	Altotek	Altotek case erecting and filling machine with FlexPicker, machine number: 754867, year of construction: 31/01-2003, 400 V, 3 Ph, 50 Hz, 35 A, Nordson glue unit, minimum box sizes: 175 mm x 115 mm x 100 mm, maximum box sizes: 350 mm x 250 mm x 250 mm, s/s chain conveyor with dividers, belt width: 200 mm, distance between dividers: 350 mm, divider height: 50 mm, plastic belts, belt width: 130 mm, total dimensions: 4500 mm x 2000 mm x 2600 mm. With ABB control panel and cabinet for robot, type: IRB340 M2000, serial number: 34-20212, year of construction: 19-08-2002, dimensions: 900 mm x 550 mm x 1100 mm.	3500
353	Mactech	Mactech mobile strapping machine, type: MTZ600, number: 071950, year of construction: 1999, 230 V, 1 Ph, 50 Hz, clearance: 700 mm x 610 mm, total dimensions: 1260 mm x 520 mm x 1530 mm.	100
354	Henkovac	Henkovac mobile dip tank, dimensions: 950 mm x 760 mm x 1330 mm.	800
355	Easiweigh	Easiweigh linear weigher, 3 lanes, type: Maxi, serial number: 080105/080106/080107, year of construction: 2008, 3 s/s vibrating gutters, total dimensions: 1500 mm x 1500 mm x 2100 mm.	3500
356	Robopac	Robopac mobile automatic shrink wrapping machine, model: Ariane 5040 2TA, serial number: KN/054420, year of construction: 02/2003, 400 V, 3 Ph, 50 Hz, 9.5 A, 5.7 kW, seal length: 470 mm and 370 mm, plastic outfeed rollers, roller width: 450 mm, total dimensions: 2200 mm x 2250 mm x 1200 mm.	1000
357	Proseal	Proseal traysealer, type: Fastpack F45, serial number: 1202, 50 Hz, wire belt, belt width: 175 mm, film width: 215 mm, total dimensions: 2980 mm x 850 mm x 1950 mm. Incomplete, missing dye.	400
358	Elpress	Elpress hygiene station, consisting of: soap dispenser, sink with faucet, hand disinfection unit, hand dryer, sole cleaner and tourniquet, type: 18703921-83204900, serial number: 29502, year of	3000



Nr	Title	Description	Start €
		construction: 2018, 400 V, 50 Hz, 16 A, 2.6 kW, pressure: 3 bar, weight: 300 kg, brush length: (2x) 1450 mm, total dimensions: 2650 mm x 1050 mm x 1680 mm.	
359	NN pie/pizza/cake slicer	Mobile pie/pizza/cake slicer, dimensions: 870 mm x 800 mm x 1700 mm. Including crate with extra knives.	300
360	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 1051, machine number: 105103.67131.0515-1, year of construction: 1989, 380-220 V, 3 Ph, 50 Hz, 5.5 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1300 mm x 700 mm x 1500 mm.	950
361	NN sorting belt	Sorting belt, s/s frame, plastic belt, belt width: 420 mm, 4 rejecters, total dimensions: 9500 mm x 1000 mm x 1150 mm.	500
362	AFO Heat	AFO Heat grill, type: AFOGRILL, serial number: F 022, year of construction: 2006, 400 V, 3 Ph, (2x) 72 kW, weight: 950 kg, s/s mesh belt, belt width: 630 mm, clearance: 700 mm x 220 mm, total dimensions: 2350 mm x 1800 mm x 2210 mm.	2500
363	Ishida	Ishida 10-heads multihead weigher on Abracat s/s platform, platform height: 1320 mm, total dimensions: 3170 mm x 2370 mm x 2500 mm. With rack for weighing heads, dimensions: 2400 mm x 1750 mm x 650 mm.	3000
364	Bizerba	Bizerba labeller, 5 cassettes with labels, type: LDI 20, number: 16/3018, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including 2 extra cassettes. Technical condition unknown.	1700
365	Bizerba	Bizerba labeller with suction unit, 4 cassettes with labels, type: LDI 20, number: 16/3025, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including suction unit, dimensions suction unit: 1150 mm x 620 mm x 1100 mm. Including 4 extra cassettes.	2000
366	Bizerba	Bizerba labeller with suction unit, 7 cassettes with labels, type: LDI 20, number: 16/3036, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including suction unit, dimensions suction unit: 1150 mm x 620 mm x 1100 mm. Technical condition unknown.	2000
367	Bizerba	Bizerba labeller with suction unit, 5 cassettes with labels, type: LDI 20, number: 16/3001, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total	2000



Nr	Title	Description	Start €
		dimensions: 2000 mm x 940 mm x 1510 mm. Including suction unit, dimensions suction unit: 1150 mm x 620 mm x 1100 mm. Including 2 extra cassettes.	
368	NN loading system for autoclave trolleys	S/s (un)loading system for autoclave trolleys, dimensions platform: 700 mm x 800 mm, total dimensions: 840 mm x 1200 mm x 1050 mm.	400
369	Vakona	Vakona mobile cooled vacuum tumbler, type: ESK 250 STL-C, machine number: 3282, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 16 A, 4.4 kW, 375 kg, Vakona vacuum pump, type: 008943, serial number: D14281002, year of construction: 2014, capacity: 12 m ³ per hour, volume tub: 250 liter, dimensions: 1500 mm x 1500 mm x 2100 mm.	10000
370	NN vacuum machine	Belt vacuum machine, plastic belts, belt width: 400 mm, seal length: 1070 mm, dimensions chamber: 1070 mm x 500 mm, total dimensions vacuum machine: 1600 mm x 700 mm x 1050 mm, dimensions transport belt: 1450 mm x 900 mm x 1250 mm. Technical condition unknown, incomplete, electrical cabinet inside missing.	350
371	Handtmann	Handtmann vacuum filling machine, type: VF610, number: 20455S, year of construction: 2005, 420 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, dimensions: 800 mm x 850 mm x 1750 mm. Missing vacuum pump.	4500
372	Bizerba	Bizerba automatic camera inspection machine, model: BVS-1 evo, serial number: 10998653, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, 10 A, plastic belt, belt width: 300 mm, total dimensions: 760 mm x 930 mm x 1670 mm, dimensions control panel: 400 mm x 400 mm x 1280 mm.	1500
373	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD hamburger forming machine on s/s trolley, model: C SERIES FORMATIC MACHINE, serial number: C4000/12/04/060, 220/240 V, 50 Hz, 1.1 kW, dimensions forming machine: 840 mm x 640 mm x 840 mm, dimensions trolley: 800 mm x 650 mm x 820 mm. Incomplete, technical condition unknown.	100
374	Nijhuis Industries	Nijhuis Industries flocculator for water, 400-460 V, 50/60 Hz, dimensions: 1200 mm x 1200 mm x 1650 mm.	400
375	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: CLS 200, number: 60000011, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: 300 mm, clearance: 300 mm x 35 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm.	900
376	Seval	Seval vertical bag form-, fill- and seal machine, diameter filling pipe: 75 mm, vertical seal length: 320 mm, horizontal seal length: 250 mm, total dimensions:	2500



Nr	Title	Description	Start €
		1600 mm x 1150 mm x 1670 mm. Including extra filling pipes, diameter filling pipes: (1x) 55 mm, (1x) 70 mm.	
377	KPZ Waagen	KPZ Waagen floor weighing scale, number: 120098, year of construction: 12-2020, capacity: 1500 kg, with Mettler Toledo indicator, type: SPIDER 1S-60LS, maximum weight: 60 kg, d= 20 gram, dimensions: 1500 mm x 1150 mm x 95 mm.	750
378	Mettler Toledo	Floor weighing scale with Mettler Toledo indicator, type indicator: SPIDER 1S, dimensions: 1500 mm x 1150 mm x 80 mm.	300
379	Rittal	Rittal s/s switch cabinet, dimensions: 1250 mm x 400 mm x 1200 mm.	150
380	Holac	Holac dicer, type: AUT 30, number: 202-30-35, year of construction: 2001, 400 V, 50 Hz, chamber: 175 mm x 160 mm, total dimensions: 2450 mm x 1600 mm x 2150 mm.	1500
381	Pujolàs	Pujolàs automatic filling and clipping machine, consisting of: Pujolàs automatic filling and clipping machine, model filling machine: LAPEG 700/15N, serial number: 051257, year of construction: 2012, 400 V, diameter filling pipe: 100 mm, plastic belt, belt width: 160 mm, including Poly-Clip Systems double clipper, type: PDC M 700, number: 011/12, 4-6 bar, total dimensions: 7500 mm x 3100 mm x 2320 mm and 2 s/ s trolleys with parts, dimensions: 1430 mm x 750 mm x 900 mm and 900 mm x 800 mm x 1400 mm and Pujolàs automatic netting machine, model: PMT 360, serial number: 051222, year of construction: 2012, 220 V, weight: 270 kg, dimensions: 1160 mm x 1210 mm x 2380 mm.	22500
382	CFS	CFS mobile mesh belt, type: TRC 1000/400, machine number: 1872, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 0.72 A, 0.18 kW, 85 kg, s/s frame, s/s mesh belt, belt width: 400 mm, total dimensions: 1100 mm x 600 mm x 1050 mm.	350
383	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, model: VC10, number: AS 116 RH, s/s rollers, roller width: 300 mm, chamber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	150
384	Wilux	Wilux mobile labelling machine, type: LP-40/S, serial number: ZP/1501508, 230 V, 50/60 Hz, 125 W, plastic infeed belt, belt width: 40 mm, s/s rollers, roller width: 125 mm, total dimensions: 2270 mm x 1200 mm x 1900 mm.	550
385	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double automatic clipper, type: DFC 8161, number: 12879, 380 V, 1 Ph, 50 Hz, 5/7 bar, plastic belt, belt width: 185	250



Nr	Title	Description	Start €
		mm, total dimensions: 2200 mm x 1100 mm x 1950 mm.	
386	S.A. Balpe	S.A. Balpe blintz machine, s/s mesh belt, belt width: 300 mm, diameter roller: 800 mm, total dimensions: 3500 mm x 1800 mm x 2300 mm. With additional parts.	3500
387	Lutetia	Lutetia injector, model: IMPB, number: 11353, year of construction: 2000 ,400 V, 50 Hz, 6.5 A, 670 kg, s/s mesh belt, belt width: 370 mm, total dimensions: 2400 mm x 700 mm x 1900 mm. Incomplete.	400
388	TVM	TVM mobile portioning machine, plastic outfeed belt, belt width: 200 mm, total dimensions: 1700 mm x 1150 mm x 2100 mm.	350
389	Marvu	Marvu transport belt, type: 250/324, serial number: 10075625, year of construction: 09-2019, 230-400 V, 50 Hz, 3.16-1.82 A, 0.62 kW, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 4000 mm x 650 mm x 1000 mm.	350
390	NN meat bins	3 s/s meat bins, volume: 200 liter.	300
391	NN meat bins	3 s/s meat bins, volume: 120 liter, dimensions: (3x) 700 mm x 570 mm x 800 mm.	300
392	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 786, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 6 A, 3.5 kW, dimensions: 1360 mm x 740 mm x 1250 mm. Incomplete.	800
393	PSS Svidnik a.s.	PSS Svidnik a.s. grinder, type: SG 200, serial number: 04, year of construction: 2013, 30.5 kW, weight: 1600 kg, plate diameter: 200 mm, total dimensions: 2700 mm x 1300 mm x 2350 mm. Including s/s trolley with parts, dimensions: 1250 mm x 1000 mm x 1050 mm.	10000
394	H.Glass	H.Glass mobile vacuum tumbler, type: VSM 150, machine number: 2065, year of construction: 1999, 220/380 V, 1 Ph, 50 Hz, 1.12 kW, volume: 150 liter, Busch vacuum pump, type: 016-116, number: 343191, capacity: 16 m ³ per hour, total dimensions: 950 mm x 750 mm x 1400 mm.	400
395	Laska Maschinenfabrik	Laska Maschinenfabrik grinder, type: WW 280 2 GX, number: 12325, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 230 A, 127 kW, weight: 2700 kg, plate diameter: 280 mm, total dimensions: 2400 mm x 1910 mm x 2200 mm.	25000
396	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: AU 200 B, machine number: S9-20200-1257-17, year of construction: 2017, 400 V, 50 Hz, 107 A, 57 kW, weight: 1900 kg, diameter plate: 200 mm, total dimensions: 2700 mm x 2130 mm x 1790 mm.	35000
397	Proseal	Proseal dye for Proseal GT1V, model: Weizoplast 1-6 GM-50H, dimensions: 800 mm x 350 mm x 470 mm.	40



Nr	Title	Description	Start €
398	Vemag	Vemag mobile linking machine, model: LPG208 Servo, number: 2080626, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 7 A, 4.5 kW, 517 kg, dimensions: 1500 mm x 850 mm x 1270 mm. Incomplete, without pipes and belts.	10000
399	Omori	Omori flowpacker, model: S-5115A-BX-3S, serial number: WX100, year of construction: 04/2004, film width: 350 mm, seal width: 400 mm, plastic belt, belt width: 280 mm, total dimensions: 3850 mm x 1200 mm x 1740 mm.	5000
400	Formcook	Formcook AB infrared conveyor grill, model: IR 6180401, year of construction: 2004, s/s mesh belt, belt width: 600 mm, total dimensions: 4150 mm x 1330 mm x 2400 mm	16000
401	Marvu	Marvu slicer, type: 322, year of construction: 02-2001, 4 knives ,diameter knives: 170 mm, plastic mesh belt, belt width: (3x) 90 mm and (2x) 60 mm, total dimensions: 4500 mm x 1000 mm x 1700 mm.	750
402	Gram	Gram blast-chiller, inside dimensions: 700 mm x 410 mm x 1485 mm, total dimensions: 900 mm x 1100 mm x 2050 mm. Damaged, without cooling compressor.	300
403	Multivac	Multivac mobile traysealer, type: T300, serial number: 152157, year of construction: 2011, 400/230 V, 3 Ph, 50 Hz, 21 A, 5.5 kW, s/s chain and pin conveyor, belt width: 470 mm, distance between dividers: 400 mm, divider height: 20 mm, dimensions dye: 280 mm x 240 mm, total dimensions: 3300 mm x 1150 mm x 1700 mm. With trolley with additional dye, dimensions: 1150 mm x 800 mm x 1150 mm.	6000
404	Nijal	Nijal vacuum filling machine with lifter for 200 liter meat bins, type: PSV 330 N, serial number: 0790304, year of construction: March 2004, dimensions: 2050 mm x 1600 mm x 1950 mm.	700
405	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 4517, year of construction: 1999, 400 V, 50 Hz, 17 A, 6.5 kW, Becker vacuum pump, type: U 1.16 SA-31, number: B 1563649, year of construction: 1999, dimensions: 1900 mm x 1320 mm x 2300 mm.	3000
406	IDM	IDM kebab grill, model: IDM 2R07, serial number: 536, year of construction: 12/08/16, 220 V, 50/60 Hz, 2 A, 450 W, clearance: Ø 500 mm x 1100 mm, total dimensions: 1150 mm x 1100 mm x 1800 mm.	250
407	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. vacuum filling machine with lifter for 200 liter meat bins, type: 595, machine number: 21598, year of construction: 2001, 400 V, 3 Ph, 50 Hz 18.2 A, dimensions: 1700 mm x 1400 mm x 1880 mm.	1250



Nr	Title	Description	Start €
408	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 12164, year of construction: 1999, 400 V, 50 Hz, 14.4 A, 5.5 kW, Becker vacuum pump, type: U1.16SA-31, number: B3312970, year of construction: 2019, 16/19 m³ per hour, dimensions: 1650 mm x 1350 mm x 2100 mm.	2000
409	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF610, number: 18270, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, Busch vacuum pump, type: KC 0016 E 3Z0, serial number: V17050494, year of construction: 2017, capacity: 16 m³ per hour, dimensions: 850 mm x 850 mm x 1750 mm.	5000
410	Marel	Marel part for batch weigher, s/s frame, plastic belt, belt width: 530 mm, total dimensions: 2120 mm x 950 mm x 2230 mm.	500
411	VentApp	VentApp blower, type: E 200/31-50, serial number: 51046/6-99, year of construction: 1999, capacity: 2000 m³ per hour, dimensions: 700 mm x 450 mm x 580 mm.	50
412	Slingerland Techniek	Slingerland Techniek blower, model: Seat35/PP/LG/IEC112, 400 V, 3 Ph, 50 Hz, 2.2 kW, dimensions: 1840 mm x 740 mm x 1000 mm.	75
413	Bastra	Bastra smoke generator for wood chips, type: BRN200, fabrication number: 1754, year of construction: 03-1991, 380-230 V, 3 Ph, 50 Hz, 2.8 kW, dimensions: 1000 mm x 750 mm x 1670 mm.	350
414	MKN	MKN tiltable braising pan, type: 2121401/00, machine number: 64293, 380 V, 3 Ph, 50 Hz, 10.0 kW, inside dimensions: 725 mm x 535 mm x 150 mm, total dimensions: 800 mm x 750 mm x 930 mm.	400
415	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 2710, machine number: 271004.69131.0495, year of construction: 1999, 400/230 V, 50 Hz, 3 A, 1.0 kW, 174 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 1000 mm x 620 mm x 1000 mm.	2000
416	Inotec	Inotec mobile sausage cutter, type: WI 93 S3/1, machine number: 1310, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 5 A, 2 kW, dimensions: 1000 mm x 600 mm x 1150 mm.	950
417	NN meat press	Mobile meat press, dimensions: 1800 mm x 600 mm x 950 mm.	350
418	Blake & Boughton	Blake & Boughton weighing station with labelling machine, machine number: 83287, min/max kg: 0.4/60 kg, e= 0.02 kg, scale dimensions: 600 mm x 500 mm, total dimensions: 950 mm x 700 mm x 1880 mm.	100
419	Mainca		2000



Nr	Title	Description	Start €
		Mainca cutter, type: CR-40, number: 1192, 380 V, 50 Hz, s/s bowl, volume: 40 liter, dimensions: 1220 mm x 900 mm x 700 mm.	
420	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, model: VC999/TS 300 N, serial number: 0431133, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 185 mm x 135 mm, operating air pressure: 6–8 bar, Rietschle vacuum pump, type: VCA 40 (00), number: 602608440003, year of construction: 2004, capacity: 10 m ³ per hour, total dimensions: 1120 mm x 600 mm x 1610 mm.	1900
421	Loma Systems	Loma Systems pipeline metal detector with rejecter, model: IQ ³ + Pipeline, serial number: JPL161003-35553D, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.2 A, pipe diameter: 100 mm, total dimensions: 900 mm x 600 mm x 1400 mm. Technical condition unknown.	1000
422	CSL SRL	CSL SRL pressure tank, type: 0060, number: 10467, year of construction: 2010, volume: 500 liter, max pressure: 11 bar, max temperature: 120 C°, dimensions: Ø 600 mm x 2170 mm.	300
423	Frey	Frey vacuum filling machine, type: KONTI-EP80E, machine number: KEP80E/070800, 400 V, 50 Hz, dimensions: 950 mm x 700 mm x 1620 mm. Without rotor and vanes.	750
424	NN mesh belt	Mobile mesh belt, s/s frame, s/s mesh belt, belt width: 400 mm, total dimensions: 2200 mm x 600 mm x 1200 mm.	350
425	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile automatic clipper, type: FCA 3411, number: 84768, 380 V, 50 Hz, 4 A, 5/7 bar, dimensions: 1450 mm x 1400 mm x 2050 mm.	250
426	Reflex	Reflex steel pressure vessel, type: Refix DE 100, serial number: 1820955 00322, year of construction: 02.2023, volume: 100 litre, dimensions: Ø 500 mm x 800 mm.	25
427	Vaahto	Vaahto s/s tank, manufacturing number: 10109700, year of construction: 1999, dimensions tank: Ø 900 mm x 930 mm, total dimensions: 1000 mm x 900 mm x 1800 mm.	450
428	Stephan	Stephan mobile micro cutter, type: MCH-D50, machine number: 725.524.01, year of construction: 1999, 400 V, 50 Hz, 77 A, 45 kW, dimensions: 1900 mm x 1030 mm x 1150 mm. With box with knives.	8000
429	NN tumbler	S/s tumbler, dimensions tumbler: Ø 600 mm x 950 mm, total dimensions: 1050 mm x 800 mm x 1450.	350
430	Herco	Herco mobile pressure vessel for adding oxygen, type: MD 005-2, serial number: 521-149, year of construction: 2007, minimum/maximum working	150



Nr	Title	Description	Start €
		pressure: -1/+15 bar, minimum/maximum working temperature: 0/20 °C, volume: 109 liter, dimensions: 900 mm x 600 mm x 1100 mm.	
431	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03 P, machine number: 0392 717, 380 V, 3 Ph, 50 Hz, 15 A, 10 kW, seal width: (1x) 1000 mm and (2x) 450 mm, Rietschle vacuum pump, type: CLFH 220 V (01), fabrication number: 1414623, year of construction: 1991, capacity: 220 m ³ per hour, total dimensions: 1130 mm x 750 mm x 1030 mm.	500
432	Mado	Mado bandsaw, model: Selekt 3, number: 653 32 916 0, dimensions: 900 mm x 900 mm x 2000 mm. Including extra saw blades.	1500
433	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00020, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	150
434	Muvero	Muvero cooking vessel, inside dimensions: Ø 600 mm x 530 mm, total dimensions: 900 mm x 700 mm x 970 mm.	450
435	Bastra	Bastra cooking vessel, type: 8110, year of construction: 2006, 230 V, 50 Hz, 1.5 kW, volume: 500 liter, gas heated, dimensions: 1700 mm x 1350 mm x 1100 mm.	450
436	Simo	Simo micro cutter, type: 175/115PFD175, serial number: 97-041132, year of construction: 1997, diameter plate: 210 mm, total dimensions: 1400 mm x 700 mm x 1450 mm.	2000
437	Kronen	Kronen centrifuge, type: K 50-4, serial number: 589, year of construction: 1999, 230 V, 1 Ph, 50/60 Hz, 12 kW, clearance: Ø 420 mm x 360 mm, total dimensions: 900 mm x 600 mm x 1000 mm.	850
438	ALTech	ALTech mobile labelling machine, model: Albelt, serial number: 1903020022434, year of construction: 2019, 230 V, 1 Ph, 50/60 Hz, 800 W, plastic belt, belt width: 100 mm, total dimensions: 1600 mm x 1250 mm x 1970 mm.	2500
439	Treif	Treif mobile dicer, type: 0803, machine number: 08032.66511.0880-1, year of construction: 1987, 380/220 V, 3 Ph, 50 Hz, 2.7/16 A, chamber: 85 mm x 85 mm, total dimensions: 1100 mm x 600 mm x 980 mm.	950
440	Rühle	Rühle GmbH injector with lifter for crates, 56 needles, s/s walking beam, beam width: 340 mm, total dimensions: 1700 mm x 900 mm x 2000 mm.	2500
441	Marel	Marel portion cutter, type: IPM3 X300, serial number: A016062, year of construction: 2002, 380-480 V, 3 Ph, 10 A, 4 kW, plastic belts, belt width: 270 mm, total	7000



Nr	Title	Description	Start €
		dimensions: 3350 mm x 1050 mm x 1700 mm. Including crate with parts.	
452	Meiko	Meiko washing machine, type: BTA 160, serial number: 10381724, year of construction: 03/2018, 400 V, 3 Ph, 50 Hz, 51.22 A, 32.99 kW, clearance: 330 mm x 80 mm, dimensions: 8700 mm x 5200 mm x 1850 mm.	950
453	Frey	Frey mobile vacuum filling machine with linking attachment, type: KONTI-C50, machine number: KC 50 07 02 96, 380 V, 50 Hz, dimensions 800 mm x 900 mm x 1800 mm.	1500
454	Riggs Autopack	Riggs Autopack mobile 1 head depositor, model: 1000, serial number: TT1733, year of construction: 2014, dimensions: 1300 mmx 800 mm x 1800 mm.	500
455	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile 1 head depositor, model: BD3, serial number: 3-70-03-18-068, year of construction: 2018, dimensions: 1400 mm x 700 mm x 1800 mm.	500
456	Riggs Autopack	Riggs Autopack mobile 1 head depositor, model: 1000, serial number: TT2124, year of construction: 2017, dimensions: 1400 mmx 700 mm x 1800 mm.	500
457	NN depositor	Mobile 1 head depositor, dimensions: 1200 mm x 600 mm x 1600 mm.	500
458	Graef	Graef automatic slicer on s/s mobile frame, type: VA800, serial number: 7444878 year of construction: 2017, 400 V, 50 Hz, 2.4 A, 500 watt, dimensions: 800 mm x 1000 mm x 1500 mm. Missing outfeed belt.	450
459	Webomatic	Webomatic mobile double chamber vacuum machine, type: PNC 20, machine number: 5310MK001, 400 V, 3 Ph, 50 Hz, 14.1 A, 5.5 kW, seal length: (4x) 800 mm, dimensions chamber: (2x) 800 mm x 700 mm, total dimensions: 1900 mm x 900 mm x 1200 mm. Without vacuum pump.	750
461	Lock	Lock Inspection metal detector with rejector, model: MET30+, plastic belt, belt width: 300 mm, clearance: 450 mm x 120 mm, total dimensions: 1200 mm x 1250 mm x 1350 mm.	950
462	Lock	Lock Inspection metal detector with rejector, model: MET30+, serial number: 28413/1, plastic belt, belt width: 320 mm, clearance: 400 mm x 155 mm, total dimensions: 1200 mm x 1250 mm x 1350 mm.	950
463	Safeline Mettler Toledo	Safeline Mettler Toledo metal detector, plastic mesh belt, belt width: 355 mm, clearance: 400 mm x 70 mm, total dimensions: 1250 mm x 1000 mm x 1200 mm.	950
464	Loma Systems	Loma Systems metal detector with rejector, model: IQ ² , serial number: DMC30370-29939, year of construction: 2003, 380 V, 3 Ph, 50 Hz, 1.2 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 105	950



Nr	Title	Description	Start €
		mm, total dimensions: 1350 mm x 1000 mm x 1550 mm.	
465	Lock	Lock Inspection metal detector with rejector, model: MET30+, plastic belt, belt width: 300 mm, clearance: 450 mm x 100 mm, total dimensions: 1300 mm x 1000 mm x 1300 mm.	950
466	Nothum	Nothum mobile flour drum breader, type: FD-40, dimensions: Ø 1150 mm x 1150 mm, s/s outfeed mesh belt, belt width: 1000 mm, total dimensions: 2700 mm x 1700 mm x 2200 mm.	850
467	NN fans	Mobile frame with 4 fans, dimensions: 900 mm x 1600 mm x 1720 mm.	200
468	Ca.Ve.Co	Ca.Ve.Co mobile traysealer, type: Ypsilon-PN/T, serial number: 2011, year of construction: 0606/2011, 400 V, 50 Hz, 6 A, 4 kW, chain-pin conveyor, belt width: 470 mm, distance between dividers: 370 mm, divider height: 25 mm, total dimensions: 2600 mm x 850 mm x 1870 mm.	1450
469	NN can filling machine	Can filling machine, double lane infeed belt, belt width: (2x) 80 mm, 8 stations, diameter cans: 70 mm, s/s outfeed belt, belt width: 100 mm, total dimensions: 2150 mm x 1100 mm x 1840 mm.	1500
470	NN can closing machine	Can closing machine, (2x) 4 stations, diameter lids: 80 mm, total dimensions: 2150 mm x 1100 mm x 1840 mm.	2350
471	Bitzer Kühlmachinesbau GmbH	Compressor rack with 6 Bitzer Kühlmachinesbau GmbH cooling compressors, type: 4HTE-20K-40P, (3x) 4JTC-15K-40P and (2x) 2HSL-3K-40S, year of construction: 06-2014, dimensions: 3400 mm x 1200 mm x 2300 mm.	4000
472	Nesbad Industries Ltd	Nesbad Industries Ltd filling line consisting of: 2 denesters, model: MORAN II, number: 00171.12.02, 380 V, 50 Hz, 7400 W, Ø cups: (2x) 110 mm, total dimensions: 3690 mm x 710 mm x 1870 mm. Including pallet with parts, dimensions pallet: 1200 mm x 800 mm x 1180 mm.	500
473	ANKO	ANKO spring roll filling and folding machine, model: SR-2404 & SR-2405, serial number: PO201200627-4, year of construction: 2012.08, 380 V, 3 Ph, 50 Hz, 2.5 kW, plastic belts, belt width: (2x) 110 mm / 30mm / (2x) 20 mm / 150 mm, total dimensions: 3700 mm x 750 mm x 1930 mm. Incomplete.	1000
474	Nimo KG	Nimo KG tilting device, type: SK 800 HA, number: 10222, year of construction: 2005, capacity: 1000 kg, tilting height: 1200 mm, total dimensions: 1600 mm x 1600 mm x 1850 mm.	2000
475	Kawashima	Kawashima vertical bag form-, fill-, and seal machine, model: KBF-6122, serial number: 824, year of	1000



Nr	Title	Description	Start €
		construction: August 2001, film width: 370 mm, vertical seal length: 340 mm, horizontal seal length: 280 mm, total dimensions: 1700 mm x 1450 mm x 1810 mm.	
476	Meyn	Meyn double shaft paddle mixer on weighing cells, machine number: 49433, year of construction: 1992, inside dimensions: 2500 mm x 1500 mm x 700 mm, total dimensions: 3100 mm x 1800 mm x 1850 mm.	3000
477	Kolbe	Kolbe bandsaw, type: K 800H - 650, machine number: 81 070, year of construction: 2009, 400 V, 50 Hz, 9 A, 4 kW, dimensions saw table: 1480 mm x 1100 mm, total dimensions: 2000 mm x 1100 mm x 1930 mm. With extra saw.	750
478	Vemag	Vemag mobile co-extrusion machine, model: HP Coex, number: 172 0136, year of construction: 2020, 400-460 V, 3 Ph, 50/60 Hz, 2 A, 1.3 kW, 269 kg, Vemag vacuum pump, type: KC 0016 E 3Z0, serial number: CZM120160352, year of construction: 2020, capacity: 19 m³ per hour, dimensions: 1200 mm x 700 mm x 1750 mm.	4000
479	Scanvaegt	Scanvaegt weighing and sorting line, type: 4717.275.10, serial number: BOE00095, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 16.0 A, s/s frame, plastic belts, belt width: 260 mm, 12 rejecters, total dimensions: 1000 mm x 800 mm x 1750 mm and 7200 mm x 1100 mm x 1600 mm.	5000
480	Tummers Machinebouw	Tummers Machinebouw sliver remover, serial number: 352970-010, year of construction: 2015, working width: 1950 mm, total dimensions: 3100 mm x 2050 mm x 1780 mm.	5000
481	Tummers Machinebouw	Tummers Machinebouw sliver remover, serial number: 371444-020, year of construction: 2017, working width: 1950 mm, total dimensions: 3100 mm x 2050 mm x 1780 mm.	5000
482	Mettler Toledo	Mettler Toledo X ray scanner with rejector, model: ADV3, serial number: 2927ADV3, year of construction: 12-2012, 230 V, 50 Hz, 10 A, 2.3 kW, plastic belt, belt width: 330 mm, clearance: 360 mm x 195 mm, total dimensions: 1800 mm x 1150 mm x 1600 mm.	750
483	Mettler Toledo	Mettler Toledo X ray scanner with rejector, model: ADV, serial number: 4606ADV673, year of construction: 11-2006, 230 V, 50 Hz, 10 A, 2.2 kW, plastic belt, belt width: 330 mm, clearance: 360 mm x 195 mm, total dimensions: 2000 mm x 1150 mm x 1600 mm.	750
484	Mettler Toledo	Mettler Toledo Safeline metal detector, plastic belt, belt width: 160 mm, clearance: 250 mm x 85 mm, total dimensions: 2100 mm x 1000 mm x 1450 mm.	500



Nr	Title	Description	Start €
485	Strapex	Strapex mobile strapping machine, type: Canaria V, serial number: 01071, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 4.0 A, clearance: 650 mm x 650 mm, total dimensions: 1320 mm x 850 mm x 1870 mm.	150
486	SNB Systems / Mettler Toledo	SNB Systems / Mettler Toledo Safeline metal detector, serial number: 57231, plastic belt, belt width: 200 mm, clearance: 255 mm x 170 mm, total dimensions: 2500 mm x 800 mm x 1700 mm. Missing cover.	500
487	Mettler Toledo	Mettler Toledo X ray scanner, model: ADV3, serial number: 2925ADV3, year of construction: 12-2012, 230 V, 50 Hz, 10 A, 2.3 kW, 6 bar, clearance: 360 mm x 200 mm, total dimensions: 2500 mm x 800 mm x 1700 mm. Missing belt.	500
488	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, serial number: 20195, plastic belt, belt width: 170 mm, clearance: 305 mm x 135 mm, total dimensions: 1250 mm x 1250 mm x 1200 mm.	500
489	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, plastic belt, belt width: 245 mm x clearance: 305 mm x 140 mm, total dimensions: 1420 mm x 1050 mm x 1100 mm.	500
500	Huckepack	Huckepack vacuum pump, type: 437 013, machine number: 2065, year of construction: 1980, capacity: 400 m ³ per hour, dimensions: 1400 mm x 850 mm x 1300 mm.	100
501	APV	Filtration installation consisting of APV pre-filter, pump and bacteriophages filter, dimensions: 700 mm x 1400 mm x 1500 mm.	200
502	Boge	Boge air compressor, type: SK 46, number: 5022427, year of construction: 2008, 11.0 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	250
503	Copeland Scroll	Copeland Scroll cooling compressor and condensing unit, model: ZB58KCE-TFD-651, dimensions: 1100 mm x 900 mm x 1000 mm.	250
504	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 800 mm x 450 mm	100
505	Rietschle Thomas	Rietschle Thomas side channel vacuum pump, type: SAP 1060 1012, number: 2609852, 1200 m ³ per hour, dimensions: 1050 mm x 600 mm x 750 mm.	100
506	L'unite Hermetique	L'unite Hermetique cooling compressor, type: TAJ451, dimensions: 500 mm x 500 mm x 400 mm.	30
507	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, capacity: 94.1/183 m ³ per hour, dimensions: 800 mm x 500 mm x 500 mm.	100
508	Grundfos	Pallet with 2 Grundfos sewage pumps, type: SEV.65.65.22.2.50D, capacity: 45 m ³ per hour, dimensions: 1200 mm x 800 mm x 1000 mm.	400



Nr	Title	Description	Start €
509	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2JES-07Y-40S, serial number: 1691206382, capacity: 5.2/6.3 m³ per hour, dimensions: 650 mm x 550 mm x 500 mm.	400
510	L'unite Hermetique	L'unite Hermetique cooling compressor, type: CAJ9480Z, dimensions: 500 mm x 500 mm x 400 mm.	80
511	L'Unite Hermetique	L'Unite Hermetique cooling compressor with condenser, model: CAJN4492Y HR, serial number: 10G29 121407, 220-240 V, 50 Hz, 5.9 A, refrigerant: R134a, dimensions: 500 mm x 500 mm x 400 mm.	80
512	Gardner Denver	Gardner Denver side channel vacuum pump, number: BN 10315780, dimensions: 700 mm x 500 mm x 600 mm.	200
513	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2FC-3.2Y-40S, serial number: 1270802615, capacity: 3.5/11.5 m³ per hour, dimensions: 650 mm x 550 mm x 500 mm.	400
514	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2JC-07.2Y-40S, serial number: 1684106484, dimensions: 650 mm x 550 mm x 500 mm.	300
515	TVH	TVH pallet lifter, type: CBD25, serial number: 12091395-13/176, year of construction: 2012, weight: 62 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1600 mm x 530 mm x 1250 mm.	20
516	Rietschle	Rietschle vacuum pump, type: DTA 100/1(01), year of construction: 2007, serial number: 2553547, capacity: 100 m³ per hour, dimensions: 950 mm x 450 mm x 600 mm.	400
517	SPX	SPX liquid filter, type: S2-EL-200F-V, serial number: 100000 3318502, year of construction: 2018, dimensions: 300 mm x 400 mm x 1000 mm.	200
518	Alfa Laval	Alfa Laval heat exchanger, type: M6-MDFG, serial number: 30107-27024, year of construction: 2010, volume: 6.4 / 6.0 liter, dimensions: 970 mm x 860 mm x 370 mm.	400
519	Ventinet	Ventinet fan, type: VN-Roof- 636M, 230 V, 1 Ph, 50 Hz, 1.53 kW, capacity: 11.489 m³ per hour, dimensions: Ø 1160 mm x 950 mm.	50
520	Asecos	Asecos chemical storage cabinet, model: C Line, dimensions: 520 mm x 1050 mm x 1110 mm. Without keys.	150
521	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 1200 mm x 900 mm	150
522	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, serial number: JB20BA19000, DN100, dimensions: 250 mm x 150 mm x 170 mm.	150
523	Endress + Hauser		200



Nr	Title	Description	Start €
		2 Endress + Hauser flowmeters, model: Promag P/ Promag 53, dimensions: (2x) 400 mm x 250 mm x 250 mm.	
524	Samson / Endress Hausser	Samson valve with Endress + Hauser flowmeter, total dimensions: 670 mm x 400 mm x 630 mm.	175
525	ABB	ABB control cabinet for palletizing robot, type: IRB 640 M2000, serial number: 64Z-26040, year of construction: 2003-08-04, 400 V, 3 Ph, 50-60 Hz, weight: 350 kg, dimensions: 750 mm x 750 mm x 2130 mm.	200
526	Interroll	Pallet with 6 Interroll drum motors, roller width: 600 mm, 500 mm and 450 mm, total dimensions: 1200 mm x 800 mm x 270 mm.	400
527	NN tubs	2 s/s tubs, dimensions: 300 mm x 860 mm x 400 mm, 300 mm x 600 mm x 400 mm.	75
528	DWM Copeland	DWM Copeland cooling compressor, model: LLP-30X- EAL, serial number: 18F 005397 M, 220/240 V, 3 Ph, 50 Hz, 12.5 A, dimensions: 900 mm x 700 mm x 700 mm.	50
529	APV	Pallet with various APV valves, dimensions pallet: 1200 mm x 1000 mm x 850 mm.	150
530	NN Cooling compressor	Cooling compressor, dimensions: 700 mm x 700 mm x 750 mm.	50
531	DWM Copeland	DWM Copeland cooling compressor, model: DKLP-15X- FWL, number: 2138938, year of construction: 2004, 220/240 V, 3 Ph, 50 Hz, 05.9 A, dimensions: 700 mm x 650 mm x 440 mm.	100
532	Elmo Rietschle	Elmo Rietschle vacuum pump, dimensions: 1500 mm x 750 mm x 460 mm.	300
533	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2JC-07.2Y-40S, serial number: 1676906585, capacity: 5.2/6.3 m³ per hour, total dimensions: 600 mm x 600 mm x 600 mm.	250
534	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KES-05Y-40S, capacity: 4.1/4.9 m³ per hour, dimensions: 850 mm x 850 mm x 600 mm.	300
535	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, dimensions flowmeter: 350 mm x 250 mm x 200 mm, dimensions: 250 mm x 220 mm x 200 mm.	100
536	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG P, serial number: C916DF19000, 40 bar, DN40 DIN / EN PN40, dimensions: 450 mm x 350 mm x 220 mm.	100
537	Eaton	Eaton uninterruptible power supply, model: 5P850i, serial number: G111G04044, 200-240 V, 50/60 Hz, dimensions: 350 mm x 150 mm x 230 mm.	25
538	Danfoss	11 Danfoss frequency controllers.	250



Nr	Title	Description	Start €
539	ProMinent	ProMinent dosing pump, total dimensions: 700 mm x 570 mm x 110 mm.	40
540	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, compressor type: 2EC-3.2Y-40S, serial number: 1680402324, capacity: 11.4/13.7 m ³ per hour, dimensions: 700 mm x 980 mm x 920 mm.	300
541	Mitsubishi	Mitsubishi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 3005070, year of construction: 2013, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	75
542	Mitsubishi	Mitsubishi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 3005028, year of construction: 2013, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	75
543	Kromer	Crate with 4 Kromer balancers.	40
544	Pfeiffer Vacuum	2 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, year of construction: 2005/2006, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	80
545	Pfeiffer Vacuum	3 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, serial number: 21577376, year of construction: 2010, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	130
546	Pfeiffer Vacuum	Pfeiffer Vacuum pump, model: DUO 2.5, serial number: 22061178, year of construction: 2018, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	40
547	Pfeiffer Vacuum	5 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, year of construction: 2018/2013/2006, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	200
548	NN locker	Steel locker, dimensions: 360 mm x 480 mm x 1820 mm.	5
549	Soehnle	Weighing scale with Soehnle indicator, serial number: 50153, maximum weight: 150 kg, minimum weight: 2 kg, e = 100 gram, dimensions: 560 mm x 600 mm x 750 mm.	25
550	NN dye's	Dye's for traysealer, dimensions: (2x) 220 mm x 150 mm and (2x) Ø 230 mm.	110
551	Hydrotec International B.V.	Hydrotec International B.V. pump, type: R50HWH1B.Y/7T36, number: 3457B, 3 kW, capacity: 12 m ³ /h, dimensions: 1000 mm x 400 mm x 1270 mm.	60
552	Handtmann	Handtmann coextrusion machine on s/s trolley, type: 150-01, number: 11900653, year of construction:	2000



Nr	Title	Description	Start €
		2019, 400 V, 3 Ph, 50 Hz, 0.9 A, 0.2 kW, dimensions: 950 mm x 700 mm x 1180 mm. With plastic tub, dimensions: Ø 570 mm x 630 mm.	
554	Palga	Palga skewering machine, type: NewCombi, serial number: 32001301, year of construction: 2014, 400 V, 50 Hz, 10 A, 10 knives, distance between knives: 15 mm, number of sticks: 121, dimensions: 1200 mm x 1100 mm x 1650 mm. With frame for spare parts, dimensions: 700 mm x 500 mm x 1050 mm. Missing transport belt.	2950
555	Agilent Technologies	Agilent Technologies vacuum pump, model: EU 105, serial number: IT1410N004, year of construction: 2014, capacity: 105 m ³ per hour, dimensions: 740 mm x 440 mm x 500 mm.	60
556	Bizerba	Bizerba slicer, type: A 302, machine number: 217, 220/380 V, 3 Ph, 50 Hz, 1.65/0.95 A, 0.520 kW, dimensions: 700 mm x 540 mm x 550 mm.	240
557	Bilanciai	S/s floor weighing scale with Bilanciai indicator, serial number: 281969, dimensions scale: 1250 mm x 1500 mm, total dimensions: 1600 mm x 1750 mm x 100 mm.	240
558	Wave Cyber	2 Wave Cyber water softening pressure vessels, dimensions: (2x) Ø 300 mm x 1440 mm, dimensions plastic tub: Ø 520 mm x 1020 mm.	50
559	Alcan	Alcan traysealer, type: DIB, number: 2972, year of construction: 12-91, dye: 205 mm x 145 mm, total dimensions: 380 mm x 350 mm x 230 mm.	30
560	Becker	Becker vacuum pump, type: 80L/4X, dimensions: 330 mm x 290 mm x 220 mm.	60
561	NN washing table	S/s washing table, dimensions: 705 mm x 1500 mm x 910	100
562	NN fan	Fan, diameter fan: 470 mm, total dimensions: 600 mm x 520 mm x 1070 mm.	8
563	Rivacold	2 Rivacold evaporator, 1 fan, model: RCP 1250607EDR/RM, dimensions: 570 mm x 460 mm x 360 mm.	90
564	National Lab GmbH	National Lab GmbH cooling unit, model: PCGE 21.02-NEA, serial number: 10M-010268, year of construction: 2010, weight: 55 Kg, 230 V, 1 Ph, 50 Hz, 9.6 A, 2100 W, refrigerant: R134a, 0.58 Kg, dimensions: 650 mm x 450 mm x 540 mm.	85
565	NN control panels	4 control panels / electrical components.	45
566	ANKO	ANKO mobile depositor, model: FF-2, serial number: PO201200638-2, year of construction: 2012, 380 V, 3 Ph, 50 Hz, 500 W, 1 head, dimensions: 1300 mm x 660 mm x 1870 mm. Incomplete, missing funnel.	500
567	Spar		90



Nr	Title	Description	Start €
		Spar mixer, model: 22HI-B, serial number: 2006122, 230 V, 1 Ph, 50 Hz, 0.55 kW, dimensions: 460 mm x 450 mm x 880 mm. Without bowl.	
568	Icon Engineering	Icon Engineering s/s mobile misting vessel, number: 004/17064, dimensions: 500 mm x 400 mm x 1200 mm.	85
569	Malmbergs	Malmbergs heater, 400 V, 1 Ph, 50 Hz, 9000 W, dimensions: 350 mm x 290 mm x 500 mm.	35
570	Videojet	Videojet inkjet printer, model: 43S, serial number: ZH061290001, 100-230 V, 1 Ph, 50/60 Hz, 0.8/0.4 A, dimensions: 600 mm x 240 mm x 620 mm.	220
571	Technotrans	Technotrans circulation pump, model: tt 4-60, year of construction: 2014, dimensions: 450 mm x 150 mm x 200 mm.	90
572	Sun Heat	Sun Heat electric heater, model: 50300-324-10020/IFJ04-150C, serial number: 179, 400 V, 3 Ph, 50 Hz, 15000 W, dimensions: 400 mm x 350 mm x 540 mm.	110
600	Adelphi Manufacturing Ltd	Adelphi Manufacturing Ltd mobile depositor, model: ADELPHI RESPONSE, serial number: R3-0181, year of construction: 2008, dimensions: 1050 mm x 940 mm x 2470 mm.	750
601	Capsulcn	Capsulcn fully automatic capsule filling machine, model: NJP-400C, serial number: 93695, year of construction: 06/2021, 380 V, 3 Ph, 50 Hz, 3.7 kW, dimensions: 850 mm x 750 mm x 1930 mm. Including extraction unit for dust, dimensions: 750 mm x 450 mm x 1150 mm.	8000
602	Rademaker	Rademaker mobile 2 head depositor, type: DEPOSITOR, serial number: 6320-709, year of construction: 2003, weight: 260 kg, outfeed diameter: 25 mm, total dimensions: 920 mm x 1400 mm x 2100 mm.	300
603	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	800
604	NN suction device for rest film	Suction device for rest film, dimensions: 930 mm x 850 mm x 1400 mm.	100
605	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, s/s rollers, roller width: 300 mm, camber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	80
606	HPSL	HPSL weighing scale with label printer on s/s frame, serial number scale: HS108814, year of construction: 2011, 230 V, 50 Hz, maximum capacity: 3 kg, minimum capacity: 0.02 kg, e= 0.001 kg, T= -1.000 kg, scale dimensions: 275 mm x 225 mm, total dimensions: 860 mm x 520 mm x 1575 mm.	150



Nr	Title	Description	Start €
607	Tramatic	Tramatic electric pallet lifter, fork length: 1200 mm, lifting height: 1400 mm, total dimensions: 1650 mm x 900 mm x 2000 mm. Including De Drie B.V. battery charger, 220 V, 12 DC and VARTA battery.	650
608	Digi/Tereoka Seiko Co. LTD	Digi/Tereoka Seiko Co. LTD packaging machine, model: FX-3600 XL, serial number: 01164105, 400 V, 3 Ph, 50/60 Hz, 1.5 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e = 1/2 gram, T = 0.999 kg, dimensions: 860 mm x 940 mm x 1390 mm.	100
609	Altech s.r.l.	Altech s.r.l. labelling machine with turning table, serial number: 2207040028071, 400 V, 3 Ph, 50/60 Hz, 5 A, 2000 W, plastic belts, belt width: (2x) 55 mm, (1x) 115 mm, total dimensions: 2850 mm x 1150 mm x 1900 mm. With s/s turning table, diameter: 800 mm, total dimensions: 1050 mm x 900 mm x 930 mm.	10000
610	Pökomat	Pökomat mobile injector, type: P8/270, serial number: 335.1, 400 V, 1.5 A, 550 W, weight: 98 kg, 8 needles, plastic belt, belt width: 260 mm, total dimensions: 1250 mm x 500 mm x 1720 mm.	450
611	Transvac / Swissvac	Transvac / Swissvac belt vacuum machine, type: SYSTEMATIC, serial number: 2991, year of construction: 1987, 3x 400 V, 50 Hz, plastic belts, belt width: 535 mm / 410 mm, total dimensions: 3350 mm x 1180 mm x 1950 mm.	450
612	Marel	Marel mobile portioning machine, type: Portio 4003 S, serial number: 080S-0020, year of construction: 2004, 400/220 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, 0.5 kW, weight: 500 kg, pressure: 6 / 9 bar, dye: (2x) 90 mm x 90 mm, plastic mesh outfeed belt, belt width: 250 mm, total dimensions: 2600 mm x 740 mm x 2550 mm. Including pallet with parts.	1000
613	Rademaker	Rademaker mobile depositor, type: DEPOSITOR, serial number: 7138-709, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2 A, weight: 395 kg, dimensions: 1050 mm x 1500 mm x 1970 mm.	400
614	Wolfking Belam B.V.	Wolfking Belam B.V. mobile steaker with mobile infeed belt, infeed belt, 400 V, 50 Hz, plastic belt, belt width: 410 mm, steaker type: IT-4 S, machine number: 9801-953.0032, year of construction: 1998, 400 V, 50 Hz, 6 A, working width: 440 mm, total dimensions: 3650 mm x 1400 mm x 1370 mm.	1500
615	Meiko	Meiko dishwasher, model: EcoStar 545 D, clearance: 500 mm x 500 mm, total dimensions: 850 mm x 700 mm x 1640 mm.	300
616	Kolbe	Kolbe mobile bandsaw, dimensions table: 880 mm x 780 mm, total dimensions: 880 mm x 950 mm x 1880 mm. Incomplete.	750
617			400



Nr	Title	Description	Start €
	Ariana Technology LTD	Ariana Technology LTD packaging machine, serial number: 3481-3481, year of construction: 2004, plastic belts, belt width: (2x) 250 mm, (1x) 570 mm, 16 heads, head diameter: Ø 120 mm, total dimensions: 3400 mm x 1040 mm x 1800 mm.	
618	Läcovac	Läcovac mobile vacuum machine, type: CV-super, number: 1585, 220/380 V, 1.5 kW, Busch vacuum pump, seal length: 460 mm, dimensions chamber: 490 mm x 490 mm, total dimensions: 750 mm x 570 mm x 1100 mm.	300
619	SIG Packaging Technology	SIG Packaging Technology s/s vibrating gutter, serial number: MV 1059, gutter width: 300 mm, total dimensions: 1600 mm x 800 mm x 950 mm.	300
620	NN flattener	Mobile flattener, plastic belts, belt width: 250 mm, total dimensions: 1800 mm x 650 mm x 1910 mm.	400
621	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: RCA, number: 136, year of construction: 2002, 5-7 bar, diameter pipe: 60 mm, total dimensions: 860 mm x 1060 mm x 1930 mm.	1250
622	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1270 11, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	400
623	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1268, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	400
624	Marel TVM	Marel TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 08010-00305, year of construction: 2002, weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 2350 mm x 760 mm x 2150 mm.	100
625	Schuy	Schuy mobile CIP installation with 2 s/s tanks, type: CIP, machine number: 7023, inside dimensions tanks: (2x) Ø 800 mm x 900 mm, total dimensions: 2550 mm x 1100 mm x 1950 mm.	1000
626	Sealpac	Sealpac traysealer, type: Sealpac MINI, serial number: TVG0218001, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 160 kg, dye: (2x) 210 mm x 155 mm, film width: 305 mm, total dimensions: 1000 mm x 980 mm x 1550 mm. Without vacuum pump.	80
627	Mauting	Mauting cooking and roasting chamber for 1 trolley, type: VPKM 2001 G-LL, serial number: 1138/05, year of construction: 2005, 400 V, 3 Ph, 9.5 A, 3.5 kW, weight: 1000 kg, Wieshaupt burner, type: WG10N/1A Z-LN, gas heated, dimensions: 1570 mm x 1200 mm x	3500



Nr	Title	Description	Start €
		3540 mm. Including s/s switch cabinet, dimensions: 500 mm x 400 mm x 1570 mm.	
628	Mauting	Mauting cooking and roasting chamber for 1 trolley, type: VPKM 2001 G-LL, serial number: 1139/05, year of construction: 2005, 400 V, 3 Ph, 9.5 A, 3.5 kW, weight: 1000 kg, Wieshaupt burner, type: WG10N/1A Z-LN, gas heated, dimensions: 1570 mm x 1200 mm x 3540 mm. Including s/s switch cabinet, dimensions: 500 mm x 400 mm x 1570 mm.	3500
629	Viscon	Viscon lid applicator, type: Dekselmachine, serial number 67331-430, year of construction: 2007, weight: 270 kg, plastic belt, belt width: 195 mm, lid size: 120 mm x 140 mm / 190 mm x 150 mm, total dimensions: 3800 mm x 1000 mm x 2000 mm.	300
630	Reepack	Reepack traysealer, model: Reeflex, serial number: 0402025, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 21 A, s/s chain and pin conveyor, belt width: 360 mm, distance between dividers: 440 mm, divider height: 20 mm, 2 lanes, lane width: 140 mm, film width: 400 mm, dimensions dyes: (2x) 220 mm x 140 mm, plastic outfeed belt, belt width: 420 mm, total dimensions: 3550 mm x 900 mm x 1750 mm. With additional dye, dimensions dye: (2x) 220 mm x 140 mm, and Busch vacuum pump, type: RA 0100 E 503, number: 03018852.	2000
631	Kramer + Grebe GmbH & Co.KG	Kramer + Grebe GmbH & Co.KG grinder/cutter, model: SM/ZW, number: 275/102, diameter plate: 110 mm, dimensions bowl: Ø 730 mm x 120 mm, total dimensions: 1650 mm x 1150 mm x 1140 mm. Incomplete.	1000
632	TipperTie Technopack	TipperTie Technopack clipper, type: TCV 607 VA, number: 2681.090.38, air pressure: 5 bar, dimensions: 450 mm x 370 mm x 920 mm. Including pallet with large amount of boxes with clips, type: 603 T, 1400 clips per box, dimensions pallet: 1200 mm x 800 mm x 710 mm.	1000
633	NN injector	Injector, 25 needles, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 700 mm x 1900 mm.	250
634	FDI Sambron	FDI Sambron forklift attachment, capacity: 700 kg.	50
635	Datalogic	Datalogic barcode scanner, model: DX 8210-2100, serial number: C19F01137, year of construction: June 2019, dimensions: 380 mm x 335 mm.	80
636	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S mobile injector, model: FGM 20 40, machine number: 3520 1986, s/s mesh belt, belt width: 235 mm, clearance: 280 mm x 240 mm, total dimensions: 1450 mm x 580 mm x 1880 mm.	750



Nr	Title	Description	Start €
637	Rühle GmbH	Rühle GmbH mobile dicer, model: SR1, dimensions chamber: 100 mm x 100 mm, total dimensions: 1000 mm x 680 mm x 1100 mm.	1500
638	Reflex Winkelmann GmbH	Reflex Winkelmann GmbH control unit, type: GSM 150, number: 202 153 0000, year of construction: 2008, 400 V, 50 Hz, 3.1 A, 1.1 kW, dimensions: 410 mm x 390 mm x 610 mm.	100
639	Holvrieka	Holvrieka s/s tank, fabrication number: 041.014, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	750
640	Tipper Tie technopack	Tipper Tie technopack mobile double clipper, model: KDC-A, number: 4250.087.039, year of construction: 1999, dimensions: 1200 mm x 700 mm x 1800 mm.	500
641	Tipper Tie	Tipper Tie mobile automatic double clipper, model: SAM3E, serial number: T0007097, year of construction: 04/10/1995, dimensions: 2050 mm x 1050 mm x 2050 mm. Including crate with parts.	2000
642	Spako	Spako smoking / cooking chamber, with aditec control panel, type: MRA 810, 7 floors, dimensions each floor: 695 mm x 615 mm, total dimensions: 970 mm x 840 mm x 2000 mm. Technical condition unknown.	500
643	Sepamatic	Sepamatic separator, type: SEPA 1200, machine number: 195559, 400 V, 50 Hz, 6 kW, diameter drum: 300 mm, diameter perforations: 2 mm, total dimensions: 1300 mm x 1170 mm x 1800 mm.	5000
644	NN checkweigher with labeller	Checkweigher with labeller, plastic belts, belt width: 500 mm, total dimensions: 1700 mm x 900 mm x 1670 mm.	150
645	Kramp	Kramp hydraulic unit, dimensions: 560 mm x 350 mm x 620 mm.	150
646	Kramp	Kramp hydraulic unit, dimensions: 560 mm x 350 mm x 620 mm.	150
647	Cintex LTD	Cintex LTD metal detector with 2 metal detector heads and rejecting belt, type: KHRB30, serial number: 79959, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3 A, plastic mesh belt, belt width: 300 mm, total dimensions: 2720 mm x 880 mm x 1100 mm. Damaged.	450
648	Pisces	Pisces fish filleting machine, model: FR 200, working width: 45 mm, total dimensions: 1750 mm x 950 mm x 1650 mm.	3000
649	Sperling	Sperling control panel, model: VAT 50, dimensions: 800 mm x 340 mm x 200 mm.	80
650	Alfa Laval	Alfa Laval heat exchanger, type: M6-FG, serial number: 30108-02428, year of construction: 2011, volume: 3.7 / 4.0 liter, dimensions: 1120 mm x 740 mm x 320 mm.	350
651			1250



Nr	Title	Description	Start €
	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG double table model clipper, type: DCD 600, number: 333, year of construction: 2012, dimensions: 560 mm x 360 mm x 1030 mm.	
652	NN breaker	Breaker, working width: 540 mm, total dimensions: 720 mm x 430 mm x 870 mm. Without knife.	200
653	Memmert	Memmert heating and drying oven, type: ULE 400, fabrication number: g402.0684, 230 V, 50/60 Hz, 6.1 A, 1400 W, dimensions: 550 mm x 550 mm x 670 mm.	150
654	Feltracon	Feltracon melon peeler for 6 melons, type: 61M, number: 3615-61M1, year of construction: 2009, 230/400 V, 0.6 kW, diameter each station: 105 mm, total dimensions: 1450 mm x 980 mm x 2050 mm.	1500
655	Fords Duckworth	Fords Duckworth pocket filling and sealing machine, model: 1002, serial number: 574, 240 V, 3 Ph, 50 Hz, 1.1 kW, dimensions dye: 90 mm x 40 mm, total dimensions: 1150 mm x 900 mm x 1750 mm.	1250
656	ATB	ATB motor, type: YA 200L/4A-21, number: 9116774, dimensions: 770 mm x 390 mm x 450 mm.	80
657	Cantoni	Cantoni motor, model: 3SIE 225M4, year of construction: 2022, dimensions: 950 mm x 480 mm x 570 mm.	80
658	Holvrieka	Holvrieka s/s tank, fabrication number: 041.013, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	750
659	Korimat	Korimat autoclave, type: KA160, factory number: 991608, year of construction: 1999, 230/400 V, 3 Ph, 9 kW, volume: 120 liter, dimensions: 1150 mm x 800 mm x 1250 mm.	1800
660	Lowara	Lowara centrifugal pump, type: SHS 32-160/15/D, serial number: 2013 0326 0001, capacity: 9-24 m³ per hour, dimensions: 490 mm x 250 mm x 300 mm.	120
661	Lowara	Lowara multi stage pump, type: SV3005N110T, capacity: 15-39 m³ per hour, dimensions: 1320 mm x 350 mm x 350 mm.	120
662	Lowara	Lowara centrifugal pump, type: SHS 32-160/15/D, serial number: 2013 0326 0003, capacity: 9-24 m³ per hour, dimensions: 490 mm x 250 mm x 300 mm.	120
663	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 524, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1300 mm x 720 mm x 1280 mm.	600
664	FAM	FAM vegetable slicer, type: FV, number: 10044/2013, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6 A, 2.2 kW, weight: 280 kg, working width: 120 mm, total dimensions: 1330 mm x 800 mm x 1140 mm.	2500
665	Eillert	Eillert mobile vegetable slicer, type: G3300, serial number: 382-9037, 220 V, 4.2 A, plastic belt, belt	500



Nr	Title	Description	Start €
		width: 250 mm, total dimensions: 4170 mm x 1140 mm x 1900 mm.	
666	Carrier / DWM Copeland	Carrier compressor rack consisting of 5 DWM copeland cooling compressors, model: (2x) DLSGP-40X-EWL, capacity: (2x) 22.50 m³ per hour, model: (3x) D3DS5-150X-AWM/D, capacity: (3x) 49.90 m³ per hour, dimensions: 2200 mm x 900 mm x 1700 mm.	1000
667	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: IND 439 40, fabrication number: 14003144, year of construction: 2008, 230 V, 50 Hz, maximum: 20000 gram, minimum: 200 gram, e- 10 gram, belt width: 500 mm, total dimensions: 2300 mm x 1100 mm x 1900 mm.	850
668	KTC	KTC air compressor, model: COMPACK 2 SP 90, serial number: AK100014397, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 3 kW, weight: 78 kg, maximum working pressure: 10 bar, dimensions: 1160 mm x 480 mm x 930 mm.	200
669	Crimex Compressor	Crimex Compressor mobile air compressor, type: CMV 460, fabric number: 1368 85, year of construction: 1985, stroke volume in liter per minute: 460, max pressure: 10 bar, dimensions: 1300 mm x 500 mm x 1130 mm.	200
670	Poly-clip system GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 133, year of construction: 1998, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	250
671	SIG Packaging Technology	SIG Packaging Technology s/s vibrating gutter, serial number: MV 1058, gutter width: 500 mm, total dimensions: 1800 mm x 900 mm x 1100 mm.	400
672	NN traysealer	Rotary traysealer, dimensions dye: (2x) 105 mm, total dimensions: 1600 mm x 1200 mm x 1600 mm. Missing cover.	300
675	SPXFlow	SPXFlow cylinder for scraped surface heat exchanger, dimensions: 2540 mm x 370 mm x 280 mm. Including extra parts.	150
676	Air Liquide	Air Liquide nitrogen freezing tunnel, type: ZIP-FREEZE, serial number: 712, 300 V, 111 kW, belt width: 650 mm, clearance: 670 mm x 360 mm, total dimensions: 6750 mm x 1200 mm x 1450 mm.	500
677	Foss	Foss mobile analyser, model: MeatMaster, type: 78010, serial number: 2309200501, 370-420 V, 3 Ph, 50-60 Hz, 2000 VA, plastic belt, belt width: 650 mm, total dimensions: 5350 mm x 1150 mm x 2700 mm. Screen damaged.	1500
678	GEA		2500



Nr	Title	Description	Start €
		GEA lifter for pallet boxes with safety cage, type: GEA ColumnLoader 1000S, serial number: E011270705104/8790, year of construction: 04/2021, 380 V, 3 Ph, 50 Hz, 5.2 A, 2.2 kW, capacity: 1000 kg, clearance: 1270 mm x 1100 mm x 850 mm, lifting height: 2360 mm, total dimensions: 2450 mm x 1200 mm x 4400 mm, dimensions dismantled loader: 4200 mm x 2380 mm x 1500 mm.	
679	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: C 2351, fabrication number: 1456891930010, year of construction: 2023, 230 V, 1 Ph, 50-60 Hz, 4.3 A, temperature range: 0-40 °C, weighing range: 0-15 kg, plastic belt, belt width: 450 mm, total dimensions: 850 mm x 700 mm x 1700 mm. Screen broken, already dismantled.	1000
680	Jungheinrich	Jungheinrich steel pallet lifter, type: HPT-A20, serial number: 763921006/0058, year of construction: 2015, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1550 mm x 520 mm x 1350 mm.	80
681	Marel TREIF GmbH	Marel TREIF GmbH outfeed conveyor, model: FÖRDERBAND, machine number: 048100.237072.147130, year of construction: 2021, 230 V, 1 Ph, 50/60 Hz, 1,25 A, 0.27 kW, weight: 165 kg, plastic belt, belt width: 420 mm, total dimensions: 2350 mm x 950 mm x 1200 mm.	750
682	Grunwald GmbH	Grunwald GmbH cup filling and closing machine, type: HITPAC AKH-019SE/1, number: 23/11, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 22 A, 14 kW, diameter cups: 100 mm, total dimensions: 5000 mm x 2100 mm x 2800 mm. Including pallet with parts.	2500
683	Stork	Stork mobile 45° curve conveyor, s/s mesh belt, belt width: 600 mm, total dimensions: 1550 mm x 1050 mm x 1600 mm.	650
684	Elpress	Elpress hygiene station, brush length: (2x) 1500 kg, total dimensions: 2100 mm x 1600 mm x 1500 mm.	1250
685	NN depositor	Mobile depositor, dimensions: 1500 mm x 650 mm x 1550 mm.	600
686	Zarges	Zarges mobile aluminium box, dimensions: 800 mm x 1200 mm x 620 mm.	150
687	Kern	Kern weighing scale on s/s frame, dimensions scale: 240 mm x 300 mm, total dimensions: 800 mm x 500 mm x 1750 mm.	75
688	Thompson Meat Machinery	Thompson Meat Machinery mobile paddle-mixer grinder, type: 900 M/M, serial number: 900-M41-2-08, year of construction: 2005, 415 V, 50 Hz, 9.1 A, 4 kW, inside dimensions: 500 mm x 650 mm x 500 mm, diameter plate: 100 mm, total dimensions: 1000 mm x 920 mm x 1500 mm.	650



Nr	Title	Description	Start €
689	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EVM 1001, number: 40696, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.0 A, 0.75 kW, working width: 340 mm, total dimensions: 650 mm x 700 mm x 1000 mm.	750
690	NN transport belt	Mobile transport belt, plastic belt, belt width: 500 mm, total dimensions: 1300 mm x 650 mm x 1000 mm.	400
691	Turbo Systems	Turbo Systems mobile depositor, type: Multi-4, machine number: Mul0605097, year of construction: 2005, diameter filling heads: (4x) 30 mm, total dimensions: 2000 mm x 1400 mm x 2000 mm. Serviced in 2025.	3500
692	Quiel	Quiel 2 heads depositor with transport belt, type: KDB 2, machine number: 08435, 230/400 V, 50 Hz, 6 bar, 0,7 kW, 5m3/h, bunker dimensions: 560 mm x 360 mm x 550 mm, plastic belt, belt width: 80 mm, total dimensions: 1400 mm x 1000 mm x 2100 mm.	2300
693	NIKO	NIKO can washing machine, type: 00506026, number: 40035.99, 400 V, 50 Hz, s/s mesh belt, belt width: 120mm, clearance: 190 mm x 70 mm, total dimensions: 2700 mm x 1100 mm x 1160 mm.	3400
694	ROSOMA GmbH	ROSOMA GmbH washing machine, dimensions: 1500 mm x 700 mm x 2250 mm.	900
696	Easiweigh	Easiweigh 2-lane linear weiger, type: MIDI, serial number: 980101, 980102, year of construction: 1998, lane width: (2x) 40 mm, total dimensions: 1250 mm x 800 mm x 1950 mm.	1500
697	NN transport belt	Transport belt, plastic mesh belt, belt width: 350 mm, total dimensions: 3650 mm x 800 mm x 1100 mm.	500
698	Soehnle	Soehnle weighing scale with table, indicator type: 9142, maximum: 32 kg x 1 gram, dimensions scale: 520 mm x 400 mm, total dimensions: 1220 mm x 770 mm x 1220 mm.	100
699	Soehnle	Soehnle weighing scale, dimensions scale: 520 mm x 440 mm, total dimensions: 770 mm x 630 mm x 1220 mm.	100
700	NN mesh belts	Pallet with various parts for plastic mesh belts, belt widths: 150 mm / 300 mm / 380 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	200
701	NN mesh belts	Pallet with various parts for plastic mesh belts, belt widths: 360 mm / 450 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	300
702	Uni	Pallet with various boxes with UNI-plastic chains, dimensions pallet: 1200 mm x 800 mm x 800 mm.	200
703	NN parts for transport belts	Pallet with various parts for transport belts, dimensions pallet: 1200 mm x 800 mm x 400 mm.	200
704	SEW / VEM		300



Nr	Title	Description	Start €
		Pallet with 2 SEW motors and 1 VEM motor, dimensions pallet: 1200 mm x 800 mm x 400 mm.	
705	Busch	Busch vacuum pump, type: SV 1016 C 000 IHXX, number: C0730000049, year of construction: 2007, nominal pump speed: 16 m ³ per hour, dimensions: 440 mm x 220 mm x 410 mm.	100
706	Busch	Busch vacuum pump, type: SV 1040 C 000, serial number: C1630000563, year of construction: 2016, nominal pump speed: 48 m ³ per hour, dimensions: 540 mm x 230 mm x 240 mm.	100
707	Hawe Hydraulik	Hawe Hydraulik hydraulic power pack, type: KA 44 L / H 7.2 / 400 / 460 V, 3 Ph, 50 / 60 Hz, dimensions: 540 mm x 230 mm x 240 mm.	100
708	Festo	Festo roll with air hose, model: PAN-16X2-BL-100, serial: 03 - 2019, length roll: 100 meter.	50
709	NN plastic belt	Pallet with large amount of plastic belts, belt width: 400 mm / 500 mm / 580 mm, total dimensions: 1200 mm x 800 mm x 1500 mm.	50
710	SEW-Eurodrive	4 pcs. SEW-Eurodrive motor, model: SA 47 / SA 57, 0.55 / 0.75 kW.	100
711	SEW-Eurodrive	8 pcs. SEW-Eurodrive motor, model: K 67 / SA 47 / SA 57 / R 17 / KA 19 / SA 37, total dimensions: 1200 mm x 800 mm x 400 mm.	200
712	Festo	Pallet with various Festo pneumatic parts, amongst other: hoses and cylinders, dimensions: 1200 mm x 800 mm x 400 mm.	50
713	O.G. Hoyer A/S	O.G. Hoyer A/S tray filling line, consisting of: Tray denester, plastic belts, belt width: (6x) 30 mm, 3 lanes, lane width: (3x) 150 mm, clearance: (3x) 145 mm x 145 mm, total dimensions: 1940 mm x 770 mm x 1830 mm. O.G. Hoyer A/S tray filler, type: CC2, number: 2502-1903, year of construction: 07-1987, 380 V, 3 Ph, 50 Hz, 10 kW, dimensions dye: (3x) 145 mm x 145 mm, total dimensions: 5550 mm x 1360 mm x 2600 mm. Transport belt, s/s frame, belt width: 140 mm, total dimensions: 4000 mm x 500 mm x 1050 mm. Curve conveyor, s/s frame, bel width: 140 mm, total dimensions: 2250 mm x 1700 mm x 1300 mm. 3 s/s trolleys with parts and dye's, dimensions dye: (3x) 180 mm x 120 mm, total dimensions: 1930 mm x 1000 mm x 1200 mm, 1000 mm x 760 mm x 1120 mm and 1350 mm x 730 mm x 1960 mm. 2 pallets with plastic belts, belt width: 140 mm, total dimensions: 1200 mm x 800 mm x 520 mm and 1200 mm x 800 mm x 380 mm.	5000
714	Festo / Sick	Pallet with various Festo / Sick pneumatic parts, dimensions: 1200 mm x 800 mm x 400 mm.	150
715	SEW-Eurodrive		1000



Nr	Title	Description	Start €
		10 pcs. SEW-Eurodrive motor, model: K 67 / SA 47 / SA 57 / R 17 / KA 19 / SA 37, total dimensions: 1200 mm x 800 mm x 400 mm.	
716	NN switch cabinets	Pallet with 6 various switch cabinets, dimensions: 1200 mm x 800 mm x 1000 mm.	600
717	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, serial number: T622A219000, DN 80, Q-maximum: 180 m³ per hour.	250
718	NN mesh belts	Pallet with various plastic mesh belts, belt width: 360 mm / 450 mm / 460 mm / 1200 mm, total dimensions: 1200 mm x 800 mm x 1200 mm.	500
719	Halyester	Halyester electrical switch board, dimensions: 1100 mm x 170 mm x 1000 mm.	500
720	Casomatic	2 Casomatic vibrating level forks, length: 1100 mm / 1350 mm.	200
721	NN trays	5 pallets with large amount of plastic trays, dimensions trays: 400 mm x 180 mm x 80 mm and 400 mm x 90 mm x 80 mm, total dimensions pallet: (5x) 1200 mm x 800 mm x 1200 mm.	50
722	Atlas Copco	Atlas Copco air compressor, type: GA73VSD + FF, serial number: API862991, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 37 kW, 3800 rates per minute, capacity: 7.91 m³ per minute, weight: 1043 kg, total dimensions: 1800 mm x 1100 mm x 1970 mm.	1000
723	Frascold S.P.A.	Frascold S.P.A. compressor rack, type compressor: TWIN V 30 84 Y, number: 3F000013, 50/60 Hz, 3 Ph, capacity: 83.81 / 100.58 m³ per hour, 1450 / 1740 rates per minute, total dimensions: 1800 mm x 1100 mm x 1970 mm.	950
724	Helios / Xu-Yuan	Helios / Xu-Yuan packaging, labelling, shrinking and cooling line for pots, consisting of: Helios packaging and labelling machine, model: XYL-250S, serial number: HSA-250S-026, 380 V, 3 Ph, 0.75 kW, maximum belt width: 90 mm, clearance: 130 mm x 480 mm, dimensions: 3650 mm x 1050 mm x 2250 mm. Xu-Yuan steam shrinking tunnel, model: ST-2280, number: 1201167, 380 V, 3 Ph, clearance: 200 mm x 480 mm, total dimensions: 2800 mm x 500 mm x 1150 mm. Pneumatic cooling machine for pots, clearance: dimensions: 1500 mm x 1000 mm x 2000 mm. Including transport belts with uprights, pallet with blower and pallet extra parts.	750
725	Frascold S.P.A.	Frascold S.P.A. cooling compressor, type: Z 40 126 Y, number: 3E000261, 50/60 Hz, 3 Ph, capacity: 125.72 / 150.86 m³ per hour, total dimensions: 830 mm x 480 mm x 810 mm.	750
726	Mitsubishi	Mitsubishi outside unit for airconditioning, model: SCM452D-S, serial number: 553402382, 220/230/240	100



Nr	Title	Description	Start €
		V, 50 Hz, 4.5 kW, weight: 44 kg, refrigerant: R410A, dimensions: 900 mm x 320 mm x 650 mm.	
727	Toshiba	Toshiba outside unit for air conditioning, model: RAV-182A-PE, serial number: 64580193, 220/240 V, 50 Hz, 2200 W, weight: 58 kg, dimensions: 930 mm x 320 mm x 750 mm.	100
728	NN roof ventilator	3 roof ventilators, diameter: (3x) 680 mm, height: (3x) 500 mm.	150
729	Domino GEFA	Domino GEFA valve, DN100, dimensions: 650 mm x 200 mm x 160 mm.	25
730	NN hydraulic part	Hydraulic part, dimensions: 410 mm x 200 mm x 160 mm.	25
731	J.E. StorkAir	J.E. StorkAir roof ventilator, model: VDA 450/8 EC+WS, number: 410704032, 230 V, 1 Ph, 50 Hz, 2.10 A, 0.33 kW, diameter ventilator: 900 mm, height ventilator: 630 mm.	50
732	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	1500
733	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	1500
734	CompAir Drucklufttechnik GmbH	CompAir Drucklufttechnik GmbH screw compressor, type: LS05-10, serial number: 100010234/0209, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 11.6 A, 5.5 kW, dimensions: 600 mm x 580 mm x 1000 mm.	200
735	NN smoke trolleys	3 s/s smoke trolleys, Z-profile, 4 floors, dimensions each floor: 900 mm x 900 mm, total dimensions: (3x) 900 mm x 900 mm x 1800 mm.	250
736	NN hose	Plastic hose.	5
737	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 134.0877, 380-460 V, 3 Ph, 50/60 Hz, 9.7 A, dimensions: 760 mm x 900 mm x 1620 mm.	1500
738	NN cooking vessel	Cooking vessel, inside dimensions: 540 mm x 540 mm x 500 mm, total dimensions: 840 mm x 780 mm x 860 mm.	100
739	Vemag	Vemag housing with screws for vacuum filling machine, housing number: FO 616, screw numbers: 50425 / 911310048.	200
740	CFS Tiromat	CFS Tiromat thermoformer, type: Tiromat Compact C1,2 320, serial number: 777 176 1114, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 14.93 kW, 8	1600



Nr	Title	Description	Start €
		bar, film width: 325 mm, dimensions dye: (3x) 100 mm x 85 mm, total dimensions: 5520 mm x 980 mm x 1990 mm.	
741	NN double shock freezer	Double shock freezer for 8 trolleys, consisting of: DAN-doors Sverige AB isolated door, dimensions isolated door: 2320 mm x 2200 mm, Lu-Ve evaporator with 1 fan, inside dimensions: (2x) 4100 mm x 2400 mm x 2100 mm and 2 Nordic Doors AB electric high speed shutter door, type: 300/344, year of construction: 09/11, door size: (2x) 2200 mm x 2350 mm. Dismantled. Without cooling panels.	1600
800	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 385w, serial number: 41558/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 0.88 kg, dimensions: 560 mm x 500 mm x 1340 mm. Incomplete.	50
801	larp	larp freezer, model: AB 500N JUMBO, serial number: 01BA19641, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	75
802	Liebherr	Liebherr freezer, model: GSP 3126, type: 3 6130 4, serial number: 19 149 405 3, 220-230 V, 50 Hz, 100 W, volume: 307 liter, refrigerant: R600a / 85 gram, dimensions: 680 mm x 660 mm x 1640 mm.	75
803	NN bar stools	3 wooden bar stools, dimensions: (3x) 440 mm x 410 mm x 1050 mm.	1
804	CombiSteel	CombiSteel refrigerated showcase, model: 7472.0140, serial number: 111190100, 220/240 V, 50 Hz, 0.93 A, refrigerant: R290, 0.095 kg, 8 compartments, dimensions compartments: (8x) 335 mm x 140 mm, total dimensions: 1210 mm x 850 mm x 1280 mm.	100
805	NN pasta machine	Pasta machine on rollie, dimensions: 1000 mm x 450 mm x 880 mm.	250
806	Rotodyne	Rotodyne mobile fryer, type: CV 180, number: 11372, 380/220 V, 0.87/1.5 A, gas heated, dimensions: 1600 mm x 820 mm x 1450 mm.	75
807	larp	larp freezer, model: NUCAB 150 CC/M/E, serial number: 9100615.18, 230 V, 50 Hz, 1.7 A, 200 W, gross volume: 138 liter, net volume: 88 liter, refrigerant: R290 / 0.043 kg, dimensions: 700 mm x 650 mm x 900 mm.	75
808	Winterhalter	Winterhalter dishwasher, type: GR 62/2, dimensions: 810 mm x 720 mm x 1580 mm.	40
809	Samsung	Samsung refrigerator with freezer, model: RL34ECSW, serial number: Y1JN4ADZ100436F, 220-240 V, 50 Hz, dimensions: 600 mm x 685 mm x 1775 mm. Display and frost free are not working, drawers are broken.	30
810	Gamko		150



Nr	Title	Description	Start €
		Gamko mobile refrigerated showcase, refrigerant: R12 / 0.29 kg, inside dimensions: 1280 mm x 500 mm x 180 mm, total dimensions: 1750 mm x 780 mm x 1400 mm.	
811	Gram	Gram refrigerator, type: K 181 US, serial number: 461/4, 230 V, 50 Hz, 100 W, refrigerant: R134a, 60 g, dimensions: 600 mm x 600 mm x 800 mm.	40
812	DEKO	DEKO automatic slicer, model: 834EPB STACKER, number: 12261, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 375 W, dimensions: 900 mm x 600 mm x 520 mm.	450
813	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	700
814	Liebherr	Liebherr refrigerator, model: WTS 3202, type: 2 0012 1serial number: 0989567, 220-230 V, 50 Hz, volume: 320 liter, refrigerant: R12 / 0.160 kg, dimensions: 600 mm x 600 mm x 1600 mm.	75
815	Food Service Equipment	Food Service Equipment fryer, model: FGF300, serial number: KB20181027181, year of construction: 2018, 26 kW, inside dimensions: 350 mm x 340 mm x 320 mm, total dimensions: 770 mm x 400 mm x 1200 mm.	75
816	Masan Klima San	Masan Klima San freezer, model: D 152 DFSG AC, 220-240 V, 50 Hz, 1.2 A, 200 W, refrigerant: R134a / 140 gram, dimensions: 640 mm x 590 mm x 900 mm.	75
817	Caterchef	Caterchef oven, model: 0130IU, number: 1011145, 400 V, 5.4 kW, 4 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 900 mm x 680 mm x 570 mm.	75
818	ASC Group	ASC Group mobile scaffolding, year of construction: 09-2021, maximum working height: 1815 mm, total dimensions: 2000 mm x 850 mm x 1945 mm.	75
819	Bauknecht	Bauknecht refrigerator, model: KR 325 A++WS, 220-240 V, 50 Hz, 0.8 A, volume: 325 liter, refrigerant: R600a / 0.060 kg, dimensions: 640 mm x 600 mm x 1600 mm.	75
820	Kassel	Kassel refrigerated cabinet, inside dimensions: 560 mm x 550 mm x 950 mm, total dimensions: 1000 mm x 740 mm x 1100 mm.	75
821	NN table	S/s table, dimensions: 1500 mm x 950 mm x 700 mm.	40
822	Iarp	Iarp freezer, model: AB 500N JUMBO, serial number: 04LA09838, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	75
823	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	700
824	Friulinox		40



Nr	Title	Description	Start €
		Friulinox saladette, model: Alzatina R, serial number: F200405260000034, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 1.0 A, 155 W, refrigerant: R134a, 70 gram, dimensions: 1600 mm x 300 mm x 300 mm.	
825	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 815w, serial number: 321381, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 0.950 kg, dimensions: 640 mm x 500 mm x 1470 mm. Incomplete.	50
826	NN oven	Mobile oven, inside dimensions: 550 mm x 500 mm x 800 mm, total dimensions: 1550 mm x 600 mm x 1300 mm.	200
827	Caravell	Caravell refrigerator, model: 404-020-30, serial number: 02216432, 220-240 V, 50/60 Hz, 2.97 A, refrigerant: R134a, 0.170 kg, dimensions: 700 mm x 620 mm x 1860 mm.	300
828	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 390w, serial number: 40451/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 2.22 kg, dimensions: 720 mm x 600 mm x 1470 mm. Incomplete.	50
829	NN sink	Double s/s sink with faucets, dimensions: 650 mm x 500 mm x 1350 mm.	100
830	Robejo	Robejo metal saw, dimensions: 1000 mm x 700 mm x 1630 mm.	75
831	Proftech & de Bruyn	Proftech & de Bruyn mobile salad bar, type: R290, serial number: 465427 S0112194 039, dimensions: 1330 mm x 1050 mm x 1870 mm.	100
832	Iarp	Iarp refrigerator, model: AB 500 N, serial number: 06NA16440, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	75
833	IFO	IFO heated showcase on mobile wooden counter, model: KVS-14, serial number: 108905119, year of construction: 1997, 3 floors, dimensions floors: (3x) 970 mm x 400 mm, total dimensions IFO: 1400 mm x 720 mm x 710 mm, dimensions wooden counter: 1360 mm x 940 mm x 890 mm.	100
834	Hoshizaki	Hoshizaki freezer, type: HOSHIZAKI F 410 RG L, number: 10164325, 230 V, 50 Hz, 1.01 A, 141 kW, refrigerant: R600a, 6 floors, floor dimensions: (6x) 430 mm x 480 mm, total dimensions: 650 mm x 600 mm x 1880 mm. Technical condition unknown.	100
835	Alto Shaam	Alto Shaam oven, model: VMC-H4H, serial number: 3016241-1, year of construction: 2021, 380-415 V, 3 Ph, 50/60 Hz, 10800-12700 W, 4 floors, dimensions each floor: 500 mm x 370 mm x 120 mm, total dimensions: 900 mm x 500 mm x 1100 mm.	2500



Nr	Title	Description	Start €
836	Funke	Funke plate heat exchanger, type: FP 22-23-1-NH-0 10.0 bar, serial number: 761177, year of construction: 06.2014, PS min/max: 0/10.0 bar, TS min 0.0 °C, TS max 110.0 °C, volume: 4.8 liter, dimensions: 330 mm x 350 mm x 1150 mm.	150
837	IndelB	IndelB refrigerator, serial number: 0530W181625218510149, 220/240 V, 50/60 Hz, 65 W, volume: 32 liter, refrigerant: R600a, weight: 13.2 kg, dimensions: 410 mm x 440 mm x 540 mm.	30
838	Beko	Beko dryer, model: WMB 51221, serial number: 12-601318-12, 230 V, 50 Hz, 16 A, 2200 Watt, capacity: 5 kg, dimensions: 600 mm x 450 mm x 840 mm.	30
839	Jarvis	Jarvis pneumatic leg cutter, type: 3HD SPEC, serial number: 102537, dimensions: 1100 mm x 400 mm x 200 mm.	75
840	NN drawers	5 s/s drawers, dimensions: (5x) 500 mm x 440 mm x 100 mm.	1
841	Royal Vendors	Royal Vendors vending machine, model: 8000X, serial number: 1501DK-01502, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, 0.17 kg, dimensions: 950 mm x 880 mm x 2130 mm.	125
842	Merco Savory	Merco Savory rotisserie grill on s/s trolley, model: SP-5, type: Panorama 5, 6 kW, 1 grill basket, dimensions basket: 450 mm x 160 mm, total dimensions: 860 mm x 625 mm x 1100 mm.	150
843	NN tub	Plastic tub, dimensions: Ø 500 mm x 830 mm.	1
844	NN counter	Mobile wooden bar counter, dimensions: 2380 mm x 920 mm x 1170 mm.	20
845	Liebherr	Liebherr laboratory refrigerator, model: LKUv 1610, serial number: 83.042.962.0, 220-240 V, 50 Hz, 1.0 A, refrigerant: R600a, 24 gram, volume: 130 liter, dimensions: 620 mm x 600 mm x 840 mm.	75
846	Proline	Proline air conditioning unit, model: PAC1790, serial number: 122000037, 220-240 V, 1 Ph, 50 Hz, 2.6 A, 560 W, refrigerant: R290, 0.09 kg, dimensions: 400 mm x 400 mm x 800 mm.	75
847	Liebherr	Liebherr freezer, model: GS 5203, number: 77.204.421.9, 220-230 V, 50 Hz, 220 W, refrigerant: R600a, 110 gram, volume: 520 liter, dimensions: 750 mm x 700 mm x 1700 mm.	150
848	Gram	Gram mobile laboratory refrigerator, type: ER 930 LG E 11213041, serial number: 101887221, year of construction: 2015, 230 V, 50 Hz, 2.75 A, 464 W, refrigerant: R290, 126 gram, dimensions: 1070 mm x 780 mm x 2150 mm.	450
849	Kärcher	Kärcher mobile high pressure cleaner, type: HDS 995, number: 150572, year of construction: 2002, 400 V, 3	40



Nr	Title	Description	Start €
		Ph, 50 Hz, 6.8 kW, dimensions: 1400 mm x 600 mm x 900 mm.	
850	Liebherr	Liebherr freezer, dimensions: 660 mm x 600 mm x 1850 mm.	180
851	NN switch cabinets	3 steel switch cabinets, dimensions: 550 mm x 650 mm x 220 mm, 550 mm x 950 mm x 220 mm and 550 mm x 1250 mm x 220 mm.	40
852	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH rotisserie grill, type: RT403AHR, serial number: 406-1120-1437, year of construction: 2021, 400 V, 3 Ph, 50/60 Hz, 9 A, 5 kW, dimensions: 800 mm x 730 mm x 850 mm. Without rollie.	200
853	Emga International	Emga International pie warmer, model: 680070, serial number: C012111014, year of construction: 11.2021, 230 V, 1 Ph, 50 Hz, 1840 W, dimensions: 660 mm x 400 mm x 640 mm.	80
854	NN table	2 tables, steel frame, wooden top, dimensions: (2x) Ø 1190 mm x 740 mm.	1
855	Ling Xia Yi Qi	Ling Xia Yi Qi traysealer, diameter dye: 90 mm, total dimensions: 450 mm x 250 mm x 700 mm. With 2 boxes with cups and seals.	100
856	De Jager	De Jager packaging machine, type: JADOPACK Master I, machine number: 20150326, year of construction: 2015, 220 V, 560 W, film width: 230 mm, seal: 220 mm x 170 mm, total dimensions: 730 mm x 520 mm x 450 mm.	40
857	Scale House	Scale House weighing scale, model: AFW, serial number: T76079, dimensions scale: 520 mm x 420 mm, total dimensions: 650 mm x 430 mm x 900 mm.	25
858	Nuaire	Nuaire containment ventilated enclosure, model: NU-813-400, serial number: 163035043014, year of construction: 2014, 115 VAC, 1 Ph, 60 Hz, 5 A, dimensions: 1200 mm x 700 mm x 1360 mm.	150
859	NN sink	S/s sink, dimensions: 1000 mm x 600 mm x 810 mm.	75
861	Küpperbusch	Küpperbusch 6 pits stove, type: KCN 007, 50 Hz, dimensions: 1200 mm x 860 mm x 870 mm.	150
862	Haka	Haka frying pan, type: EBT600, year of construction: 09/2014, 400 V, 3 Ph, 6 kW, dimensions: 650 mm x 600 mm x 1000 mm.	75
863	ACP, Inc.	ACP, Inc. microwave, model: DEC21E2, serial number: 1601120602, year of construction: 1/2016, 230/240 V, 1 Ph, 50 Hz, 16 A, 3100 W, inside dimensions: 300 mm x 330 mm x 170 mm, total dimensions: 580 mm x 430 mm x 350 mm.	40
864	May	2 May 2-pits induction stoves, model: PCCT-63ET, number: 19050739, 400 V, 2 Ph, 50/60 Hz, 3 kW, dimensions: (2x) 610 mm x 300 mm x 380 mm.	30
865	Aequator		50



Nr	Title	Description	Start €
		Aequator milk frother, model: Lattiz V1.2, machine number: 1021804910, 230 V, 13 A, dimensions: 510 mm x 200 mm x 590 mm.	
866	Bizerba	Bizerba tenderizer, working width: 170 mm, total dimensions: 450 mm x 210 mm x 430 mm.	200
867	Diamond	Diamond cooling tub, model: IN/BX08-PSC, serial number: 19058482210908006, 220/240 V, 1 Ph, 50/60 Hz, 1550 W, inside dimensions: 625 mm x 510 mm x 215 mm, total dimensions: 790 mm x 610 mm x 435 mm.	30
868	Handtmann	Rotor for Handtmann vacuum filling machine, model: VF 612.	250
869	Conpax	Conpax packaging machine, type: Rapidpack+, serial number: AKK 9089, year of construction: 2007, 230 V, 0.5 kW, film width: 230 mm, seal length: 170 mm x 220 mm, total dimensions: 700 mm x 490 mm x 520 mm.	40
870	NN ice machine	Ice machine, 220 V, dimensions: 620 mm x 420 mm x 430 mm.	30
871	NN mixing head	Mixing head for immersion bender, dimensions: Ø 125 mm x 500 mm.	1
872	Dahongying	Dahongying weighing scale, maximum weight: 40 kg, minimum weight: 200 gram, e=d= 5 gram, dimensions scale: 320 mm x 240 mm, total dimensions: 370 mm x 140 mm x 40 mm.	40
873	A/S Wodschow & Co	A/S Wodschow & Co mixer, model: AR005, machine number: 5723313, year of construction: 06-17, 230 V, 1 Ph, 50/60 Hz, 1.7 A, 500 W, dimensions: 370 mm x 270 mm x 450 mm. Without bowl.	5
874	Maxima	Maxima table model grinder, model: 09300445, serial number: MMM12-S597-01202410-015, 230 V, 1 Ph, 50 Hz, 750 W, weight: 23 kg, plate diameter: 70 mm, total dimensions: 440 mm x 250 mm x 460 mm.	150
875	NN soap dosing machine	S/s soap dosing system, dimensions: 450 mm x 100 mm x 310 mm.	5
876	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2319E120531, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	10
877	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2305P120585, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	10
878	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2318K120134, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	10
879	EFA	5 boxes with EFA saws for splitting saws, 10 per box, dimensions saws: 19x0.56x2904.	50
880	ReflexSystems		15



Nr	Title	Description	Start €
		ReflexSystems registration terminal, model: flex 3000 CT, 220-240 VAC, 50/60 Hz, 80 W, dimensions: 300 mm x 450 mm x 420 mm.	
881	Katrin	Katrin paper dispenser, dimensions: 270 mm x 260 mm x 370 mm.	1
882	Tippertie Technopack	Tippertie Technopack clipper, number: TC-200T-1319-362, dimensions: 360 mm x 200 mm x 810 mm.	80
883	Radwag	Radwag weighing scale with indicator and Honeywell label printer, scale model number: PUE 5.15, maximum: 15 kg, minimum: 0.100 kg, e = 0.005 kg, dimensions scale: 300 mm x 300 mm x 100 mm, dimensions indicator: 490 mm x 40 mm x 250 mm, Honeywell label printer, serial number: 31321745113, dimensions printer: 440 mm x 280 mm x 290 mm.	300
884	Carelli s.r.l.	Carelli s.r.l. s/s pallet lifter, model: K9 INOX / 20, serial number: 08F00149, year of construction: 2008, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1450 mm x 540 mm x 1220 mm.	200
885	Küpperbusch	Küpperbusch 4-pit stove, dimensions: 720 mm x 700 mm x 880 mm.	200
886	Eduard Müller & Sohne	Eduard Müller & Sohne cutter, type: MTK 30/1, machine number: 20810, 380 V, dimensions: 980 mm x 770 mm x 610 mm. With extra parts.	400
887	Wiesheu	Wiesheu combi steam oven, year of construction: 1998, 10 floors, floor dimensions: (10x) 535 mm x 320 mm, total dimensions: 920 mm x 710 mm x 930 mm.	200
888	Ideal	Ideal tenderizer, working width: 190 mm, working length: 80 mm, total dimensions: 610 mm x 510 mm x 1820 mm.	100
889	GGM Gastro	GGM Gastro mobile vacuum machine, type: VMKH-500, serial number: 2021051173, year of construction: 05/2021, 220 V, 50 Hz, 0,9 Kw, seal length: (2x) 490 mm, with vacuum pump, model: DX-020, serial number: 20210503007, capacity: 20 m³/h inside dimensions: 510 mm x 390 mm x 70 mm, total dimensions: 650 mm x 620 mm x 930 mm.	250
890	Scharfen	Scharfen slicer, type: VA4000, model: VA2000, number: 2026224, year of construction: 04/2002, 240 V, 1 Ph, 50 Hz, 4 A, 900 W, dimensions: 800 mm x 610 mm x 500 mm.	300
891	Scharfen	Scharfen slicer, type: VA4000, model: VA2000, number: 2086008, year of construction: 01/2008, 240 V, 1 Ph, 50 Hz, 4 A, 900 W, dimensions: 830 mm x 680 mm x 500 mm.	300
892	Scharfen	Scharfen slicer, dimensions: 870 mm x 620 mm x 500 mm. Technical condition unknown.	150
893	Berkel		250



Nr	Title	Description	Start €
		Berkel slicer, type: BSPGL04011A00, number: 1010S558, year of construction: 2010, 230 V, 1 Ph, 242 W, dimensions: 800 mm x 710 mm x 480 mm.	
894	Atlas Copco	Atlas Copco mobile air compressor, 220 V, 1 Ph, 50 Hz, 7.3 A, 1.1 kW, dimensions: 730 mm x 370 mm x 900 mm.	250
895	Itec	Itec hand disinfection unit, type: 23700, number: 0240, year of construction: 04/01, 230 V, 50 Hz, 0.1 kW, dimensions: 560 mm x 640 mm x 320 mm.	40
896	Tippertie Technopack	Tippertie Technopack clipper, number: PT.400.5790.212, dimensions: 1000 mm x 400 mm x 790 mm.	80
897	Memmert	Memmert incubator, type: ICP 110, fabrication number: F413.0022, 230 V, 50/60 Hz, 5.3 A, 1200 W, dimensions: 640 mm x 200 mm x 430 mm.	250
898	Maja	Maja ice machine, type: SA 70, machine number: 31752, year of construction: 2002, 230 V, 50 Hz, 3.9 A, 0.53 kW, refrigerant: R 404 / 0.7 kg, capacity: 70 kg per 24 hours, dimensions: 1000 mm x 850 mm x 1150 mm.	250
899	Wescho	Wescho mobile s/s counter with heating lamps, dimensions table: 1330 mm x 840 mm, total dimensions: 1500 mm x 840 mm x 1470 mm.	100
900	NN refrigerated showcase	S/s refrigerated showcase, 3 floors, dimensions: 800 mm x 800 mm x 1430 mm.	100
901	NN refrigerated counter	S/s refrigerated counter, dimensions: 880 mm x 750 mm x 690 mm. Incomplete, missing glass covers.	100
902	FPG World	FPG World refrigerated showcase, type: INLINE 5000, model; IL-H-BPUK-CU-1200-01, serial number: 13240, 230-240 V, 1 Ph, 50 Hz, 14.4 A, dimensions: 1200 mm x 800 mm x 1430 mm. Incomplete, missing cooling compressor.	100
903	NN candy dispenser	9 plastic candy dispenser, dimensions: (9x) 300 mm x 250 mm x 290 mm.	10
904	Stalgast	Stalgast dishwasher, model: 80157V05, serial number: P768373, year of construction: 30-06-2020, 230/400 V, 50-60 Hz, 4950 W, dimensions: 700 mm x 560 mm x 840 mm.	150
905	NN refrigerated counter	Mobile refrigerated counter, inside dimensions: 130 mm x 510 mm x 170 mm, total dimensions: 1520 mm x 870 mm x 935 mm.	100
906	Ideal	Ideal s/s refrigerated counter, type: UKW 2/1-E, serial number: Wehako 270749, year of construction: 08/04/2017, 230 V, 50 Hz, 338 W, refrigerant: R134A / 0.500 kg, inside dimensions: 660 mm x 540 mm, total dimensions: 1010 mm x 730 mm x 860 mm.	100
907	Sayl	Sayl glass display, dimensions: 920 mm x 315 mm x 210 mm.	50
908	Sunnex		20



Nr	Title	Description	Start €
		Sunnex double liquid dispenser, dimensions: 540 mm x 360 mm x 560 mm.	
909	Alex Meijer	Alex Meijer coffee machine, 220-240 V, 1 Ph, 50-60 Hz, 2250 W, dimensions: 440 mm x 240 mm x 580 mm.	10
910	NN plates for heat exchangers	Pallet with plates for heat exchanger, dimensions 1 plate: 1150 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	50
911	Sitex	Sitex fryer with counter, s/s top, inside dimensions fryer: 410 mm x 210 mm x 200 mm, total dimensions: 955 mm x 750 mm x 955 mm.	150
912	FPG World	FPG World heated showcase, type: INLINE 5000, model; IL-H-BPUK-CU-1200-01, serial number: 13240, 230-240 V, 1 Ph, 50 Hz, 14.4 A, dimensions: 1200 mm x 800 mm x 1430 mm.	100
913	FPG World	FPG World heated showcase, dimensions: 800 mm x 790 mm x 1390 mm.	100
914	NN refrigerated showcase	S/s refrigerated showcase, 3 floors, dimensions: 1130 mm x 700 mm x 1210 mm. Incomplete, missing glass cover.	100
915	FPG World	FPG World refrigerated showcase, dimensions: 1200 mm x 760 mm x 1430 mm. Incomplete, missing cooling compressor.	100
916	Ideal	Ideal s/s refrigerated counter, type: UKW 2/1-E, serial number: Wehako 268442, year of construction: 08/01/2009, 230 V, 50 Hz, 338 W, refrigerant: R134A / 0.500 kg, inside dimensions: 655 mm x 570 mm x 185 mm, total dimensions: 1000 mm x 710 mm x 850 mm.	100
917	WMF	WMF coffee dispenser on s/s trolley, type: 03.6620.0294, 230 V, 1 Ph, 50 Hz, 0.07 kW, dimensions dispenser: 650 mm x 390 mm x 700 mm, total dimensions: 700 mm x 660 mm x 1600 mm.	20
918	Carrier	Carrier mobile refrigerated showcase, model: COC22, serial number: 34000103, year of construction: 2003, 230 V, 50 Hz, 10 A, 800 W, refrigerant: R134a / 0.5 kg, dimensions: 1300 mm x 900 mm x 1000 mm.	100
919	NN light fixtures	2 s/s light fixtures used for refrigerated showcases, dimensions: 1200 mm x 410 mm x 450 mm and 1100 mm x 460 mm x 720 mm.	10
920	Mareno	Mareno 6-pits furnace, dimensions: 1200 mm x 740 mm x 880 mm.	400
921	Gram	Gram freezer, type: F1400 OPRHB, serial number: 159/12, 230/240 V, 50 Hz, 5.19 A, 1188 W, refrigerant: R404A / 410 gram, dimensions: 1380 mm x 850 mm x 2170 mm.	450
922	Imperial-Werke GmbH & Co.	Imperial-Werke GmbH & Co. 2 pits stove, type: VEHT2000, number: 26044, 400 V, 3 Ph, 50 Hz, 6.5 kW, stove dimensions: (2x) 300 mm x 300 mm, total dimensions: 900 mm x 560 mm x 900 mm.	40



Nr	Title	Description	Start €
923	Tecnodom S.P.A.	Tecnodom S.P.A. refrigerator, model: AF07EKOMTN, serial number: 201809884F, year of construction: 3/2018, 220-240 V, 1 Ph, 50 Hz, 1.7 A, refrigerant: R507/R452 / 340 gram, dimensions: 710 mm x 790 mm x 2030 mm.	350
924	Bonnet	Bonnet cooking vessel, model: B107MA6IBE.6IBE-40, year of construction: 01.14, 400 V, 3 Ph, 50/60 Hz, 10.9 A, 7.5 kW, inside dimensions: Ø 400 mm x 530 mm, total dimensions: 800 mm x 820 mm x 1020 mm.	300
925	Hupfer	Hupfer mobile plate dispenser, tray dimensions: 560 mm x 560 mm x 140 mm, total dimensions: 880 mm x 750 mm x 920 mm.	10
926	Boppas	Boppas tiltable braising pan, inside dimensions: 720 mm x 700 mm x 170 mm, total dimensions: 1270 mm x 950 mm x 900 mm.	150
927	Lido-Bertuch GmbH	Lido-Bertuch GmbH grill, number: 1043, year of construction: 7/1982, 380/220V, 2.8/3.2/6.0 kW, grill dimensions: 450 mm x 450 mm, total dimensions: 660 mm x 600 mm x 880 mm.	40
928	Sitex	Sitex fryer with counter, s/s top, inside dimensions fryer: 410 mm x 210 mm x 200 mm, total dimensions: 1750 mm x 800 mm x 1500 mm.	100
929	Veba	Veba cooling container, model: 2700KKD, serial number: 1010-07805, 12/24 V, 200 W, inside dimensions: 1200 mm x 600 mm x 830 mm, total dimensions: 1630 mm x 820 mm x 1030 mm.	500
930	Hendi Engineering BV	Hendi Engineering BV bbq grill, 21.6 kW, gas heated, dimensions grill: 1100 mm x 450 mm, total dimensions: 1260 mm x 1000 mm x 1560 mm.	200
931	Kamado Joe	Kamado Joe mobile bbq, model: KJ15040320, serial number: 102114, dimensions grill: Ø 530 mm, total dimensions: 600 mm x 700 mm x 1100 mm.	100
932	DAL MEC S.R.L.	DAL MEC S.R.L. shock freezer, model: PBC511CS, serial number: 16220029, year of construction: 2016, 220/240 V, 1 Ph, 50 Hz, 750 W, refrigerant: R507 / 850 gram, weight: 71 kg, dimensions: 680 mm x 720 mm x 880 mm.	250
933	Liebherr	Liebherr refrigerator, type: 2 3097 4, serial number: 76.346.095.0, 220/230 V, 50 Hz, 180 W, refrigerant: R 600 a, 55 g, 5 floors, floor dimensions: 520 mm x 670 mm, total dimensions: 660 mm x 750 mm x 1630 mm.	150
934	Rieberwerke	Rieberwerke mobile plate dispenser, type: RRR-2, number: 5603056, 220 V, 1340 Watt, plate diameter: 300 mm, total dimensions: 940 mm x 480 mm x 910 mm.	10
935	Smeva	Smeva refrigerator, model: G-HF400, serial number: 8102516, 230 V, 50 Hz, 0.9 A, refrigerant: R600a / 90 g,	150



Nr	Title	Description	Start €
		weight: 74 kg, dimensions: 600 mm x 600 mm x 1850 mm.	
936	Polar	Polar mobile refrigerator, model: CD616-E-02, serial number: CD616-E-02 20096329, 230 V, 50 Hz, 5.0 A, 710 W, refrigerant: R290 / 150 gr, dimensions: 1350 mm x 810 mm x 2000 mm.	450
937	Berkel	Berkel weighing scale, minimum weight: 1 kg, maximum weight: 30 kg, dimensions: 520 mm x 680 mm x 980 mm.	50
938	Butcher Boy	Butcher Boy band saw, model: B14, serial number: 2-11642, 380 V, 3 Ph, 50 Hz, 2.8 A, 1.5 kW, dimensions: 860 mm x 670 mm x 1800 mm.	150
939	BREMA Ice Makers S.p.A.	BREMA Ice Makers S.p.A. ice machine, model: IMF 80W-Q, number: 2009030442649, year of construction: 2009, 220-240 V, 50 Hz, 480 W, refrigerant: R404a / 0.390 kg, dimensions: 740 mm x 600 mm x 920 mm.	100
940	Sitex	Sitex fryer with counter, s/s top, inside dimensions fryer: 410 mm x 210 mm x 200 mm, total dimensions: 960 mm x 770 mm x 1130 mm.	100
941	NN standing tables	2 s/s standing tables, dimensions: (2x) Ø 600 mm x 1100 mm.	20
942	Red Bull	Red Bull refrigerator, model: RBI-OBC1 ECO LED, serial number: RBI-OBC1ECO LED09050637, year of construction: 05.2009, 220/240 V, 50 Hz, 0.5 A, 80 W, refrigerant: R600a, 16 g, 1 floor, floor dimensions: 200 mm x 220 mm, total dimensions: 360 mm x 300 mm x 580 mm.	35
943	Afrino	Afrino injector, dimensions: 350 mm x 210 mm x 220 mm.	100
944	Cretel	Cretel vacuum machine, type: 280, serial number: 00207335, year of construction: 05-07-2002, 230 V, 1 Ph, 50 Hz, 3 A, 0.6 kW, seal length: 275 mm, dimensions chamber: 280 mm x 345 mm x 45 mm, total dimensions: 320 mm x 460 mm x 280 mm.	200
945	Duniform	Duniform traysealer, type: DF 20, machine number: 202884, year of construction: 2006, 230 V, 50 Hz, 0.75 kW, dimensions dye: 245 mm x 145 mm, total dimensions: 620 mm x 220 mm x 220 mm.	100
946	NN transport belt	Plastic transport belt, dimensions: 880 mm x 850 mm x 560 mm.	30
947	Zanussi	Zanussi vacuum machine, model: MV35AI41, serial number: 351895, 220-230 V, 50/60 Hz, 700 W, seal length: 310 mm, dimensions chamber: 325 mm x 245 mm x 40 mm, total dimensions: 620 mm x 390 mm x 250 mm.	250
948	Multivac	Multivac vacuum machine, model: C100, machine number: 119310, year of construction: 2007, 230 V, 1	250



Nr	Title	Description	Start €
		Ph, 50 Hz, 4 A, 1.2 kW, seal length: 315 mm, dimensions chamber: 335 mm x 320 mm x 30 mm, total dimensions: 500 mm x 400 mm x 330 mm.	
949	Diamond	Diamond freezer, model: N400X-R2, serial number: 8101748137, year of construction: 2019, 230 V, 50 Hz, 1 Ph, 0.8 A, refrigerant: R-290,/82 g, 5 floors, dimensions floors: (5x) 490 mm x 500 mm, total dimensions: 690 mm x 620 mm x 1920 mm.	150
950	Samsung	Samsung microwave, type: CM1019A, 230 V, 50 Hz, 1.7 kW, 2450 MHz, inside dimensions: 350 mm x 370 mm, total dimensions: 630 mm x 470 mm x 370 mm.	40
951	Polar	Polar freezer, model: CD615, 230 V, 50 Hz, 3.5 A, 350 W, refrigerant: R134a/290 g, 6 floors, dimensions floors: (6x) 525 mm x 655 mm, total dimensions: 70 mm x 770 mm x 1900 mm.	125
952	Indesit/Galvamet	Indesit stove, model: KP 958 MS (X)/O, 5 pits, dimensions: 650 mm x 900 mm x 1000 mm with Galvamet suction hood, model: X39.P.90.	125
953	Gram Commercial A/S	Gram Commercial A/S refrigerator, type: SNOWFLAKE K 605 RGC, serial number: 10230639, year of construction: 2017, 230 V, 50 Hz, 280 W, 1.58 A, refrigerant: R290/98 g, dimensions: 8 floors, dimensions: (8x) 650 mm x 520 mm, total dimensions: 870 mm x 700 mm x 2000 mm.	125
954	MBM	MBM electric stove, model: E47, machine number: 0768460, 400 V, 3 Ph, 50 Hz, 8.2 kW, dimensions: 800 mm x 1100 mm x 1050 mm.	75
955	Bizerba	Bizerba weighing scale, number: 994205, weighing range: 2.5-30 kg, e=d= 50g, dimensions: 1250 mm x 600 mm x 250 mm.	50
956	NN roll container	Steel roll container, dimensions: 780 mm x 650 mm x 1930 mm.	10
957	Cool Head	Cool Head cooling counter with saladette, dimensions: 700 mm x 900 mm x 860 mm.	125
958	Saro	Saro refrigerating showcase, model: KATRIN, serial number: 7693012100101, year of construction: 2019, 220-240 V, 50 Hz, 160 W, refrigerant: R600a/48g, dimensions: 450 mm x 680 mm x 680 mm.	80
959	MACH	MACH dishwasher, dimensions crate: 500 mm x 500 mm, total dimensions: 620 mm x 600 mm x 800 mm.	125
960	MKN	MKN combi steamer, model: HansDampf junior, type: CJE630404 01, machine number: 06021153, 400 V, 3 Ph, 50 Hz, 5.5 kW, dimensions: 630 mm x 550 mm x 750 mm.	200
961	NN cabinet	Wooden cabinet, dimensions: 600 mm x 1400 mm x 2200 mm.	50
962	Nuaire	Nuaire containment ventilated enclosure, model: NU-813-400, serial number: 163034043014, year of	140



Nr	Title	Description	Start €
		construction: 2014, 115 VAC, 1 Ph, 60 Hz, 5 A, dimensions: 1200 mm x 700 mm x 1360 mm.	
963	Riva B.V.	Riva B.V. weighing scale, model: RCL-30, weighing range: 1g-30kg, dimensions: 300 mm x 310 mm x 130 mm.	50
964	Boska	Boska cheese slicer, knife width: 295 mm, total dimensions: 400 mm x 520 mm x 190 mm.	50
965	NN thermometer	Thermometer.	10
966	NN mozzarella slicer	Mozzarella slicer, 10 knives, distance between knives: 65 mm, total dimensions: 500 mm x 400 mm x 160 mm.	50
967	Bizerba	Bizerba slicer, dimensions: 540 mm x 570 mm x 440 mm.	160
968	Bizerba	Bizerba slicer, type: VS 12 F, number: 11037893, year of construction: 2014, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 600 mm x 740 mm x 490 mm.	180
969	Bizerba	Bizerba slicer, type: VS 12 D, number: 2122924, year of construction: 2003, 230/400 V, 3 Ph, 50 Hz, 1.9/1.38 A, 0.552 kW, dimensions: 750 mm x 590 mm x 490 mm.	600
970	Bizerba	Bizerba bandsaw, type: FK 22, machine number: 1127207, 220/380 V, 3 Ph, 50 Hz, 3.8/2.2 A, 1.080 kW, dimensions table: 410 mm x 460 mm, total dimensions: 610 mm x 480 mm x 900 mm.	250
971	Bizerba	Bizerba strip cutter, type: S 111, machine number: 1101196, 220-240 V, 50 Hz, 2.77 A, working width: 190 mm, total dimensions: 390 mm x 360 mm x 460 mm.	100
972	Burlodge	Burlodge cooled and heated food tray trolley, model: Novaflex, 2-sides 10 floors, dimensions floors: (2x) 290 mm x 320 mm, total dimensions: 800 mm x 1100 mm x 1400 mm.	80
973	NN table	S/s table, dimensions: 1900 mm x 700 mm x 950 mm.	75
974	NN washing table	S/s washing table, 1 faucet, dimensions: 1400 mm x 700 mm x 900 mm.	100
975	NN working table	S/s working table with 4 drawers, dimensions: 1200 mm x 1550 mm x 950 mm.	100
976	NN gastronorm bins	Pallet with gastronorm bins, several sizes.	100
977	NN paper dispenser	S/s paper dispenser, dimensions: 340 mm x 300 mm x 750 mm.	25
978	Oliver	Oliver traysealer, model: 1508, serial number: 159198, year of construction: 2001, 240 V, 1 Ph, 60 Hz, 3.5 A, dimensions mould: 175 mm x 125 mm, total dimensions: 700 mm x 400 mm x 400 mm.	50
979	NN slicer	Slicer, dimensions: 850 mm x 650 mm x 600 mm.	75
980	Tecnocio	Tecnocio showcase freezer, model: BABY, machine number: C15D0208, 230 V, 50/60 Hz, 0.35 kW,	50



Nr	Title	Description	Start €
		refrigerant: R404/0.19 kg, dimensions: 500 mm x 900 mm x 600 mm.	
981	NN rack	Mobile s/s rack, 4 floors, dimensions: 600 mm x 1270 mm x 1250 mm.	100
982	Elframo	Elframo dishwasher, type: C44, inside dimensions: 500 mm x 500 mm, total dimensions: 800 mm x 800 mm x 1600 mm.	450
983	Zanussi	Zanussi dishwasher, model: LS14EA/INS, serial number: 34700005, inside dimensions: 500 mm x 500 mm, total dimensions: 800 mm x 750 mm x 1500 mm.	450
984	Hobart	Hobart dishwasher, model: ECOMAX 500, serial number: 485171, year of construction: 2005, 230 V, 50 Hz, 16 A, 3.65 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 650 mm x 580 mm x 830 mm.	250
985	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407ZXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
986	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407ZXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
987	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
988	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
989	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
990	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
991	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407ZXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
992	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407ZXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
993	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
994	Beko	Beko No-Frost refrigerator/freezer, type: B5RCNA406LXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
995	Beko	Beko No-Frost refrigerator/freezer, type: B5RCNA406LXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400



Nr	Title	Description	Start €
996	NN table	Mobile s/s table, dimensions: 700 mm x 1600 mm x 700 mm.	50
997	Kolbe	Kolbe grinder, type: LW 82, serial number: 78 1172, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.25 kW, diameter plate: 85 mm, total dimensions: 450 mm x 400 mm x 460 mm.	650
998	Winterhalter	Winterhalter dishwasher, type: GS 640, serial number: 835595, 230 V, 3 Ph, 50 Hz, 22.0 A, 8.4 kW, crate dimensions: 700 mm x 600 mm x 150 mm, total dimensions: 850 mm x 750 mm x 1650 mm.	150
999	Jeros	Jeros mobile dishwasher, type: 9115, model: 91155451101100, machine number: 109353, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 11 A, 7 kW, inside dimensions: 635 mm x 815 mm, total dimensions: 800 mm x 900 mm x 1730 mm.	1250
1000	Veld Koeltechniek B.V.	Veld Koeltechniek B.V. freezer, model: JUMBO XL 650 "X" N-RVS (R), serial number: 926MC70792, 220-240 V, 50 Hz, 360 W, gross volume: 640 litres, netto volume: 570 litres, refrigerant: R507/R404A - 0.300 kg, 20 floors, dimensions floors: (20x) 500 mm x 630 mm, total dimensions: 800 mm x 800 mm x 1880 mm.	250
1001	Veld Koeltechniek B.V.	Veld Koeltechniek B.V. freezer, model: JUMBO XL 650 "X" N-RVS (R), serial number: 926MC70799, 220-240 V, 50 Hz, 360 W, gross volume: 640 litres, netto volume: 570 litres, refrigerant: R507/R404A - 0.300 kg, 20 floors, dimensions floors: (20x) 500 mm x 630 mm, total dimensions: 800 mm x 800 mm x 1880 mm.	250
1002	NN office equipment	Pallet with several pieces of office equipment which among others printers, monitors and computers.	30
1050	Rietschle	Rietschle vacuum pump, type: VCEH 250(01), number: 1575009, year of construction: 1994, capacity: 250 m ³ per hour, dimensions: 900 mm x 650 mm x 460 mm.	250
1051	NN frequency converters	Plastic pallet box with large amount of various frequency converters, dimensions: 1200 mm x 800 mm x 800 mm.	250
1052	NN transport belts	Box with plastic transport belts, belt width: 300 mm, total dimensions: 400 mm x 600 mm x 400 mm.	40
1053	NN hose reel	Hose reel with hose, dimension: 450 mm x 250 mm x 470 mm.	40
1054	Michelin	4 Michelin tyres, 195/60 R 15.	10
1055	Tramper	4 Tramper denester sets, dyes: (3x) 260 mm x 177 mm, (3x) 190 mm x 150, (3x) 240 mm x 185 mm and (3x) 190 mm x 140 mm.	10
1056	Lotzer & Mühlenbruch	Lotzer & Mühlenbruch 2 centrifugal pumps, type: LMD 0120, year of construction: 2014, capacity: 10 m ³ /h, 3 kW, dimensions: (1x) 1220 mm x 360 mm x 415 mm, (1x) 1750 mm x 280 mm x 330 mm.	100
1057	Silistra		150



Nr	Title	Description	Start €
		Silistra metal saw, type: OH 163 01, serial number: 5112, year of construction: 1978, saw length: 355 mm, total dimensions: 1100 mm x 550 mm x 1250 mm.	
1058	ZTE V. Tirnovo	ZTE V. Tirnovo chain hoist, type: KR11606-4, number: 914029, year of construction: 1989, 220/380 V, 50 Hz, 2.5/3.3 A, 0.75 kW, dimensions: 850 mm x 300 mm x 490 mm.	100
1059	Initial Hokatex	2 steel 4-door Initial Hokatex lockers, dimensions: (2x) 500 mm x 420 mm x 1900 mm. Without keys.	20
1060	Lamers	Lamers floor sweeping machine, type: 700ET, machine number: 1023, year of construction: 02.88, dimensions: 1600 mm x 900 mm x 900 mm.	50
1061	APV	Pallet with various APV valves, dimensions pallet: 1600 mm x 1000 mm x 1300 mm	100
1062	Delaval	Delaval cooling compressor with condenser, type: ASR500 SD, 360/420 V, 3 Ph, 50 Hz, dimensions: 900 mm x 940 mm x 820 mm.	150
1063	NN switch cabinet	S/s switch cabinet, dimensions: 760 mm x 320 mm x 760 mm.	100
1064	NN machine parts	Various machine parts, among others: 2 motors.	5
1065	APV	APV valve system with switch cabinet, dimensions: 1450 mm x 880 mm x 900 mm	150
1066	NN sink	S/s double sink, dimensions: 1800 mm x 600 mm x 940 mm.	100
1067	GEA / L'unite Hermetique	GEA evaporator, type: DEB 071D Decken-Luftkühler, number: P117430576, year of construction: 2002, 230 V, 1 Ph, 50/60 Hz, dimensions: 670 mm x 1050 mm x 240 mm with L'unite Hermetique cooling compressor, dimensions: 700 mm x 600 mm x 500 mm.	350
1068	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	30
1069	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	30
1070	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	30
1071	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH64/FS 75, serial number: 66023205, type cooling compressor: 2DC-3.2Y-40S, serial number: 1683007071, capacity: 13.4/16.2 m ³ per hour, dimensions: 750 mm x 700 mm x 560 mm.	400
1072	NN vacuum pump	Vacuum pump, dimensions: 1180 mm x 600 mm x 460 mm.	200
1073	NN chairs	2 Chairs, dimensions: (2x) 620 mm x 800 mm x 770 mm.	1
1074	NN table	S/s table with plastic work top, dimensions: 460 mm x 1480 mm x 850 mm.	50
1075			500



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor and condensing unit, type: 4CC-9.2Y-40S, serial number: 1678908515, capacity: 32.5/39.2 m³ per hour, dimensions: 1300 mm x 900 mm x 1000 mm.	
1076	NN office desks	2 Office desks with drawers, dimensions: 1200 mm x 800 mm x 760, 1600 mm x 800 mm x 760 mm.	10
1077	Hamilton Beach	Hamilton Beach blender with 2 s/s cups, model: 936-31S-1, 220/240 V, 50/60 Hz, 100 W, dimensions: 160 mm x 180 mm x 490 mm.	5
1078	NN wall cabinet	S/s wall cabinet, dimensions: 300 mm x 305 mm x 280 mm.	5
1079	Nederman	Nederman hose reel, model: 806458, serial number: 858, dimensions: 700 mm x 450 mm x 200 mm.	75
1080	Demag	Demag hoist, type: PK2L, fabrication number: 5118873, year of construction: 1990, 220/380 V, 50 Hz, 3.1/1.8 A, capacity: 500 kg, dimensions: 600 mm x 400 mm x 260 mm.	75
1082	Aux	Aux air conditioning, consisting of: outside unit and inside unit, type outside unit: AS-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, 2.0/2.2 kW, refrigerant: R407c / 1.96 kg, dimensions outside unit: 800 mm x 300 mm x 720 mm, type indoor unit: ASW-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, refrigerant: R407c / 1.95 kg, dimensions indoor unit: 980 mm x 230 mm x 300 mm.	150
1083	NN fan	Fan, diameter fan: 810 mm, total dimensions: 840 mm x 840 mm x 340 mm.	10
1084	NN cooling compressor	Cooling compressor, dimensions: 1270 mm x 830 mm x 700 mm.	150
1085	Air-Wolf	Pallet with 17 boxes with Air-Wolf soap dispensers and s/s sinks, dimensions each dispenser: 290 mm x 110 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 1850 mm.	300
1086	Busch	Busch vacuum pump, type: RA 0400 B 4ZI DUZZ, number: C0408000023, capacity: 400 m³ per hour, dimensions: 1400 mm x 900 mm x 1200 mm.	1000
1087	NN heater	Heater, electrically heated, dimensions: 800 mm x 400 mm x 800 mm.	5
1088	Flamco	Flamco expansion vessel, type: Flexcon Premium 80, dimensions: ø 450 mm x 500 mm.	20
1089	Kohlhoff	Kohlhoff sole cleaner, type: SORM/H, number: 1024, 400 V, 3 Ph, 50 Hz, 0.09 kW, brush length: 150 mm, total dimensions: 650 mm x 550 mm x 1120 mm.	150
1090	Rudolf	Rudolf mobile compressor, type: Stroccomp 865, machine number: VKM-865-016, year of construction: 2014, 230 V, 2 Ph, 50 Hz, 2.2 kW, dimensions: 920 mm x 550 mm x 640 mm.	100



Nr	Title	Description	Start €
1091	Rudolf	Rudolf mobile compressor, type: Strocomp 865, 230 V, 2 Ph, 50 Hz, 2.2 kW, dimensions: 920 mm x 550 mm x 640 mm.	100
1092	SEW	Pallet with 5 SEW motors, dimensions: 1200 mm x 800 mm x 450 mm.	50
1093	L'Unite Hermetique	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CAET4440Y HR, serial number: 06F01 195956 3B66230202, 220/240 V, 1 Ph, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 650 mm x 630 mm x 460 mm.	150
1094	Bock Compressors	Bock Compressors cooling compressor, type: HGX4/465-4S, number: AL11055A008, capacity: 40.5/48.6 m³ per hour, dimensions: 750 mm x 400 mm x 400 mm.	150
1095	Ziehl-Abegg	Ziehl Abegg fan, diameter fan: 640 mm, dimensions: 800 mm x 800 mm x 250 mm.	40
1096	Leister	Leister blower, type: G63A21D, number: 725205388, 60 Hz, 1.38/0.8 A, 0.3 kW,	50
1097	Lenze	Lenze motor, dimensions: 250 mm x 140 mm x 200 mm.	20
1098	Reflex Winkelmann GmbH	Reflex Winkelmann GmbH control unit, type: GSM 150, number: 202 153 0000, year of construction: 2008, 400 V, 50 Hz, 3.1 A, 1.1 kW, dimensions: 410 mm x 390 mm x 610 mm.	100
1099	Lotus	3 Lotus soap dispensers, dimensions: (3x) 110 mm x 110 mm x 300 mm.	5
1100	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854189, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	200
1101	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854190, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	200
1102	NN centrifugal pump	Centrifugal pump, dimensions: 1200 mm x 510 mm x 400 mm.	50
1103	Güntner / L'unite Hermetique	Güntner evaporator, type: GDF 30B/17-E, year of construction: 1998, dimensions: 500 mm x 800 mm x 240 mm with L'unite Hermetique cooling compressor, dimensions: 550 mm x 600 mm x 500 mm.	350
1104	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 550 mm x 600 mm x 500 mm.	100
1105	Saft Nife		75



Nr	Title	Description	Start €
		Saft Nife battery charger, type: 24SPR50-34A, serial number: 51152, 230 V, 1 Ph, 50 Hz, 12.2 A, dimensions: 410 mm x 310 mm x 1070 mm.	
1106	NN hoist	Chain hoist, dimensions: 400 mm x 300 mm x 300 mm.	30
1107	NN smoke sticks	S/s trolley with approximately 250 s/s Y-shape smoke sticks, length: 1000 mm, dimensions trolley: 950 mm x 500 mm x 870 mm.	500
1108	Busch	Busch vacuum pump, type: RA 0305 D 5H2 DIXX, number: C0603000703, capacity: 300 m³/h, dimensions: 1000 mm x 600 mm x 400 mm.	600
1109	Busch	Busch booster vacuum pump, type: WV 0500 B 001 KAXX, number: C0602000526, capacity: 500 m³/h, dimensions: 900 mm x 300 mm x 300 mm.	350
1110	Busch	Busch booster vacuum pump, type: PANDA WV 1000, serial number: 2052, year of construction: 1991, dimensions: 1000 mm x 500 mm x 500 mm.	300
1111	Elpress	Elpress soap mixing unit, dimensions: 500 mm x 200 mm x 550 mm.	100
1112	Busch	Busch vacuum pump, type: KB 0040 D IZ0, number: 130043249, year of construction: 2013, capacity: 40 m³/h, dimensions: 450 mm x 280 mm x 450 mm.	150
1113	Rietschle	Rietschle vacuum pump, type: VWP 1000 (05), number: 2060848, year of construction: 1999, capacity: 1072 m³/h, dimensions: 1000 mm x 350 mm x 600 mm.	350
1114	Busch	Busch vacuum pump, type: CB 0250, serial number: 15062301, year of construction: 2015, capacity: 300 m³/h, dimensions: 1100 mm x 500 mm x 700 mm.	350
1115	Busch	Busch vacuum pump, type: CB 0250 B, serial number: 060092408, year of construction: 2006, capacity: 300 m³/h, dimensions: 1100 mm x 450 mm x 550 mm	250
1116	Busch	Busch vacuum pump, type: CB 0250, serial number: 15062202, year of construction: 2015, capacity: 300 m³/h, dimensions: 1150 mm x 450 mm x 550 mm.	350
1117	Busch	Busch vacuum pump, type: CB 0250 B, serial number: V16440074, year of construction: 2016, capacity: 250 m³/h, dimensions: 1100 mm x 450 mm x 500 mm.	350
1118	Frascold	Frascold cooling compressor, type: V 15 59 Y, number: 3D000128, dimensions: 1150 mm x 400 mm x 700 mm.	200
1119	Frascold	Frascold cooling compressor, type: Z 40 126 Y, number: 3G000043, dimensions: 1300 mm x 600 mm x 1200 mm.	300
1120	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4P.2Y, serial number: 1679015160, dimensions: 1200 mm x 900 mm x 800 mm.	200
1121	SEW-Eurodrive	Pallet with 10 SEW-Eurodrive electromotors.	300



Nr	Title	Description	Start €
1122	Fenner Fluid Power	Fenner Fluid Power hydraulic power unit, serial number: 9410068.	100
1123	NN switch cabinet	Steel switch cabinet, dimensions: 3600 mm x 500 mm x 2200 mm.	950
1200	LG	LG television, model: 42PX4RV, serial number: 508MAYY38330, 100-240 V, 50/60 Hz, dimensions: 1250 mm x 300 mm x 710 mm. Technical condition unknown.	10
1201	Pomac B.V.	Pomac B.V. centrifugal pump, dimensions: 750 mm x 400 mm x 460 mm.	75
1202	Pedrollo	Pedrollo irrigation pump, type: JSW 3AL, year of construction: 09-03, 220-230 / 380-400 V, 3 Ph, 50 Hz, 9 / 5.2 A, 2.2 kW, capacity: 10-160 liter/minute, dimensions: 550 mm x 250 mm x 375 mm.	20
1203	NN electro motor	Electro motor, 380 V, 3 Ph, 50 Hz, 9.6 A, 0.85 kW, dimensions: 750 mm x 280 mm x 390 mm.	15
1204	NN electric parts and fuses	Pallet with large amount of electric parts and fuses, dimensions: 1200 mm x 800 mm x 650 mm.	25
1205	NN frequency converters	Wooden pallet box with large amount of various frequency converters, dimensions: 1100 mm x 800 mm x 800 mm.	100
1206	Fristam	Fristam centrifugal pump, type: FPE 3522 B, number: 42842156, dimensions: 720 mm x 370 mm x 500 mm.	50
1207	Daikin Europe NV	Daikin Europe NV condensing unit for air conditioning, model: RY22DA7V19, number: 3611374, year of construction: 1996, 220/240 V, 1 Ph, 50 Hz, 5.5/6.1 A, 1.1/1.2 kW, refrigerant: R22, 0.85 kg, dimensions: 750 mm x 300 mm x 550 mm.	10
1208	Altrex	Altrex ladder, PRO+, dimensions: 480 mm x 140 mm x 3300 mm.	150
1209	NN parts	Pallet with various workplace inventory parts, dimensions: 1200 mm x 800 mm x 600 mm.	40
1210	Smartsorb	Pallet crate with 12 Smartsorb absorption granules, (12x) 25 liter, dimensions: 1200 mm x 800 mm x 530 mm.	50
1211	Swedic	Swedic welding, air compressor and generating tool, model: PWC7.0-200A, aggregate 230 V, welding machine 200 A, air compressor 7 Bar, dimensions: 850 mm x 600 mm x 950 mm. Never used.	750
1212	Boge	Boge air compressor, type: SK 46, number: 5019460, year of construction: 2007, 11 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	100
1213	Fetch	Fetch compressor, type: D21828, serial number: 00476, year of construction: 08-2008, 220 V, 1 Ph, 50 Hz, 1.1 kW, 8 bar, volume: 25 liter, dimensions: 600 mm x 250 mm x 370 mm. Technical condition unknown.	25



Nr	Title	Description	Start €
1214	Alup-Kompressoren GmbH	Alup-Kompressoren GmbH air-dryer, model: DTE 300, serial number: 023/15814/26, 220-230 V, 1 Ph, 50 Hz, 16 A, 0.82 kW, refrigerant: R134a 0.95 kg, dimensions: 600 mm x 600 mm x 910 mm.	30
1215	NN sink	S/s sink, sensor operated, dimensions: 450 mm x 410 mm x 700 mm.	20
1216	Itec	Itec s/s sink, sensor operated, with soap dispenser and 1 paper dispenser, dimensions: 600 mm x 470 mm x 1380 mm.	40
1217	Itec	Itec s/s sink, sensor operated, with soap dispenser, dimensions: 600 mm x 470 mm x 620 mm.	40
1218	Kis	Kis cabinet, model: Up, dimensions: 680 mm x 390 mm x 930 mm, dimensions box: 800 mm x 400 mm x 300 mm.	10
1219	Kis	Kis cabinet, model: Up, dimensions: 680 mm x 390 mm x 1730 mm, dimensions box: 800 mm x 400 mm x 200 mm.	10
1220	Wörstahl	Wörstahl wet-dry vacuum cleaner, model: WT007, dimensions: 545 mm x 505 mm x 1055 mm.	75
1221	Itec	2 Itec s/s sinks, sensor operated, with soap dispenser, paper dispenser and 1 knife sterilizer, dimensions: (2x) 600 mm x 470 mm x 1380 mm.	80
1222	Kis	Kis cabinet, model: Excellence, dimensions: 650 mm x 450 mm x 1810 mm, dimensions box: 800 mm x 400 mm x 550 mm.	10
1223	NN switch cabinet	Switch cabinet with power sockets, dimensions: 700 mm x 300 mm x 1100 mm.	50
1224	NN workbench	Wooden workbench, steel frame, 2 steel vises, dimensions: 1500 mm x 800 mm x 800 mm.	75
1225	Husqvarna	Husqvarna leaf blower, model: 125BV, dimensions: 950 mm x 350 mm x 200 mm.	25
1226	Stiga S.p.A.	Stiga S.p.A. leaf blower, type: BL 260H, serial number: 306HU301198- 255026002, year of construction: 2013, dimensions: 1100 mm x 310 mm x 360 mm.	25
1227	Fighter	Fighter battery sprayer, volume: 16 litres.	40
1228	StahlKaiser	StahlKaiser retractable air hose, dimensions: 390 mm x 200 mm x 360 mm.	40
1229	ToolCraft	ToolCraft 61 piece ratchet tool set, dimensions: 300 mm x 70 mm x 230 mm.	25
1230	ToolCraft	ToolCraft 61 piece ratchet tool set, dimensions: 300 mm x 70 mm x 230 mm.	15
1231	Kratos	Kratos balancer, serial number: AJ 1600057, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	10
1232	Kratos	Kratos balancer, serial number: AJ 1600058, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	10



Nr	Title	Description	Start €
1233	KIS	KIS plastic cabinet, dimensions: 680 mm x 390 mm x 1730 mm, box dimensions: 800 mm x 400 mm x 300 mm.	10
1234	Kawasaki	Kawasaki cordless drill, model: K-AK 20-2 XR PRO, dimensions: 410 mm x 280 mm x 100 mm.	80
1235	Skandia	4 Skandia plastic tool cases, dimensions: (4x) 350 mm x 200 mm x 120 mm.	1
1236	Danfoss	Danfoss frequency converter, model: VLT, serial number: 018404G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	100
1237	UltraToolz	UltraToolz tool trolley, 399 pieces, dimensions: 380 mm x 210 mm x 530 mm.	100
1238	Boxer	Boxer rotary hammer, model: SR-087, 230 V, 50 Hz, 3150 W, dimensions: 430 mm x 120 mm x 320 mm.	20
1239	Onex	Onex cordless drill, model: OX-1532, 14.4 V, dimensions: 260 mm x 230 mm x 80 mm.	20
1240	Boxer Tools	Boxer Tools rotary hammer, 230 V, 50 Hz, 3150 W, 0-1100 r/min, dimensions: 420 mm x 310 mm x 120 mm.	30
1241	Onex	Onex cordless drill, model: OX-1532, 14.4 V, dimensions: 260 mm x 230 mm x 80 mm.	20
1242	Champion	Champion circular saw, model: CP-1066, 220 V, 50 Hz, 2400 W, dimensions: 320 mm x 240 mm x 215 mm.	20
1243	NN storage bin organizer	Plastic storage bin organizer, dimensions: 600 mm x 70 mm x 115 mm.	1
1244	Tronic	Tronic CCTV system with 4 camera's, dimensions: 280 mm x 180 mm x 260 mm.	50
1245	Allit	Allit empty plastic tool case, dimensions: 400 mm x 300 mm x 150 mm.	1
1246	Schwartzmann	Schwartzmann retractable air hose, dimensions: 540 mm x 290 mm x 505 mm.	40
1247	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 60 mm.	2
1248	Royalty Line	Royalty Line mobile wet-dry vacuum cleaner, model: WDCV-30, 220-240 V, 50/60 Hz, 1200 W, dimensions: 320 mm x 350 mm x 550 mm.	25
1249	Matrix	Matrix hammer drill, model: EHD 1200-2, serial number: 19-0567/00136, year of construction: 08-2019, 230 V, 50 Hz, 1200 W, dimensions: 400 mm x 330 mm x 120 mm.	60
1250	Zincline	Zincline sander polishing brush, dimensions: 260 mm x 200 mm x 170 mm.	40
1251	Komatsu Zenoah Co.	Komatsu Zenoah Co. bush trimmer, type: BC250, serial number: 6030679, year of construction: 2006, engine type: GT25N, 2 stroke, gasoline powered, dimensions: 1800 mm x 340 mm x 250 mm.	30
1252	Stanley		60



Nr	Title	Description	Start €
		Stanley electric fan heater, model: ST-23-240-E, serial number: SEFH-22-06-00013, 220-240 V, 50 Hz, 3000 W, dimensions: 220 mm x 290 mm x 320 mm.	
1253	Aertec	Aertec sealant gun, model: DP310-PRO, 6.3 bar, weight: 1 kg, dimensions: 370 mm x 140 mm x 60 mm.	8
1254	Labomess	Case with Labomess PH-Meter, model: P 600, range: 0 - 14 pH, range: 0.01 pH, dimensions: 270 mm x 230 mm x 90 mm.	40
1255	Euromax	Euromax coffee machine, type: President espresso, dimensions: 270 mm x 340 mm x 310 mm.	2
1256	Steinel	Steinel hot air gun, 230 V, 1800 W, dimensions: 250 mm x 280 mm x 100 mm. Technical condition unknown	8
1257	Centurius	Centurius tool box, dimensions: 420 mm x 300 mm x 120 mm.	60
1258	Yokota	Yokota balancer, model: TW-0, capacity: 0.5-1.5 kg, dimensions: Ø 140 mm x 50 mm.	8
1259	Avtech	2 Avtech security cameras, dimensions: 240 mm x 120 mm x 410 mm and 260 mm x 90 mm x 220 mm.	25
1260	Erro tools	Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	8
1261	Kawasaki	Kawasaki rotary hammer, model: K-EHD 900, serial number: 18-0857/00448, year of construction: 2018, 220-240 V, 50 Hz, 900 W, dimensions: 350 mm x 250 mm x 110 mm.	60
1262	Kärcher	Kärcher wet-dry vacuum cleaner, dimensions: 650 mm x 470 mm x 980 mm.	50
1263	NN pallet rack	Steel pallet rack, 5 uprights, dimensions: (5x) 2000 mm x 810 mm, 30 beams, length: (30x) 2020 mm.	50
1264	Kärcher	Kärcher wet-dry vacuum cleaner, type: WD 3, serial number: 084852, 220-240 V, 50-60 Hz, 1000 W, volume: 17 litres, dimensions: 370 mm x 310 mm x 500 mm.	10
1265	Centurius	Centurius tool trolley with large amount of tools, dimensions: 780 mm x 470 mm x 970 mm.	100
1266	Schwartzmann	Schwartzmann tool trolley with large amount of tools, dimensions: 770 mm x 460 mm x 880 mm.	250
1267	Midori	Midori cut-off machine, type: MJ-1091, 220 V, 50 Hz, 3850 W.	75
1268	Centurius	Centurius 92 pieces tool set.	50
1269	Schwartzmann	Schwartzmann plastic auto hose reel, hose length: 30+2 meters, weight: 14 kg, dimensions: 540 mm x 290 mm x 505 mm.	25
1270	UltraToolz	UltraToolz diesel generator, type: TP6500DGS/3, 220/380 V, 50 Hz, dimensions: 900 mm x 520 mm x 700 mm.	250
1271	Dibo		100



Nr	Title	Description	Start €
		2 Dibo high pressure cleaners, type: H 1900, serial number: 090600092, year of construction: 2009, 230V, 50 Hz, 2.1 kW, 130 bar, 6.8 l/min, dimensions: (2x) 420 mm x 310 mm x 850 mm. Including 1 high pressure lance and 4 spare lance attachments, 1 wheel is broken.	
1272	Eurom	Eurom high pressure cleaner, model: Force 2000 Plus, number: 135381, 220/240 V, 1 Ph, 50 Hz, 2000 W, weight: 10 kg, dimensions: 870 mm x 340 mm x 330 mm.	150
1273	ASC Group	ASC Group stairs, 4 steps on each side, dimensions: 440 mm x 200 mm x 1320 mm.	25
1274	NN hygiene equipment	Pallet with hygiene equipment, among others: shoe covers, plastic bags and paper dispenser.	50
1275	Lapp	Lapp control cable, type: ÖLFLEX CLASSIC 110 CY 4G2.5, dimensions: ø 900 mm x 480 mm.	500
1276	ECO Refrigerazione	ECO Refrigerazione s/s evaporator, 2 fans, model: CTE034L8ED, dimensions: 1020 mm x 550 mm x 420 mm.	150
1277	Busch	Busch vacuum pump, type: RA 0305 D 5Z1 QMXX, number: C0741000490, year of construction: 2007, capacity: 300 m³/h, dimensions: 1200 mm x 500 mm x 420 mm.	1000
1278	Busch	Busch vacuum pump, type: RA 0302 D 503, serial number: C1516000130, year of construction: 2015, capacity: 300 m³/h, dimensions: 1030 mm x 500 mm x 420 mm.	500
1279	NN valves	Pallet with valves.	100
1280	SEW-Eurodrive	Pallet with 5 electro motors of which among others SEW-Eurodrive.	250
1281	Grundfos	Pallet with 3 Grundfos circulation pumps.	300
1282	TECHFOOD	TECHFOOD commercial crepe maker 30cm, model: 8804000049, serial number: 5193, year of construction: 2018, 230 Vac, 50/60 Hz, 1.8 kW, dimensions: 350 mm x 510 mm x 320 mm.	300
1283	Gemini	Gemini Nespresso coffee machine, type: CS 100 PRO, dimensions: 430 mm x 210 mm x 360 mm.	25
1284	NN chafing dish	Chafing dish, dimensions: 650 mm x 360 mm x 150 mm.	50
1285	Buffalo	Buffalo double grill, model: L537-B-E-03, serial number: 201807001772, 230 V, 50 Hz, 2900 W, dimensions: 480 mm x 400 mm x 240 mm.	75
1286	Sanomat B.V.	Sanomat B.V. whipped cream machine, type: Euro Plus S Auto, number: 4537, 230 V, 50 Hz, 850 W, refrigerant: R134a/75 g, dimensions: 580 mm x 300 mm x 560 mm.	350
1287	VITA-MIX		600



Nr	Title	Description	Start €
		VITA-MIX XL blender, model: VM0146, 1hp blender, dimensions: 460 mm x 210 mm x 500 mm.	
1288	Metro	Metro refrigerator, type: GPC1046, dimensions: 480 mm x 430 mm x 500 mm.	50
1289	ABAC	ABAC air compressor, model: POLE POSITION 015, volume: 24 litres, capacity: 8 bar.	100
1290	ABAC	ABAC air compressor, model: POLE POSITION 015, volume: 24 litres, capacity: 8 bar.	100
1291	SEW-Eurodrive	Pallet with large amount of SEW-Eurodrive electromotors.	400
1292	DMW Copeland	DMW Copeland cooling compressor, model: D3DA4-50X-AWM/D, serial number: 1324398, dimensions: 1000 mm x 1000 mm x 940 mm.	400
1293	Nilfisk	Nilfisk floor scrubbing machine, model: CA 340, serial number: 045217049, dimensions: 480 mm x 950 mm x 1060 mm.	450
1294	NN quad	Quad, 4-stroke engine, single cylinder, air-cooled, dimensions: 720 mm x 1300 mm x 770 mm.	500
1295	Centurius	Centurius tool trolley, dimensions: 760 mm x 460 mm x 870 mm.	150
1296	Röwac	Röwac welding machine, type: KGL 300, number: 3001232, dimensions: 410 mm x 780 mm x 740 mm, 410 mm x 1050 mm x 760 mm.	250
1297	Greenstar	Greenstar plastic hose reel, type: GS-WG125-AUTO, length hose: 12.5 meters.	25
1298	Greenstar	Greenstar plastic hose reel, type: GS-WG125-AUTO, length hose: 12.5 meters.	25
1299	Greenstar	Greenstar plastic hose reel, type: GS-WG125-AUTO, length hose: 12.5 meters.	25
1300	Greenstar	Greenstar plastic hose reel, type: GS-WG125-AUTO, length hose: 12.5 meters.	25
1301	Aspera	Aspera cooling compressor, model: UJ2192G, 220/240 V, 1 Ph, 50 Hz, refrigerant: R404, dimensions: 530 mm x 760 mm x 360 mm.	350
1302	NN quad	Quad, dimensions: 720 mm x 1300 mm x 770 mm.	500
1303	NN pallet rack	Pallet rack, 2 uprights, dimensions: (2x) 2000 mm x 810 mm, 6 beams, length: (6x) 1500 mm.	50
1304	HELI	HELI electric pallet lifter, model: GBD15J, serial number: 08015JFJ217, year of construction: 2024, capacity: 1500 kg, fork length: 1150 mm, total dimensions: 1550 mm x 560 mm x 1220 mm.	350
1305	BULL TECH	BULL TECH automatic dimming welding helmet.	25
1306	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 30 mm.	20
1307	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 30 mm.	20
1308	Black&Decker		75



Nr	Title	Description	Start €
		Black&Decker combi drill, type: EPC188, 18V, dimensions: 340 mm x 310 mm x 100 mm.	
1309	NN cable reel	Cable reel with 10 meters of Vinyl cable.	25
1310	Boxer	Boxer digital hanging scale, weighing range: 0.1-200kg.	30
1311	Boxer	Boxer digital hanging scale, weighing range: 0.1-500kg.	30
1312	Stahl Kaiser	Stahl Kaiser tool set, 26 pieces.	25
1313	Metabo	Metabo mitre saw.	60
1314	BULL TECH	BULL TECH automatic dimming welding helmet.	25
1315	Maginon	Maginon radio, type: BR-10.	30
1316	Stahl Kaiser	Stahl Kaiser tool set, 17 pieces.	20
1317	ZECA	ZECA plastic hose reel with 8 meters hose.	50
1318	Metabo	Metabo eccentric sander.	50
1319	MAXX	MAXX pneumatic angle grinder.	50
1320	NOVUS	NOVUS stapler.	30
1321	Bosch	Bosch electric drill.	75
1322	Champion	Champion electric angle grinder, type: CP-119.	40
1323	Champion	Champion electric angle grinder, type: CP-119.	40
1324	Zincline	Zincline waxing and polishing brush, dimensions: 260 mm x 200 mm x 170 mm.	75
1325	NN bench vice	Steel bench vice.	20
1326	UltraToolz	UltraToolz tool trolley, 399 pieces, dimensions: 380 mm x 210 mm x 530 mm.	75
1327	RIDGID	RIDGID digital inspection camera, model: microEXPLORER, dimensions: 480 mm x 240 mm x 110 mm.	50
1328	ONEX	Onex cordless drill, model: OX-1532, 14.4 V, dimensions: 260 mm x 230 mm x 80 mm.	75
1329	ONEX	Onex cordless drill, model: OX-1532, 14.4 V, dimensions: 260 mm x 230 mm x 80 mm.	75
1330	NN inspection light	Inspection light.	30
1331	Rioned	Rioned sewer inspection camera, type: Sanicam +, serial number: 0160, year of construction: 2017.	50
1332	Atal	Atal carbon dioxide measurement device.	50
1333	BAIER	BAIER diamond drill, type: BDB 825.	75
1334	Eurom	Eurom high pressure cleaner, model: Force 2000 Plus, 220/240 V, 1 Ph, 50 Hz, 2000 W, weight: 10 kg, dimensions: 870 mm x 340 mm x 330 mm.	80
1335	Kraft Royal	Kraft Royal gasoline generator, type: PS9000.	150
1336	Makita	Makita centrifugal pump, type: EW2051H, capacity: 700 litres/min.	250
1337	Hankook	Inter Action Sirius Shiny Black 15 inch Alloy wheels with Hankook Winteri*cept winter tires, size: 185/60R15, tread depth: (2x) 7mm and (2x) 6,5 mm.	150
1350	NN trolley	S/s mobile trolley, dimensions: 1000 mm x 900 mm x 1250 mm.	100
1351	NN crates		160



Nr	Title	Description	Start €
		Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	
1352	NN crates	Pallet with 57 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1300 mm x 900 mm x 1800 mm.	120
1353	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1354	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1355	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1356	NN crates	Pallet with 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 2400 mm x 1200 mm x 2400 mm.	480
1357	MKM	MKM elevating belt, serial number: 01, year of construction: 2015, 400 V, plastic belt with dividers, belt width: 400 mm, divider height: 50 mm, distance between dividers: 150 mm, elevating height: 1650 mm, total dimensions: 1600 mm x 700 mm x 1800 mm.	250
1358	MKM	MKM mobile transport belt, serial number: 001, year of construction: 2015-03, 400 V, plastic belt, belt width: 260 mm, total dimensions: 1500 mm x 550 mm x 950 mm.	250
1359	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1360	Cabinplant	Cabinplant mobile elevating belt, plastic belt with dividers, belt width: 340 mm, divider height: 100 mm, distance between dividers: 220 mm, elevating height: 2800 mm, total dimensions: 3700 mm x 1400 mm x 2900 mm.	750
1361	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1362	NN crates	Pallet with 100 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	200
1363	Frigotronic	Frigotronic chiller, type: HZB-WU-CSH 8561 ECO, number: 0024900, year of construction: 08/2007, 230/400 V, 3 Ph, 50 Hz, 93.75 kW, weight: 2.742 kg, refrigerant: R507/247.65 kg, dimensions: 2500 mm x 1500 mm x 1550 mm.	950
1364			300



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS76, serial number: 1676702501, type cooling compressor: 2CES-3Y-40S, serial number: 1696313488, capacity: 16.2/19.4 m ³ per hour, dimensions: 900 mm x 1070 mm x 930 mm.	
1365	NN rack	S/s mobile rack, 7 floors, dimensions: 830 mm x 570 mm x 1670 mm.	150
1366	Silensys	Silensys condenser with L'unite Hermetique cooling compressor, 220-240 V, 50 Hz, 6 A, refrigerant: R404A, dimensions: 850 mm x 500 mm x 820 mm.	100
1367	Carrier	Carrier condenser, number: K3371, refrigerant: R407, dimensions: 1120 mm x 1000 mm x 830 mm.	150
1368	Packo	Packo, cooled tub with agitator, dimensions: 1850 mm x 950 mm x 1260 mm.	350
1369	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG roof condenser, 3 fans, dimensions: 4500 mm x 1170 mm x 950 mm.	500
1370	NN table	S/s table with plastic cutting board, dimensions: 3550 mm x 1850 mm x 850 mm.	450
1371	NN roller conveyor	Electric driven roller conveyor, s/s rollers, roller width: 600 mm, total dimensions: 2100 mm x 1120 mm x 980 mm.	500
1372	Tecumseh	Cabinet with 3 Tecumseh cooling compressors, model: TFHP4540X, refrigerant: R507, dimensions: 2400 mm x 750 mm x 800 mm.	250
1373	Eberhardt GmbH	Eberhardt GmbH cooking trolley, 10 floors, dimensions: 1000 mm x 1000 mm x 1980 mm.	200
1374	Eberhardt GmbH	Eberhardt GmbH cooking trolley, 10 floors, dimensions: 1000 mm x 1000 mm x 1980 mm.	200
1375	NN smoke trolleys	4 s/s smoke trolleys, 6 floors each, dimensions floors: 1000 mm x 970 mm, total dimensions: (4x) 1000 mm x 1020 mm x 2000 mm.	300
1376	NN trolley	S/s trolley, 13 floors, dimensions: 570 mm x 380 mm x 1750 mm.	100
1377	NN smoke trolleys	4 s/s smoke trolleys, 6 floors each, dimensions floors: 1000 mm x 970 mm, total dimensions: (4x) 1000 mm x 1020 mm x 2000 mm.	300
1378	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	150
1379	NN evaporator	Evaporator, 2 fans, dimensions: 3600 mm x 1150 mm x 780 mm.	200
1380	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	150
1381	Daikin	Daikin condenser, model: JEHSCU0200CM3, serial number: N00353, year of construction: 2018/04, 380-415 V, 3 Ph, 50 Hz, 3.5 A, refrigerant: R404A/	300



Nr	Title	Description	Start €
		R407A/R407F/R134a/R448A/R449A, dimensions: 1050 mm x 800 mm x 700 mm.	
1382	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1383	Silensys	Silensys condenser with L' unite Hermetique cooling compressor, type: S976830270, serial number: 10E03 162132 S976830270, 400 V, 3 Ph, 50/60 Hz, 9.2/10.6 A, refrigerant: R404A, dimensions: 1050 mm x 1700 mm x 1500 mm.	200
1384	MKM	MKM elevating belt, year of construction: 2013, 400 V, plastic belt with dividers, belt width: 600 mm, divider height: 50 mm, distance between dividers: 210 mm, elevating height: 1450 mm, total dimensions: 1700 mm x 900 mm x 1600 mm.	500
1385	NN elevating belt	Double lane elevating belt, 2 plastic belts with dividers, belt width: 230 mm, divider height: 20 mm, distance between dividers: 210 mm, elevating height: 1250 mm, total dimensions: 3000 mm x 1050 mm x 1400 mm.	500
1386	NN smoke trolleys	4 s/s smoke trolleys, 6 floors each, dimensions floors: 1000 mm x 970 mm, total dimensions: (4x) 1000 mm x 1020 mm x 2000 mm.	300
1387	NN smoke trolleys	5 s/s smoke trolleys, 6 floors each, dimensions floors: 1000 mm x 970 mm, total dimensions: (5x) 1000 mm x 1020 mm x 2000 mm.	375
1388	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	150
1389	NN smoke trolleys	7 s/s smoke trolleys, 5 / 6 floors each, dimensions floors: 1000 mm x 960 mm, total dimensions: (7x) 1000 mm x 1000 mm x 2000 mm.	525
1390	NN smoke trolleys	4 s/s smoke trolleys, 6 floors each, dimensions floors: 1000 mm x 970 mm, total dimensions: (4x) 1000 mm x 1020 mm x 2000 mm.	300
1391	NN smoke trolleys	4 s/s smoke trolleys, 6 floors each, dimensions floors: 1000 mm x 970 mm, total dimensions: (4x) 1000 mm x 1020 mm x 2000 mm.	300
1392	NN belt grill	Belt grill, maximum belt width: 700 mm, total dimensions: 3300 mm x 1150 mm x 1900 mm. Incomplete.	1250
1393	Delta Technics Engineering	Delta Technics Engineering condenser, model: DCH/ M-150/18.9S, serial number: 0002, year of construction: 2023, 230 V, 1.25 A, 270 W, dimensions: 900 mm x 850 mm x 900 mm.	200
1394	NN packaging table	Packaging table, plastic belt, belt width: 300 mm, 2 plastic mesh belts, belt width: (2x) 380 mm, total dimensions: 2900 mm x 1700 mm x 2300 mm.	250
1395	Koppens	Koppens elevating belt with dividers, s/s frame, plastic belt, type: AVK 3200/450, machine number: AVK 3200/450-94, 380 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW,	500



Nr	Title	Description	Start €
		weight: 185 kg, belt width: 450 mm, distance between dividers: 330 mm, divider height: 50 mm, elevating height: 2100 mm, total dimensions: 3000 mm x 1100 mm x 2200 mm.	
1396	Goedhardt	Goedhardt roof condenser, type: KOAL-7635E, 3 fans, dimensions: 4600 mm x 1300 mm x 1400 mm.	500
1397	NN trolley	Container trolley, dimensions: 700 mm x 800 mm x 1700 mm.	25
1398	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. 1 trolley damaged. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000
1399	LU-VE S.p.A.	LU-VE S.p.A. condenser, model: SAV8T, serial number: 5335890, year of construction: 2019, 400 V, 50 Hz, 1.4 A, 840 W, refrigerant: R22-R134a-R407C-R404A-R507, volume: 86 dm ³ , 4 fans, dimensions: 6930 mm x 1350 mm x 1200 mm.	500
1400	Kemco	Kemco elevating belt with infeed hopper, plastic belt with dividers, belt width: 600 mm, distance between dividers: 305 mm, divider height: 50 mm, elevating height: 2200 mm, total dimensions: 4150 mm x 950 mm x 2560 mm.	1000
1401	NN windows	Pallet with 12 windows, dimensions: (12x) 1185 mm x 660 mm x 110 mm.	150
1402	Helpman	Helpman evaporator, type: LEX-6-E, 1 fan, 220/240 V, 1 Ph, 50 Hz, dimensions: 690 mm x 670 mm x 450 mm.	100
1403	NN cooling compressor	Cooling compressor for cooling cell, dimensions: 720 mm x 480 mm x 450 mm.	50
1404	Helpman	Helpman evaporator, type: PX 1-7, serial number: 624-005, year of construction: 2000, 220 V, 1 Ph, 50 Hz, refrigerant: R22 / R134a, dimensions: 750 mm x 670 mm x 270 mm.	100
1405	EH	22 plastic H1 pallets.	350
1406	Stork	Stork pump installation, type: (2x) 2.MVR 403, capacity: 8 m ³ per hour, dimensions: 1150 mm x 700 mm x 1270 mm.	250
1407	NN trolley	S/s trolley, 14 floors, floor dimensions: (14x) 810 mm x 610 mm, total dimensions: 860 mm x 625 mm x 1940 mm.	100
1408	NN trolleys	2 s/s trolleys, 14 floors each, floor dimensions: 810 mm x 630 mm, total dimensions: (2x) 870 mm x 650 mm x 1940 mm.	100
1409	Güntner AG & Co. KG	Güntner AG & Co. KG condenser, 1 fan, type: S-GVV 050.1A/1-SW.E, serial number: 400/3371981.0001, year of construction: 2010, air pressure: 35.2 bar, volume: 11.3 liter, dimensions: 1040 mm x 600 mm x 1140 mm.	250



Nr	Title	Description	Start €
1410	Apple International	Apple International mobile depositor, model: MR 900, serial number: 1269 11, year of construction: 2008, pressure: 55 bar, diameter head: 70 mm, total dimensions: 1450 mm x 950 mm x 1040 mm. Incomplete.	750
1411	Keyfrost	Keyfrost evaporator, model: KBF 14 TNEM, serial number: 0050734, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 7.1 A, dimensions: 730 mm x 460 mm x 870 mm. Damaged.	75
1412	Profoid / DWM Copeland	Cooling cell with Profoid condensing unit and DWM Copeland cooling compressor, type condensing unit: B90-R0031FCZAC, serial number: 108847/140/49853, year of construction: 2006, 400 V, 3 Ph, 50 Hz, dimensions: 1295 mm x 740 mm x 760 mm, type cooling compressor: DKLP-15X-EWL, serial number: 08G000949 M, capacity: 7.35 m ³ per hour, dimensions: 840 mm x 930 mm x 540 mm, dimensions pallets with cooling panels: (1x) 2600 mm x 1200 mm x 300 mm, (1x) 3060 mm x 1350 mm x 1020 mm.	200
1413	NN chiller	Chiller, dimensions: 9750 mm x 2200 mm x 2500 mm. Including 3 fans, dimensions: (3x) Ø 2000 mm x 1150 mm.	2000
1414	GEA Goedhart BV	GEA Goedhart BV roof condenser, 6 fans, model: KOAL-S MEC232-N606D, serial number: 1106979, dimensions: 3950 mm x 2070 mm x 1000 mm.	500
1415	NN roof condenser	Roof condenser, 2 fans, dimensions: 4400 mm x 1700 mm x 1400 mm.	500
1416	VEB	VEB dust extraction device, type: Sto 16, machine number: 179, year of construction: 1989, 80 kg, dimensions: 600 mm x 600 mm x 1600 mm.	50
1417	NN gutter	S/s infeed gutter, dimensions: 3700 mm x 1600 mm x 1480 mm.	200
1418	Apollo VTS B.V. / Zlatorog Oprema d.o.o.	Apollo VTS B.V. / Zlatorog Oprema d.o.o. driven roller conveyor system for pallets, steel rollers, roller width: 1080 mm, total dimensions: (2x) 3300 mm x 1150 mm x 530 mm, 1500 mm x 1300 mm x 620 mm, (2x) 3000 mm x 1150 mm x 530 mm, (2x) 1450 mm x 1300 mm x 530 mm and 1200 mm x 800 mm x 550 mm. With 3 pallets with rollers.	1500
1419	Ibonhart	Ibonhart bag blower, dimensions: 1200 mm x 500 mm x 980 mm.	100
1420	NN platform	Aluminium platform, dimensions: 2800 mm x 1200 mm x 1350 mm.	100
1421	Searle	Searle evaporator, model: DSR62-4 AL, serial number: 270055, 220-240 V, 1 Ph, 50 Hz, 0.78-0.84 A, dimensions: 1820 mm x 930 mm x 400 mm.	100
1422	GEA Goedhart B.V.		250



Nr	Title	Description	Start €
		GEA Goedhart B.V. evaporator, type: PACi 42457, manufacturing number: PJV142786.VK1402148, 2 fans, dimensions: 2500 mm x 1200 mm x 600 mm.	
1423	Delta Technics Engineering	Delta Technics Engineering evaporator, model: DS262, serial number: SIA160200-05, 220 V, 50 Hz, 2 fans, dimensions: 1450 mm x 850 mm x 400 mm.	200
1424	Tecumseh	Cabinet with Tecumseh cooling compressor, model: TFHT2480Z, refrigerant: R452a_R404a, dimensions: 750 mm x 750 mm x 800 mm.	100
1425	Silensys	Silensys outside unit for airconditioning, serial number: 15E21 113803 S993130202, refrigerant: R404a, dimensions: 1000 mm x 400 mm x 800 mm.	100
1426	NN apron washer	S/s apron washer, dimensions: 580 mm x 580 mm x 1620 mm.	200
1427	NN apron washer	S/s apron washer, dimensions: 750 mm x 800 mm x 1700 mm.	200
1428	NN smoke trolleys	6 s/s smoke trolleys, 6 floors, dimensions: (6x) 1000 mm x 1010 mm x 1940 mm.	650
1429	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, dimensions: (4x) 1000 mm x 1010 mm x 1940 mm.	450
1430	NN table	Mobile table, s/s frame with plastic top, dimensions: 730 mm x 440 mm x 940 mm.	150
1431	NN roll container	Roll container, dimensions: 800 mm x 725 mm x 1685 mm.	10
1432	HC Coils	HC Coils evaporator, model: CEC 384, number: C3507 71185, 415 V, 3 Ph, 50 Hz, 24 kW, maximum work pressure: 150 P.S.I., 3 fans, dimensions: 3550 mm x 1370 mm x 1300 mm.	500
1433	NN tool trolley	S/s tool trolley with 2 denesters, dye: (3x) 190 mm x 150 mm, total dimensions: 1750 mm x 800 mm x 300 mm.	40
1434	Faber	Faber s/s trolley, 14 floors, floor dimensions: 820 mm x 610 mm, total dimensions: 780 mm x 670 mm x 1940 mm.	40
1435	NN tub	S/s tub, dimensions: 1300 mm x 1300 mm x 1180 mm.	100
1436	Keyfrost	Steel cabinet with Keyfrost cooling compressor, model: KS 27 BTET, serial number: 00083729, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.7 kW, refrigerant: R404a, dimensions: 1000 mm x 570 mm x 400 mm.	100
1437	GEA	GEA evaporator, 1 fan, type: SPB 021 C HOCHLEIDSTUNGS-L MARKET PLUS, number: 6357773, year of construction: 1/99, volume: 1.70 liter, dimensions: 1170 mm x 630 mm x 370 mm.	100
1438	Electrolux	Electrolux condenser, dimensions: 1650 mm x 650 mm x 650 mm.	150
1439	NN smoke trolleys		1000



Nr	Title	Description	Start €
		10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	
1440	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000
1441	NN smoke trolleys	5 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (5x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	2000
1442	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	2000
1443	NN smoke trolleys	15 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (15x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1800
1444	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000
1445	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000
1446	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000
1447	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000
1448	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-	2000



Nr	Title	Description	Start €
		shaped smoke sticks per trolley, length each smoke stick: 880 mm.	
1449	NN smoke trolleys	19 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (19x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1900
1450	Kovu	S/s cabinet with Kovu cooling compressor, refrigerant: R507, dimensions: 770 mm x 570 mm x 600 mm.	100
1451	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1452	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1453	Copeland GmbH	Copeland GmbH condensing and cooling unit, model: MC-M9-ZB45KE-TFD OHNE H/N, serial number: 42883, refrigerant: R 404a, 8 kg, dimensions: 1000 mm x 850 mm x 1770 mm.	100
1454	Groba BV	Groba BV cheese divider for hard cheese, type: ACSC 550, order number: 89811, plastic rollers, roller width: 400 mm, total dimensions: 1700 mm x 1150 mm x 2130 mm.	1000
1456	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1457	NN roll container	Roll container, dimensions: 800 mm x 725 mm x 1685 mm.	20
1458	Helpman	Helpman evaporator, type: LEX-6-E CB, 220/240 V, 1 Ph, 50 Hz, dimensions: 670 mm x 660 mm x 450 mm.	75
1459	Alfa Laval	Alfa Laval evaporator, type: LEX 16-7 230-E2, serial number: 1012-0500001735-8814-21702, year of construction: 2010, machine weight: (empty) 61 kg, 230 V, 1 Ph, 50 Hz, 1 fan, volume: 4 liter, dimensions: 1100 mm x 780 mm x 700 mm.	150
1460	Altrex	Altrex working platform, product number: 820000459/T09023/OVERSTAP, year of construction: 04/2009, max capacity: 150 kg, working height: 820 mm, total dimensions: 1230 mm x 540 mm x 820 mm.	50
1461	J&E Hall	J&E; Hall outside unit for airco, model: JEHSCU-0500-M-3, serial number: N000114, year of construction: 2010/05, 380-420 V, 3 Ph, 50 Hz, 12.5 A, dimensions: 1300 mm x 600 mm x 1000 mm.	75
1462	Copeland GmbH	Copeland GmbH condensing and cooling unit, model: B8 KJ 7X CAG, serial number: 09H315756 M, dimensions: 600 mm x 600 mm x 500 mm.	100
1463	NN double tank	Double s/s tank, volume: (2x) 500 litres, dimensions: 2100 mm x 1200 mm x 2000 mm.	1500
1464	Matco	Matco pallet wrapper, type: TRA753, film width: 615 mm, diameter platform: Ø 1800 mm, roller width: 1200 mm, total dimensions: 3300 mm x 2200 mm x 2550 mm.	250



Nr	Title	Description	Start €
1467	Goedhart	Goedhart evaporator, dimensions: 1950 mm x 800 mm x 1600 mm.	400
1468	NN E1 crates	20 pallets with 80 plastic E1 crates each pallet, dimensions crates: (1600x) 600 mm x 400 mm x 100 mm.	4000
1469	NN E1 crates	30 pallets with 80 plastic E1 crates each pallet, dimensions crates: (2400x) 600 mm x 400 mm x 100 mm.	6000
1470	Alfa Laval	Alfa Laval s/s milk cooling tank with mixing arm, type: HCA-C 3000, volume: 3175 litres, dimensions: 3350 mm x 1500 mm x 1750 mm. With integrated cooling system.	1500
1471	Alfa-Laval	Alfa-Laval s/s milk cooling tank with mixing arm, type: HCA-C 6000, serial number: 10284, volume: 6350 litres, dimensions: 3350 mm x 1500 mm x 1750 mm. With integrated cooling system.	1750
1472	Alfa-Laval	Alfa-Laval s/s milk cooling tank with mixing arm, type: HCA-C 7500, serial number: 10751, volume: 7800 litres, dimensions: 3350 mm x 1500 mm x 1750 mm. With integrated cooling system.	1750

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

