



Industrial Auctions

2056: Online auction meat and vegetable processing machinery in Stowmarket (UK)

END DATE
24 February 2026 14:00

General terms and conditions of the online auction

| | |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End date | 24 February 2026 from 14:00 hrs. |
| Viewing days | |
| Organising company | Industrial Auctions BV Looyerbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com |
| Buyers premium | 18% over the highest bid |
| VAT | 20% over the highest bid including premium |
| Pick up days | 04 March 2026 from 09:00 till 16:00 hrs. |
| Pick up address | Haughley Park IP14 3JZ Stowmarket United Kingdom |
| Pick up instructions | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place. Industrial Auctions must prove the export of the lots from the UK, therefore VAT is charged as a deposit. Once you send the appropriate export documents, we will transfer the VAT amount back to you. Industrial Auctions can assist you in applying for transport and export documents. |
| Payment details | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. |
| Combinations | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable. |
| Prolongation | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed. |



| Nr | Title | Description | Start € |
|----|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 1 | Ilpra S.p.A. | Ilpra S.p.A. traysealer, model: FP SPEEDY DUO OVERSKIN, serial number: FP12425, year of construction: 2023, 400 V, distance between dividers: 340 mm, dimensions dye: (4x) 190 mm x 150 mm, total dimensions: 3230 mm x 1050 mm x 1620 mm. With extra dye set, dimensions: (4x) 210 mm x 170 mm. Including Busch vacuum pump, model: RD 0360 A 503, serial number: CHM123110045, capacity: 300 m³/h, weight: 250 kg, dimensions: 1000 mm x 850 mm x 800 mm. | 9500 |
| 2 | StaTech | StaTech elevating belt, serial number: CPF 0001, plastic belt with dividers, belt width: 400 mm, distance between dividers: 200 mm, divider height: 60 mm, elevating height: approx.: 5500 mm, total dimensions: 8600 mm x 1000 mm x 1700 mm. | 2500 |
| 3 | Ishida | Ishida 16-heads multihead weigher, model: SCW-R-216B-D/ 33-WP, serial number: 556041, year of construction: 2006, 240 V, 1 Ph, 50 Hz, 4.4 A, weight: 788 kg, basket dimensions: 120 mm x 150 mm x 250 mm, total dimensions: 1500 mm x 1500 mm x 1800 mm. | 7500 |
| 4 | PFM | PFM vertical bag form-, fill-, and seal machine, model: PV 320 LD INOX, serial number: D2855, year of construction: 2014, 400 V, 50 Hz, 22 A, 11 kW, weight: 1100 kg, pipe diameter: 130 mm, vertical seal length: 200 mm, horizontal seal length: 350 mm, total dimensions: 1800 mm x 2050 mm x 2200 mm. 2 extra filling pipes, diameter: 200 mm and 150 mm. Outfeed elevating belt, type: Nastro Di Uscita, model: 2601021605, serial number: 2140365, year of construction: 2014, plastic belt with dividers, belt width: 505 mm, distance between dividers: 345 mm, dividers height: 25 mm, elevating height: 900 mm, total dimensions: 2100 mm x 950 mm x 1000 mm. | 5000 |
| 5 | NN platform | S/s platform, working height: 3030 mm, total dimensions: 3400 mm x 3400 mm x 4330 mm, with s/s stairs, dimensions: 4000 mm x 750 mm x 800 mm. | 5000 |
| 6 | Kolbe | Kolbe mobile mixer-grinder, type: MWE 52, serial number: 126 1037, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 15.2+2.8 A, 7.5+1.1 kW, weight: 485-505 kg, plate diameter: 130 mm, total dimensions: 1400 mm x 750 mm x 1320 mm. | 2500 |
| 7 | Solbern INC | Solbern INC folding machine, model: BF95X-TR1, serial number: 36531, year of construction: 08/2016, 400 V, 3 Ph, 50 Hz, 20 A, plastic belt, belt width: 210 mm, dividers length: 250 mm, distance between dividers: 75 mm, dimensions: 5100 mm x 1050 mm x 1900 mm. | 7000 |
| 8 | Fillpack | Fillpack mobile bottle/can filling machine, type: R01-TI, number: WA 14.155, year of construction: 2015, 400 V, 50 Hz, 16 A, plastic mesh belt, belt width: 100 mm, diameter bottle/can: 650 mm, total dimensions: 1600 mm x 720 mm x 1890 mm. | 1000 |



| Nr | Title | Description | Start € |
|----|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 9 | Fibosa | Fibosa mobile vacuum tumbler model: MACDAL400, number: OT13-026, year of construction: 2008, 380 V, 1.2 kW, weight: 350 kg, inside dimensions: Ø 700 mm x 1100 mm, total dimensions: 1900 mm x 900 mm x 1400 mm. | 1250 |
| 10 | Henneken GmbH | Henneken GmbH mobile steaker, type: HT 520, serial number: HT-520-3157, year of construction: 2015, 400 V, 50 Hz, 1.5 kW, weight: 500 kg, plastic belt, belt width: 510 mm, working width: 510 mm, total dimensions: 1750 mm x 1100 mm x 1420 mm. | 2750 |
| 11 | Revoband | Revoband char grill, s/s mesh belt, belt width: 1000 mm, clearance: 1150 mm x 130 mm, total dimensions: 3300 mm x 2200 mm x 2650 mm. | 2000 |
| 12 | Total Bakery Engineers Ltd | Total Bakery Engineers Ltd mobile dough sheeter, working width: 200 mm, plastic belt, belt width: 240 mm, total dimensions: 1700 mm x 900 mm x 1750 mm. | 1250 |
| 13 | Handtmann | Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF620, number: 15468, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11.5 A, 8 kW, Busch vacuum pump, type: KB 0040 D IZO, serial number: 120040092, capacity: 40 m³/hour, total dimensions: 2200 mm x 1350 mm x 2150 mm. | 12500 |
| 14 | IWM | IWM double Dolav and meat bin washer, model: DC40G TT, serial number: 1495, year of construction: 24/10/2016, 400 V, 3 Ph, 50 Hz, 130 A, 80 kW, clearance: 580 mm x 1220 mm, total dimensions: 4500 mm x 2800 mm x 3150 mm. | 9000 |
| 15 | Fomaco | Fomaco mobile injector, model: FGM 16/64F, number: 10850-2006, 400 V, 3 Ph, 50 Hz, 2.8 A, plastic mesh belt, belt width: 240 mm, total dimensions: 1700 mm x 600 mm x 1670 mm. | 2000 |
| 16 | Laska | Laska frozen block grinder with lifter for 200 liter meat bins, type: Mincer WWB 200, machine number: 15778, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 129 A, 69 kW, plate diameter: 200 mm, total dimensions: 2500 mm x 1800 mm x 1960 mm. Incomplete, missing one of the screws and plates. Laska lifter for 200 liter meat bins, type: Loading Device BA 24, machine number: 15779, year of construction: 2017, dimensions: 1200 mm x 1630 mm x 2900 mm. | 20000 |
| 17 | Bobet Materiel | Bobet Materiel hygiene station, type: C.C 2200, serial number: 1154, year of construction: 2002, brush length: (4x) 370 mm, (5x) 430 mm, total dimensions: 2200 mm x 1100 mm x 1630 mm. | 1500 |
| 18 | Handtmann | Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF628, number: 32445, code: 134, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 26.0 A, 18.0 kW, Busch vacuum pump, type: KB 0040 D 100, serial number: DEM120270311, capacity: 40 m³/hour, dimensions: 1750 mm x 1400 mm x 2050 mm. | 20000 |
| 19 | Handtmann | | 7500 |



| Nr | Title | Description | Start € |
|----|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | Handtmann mobile linking machine, type: PVLS143, number: 47099, year of construction: 2021, 420 V, 3 Ph, 50/60 Hz, 7.9 A, 5.5 kW, weight: 845 kg, dimensions: 1800 mm x 1000 mm x 1500 mm. Missing belt. | |
| 20 | Handtmann | Handtmann collating system for sausages consisting of: Collating module: 310-01, number: 521, year of construction: 2018, 420 V, 50/50 Hz, 5.1 A, 3.5 kW, weight: 380 kg, working width: 400 mm, total dimensions: 1900 mm x 900 mm x 1410 mm. Feeding belt: ZB311, number: 40681, year of construction: 2018, 420 V, 50/60 Hz, 5.1 A, 3.5 kW, plastic belt, belt width: 330 mm, total dimensions: 2900 mm x 900 mm x 1100 mm. Total dimensions: 2900 mm x 2150 mm x 1850 mm. | 12500 |
| 21 | MultiWeigh GmbH | MultiWeigh GmbH 14 heads multihead weigher, type: MW XV-14-2.0, machine number: 1572, year of construction: 2021, 400 V, 3 Ph, 50 Hz, weight: 988 kg, outfeed height: 930 mm, total dimensions: 1550 mm x 1400 mm x 3250 mm. Including pallet with parts. | 7500 |
| 22 | NN vertical bag form-, fill-, and seal machine | Vertical bag form-, fill-, and seal machine, pipe diameter: 125 mm, vertical seal length: 500 mm, horizontal seal length: 335 mm, total dimensions: 2300 mm x 1550 mm x 2100 mm. | 1000 |
| 23 | CFS Aquarius | CFS Aquarius vertical bag form-, fill-, and seal machine, type: CX360, machine number: 6528, year of construction: 2001, 230/400 V, 3 Ph, 50 Hz, 5.5 kW, weight: 950 kg, pipe diameter: 105 mm, vertical seal length: 320 mm, horizontal seal length: 375 mm, with Markem Imaje SmartDate, total dimensions: 2400 mm x 1850 mm x 2020 mm. | 5000 |
| 24 | Elpress | Elpress tourniquet with hand disinfection unit, type: 83201050, serial number: 40274-004, year of construction: 2022-08, 230 V, 50 Hz, 16 A, 0.1 kW, weight: 50 kg, dimensions: 1400 mm x 800 mm x 1200 mm. | 1250 |
| 25 | Source Technology | Source Technology heating and portioning line consisting of: Power heater, type: PH100, serial number: 62467-120, year of construction: 2017, weight: 850 kg, dimensions: 3300 mm x 1000 mm x 2250 mm. Portioning machine, type: FlexiCut, serial number: 62718-110455, year of construction: 2018, weight: 780 kg, 5 heads of which 1 in use, diameter head: 30 mm, plastic belt, belt width: 700 mm, total dimension: 2100 mm x 1600 mm x 1700 mm. Including trolley with parts. | 35000 |
| 26 | Proseal | Proseal mobile traysealer, model: GT1, serial number: 2177, year of construction: 2011, 400 V, 3 Ph, 50 Hz, plastic wire belt, belt width: 180 mm, 5 dyes, dye dimensions: (5x) 180 mm x 110 mm, total dimensions: 3600 mm x 880 mm x 1980 mm. | 1500 |
| 27 | Proseal | Proseal mobile traysealer, model: GT2, serial number: 2076, year of construction: 2010, 400 V, 3 Ph, 50 Hz, plastic wire | 1000 |



| Nr | Title | Description | Start € |
|----|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | belt, belt width: 180 mm, total dimensions: 4200 mm x 950 mm x 1980 mm. Incomplete, missing dye set. | |
| 28 | Koppens B.V. | Koppens B.V. fryer, type: BR3000/1000, machine number: 1212, year of construction: 1998, 415 V, 3 Ph, 50 Hz, 20 A, 7 kW, machine weight: 4850 kg, s/s mesh belt, belt width: 1000 mm, belt length: 3000 mm, clearance: 1020 mm x 90 mm, total dimensions: 6950 mm x 2100 mm x 3000 mm. | 10000 |
| 29 | Illapak | Illapak flowpacker, model: Astra PLC, serial number: 0680100023, year of construction: 12.2014, 400 V, 3 Ph, 50/60 Hz, 5000 W, 9 A, plastic belt, belt width: 295 mm, seal length: 365 mm, total dimensions: 3350 mm x 1500 mm x 1900 mm. | 3500 |
| 30 | GEA CFS Bakel B.V. | GEA CFS Bakel B.V. grinder, type: UNIGRIND 250, machine number: 1007, year of construction: 2012, 415 V, 3 Ph, 50 Hz, 105 A, 56 kW, 1.570 kg, plate diameter: 250 mm, total dimensions: 2000 mm x 1200 mm x 2300 mm. | 6000 |
| 31 | Maschinenfabrik Seydelmann | Maschinenfabrik Seydelmann double shaft ribbon mixer on weighing cells, type: MR 600, machine number: 16 633-1, year of construction: 2016, 400 V, 50 Hz, 21 A, 11 kW, weight: 1500 kg, dimensions: 2000 mm x 1400 mm x 2290 mm. With lifter for 200 liter meat bins, type: B 300, machine number: 16 129-1, serial number: 4345, year of construction: 2016, 400 V, 50 Hz, 3 A, 1.5 kW, maximum load: 350 kg, dimensions lifter: 3100 mm x 800 mm x 1500 mm. | 12500 |
| 32 | CFS | CFS grinder, type: AUTOGRIND 200, serial number: 62667, year of construction: 2002, 400 V, 50 Hz, 140 A, 74 kW, dimensions: 2650 mm x 1700 mm x 2100 mm. Incomplete. | 7500 |
| 33 | Hermann Waldner GmbH | Hermann Waldner GmbH rotating cup filling and sealing machine, type: DOSOMAT 12.6, machine number: 2245, year of construction: 2008, 230/400 V, 50 Hz, 25 A, 18 kW, weight: 3300 kg, 6 lanes, cup dimensions: Ø 82 mm, total dimensions: 4100 mm x 2600 mm x 3000 mm. | 25000 |
| 34 | TipperTie | TipperTie mobile automatic double clipper, machine number: RS4202, serial number: T0011925, year of construction: 1-13-08, diameter filling pipe: 50 mm, belt width: 250 mm, total dimensions: 3300 mm x 1200 mm x 2200 mm. | 3500 |
| 35 | Grote | Grote mobile slicer, model: 613-VS2-LES, serial number: 1187467, year of construction: 2017, 208/240 V, 1 Ph, 50/60 Hz, working width: 350 mm, total dimensions: 1100 mm x 900 mm x 1700 mm. With Grote mobile slicer outfeed conveyor, model: AUTOLOAD 613-LES, serial number: 1187468, year of construction: 2017, 208/240 V, 1 Ph, 50/60 Hz, plastic mesh belt, belt width: 300 mm, total dimensions: 1600 mm x 1000 mm x 1270 mm. | 18500 |
| 36 | Vemag | Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 10 C, number: 142 1500, year of construction: 2005, 400-460 V, 3 Ph, 50/60 Hz, 29 A, 20 kW, | 5000 |



| Nr | Title | Description | Start € |
|----|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | dimensions: 2000 mm x 1300 mm x 2150 mm. Incomplete, missing screws. | |
| 37 | Vemag | Vemag mobile hamburger forming machine, model: FM250, number: 2500462, year of construction: 2014, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 2.5 kW, weight: 340 kg, diameter clearance: 90 mm, plastic belt, belt width: 245 mm, total dimensions: 2000 mm x 900 mm x 1500 mm. | 6500 |
| 38 | Cintex | Cintex metal detector and checkweigher system, model metal detector: Sentry, serial number: CXMD02-02043D, year of construction: oct 2005, 85-265 V, 50-60 Hz, plastic belt, belt width: 390 mm, clearance: 550 mm x 110 mm, total dimensions: 1200 mm x 1360 mm x 1500 mm. With double rejector, plastic mesh belt, belt width: 490 mm, total dimensions: 1800 mm x 1490 mm x 1700 mm. | 1500 |
| 39 | Manitowoc ice inc | Manitowoc ice inc double ice machine with ice storage and ice trolleys, model: QDDUAL2C, 230 V, 1 Ph, 50 Hz, dimensions: ice machine: (2x) 750 mm x 600 mm x 750 mm. With William ice storage, dimensions: 2300 mm x 1100 mm x 2450 mm and 2 ice trolleys, dimensions: (3x) 630 mm x 1050 mm x 900 mm. Including 2 cooling compressors, model: CVD2075, dimensions: (2x) 1350 mm x 610 mm x 670 mm. | 1500 |
| 40 | Ice-Systems LTD | Ice-Systems LTD ice machine with Bitzer Kühlmaschinenbau GmbH compressor, model: F3.2AR, serial number: 347F16043, 415 V, 3 Ph, 12 kW, 24 A, 1-3.5 bar, weight: 620 kg, refrigerant: R448A/13 kg, dimensions: 2000 mm x 1100 mm x 2400 mm. | 5000 |
| 41 | Leepack | Leepack rotary vacuum machine with 10 vacuum chambers (2 broken), serial number: 110031622/23/24, year of construction: 2011, 400 V, 3 Ph, 16 A, 6.6 kW, weight: 500 kg, chamber dimensions: 300 mm x 300 mm, seal length: 270 mm, total dimensions: 3000 mm x 2100 / 2800 mm x 2200 mm. Including trolley with 3 Busch vacuum pumps, type: RA 0100 F 503, dimensions trolley: 1500 mm x 750 mm x 2050 mm. | 3500 |
| 42 | GEA Food Solutions Bakel B.V. | GEA Food Solutions Bakel B.V. double shaft vacuum paddle mixer on weighing cells with CO2 injection, type: GEA UniMix 400, machine number: 1030, year of construction: 2014, 415 V, 3 Ph, 50 Hz, 15 A, 7 kW, weight: 670 kg, dimensions: 1600 mm x 2200 mm x 2200 mm. Incomplete. | 4500 |
| 43 | The Food Machinery Co. Ltd | The Food Machinery Co. Ltd double shaft paddle mixer with single shaft ribbon-mixer on weighing cells, serial number: B081901,B041903, year of construction: 2019, total dimensions: 2050 mm x 2250 mm x 2350 mm. | 7500 |
| 44 | Loma Systems | Loma Systems metal detector, model: IQ ³ , serial number: Q3B45-45-233906, year of construction: 29.10.2013, 85-265 V, 50-60 Hz, plastic belt, belt width: 400 mm, clearance: 450 mm x 420 mm, total dimensions: 2450 mm x 1150 mm x 1530 mm. | 3500 |



| Nr | Title | Description | Start € |
|----|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 45 | Rational | Rational combi steamer, dimensions: 900 mm x 860 mm x 1800 mm. Including s/s trolley, 20 floors, dimensions floors: 530 mm x 330 mm. | 1500 |
| 46 | Fanuc LTD | Fanuc LTD robot arm, type: M-710i C 50s, 6-axis, dimensions: 1100 mm x 700 mm x 1560 mm, type controller: A05B-2510-B150, serial number: E10801934, year of construction: 2010-08, 3 Ph, 50/60 Hz, 12 kW, weight: 180 kg, dimensions: 750 mm x 600 mm x 1860 mm. | 1500 |
| 47 | Marel | Marel bandsaw, model: 350, serial number: 1392192, year of construction: 2013, 3 Ph, 50 Hz, 4/6 A, 1.5 kW, weight: 142 kg, dimensions: 900 mm x 1100 mm x 1700 mm. | 750 |
| 48 | Loma Systems | Loma Systems mobile pipe line metal detector with rejector, model: IQ, year of construction: 12.3.2008, 85-265 V, 50-60 Hz, clearance: Ø 70 mm, total dimensions: 830 mm x 700 mm x 1530 mm. | 750 |
| 49 | Proseal | Proseal mobile traysealer, model: GT1, serial number: 1824, year of construction: 2009, 400 V, 50 Hz, plastic wire belt, belt width: 180 mm, 5 dyes, dye dimensions: (5x) 180 mm x 110 mm, total dimensions: 3600 mm x 880 mm x 1980 mm. | 1500 |
| 52 | Frampton | Frampton grill tunnel, model: FG-1-28-P/S, serial number: 78050117, 415 V, 3 Ph, 180 kW, s/s belt, belt width: 800 mm, belt length: 10000 mm, total dimensions: 10000 mm x 1600 mm, 2350 mm | 17500 |
| 53 | Toyo Jidoki Co., Ltd | Toyo Jidoki Co., Ltd pouch filling and closing machine, model: TVP E3, machine number: 2383, year of construction: 96.07, dimensions chamber: (12x) 310 mm x 280 mm, plastic belt, belt width: 260 mm, total dimensions: 5330 mm x 2480 mm x 2580 mm. | 12500 |
| 54 | Multivac | Multivac thermoformer, model: R575, serial number: 127121, year of construction: 2009, 415 V, 3 Ph, 50 Hz, 89 A, 28.5 kW, dimensions dye: (6x) 220 mm x 150 mm, with MR Etikettiertechnik GmbH & Co. KG labeler, dimensions: 12500 mm x 1800 mm x 2300 mm. Missing chain, without vacuum pump. | 12500 |
| 55 | Multivac | Multivac thermoformer, type: R535, serial number: 146583, year of construction: 2011, 415 V, 3 Ph, 50 Hz, 50 A, 17.5 kW, film width: 570 mm, dimensions dye: (10x) 243 mm x 93 mm, with Consol Converging solutions inliner, model: Integrator 3, serial number: CS6196, year of construction: 05/2016, 230 V, 16 A, plastic belt, belt width: (5x) 80 mm, 680 mm, total dimensions: 8200 mm x 1300 mm x 2300 mm, 1500 mm x 1200 mm x 600 mm. Incomplete, missing cutters. | 15000 |
| 56 | Weider Machinery | Weider Machinery continuous band sealer, model: SV-30US, number: 2033022, year of construction: 202008, 220 V, 1 Ph, 50 Hz, 6 A, weight: 163 kg, plastic belt, belt width: 300 mm, total dimensions: 202 mm x 600 mm x 1550 mm. | 500 |
| 57 | Multivac | Multivac thermoformer, type: R140, serial number: 109812, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 15 A, 7 kW, | 7500 |



| Nr | Title | Description | Start € |
|----|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | dye: (1x) 305 mm x 180 mm, film width: 355 mm, index: 190 mm, dimensions: 4800 mm x 1100 mm x 1950 mm. | |
| 58 | Multivac | Multivac thermoformer, type: R240, serial number: 100578, year of construction: 2005, 415 V, 3 Ph, 50 Hz, 43 A, 15.5 kW, index: 410 mm, dye: (6x) 190 mm x 160 mm, total dimensions: 6400 mm x 1200 mm x 2100 mm. | 9500 |
| 59 | Multivac | Multivac thermoformer, type: R245, serial number: 143650, year of construction: 2011, 415 V, 3 Ph, 50 Hz, 33/50 A, 13.5 kW, film width: 400 mm, belt width: 390 mm, index: 350 mm, plastic mesh belt, belt width: 380 mm, total dimensions: 7880 mm x 1220 mm x 2110 mm. Missing dye. | 12500 |
| 60 | Marel | Marel trimming robot, machine: ITM2, model: itm-p001-x350B5, type: 0033-001, serial number: A100681, year of construction: 2013, 380-400 V, 3 Ph, 50-60 Hz, 32 A, 37 kW, weight: 3500 kg, plastic perforated belt, belt width: (2x) 340 mm, total dimensions: 4500 mm x 2100 mm x 2530 mm. Incomplete. | 5000 |
| 61 | Nimo KG | Nimo KG lifter for 200 liter meat bins, type: SKV 200 MK, number: 10394, year of construction: 2006, capacity: 250 kg, lifting height: 1800 mm, total dimensions: 1650 mm x 1310 mm x 1720 mm. | 1500 |
| 62 | ABL | ABL vegetable slicer/chunker for pineapple, melon and papaya, model: GTF, serial number: 107, year of construction: 2017, 415 V, 50 Hz, 5.3 kW, weight: 1800 kg, working width: 255 mm x 260 mm, plastic belt, belt width: 300 mm, total dimensions: 7000 mm x 1350 mm x 2050 mm. | 2500 |
| 63 | Riggs | Riggs depositor, dimensions: 1500 mm x 650 mm x 2100 mm. Technical condition unknown. | 250 |
| 64 | T.Giusti & Son LTD | T.Giusti & Son LTD s/s mixing tank with bottom part double jacketed, serial number: WJ9731, year of construction: 21.6.02, capacity: 500 liter, dimensions: 1150 mm x 1200 mm x 1900 mm. | 500 |
| 65 | NN tank | S/s double jacketed tank used for broth, year of construction: 15.10.07, inside dimensions: Ø 1400 mm x 850 mm, total dimensions: Ø 1570 mm x 1400 mm. | 500 |
| 66 | NN tank | S/s double jacketed tank used for broth, serial number: 11637, year of construction: 14.7.11, inside dimensions: Ø 1400 mm x 850 mm, total dimensions: Ø 1570 mm x 1500 mm. | 500 |
| 67 | NN tank | S/s double jacketed tank used for broth, serial number: 11637, year of construction: 14.7.11, inside dimensions: Ø 1400 mm x 850 mm, total dimensions: Ø 1570 mm x 1500 mm. | 500 |
| 68 | NN tank | S/s double jacketed tank used for broth, serial number: 11637, year of construction: 6.11.08, inside dimensions: Ø 1400 mm x 850 mm, total dimensions: Ø 1570 mm x 1500 mm. | 500 |
| 69 | NN tank | | 500 |



| Nr | Title | Description | Start € |
|----|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | S/s steam noodle pot with bottom part double jacketed, serial number: 6634/3, year of construction: November 2017, inside dimensions: Ø 900 mm x 800 mm, total dimensions: 1200 mm x 1150 mm. | |
| 70 | T.Giusti & Son LTD | T.Giusti & Son LTD s/s mixing tank with bottom part double jacketed, serial number: J6020A, year of construction: 10.2.76, capacity: 270 gallon, dimensions: 1900 mm x 1250 mm x 1620 mm. | 500 |
| 71 | Base Handling Products Ltd | Base Handling Products Ltd mobile lifter for 200 liter meat bins, serial number: 156767, year of construction: 12-15, capacity: 250 kg, elevating height: 21170 mm, total dimensions: 1400 mm x 1250 mm x 3100 mm. | 1250 |
| 72 | NN mixer for tubs | Mobile s/s mixer for tubs, dimensions: 1100 mm x 1000 mm x 1900 mm. | 500 |
| 73 | NN tilting device | Mobile s/s tilting device for 200 liter meat bins, tilting height: 1100 mm, total dimensions: 1500 mm x 1000 mm x 1500 mm. | 500 |
| 74 | Syspal | Syspal mobile s/s tilting device for pallet boxes, type: 600/HT4-1143, serial number: K9284/1-1, year of construction: 2022, capacity: 1500 kg, tilting height: 1380 mm, total dimensions: 2100 mm x 2000 mm x 2000 mm. | 2500 |
| 75 | NN table | S/s table, dimensions: 920 mm x 920 mm x 900 mm. | 150 |
| 76 | NN table | S/s table, dimensions: 610 mm x 600 mm x 610 mm. | 50 |
| 77 | NN table | S/s table, dimensions: 1610 mm x 1190 mm x 760 mm. | 200 |
| 78 | NN table | S/s table, dimensions: 900 mm x 600 mm x 970 mm. | 150 |
| 79 | NN rack | S/s rack, dimensions: 1440 mm x 500 mm x 1200 mm. | 100 |
| 80 | NN table | S/s table, dimensions: 1050 mm x 650 mm x 1480 mm. | 150 |
| 81 | NN table | S/s table, dimensions: 1160 mm x 1160 mm x 950 mm. | 200 |
| 82 | NN stairs | Mobile s/s stairs with 6 steps, working height: 1450 mm, total dimensions: 1600 mm x 600 mm x 2360 mm. | 500 |
| 83 | NN stairs | Mobile s/s stairs with 5 steps, working height: 1250 mm, total dimensions: 1350 mm x 850 mm x 2240 mm. | 500 |
| 84 | NN stairs | Mobile s/s stairs with 5 steps, working height: 1250 mm, total dimensions: 1350 mm x 850 mm x 2240 mm. | 500 |
| 85 | Industrial Washing Machines LTD. | Industrial Washing Machines LTD. 2 lane washer for E2 crates, type: Crusader 1000SP, serial number: 208-C10SPA/296/01X, year of construction: 24/09/99, clearance: (1x) 390 mm x 450 mm, (1x) 490 mm x 640 mm, total dimensions: 7700 mm x 2050 mm x 1930 mm. Incomplete. | 2500 |
| 86 | Wright Pugson | Wright Pugson dicer, clearance: 430 mm x 260 mm, total dimensions: 2800 mm x 2000 mm x 1350 mm. Incomplete. | 750 |
| 87 | Terlet | Terlet skid with 2 double jacketed tanks, year of construction: 2010, 415 V, 50 Hz, 7.5 kW, weight: (2x) 1800 kg, volume: (2x) 132 liter, total dimensions: 3500 mm x 1250 mm x 2550 mm. Tank is damaged. | 4000 |
| 88 | NN mixer for tubs | Mobile s/s mixer for tubs, dimensions: 1100 mm x 1000 mm x 1900 mm. | 500 |



| Nr | Title | Description | Start € |
|-----|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 89 | Giusti | Giusti s/s double jacketed tank with mixing arm, serial number: TM2241, year of construction: 28.10.04, capacity: 750 liter, dimensions: 1500 mm x 1300 mm x 2100 mm. | 750 |
| 90 | Giusti | Giusti s/s double jacketed tank with mixing arm on weighing cells, serial number: M11664A, year of construction: 28.11.94, capacity: 500 liter, dimensions: 1450 mm x 1280 mm x 2700 mm. | 750 |
| 91 | Giusti | Giusti s/s double jacketed tank with mixing arm on weighing cells, serial number: M11664B, year of construction: 28.11.94, capacity: 500 liter, dimensions: 1450 mm x 1280 mm x 2700 mm. | 750 |
| 92 | Alfa Laval | S/s skid with 2 Alfa Laval centrifugal pumps, type: (2x) LKH-20/153/FSS 3.0 KW, Grundfos circulation pump, valves and heat exchangers, dimensions: 2300 mm x 1550 mm x 2470 mm. | 2500 |
| 93 | Weber | Weber knife sharpener, type: SSG, model: WLN 08041-10314, number: SSG01001-442. year of construction: 2013, 400 V, 50 Hz, 0.25 kW, weight: 300 kg, dimensions: 1100 mm x 800 mm x 2030 mm. | 750 |
| 94 | Packline | Packline mobile lifter, model: Compac, serial number: 1526, capacity: 125 kgs, lifting height: 1900 mm, platform: 460 mm x 500 mm, total dimensions: 1100 mm x 500 mm x 2080 mm. | 500 |
| 95 | NN lifter | Mobile lifter for film rolls, lifting height: 1580 mm, total dimensions: 1050 mm x 520 mm x 1900 mm. | 500 |
| 96 | Scaniro | Scaniro lifter for 200 liter meat bins, type: L7, serial number: 1569, year of construction: 1983, 415 V, 3 Ph, 3.6 A, 1.5 kW, lifting height: 2300 mm, total dimensions: 1250 mm x 1250 mm x 3600 mm. | 1500 |
| 97 | Cryovac | Cryovac vertical bag form-, fill-, and seal machine for liquids, model: onpack-2050, vertical seal length: 445 mm, horizontal seal length: 220 mm, with Zodiac HS inkjet printer, total dimensions: 1600 mm x 950 mm x 2750 mm. | 2000 |
| 98 | Loma Systems | Loma Systems metal detector with rejector, model: Harsh IQ3 ST, serial number: Q3W15V25-31856D, year of construction: 29.2.2016, 85-265 V, 1 Ph, 50-60 Hz, plastic mesh belt, belt width: 80 mm, clearance: 150 mm x 210 mm, total dimensions: 2700 mm x 650 mm x 2350 mm. | 1000 |
| 99 | Handtmann | Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF200B, number: 1002, 420 V, 50 Hz, 17.4 A, 7 kW, filling, portioning and linking, dimensions: 1600 mm x 1300 mm x 1100 mm. | 3500 |
| 100 | Cryovac | Cryovac vertical bag form-, fill-, and seal machine for liquids, vertical seal length: 445 mm, horizontal seal length: 220 mm, with Zodiac HS inkjet printer, total dimensions: 1600 mm x 950 mm x 2750 mm. With extra pipes | 2000 |
| 101 | Treif Maschinenbau GmbH | Treif Maschinenbau GmbH dicer with lifter for 200 liter meat bins, type: 1022, machine number: 10221.75221.0645, year of construction: 1994, 415 V, 3 Ph, 50 Hz, 13.5 A, chamber | 1750 |



| Nr | Title | Description | Start € |
|-----|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | dimensions: 550 mm x 120 mm x 120 mm, distance between knives: 7 mm x 7 mm, total dimensions: 3100 mm x 1150 mm x 1450 mm. Incomplete. | |
| 102 | Graseby | Graseby metal detector with rejector, plastic belt, belt width: 225 mm, clearance: 300 mm x 125 mm, total dimensions: 1900 mm x 850 mm x 1770 mm. | 500 |
| 103 | Safeline | Safeline metal detector with rejector, plastic belt, belt width: 270 mm, clearance: 300 mm x 140 mm, total dimensions: 1850 mm x 1000 mm x 1600 mm. | 500 |
| 104 | NN hamburger forming machine | Mobile hamburger forming machine, form diameter: 115 mm, plastic belt, belt width: 150 mm, total dimensions: 1350 mm x 850 mm x 1850 mm. | 450 |
| 105 | Loma Systems | Loma Systems twin head metal detector with rejector, model: IQ2F and IQ2, serial number: 1019-377205 and MH04EU-00201D, 85-265 V, 50-60 Hz, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 110 mm, total dimensions: 2410 mm x 1050 mm x 1270 mm. | 1750 |
| 106 | Ceia | Ceia metal detector with rejector, model: T/21E-350150-0065, serial number: 21200227060, plastic belt, belt width: 245 mm, clearance: 350 mm x 100 mm, total dimensions: 1640 mm x 900 mm x 1600 mm. | 1500 |
| 107 | Alfa Laval | Alfa Laval heat exchanger, type: M6-MFG, serial number: 30111-09554, year of construction: 2021, fluid group 2, dimensions: 1100 mm x 350 mm x 950 mm. | 500 |
| 108 | Alfa Laval | Alfa Laval heat exchanger, type: M6-MFM, serial number: 30101-39948, year of construction: 1996, volume: 25.8, dimensions: 1100 mm x 450 mm x 1800 mm. | 500 |
| 109 | Fomaco | Fomaco mobile tenderizer, model: FGM 20 120T, machine number: 3952 1987, plastic mesh belt, belt width: 240 mm, total dimensions: 1450 mm x 650 mm x 1900 mm. | 1250 |
| 110 | AFT | AFT mobile depositor, dimensions: 1100 mm x 800 mm x 1650 mm. | 500 |
| 111 | Converging solutions | Converging solutions collator, model: Coollator, serial number: 5389, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 16 A, plastic belt, belt width: 180 mm, clearance: 140 mm x 170 mm, total dimensions: 2200 mm x 850 mm x 1300 mm. Incomplete. | 1250 |
| 112 | NN tumbler | S/s tumbler, dimensions drum: Ø 800 mm x 1000 mm, total dimensions: 2000 mm x 700 mm x 1800 mm. | 750 |
| 113 | Hydro Products | Hydro Products hydraulic power pack, model: HPMTG448WHSNN15SC6834, serial number: 21038, year of construction: 2/16, 415 V, max pressure: 70 bar, dimensions: 900 mm x 250 mm x 220 mm. | 250 |
| 114 | Hydro Products | Hydro Products hydraulic power pack, model: HPMTG448WHSNN15SC6834, serial number: 21038, year of construction: 2/16, 415 V, max pressure: 70 bar, dimensions: 900 mm x 250 mm x 220 mm. | 250 |
| 115 | Ebara | | 150 |



| Nr | Title | Description | Start € |
|-----|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | Ebara centrifugal pump, type: MD/A-200/7.5, 380-415 V, 3 Ph, 50 Hz, 15.5/9 A, 6-36 m³/h, maximum height: 58, dimensions: 750 mm x 300 mm x 800 mm. | |
| 116 | Ebara | Ebara centrifugal pump, type: MD/A 40-200/7.5, serial number: 1230890006A, 380-415 V, 3 Ph, 50 Hz, 15.5/9 A, 6-36 m³/h, maximum height: 58 pump, dimensions: 750 mm x 300 mm x 500 mm. | 150 |
| 117 | Leader | Leader centrifugal pump, model: EN 40/200 A, 400 V, 50 Hz, 16.8/9.7 A, dimensions: 750 mm x 300 mm x 800 mm. | 150 |
| 118 | NN blower | Blower, dimensions: 700 mm x 500 mm x 500 mm. | 150 |
| 119 | Fristam | Fristam lobe pump, type: FI 755, serial number: 68539058, 1.1 kW, 120 rpm, dimensions: 900 mm x 300 mm x 300 mm. | 450 |
| 120 | CES | CES rotating cooling/freezing drum, model: CES-TF-LIN-5mx098-NS, serial number: CES 641, year of construction: 04.03.99, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 7500 kg, inside dimensions: Ø 600 mm x 5000 mm, total dimensions: 5500 mm x 2300 mm x 4050 mm. | 10000 |
| 121 | Webomatic | Webomatic belt vacuum machine, type: WBM 1350, serial number: 6012NF137, 400 V, 3 Ph, 50 Hz, 50.0 A, 11.0 kW, plastic belt, belt width: 700 mm, seal length: (2x) 1340 mm, total dimensions: 3700 mm x 1550 mm x 2200 mm. | 1500 |
| 122 | Unikon | Unikon washing machine for 200 liter meat bins, type: BRW-1500, serial number: 1503125, 400 V, 3 Ph, 50 h, 40 A, weight: 600 kg, dimensions: 1910 mm x 800 mm x 1800 mm. | 2000 |
| 123 | DanTech UK Ltd | DanTech UK Ltd pig in a blanket wrapper, model: PIB 400, serial number: 8800, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 5 A, s/s mesh belt, belt width: 400 mm, (3x) 150 mm, total dimensions: 5700 mm x 1000 mm x 1000 mm. | 1750 |
| 124 | Schur Technology a/s | Schur Technology a/s pouch packaging machine, type: 3030-C, number: 618 Y309, 3x400 V, 50 Hz, 16 A, 3.5 kW, 500 kPa, capacity: 3-30 m/min, weight: 700 kg, dimensions: 10000 mm x 950 mm x 1300 mm. | 4500 |
| 125 | Koppens | Koppens mobile forming machine, type: VM 600, machine number: VM 600-88/1, 415 V, 3 Ph, 50 Hz, 23 A, 11.31 kW, weight: 850 kg, dimensions: 1750 mm x 1100 mm x 1940 mm. Incomplete. | 2750 |
| 126 | Marel Stork Titan B.V | Marel Stork Titan B.V. twin drum spiral oven, model: TSO 600/96/4 EL TH0302, type: 4786432AA, serial number: 10077687, year of construction: 2010, belt width s/s mesh belt: 600 mm, clockwise rotation, left hand execution, total dimensions oven: 8500 mm x 4000 mm x 3500 mm, dimensions in-and outfeed station: (2x) 1300 mm x 1200 mm x 1400 mm. | 50000 |
| 128 | Hoegger | Hoegger separator, type: FS201A, serial number: 11-025, year of construction: 2014, 380-420 V, 3 Ph, 50/60 Hz, 12.0 A, 3.5 kW, weight: 1000 kg, dimensions: 1900 mm x 1100 mm x 1700 mm. | 4500 |
| 129 | Laska | | 22500 |



| Nr | Title | Description | Start € |
|-----|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | Laska bowl cutter with lifter for 200 liter meat bins and ejector, type: KCU 200, serial number: 6145, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 239 A, 93 kW, dimensions: 3100 mm x 2400 mm x 1830 mm. | |
| 130 | Maschinenfabrik Seydelmann | Maschinenfabrik Seydelmann grinder, machine type: AW 300 U AC 6, machine number: 16 074-1, year of construction: 2016, 400 V, 50 Hz, 220 kW, 400 A, weight: 6000 kg, plate diameter: 300 mm, total dimensions: 2300 mm x 2900 mm x 2850 mm. Trolley for worm and tools, dimensions: 1800 mm x 900 mm x 1250 mm. Seydelmann elevating screw, type: SF 360-5000, diameter: 350 mm, tier: 250 mm, total dimensions: 5600 mm x 1100 mm x 1000 mm. S/s stairs, dimensions: 3700 mm x 750 mm x 1800 mm. | 45000 |
| 131 | Maschinenfabrik Seydelmann | Maschinenfabrik Seydelmann double shaft paddle mixer-grinder, machine type: AMR1800/250, machine number: 16 051-1, year of construction: 2016, 400 V, 50 Hz, 101 kW, 190 A, air pressure: 6-10 bar, water pressure: 4-6 bar, weight: 6000 kg, plate diameter: 250 mm, total dimensions: 2000 mm x 4000 mm x 2950 mm. Seydelmann elevating screw, type: SF 360-5000, diameter: 350 mm, tier: 250 mm, total dimensions: 5600 mm x 1100 mm x 1000 mm. S/s stairs, dimensions: 3700 mm x 750 mm x 1800 mm. | 45000 |
| 132 | A.E.W. | A.E.W. bandsaw, model: 400M, type: KM.11, 415 V, 3 Ph, 6.2 A, serial number: LH.164188, table dimensions: 1050 mm x 900 mm, total dimensions: 1250 mm x 1050 mm x 1900 mm. | 350 |
| 133 | Sievmaster | Sievmaster mobile vibrating sieve, diameter: 520 mm, total dimensions: 1000 mm x 900 mm x 1000 mm. | 250 |
| 134 | Vemag | Vemag mobile linking and cutting line consisting of: Vemag mobile linker, model: LPG208 Servo, number: 2080655, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 7 A, 4.5 kW, weight: 517 kg, dimensions: 1500 mm x 800 mm x 1260 mm. Incomplete. Vemag mobile cutting machine, model: TM203, serial number: 2031190, year of construction: 2019, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 3 kW, weight: 225 kg, dimensions: 920 mm x 700 mm x 1600 mm. Incomplete. | 3000 |
| 135 | Vemag | Vemag mobile linking and cutting line consisting of: Vemag mobile linker, model: LPG208 Servo, number: 2080803, year of construction: 2019, 400-460 V, 3 Ph, 50/60 Hz, 7 A, 4.5 kW, weight: 517 kg, dimensions: 1500 mm x 800 mm x 1260 mm. Incomplete. Vemag mobile cutting machine, model: TM203, serial number: 2031238, year of construction: 2020, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 3 kW, weight: 225 kg, dimensions: 920 mm x 700 mm x 1600 mm. Incomplete. | 3000 |
| 136 | Bralyx | Bralyx mobile dough former and filler, model: Maxiform BIG MK X, serial number: BIGP10MKX16A1CN02.070, year of construction: 2016, 220/240 V, 1 Ph, 50/60 Hz, 14.2 A, 2.2 kW, weight: 200 kg, working width: 210 mm, total dimensions: 850 mm x 800 mm x 2050 mm. Incomplete. | 250 |



| Nr | Title | Description | Start € |
|-----|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 137 | P.J. Hare LTD | P.J. Hare LTD hydraulic press, model: AL400, serial number: 02AL9A0049, year of construction: 2002, capacity: 40 kN, weight: 550 kg, diameter: 320 mm, total dimensions: 1100 mm x 700 mm x 2000 mm. | 250 |
| 138 | SDTN | 2 SDTN pancake baking carousel systems with automatic flip function, model: CC523 serial number: 523, year of construction: 06-2001, pancake diameter: 30 mm to 240 mm and weights from 8 g to 100 g, working width: 570 mm, total dimensions: (2x) 2800 mm x 2350 mm x 2430 mm. Designed for reliable high volume production of pancakes and crepes, blinis etc. | 70000 |
| 139 | JBT FoodTech | JBT FoodTech gas heated tunnel oven, model: Revoband char-grill, serial number: 7681, year of construction: October 2011, 440 V, 3 Ph, 7 kW, steel mesh belt, belt width: 1000 mm, total dimensions: 2350 mm x 2000 mm x 2400 mm. | 5000 |
| 140 | Bradman Lake | Bradman Lake mobile cartoner, type: SL903 0/H, serial number: 67930810, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 25 A, 14 kW, infeed belt width: 175 mm, clearance: 180 mm x 80 mm, carton clearance: 190 mm x 210 mm, total dimensions: 5650 mm x 2100 mm x 2050 mm. 2 Transport belts, plastic belt, belt width: 150 mm and 900 mm, total dimensions: 2500 mm x 800 mm x 1010 mm and 2900 mm x 2100 mm x 900 mm. | 2000 |
| 141 | Markem-Imaje | Markem-Imaje labelling machine, plastic belt, belt width: 290 mm, total dimensions: 1500 mm x 1500 mm x 2250 mm. | 200 |
| 142 | Domino | Domino ink jet printer, model: A420i, serial number: AST000109768, dimensions: 700 mm x 600 mm x 1700 mm. | 450 |
| 143 | NN tub | Mobile s/s mixing tub, inside dimensions: Ø 550 mm x 500 mm, total dimensions: 1200 mm x 940 mm x 2000 mm. | 150 |
| 144 | Bradman Lake | Bradman Lake robotic top loader, type: DKT, serial number: 67940810, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 25 kW, belt width: 180 mm, clearance: 400 mm x 125 mm, plastic belt with dividers, belt width: 260 mm, dividers height: 20 mm, distance between dividers: 45 mm, total dimensions: 2550 mm x 1900 mm x 2600 mm. | 4000 |
| 145 | 2 tanks | S/s skid with 2 mixing tanks on weighing cells with pump, capacity: 500 liter, dimensions: 2300 mm x 2000 mm x 2780 mm. | 2000 |
| 146 | Babcock Wanson | Babcock Wanson heat exchanger oil/steam, model: SOV600, serial number: 12.25.5719, year of construction: 2012, dimensions: 2500 mm x 1600 mm x 2200 mm. | 1500 |
| 147 | NN butter melter | Mobile s/s butter melter, dimensions: 1100 mm x 600 mm x 1450 mm. | 500 |
| 148 | Starfrost Freezing & Chilling systems | Starfrost Freezing & Chilling systems spiral freezer, model: HS-750F-17H, plastic mesh belt, bw: 750 mm, max product height: 80 mm, pitch: 137 mm, infeed at 0.9 m, outfeed at 3.25 m, drum diameter: 4.247m or diameter with belt: 5.873 m, tiers: 17, belt length: 270 m, enclosure approx.: 9.8 m x | 0 |



| Nr | Title | Description | Start € |
|-----|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | 8.2 m x 3.8 m. Installed new in 2022/23 and never used due to the factory extension not being completed and subsequent Receivership of company. Allplants Ltd | |
| 149 | Acemal | Acemal waffle line consisting of:Acemal spirale, serial number: 10816, year of construction: 2014, 400 V, 50 Hz, 20 A, 1.7 kW, s/s mesh belt.Acemal waffle maker, type: DIVI.6, serial number: 10812, year of construction: 2014, 400 V, 50 Hz, 20 A, 3 kW.Acemal proofer, serial number: 10813, year of construction: 2014, 400 V, 50 Hz, 63 A, 14 kW.Capacity: 2000 per hour.Complete semi-automatic waffle line equipped with dough divider, prover, oven, and cooling spiral.Made for high volume production delivering consistent quality and efficiency. | 70000 |
| 160 | IXIA UK Ltd. | IXIA UK Ltd. mobile 2-lane denester, clearance: (2x) 130 mm x 160 mm, total dimensions: 1200 mm x 1100 mm x 1650 mm. | 750 |
| 161 | Herma | Herma transport belt with labeller, model: 552, machine number: 552/38131, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 2.5 A, plastic belt, belt width: (2x) 230 mm, total dimensions: 1120 mm x 950 mm x 1040 mm. | 500 |
| 162 | Hoshizaki | Hoshizaki flake ice machine, model: FM-481AGE, 220-240 V, 50 Hz, 1525 W, refrigerant: R404/0.770 kg, weight ice machine: 97 kg, with Follett ice storage, model: ITS700SG-30, dimensions: 1200 mm x 800 mm x 1930 mm. | 1500 |
| 163 | VWS Nederland B.V. | VWS Nederland B.V. belt labeller, model: LP400 Top & Base labelling system, serial number: 211003, year of construction: 2022, 110-240 V AC, 50-60 Hz, plastic belt, belt width: 295 mm, total dimensions: 1200 mm x 1050 mm x 1050 mm. | 1000 |
| 164 | Carsoe | Carsoe denester, type: CLEANLINE BUFFER 2000 (L), serial number: SO-13168, year of construction: 2016, 230 V, 1 Ph, 0.12 kW, 6 bar, plastic belt, belt width: 270 mm, clearance: 140 mm x 145 mm, total dimensions: 2350 mm x 600 mm x 1660 mm. | 1000 |
| 165 | NN tank | S/s tank, dimensions tank: 940 mm x 750 mm x 1000 mm, total dimensions: 1350 mm x 1150 mm x 1730 mm. | 500 |
| 166 | Proseal | Proseal mobile traysealer, model: FastPack F45, serial number: 1555, year of construction: 2009, 415 V, 50 Hz, plastic wire belt, belt width: 180 mm, 5 dyes, dye dimensions: (5x) 180 mm x 110 mm, total dimensions: 3600 mm x 880 mm x 1980 mm. Incomplete, missing dye set. | 1000 |
| 167 | Grasselli | Grasselli slicer, model: SL 600, serial number: R21Q19/324, year of construction: 2001, 415 V, 3 Ph, 50 Hz, plastic belt, belt width: 570 mm, 61 knives, distance between knives: 10 mm, total dimensions: 1200 mm x 1300 mm x 2000 mm. | 2000 |
| 168 | Ilapak Italia S.p.A. | Ilapak Italia S.p.A. flowpacker, model: CARRERA 500 M, serial number: 01 96, delivery date: 5.01, 400 V, 50 Hz, 4000 W, film width: 420 mm, seal width: 260 mm, plastic outfeed | 1000 |



| Nr | Title | Description | Start € |
|-----|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | belt, belt width: 240 mm, total dimensions: 4600 mm x 1200 mm x 1460 mm. | |
| 169 | Fortress / Sartorius | Fortress / Sartorius metal detector with checkweigher and 2 rejectors, Fortress metal detector, model: Phantom, clearance: 350 mm x 125 mm, Sartorius checkweigher, type: EWK3010/WS2kg M CD, year of construction: 2005, 230 V, 50 Hz, plastic belt, belt width: 265 mm, total dimensions: 2250 mm x 1350 mm x 1800 mm. | 1000 |
| 170 | Endoline | Endoline mobile box closing machine with infeed belt, model: 706, serial number: 171181433-6, year of construction: 2017, 230 V, 1 Ph, 50 Hz, belt width: 160 mm, tape width: 50 mm, total dimensions: 2020 mm x 800 mm x 1570 mm. | 750 |
| 171 | Endoline | Endoline mobile box closing machine with infeed belt, model: 101, serial number: 171181433-3, year of construction: 2017, pneumatics: 5.5 bar, belt width: 150 mm, total dimensions: 1600 mm x 630 mm x 1500 mm. Missing taper. | 750 |
| 172 | Pals | Pals labelling machine, model: FL 50150 HSL, serial number: HSL 072, year of construction: 2006, dimensions: 1500 mm x 800 mm x 1950 mm. Incomplete. | 1250 |
| 173 | NN desk | S/s writing desk, inside dimensions: 630 mm x 675 mm x 110 mm, total dimensions: 640 mm x 700 mm x 1030 mm. | 50 |
| 174 | NN table | S/s table, dimensions: 700 mm x 600 mm x 920 mm. | 50 |
| 175 | NN cabinet | S/s mobile cabinet, 2 floors, dimensions: 700 mm x 770 mm x 1060 mm. | 25 |
| 176 | Digi Europe Ltd | Digi Europe Ltd weighing and labelling machine, model: HI 3600, serial number: 040351007, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: (2x) 100 mm, 230 mm, total dimensions: 1700 mm x 700 mm x 1800 mm. | 1500 |
| 177 | Rühle | Rühle tumbler, inside dimensions: Ø 570 mm x 500 mm, total dimensions: 1450 mm x 750 mm x 1300 mm. | 1250 |
| 178 | Partners in Packaging | Partners in Packaging mobile 3-lane denester, model: A-SERIES, serial number: 20080-1, year of construction: SEPTEMBER 2020, 230 V, 10 A, clearance: (1x) 165 mm x 130 mm, (1x) 190 mm x 130 mm, (1x) 180 mm x 130 mm, total dimensions: 1350 mm x 1100 mm x 1880 mm. | 2500 |
| 179 | NN mixer | S/s mobile double shaft paddle mixer, inside dimensions: 930 mm x 850 mm x 600 mm, total dimensions: 1480 mm x 1400 mm x 2050 mm. | 500 |
| 180 | Endoline | Endoline mobile box closing machine, model: SP-T, serial number: 12066424, 240 V, 1 Ph, 50 Hz, belt width: 170 mm, tape width: 50 mm, total dimensions: 1100 mm x 950 mm x 1540 mm. | 500 |
| 181 | Endoline | Endoline mobile box closing machine, belt width: 170 mm, tape width: 50 mm, s/s rollers, roller width: 660 mm, total dimensions: 920 mm x 800 mm x 1370 mm. | 500 |
| 182 | Grundfos | | 750 |



| Nr | Title | Description | Start € |
|-----|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | S/s tank with grundfos pump, type: CRN3-10 A-FGJ-GI-E-HQQE, model: A96533238P20719, serial number: 0001, 50 Hz, 0.750 kW, capacity: 3.0 m³/h, maximum height: 63.9 m, inside dimensions: 780 mm x 780 mm x 800 mm, total dimensions: 2200 mm x 830 mm x 1750 mm. | |
| 183 | Soco System | Soco System box closing machine, plastic rollers, roller width: 600 mm, belt width: 90 mm, total dimensions: 1000 mm x 950 mm x 1680 mm. Without taper. | 500 |
| 185 | G. Mondini S.p.a. | G. Mondini S.p.a. inliner, model: ND/1-2, machine number: 3729/09, year of construction: 2009, 415 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 505 mm, total dimensions: 2150 mm x 450 mm x 1650 mm. | 1000 |
| 186 | NN desk | S/s desk, inside dimensions: 625 mm x 675 mm x 110 mm, total dimensions: 680 mm x 700 mm x 1020 mm. | 50 |
| 187 | Sovereign Labelling Systems Ltd. | Sovereign Labelling Systems Ltd. labelling machine with top and bottom labeler, type: SOV T/B, serial number: 00505, year of construction: 2003, plastic belt, belt width: 90 mm, total dimensions: 2400 mm x 1100 mm x 1930 mm. | 750 |
| 188 | NN tank | S/s tank, inside dimensions: 1520 mm x 840 mm x 630 mm, total dimensions: 1700 mm x 1000 mm x 1250 mm. | 200 |
| 190 | Karl Schnell GmbH & Co | Karl Schnell GmbH & Co vacuum filling machine, type: 596, serial number: 21589, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 22.6 A, foot control, dimensions: 1020 mm x 1300 mm x 1950 mm. Including tool trolley, dimensions: 1430 mm x 600 mm x 1000 mm. | 2500 |
| 191 | Loveshaw | Loveshaw mobile box closing machine, model: LD35B/CG/V-2, serial number: 313034SBX, year of construction: 06-11-13, 230 V, 3 Ph, 50 Hz, machine weight: 130 kg, belt width: 85 mm, total dimensions: 1260 mm x 1050 mm x 1700 mm. | 500 |
| 192 | Endoline | Endoline mobile box closing machine with infeed belt, model: 710, serial number: 080452569-1, 240 V, 1 Ph, 50 Hz, belt width: 135 mm, total dimensions: 1740 mm x 650 mm x 1480 mm. | 750 |
| 193 | PCL | PCL checkweigher with rejector, model: C2010, serial number: 7388B, year of construction: 23/09/2014, 240 V, 1 Ph, 10 A, maximum load: 15 kg, plastic belt, belt width: 200 mm, total dimensions: 1480 mm x 1000 mm x 1550 mm. | 750 |
| 194 | CFS Bakel B.V. | CFS Bakel B.V. deglazer, type: STD 2000/600, machine number: 887, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.8 A, 0.18 kW, weight: 275 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1600 mm x 900 mm x 1530 mm. | 2000 |
| 195 | Dimaco UK Limited | Dimaco UK Limited verifier, model: 932-5028c, serial number: 0806793, 230 V, 50 Hz, 6 A, dimensions: 620 mm x 480 mm x 750 mm. | 100 |
| 196 | Turbo Systems Ltd | Turbo Systems Ltd mobile depositor, dimensions: 1600 mm x 900 mm x 2100 mm. | 1000 |
| 197 | | | 1250 |



| Nr | Title | Description | Start € |
|-----|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | NN cup sealing machine | Cup sealing machine, serial number: 134/00, 415 V, 16 A, dimensions cups: ø 630 mm, total dimensions: 1150 mm x 1350 mm x 1600 mm. | |
| 198 | Herbert Industrial Ltd | Herbert Industrial Ltd checkweigher, model: Gemini, serial number: HS734-66, year of construction: 2003, 230 V, 1 Ph, 50 Hz, weighing range: 0.1 kg-2 kg, e=d= 0.001 kg, plastic belt, belt width: (2x) 100 mm, total dimensions: 1340 mm x 800 mm x 1750 mm. | 1000 |
| 199 | NN curve conveyor | Mobile 45° curve conveyor, s/s mesh belt, belt width: 400 mm, total dimensions: 1700 mm x 1100 mm x 1930 mm. | 500 |
| 200 | Anritsu | Anritsu metal detector with checkweigher, serial number: K 099009, year of construction: 1999, weighing range: 50-3000 gram, maximum speed: 180 pcs/min, 100-120/200-240/480 V, 1 Ph, 50/60 Hz, clearance: 140 mm x 300 mm, total dimensions: 1000 mm x 800 mm x 1750 mm. Incomplete. | 500 |
| 201 | NN bowl mixer | Bowl mixer, model: XE80, serial number: 19306 9749 001, year of construction: 1997, 380/415 V, 3 Ph, 50 Hz, dimensions: 1000 mm x 750 mm x 1450 mm. Without bowl. | 500 |
| 202 | Tecna | Tecna pasta mixer and sheeter, model: CA 300 EDV, serial number: A0204008, year of construction: 2005, 415 V, 50 Hz, 5,27 kW, 850 Kg, working width: 300 mm, belt width: 340 mm, total dimensions: 1200 mm x 2000 mm x 1650 mm. | 1750 |
| 203 | Heller | Heller s/s vacuum tumbler, type: M 1000, number: 01.98, year of construction: 1/1997, 380 V, 50 Hz, 1.05 kW, volume: 1000 liter, clearance infeed: 445 mm x 345 mm, total dimensions: 2000 mm x 1350 mm x 1900 mm. | 1000 |
| 204 | Acrivarn LTD | Acrivarn LTD mobile cold glazing machine, model: Cold Glaze, number: 12569, year of construction: 2008, 1.5 kW loading, plastic chain belt, belt width: (2x) 20 mm, clearance: 700 mm x 650 mm, total dimensions: 1680 mm x 970 mm x 2000 mm. | 1250 |
| 205 | Sorta Weigh | Sorta Weigh checkweigher, type: 450-08, serial number: 42271, year of construction: 1998, 415 V, 3 Ph, 50 Hz, 6 A, weighing range: 10 g- 990 g, plastic belt, belt width: 265 mm, total dimensions: 750 mm x 700 mm x 1750 mm. | 500 |
| 206 | Tong Engineering LTD | Tong Engineering LTD elevating belt, type: Conveyor, serial number: 16-19033, year of construction: 2016, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, elevating height: 970 mm, total dimensions: 3500 mm x 550 mm x 1220 mm. | 500 |
| 207 | Leonhardt | Leonhardt mobile s/s depositor, type: TGS 2 H, number: 0140.1249.1, year of construction: 2012, clearance pipes: (3x) 30 mm, total dimensions: 1730 mm x 730 mm x 1560 mm. Incomplete, missing transport belt and outfeed pipe. | 1250 |
| 208 | NN transport belt | Infeed belt for traysealer with s/s frame and plastic belt with and without perforations, belt width: (2x) 280 mm, plastic mesh belt, belt width: 150 mm, with Rietschle side channel vacuum pump, total dimensions: 2400 mm x 900 mm x 1250 mm. | 500 |



| Nr | Title | Description | Start € |
|-----|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 209 | Busch | Busch vacuum pump, type: PANDA WV 0500-B, serial number: LH01800101, capacity: 500 m³/h, dimensions: 900 mm x 450 mm x 480 mm. | 250 |
| 210 | Becker | Becker vacuum pump, type: U 4.100SA/K, number: 2772861, year of construction: 2013, 50/60 Hz, dimensions: 850 mm x 360 mm x 370 mm. | 150 |
| 211 | Hiwell | Hiwell flouring machine, model: SFJ400-III, serial number: 0541004, year of construction: 2010.04.02, 380 V, 50 Hz, 2.81 kW, weight: 630 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2700 mm x 1070 mm x 2200 mm. | 1500 |
| 212 | Busch | Busch vacuum pump, type: RA 0630 B 4ZI ZZCJ, number: C0423000256, year of construction: 2004, capacity: 630 m³/h, dimensions: 1700 mm x 1100 mm x 1100 mm. | 1000 |
| 213 | Busch | Busch vacuum pump, type: RA 0400 B 48I DUB1, number: C0224000307, capacity: 400 m³/h, dimensions: 1320 mm x 850 mm x 1020 mm. | 750 |
| 214 | Busch | Busch vacuum pump, type: 630-212, serial number: 2577, capacity: 630 m³/h, dimensions: 1630 mm x 830 mm x 670 mm. | 750 |
| 215 | Markem-Imaje Corp. | Markem-Imaje Corp. Inkjet printer with mobile transport belt, model: 1050 Controller ASSY, serial number: US17380243, plastic mesh belt, belt width: 500 mm, total dimensions: 1830 mm x 800 mm x 1980 mm. | 750 |
| 216 | S+S | S+S checkweigher and metal detector with rejector, type: GLS 200/50/75/289, serial number: 11415017561-S, 110-230 VAC, 50/60 Hz, 0.2-0.1 A, clearance: 200 mm x 300 mm, plastic belt, belt width: 100 mm, total dimensions: 1050 mm x 700 mm x 1750 mm. Incomplete. | 750 |
| 217 | Schröder | Schröder tenderizer, type: NT 350, number: 350 286 02, year of construction: 2002, 400 V, 50 Hz, 10 A, 5 kW, s/s walking beam, beam width: 640 mm, total dimensions: 1800 mm x 1350 mm x 2150 mm. | 1250 |
| 218 | Dato | Dato transport belt, plastic mesh belt, belt width: (2x) 230 mm, total dimensions: 1730 mm x 900 mm x 2050 mm. | 750 |
| 219 | Ceia/Delford | Ceia metal detector with Delford checkweigher, model metal detector: THS/SL, serial number: 20100236015, plastic belt, belt width: 295 mm, clearance: 400 mm x 110 mm, model checkweigher: G1000, serial number: 1001, year of construction: 2001, weighing range: 10-990 g, 415 V, 3 Ph, 50 Hz, 3 A, total dimensions: 2100 mm x 1200 mm x 1600 mm. Incomplete. | 1000 |
| 220 | Bilwinco | Bilwinco mobile 14-heads multihead weigher, type: DWII, number: 80-82301, year of construction: 2007, 400 V, 3 Ph, 0.55 kW, dimensions: 1900 mm x 1300 mm x 2330 mm. | 1750 |
| 221 | Nemesis | Nemesis checkweigher, type: PL30, serial number: 14298, year of construction: 2014, 230 V, 50-60 Hz, 20 W, temperature range: 0°C-40°C, plastic belt, belt width: 405 mm, total dimensions: 1500 mm x 750 mm x 1350 mm. | 500 |



| Nr | Title | Description | Start € |
|-----|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 222 | Goring Kerr | Goring Kerr metal detector with rejector, clearance: 350 mm x 130 mm, plastic belt, belt width: 250 mm, total dimensions: 1600 mm x 950 mm x 1100 mm. | 1000 |
| 223 | G. Mondini | G. Mondini inliner, model: ND/1-2, number: 3167/06-2, year of construction: 2007, 415 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 500 mm, total dimensions: 1950 mm x 950 mm x 1660 mm. | 1000 |
| 224 | Glass GmbH & Co. KG | Glass GmbH & Co. KG mobile vacuum tumbler, type: VSM 300, machine number: 2636, year of construction: 2002, 415 V, 50 Hz, 6.43 A, 2.67 kW, dimensions: 2000 mm x 1050 mm x 1570 mm. Incomplete. | 1000 |
| 225 | Industrial Washing Machines Ltd. | Industrial Washing Machines Ltd. crate washer, model: Crusader 600SP, serial number: 239-C65PA/2917/01X, year of construction: 17/02/00, clearance: 870 mm x 470 mm, chain belt with dividers, belt width: 690 mm, dividers height: 10 mm, distance between dividers: 550 mm, total dimensions: 3550 mm x 1500 mm x 2500 mm. | 1750 |
| 226 | Packaging Automation Ltd | Packaging Automation Ltd cup filling machine, serial number: FF60-MC-00011-A, 415 V, 50 Hz, 8 stations, diameter cups: 70 mm, plastic belt, belt width: 115 mm, total dimensions: 2180 mm x 1350 mm x 2380 mm. | 4500 |
| 227 | Ilpra S.p.A. | Ilpra S.p.A. traysealer, model: FP SPEEDY VG, serial number: FD 7856, year of construction: 2008, 380 V, distance between dividers: 350 mm, dimensions dye: (2x) 180 mm x 140 mm, with Domino V400 print head and Busch vacuum pump, type: RA 0063F, serial number: 070023522, 63m ³ per hour, total dimensions: 2900 mm x 1000 mm x 2200 mm. | 2750 |
| 228 | Alpma | Alpma wrapping machine for individual products such as sausage, type: SAN 80/WK, serial number: 6954.208.031, year of construction: 2008, maximum capacity: 60 pieces/min, pressure in bar maximum: 8, machine weight: 1700 kg, plastic belt, belt width: 150 mm, film width: 280 mm, total dimensions: 2650 mm x 1900 mm x 2160 mm. Including pallet box and pallet with parts. | 2000 |
| 229 | NN transport belt | V-shaped transport belt, plastic belt, belt width: 400 mm, total dimensions: 3800 mm x 950 mm x 850 mm. | 500 |
| 230 | Packaging automation Ltd | Packaging automation Ltd mobile rotary traysealer, serial number: 177918215390, 240 V, 50 Hz, dimensions dye: 270 mm x 200 mm, total dimensions: 1500 mm x 1200 mm x 1760 mm. | 2000 |
| 231 | NN transport belt | V-shaped transport belt, plastic belt, belt width: 400 mm, total dimensions: 2800 mm x 700 mm x 1100 mm. | 500 |
| 232 | IXIA UK Ltd. | IXIA UK Ltd. mobile denester, type: i7 SERIES, serial number: IX14/231, clearance: 50 mm x 50 mm, total dimensions: 1500 mm x 820 mm x 1860 mm. | 500 |
| 233 | BCH | BCH s/s double jacketed tank with agitator, number: 6989H, year of construction: January 1979, inside dimensions: Ø 900 mm x 800 mm, total dimensions: Ø 1050 mm x 2040 mm. | 750 |



| Nr | Title | Description | Start € |
|-----|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 234 | NN conveyor lines | Conveyor lines S-shaped transport belt with s/s frame and plastic mesh belt, serial number: 21299-C19, belt width: 300 mm, total dimensions: 5600 mm x 1200 mm x 1000 mm. Including switch cabinet. | 500 |
| 235 | Gillenkirch Packaging Systems GmbH | Gillenkirch Packaging Systems GmbH vertical and horizontal sealing machine for vegetables, model: 7000-E, factory number: 959/04, year of construction: 08/2004, 4 kW, seal length: 600 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 3750 mm x 1700 mm x 1630 mm. | 3000 |
| 236 | Tong Engineering LTD | Tong Engineering LTD transport belt, type: Conveyor, serial number: 16-19034, year of construction: 2016, plastic belt, belt width: 290 mm, total dimensions: 2020 mm x 550 mm x 1200 mm. | 500 |
| 237 | Proseal UK Ltd. | Proseal UK Ltd. mobile traysealer, type: FastPack F45, serial number: 1631, 415 V, 50 Hz, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 900 mm x 1950 mm. Incomplete, missing dye. | 1000 |
| 238 | Tong Engineering LTD | Tong Engineering LTD elevating belt, type: Conveyor, serial number: 11-13602, year of construction: 2011, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, divider height: 20 mm, elevating height: 1200 mm, total dimensions: 3000 mm x 600 mm x 1500 | 750 |
| 239 | Proseal | Proseal mobile traysealer, type: Fastpack F45, serial number: 1364, 415 V, 50 Hz, plastic wire belt, belt width: 200 mm, total dimensions: 3000 mm x 900 mm x 1920 mm. Incomplete, missing dye set, missing belts. | 1000 |
| 240 | NN roller conveyor | Roller conveyor with s/s rollers and frame, roller width: 470 mm, total dimensions: 1500 mm x 600 mm x 520 mm. | 250 |
| 241 | Unitech Engineering | Unitech Engineering transport belt, serial number: 138330, year of construction: 2020, 230 V, 50 Hz, s/s frame, belt width: 310 mm, total dimensions: 3000 mm x 1100 mm x 950 mm. Missing belt. | 250 |
| 242 | NN platform | S/s platform, working width: 630 mm, total dimensions: 2100 mm x 1050 mm x 1730 mm. | 750 |
| 243 | PCL Machinery | PCL Machinery checkweigher, model: PCL 2010, serial number: 8498, maximum weighing capacity: 15000 g, plastic belt, belt width: 200 mm, total dimensions: 1400 mm x 1000 mm x 1570 mm. | 1000 |
| 244 | NN platforms | 2 s/s platforms, dimensions: (1x) 2000 mm x 600 mm x 390 mm, (1x) 1000 mm x 600 mm x 390 mm. | 50 |
| 245 | NN frames | 2 s/s frames with hooks, (2x) 10 hooks, inside dimensions tub: (2x) 960 mm x 460 mm x 260 mm, total dimensions: (2x) 1000 mm x 460 mm x 1650 mm. | 50 |
| 246 | NN pallet lifter | S/s pallet lifter, capacity: 2000 kg, fork dimensions: 1000 mm x 160 mm, distance between forks: 370 mm, total dimensions: 1400 mm x 700 mm x 1230 mm. | 250 |
| 247 | Risco | Risco double paddle mixer, model: RS 450.1, serial number: 112009, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 4.75 | 3500 |



| Nr | Title | Description | Start € |
|-----|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | kW, weight: 550 kg, dimensions: 2200 mm x 1000 mm x 1550 mm. With Bonnet lifter for 200 liter meat bins, type: 03.12.312.005, number: 03375, year of construction: 2014, 400 V, 50 Hz, 2.1 A, 0.75 kW, capacity: 300 kg, lifting height: 1630 mm, total dimensions: 1100 mm x 1100 mm x 2640 mm. | |
| 248 | Packaging Automation Ltd | Packaging Automation Ltd mobile traysealer, model: Eclipse SL6, serial number: EC6-MC-00018, 415 V, 50 Hz, plastic belt, belt width: 345 mm, 6 dye, dye dimensions: 164 mm x 120 mm, total dimensions: 3800 mm x 1200 mm x 2100 mm. | 3500 |
| 249 | Ulma | Ulma vertical bag form-, fill-, and seal machine, model: ETNA-280HT, serial number: 60281092, year of construction: 2005, 400 V, 50 Hz, 16 A, 6 kW, diameter pipe: 165 mm, vertical seal length: 400 mm, horizontal seal length: 300 mm, film width: 600 mm, total dimensions: 2220 mm x 1430 mm x 2120 mm. | 6500 |
| 250 | NN sink | S/s sink with 3 faucets, dimensions: 1600 mm x 430 mm x 600 mm. | 250 |
| 251 | Multivac | Multivac table model vacuum machine with gas flush, type: C200, serial number: 104335, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 9 A, 2 kW, chamber dimensions: 400 mm x 300 mm, seal length: 470 mm, total dimensions: 570 mm x 530 mm x 370 mm. | 500 |
| 252 | Metronic | Metronic sealing machine, model: UDA 150 S, number: E1156, year of construction: 07/2001, 230 V, 50/60 Hz, 2.8 A, 20 lp, width: 265 mm, total dimensions: 970 mm x 550 mm x 520 mm. Incomplete. | 25 |
| 253 | Proseal | Proseal mobile traysealer, model: FastPack 40, serial number: 1348, 240 V, 50 Hz, plastic wire belt, belt width: 180 mm, 2 dyes, dye dimensions: 185 mm x 140 mm, total dimensions: 2200 mm x 900 mm x 2000 mm. | 1500 |
| 254 | Bio Commercial | Bio Commercial cold press juicer, dimensions: 1400 mm x 660 mm x 1600 mm. Including extra knives. | 750 |
| 255 | Wire belt | Wire belt mobile transport belt, serial number: 3052-16, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 600 mm x 1100 mm. | 500 |
| 256 | NN transport belt | Transport belt with s/s frame and plastic belt, belt width: 300 mm, total dimensions: 900 mm x 800 mm x 900 mm. | 500 |
| 257 | Charles Wait / Frigomilk | Charles Wait ice cream line consisting of: Frigomilk s/s cooled tub, model cooled tub: G1, serial number: 0141506004, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.87 kW, volume: 300 liter, refrigerant: R404a, 0.9 kg, dimensions: 1100 mm x 950 mm x 1120 mm. Charles Wait ice cream machine, model: PHF-HF, dimensions: 770 mm x 1300 mm x 1330 mm. Charles Wait heat exchanger, model: S8 FT 37, serial number: C3844, year of construction: 2003, volume: 8 liter, dimensions: 1400 mm x 650 mm x 1680 mm. APV centrifugal pump, dimensions: 1200 mm x 600 mm x 450 mm. Polar mobile cooled au bain- | 3500 |



| Nr | Title | Description | Start € |
|-----|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | marie, model: DB319, serial number: 8873122000018, 220/240 V, 50 Hz, 1.8 A, 162 W, refrigerant: R290, 63 g, volume: 67 liter, dimensions: 800 mm x 660 mm x 1000 mm. | |
| 258 | PODAB | PODAB drying cabinet, model: TS 63 E/TS 93 E, 4 floors, dimensions: 1800 mm x 800 mm x 2000 mm. | 2000 |
| 259 | Syspal | Syspal s/s cabinet, dimensions: 700 mm x 650 mm x 980 mm. | 50 |
| 260 | Soco System | Soco System box closing machine, model: T-10, number: 493-2002, year of construction: 2002, 415 V, 3 Ph, 10 A, 250 W, plastic rollers, roller width: 600 mm, 260 mm, 70 mm, total dimensions: 1000 mm x 960 mm x 1630 mm. Missing taper. | 250 |
| 261 | Soco System | Soco System box closing machine, model: T-10, number: 114-92, year of construction: 1992, 415 V, 3 Ph, plastic rollers, roller width: 600 mm, 260 mm, 70 mm, total dimensions: 1000 mm x 960 mm x 1630 mm. Missing taper. | 250 |
| 262 | NN sink | S/s sink with 2 faucets, dimensions: 1100 mm x 380 mm x 1300 mm. | 100 |
| 263 | PLS | PLS labelling machine, serial number: 3845, 240 V, 50 Hz, plastic belt, belt width: 100 mm, total dimensions: 1900 mm x 900 mm x 700 mm. | 250 |
| 264 | NN frame | S/s frame, dimensions: 1200 mm x 1000 mm x 970 mm. | 75 |
| 265 | NN dispenser | S/s dispenser for plastic sheets, working width: 1300 mm, total dimensions: 1550 mm x 600 mm x 1200 mm. | 100 |
| 266 | NN defrosting trolleys | 2 s/s defrosting trolleys, dimensions: (2x) 1050 mm x 820 mm x 1180 mm. | 100 |
| 267 | NN defrosting trolleys | 2 s/s defrosting trolleys, dimensions: (2x) 1050 mm x 820 mm x 1180 mm. | 100 |
| 268 | Markem | Markem mobile labeler, type: 300 R/H, serial number: 03 C3D 1987, year of construction: 2003, 115/230 V, 1 Ph, 50/60 Hz, label width: 160 mm, total dimensions: 850 mm x 600 mm x 1480 mm. | 250 |
| 269 | Premier | Premier labelling machine, plastic belt, belt width: (2x) 240 mm, total dimensions: 1300 mm x 850 mm x 1800 mm. Incomplete. | 500 |
| 270 | ADPAK | ADPAK transport belt, model: GH2000/400, serial number: 10685, year of construction: 2015, 1 Ph, 1.8 A, plastic belt, belt width: 390 mm, total dimensions: 2070 mm x 820 mm x 830 mm. | 500 |
| 271 | Icon | Icon turning table, serial number: 01945-474411, dimensions: Ø 1210 mm x 830 mm. | 500 |
| 272 | NN table | Mobile s/s table, dimensions: 1500 mm x 600 mm x 860 mm. | 100 |
| 273 | Endoline | Endoline mobile box closing machine, model: 602, serial number: 100658278-1, 415 V, 3 Ph, 50 Hz, clearance: 300 mm x 150 mm, total dimensions: 1600 mm x 750 mm x 1500 mm. | 500 |
| 274 | Endoline | | 500 |



| Nr | Title | Description | Start € |
|-----|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | Endoline mobile box closing machine, clearance: 470 mm x 200 mm, total dimensions: 1000 mm x 900 mm x 1400 mm. Incomplete. | |
| 275 | NN transport belt | Transport belt with s/s frame and plastic belt, belt width: 250 mm, total dimensions: 2850 mm x 650 mm x 1200 mm. | 500 |
| 276 | Marco | Marco weighing scale, model: Checkmaster, serial number: 164365, 100-240 V, scale dimensions: 370 mm x 300 mm x total dimensions: 370 mm x 350 mm x 500 mm. | 25 |
| 277 | NN table | S/s table, dimensions: 1200 mm x 700 mm x 860 mm. | 100 |
| 278 | NN roller conveyor | Roller conveyor with plastic rollers, roller width: 370 mm, total dimensions: 1470 mm x 450 mm x 810 mm. | 100 |
| 279 | NN table | S/s table, dimensions: 1200 mm x 1200 mm x 900 mm. | 150 |
| 280 | ENE | ENE transport belt, type: Conveyor 1.04, serial number: 150216, year of construction: feb 15, 230 V, 50 Hz, 0.37 kW, plastic mesh belt, belt width: 300 mm, total dimensions: 1530 mm x 700 mm x 1000 mm. | 500 |
| 281 | NN rack | S/s rack with 3 floors, dimensions: 1200 mm x 600 mm x 1500 mm. | 250 |
| 282 | NN scale | Scale, serial number: 1303804, 12 V, max weight: 30 kg, scale dimensions: 300 mm x 300 mm, total dimensions: 300 mm x 450 mm x 410 mm. | 25 |
| 283 | Icon Engineering | Icon Engineering hot water steriliser, serial number: 002/13574, year of construction: 18/05/09, 415 V, 3 Ph, 50 Hz, 16 A, plastic mesh belt, belt width: 540 mm, clearance: 590 mm x 400 mm, total dimensions: 3600 mm x 1300 mm x 2300 mm. | 1000 |
| 284 | Hobart | Hobart dish washer, model: UX60, serial number: 86372327, year of construction: 2000, 415 V, 3 Ph, 50 Hz, 38.5 A, 24.6 kW, inside dimensions: 1200 mm x 700 mm x 600 mm, total dimensions: 1380 mm x 830 mm x 1700 mm. | 750 |
| 285 | Risco S.P.A. | Risco S.P.A. double shaft paddle mixer with lifter for 200 liter meat bins, type: RS 450.1, serial number: I113013, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4.75 kW, machine weight: 550 kg, dimensions mixer: 1850 mm x 1100 mm x 1580 mm. | 3000 |
| 286 | Heckmann | Heckmann dryer, machine number: 22562, year of construction: 2016, 415 V, 32 A, 8 kW, charge: 800 kg, 6 floors, floor dimensions: 450 mm x 450 mm, total dimensions: 1400 mm x 1200 mm x 2350 mm. | 1750 |
| 287 | Unitech Engineering | Unitech Engineering dish washer, model: PIWASH2, serial number: 31016, year of construction: 2019, 400 V, 50 Hz, inside dimensions: 1660 mm x 850 mm x 700 mm, total dimensions: 2500 mm x 1100 mm x 1990 mm. Incomplete. | 2500 |
| 288 | Key Technology | Key Technology vibrating gutter, type: MVIFD, number: 12611, year of construction: 2002, gutter width: 495 mm, total dimensions: 200 mm x 2100 mm x 2200 mm. | 1500 |
| 289 | Partners in Packaging | Partners in Packaging denester, model: A Series, serial number: 18049, year of construction: 2018, 230 V, 16 A, 4 | 3000 |



| Nr | Title | Description | Start € |
|-----|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | trays, dimensions trays: (4x) 110 mm x 65 mm, Becker vacuum pump, type: VT4.16, serial number: 3269910, 50/60 Hz, 0.55/0.70 kW, capacity: 16/19 m³/h, total dimensions: 1350 mm x 1050 mm x 1800 mm. | |
| 290 | Odeology | Odeology mobile labelling machine, plastic belt, belt width: 430 mm, total dimensions: 1500 mm x 900 mm x 1200 mm. | 1250 |
| 291 | NN dye trolley | S/s trolley for dyes, number: 101679363, dimensions: 1340 mm x 800 mm x 1100 mm. | 75 |
| 292 | Carsoe | 2 Carsoe denesters, model: Any Tray Cleanline Denester, serial number: SO-13874, year of construction: 2017, clearance: (2x) 140 mm x 140 mm, on s/s trolley, dimensions trolley: 1300 mm x 700 mm x 1410 mm. | 250 |
| 293 | Wolfking Danmark A/S | Wolfking Danmark A/S mobile double shaft paddle mixer, type: TSM 850L, number: 56413, total dimensions: 2600 mm x 1700 mm x 2100 mm. Missing lid. | 5000 |
| 294 | Tong Engineering LTD | Tong Engineering LTD elevating belt, type: Conveyor, serial number: 16-19031, year of construction: 2016, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, divider height: 20 mm, elevating height: 1050 mm, total dimensions: 2300 mm x 550 mm x 1350 | 750 |
| 295 | Bradman Lake | Bradman Lake box folding machine, type: Compact R, serial number: 6099 0201, 400 V, 3 Ph, 50 Hz, 20 A, total dimensions: 3200 mm x 1200 mm x 1800 mm. | 4000 |
| 296 | Bradman Lake | Bradman Lake tray erector, machine type: XS 2/60, serial number: 6350-03-04, 400 V, 3 Ph, 50 Hz, 20 A, total dimensions: 1600 mm x 1800 mm x 2040 mm. | 3500 |
| 297 | Proseal UK Ltd. | Proseal UK Ltd. mobile double lane conveyor, serial number: 3114, year of construction: 2014, 400 V, 3 Ph, 50 Hz, s/s chain belt with dividers, divider height: 15 mm, distance between dividers: 300 mm, total dimensions: 5400 mm x 1200 mm x 2200 mm. | 750 |
| 298 | NN inliner | Inliner, plastic belt, belt width: (2x) 110 mm, (2x) 320 mm, 680 mm, total dimensions: 2200 mm x 1100 mm x 1100 mm. | 1250 |
| 299 | Proseal UK Ltd. | Proseal UK Ltd. mobile traysealer, type: Fastpack F45, serial number: 1212, 415 V, 50 Hz, plastic wire belt, belt width: 180 mm, total dimensions: 1850 mm x 900 mm x 2150 mm. Without dye. | 1500 |
| 300 | Cintex | Cintex metal detector and checkweigher with rejector, clearance: 300 mm x 70 mm, plastic belt, belt width: 280 mm, 200 mm, 340 mm, total dimensions: 2550 mm x 1200 mm x 1550 mm. | 2000 |
| 301 | Reepack | Reepack mobile traysealer, model: ReeTray-25 SXT, serial number: 3917004, year of construction: 2017, 230 V, 1 Ph, 50 Hz, maximum: 18 A, dye: (2x) 205 mm x 145 mm, film width: 500 mm, total dimensions: 1000 mm x 700 mm x 1700 mm. Including pallet with extra parts, dye: (1x) 370 mm x 270 mm, (2x) 265 mm x 165 mm. | 950 |
| 302 | NN table | S/s writing table, dimensions: 950 mm x 420 mm x 1320 mm. | 50 |



| Nr | Title | Description | Start € |
|-----|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 303 | NN depositor | Mobile s/s depositor, serial number: MR300189, dimensions: 1200 mm x 520 mm x 2000 mm. | 500 |
| 304 | Promens Food Packaging | Promens Food Packaging mobile traysealer, model: 511-VG, number: 3803023, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 18 A, dye: (2x) 260 mm x 165 mm, film width: 425 mm, total dimensions: 1040 mm x 680 mm x 1490 mm. | 1250 |
| 305 | Steck | Steck mobile depositor, serial number: MR 230689, dimensions: 1600 mm x 700 mm x 1200 mm. | 500 |
| 306 | GKS Packaging | GKS Packaging mobile vertical bag form-, fill-, and seal machine, type: CP300I-T, serial number: 04349, year of construction: 04-2011, diameter pipe: 80 mm, vertical seal length: 250 mm, horizontal seal length: 320 mm, film width: 340 mm, total dimensions: 1400 mm x 1200 mm x 1410 mm. | 2500 |
| 307 | Anritsu | Anritsu elevating metal detector with rejector, type: KD8124NW, serial number: 4600244461, 100-240 Vac, 1 Ph, 50/60 Hz, clearance: 450 mm x 100 mm, plastic belt, belt width: 350 mm, elevating height: 880 mm, total dimensions: 2500 mm x 1100 mm x 1120 mm. | 1250 |
| 308 | PCL | PCL metal detector and checkweigher with double rejector, model checkweigher: 2020, serial number: 8648C, 240 V, 1 Ph, model metal detector: Fortress, serial number: ER3362, clearance: 200 mm x 56 mm, total dimensions: 2060 mm x 900 mm x 1660 mm. | 1500 |
| 309 | Bradman Lake | Bradman Lake carton erector, model: 2-60, clearance: 400 mm x 480 mm, total dimensions: 1500 mm x 1320 mm x 2780 mm. | 1000 |
| 310 | Rutland Handling Ltd | Rutland Handling Ltd mobile transport belt, model: STD 400 6M, serial number: 7621, year of construction: 1999, plastic belt, belt width: 400 mm, total dimensions: 6000 mm x 800 mm x 1720 mm. | 750 |
| 311 | Redpack | Redpack sandwich pad sealer, model: Hotshot, serial number: SS43, year of construction: August 2005, 415 V, dimensions dye: 100 mm x 175 mm, total dimensions: 5000 mm x 700 mm x 1410 mm. | 750 |
| 312 | Cintex | Cintex twin head metal detector, model: Cintex Sentry, serial number: 6967, 415 V, 3 Ph, 6 A, plastic belt, belt width: 300 mm, clearance: 370 mm x 100 mm, total dimensions: 2300 mm x 900 mm x 1000 mm. | 750 |
| 313 | Tote Containers and Systems Ltd | Tote Containers and Systems Ltd mobile s/s tank, year of construction: March 99, dimensions tank: 940 mm x 750 mm x 1000 mm, total dimensions: 1350 mm x 1150 mm x 1730 mm. | 500 |
| 314 | Cotswold Mechanical Limited | Cotswold Mechanical Limited mobile elevating belt, serial number: 2282, plastic belt with dividers, belt width: 420 mm, dividers height: 50 mm, distance between dividers: 190 mm, elevating height: 2550 mm, total dimensions: 2400 mm x 1100 mm x 2630 mm. | 1000 |
| 315 | Proseal | | 750 |



| Nr | Title | Description | Start € |
|-----|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | Proseal mobile conveyor for 6 filling stations, serial number: 3113, year of construction: 2014, 400 V, 3 Ph, 50 Hz, total dimensions: 8700 mm x 1250 mm x 2200 mm. Without filling machines. | |
| 316 | Proseal | Proseal converger, serial number: 2061, year of construction: 2010, 230 V, 50 Hz, plastic mesh belt, belt width: 600 mm, total dimensions: 1900 mm x 1100 mm x 1250 mm. | 1250 |
| 317 | Proseal | Proseal mobile traysealer, type: Fastpack F45, serial number: 1361, 415 V, 50 Hz, plastic wire belt, belt width: 200 mm, total dimensions: 3000 mm x 900 mm x 1920 mm. Without dye set. | 1000 |
| 318 | Marel/Thermo Fischer | Thermo Fischer metal detector and Marel checkweigher with double rejector, type checkweigher: MarelCheck RF8 8023.30, serial number: E010768, year of construction: 2009, 200-240 V, 1 Ph, 50/60 Hz, 5.0 A, clearance metal detector: 350 mm x 120 mm, plastic belt, belt width: 230 mm, total dimensions: 2650 mm x 1150 mm x 2000 mm. | 3500 |
| 319 | NN grinder | S/s grinder, diameter plate: 160 mm, screw diameter: 160 mm, tier: 100 mm, total dimensions: 2200 mm x 1200 mm x 2400 mm. Incomplete. | 750 |
| 320 | Peal Engineering LTD | Peal Engineering LTD turning table with Tong Engineering LTD infeed belt, turning table model: Rotary Table, serial number: 16-19038B, year of construction: 2016, infeed belt type: Conveyor, serial number: 16-19038A, year of construction: 2016, plastic belt, belt width: 300 mm, clearance: 330 mm x 190 mm, diameter table: 1550 mm, total dimensions: 2500 mm x 1600 mm x 1360 mm. | 1000 |
| 321 | Peal Engineering LTD | Peal Engineering LTD turning table with Tong Engineering LTD infeed belt, turning table model: Rotary Table, serial number: 00094, infeed belt type: Conveyor, serial number: 11-13608, year of construction: 2011, plastic belt, belt width: 300 mm, clearance: 330 mm x 190 mm, diameter table: 1550 mm, total dimensions: 2500 mm x 1600 mm x 1360 mm. | 1000 |
| 322 | Peal Engineering LTD | Peal Engineering LTD turning table with Tong Engineering LTD infeed belt, turning table model: R/TABLE, serial number: 04283, infeed belt type: Conveyor, serial number: 04282, plastic belt, belt width: 300 mm, clearance: 330 mm x 190 mm, diameter table: 1550 mm, total dimensions: 2500 mm x 1600 mm x 1360 mm. | 1000 |
| 323 | NN elevating belt | Mobile elevating belt with infeed bunker, s/s frame, infeed clearance: 750 mm x 450 mm, plastic belt with dividers, belt width: 360 mm, dividers height: 70 mm, distance between dividers: 390 mm, elevating height: 2850 mm, total dimensions: 3050 mm x 700 mm x 2950 mm. | 1000 |
| 324 | Genmac | Genmac dicer, model: Cubeking 2700, dicing set: 20 mm x 20 mm or 25 mm x 25 mm, loading station width: 500 mm, plastic belt, belt width: 350 mm, capacity: approximately 500 kg/h, total dimensions: 3100 mm x 800 mm x 1450 mm. | 2500 |



| Nr | Title | Description | Start € |
|-----|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 325 | Endoline | Endoline mobile box closing machine with outfeed conveyor, model: 607, serial number: 0069229, 415 V, 3 Ph, 50 Hz, 6.0 bar, plastic rollers, roller width: 300 mm, total dimensions: 3550 mm x 900 mm x 1900 mm. Missing taper. | 500 |
| 326 | Apple Engineering Ltd. | Apple Engineering Ltd. mobile depositor, model: MR300, serial number: 20302, year of construction: 2005, dimensions: 1300 mm x 550 mm x 2000 mm. | 500 |
| 327 | Rapid air | Rapid air cooking chamber with s/s trolley, 10 floors, floor dimensions: 600 mm x 700 mm, total dimensions: 1900 mm x 1200 mm x 2300 mm. | 1000 |
| 328 | Tricool | Tricool part of cool unit, dimensions: 1550 mm x 750 mm x 1350 mm. | 250 |
| 329 | NN lifter | Lifter for 200 liter meat bins, lifting height: 2800 mm, total dimensions: 4200 mm x 1200 mm x 1150 mm. | 1500 |
| 330 | Pozzi Proge | Pozzi Proge meat press, type: Pressa Insaccatrice, model: IF 5600, serial number: 171, year of construction: 2015, | 1500 |
| 331 | NN rack | Mobile s/s rack with 20 pegs, peg length: 380 mm, total dimensions: 1550 mm x 510 mm x 1730 mm. | 150 |
| 332 | NN rack | Mobile s/s rack with 48 pegs, peg length: 300 mm, total dimensions: 1240 mm x 650 mm x 1900 mm. | 150 |
| 333 | NN rack | Mobile s/s rack with 48 pegs, peg length: 300 mm, total dimensions: 1240 mm x 650 mm x 1900 mm. | 150 |
| 334 | Syspal | Syspal mobile s/s rack with 40 pegs, peg length: 130 mm, total dimensions: 1100 mm x 530 mm x 1750 mm. | 150 |
| 335 | Syspal | Syspal mobile s/s rack with 48 pegs, peg length: 130 mm, total dimensions: 1100 mm x 530 mm x 1970 mm. | 150 |
| 336 | Kaeser | Kaeser screw air compressor, model: BSD 72 T, 400 V, 3 Ph, 50 Hz, 77 A, dimensions: 2100 mm x 1000 mm x 1800 mm. | 1500 |
| 337 | Kaeser | Kaeser screw air compressor, model: CSD 82 SFC, serial number: 1273, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 103 A, 45.0 kW, dimensions: 2200 mm x 1050 mm x 1860 mm. | 1500 |
| 338 | Kaeser | Kaeser screw air compressor, model: ASK 27 T, serial number: 1265, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 34 A, 15.0 kW, dimensions: 1500 mm x 800 mm x 1250 mm. | 1000 |
| 339 | Kaeser | Kaeser screw air compressor, model: CSD 105 T SFC, 400 V, 3 Ph, 50 Hz, 135 A, 2200 mm x 1100 mm x 1900 mm. | 1500 |

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products.

Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or apiled mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



Industrial Auctions

Notes



Industrial Auctions

Notes



Industrial Auctions

Notes

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

