



Industrial Auctions

2060: Online auction machinery and inventory due to closing Saaremaa Lihatööstus OÜ in Saare maakond (EE)

END DATE
26 February 2026 12:00



General terms and conditions of the online auction

End date	26 February 2026 from 12:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	24% over the highest bid including premium
Pick up days	Pick up in consultation with Industrial Auctions BV. For more information regarding dismantling / transport of the lots, you can contact Frank van der Velden, frank@industrial-auctions.com . 25 March 2026 the lots have to be completely dismantled and picked up.
Pick up address	Pikk tn 81, Kuressaare 93815 Saare maakond Estonia
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Nakkilan Konepaja OY	Nakkilan Konepaja OY automatic driveways for pigs, steel construction, consisting of 3 rows, total dimensions stables: 20000 mm x 7000 mm.	350
2	NN sink	S/s sink, knee control, dimensions: 750 mm x 500 mm x 1400 mm. Including s/s tub, dimensions tub: 600 mm x 600 mm x 410 mm.	25
3	NN waste bag holder	S/s mobile waste bag holder, dimensions: 490 mm x 400 mm x 910 mm.	5
4	NN cabinet	Steel cabinet, 3 drawers, dimensions: 760 mm x 710 mm x 1240 mm.	5
5	NN pallet box	Plastic pallet box, dimensions: 1200 mm x 1000 mm x 820 mm.	10
6	Nakkilan Konepaja OY	Nakkilan Konepaja OY steel stable with gate, dimensions: 3100 mm x 1560 mm x 1510 mm.	50
7	Nakkilan Konepaja OY	Nakkilan Konepaja OY steel tube rail elevator, diameter tube: 65 mm, total dimensions: 5500 mm x 550 mm x 400 mm.	250
8	NN pig ambulance	S/s pig ambulance, dimensions: 2000 mm x 1250 mm x 1080 mm.	50
9	Nakkilan Konepaja OY	Nakkilan Konepaja OY steel stunning box for pigs, clearance: 435 mm / 140 mm x 950 mm, total dimensions: 4850 mm x 2170 mm x 2300 mm.	750
10	Nakkilan Konepaja OY	Nakkilan Konepaja OY steel tube rail elevator, diameter tube: 60 mm, total dimensions: 3500 mm x 620 mm x 450 mm.	250
11	NN bleeding shackles	23 steel bleeding shackles for pigs, dimensions: (23x) 100 mm x 100 mm x 1230 mm.	25
12	Nakkilan Konepaja OY	Nakkilan Konepaja OY overhead tube rail conveyor for pig slaughtering line, diameter tube: 60 mm, total length: approximately: 50 meter.	400
13	NN blood gutter	S/s blood gutter, dimensions: 10000 mm x 1200 mm x 600 mm.	150
14	Nakkilan Konepaja OY	Nakkilan Konepaja OY pre-dryer for pigs, 3 rolls, height rolls: 2600 mm, clearance: 570 mm x 2850 mm, total dimensions: 3200 mm x 3400 mm x 3650 mm.	750
15	Nakkilan Konepaja OY	Nakkilan Konepaja OY overhead tube rail conveyor for pig slaughtering line, diameter tube: 60 mm, total length: approximately: 7 meter.	200
16	Stork Nijhuis	Stork Nijhuis scalding tank, model: Turn-O-Matic, clearance: 2600 mm x 650 mm x 650 mm, total dimensions: 3100 mm x 3100 mm x 3000 mm.	1500
17	Stork Nijhuis	Stork Nijhuis dehairing machine, type: Goliath 250, year of construction: 1989, 7.5 kW, capacity: 80-120 pigs per hour, roll width: 2500 mm, total dimensions: 3200 mm x 1400 mm x 2450 mm.	1500



Nr	Title	Description	Start €
		Including s/s outfeed table, dimensions outfeed table: 2400 mm x 2000 mm x 1000 mm.	
18	Nakkilan Konepaja OY	Nakkilan Konepaja OY steel tube rail elevator, diameter tube: 50 mm, total dimensions: 4500 mm x 620 mm x 400 mm.	250
19	NN labelling unit	Mobile labelling unit with s/s control panel and Intermec labelling machine, type Intermec: EasyCoder PF4i, 100-240 V, 50/60 Hz, 1-2 A, total dimensions: 780 mm x 600 mm x 2000 mm.	50
20	Hackman	Hackman s/s sink, foot control, dimensions: 560 mm x 480 mm x 1370 mm.	10
21	NN stairs	S/s stairs, 4 steps, working height: 1070 mm, total dimensions: 1050 mm x 900 mm x 1940 mm.	25
22	NN frame	S/s frame, length frame: 5500 mm.	25
23	Banss	Banss singeing furnace, type: BF2, year of construction: 1990, 220 V, 50 Hz, 700-1120 kW, gas heated, gas type: propane, clearance: 750 mm x 2350 mm, total dimensions: 1450 mm x 1750 mm x 4400 mm. Including tube rail, diameter tube: 50 mm, total length tube rail: 7.5 meter.	1000
24	Nakkilan Konepaja OY	Nakkilan Konepaja OY overhead tube rail conveyor for pig slaughtering line, diameter tube: 50 mm, total length: approximately: 35 meter.	500
25	Nakkilan Konepaja OY	Nakkilan Konepaja OY after whip washer, 4 rolls, clearance: 600 mm x 2600 mm, total dimensions: 3100 mm x 2100 mm x 3200 mm.	750
26	NN platform	S/s platform with s/s sink, 5 steps, working height: 1230 mm, total dimensions: 4800 mm x 1950 mm x 2570 mm.	150
27	Nakkilan Konepaja OY	Nakkilan Konepaja OY steel tube rail elevator, diameter tube: 50 mm, total dimensions: 4500 mm x 400 mm x 600 mm.	250
28	NN platform	S/s platform with s/s sink, knee control, working height: 270 mm, total dimensions: 1500 mm x 1000 mm x 1250 mm.	25
29	NN platform	S/s platform with s/s sink, knee control, working height: 630 mm, total dimensions: 1500 mm x 1080 mm x 1740 mm.	25
30	NN platform	S/s platform with s/s sink, knee control, working height: 270 mm, total dimensions: 2500 mm x 1000 mm x 1380 mm.	25
31	Nakkilan Konepaja OY	Nakkilan Konepaja OY overhead tube rail conveyor for sheep slaughtering line with dehiding device, diameter tube: 50 mm, total length: approximately: 22 meter.	200
32	Nakkilan Konepaja OY		100



Nr	Title	Description	Start €
		Nakkilan Konepaja OY steel tube rail elevator, diameter tube: 50 mm, total dimensions: 2000 mm x 450 mm x 500 mm.	
33	Nakkilan Konepaja OY	Nakkilan Konepaja OY stables for cattle, steel construction, 9 rows, total dimensions: 15000 mm x 35000 mm.	500
34	Tuottajain Lihakeskuskunta	Tuottajain Lihakeskuskunta stunning box for cattle, inside dimensions: 2400 mm x 720 mm x 1500 mm, total dimensions: 2550 mm x 1700 mm x 3850 mm. Including entrance box, dimensions entrance box: 3000 mm x 1000 mm x 2000 mm, galvanized steel platform, working height: 900 mm, total dimensions platform: 6700 mm x 2100 mm x 2000 mm and s/s outfeed table, dimensions outfeed table: 2750 mm x 1350 mm x 350 mm.	750
35	Kone	Kone chain hoist, dimensions: 1000 mm x 400 mm x 100 mm.	50
36	NN bleeding shackles	6 steel bleeding shackles for cattle, dimensions: (6x) 100 mm x 60 mm x 1100 mm.	10
37	Nakkilan Konepaja OY	Nakkilan Konepaja OY overhead tube rail conveyor for cattle slaughtering line, diameter tube: 50 mm, total length: approximately 23 meter.	400
38	NN blood gutter	S/s blood gutter, dimensions: 9000 mm x 1400 mm x 780 mm.	150
39	NN platform	S/s platform with s/s sink, knee control, working height: 370 mm, total dimensions: 1310 mm x 1300 mm x 1390 mm.	25
40	NN platform	Galvanized steel platform, 3 steps, working height: 900 mm, total dimensions: 1700 mm x 1000 mm x 2000 mm.	25
41	Nakkilan Konepaja OY	Nakkilan Konepaja OY overhead tube rail for hook return used for cattle slaughtering line, diameter tube: 50 mm, total length: approximately 16 meter.	150
42	NN platform	Galvanized steel platform with 2 s/s sinks, knee control, 4 steps, working height: 1900 mm and 2420 mm, total dimensions: 6100 mm x 1300 mm x 3750 mm.	200
43	NN working platform	Steel working platform with s/s sink, knee control, height adjustable, dimensions platform: 1220 mm x 820 mm, total dimensions: 1220 mm x 1200 mm x 3500 mm.	200
44	NN saw sterilizer	Saw sterilizer, clearance: 340 mm x 160 mm x 390 mm, total dimensions: 530 mm x 400 mm x 1320 mm.	25
45	Nakkilan Konepaja OY		850



Nr	Title	Description	Start €
		Nakkilan Konepaja OY overhead tube rail conveyor for cattle slaughtering line, diameter tube: 50 mm, total length: approximately 40 meter.	
46	NN apron washer	S/s apron washer, dimensions: 750 mm x 800 mm x 1660 mm.	25
47	Hackman	Hackman s/s sink, foot control, dimensions: 570 mm x 510 mm x 1350 mm.	25
48	NN head washer	S/s head washer, dimensions: 720 mm x 600 mm x 1340 mm.	25
49	NN dehider	Dehider for cattle, roll width: 970 mm, total dimensions: 1300 mm x 1150 mm x 4700 mm. Including 2 galvanized steel platforms with s/s sinks, dimensions platform: 800 mm x 600 mm, total dimensions platforms: (2x) 1150 mm x 950 mm x 4200 mm, transport belt, steel frame, plastic belt, belt width: 800 mm, total dimensions transport belt: 2350 mm x 1730 mm x 780 mm and elevating belt, steel frame, plastic belt, belt width: 780 mm, elevating height: 1140 mm, total dimensions: 5750 mm x 1050 mm x 1190 mm.	750
50	NN sink	S/s sink, foot control, dimensions: 570 mm x 520 mm x 1380 mm.	25
51	NN red organ conveyor	Steel red organ conveyor with hooks, total length: approximately: 110 meter.	500
52	NN working platform	Steel working platform with s/s sink, foot control, height adjustable, dimensions platform: 1220 mm x 820 mm, total dimensions: 1500 mm x 1100 mm x 3000 mm.	200
53	NN working platform	Steel working platform with s/s sink, foot control, height adjustable, dimensions platform: 1000 mm x 580 mm, total dimensions: 1500 mm x 1500 mm x 3750 mm.	200
54	NN paunch conveyor	Paunch conveyor with lifter, dimensions platform lifter: 1000 mm x 1000 mm, lifting height: 2500 mm, s/s belt with dividers, belt width: 1000, distance between dividers: 2480 mm, divider height: 55 mm, total dimensions: 7850 mm x 2250 mm x 3600 mm.	1000
55	NN outfeed slide	S/s outfeed slide for paunches, slide width: 1380 mm, total dimensions: 3850 mm x 5900 mm x 1350 mm.	150
56	NN paunch washer	S/s paunch washer, year of construction: 1974, diameter infeed: 260 mm, total dimensions: 1150 mm x 1100 mm x 1200 mm.	500
57	La Parmentiere	La Parmentiere two speed paunch cleaning machine, type: 670P, machine number: 670P04, year of construction: 5/89, diameter infeed: 400	1000



Nr	Title	Description	Start €
		mm, total dimensions: 1610 mm x 1200 mm x 1330 mm.	
58	NN steps	2 galvanized steel steps, dimensions: 2000 mm x 470 mm x 240 mm and 1000 mm x 600 mm x 200 mm.	10
59	NN frame	S/s frame, plastic top, dimensions: 700 mm x 500 mm x 470 mm.	5
60	NN tub	Mobile s/s tub, dimensions: 1020 mm x 500 mm x 470 mm.	10
61	NN frame	S/s frame, dimensions: Ø 470 mm x 1120 mm.	5
62	Vikan	Vikan plastic shovel.	5
63	NN working platform	Steel working platform with s/s sink, foot control, height adjustable, dimensions platform: 1220 mm x 820 mm, total dimensions: 1350 mm x 1200 mm x 3600 mm.	200
64	NN sterilizer for splitting saw	Sterilizer for splitting saw, s/s frame, clearance: 500 mm x 240 mm x 620 mm, total dimensions: 1240 mm x 1200 mm x 2220 mm.	50
65	NN working platform	Steel working platform with s/s sink, foot control, height adjustable, dimensions platform: 1620 mm x 1020 mm, total dimensions: 1620 mm x 1500 mm x 4600 mm.	200
66	NN splash screen	S/s splash screen, dimensions: 2450 mm x 1200 mm x 3450 mm.	75
67	NN working platform	Steel working platform with s/s sink, foot control, height adjustable, dimensions platform: 1210 mm x 630 mm, total dimensions: 1350 mm x 1200 mm x 3550 mm.	200
68	NN working platform	Steel working platform with s/s sink, foot control, height adjustable, dimensions platform: 1210 mm x 630 mm, total dimensions: 1350 mm x 1200 mm x 3550 mm.	200
69	NN working platform	Steel working platform with s/s sink, foot control, height adjustable, dimensions platform: 1210 mm x 630 mm, total dimensions: 1350 mm x 1200 mm x 3550 mm.	200
70	NN platform	Galvanized steel platform with s/s sink, knee control, working height: 1300 mm, total dimensions: 2350 mm x 950 mm x 2770 mm.	100
71	NN platform	Galvanized steel platform, working height: 430 mm, total dimensions: 1420 mm x 1000 mm x 430 mm.	25
72	Tekno Taifun OY	Tekno Taifun OY vacuum pump for conveying waste meat, dimensions: 520 mm x 400 mm x 530 mm.	25
73	NN platform		100



Nr	Title	Description	Start €
		Galvanized steel platform with s/s sink, foot control, working height: 650 mm, total dimensions: 3000 mm x 1400 mm x 2000 mm.	
74	NN working platform	Steel working platform with s/s sink, foot control, height adjustable, dimensions platform: 1200 mm x 800 mm, total dimensions: 1300 mm x 1200 mm x 3550 mm.	200
75	Finn-Scales OY	Finn-Scales OY tube rail weighing scale, diameter tube: 50 mm, length tube: 600 mm. Including MeWa indicator, model: ADE STAN30M, maximum weight: 300 kg, minimum weight: 2 kg, e/d= 100 gram, Intermec label printer, model Intermec: PF4i, 100-240 V, 50/60 Hz, total dimensions weighing and labelling unit: 1100 mm x 1000 mm x 1410 mm.	200
76	NN stairs	Galvanized steel stairs, 3 steps, working height: 830 mm, total dimensions: 900 mm x 820 mm x 1440 mm.	25
77	Nakkilan Konepaja OY	Nakkilan Konepaja OY steel tube rail de-elevator, diameter tube: 50 mm, total dimensions: 2500 mm x 450 mm x 200 mm.	150
78	Nakkilan Konepaja OY	Nakkilan Konepaja OY overhead tube rail, diameter tube: 50 mm, total length: approximately 17 meter.	150
79	NN stairs	Galvanized steel stairs, 4 steps, working height: 1200 mm, total dimensions: 1200 mm x 1000 mm x 2130 mm.	25
80	NN table	S/s wall mounted table, plastic top, dimensions: 1600 mm x 620 mm x 1000 mm.	5
81	Nakkilan Konepaja OY	Nakkilan Konepaja OY steel tube rail de-elevator, diameter tube: 50 mm, total dimensions: 2500 mm x 450 mm x 200 mm.	150
82	Nakkilan Konepaja OY	Nakkilan Konepaja OY overhead tube rail conveyor, diameter tube: 50 mm, total length: approximately: 10 meter.	250
83	NN hanging conveyor	Hanging conveyor for quick chiller, total length conveyor: approximately 82 meter, dimensions chiller: 13200 mm x 5750 mm x 4200 mm. Evaporators not included.	1500
84	NN tube rail	Hydraulic tube rail for cold store, diameter tube rail: 50 mm, total length tube rail: approximately 330 meter, dimensions cold stores: 7150 mm x 17000 mm x 4200 mm and 6000 mm x 17000 mm x 4200 mm.	1750
85	NN tube rail	Tube rail with de-elevator, diameter tube rail: 50 mm, total length: approximately: 8 meter, dimensions de-elevator: 2500 mm x 450 mm x	250



Nr	Title	Description	Start €
		500 mm. Including EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik balancer.	
86	Finn-Scales OY	Finn-Scales OY tube rail weighing scale, diameter tube: 50 mm, length tube: 600 mm. Including MeWa indicator, model: ADE STAN30M maximum weight: 300 kg, minimum weight: 2 kg, e/d= 100 gram, dimensions indicator: 225 mm x 190 mm x 100 mm.	150
87	Intermec	Intermec label printer with s/s control panel, model: PF41, dimensions Intermec: 400 mm x 230 mm x 190 mm, dimensions control panel: 410 mm x 280 mm x 340 mm.	50
88	NN tube rail	Hydraulic tube rail conveyor system for cold store, diameter tube rail: 50 mm, total length: approximately 130 meter, dimensions cold store: 6000 mm x 8000 mm x 4200 mm. Including hydraulic unit, dimensions hydraulic unit: 800 mm x 800 mm x 900 mm.	1750
89	Finn-Scales OY	Finn-Scales OY tube rail weighing scale, diameter tube: 50 mm, length tube: 600 mm, MeWa indicator, model: ADE STAN30M, serial number: 1506928, 110-240 V, 50/60 Hz, 0.2 A, maximum weight: 300 kg, minimum weight: 2 kg, e/d= 100 gram, dimensions indicator: 225 mm x 190 mm x 100 mm and s/s control panel, dimensions control panel: 410 mm x 240 mm x 340 mm.	150
90	Ulkomarkkinat OY	Ulkomarkkinat OY lifter for bins, lifting height: 2320 mm, total dimensions: 1250 mm x 550 mm x 2080 mm. Incomplete, technical condition unknown.	250
91	NN pig ambulance	S/s pig ambulance, dimensions: 1600 mm x 770 mm x 830 mm.	50
92	NN pump unit	S/s pump unit with centrifugal pump, dimensions: 830 mm x 300 mm x 1400 mm.	10
93	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1100 mm.	5
94	NN tank	S/s tank, dimensions: 420 mm x 330 mm x 910 mm.	5
95	NN outfeed funnel	S/s outfeed funnel for waste meat, steel frame, diameter: 600 mm, total dimensions: 2000 mm x 1500 mm x 2780 mm.	50
96	NN tub	S/s tub, inside dimensions: 1110 mm x 890 mm x 1220 mm, total dimensions: 1270 mm x 940 mm x 1720 mm.	50
97	NN lifter for meat bins	S/s lifter for meat bins, lifting height: 1860 mm, total dimensions: 1300 mm x 1050 mm x 2940 mm. Technical condition unknown.	250
98	NN waste bag holders		10



Nr	Title	Description	Start €
		2 s/s waste bag holders, dimensions: (2x) 600 mm x 600 mm x 1270 mm.	
99	Kittner	Kittner s/s lifter for meat bins, serial number: 05768, year of construction: 2016, 400 V, 50 Hz, 0.75 kW, capacity: 300 litre, lifting height: 1500 mm, total dimensions: 1240 mm x 840 mm x 2900 mm.	1250
100	NN shovel	Plastic shovel.	5
101	NN step	S/s step, dimensions: 620 mm x 450 mm x 660 mm.	10
102	Kittner	Kittner s/s lifter for meat bins, serial number: 05767, year of construction: 2016, 400 V, 50 Hz, 0.75 kW, capacity: 300 litre, lifting height: 2000 mm, total dimensions: 1240 mm x 840 mm x 2900 mm.	1250
103	NN grinder	Grinder with lifter for lifter for meat bins, lifting height: 1760 mm, total dimensions lifter: 950 mm x 1200 mm x 3100 mm, diameter plate: 160 mm, total dimensions grinder: 1850 mm x 880 mm x 1500 mm.	750
104	Carnitech	Carnitech lifter for meat bins, type: L25, machine number: 3804, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, capacity: 250 kg, lifting height: 2080 mm, total dimensions: 1550 mm x 1000 mm x 2930 mm.	1000
105	NN breaker	Breaker, infeed: 850 mm x 830 mm, total dimensions: 2800 mm x 1550 mm x 2450 mm. Including switch cabinet, dimensions switch cabinet: 400 mm x 200 mm x 400 mm.	1750
106	NN tilting device for meat bins	Tilting device for meat bins, tilting height: 950 mm, total dimensions: 1440 mm x 750 mm x 1320 mm.	100
107	NN table	S/s table, dimensions: 3000 mm x 1500 mm x 930 mm.	100
108	NN table	S/s table, plastic top, dimensions: 1050 mm x 600 mm x 1620 mm.	25
109	Schoeller Arca Systems	Schoeller Arca Systems plastic pallet box, dimensions: 1200 mm x 1000 mm x 820 mm.	10
110	Hackman	Hackman s/s sink, knee control, dimensions: 570 mm x 460 mm x 1370 mm.	25
111	NN table	S/s table with plastic top, dimensions: 1000 mm x 600 mm x 1130 mm.	10
112	NN table	S/s wall mounted table, plastic top, dimensions: 1210 mm x 610 mm x 820 mm.	10
113	NN ladder	Aluminium extendable ladder, 18 steps, dimensions: 900 mm x 140 mm x 5000 mm.	25
114	NN table		25



Nr	Title	Description	Start €
		S/s table, dimensions: 1600 mm x 620 mm x 900 mm.	
115	Sharpenet Engineering Ltd	Sharpenet Engineering Ltd knife sharpener, model: Sharpenet Whetstone, number: 30581, dimensions: 300 mm x 250 mm x 360 mm.	50
116	NN waste bag holder	Steel mobile waste bag holder, dimensions: 500 mm x 400 mm x 940 mm.	5
117	NN helmets	10 plastic safety helmets, 3 chainmail apron, 1 chainmail glove set and 4 plastic knife holders.	25
118	NN leaking tray	S/s leaking tray, dimensions: (2x) 2080 mm x 1050 mm x 50 mm.	10
119	NN racks	Wooden racks, 3 floors, dimensions: 2400 mm x 570 mm x 1580 mm.	5
120	NN shovel	Plastic shovel.	5
121	NN hygiene trolley	S/s hygiene trolley with hose, dimensions: 550 mm x 500 mm x 1050 mm.	10
122	Vileda	Vileda plastic cleaning trolley, dimensions: 420 mm x 360 mm x 620 mm.	5
123	NN trolley	S/s trolley for buckets, dimensions: 800 mm x 560 mm x 930 mm.	5
124	Kingisepp	Kingisepp microscope, dimensions: 250 mm x 200 mm x 380 mm.	10
125	NN knives	Various knives and sharpeners.	25
126	NN platform	Mobile galvanized platform, 2 steps, working height: 620 mm, total dimensions: 1970 mm x 1220 mm x 1550 mm.	25
127	NN meat hooks	2 s/s trolleys with 27 meat hooks for cattle, dimensions trolleys: (2x) 1270 mm x 900 mm x 1750 mm.	100
128	NN organ hooks	S/s trolley with 13 s/s organ hooks, dimensions trolley: 1220 mm x 590 mm x 1240 mm.	100
129	NN spreading hooks	3 s/s trolleys with 154 s/s spreading hooks, dimensions trolleys: 1500 mm x 860 mm x 1210 mm and (2x) 1530 mm x 860 mm x 1280 mm.	300
130	NN spreading hooks	2 s/s trolleys with 98 s/s spreading hooks, dimensions trolleys: 1480 mm x 860 mm x 1200 mm and 1500 mm x 860 mm x 1240 mm.	200
131	NN spreading hooks	6 s/s trolleys with 269 s/s spreading hooks, dimensions trolleys: 1500 mm x 860 mm x 1210 mm, 1500 mm x 860 mm x 1270 mm, (2x) 1530 mm x 860 mm x 1280 mm and (2x) 1500 mm x 900 mm x 1160 mm.	550
132	NN meat hooks	2 s/s trolleys with 150 s/s meat hooks for cattle, dimensions trolleys: (2x) 1370 mm x 860 mm x 1710 mm.	300
133	Hackman	Hackman s/s sink, foot control, dimensions: 570 mm x 520 mm x 1380 mm.	25



Nr	Title	Description	Start €
134	Rocla OY	Rocla OY electrical pallet lifter, type: TTS12D3450, serial number: 89-36005, capacity: 1200 kg, lifting height: 3450 mm, fork length: 1150 mm, working hours: 2448 hr, total dimensions: 2050 mm x 940 mm x 1980 mm. Technical condition unknown, incomplete, missing battery.	250
135	Muuntolaite OY	Muuntolaite OY battery charger, model: TLE, dimensions: 460 mm x 400 mm x 250 mm.	25
136	Midac	Midac battery, type: 12x4MDL125-CT, serial number: 42377E0, 24V, capacity: 500 Ah, weight: 383 kg, volume electrolyte: 48 litre, dimensions: 830 mm x 270 mm x 630 mm.	50
137	Daewoo	Daewoo electrical forklift, capacity: 1500 kg, fork length: 1200, total dimensions: 3200 mm x 1100 mm x 2120 mm. Including Nuova Elettra battery charger, model: RTM 2, number: 26010911, dimensions battery charger: 500 mm x 400 mm x 1040 mm. Technical condition unknown.	1000
138	Multivac	Multivac belt vacuum machine, type: B 860, machine number: 169, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 24 A, 8.5 kW, plastic belt, belt width: 600 mm, Busch vacuum pump, type: 250-132, number: 34971, capacity: 250 m ³ per hour, total dimensions: 1740 mm x 1060 mm x 1200 mm.	400
139	LEO	LEO heater, type: FLK 2, 380 / 220 V, 3 Ph, 50 Hz, 16 A, dimensions: 340 mm x 330 mm x 550 mm.	10
140	NN cooking trolleys	5 s/s cooking trolleys, 6 floors, dimensions floors: (6x) 1000 mm x 900 mm, total dimensions: (3x) 1010 mm x 1000 mm x 1900 mm and (2x) 1000 mm x 980 mm x 2000 mm.	250
141	NN crates	2 pallets with approximately 50 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm, 600 mm x 400 mm x 180 mm and 600 mm x 400 mm x 170 mm.	25
142	NN sinks	S/s frame with 4 s/s sinks, knee control, total dimensions: 1460 mm x 850 mm x 1250 mm.	50
143	NN stool	S/s stool, dimensions: 450 mm x 500 mm x 640 mm.	5
144	NN stairs	Plastic stairs, dimensions: 490 mm x 470 mm x 580 mm.	5
145	NN waste bag holders	4 s/s waste bag holders, dimensions: (2x) 600 mm x 600 mm x 910 mm, 550 mm x 550 mm x 1020 mm and 600 mm x 600 mm x 1200 mm.	20
146	NN tub	S/s mobile tub, dimensions: 1270 mm x 700 mm x 780 mm.	25
147	NN trolley	S/s trolley, dimensions: 960 mm x 610 mm x 520 mm.	10



Nr	Title	Description	Start €
148	NN trolleys	3 s/s trolleys, dimensions: (3x) 960 mm x 660 mm x 820 mm.	50
149	NN meat bins	18 s/s meat bins, volume: (18x) 200 litre.	720
150	NN rollies	19 s/s rollies for E2 crates, dimensions: (19x) 610 mm x 410 mm x 180 mm. Including 1 plastic rollie for E2 crates, dimensions: 620 mm x 420 mm x 170 mm.	190
151	NN table	S/s table with plastic top and faucet, dimensions top: 1200 mm x 800 mm, total dimensions: 1220 mm x 820 mm x 1830 mm.	50
152	NN tube rail	Steel overhead tube rail with 2 de-elevators, diameter tube rail: 50 mm, total length tube rail: approximately 36 meter.	300
153	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 4600 mm x 630 mm x 950 mm.	250
154	NN frame	S/s frame for E2 crates, dimensions: 1270 mm x 630 mm x 720 mm.	50
155	Koneteollisuus OY	Koneteollisuus OY bandsaw, dimensions table: 1280 mm x 960 mm, total dimensions: 1780 mm x 1730 mm x 2340 mm.	1250
156	NN deboning belt	Deboning belt, s/s frame, (2x) 9 stations, dimensions stations: (18x) 990 mm x 550 mm, 4 plastic belts, belt width: 760 mm, 380 mm and (2x) 310 mm, total dimensions: 12600 mm x 1880 mm x 1850 mm. Including s/s outfeed slide.	2000
157	NN frame for crates	S/s frame for E2 crates, dimensions: 1270 mm x 630 mm x 720 mm.	50
158	NN frame for crates	S/s frame for E2 crates, dimensions: 1270 mm x 630 mm x 720 mm.	50
159	NN frame for crates	S/s frame for E2 crates, dimensions: 1270 mm x 630 mm x 720 mm.	50
160	NN turning table	S/s turning table, dimensions: Ø 1500 mm x 840 mm.	250
161	NN stairs	2 s/s stairs, 2 steps, dimensions: (2x) 660 mm x 600 mm x 610 mm.	25
162	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: (2x) 480 mm, total dimensions: 2050 mm x 1200 mm x 890 mm.	50
163	Brökelmann	Brökelmann mobile cooking vessel with agitator, year of construction: 28-05-2015, 400 V, 50 Hz, 17.3 A, 12 kW, volume: 200 litre, weight: 260 kg, electrical heated, dimensions: 1130 mm x 1100 mm x 1320 mm.	750
164	Brökelmann	Brökelmann mobile cooking vessel with agitator, year of construction: 03-03-2016, 400 V, 3 Ph, 50 Hz, 37.8 A, 27.1 kW, volume: 400 litre, electrical	750



Nr	Title	Description	Start €
		heated, total dimensions: 1500 mm x 1300 mm x 1350 mm.	
165	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1380 mm.	5
166	Koneteollisuus OY	Koneteollisuus OY bandsaw, dimensions table: 1750 mm x 1220 mm, total dimensions: 2250 mm x 1220 mm x 2350 mm.	1250
167	NN knife baskets	20 s/s knife baskets with knives and chainmail gloves.	50
168	NN coat rack	S/s coat rack, (2x) 9 pegs, dimensions: 800 mm x 400 mm x 1900 mm. Including 2 chainmail aprons and 2 chainmail gloves.	50
169	Dick	Dick knife sharpener, model: SM-160T, number: 000040, year of construction: 1999, 400 V, 3 Ph, 50/60 Hz, dimensions: 570 mm x 520 mm x 320 mm.	200
170	Dick	Dick knife sharpener, model: SM-110, number: 000134, 220-240 V, 1 Ph, 50 Hz, 1.5 A, 130 W, dimensions: 430 mm x 310 mm x 240 mm.	25
171	NN table	S/s table, dimensions: 1150 mm x 440 mm x 890 mm.	25
172	NN knife sharpener	knife sharpener, dimensions: 510 mm x 440 mm x 1360 mm.	20
173	NN deboning table	S/s deboning table with plastic worktop, dimensions: 1350 mm x 840 mm x 1100 mm.	50
174	NN waste bag holders	2 s/s waste bag holders, dimensions: 600 mm x 600 mm x 1080 mm and 600 mm x 600 mm x 1250 mm.	10
175	NN knife sterilizer	S/s knife sterilizer, dimensions: 660 mm x 500 mm x 900 mm.	50
176	NN table	S/s table, dimensions: 2500 mm x 1000 mm x 840 mm.	75
177	Romasas	3 Romasas weighing scales, model: D2, serial number: 106213041013 / 106213041016 / 106213041014, 12 V, 500 mA, maximum weight: 3/6 kg, minimum weight: 20 gram, e= 1/2 gram, Tare = -5.998 kg, dimensions scale: 230 mm x 190 mm, total dimensions: (3x) 300 mm x 240 mm x 130 mm.	30
178	Kern & Sohn GmbH	3 Kern & Sohn GmbH weighing scales, model: FFN 3K1IPM, serial number: WF18013017 / WF18012976 / WF18030196, 12 V, 500 mA, maximum weight: 3 kg, minimum weight: 0.02 kg, e = 0.001 kg, T = -2.999 kg, dimensions scale: 230 mm x 190 mm, total dimensions: (3x) 300 mm x 240 mm x 130 mm.	30
179	Jadever Scale Co., LTD	Jadever Scale Co., LTD weighing scale, model: JWG-6K, serial number: WG14512T0002, year of	10



Nr	Title	Description	Start €
		construction: 31/05/2005, maximum weight: 6 kg, minimum weight: 0.04 kg, e=d= 0.002 kg, dimensions scale: 240 mm x 200 mm, total dimensions: 320 mm x 250 mm x 130 mm.	
180	Taiwan Scale MFG. Co., LTD	Taiwan Scale MFG. Co., LTD weighing scale, model: QHW-30, serial number: 1629040003, maximum weight: 30 kg, minimum weight: 200 gram, e = 10 gram, Tare = -29.99 kg, dimensions scale: 300 mm x 230 mm, total dimensions: 340 mm x 310 mm x 130 mm.	10
181	MHS-Schneidetechnik GmbH	MHS-Schneidetechnik GmbH slicer, type: PCE 70/21 KS, serial number: 020114, year of construction: 2014, 400 V, 3 Ph, 6.5 A, 2.6 kW, clearance: 220 mm x 230 mm, total dimensions: 1850 mm x 800 mm x 1200 mm. Including extra knife.	1250
182	Ishida Scales MFG. Co., LTD	Ishida Scales MFG. Co., LTD weighing scale, model: LIBRA-II, number: 2120098, 230 V, 50 Hz, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T = -3 kg, dimensions scale: 380 mm x 260 mm, total dimensions: 380 mm x 350 mm x 510 mm.	10
183	A&D Instruments LTD	A&D; Instruments LTD weighing scale, model: SK-2000WP, number: IP1610849, maximum weight: 2000 gram, minimum weight: 20 gram, e = 1 gram, dimensions scale: 230 mm x 190 mm, total dimensions: 250 mm x 250 mm x 145 mm.	10
184	NN table	S/s table, dimensions: 1200 mm x 800 mm x 680 mm.	25
185	NN waste bag holders	2 s/s waste bag holders, dimensions: 600 mm x 600 mm x 1080 mm and 600 mm x 600 mm x 1250 mm.	10
186	Dibal, S.A.	Dibal, S.A. weighing scale with Cardinal Scale indicator, model Dibal, S.A.: R60, serial number: 41505848, maximum weight: 15 kg, dimensions scale: 400 mm x 400 mm x 130 mm, model Cardinal: 190EU, serial number: E03318-0124, 100-240 VAC, 50-60 Hz, dimensions indicator: 270 mm x 140 mm x 160 mm.	50
187	NN table	S/s table, dimensions: 1500 mm x 700 mm x 870 mm.	75
188	Ilpra	Ilpra traysealer, serie: FOODPACK, model: BASIC V/G MEC, serial number: FP9314, year of construction: 2012, 220 V, dimensions dye: 295 mm x 230 mm, total dimensions: 1030 mm x 920 mm x 680 mm. Including mobile s/s table, dimensions table: 680 mm x 600 mm x 740 mm.	1000
189	Fendo ky		400



Nr	Title	Description	Start €
		Fendo ky mobile strip cutter, dimensions infeed: 290 mm x 180 mm, 19 knives, distance between knives: 9 mm, total dimensions: 770 mm x 450 mm x 1220 mm. Including 3 extra knife sets, 10 knives / 18 mm, 7 knives / 27 mm, 19 knives / 9 mm.	
190	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, foot control, working width: 535 mm, total dimensions: 900 mm x 540 mm x 1030 mm.	750
191	NN table	S/s table, plastic top, dimensions: 1500 mm x 900 mm x 910 mm.	50
192	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik circular saw, type: EFA 85, number: 454, 230/400 V, 3 Ph, 50 Hz, 5.5/3.2 A, 1500 W, diameter knife: 300 mm, total dimensions: 690 mm x 250 mm x 310 mm.	250
193	Koneteollisuus OY	Koneteollisuus OY bandsaw, model: KT-400, number: 98738, 380 V, 3 Ph, 50 Hz, 1.8 A, 950 W, dimensions table: 830 mm x 500 mm, total dimensions: 1000 mm x 820 mm x 1890 mm.	350
194	NN table	S/s table, plastic top, dimensions: 1500 mm x 1220 mm x 1000 mm.	50
195	NN table	S/s table, dimensions: 3000 mm x 1200 mm x 920 mm. Missing table tops.	50
196	NN netting devices	2 netting devices, clearance: \varnothing 150 & \varnothing 130 mm, total dimensions: 630 mm x 300 mm x 300 mm and 620 mm x 300 mm x 240 mm.	10
197	Bertram & Graf GmbH / Alpina Electronics	2 boxes with Bartram & Graf GmbH saw blades and 8 boxes with Alpina Electronics saw blades.	25
198	NN frame	S/s frame for E2 crates, dimensions: 1270 mm x 630 mm x 720 mm.	50
199	NN meat bin tilting device	S/s mobile meat bin tilting device, dimensions: 1200 mm x 720 mm x 1620 mm.	25
200	NN meat bins	12 s/s meat bins, volume: (12x) 200 litre.	480
201	NN meat bins	16 s/s meat bins, volume: (16x) 200 litre.	640
202	NN meat bins	24 s/s meat bins, volume: (24x) 200 litre.	960
203	NN meat bins	6 s/s meat bins, volume: (6x) 200 litre.	240
204	NN meat bins	6 s/s meat bins, volume: (6x) 200 litre.	240
205	NN meat bins	12 s/s meat bins, volume: (12x) 200 litre.	480
206	NN meat bins	10 s/s meat bins, volume: (10x) 200 litre.	400
207	NN rollies	22 s/s rollies for E2 crates, dimensions: (22x) 610 mm x 410 mm x 180 mm.	220
208	NN rollies	21 s/s rollies for E2 crates, dimensions: (21x) 610 mm x 410 mm x 180 mm.	210
209	NN rollies	21 s/s rollies for E2 crates, dimensions: (21x) 610 mm x 410 mm x 180 mm.	210
210	NN rollies		420



Nr	Title	Description	Start €
		42 s/s rollies for E2 crates, dimensions: (42x) 610 mm x 410 mm x 180 mm.	
211	NN rollies	49 s/s rollies for E2 crates, dimensions: (49x) 610 mm x 410 mm x 180 mm.	490
212	Wolfking	Wolfking grinder, type: C.160-UNI, number: 54067, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 58 A, 30 kW, diameter plate: 160 mm, total dimensions: 1700 mm x 1000 mm x 1600 mm.	1500
213	SFK-Danfotech	SFK-Danfotech lifter for meat bins, type: SH 300, serial number: 1712, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, capacity: 300 kg, lifting height: 2300 mm, total dimensions: 1150 mm x 700 mm x 3010 mm.	1000
214	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, model: ROBOT HP 10C, type: 142\250-1, number: 1420887, year of construction: 1999, 220-240 / 400-460 V, 3 Ph, 50/60 Hz, 37/21 A, filling and portioning, Rietschle vacuum pump, dimensions: 1500 mm x 1000 mm x 1960 mm. Including s/s table with parts, dimensions table: 1000 mm x 330 mm x 900 mm.	5000
215	Tipper Tie Alpina AG	Tipper Tie Alpina automatic double clipper, type: Swipper Compact, machine number: 857.014, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 15 A, 7.5 kW, 6 bar, dimensions: 1500 mm x 1060 mm x 1820 mm.	5000
216	NN transport frame	S/s transport frame for clipper.	10
217	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 600 mm x 600 mm x 1050 mm.	10
218	NN table	S/s mobile table, plastic top, dimensions: 700 mm x 540 mm x 1000 mm.	50
219	NN rollie	S/s rollie for E2 crates, dimensions: 610 mm x 410 mm x 130 mm. Including 2 plastic crates, dimensions crates: (2x) 600 mm x 400 mm x 320 mm.	10
220	NN control panel	S/s control panel, dimensions: 400 mm x 290 mm x 340 mm.	25
221	Ilpra	Ilpra traysealer, serie: FOODPACK, model: BASIC V/G, serial number: FP9969, year of construction: 2015, 230 V, film width: 310 mm, dimensions dye: 295 mm x 230 mm, total dimensions: 1320 mm x 870 mm x 1320 mm.	1000
222	NN table	S/s table, plastic top, dimensions: 700 mm x 700 mm x 1100 mm.	50
223	NN frame	S/s frame for E2 crate, dimensions: 610 mm x 410 mm x 330 mm.	10
224			12500



Nr	Title	Description	Start €
	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, model: HP 20 E, number: 163 0060, year of construction: 2007, 400-460 / 575 V, 3 Ph, 50/60 Hz, 31/29 A, 25 kW, filling and portioning, Busch vacuum pump, dimensions: 2580 mm x 1420 mm x 2070 mm. Including grinding head, diameter plates: 130 mm and s/s tool trolley with various parts, dimensions trolley: 1010 mm x 520 mm x 940 mm.	
225	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile portioning machine, model: MMP 220, number: 2200403, year of construction: 2012, 400-460 V, 3 Ph, 50/60 Hz, 3.5 A, 1.5 kW, 6 bar, weight: 335 kg, working width: 260 mm, plastic belts, belt width: (2x) 250 mm, total dimensions: 1760 mm x 600 mm x 1550 mm.	3500
226	Marel	Marel s/s floor weighing scale, type: PL6000, serial number: A066753, maximum weight: 600 kg, min: 0.1 kg, dimensions: 900 mm x 880 mm x 80 mm. Including Cardinal Scale indicator, model: 190EU, serial number: E01419-0189, dimensions indicator: 300 mm x 130 mm x 160 mm.	200
227	Intermec / Scanvaegt	Weighing and labelling unit, consisting of: Intermec label printer, model: PF4i, year of construction: 2009, dimensions: 400 mm x 240 mm x 170 mm and Scanvaegt control panel, type: 816, serial number: BQD01084, dimensions: 470 mm x 280 mm x 370 mm.	50
228	NN brine mixer	Mobile brine mixer, inside dimensions: Ø 740 mm x 730 mm, total dimensions: 930 mm x 800 mm x 1520 mm.	150
229	NN table	S/s table, plastic top, dimensions: 710 mm x 610 mm x 1120 mm.	25
230	NN lifter for meat bins	S/s lifter for meat bins, lifting height: 2050 mm, total dimensions: 1050 mm x 900 mm x 2940 mm.	750
231	NN mixer	Double paddle mixer, inside dimensions: 1000 mm x 750 mm x 650 mm, total dimensions: 1500 mm x 1040 mm x 1770 mm.	1500
232	Roser	Roser lifter for meat bins, type: 1624, serial number: 863, year of construction: 2005, 380 V, 50 Hz, 3.6 A, 1.5 kW, capacity: 300 kg, lifting height: 2050 mm, total dimensions: 1250 mm x 550 mm x 2850 mm.	1000
233	Seydelmann	Seydelmann grinder, type: AG 160, machine number: 05666-1, year of construction: 2005, 400 V, 50 Hz, 71 A, 40 kW, air pressure: 6-10 bar, diameter plate: 160 mm, total dimensions: 1630	12500



Nr	Title	Description	Start €
		mm x 1590 mm x 2150 mm. Including pallet with plates and knives.	
234	NN table	S/s table, dimensions: 700 mm x 640 mm x 920 mm.	10
235	Seydelmann	Seydelmann universal grinder with lifter for meat bins, type: AU 200 U Ultra B, machine number: S9-60200-0232-18, year of construction: 2018, 400 V, 50 Hz, 195 A, 110 kW, weight: 4350 kg, diameter plate: 200 mm, total dimensions: 3200 mm x 2550 mm x 2650 mm. Including s/s switch cabinet, dimensions switch cabinet: 1000 mm x 350 mm x 1000 mm and s/s tool trolley, dimensions tool trolley: 970 mm x 450 mm x 910 mm.	35000
236	NN stairs	S/s stairs, 2 steps, dimensions: 780 mm x 420 mm x 620 mm.	10
237	Karpowicz	Karpowicz vacuum tumbler, type: MK-1200, number: 1348, year of construction: 01-06-98, volume: 1200 litre, dimensions: 2050 mm x 1250 mm x 2400 mm.	1500
238	NN stairs	S/s stairs, 2 steps, dimensions: 500 mm x 450 mm x 470 mm.	20
239	Inject Star	Inject Star vacuum tumbler, type: ES-2200, machine number: ES2200-428, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3.7 kW, volume: 2200 litre, Busch vacuum pump, dimensions: 2400 mm x 1700 mm x 1860 mm.	4000
240	Inject Star	Inject Star vacuum tumbler, volume: 2200 litre, Busch vacuum pump, dimensions: 2400 mm x 1700 mm x 1860 mm.	4000
241	Inject Star	Inject Star vacuum tumbler, type: ES-1100, machine number: ES1100-410, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 2.2 kW, volume: 1100 litre, Busch vacuum pump, dimensions: 2200 mm x 1530 mm x 1680 mm.	2500
242	Karpowicz	Karpowicz vacuum tumbler, type: MK-600, number: 1189, year of construction: 26-09-97, volume: 600 litre, dimensions: 1650 mm x 1120 mm x 2150 mm.	1500
243	Metalquimia	Metalquimia brine injector, machine: MOVISTICK, model: 30-PC, number: 025205, year of construction: 2010, 7.5 kW, 30 needles, s/s walking beam, beam width: 300 mm, total dimensions: 2340 mm x 750 mm x 2310 mm. Including s/s tub for brine, dimensions tub: 1350 mm x 480 mm x 900 mm, s/s switch cabinet, dimensions switch cabinet: 500 mm x 260 mm x	3500



Nr	Title	Description	Start €
		700 mm and s/s table with parts, dimensions table: 1320 mm x 480 mm x 1220 mm.	
244	Metalquimia	Metalquimia brine mixer, machine: BRINIMIX, model: 500, number: 346110, year of construction: 2010, 3 kW, volume: 500 litre, dimensions: 1800 mm x 1020 mm x 2350 mm. Including s/s switch cabinet, dimensions switch cabinet: 520 mm x 260 mm x 700 mm.	2000
245	Intermec / Scanvaegt	Weighing and labelling unit, consisting of: Intermec label printer, model: PF4i, year of construction: 2009, dimensions: 400 mm x 240 mm x 170 mm and Scanvaegt control panel, type: 816, serial number: BQD01240, dimensions: 470 mm x 280 mm x 370 mm.	50
246	K-PZ Waagen	K-PZ Waagen s/s floor weighing scale, type: KPZ 2E, serial number: 122184, year of construction: 04-2021, dimensions: 1050 mm x 800 mm x 100 mm. Including K-PZ Waagen indicator, type: KPZ 51E-45-1, serial number: 122184, year of construction: 04/2021, maximum weight: 300 kg, minimum weight: 2 kg, e = 0.1 kg, T = -300 kg, dimensions: 300 mm x 180 mm x 210 mm.	200
247	Metos	Metos combi steamer, model: MSCC 61, serial number: E61SG11082268501, 400 V, 3 Ph, 50 Hz, 10.0 kW, electrical heated, 6 floors, dimensions floors: (6x) 530 mm x 330 mm, total dimensions: 850 mm x 850 mm x 800 mm.	350
248	NN table	S/s table, dimensions: 1260 mm x 710 mm x 630 mm.	25
249	Metos	Metos combi steamer, model: MSCC 101, serial number: E11SG09042177708, 400 V, 3 Ph, 50 Hz, 19.0 kW, electrical heated, 10 floors, dimensions floors: (10x) 530 mm x 330 mm, total dimensions: 850 mm x 850 mm x 1680 mm.	500
250	NN waste bag holders	2 s/s waste bag holders, dimensions: 600 mm x 600 mm x 1250 mm and 600 mm x 600 mm x 920 mm.	10
251	Ascell / Cardinal Scale	Ascell mobile s/s weighing scale, model: MI45, serial number: 0010254, capacity: 60 kg with Cardinal Scale indicator, model: 190EU, serial number: E26619-0074, 100-240 VAC, 50-60 Hz, dimensions scale: 600 mm x 450 mm, total dimensions: 600 mm x 550 mm x 1200 mm.	100
252	Kittner	Kittner s/s lifter for meat bins, serial number: 05788, year of construction: 2016, 400 V, 50 Hz, 0.75 kW, capacity: 300 kg, lifting height: 2030 mm, total dimensions: 1100 mm x 1000 mm x 2900 mm.	1250



Nr	Title	Description	Start €
253	NN tumbler	S/s tumbler, dimensions drum: Ø 730 mm x 1050 mm, total dimensions: 1380 mm x 900 mm x 1700 mm. Including switch cabinet, dimensions switch cabinet: 300 mm x 210 mm x 500 mm.	300
254	NN sink	S/s sink, knee control, dimensions: 1200 mm x 600 mm x 1150 mm.	50
255	NN knife sterilizer	S/s knife sterilizer, dimensions: 210 mm x 200 mm x 540 mm.	25
256	NN frame	S/s mobile frame, dimensions: 400 mm x 400 mm x 570 mm.	10
257	NN table	S/s table with 2 Dibal, S.A. weighing scales, type scales: PS-50M, serial number: 41600642 / 41413798, maximum weight: 3 kg, minimum weight: 20 gram, e = 1 gram, T = -2999 gram, dimensions scales: 230 mm x 190 mm, total dimensions Dibal, S.A.: (2x) 240 mm x 230 mm x 150 mm, dimensions table: 1610 mm x 800 mm x 920 mm.	125
258	Cryovac	Cryovac dip tank, clearance: 750 mm x 400 mm, total dimensions: 820 mm x 740 mm x 1360 mm.	175
259	NN table	S/s table, dimensions: 1300 mm x 700 mm x 870 mm.	25
260	NN brine tank	S/s brine tank, inside dimensions: Ø 920 mm x 900 mm, total dimensions: 1150 mm x 1050 mm x 1430 mm. Including membrane pump.	150
261	NN meat press	Meat press with sink and faucet, diameter chamber: 120 mm, total dimensions: 1870 mm x 600 mm x 1150 mm.	100
262	NN table	S/s table, dimensions: 1500 mm x 680 mm x 850 mm.	50
263	Siebeck	Siebeck mobile string tying machine, type: FRT-S G, machine number: 15/05230805, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, 1.6 kW, weight: 160 kg, clearance: 290 mm x 250 mm, total dimensions: 800 mm x 600 mm x 1390 mm.	1000
264	Intermec / Scanvaegt	Weighing and labelling unit, consisting of: Intermec label printer, model: PF4i, year of construction: 2007, dimensions: 400 mm x 240 mm x 170 mm and Scanvaegt control panel, type: 816, serial number: BQD00700 C, dimensions: 470 mm x 280 mm x 370 mm.	50
265	NN floor weighing scale	S/s floor weighing scale, dimensions: 1550 mm x 1450 mm x 130 mm with Cardinal Scale indicator, model: 190EU, serial number: E13620-0116, dimensions indicator: 250 mm x 160 mm x 130 mm.	250
266	NN covers for meat bins		25



Nr	Title	Description	Start €
		S/s frame with 8 s/s lids for meat bins, dimensions frame: 1050 mm x 300 mm x 350 mm.	
267	Seydelmann	Seydelmann vacuum cutter with lifter for meat bins and ejector, type: K 324 VA-U, number: 94118-1, year of construction: 1994, 400 V, 50 Hz, 225 A, 115 kW, s/s bowl, volume bowl: 325 litre, dimensions: 3200 mm x 2050 mm x 2030 mm. Including s/s switch cabinet, dimensions switch cabinet: 1550 mm x 330 mm x 2000 mm.	15000
268	Cardinal Scale	S/s weighing scale, dimensions scale: 600 mm x 490 mm x 150 mm, total dimensions: 540 mm x 480 mm x 690 mm, with Cardinal Scale indicator, model: 190EU, serial number: E27313-0117, 100-240 VAC, 50-60 Hz, dimensions indicator: 290 mm x 120 mm x 200 mm.	50
269	NN floor weighing scale	S/s floor weighing scale, dimensions: 1300 mm x 840 mm x 70 mm with Cardinal Scale indicator, model: 190EU, serial number: E13620-0115, dimensions indicator: 250 mm x 160 mm x 130 mm.	200
270	NN circulation pump	S/s circulation pump, dimensions: 450 mm x 210 mm x 220 mm.	25
271	Hackman Foodtec	Hackman Foodtec s/s lifter for meat bins, type: RTL 6119, lifting height: 1950 mm, total dimensions: 1300 mm x 1000 mm x 3350 mm.	1000
272	Ruostumattomat Teraslaitteet	Ruostumattomat Teraslaitteet double paddle mixer, inside dimensions: 1500 mm x 910 mm x 730 mm, total dimensions: 2320 mm x 1000 mm x 1800 mm.	2000
273	NN platform	S/s platform, 3 steps, working height: 900 mm, total dimensions: 2750 mm x 610 mm x 1770 mm.	150
274	Seydelmann	Seydelmann vacuum cutter with lifter for meat bins and ejector, type: K 324 AC8 VA, machine number: 08230-1, year of construction: 2008, 400 V, 50 Hz, 292 A, 157 kW, s/s bowl, volume bowl: 325 litre, dimensions: 3300 mm x 2800 mm x 2020 mm. Including s/s switch cabinet, dimensions switch cabinet: 1290 mm x 450 mm x 2820 mm and s/s control panel, dimensions control panel: 460 mm x 90 mm x 320 mm.	17500
275	NN control panel	S/s control panel, dimensions: 410 mm x 130 mm x 310 mm.	25
276	NN floor weighing scale	S/s floor weighing scale, dimensions: 1300 mm x 840 mm x 70 mm with Cardinal Scale indicator, model: 190EU, serial number: E13620-01005,	200



Nr	Title	Description	Start €
		dimensions indicator: 250 mm x 160 mm x 130 mm.	
277	NN smoke sticks	8 s/s trolleys with large amount of O-shaped s/s smoke sticks, length smoke sticks: 980 mm, dimensions trolleys: (8x) 550 mm x 540 mm x 1140 mm.	800
278	NN smoke sticks	2 s/s trolleys with large amount of Y-shaped aluminium smoke sticks, length smoke sticks: 980 mm, dimensions trolleys: 550 mm x 540 mm x 1140 mm and 700 mm x 630 mm x 880 mm.	200
279	NN smoke stick washer	Mobile smoke stick washer, inside dimensions: \varnothing 520 mm x 1040 mm, total dimensions: 1270 mm x 770 mm x 1300 mm.	500
280	NN shovels	3 plastic shovels.	15
281	NN meat bin	S/s meat bin, volume: 200 litre. Including 8 s/s lids for meat bins.	50
282	NN waste bag holder	S/s waste bag holder, dimensions: 520 mm x 350 mm x 620 mm.	5
283	NN foam mixing trolley	S/s foam mixing trolley, dimensions: 610 mm x 380 mm x 1140 mm.	25
284	NN crate and bucket	Plastic crate, dimensions crate: 600 mm x 400 mm x 450 mm and plastic bucket, dimensions bucket: \varnothing 390 mm x 450 mm.	5
285	NN frame with crate	S/s frame with plastic crate, dimensions frame: 370 mm x 370 mm x 240 mm.	10
286	NN frame	S/s frame with 2 plastic buckets, dimensions frame: 1020 mm x 910 mm x 850 mm, dimensions buckets: (2x) \varnothing 480 mm x 570 mm.	10
287	NN tub	S/s mobile tub with drain, dimensions: 1100 mm x 460 mm x 1160 mm.	25
288	GEA Goedhart	GEA Goedhart fan on steel frame, 400 V, 3 Ph, 50 Hz, 2.7/1.8 A, 1.50/1.10 kW, dimensions fan: \varnothing 700 mm x 290 mm, total dimensions: 750 mm x 1000 mm x 1040 mm.	25
289	Geneglacé s.a.s.	S/s frame with Geneglacé s.a.s. flake ice machine, type: F-90 RI, serial number: 053386, year of construction: 12-2005, 400 V, 3 Ph, 50 Hz, 1.1 A, refrigerant: R404, dimensions: 860 mm x 700 mm x 1300 mm, Bitzer cooling compressor, dimensions: 860 mm x 810 mm x 850 mm, switch cabinet, dimensions: 400 mm x 220 mm x 650 mm, total dimensions: 2540 mm mm x 600 mm x 1200 mm.	1000
290	NN pallet boxes	2 plastic pallet boxes, dimensions: (2x) 1200 mm x 1000 mm x 740 mm.	50
291	Cardinal Scale	S/s weighing scale with Cardinal Scale indicator, dimensions scale: 600 mm x 490 mm x 140 mm, model indicator: 190EU, serial number:	50



Nr	Title	Description	Start €
		E22014-0152, dimensions indicator: 250 mm x 160 mm x 130 mm.	
292	NN extraction hood	S/s extraction hood, dimensions: 1500 mm x 710 mm x 600 mm.	25
293	NN waste containers	2 plastic waste containers, dimensions: (2x) 480 mm x 530 mm x 1020 mm.	10
294	NN rack	Steel rack, 4 floors, dimensions: 2040 mm x 600 mm x 2100 mm. Including content, among others: salt and various spices.	10
295	NN scoops and measuring cups	18 plastic scoops and 6 plastic measuring cups.	5
296	NN rollie with crates	S/s rollie with 2 plastic crates, dimensions rollie: 610 mm x 410 mm x 130 mm, dimensions crates: (2x) 600 mm x 400 mm x 310 mm.	5
297	NN table	S/s table, plastic top, dimensions: 660 mm x 550 mm x 720 mm.	25
298	Kern & Sohn GmbH	2 Kern & Sohn GmbH weighing scales, model: FFN 3K1IPM, serial number: WF20017845 / WF20017845, 12 V, 500 mA, maximum weight: 3 kg, minimum weight: 0.02 kg, e = 0.001 kg, T = -2.999 kg, dimensions scale: 230 mm x 190 mm, total dimensions: (2x) 300 mm x 240 mm x 130 mm.	20
299	NN spices	4 racks with large amount of spices, among others: Tarimix cooked salami, Bauernbratwurst I, Chinese Chili&Garlic,, Juustuvorstimaiseanie Combi, Lihatarrendimaitseaine, Rohfit Hauswürstl OG, Mailänder Salami Fein FB, Spiceblend "Doktori", Mustriga Jogurtimarinaad, mustard seed, Bierwurst Combi OG, Pfeffergriller Combi OG, Dekoor, Schaschlik Combi, dimensions racks: 3040 mm x 600 mm x 2100 mm, 3100 mm x 600 mm x 2100 mm, 4050 mm x 600 mm x 2100 mm and 2040 mm x 600 mm x 2100 mm.	50
300	K+S	7 bags K+S with Nitrite Pickling Salt, each bag contains 25 kg.	25
301	NN trolleys	4 s/s trolleys, dimensions: (4x) 1180 mm x 700 mm x 870 mm.	100
302	NN rollie with crates	S/s rollie with 3 plastic crates, dimensions rollie: 610 mm x 410 mm x 130 mm, dimensions crates: (3x) 600 mm x 400 mm x 310 mm.	5
303	Maxima	Maxima vegetable slicer, type: VC450, serial number: 18HL7333-0187, 230 V, 1 Ph, 50 Hz, 550 W, dimensions: 620 mm x 220 mm x 480 mm. Including extra knife.	50
304	Kern & Sohn GmbH	Kern & Sohn GmbH weighing scale, model: FFN 3K1IPM, serial number: WF20006777, 12 V, 500 mA, maximum weight: 3 kg, minimum weight:	10



Nr	Title	Description	Start €
		0.02 kg, e = 0.001 kg, T = -2.999 kg, dimensions scale: 230 mm x 190 mm, total dimensions: (2x) 300 mm x 240 mm x 130 mm.	
305	Dibal, S.A.	Dibal, S.A. weighing scale, model: FD-310, serial number: 00914431, maximum weight: 15 kg, minimum weight: 100 gram, e = 5 gram, T = -14955 gram, dimensions scale: 360 mm x 280 mm, total dimensions: 400 mm x 370 mm x 120 mm.	10
306	NN table	S/s table, dimensions: 1300 mm x 700 mm x 900 mm.	25
307	Cely	Cely weighing scale, model: PS-50M, serial number: 41201142, 9-12 V, 0.5 A, maximum weight: 3 kg, minimum weight: 20 gram, e = 1 gram, T = -2999 gram, dimensions scale: 230 mm x 190 mm, total dimensions: 240 mm x 220 mm x 150 mm.	10
308	NN frame	S/s frame, plastic top, (2x) 4 floors, dimensions floors: (8x) 320 mm x 650 mm, total dimensions: 780 mm x 650 mm x 420 mm.	50
309	Alve	Alve aluminium stairs, 2 steps, year of construction: 08/2005, maximum weight: 150 kg, dimensions: 380 mm x 430 mm x 390 mm.	10
310	NN grinder	Grinder, diameter plate: 130 mm, total dimensions: 1100 mm x 500 mm x 1080 mm.	250
311	NN stairs	S/s stairs, 3 steps, working height: 1110 mm, total dimensions: 750 mm x 600 mm x 1700 mm.	25
312	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with lifter for meat bins, type: F-LINE F222, machine number: F222T1013688SA, year of construction: 2018, 400 V, 50/60 Hz, 15.15 kW, filling, portioning and linking, dimensions: 1950 mm x 1260 mm x 2280 mm. Including extra parts.	10000
313	Tipper Tie Alpina AG	Tipper Tie Alpina AG automatic double clipper, type: Swipper 18-15, machine number: 855.461, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 A, 7.5 kW, 6 bar, plastic outfeed belt, belt width: 70 mm, total dimensions: 1570 mm x 1030 mm x 1900 mm. Including s/s table with various parts, dimensions table: 1500 mm x 600 mm x 880 mm.	5000
314	Frey Maschinenbau	Frey Maschinenbau linking gearbox, type: ADG04/1, number: 1804X, dimensions: 550 mm x 360 mm x 110 mm.	250
315	Poly-Clip System	Poly-Clip System table model clipper, model: SCD 60, number: 7095, dimensions: 380 mm x 240 mm x 950	150
316	NN table	S/s table, dimensions: 1610 mm x 800 mm x 880 mm.	50



Nr	Title	Description	Start €
317	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with lifter for meat bins, type: F-LINE F163, serial number: F163T21302078, year of construction: 2018, 400 V, 50/60 Hz, filling, portioning and linking, dimensions: 1800 mm x 1300 mm x 2250 mm. Including Frey linking gearbox with case spooling device, type: ADG04/1 / DA 2013, number: 1855 X / DA 201310816, dimensions: 570 mm x 390 mm x 340 mm and plastic crate with parts.	10000
318	Herda Maschinenbau GmbH	Herda Maschinenbau GmbH table model clipper, model: Clip-Star Mini-R, number: 502 504 285, year of construction: 2015, 6 bar, dimensions: 360 mm x 200 mm x 750 mm.	150
319	NN table	S/s table, dimensions: 2300 mm x 800 mm x 920 mm.	75
320	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for meat bins, model: ROBOT HP10E, type: 161, number: 161.0506, filling and portioning, dimensions: 1950 mm x 1400 mm x 2450 mm.	12500
321	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH length portioning line, consisting of: Maschinenbau GmbH mobile high speed length portioning machine, model: LPG 208, number: 208.0246, dimensions: 1770 mm x 930 mm x 1400 mm; Maschinenbau GmbH mobile hanging line, model: AH, type: 204, number: 204.0463, dimensions: 3700 mm x 870 mm x 1200 mm. Various extra parts.	7500
322	Vemag Maschinenbau GmbH	Plastic crate with 4 dividing belts for Vemag Maschinenbau GmbH high speed length portioning machine, model: LPG 208.	100
323	NN platform	S/s platform, 3 steps, working height: 1100 mm, total dimensions: 850 mm x 780 mm x 1910 mm.	50
324	NN platform	S/s platform, 4 steps, working height: 1260 mm, total dimensions: 1100 mm x 1050 mm x 2290 mm.	50
325	Unifiller	Unifiller mobile depositor, model: Ispot, diameter outfeed: 20 mm, total dimensions: 800 mm x 800 mm x 1700 mm. Including s/s rollie with plastic crate, dimensions rollie: 610 mm x 410 mm x 130 mm, dimensions crate: 600 mm x 400 mm x 320 mm.	250
326	Unifiller	Unifiller mobile depositor, model: Ispot, serial number: ISP70060, year of construction: 10/27/15, diameter outfeed: 20 mm, total dimensions: 800 mm x 800 mm x 1700 mm. Including s/s rollie with plastic crate, dimensions	250



Nr	Title	Description	Start €
		rollie: 610 mm x 410 mm x 130 mm, dimensions crate: 600 mm x 400 mm x 320 mm.	
327	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1250 mm.	5
328	PWS	PWS plastic waste container, dimensions: 520 mm x 470 mm x 970 mm.	10
329	NN casings	17 various casings.	5
330	NN stool	S/s stool, plastic top, dimensions: 350 mm x 350 mm x 630 mm.	10
331	NN frame	S/s mobile frame, dimensions: 400 mm x 400 mm x 800 mm.	10
332	Kern & Sohn GmbH	Kern & Sohn GmbH weighing scale, model: FFN 3K1IPM, serial number: WF20006753, 12 V, 500 mA, maximum weight: 3 kg, minimum weight: 0.02 kg, e = 0.001 kg, T = -2.999 kg, dimensions scale: 230 mm x 190 mm, total dimensions: (2x) 300 mm x 240 mm x 130 mm.	10
333	NN parts	Galvanized steel rack with various parts, among others: clips, dividing belts for Vemag Maschinenbau GmbH high speed length portioning machine and plugs, dimensions rack: 1210 mm x 500 mm x 2070 mm.	50
334	Vemag Maschinenbau GmbH	24 dividing belts for Vemag Maschinenbau GmbH high speed length portioning machine, model: LPG 208.	150
335	NN crates	3 plastic crates, dimensions: (3x) 640 mm x 470 mm x 230 mm.	5
336	NN meat hooks	6 s/s rollies with 16 plastic crates with large amount of s/s meat hooks.	150
337	Haushalt	Haushalt aluminium stairs, 3 steps, capacity: 150 kg, working height: 560 mm, total dimensions: 640 mm x 400 mm x 1240 mm.	5
338	NN coat hanger	S/s coat hanger, dimensions: 600 mm x 380 mm x 1670 mm.	5
339	NN casings	5 steel racks with large amount of casings and plastic trays, dimensions racks: 2040 mm x 600 mm x 2000 mm, 2800 mm x 600 mm x 2000, 1540 mm x 600 mm x 2000 mm and (2x) 1230 mm x 470 mm x 1830 mm.	50
340	NN clips	Box with 6 rolls of clips, 5500 units per roll.	10
341	Holzstar	Holzstar wood chip extractor, type: SAA 2003, serial number: 592-20-0438, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 47 kg, nozzle inlet: Ø 125 mm, nozzle outlet: (2x) Ø 100 mm, air performance: 2553 m ³ per hour, dimensions: 950 mm x 620 mm x 2050 mm.	50
342	NN rollie with crates		5



Nr	Title	Description	Start €
		S/s rollie with 2 plastic crates, dimensions rollie: 610 mm x 410 mm x 130 mm, dimensions crates: (2x) 600 mm x 400 mm x 310 mm.	
343	Hackman	Hackman s/s sink, dimensions: 560 mm x 480 mm x 1370 mm.	10
344	NN rollie with crate	S/s rollie with plastic crate, dimensions rollie: 610 mm x 410 mm x 130 mm, dimensions crates: 600 mm x 400 mm x 310 mm. Including Vikan brushes.	5
345	NN trolley	S/s trolley, dimensions: 750 mm x 480 mm x 850 mm.	10
346	NN floor weighing scale	S/s floor weighing scale, dimensions: 960 mm x 800 mm x 100 mm with Cardinal Scale indicator, model: 190EU, serial number: E13414-0119, dimensions indicator: 250 mm x 160 mm x 130 mm.	200
347	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1250 mm.	5
348	NN funnel	S/s funnel, dimensions: 700 mm x 150 mm x 450 mm. Including s/s cylinder.	10
349	NN lids for meat bins	14 s/s lids for meat bins.	25
350	NN table	S/s table, plastic top, dimensions top: 1680 mm x 690 mm, total dimensions: 1680 mm x 1600 mm x 840 mm.	75
351	NN frame	S/s frame, dimensions: 520 mm x 520 mm x 590 mm.	10
352	NN frame	S/s frame, dimensions: 370 mm x 370 mm x 610 mm.	10
353	NN platforms	3 s/s platforms, dimensions: 290 mm x 290 mm x 510 mm, 400 mm x 400 mm x 490 mm and 460 mm x 330 mm x 320 mm.	30
354	NN shelves	Wall mounted shelves with s/s buckets, knives and plastic buckets, dimension shelves: 900 mm x 500 mm x 1500 mm.	25
355	NN cooking trolley	S/s cooking trolley, 8 floors, dimensions floors: (8x) 910 mm x 730 mm, distance between floors: 130 mm, total dimensions: 920 mm x 810 mm x 1740 mm.	50
356	NN cooking trolley	S/s cooking trolley, 8 floors, dimensions floors: (8x) 980 mm x 740 mm, distance between floors: 140 mm, total dimensions: 980 mm x 800 mm x 1730 mm.	50
357	NN trolleys for plates	10 s/s trolleys for plates, 20 floors, dimensions floors: (20x) 620 mm x 410 mm, total dimensions: (10x) 630 mm x 470 mm x 1690 mm.	250
358	NN trolleys for plates		250



Nr	Title	Description	Start €
		10 s/s trolleys for plates, (2x) 9 floors, dimensions floors: (18x) 520 mm x 330 mm, total dimensions: (10x) 760 mm x 530 mm x 1390 mm.	
359	REA	7 mobile REA racks, (6x) 2x 11 floors, dimensions floors: (22x) 650 mm x 400 mm and (1x) 8 floors, dimensions floors: (8x) 650 mm x 400 mm, total dimensions: (6x) 990 mm x 660 mm x 1730 mm and (1x) 660 mm x 540 mm x 1700 mm.	150
360	NN table	S/s table, dimensions: 2320 mm x 820 mm x 900 mm.	75
361	Ishida Co., LTD	Ishida Co., LTD weighing scale, model: IPC-WP, serial number: 07040296, maximum weight: 1.5/3 kg, minimum weight: 0.02 kg, e = 0.001 / 0.002 kg, T = -1.499 kg, dimensions scale: 230 mm x 200 mm, total dimensions: 300 mm x 250 mm x 150 mm.	10
362	Avery Berkel	Avery Berkel weighing scale with label printer, serial number: 11070117, 110-240 V, 50-60 Hz, 1.85-0.75 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e=d= 2/5 gram, T = -15 kg, dimensions scale: 380 mm x 300 mm, total dimensions: 480 mm x 410 mm x 200 mm.	10
363	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, year of construction: 2013, 230 V, 50/60 Hz, 0.50 kW, dimensions: 300 mm x 160 mm x 250 mm and 350 mm x 220 mm x 190 mm.	150
364	Sato	Sato label printer, model: CL4NX, dimensions: 440 mm x 270 mm x 320 mm.	25
365	NN control panel	S/s control panel, dimensions: 410 mm x 130 mm x 310 mm.	25
366	MINIPACK-TORRE S.p.A.	MINIPACK-TORRE S.p.A. mobile traysealer, model: TSM95, serial number: 000196, year of construction: 2000, 220-230 V, 50-60 Hz, 8.0 A, 2000 W, film width: 380 mm, with Busch vacuum pump, total dimensions: 730 mm x 640 mm x 1700 mm.	350
367	NN table	S/s table, dimensions: 1000 mm x 650 mm x 890 mm.	50
368	NN clipper	Table model clipper, dimensions: 210 mm x 180 mm x 960 mm.	100
369	NN clipper	Table model clipper, dimensions: 210 mm x 180 mm x 960 mm.	100
370	NN clipper	Table model clipper, dimensions: 210 mm x 180 mm x 960 mm.	100
371	Poly-Clip System	Poly-Clip System table model clipper, type: SCD-7096, number: 1814, year of construction: 1999, 5-7 bar, dimensions: 350 mm x 180 mm x 950 mm.	150



Nr	Title	Description	Start €
372	NN clipper	Table model clipper, dimensions: 210 mm x 180 mm x 960 mm.	75
373	NN trolleys	4 s/s trolleys, dimensions: (4x) 1040 mm x 670 mm x 600 mm.	50
374	NN rotor and vanes	Rotor and vanes for vacuum filling machine.	150
375	NN filling pipes	Box with various filling pipes.	100
376	NN housing	Housing for vacuum filling machine, Düsengehäuse, SK1662.	75
377	Handtmann	Handtmann casing spooling device, type: 78-6, number: 422, 230 V, 50 Hz, 0.8 A, 0.18 kW, dimensions: 520 mm x 390 mm x 210 mm.	150
378	Handtmann	Handtmann casing spooling device, dimensions: 520 mm x 380 mm x 210 mm.	100
379	NN retaining nut	S/s retaining nut for grinder.	25
380	NN outlet	S/s outlet for vacuum filling machine.	25
381	Vemag Maschinenbau GmbH	3 worm sets for Vemag Maschinenbau GmbH vacuum filling machine with 2 housings, length worms: 420 mm.	250
382	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH linking gearbox, type: 282, number: 183, dimensions: 560 mm x 180 mm x 120 mm.	100
383	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH holding device, type: 835, number: 9871, dimensions: 450 mm x 340 mm x 150 mm.	100
384	NN table	S/s table, dimensions: 2300 mm x 800 mm x 960 mm.	75
385	NN waste containers	3 plastic waste containers, dimensions: 580 mm x 700 mm x 1080 mm, 510 mm x 450 mm x 970 mm and 480 mm x 530 mm x 1030 mm.	30
386	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1250 mm.	5
387	Lutz Blades	Plastic crate with Lutz Blades knives for skinning machine, length: 397 mm and 554 mm.	10
388	NN cooking trolleys	4 s/s cooking trolleys, 6 floors, dimensions floors: (6x) 920 mm x 920 mm, total dimensions: (4x) 1000 mm x 1000 mm x 1950 mm.	200
389	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 600 mm x 600 mm x 1250 mm.	10
390	NN table	S/s table, dimensions: 1550 mm x 800 mm x 900 mm.	25
391	CAS Corporation	CAS Corporation weighing scale, model: SW-1, year of construction: 03-2002, 9 V, 300 mA, maximum weight: 2 kg, minimum weight: 20 gram, e=d= 1 gram, T = -2.000 kg, dimensions scale: 300 mm x 240 mm, total dimensions: 300 mm x 280 mm x 130 mm.	10
392	Kern & Sohn GmbH		20



Nr	Title	Description	Start €
		2 Kern & Sohn GmbH weighing scales, model: FFN 3K11PM, serial number: WF18024293 / WF17027676, 12 V, 500 mA, maximum weight: 3 kg, minimum weight: 0.02 kg, e = 0.001 kg, T = -2.999 kg, dimensions scale: 230 mm x 190 mm, total dimensions: (2x) 300 mm x 240 mm x 130 mm.	
393	Cely	Cely weighing scale, model: PS-50M, serial number: 41609713, 9-12 V, 0.5 A, maximum weight: 3 kg, minimum weight: 20 gram, e = 1 gram, T = -2999 gram, dimensions scale: 230 mm x 190 mm, total dimensions: 240 mm x 220 mm x 150 mm.	10
394	NN table	S/s table, dimensions: 800 mm x 800 mm x 920 mm.	25
395	NN frame	S/s frame, dimensions: 640 mm x 470 mm x 700 mm.	10
396	Scanvaegt / Intermec	Weighing and labelling unit, consisting of: Scanvaegt weighing scale, type receptor: 1025.30.43, serial number: 97452695, max: 60 kg, min: 400 gram, e=d= 20 gram, dimensions: 600 mm x 500 mm x 660 mm, type indicator: 842, serial number: 97452695B, year of construction: 1997, dimensions: 250 mm x 200 mm x 180 mm, Scanvaegt s/s control panel, dimensions: 410 mm x 280 mm x 340 mm, Intermec label printer, model: EasyCoder PF4i, dimensions: 400 mm x 240 mm x 180 mm.	150
397	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1250 mm.	5
398	NN cooking trolleys	3 s/s cooking trolleys, 6 floors, dimensions floors: (6x) 950 mm x 900 mm, total dimensions: (2x) 1000 mm x 1000 mm x 1950 mm and 1000 mm x 1000 mm x 1990 mm.	150
399	DESA Europe B.V.	DESA Europe B.V. dehumidifier, model: DH 55, serial number: 82300232, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 1000 W, air flow: 650 m ³ per hour, dimensions: 600 mm x 600 mm x 960 mm.	10
400	NN crates	9 plastic crates, dimensions: (9x) 600 mm x 400 mm x 250 mm.	5
401	NN pallet	5 stackable plastic pallets, dimensions: 1200 mm x 800 mm x 150 mm.	5
402	NN crates	3 pallets with approximately 116 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	60
403	NN pallets	12 plastic Euro H1 pallets, dimensions: (12x) 1200 mm x 800 mm x 155 mm.	50
404	NN pallet		25



Nr	Title	Description	Start €
		21 stackable plastic pallets, dimensions: (21x) 1200 mm x 800 mm x 150 mm.	
405	NN boxes	Pallet with large amount of cardboard boxes, dimensions boxes: 285 mm x 210 mm x 110 mm.	5
406	Ishida Co., LTD	Ishida Co., LTD weighing scale on s/s frame, model: iGB, serial number: 06100636, max: 60 kg, min: 0.4 kg, e=0.02 kg, T=-59.98 kg, dimensions scale: 550 mm x 400 mm, total dimensions: 740 mm x 400 mm x 1350 mm.	50
407	Ascell/Sato/Intermec	Weighing and labelling unit, consisting of: Ascell weighing scale, model: MI30, Cardinal Scale indicator, model: 190Eu, Sato label printer, model: CL4NX, Intermec label printer, model: PF4i, control panel and 5 s/s tables, total dimensions: 2380 mm x 1000 mm x 1780 mm.	150
408	Ascell/Sato/Intermec	Weighing and labelling unit, consisting of: Ascell weighing scale, Cardinal Scale indicator, model: 190Eu, Sato label printer, model: CL6NX, Intermec label printer, model: PF4i, control panel and 5 s/s tables, total dimensions: 2000 mm x 1200 mm x 1540 mm.	150
409	Ascell/Sato/Intermec	Weighing and labelling unit, consisting of: Ascell weighing scale, Cardinal Scale indicator, model: 190EU, Sato label printer, model: CL6NX, Intermec label printer, model: PF4i, control panel and 3 s/s tables, total dimensions: 1230 mm x 1050 mm x 1450 mm.	150
410	Guan Yu	Guan Yu steel rack, 5 floors, dimensions: 1240 mm x 480 mm x 1830 mm.	10
411	Ascell/Sato/Intermec	Weighing and labelling unit, consisting of: Ascell weighing scale, model: MI30, Cardinal Scale indicator, model: 190EU, Sato label printer, model: CL6NX, Intermec label printer, model: PF4i and control panel, 3 s/s tables, total dimensions: 2070 mm x 900 mm x 1550 mm.	150
412	NN rack	Steel rack, 5 floors, dimensions: 2050 mm x 510 mm x 2010 mm.	10
413	Ascell/Sato/Intermec	Weighing and labelling unit, consisting of: Ascell weighing scale, model: MI30, Cardinal Scale indicator, model: 190Eu, Sato label printer, model: CL4NX, Intermec label printer, model: PF4i, 5 s/s tables, total dimensions: 1550 mm x 1120 mm x 1520 mm.	150
414	NN trolley	Plastic trolley, 2 floors, dimensions: 810 mm x 500 mm x 910 mm.	5
415	Datalogic	Plastic crate with 12 Datalogic scanners, model: FalconX3.	50
416	Perstorp Plastic Systems		10



Nr	Title	Description	Start €
		Perstorp Plastic Systems waste container, dimensions: 520 mm x 450 mm x 970 mm.	
417	Honeywell / Intermec	Honeywell label printer, model; PM43C, serial number: 2012845812, year of construction: 2018, 100-240 V, 50-60 Hz, 4 A and (2x) Intermec label printer, model: PM43c / PF4i, serial number: 10621545561, year of construction: 2015 / 2009, 100-240 V, 50-60 Hz, 4 A, dimensions: (3x) 420 mm x 250 mm x 170 mm.	25
418	Kern & Sohn GmbH	Kern & Sohn GmbH weighing scale, model: KFP 60V20LM, serial number: WF151132, maximum weight: 60 kg, dimensions scale: 500 mm x 400 mm, dimensions total dimensions: 530 mm x 400 mm x 850 mm, with Cardinal Scale indicator, model: 190EU, serial number: E02714-0118, dimensions: 270 mm x 140 mm x 160 mm.	50
419	NN squeegee	3 squeegee's.	5
420	Laadur	Laadur steel pallet lifter, capacity: 2500 kg, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
421	Laadur	Laadur steel pallet lifter, capacity: 2500 kg, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
422	Laadur	Laadur steel pallet lifter, capacity: 2500 kg, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
423	Laadur	Laadur steel pallet lifter, capacity: 2500 kg, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
424	NN rack	S/s rack, 4 floors, dimensions: 1300 mm x 640 mm x 1670 mm.	10
425	NN waste bag holders	4 s/s waste bag holder, dimensions: (2x) 600 mm x 600 mm x 1250 mm and (2x) 600 mm x 600 mm x 1050 mm.	20
426	NN table	S/s table, dimensions: 900 mm x 750 mm x 900 mm.	25
427	NN rack	S/s rack, 3 floors, dimensions: 940 mm x 640 mm x 1080 mm.	10
428	NN table	S/s table, dimensions: 1100 mm x 600 mm x 960 mm.	25
429	NN racks	2 s/s racks, 3 floors, dimensions: (2x) 1300 mm x 600 mm x 1270 mm.	20
430	NN trolley	S/s trolley, 3 floors, dimensions: 2150 mm x 620 mm x 1240 mm.	25
431	NN table	S/s table, dimensions: 1100 mm x 800 mm x 900 mm.	25
432	NN table		25



Nr	Title	Description	Start €
		S/s table, dimensions: 1500 mm x 800 mm x 900 mm.	
433	NN cooking trolleys	9 s/s cooking trolleys, 11 floors, dimensions floors: (11x) 1000 mm x 650 mm, distance between floors: 110 mm, total dimensions: (9x) 1000 mm x 700 mm x 1660 mm.	450
434	NN smoke trolley	S/s smoke trolley, 6 floors, dimensions floors: (6x) 980 mm x 910 mm, total dimensions: 1000 mm x 1000 mm x 1910 mm.	50
435	NN cooking trolleys	2 s/s cooking trolleys, 6 floors, dimensions floors: (6x) 980 mm x 910 mm, total dimensions: (2x) 1000 mm x 1000 mm x 1910 mm.	100
436	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer line, consisting of: Treif Maschinenbau GmbH slicer, model: Divider 1000-CE C, machine number: 2480S7.113476.4576, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 13.6 A, 5.8 kW, weight: 790 kg, plastic rollers, roller width: 260 mm, clearance: 280 mm x 170 mm, plastic outfeed belt, belt width: 400 mm, total dimensions slicer: 2200 mm x 1000 mm x 2200 mm; Treif Maschinenbau GmbH checkweigher, model: KONTROLLWAAGE BG, machine number: 248004.113485.4673, weight: 180 kg, plastic wire belt, belt width: 230 mm, total dimensions checkweigher: 620 mm x 1010 mm x 1100 mm; Treif Maschinenbau GmbH outfeed belt, plastic string belt, belt width: 300 mm, plastic belts, belt width: (2x) 320 mm, total dimensions outfeed belt: 2330 mm x 880 mm x 1850 mm; S/s rack with parts, dimensions rack: 700 mm x 300 mm x 1640 mm; 2 spare knives and knife holder, dimensions knife holder: 950 mm x 700 mm x 1030 mm.	4000
437	Webomatic	Webomatic thermoformer, type: APS ML-7100, serial number: C 6513LD189, 400 V, 3 Ph, 50 Hz, 37.8 A, 24.5 kW, film width: (bottom) 462 mm and (top) 456 mm, dye: (3x) 220 mm x 130 mm, ELS label unit, Witt gas mixing station, with Busch vacuum pump, plastic outfeed belt, belt width: 400 mm, total dimensions: 7350 mm x 1450 mm x 1950 mm. Including 2 s/s racks with parts, dimensions dye: (8x) Ø 95 mm, dimensions racks: 1800 mm x 400 mm x 1970 mm and 1500 mm x 300 mm x 1590 mm.	7500
438	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 850 mm, total dimensions: 2450 mm x 500 mm x 930 mm.	250



Nr	Title	Description	Start €
439	NN control panel	S/s control panel, dimensions: 410 mm x 130 mm x 310 mm.	25
440	Sato	Sato label printer, model: CL4NX Plus, serial number: FK103822, year of construction: 2021, 100-240 V, 50-60 Hz, 3.0 A, dimensions: 440 mm x 270 mm x 320 mm.	50
441	NN frame	S/s frame, dimensions: 700 mm x 510 mm x 320 mm.	25
442	CAS Corporation	CAS Corporation weighing scale, model: DB-1H PLUS, serial number: N10618320, year of construction: 06-2010, 220-240 V, 50 Hz,, 300 mA, maximum weight: 30/60 kg, minimum weight: 200 gram, e=d= 10/20 gram, T = -29.99 kg, dimensions scale: 300 mm x 240 mm, total dimensions: 300 mm x 280 mm x 130 mm.	50
443	NN table	Mobile s/s table, plastic top, dimensions: 700 mm x 700 mm x 850 mm.	25
444	NN control panel	S/s control panel, dimensions: 410 mm x 130 mm x 310 mm.	25
445	Intermec	Intermec label printer, model: PF4i, year of construction: 2009, 100-240 V, 50-60 Hz, 2-1 A, dimensions: 430 mm x 400 mm x 170 mm.	10
446	NN table	S/s table, dimensions: 800 mm x 400 mm x 740 mm.	25
447	Ascell	Ascell weighing scale on s/s frame, model: MI45, capacity: 30 kg, dimensions scale: 600 mm x 450 mm, total dimensions: 600 mm x 570 mm x 580 mm, with Cardinal Scale indicator, model: 190EU, serial number: E30816-0361, dimensions indicator: 250 mm x 160 mm x 130 mm.	50
448	NN table	S/s table, plastic top, dimensions: 600 mm x 400 mm x 730 mm.	25
449	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1250 mm.	5
450	NN tables	2 s/s tables, plastic tops, dimensions: (2x) 800 mm x 450 mm x 870 mm.	40
451	Webomatic	Webomatic traysealer, machine type: TL 500, machine number: F 9015TG130, 400 V, 3 Ph, 50 Hz, 19.5 A, 7.5 kW, dye: (3x) 190 mm x 140 mm, belt width: 320 mm and (2x) 150 mm, Witt gas mixing station, total dimensions: 3400 mm x 1000 mm x 1630 mm.	3500
452	NN waste bag holders	3 s/s waste bag holders, dimensions: (2x) 600 mm x 600 mm x 1250 mm and 600 mm x 600 mm x 1100 mm.	15
453	NN waste containers	4 plastic waste containers, dimensions: 520 mm x 480 mm x 1080 mm.	40
454	NN frame		10



Nr	Title	Description	Start €
		S/s frame, dimensions: 840 mm x 620 mm x 500 mm.	
455	NN frame	S/s frame, dimensions: 630 mm x 420 mm x 640 mm.	10
456	NN table	2 s/s tables, dimensions: (2x) 550 mm x 350 mm x 690 mm.	20
457	NN table	S/s table, dimensions: 600 mm x 400 mm x 600 mm.	10
458	Kern & Sohn GmbH	Kern & Sohn GmbH weighing scale, model: FB 6K-3SM, serial number: WF20016893, maximum weight: 3/6 kg, minimum weight: 0.02/0.04 kg, e=0.001/0.002 kg, dimensions scale: 230 mm x 230 mm, total dimensions: 330 mm x 230 mm x 600 mm.	25
459	NN table	S/s table, dimensions: 1500 mm x 800 mm x 930 mm.	25
460	3M	10 3M ear muffs.	10
461	NN racks	5 steel racks with various packaging material, among others: labels and plastic trays, dimensions racks: (5x) 1240 mm x 480 mm x 1830 mm.	25
462	NN trolleys	2 steel trolleys, 2 floors, dimensions: (2x) 900 mm x 430 mm x 1110 mm.	20
463	NN trolley	Steel trolley, dimensions: 730 mm x 470 mm x 840 mm.	5
464	Kern & Sohn GmbH	Kern & Sohn GmbH weighing scale, model: FFN 3K11PM, serial number: WF19012010, maximum weight: 3 kg, minimum weight: 0.02 kg, e=0.001 kg, T= -2.999 kg, dimensions scale: 230 mm x 190 mm, total dimensions: 300 mm x 240 mm x 130 mm.	10
465	NN table	S/s table, dimensions: 750 mm x 610 mm x 870 mm.	25
466	NN table	Mobile s/s table, plastic top, dimensions: 900 mm x 700 mm x 900 mm.	25
467	Cryovac	Cryovac bag blower, model: BL 4, serial number: A50100712, year of construction: 2003, 230 V, 50 Hz, 3 A, 1 kW, dimensions: 800 mm x 520 mm x 1000 mm.	200
468	NN waste bins	12 plastic waste bins, dimensions: (12x) 380 mm x 300 mm x 480 mm.	5
469	NN rollies and crates	3 s/s rollies with 4 plastic crates, dimensions rollies: (3x) 610 mm x 410 mm x 130 mm, dimensions crates: (2x) 600 mm x 400 mm x 200 mm and (2x) 400 mm x 300 mm x 150 mm.	10
470	Townsend	Townsend mobile sausage peeler with suction device, model: 2600, number: 9163, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 3.7/8.0 A,	2500



Nr	Title	Description	Start €
		1.5/3.7 kW, diameter pipe: 65 mm, dimensions peeler: 800 m mx 630 mm x 1500 mm, dimensions suction device: 1300 mm x 670 mm x 1020 mm.	
471	NN table	S/s table, dimensions: 600 mm x 400 mm x 830 mm.	25
472	Webomatic	Webomatic thermoformer, model: APS ML 4600, machine number: B 6513LK241, 400 V, 3 Ph, 50 Hz, 15.0 A, 10.0 kW, film width: (bottom) 420 mm and (top) 416 mm, dimensions dye: 227 mm x 175 mm, plastic outfeed belt, belt width: 355 mm, Witt-Gasetechnik gas mixing station, total dimensions: 5400 mm x 1080 mm x 2100 mm. Including Busch suction device for rest film, dimensions Busch: Ø 470 mm x 1120 mm and S/s rack with dye's and parts, dimensions dye's: (5x) 205 mm x 60 mm and (3x) 205 mm x 110 mm, dimensions rack: 1100 mm x 400 mm x 1700 mm.	4000
473	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 335 mm, elevating height: 880 mm, total dimensions: 1460 mm x 460 mm x 950 mm.	150
474	CAS Corporation	CAS Corporation weighing scale, model: SW-1W, serial number: 080151252, maximum weight: 5 kg, minimum weight: 40 gram, e=d= 2 gram, T = -5.000 kg, dimensions scale: 250 mm x 200 mm, total dimensions: 300 mm x 280 mm x 130 mm.	10
475	NN table	S/s table, dimensions: 1300 mm x 810 mm x 940 mm.	50
476	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1250 mm.	5
477	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1100 mm.	5
478	Kern & Sohn GmbH	Kern & Sohn GmbH weighing scale, model: FFN 3K1IPM, serial number: WF16014587, maximum weight: 3 kg, minimum weight: 0.02 kg, e=0.001 kg, T= -2.999 kg, dimensions scale: 230 mm x 190 mm, total dimensions: 300 mm x 240 mm x 130 mm.	10
479	NN table	S/s table, dimensions: 600 mm x 360 mm x 1090 mm.	25
480	NN table	S/s table, plastic top, dimensions: 920 mm x 760 mm x 950 mm.	25
481	Webomatic	Webomatic mobile double chamber vacuum machine, type: CD 120-PR, machine number: 5710JL525, 400 V, 3 Ph, 50 Hz, 5.0 A, 2.2 kW, seal length: (2x) 640 mm, dimensions chamber: (2x) 650 mm x 570 mm, with Busch vacuum pump,	750



Nr	Title	Description	Start €
		total dimensions: 1420 mm x 840 mm x 1060 mm.	
482	Intervac Vakuumtechnik GmbH	Intervac Vakuumtechnik GmbH mobile double chamber vacuum machine, type: INV 11/11, number: 2785, year of construction: 2011, 230/400 V, 50 Hz, 2.5 kW, weight: 355 kg, seal length: (2x) 620 mm, dimensions chamber: (2x) 600 mm x 670 mm, total dimensions: 1550 mm x 970 mm x 1220 mm.	750
483	Sveba Dahlen AB	Sveba Dahlen AB mobile pizza oven, model number: TP-12, serial number: M242913,/1642, 3x400 V, 50/60 Hz, 18 kW, belt width s/s mesh belt: 900 mm, clearance: 950 mm x 180 mm, total dimensions: 1850 mm x 1390 mm x 1650 mm.	250
484	NN table	S/s table, dimensions: 400 mm x 400 mm x 800 mm.	25
485	N&N Nadratowski sp.j	N&N Nadratowski sp.j double shaft paddle mixer with lifter for meat bins, type: MIX-900EF, serial number: 1719, year of construction: 2018, 400 V, 50 Hz, 11 kW, weight: 1100 kg, total dimensions mixer: 2100 mm x 1100 mm x 1780 mm, lifter for meat bins, type: PZ-2/250 Column Loader, serial number: 1540, year of construction: 2018, max capacity: 380 kg, weight: 284 kg, 400 V, 50 Hz, 0.75 kW, weight: 284 kg, elevating height: 1700 mm, total dimensions lifter for meat bins: 1000 mm x 800 mm x 2720 mm.	12500
486	NN meat bin	S/s meat bin, volume: 200 litre, dimensions: 650 mm x 720 mm x 670 mm.	40
487	Rex Technologie	Rex Technologie vacuum filling machine with lifter for meat bins, type: RVF 761, serial number: 7611040927, 400 V, 3 Ph, 50 Hz, 32 A, 15 kW, filling, portioning and linking, with Busch vacuum pump, dimensions: 2300 mm x 1300 mm x 2050 mm, including linking device.	10000
488	DJM Food Processing B.V.	DJM Food Processing B.V. mobile co-extruder, machine type: COEX 4, serial number: N500003, year of construction: 2019, 400/24 V, 32 A, with 4-head diaphragm, diameter opening: (4x) min/ max 15-73 mm, belt width: 440 mm, total dimensions: 2000 mm x 1700 mm x 2300 mm. Including various spare parts.	15000
489	Stork	Stork mobile mesh belt, s/s frame, s/s mesh belt, belt width: 630 mm, total dimensions: 2500 mm x 1050 mm x 1250 mm.	1500
490	Conveyor Tec	Conveyor Tec mobile curve conveyor with 90° curve, s/s frame, s/s mesh belt, serial number:	1000



Nr	Title	Description	Start €
		2490 08, belt width: 600 mm, total dimensions: 1100 mm x 11100 mm x 1100 mm.	
491	Stork	Stork mobile mesh belt, s/s frame, s/s mesh belt, belt width: 630 mm, total dimensions: 1800 mm x 1050 mm x 1250 mm.	1250
492	JBT Stein	JBT Stein direct heat fryer, type: DHF-1613E Fryer, manufacturing number: 218, manufacturing year: 2019, 380 V, 3 Ph, 50 Hz, 222 A, belt width s/s top belt: 410 mm, belt width s/s bottom belt: 450 mm, total dimensions fryer: 5000 mm x 1600 mm x 3100 mm, including s/s cabinet with FSL fire extinguishing system, dimensions: 1450 mm x 600 mm x 2550 mm, s/s switch cabinet, dimensions: 1050 mm x 450 mm x 2550 mm, various valves and pump.	30000
493	NN oil tank	S/s oil tank for fryer, dimensions tank: Ø 1000 mm x 1900 mm, total dimensions: 1200 mm x 1000 mm x 3100 mm	1500
494	Wolfking	Wolfking s/s lifter for persons, dimensions platform: 500 mm x 500 mm, lifting height: 2400 mm, total dimensions: 930 mm x 650 mm x 3000 mm.	750
495	Conveyor Tec	Conveyor Tec mobile curve conveyor with 90° curve, s/s frame, s/s mesh belt, belt width: 600 mm, total dimensions: 1100 mm x 1100 mm x 1100 mm.	1000
496	JBT Double D	JBT Double D forced convection oven, type: FCO 650 E OVEN, manufacturing number: 321200300, manufacturing year: 2018, belt width: 600 mm, clearance: 600 mm x 45 mm, total dimensions: 5900 mm x 1200 mm x 2550 mm, including s/s switch cabinet, dimensions: 1200 mm x 500 mm x 2300 mm.	25000
497	Stork	Stork mobile mesh belt, s/s frame, s/s mesh belt, belt width: 630 mm, total dimensions: 1350 mm x 1150 mm x 950 mm.	1000
498	Conveyor Tec	Conveyor Tec mobile curve conveyor with 90° curve, s/s frame, s/s mesh belt, belt width: 600 mm, total dimensions: 1100 mm x 1100 mm x 1100 mm.	1000
499	Stork	Stork mobile mesh belt, s/s frame, s/s mesh belt, belt width: 350 mm, total dimensions: 1500 mm x 800 mm x 1100 mm.	1000
500	DJM Food Processing B.V.	DJM Food Processing B.V. mobile forming machine, machine type: VF 0/400, serial number: N500002, year of construction: 2018, 400/24 V, 32 A, belt width: 400 mm, with 5 forming sets, dye: (26) Ø 14 mm, 2x(2x) 120 mm x 145 mm	15000



Nr	Title	Description	Start €
		(oval shaped), (5x) 50 mm x 110 mm (oval shaped), (3x) 95 mm x 125 mm (oval shaped), total dimensions: 2800 mm x 1350 mm x 2100 mm. Including s/s cabinet for forming sets, dimensions: 650 mm x 710 mm x 1430 mm and various spare parts.	
501	NN table	S/s table, dimensions: 2000 mm x 850 mm x 1030 mm.	75
502	NN sieve table	S/s sieve table, dimensions: Ø 1100 mm x 850 mm.	10
503	NN rack	S/s rack, dimensions: 3110 mm x 600 mm x 1590 mm.	50
504	NN table	S/s table, dimensions: 350 mm x 350 mm x 380 mm.	10
505	NN frame for crates	S/s frame for crates, dimensions: 560 mm x 460 mm x 530 mm.	25
506	NN table with sink	S/s table with double sink, dimensions: 1600 mm x 630 mm x 910 mm.	50
507	Little Giant	Little Giant aluminium stairs, height: 900 mm.	25
508	NN de-elevating slide	Mobile de-elevating gutter, gutter width: 460 mm, de-elevating height: from 2000 mm to 900 mm, total dimensions: 1400 mm x 1100 mm x 2150 mm.	150
509	Tam-tas packaging machinery	Tam-tas packaging machinery mobile elevating belt with dividers, s/s frame, plastic belt, type: KVE, model: 4500, serial number: 51180814, year of construction: 2018, 400 V, 50 Hz, 2 A, 1 kW, weight: 250 kg, belt width: 360 mm, divider height: 50 mm, distance between dividers: 200 mm, elevating height: 3950 mm, total dimensions: 5900 mm x 1250 mm x 4100 mm.	1500
510	NN transport belt	Transport belt with wall mounted s/s frame, plastic belt, belt width: 350 mm, total dimensions: 2000 mm x 700 mm x 850 mm.	250
511	Tam-tas packaging machinery	Tam-tas packaging machinery 12-head multihead weigher, model: JWA-14-2.5 lt, serial number: 18 1818 90006, year of construction: 2019/01, 220 V, 50 Hz, 2 kW, weight: 480 kg, dimensions weigher: 1200 mm x 800 mm x 1170 mm, dimensions switch cabinet, dimensions: 800 mm x 300 mm x 1170 mm, including 2 control screens.	4000
512	NN platform with stairs for multihead weigher	S/s platform with stairs for multihead weigher, working height: 2100 mm, total dimensions: 5000 mm x 5000 mm x 3100 mm.	1500
513	NN batch weigher	Mobile batch weigher, from 1 to 4 lanes, dimensions: 1400 mm x 1000 mm x 1900 mm.	350
514	Scandivac		10000



Nr	Title	Description	Start €
		Scandivac thermoformer, type: APM8000, machine number: 19 S0077, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 12-16 kW, 32 A, bottom film width: 560 mm, film width top film: 555 mm, dye: (4x) 198 mm x 106 mm, total dimensions thermoformer: 8700 mm x 1200 mm x 1900 mm, including Procon film unwinder, dimensions: 1300 mm x 2000 mm x 700 mm, ELS-European Labelling Systems GmbH & Co. KG labeller, PBI gas mixer, s/s gas flush tank, dimensions: Ø 400 mm x 1100 mm, s/s rack with various spare parts, dimensions: 1150 mm x 400 mm x 1700 mm, ERS GmbH chiller, dimensions: 760 mm x 460 mm x 680 mm. Without main vacuum pump, vacuum was centrally regulated.	
515	NN turning table	S/s turning table, dimensions: Ø 1080 mm x 750 mm.	250
516	Ascell/Sato/Intermec	Mobile weighing and labelling unit, consisting of: Ascell weighing scale, model: MI30, Sato label printer, model: CL4NX, Intermec label printer, model: PM43c and control panel, total dimensions: 800 mm x 700 mm x 1570 mm.	250
517	NN tables	2 mobile s/s tables with plastic worktop, dimensions: (2x) 660 mm x 530 mm x 680 mm.	50
518	NN table	Mobile s/s table with plastic worktop, dimensions: 800 mm x 450 mm x 870 mm.	10
519	NN de-elevating conveyor	Mobile de-elevating conveyor with dividers, s/s frame, plastic belt, belt width: 360 mm, divider height: 50 mm, distance between dividers: 200 mm, de-elevating height: from 1700 mm to 1000 mm, belt width bottom belt: 350 mm, total dimensions: 2600 mm x 700 mm x 1950 mm.	1000
520	NN rollie	S/s rollie, dimensions: 610 mm x 410 mm x 190 mm.	5
521	NN table	S/s table, dimensions: 710 mm x 730 mm x 900 mm.	10
522	NN table	S/s table, dimensions: 610 mm x 400 mm x 800 mm.	10
523	NN waste container	Plastic waste container, dimensions: 450 mm x 520 mm x 1000 mm.	10
524	NN table	Mobile s/s table with plastic worktop, dimensions: 800 mm x 450 mm x 870 mm.	10
525	NN film reel	Pallet with film reel for thermoformer, film width: 560 mm, total dimensions: 750 mm x 560 mm x 870 mm.	50
526	NN trolley	Steel trolley, dimensions: 800 mm x 470 mm x 1000 mm.	5
527	NN waste bag holder		1000



Nr	Title	Description	Start €
		S/s waste bag holder, dimensions: 600 mm x 600 mm x 1300 mm.	
528	Ilpra	Ilpra mobile traysealer, serial machine: Foodpack, model: Rotobasic V/G, serial number: FP9688, year of construction: 2015, 230 V, dye: 220 mm x 290 mm, with Busch vacuum pump, total dimensions: 1000 mm x 1200 mm x 1600 mm.	1000
529	Ilpra	Ilpra mobile traysealer, serial machine: Foodpack, model: Rotobasic V/G, serial number: FP4387, year of construction: 2001, 230 V, dye: 220 mm x 290 mm, with Busch vacuum pump, total dimensions: 800 mm x 1100 mm x 1450 mm.	750
530	NN frame for deboning table	S/s frame for deboning table, dimensions: 1340 mm x 850 mm x 1250 mm.	50
531	Obkurczarka	Obkurczarka mobile knife sterilizer, dimensions: 1700 mm x 600 mm x 880 mm, including control cabinet, dimensions: 260 mm x 200 mm x 260 mm.	50
532	NN sink	S/s sink with faucet, dimensions: 870 mm x 560 mm x 1800 mm.	25
533	NN platform	S/s and steel platform with knife basket, dimensions: 700 mm x 500 mm x 600 mm.	10
534	NN cutting plates	4 plastic cutting plates, dimensions: (4x) 1480 mm x 40 mm x 300 mm.	5
535	Koneteollisuus OY	S/s table with Koneteollisuus OY tenderizer, type: KT-PK, clearance: 170 mm x 30 mm, total dimensions: 800 mm x 450 mm x 1300 mm.	200
536	NN frames for deboning table	2 s/s frames for deboning table, dimensions: (2x) 1340 mm x 850 mm x 1250 mm.	100
537	NN frame for crates	S/s frame for crates, dimensions: 510 mm x 500 mm x 950 mm.	10
538	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning and derinding machine, type: ASB 400, number: 525, year of construction: 2005, 400 V, 50 Hz, 0.85 kW, weight: 190 kg, belt width: 325 mm and 390 mm, working width: 400 mm, total dimensions: 1800 mm x 800 mm x 1200 mm.	1000
539	NN table	S/s table, dimensions: 1750 mm x 640 mm x 900 mm.	75
540	NN frames for deboning table	2 s/s frames for deboning table, dimensions: (2x) 1340 mm x 850 mm x 1250 mm, one frame with plastic worktop.	100
541	Webomatic	Webomatic traysealer, machine type: TL 500-02, machine number: F 9015VB149, 400 V, 3 Ph, 50 Hz, 17.0 A, 11.5 kW, dye: (3x) 165 mm x 150 mm, belt width: 320 mm and (2x) 150 mm, total dimensions: 3400 mm x 1000 mm x 1700 mm.	3000



Nr	Title	Description	Start €
		Without main vacuum pump, vacuum was centrally regulated.	
542	NN table	Steel table with plastic worktop, dimensions: 1520 mm x 1200 mm x 950 mm.	25
543	Scandivac	Scandivac mobile double chamber vacuum machine, machine type: SD 300, machine number: H0P60150087, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 23 A, 7 kW, seal length: (2x) 1100 mm, dimensions chamber: 1100 mm x 730 mm x 200 mm, total dimensions: 2400 mm x 1100 mm x 1400 mm. Without main vacuum pump, vacuum was centrally regulated.	1500
544	Unimec SRL	Unimec SRL traysealer, model: SLYPACK L EVO, serial number: SPL 0122, year of construction: 2014, film width: 415 mm, dye: 175 mm x 195 mm, with Busch vacuum pump, total dimensions: 3750 mm x 1100 mm x 1950 mm.	1000
545	Webomatic	Webomatic thermoformer, type: ML-C 2600, serial number: I 6513 ZD 201, 400 V, 3 Ph, 50 Hz, 13.0 kW, film width: 415 mm, dye: 175 mm x 195 mm, with Busch vacuum pump, total dimensions: 3750 mm x 1100 mm x 1950 mm, including chiller, dimensions: 480 mm x 310 mm x 860 mm and wall mounted s/s rack with spare parts, dimensions: 1500 mm x 400 mm x 1100 mm. Without main vacuum pump, vacuum was centrally regulated.	3500
546	NN table	S/s table, dimensions: 600 mm x 400 mm x 600 mm.	10
547	NN table	S/s table, dimensions: 1000 mm x 410 mm x 850 mm.	10
548	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1300 mm.	5
549	NN table	S/s table, dimensions: 960 mm x 600 mm x 820 mm.	10
550	Niroflex	5 Niroflex s/s chainmail aprons.	25
551	NN table	S/s table, dimensions: 710 mm x 410 mm x 870 mm.	10
552	NN table	S/s table with can opener, dimensions: 1100 mm x 750 mm x 830 mm.	25
553	Hitachi	Hitachi mobile inkjet printer, type: PB-260E, serial number: PB04379701, 100-120/200-240 V, 1 Ph, 50/60 Hz, 1.5/0.75 A, weight: 25 kg, belt width: 75 mm, total dimensions: 1000 mm x 650 mm x 1300 mm.	250
554	PBI Dansensor	PBI-Dansensor A/S gas mixer, type: MAP Mix 9001-3/200B, serial number: 40124348, year of	50



Nr	Title	Description	Start €
		construction: 2012, 90-264 VAC, 50-60 Hz, 20 VA, dimensions: 410 mm x 230 mm x 180 mm.	
555	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixer, type: KM 100-2 MEM, serial number: 55798, year of construction: 2002, dimensions: 310 mm x 350 mm x 200 mm.	50
556	NN table	S/s table, dimensions: 1700 mm x 650 mm x 1000 mm.	25
557	Electrolux	Electrolux tenderizer, model: 1806, number: 08013560, 230 V, 50 Hz, 0.18 kW, clearance: 155 mm x 30 mm, total dimensions: 410 mm x 170 mm x 480 mm.	25
558	Cardinal Scale	S/s floor weighing scale, working space: 800 mm x 800 mm, total dimensions scale: 1030 mm x 1200 mm, Cardinal Scale indicator, model: 190EU, dimensions indicator: 250 mm x 160 mm x 130 mm.	200
559	Tepra	Trolley with Tepra vacuum pump, dimensions: 650 mm x 420 mm x 820 mm.	25
560	NN platform with stairs	Mobile s/s platform with stairs, working height: 820 mm, total dimensions: 850 mm x 570 mm x 1530 mm.	25
561	NN table	Mobile s/s frame for table, dimensions: 700 mm x 700 mm x 870 mm.	10
562	NN waste bag holder	2 s/s waste bag holders, dimensions: (2x) 600 mm x 600 mm x 1100 mm.	10
563	NN tumbler	S/s tumbler, dimensions drum: \varnothing 1000 mm x 1000 mm, total dimensions: 1400 mm x 1700 mm x 1800 mm, including switch cabinet, dimensions: 400 mm x 200 mm x 650 mm and hydraulic unit, dimensions: 600 mm x 300 mm x 400 mm. Without lid.	350
564	NN tumbler	S/s tumbler, dimensions drum: \varnothing 680 mm x 500 mm, total dimensions: 1300 mm x 900 mm x 1300 mm, including switch cabinet, dimensions: 290 mm x 190 mm x 290 mm. Without lid.	175
565	Bjørn Varimixer	Bjørn Varimixer mixer, dimensions bowl: \varnothing 430 mm x 450 mm, total dimensions mixer: 650 mm x 900 mm x 1350 mm, including extra s/s bowl, dimensions: \varnothing 380 mm x 350 mm and s/s frame, dimensions: 700 mm x 700 mm x 550 mm.	150
566	Ascell/Cardinal Scale	Ascell s/s weighing scale, dimensions: 600 mm x 450 mm x 400 mm, including Cardinal Scale indicator, model: 190EU, dimensions: 250 mm x 160 mm x 130 mm.	50
567	NN mixer	Mixer, dimensions bowl: \varnothing 310 mm x 300 mm, total dimensions mixer: 550 mm x 750 mm x 1300 mm, including extra s/s bowl, dimensions: \varnothing 310	150



Nr	Title	Description	Start €
		mm x 300 mm and s/s frame, dimensions: 420 mm x 520 mm x 260 mm.	
568	NN control panel	S/s control panel, dimensions: 400 mm x 290 mm x 340 mm.	25
569	NN table	S/s table, dimensions: 560 mm x 420 mm x 660 mm.	10
570	Westfalia Separator AG	Westfalia Separator AG fat separator, type: SA 20-03-076, number: 1696 793, year of construction: 1989, 6540 rpm, dimensions: 1400 mm x 1000 mm x 1700 mm.	1000
571	Westfalia Separator AG	Westfalia Separator AG decanter, type: CA 220-00-00, number: 1694 357, year of construction: 1989, 4750 rpm, dimensions: 1700 mm x 1000 mm x 700 mm.	1000
572	NN meat press	S/s frame for meat press, 6 floors, dimensions meat forms: (4x) 190 mm x 380 mm, total dimensions: 1000 mm x 1000 mm x 1220 mm.	75
574	NN crates	2 s/s rollies with 8 plastic crates, dimensions crates: 600 mm x 400 mm x 300 mm.	10
575	NN crates	S/s rollie with 7 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	10
576	NN rollies	10 s/s rollies, dimensions: (10x) 610 mm x 410 mm x 170 mm.	200
577	NN fan	S/s frame with fan, dimensions: 600 mm x 400 mm x 530 mm.	10
578	NN crates	2 pallets with approximately 61 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm.	30
579	NN crates	14 pallets with approximately 648 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm and 600 mm x 400 mm x 180 mm.	350
580	NN rollies	65 s/s rollies, dimensions: (65x) 610 mm x 410 mm x 170 mm.	650
581	NN rollies	67 s/s rollies, dimensions: (67x) 610 mm x 410 mm x 170 mm.	670
582	NN rollies	19 s/s rollies, dimensions: (19x) 610 mm x 410 mm x 170 mm.	190
583	NN crates	17 pallets with approximately 391 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm.	200
584	NN crates	2 pallets with approximately 86 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm, 600 mm x 400 mm x 180 mm and 600 mm x 400 mm x 320 mm.	50
585	NN crates	Pallet approximately 34 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	25
586	NN rollies	19 s/s rollies, dimensions: (19x) 610 mm x 410 mm x 170 mm.	190
587	NN crates		130



Nr	Title	Description	Start €
		10 pallets with approximately 260 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm and 600 mm x 400 mm x 240 mm.	
588	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1100 mm.	5
589	NN foam mixing trolley	S/s foam mixing trolley, dimensions: 600 mm x 300 mm x 1200 mm.	25
590	NN pressure vessel for foam	Mobile s/s pressure vessel for foam, dimensions: 200 mm x 300 mm x 900 mm.	25
591	NN pallets	Approximately 52 plastic pallets, dimensions each pallet: 1200 mm x 800 mm x 150 mm.	55
592	NN rollies	18 s/s rollies, dimensions: (19x) 610 mm x 410 mm x 170 mm.	180
593	NN crates	9 pallets with approximately 360 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	180
594	NN crates	1 pallet and one stack with approximately 88 plastic crates, dimensions crates: 600 mm x 400 mm x 300 mm and 600 mm x 400 mm x 180 mm.	45
595	NN crates	9 pallets with approximately 370 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	185
596	NN crates	4 pallets with approximately 126 plastic crates, dimensions crates: 585 mm x 385 mm x 190 mm.	65
597	NN crates	8 pallets with approximately 400 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	200
598	NN sink	S/s sink with faucet, dimensions: 440 mm x 420 mm x 1200 mm.	25
599	Pohjaranta OY	Pohjaranta OY crate washer and dryer, clearance washer: 450 mm x 380 mm, clearance dryer: 410 mm x 360 mm, total dimensions washer: 7400 mm x 1800 mm x 1100 mm, total dimensions dryer: 3800 mm x 1000 mm x 2200 mm, including Grundfos pump and s/s filter.	1000
600	NN pallet boxes	2 plastic pallet boxes, dimensions: (2x) 1200 mm x 800 mm x 790 mm.	50
601	NN pallets	33 plastic pallets, dimensions each pallet: 1200 mm x 800 mm x 150 mm.	75
602	NN crates	Pallet with approximately 43 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	25
603	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm. Defect.	50
604	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm. Defect.	50
605	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm. Defect.	50



Nr	Title	Description	Start €
606	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm. Defect.	50
607	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm. Defect.	50
608	NN table	Steel table with s/s top, dimensions: 1900 mm x 700 mm x 960 mm.	25
609	Macca	Macca weighing scale, type: NB-6, max: 3/6 kg, min: 20 g, e= 1/2 g, dimensions scale: 345 mm x 270 mm, total dimensions: 345 mm x 350 mm x 90 mm.	10
610	Seydelmann	10 s/s knives for Seydelmann cutter, model knives: 4ee R 322-90.	50
611	Seydelmann	3 s/s knives for Seydelmann K324 VA-U cutter.	100
612	Seydelmann	4 s/s knives for Seydelmann K324 AC8 VA cutter.	125
613	Schönle	Steel and s/s table with Schönle knife sharpener and air extraction hood, type: 300/3, number: 1990/8, 220-380 V, 3 Ph, 50 Hz, 1.8 kW, 5.2 A, dimensions sharpener: 900 mm x 600 mm x 1100 mm, dimensions table: 1900 mm x 700 mm x 700 mm.	100
614	Luna	Luna belt grinder, model: MBG 75, belt width: 75 mm, total dimensions: 500 mm x 900 mm x 1100 mm. Including various extra grinding belts.	150
615	Hawker Siddeley	Table with Hawker Siddeley sharpener/grinder, dimensions: 1000 mm x 700 mm x 1500 mm.	25
616	NN trolley	Steel trolley, dimensions: 600 mm x 500 mm x 1200 mm.	5
617	NN trolleys with hose	4 s/s trolleys with hose, dimensions: (4x) 800 mm x 500 mm x 950 mm.	100
618	i-MAP XL	i-MAP XL floor scrubber, dimensions: 1100 mm x 550 mm x 400 mm.	10
619	Ghibli SpA	Ghibli SpA industrial vacuum cleaner, model: ASL 7 P, number: 0211-010895, dimensions: 350 mm x 500 mm x 500 mm.	25
620	Taksi Diversey Europe Operations B.V.	Taksi Diversey Europe Operations B.V. floor scrubbing machine, type: CO755.0X, number: 7516825019251, series: 0112, 100-240 V, 50 Hz, 300 W, weight: max 155 kg, squeegee width: 450 mm, brush diameter: 700 mm, total dimensions: 1100 mm x 700 mm x 1150 mm.	250
621	Taksi Diversey Europe Operations B.V.	Taksi Diversey Europe Operations B.V. floor scrubbing machine, type: CO755.0X, number: 7516825040934, series: 0112, 100-240 V, 50 Hz, 300 W, weight: max 155 kg, squeegee width: 450 mm, brush diameter: 700 mm, total dimensions: 1100 mm x 700 mm x 1150 mm.	250



Nr	Title	Description	Start €
622	NN rack with hygiene equipment	Wooden rack with hygiene equipment, dimensions: 2500 mm x 510 mm x 1520 mm.	25
623	NN trolley	Steel and s/s trolley, dimensions: 750 mm x 500 mm x 950 mm.	5
624	NN foam mixing trolley	S/s foam mixing trolley, dimensions: 530 mm x 500 mm x 1100 mm.	25
625	LG	LG washing machine, model: FH2J3WDN0, serial number: 007PNNA4R871, dimensions: 600 mm x 450 mm x 850 mm.	25
626	Lutz	Lutz barrel pump, dimensions: 250 mm x 250 mm x 1250 mm.	10
627	NN rack with hygiene equipment	2 wooden racks with hygiene equipment, dimensions racks: 2500 mm x 650 mm x 2200 mm and 3200 mm x 650 mm x 2200 mm.	100
628	JLG	JLG scissor lift, type: 1930 ES, dimensions: 1900 mm x 800 mm x 1960 mm.	500
629	NN cooking trolleys	2 s/s cooking trolleys, 6 floors each, dimensions each floor: 940 mm x 1000 mm, distance between floors: 270 mm, total dimensions: (2x) 1030 mm x 1000 mm x 2000 mm.	100
630	NN cooking trolley	S/s cooking trolley, 6 floors each, dimensions each floor: 1440 mm x 1010 mm, distance between floors: 230 mm, total dimensions: 1500 mm x 1010 mm x 1500 mm.	50
631	NN cooking trolleys	3 s/s cooking trolleys, 6 floors each, dimensions each floor: 1450 mm x 1200 mm, distance between floors: 270 mm, total dimensions: (3x) 1500 mm x 1200 mm x 1710 mm.	150
632	VEAB/Desa/Lexa/Thermo	5 VEAB/Desa/Lexa/Thermo electrical heaters, dimensions: 300 mm x 500 mm x 400 mm, 340 mm x 260 mm x 380 mm, 250 mm x 300 mm x 310 mm, 430 mm x 300 mm x 500 mm and 370 mm x 350 mm x 450 mm.	50
633	NN cooking trolley	S/s cooking trolley, 5 floors each, dimensions each floor: 1440 mm x 1200 mm, distance between floors: 360 mm, total dimensions: 1500 mm x 1200 mm x 1900 mm.	50
634	NN cooking trolley	S/s cooking trolley, 6 floors each, dimensions each floor: 1140 mm x 1000 mm, distance between floors: 270 mm, total dimensions: 1200 mm x 1000 mm x 1730 mm.	50
635	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 600 mm x 600 mm x 1300 mm.	15
636	Busch	Busch vacuum pump, type: RA 0302 D 503, serial number: C1528000176, year of construction: 2015, capacity: 300 m ³ /h, weight: 250 kg, dimensions: 1200 mm x 600 mm x 500 mm.	250
637	JBT		1500



Nr	Title	Description	Start €
		Wooden crate with various spare parts for JBT frying and cooking line, dimensions crate: 2100 mm x 700 mm x 700 mm.	
638	Busch	Busch vacuum pump, type: RA 0160 D 5S1 VRJZ, serial number: C1240000257, year of construction: 2012, capacity: 160 m ³ /h, dimensions: 1200 mm x 700 mm x 700 mm.	350
639	NN buckets	S/s wall mounted rack with various s/s buckets, dimensions: 1450 mm x 360 mm x 1050 mm.	25
640	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1050 mm.	5
641	Koneteollisuus OY	Koneteollisuus OY band saw, dimensions saw table: 500 mm x 830 mm, total dimensions: 1000 mm x 850 mm x 1900 mm.	350
642	Pesutekno	Pesutekno washing machine for gloves and knives, dimensions: 630 mm x 640 mm x 1600 mm.	200
643	NN rack	Wooden rack with content, dimensions: 1950 mm x 570 mm x 1620 mm.	5
644	Scanvaegt	Weighing and labelling unit, consisting of: Scanvaegt weighing scale, type receptor: 1025.30.30, serial number: BPE04786, max: 30 kg, min: 0.2 kg, e= 0.01 kg, type indicator: 411, serial number: BPE04786 E, Intermec label printer, model: EasyCoder PF4i, control panel, total dimensions: 650 mm x 900 mm x 1650 mm.	150
645	Cardinal Scale	S/s floor weighing scale, dimensions: 1250 mm x 1500 mm, Cardinal Scale indicator, model: 190EU, dimensions indicator: 250 mm x 160 mm x 130 mm.	250
646	Intermec	Intermec label printer, model: PF4i, dimensions: 430 mm x 400 mm x 170 mm, with s/s control panel, dimensions: 400 mm x 290 mm x 340 mm.	50
647	Philips	Philips radio, model number: FW-C220/22, dimensions: 260 mm x 300 mm x 660 mm.	10
648	The Green One	The Green One electric live stock prod, model: HS2000, dimensions: 800 mm x 600 mm x 600 mm.	5
649	NN table	S/s table, dimensions: 1600 mm x 770 mm x 960 mm.	25
650	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1300 mm.	5
651	NN crates	Pallet with 20 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	10
652	NN crates	2 pallets with approximately 116 plastic crates, dimensions crates: 600 mm x 400 mm x 300 mm.	60
653	NN crates		290



Nr	Title	Description	Start €
		5 pallets with approximately 580 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm.	
654	NN crates	4 pallets with approximately 176 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	90
655	NN crates	8 pallets with approximately 159 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm.	80
656	NN crates	S/s rollie with 6 plastic crates, dimensions crates: 600 mm x 400 mm x 280 mm.	10
657	NN rollies	3 pallets with approximately 56 s/s rollies, dimensions: (56x) 610 mm x 410 mm x 170 mm.	560
658	NN rollies	3 pallets with approximately 54 s/s rollies, dimensions: (54x) 610 mm x 410 mm x 170 mm.	540
659	NN rollies	3 pallets with approximately 48 s/s rollies, dimensions: (48x) 610 mm x 410 mm x 170 mm.	480
660	NN rollies	3 pallets with approximately 50 s/s rollies, dimensions: (50x) 610 mm x 410 mm x 170 mm.	500
661	NN crates	3 pallets with approximately 348 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm.	175
662	NN crates	3 pallets with approximately 132 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	70
663	NN crates	11 pallets with approximately 428 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	220
664	NN crates	6 pallets with approximately 500 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm.	250
665	NN crates	6 pallets with approximately 336 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm.	170
666	NN crates	3 pallets with approximately 120 plastic crates, dimensions crates: 585 mm x 385 mm x 180 mm.	60
667	NN crates	21 pallets with approximately 860 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	430
668	NN crates	4 pallets with approximately 400 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm.	200
669	NN crates	2 pallets with approximately 44 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm.	25
670	NN crates	3 pallets with approximately 168 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm.	85
671	NN crates	6 pallets with approximately 200 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	100
672	NN crates	4 pallets with approximately 320 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm.	160
673	NN crates	Pallet with approximately 38 plastic crates, dimensions crates: 600 mm x 400 mm x 320 mm.	20
674	NN crates	2 pallets with approximately 54 plastic crates, dimensions crates: 585 mm x 385 mm x 180 mm.	30
675	NN crates	4 s/s rollies with approximately 29 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	25
676	NN serving plates		25



Nr	Title	Description	Start €
		2 pallets with large amount of serving plates, dimensions each plate: 530 mm x 325 mm and 600 mm x 405 mm.	
677	NN plates	Pallet with various s/s plates, dimensions each plate: 600 mm x 400 mm.	25
678	NN guillotine	Guillotine, working width: 550 mm, clearance: 540 mm x 500 mm, total dimensions: 850 mm x 750 mm x 2350 mm. Missing knife and cover.	200
679	Fimatec	Fimatec double jacketed s/s tank, number: 90310, year of construction: 1989, 0.75 kW, volume: 2000 litre, dimensions: 1950 mm x 1600 mm x 2000 mm.	250
680	Yale Europe	Yale Europe electrical pallet lifter, model: MS12X, serial number: C847T03371R, year of construction: 2017, nominal capacity: 1200 kg, weight without battery: 1180 kg, battery weight: 254/306 kg, nominal power: 4.00 kW, battery voltage: 24 V, working hours: 2633 h, fork length: 1150 mm, maximum lifting height: 3400 mm, total dimensions: 2550 mm x 900 mm x 2250 mm. Including Micropower AB battery charger.	1500
681	Laadur	Laadur s/s pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
682	Laadur	Laadur s/s pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
683	Laadur	2 Laadur s/s pallet lifters, fork length: 1130 mm, total dimensions: (2x) 1460 mm x 520 mm x 1150 mm.	100
684	Laadur	Laadur s/s pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
685	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1050 mm.	5
686	NN control panel	S/s control panel, dimensions: 410 mm x 280 mm x 430 mm.	25
687	Intermec	S/s table with Intermec label printer, model: PF4i, total dimensions: 550 mm x 350 mm x 780 mm.	25
688	Kern-Sohn	Kern-Sohn mobile weighing scale, model: KFP 60V20LM, serial number: WF115689, max: 30/60 kg, min: 200 gram, e= 10/20 gram, dimensions scale: 500 mm x 400 mm, total dimensions: 600 mm x 550 mm x 1240 mm.	50
689	Handtmann	S/s auger for Handtmann VF 200 and VF300, code 835697. Never used.	500
690	NN thermo container	Thermo container, dimensions: 1350 mm x 570 mm x 1650 mm.	25



Nr	Title	Description	Start €
691	Fessmann	Fessmann cooking chamber with control cabinet, type: Ti3000, dimensions cabinet: 2500 mm x 1510 mm x 3200 mm, total dimensions pallet: 2700 mm x 1520 mm x 1650 mm.	500
692	Rühle	Rühle mobile dicer, type: SR1, dimensions chamber: 95 mm x 95 mm x 330 mm, total dimensions: 980 mm x 660 mm x 1040 mm.	950
693	Safeline Mettler Toledo	Safeline Mettler Toledo mobile pipeline metal detector, model power supply unit: 50H, 100-240 V, 50/60 Hz, 330 W, diameter pipe: 55 mm, total dimensions: 850 mm x 420 mm x 1230 mm.	100
694	Rühle Fleischereimaschinenfabrik	Rühle Fleischereimaschinenfabrik vacuum tumbler, type: TR 150, number: 109, year of construction: 1988, drum volume: 150 litre, with Busch vacuum pump, dimensions: 1030 mm x 700 mm x 1130 mm.	250
695	Mecapac	Mecapac mobile traysealer, dye: 290 mm x 220 mm, with Busch vacuum pump, total dimensions: 750 mm x 750 mm x 1430 mm.	150
696	Colimatic	Colimatic thermoformer, type: THEMA 90, serial number: 991, year of construction: 1989, 380 V, 3 Ph, 50 Hz, film width: 320 mm, dye: (2x) 175 mm x 130 mm, total dimensions: 3300 mm x 780 mm x 1740 mm. Without main vacuum pump.	250
697	NN horizontal form, fill and seal machine	NN horizontal form, fill and seal machine, belt width: 150 mm, clearance: 185 mm x 120 mm, infeed belt width: 80 mm, total dimensions: 2630 mm x 1000 mm x 1540 mm.	1750
698	Webomatic	Webomatic traysealer, type: TL 500, serial number: E9015QE105, 400 V, 3 Ph, 50 Hz, 3.5 kW, belt width: (2x) 150 mm and 315 mm, dye: (3x) 190 mm x 130 mm, total dimensions: 3400 mm x 950 mm x 1600 mm. Without main vacuum pump.	1500
699	Hackman-MKT Oy	Hackman-MKT Oy cooled s/s blood tank with mixer, type: 1200, number: 20471, year of construction: 5-12-86, 380 V, 3 Ph, 50 Hz, 16 A, dimensions: 2500 mm x 1300 mm x 1400 mm.	350
700	Bitzer Kühlmaschinenbau GmbH	Cooling compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 6G-40.2Y-40P, Q: 126.8/153.1m³/h and 6G-40.2, Q: 126.8 m³/h, dimensions rack: 1800 mm x 1120 mm x 1750 mm, including switch cabinet, dimensions: 600 mm x 250 mm x 1600 mm.	400
701	Minipack-Torre S.p.A.	Minipack-Torre S.p.A. traysealer, number: 95149, 220 V, 50 Hz, 8 A, 2000 W, total dimensions: 610	200



Nr	Title	Description	Start €
		mm x 750 mm x 740 mm, including pallet with forming set, dye: (4x) 120 mm x 80 mm.	
702	Europack	Europack mobile traysealer, film width: 340 mm, dye: 300 mm x 250 mm, total dimensions: 720 mm x 460 mm x 1300 mm.	200
703	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik mobile hydraulic paw and leg nipper for sows and boars, type: Z 08, serial number: 231, year of construction: 2012, 200 bar, with EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik hydraulic unit, type: HKL48V5, serial number: 96, year of construction: 2016, total dimensions: 720 mm x 500 mm x 1200 mm.	600
704	Hobart	Hobart mobile crate washer, clearance: 500 mm x 330 mm, total dimensions: 2400 mm x 740 mm x 1850 mm.	1000
705	MHS Schneidetechnik	MHS Schneidetechnik slicer, type: PCE 65 T, serial number: 07029865T, year of construction: 1998, 400 V, 4 A, 1.5 kW, clearance: 180 mm x 170 mm, total dimensions: 1550 mm x 700 mm x 1320 mm.	750
706	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: SBA 3420, serial number: 41058, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0.75 kW, 2.0 A, working width: 480 mm, infeed belt width: 445, total dimensions: 1400 mm x 850 mm x 1270 mm, including pallet with outfeed belt, belt width: 450 mm, total dimensions pallet: 1200 mm x 800 mm x 200 mm.	750
707	Poly-Clip System	Poly-Clip System mobile double automatic clipper, type: FCA 3411, dimensions: 1340 mm x 1320 mm x 1920 mm. Technical condition unknown.	200
708	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Divider 400, machine number: 259002.61840.6357, year of construction: 2005, 400/24 V, 3 Ph, 50/60 Hz, 6.9/16 A, 4.8 kW, weight: 400 kg, clearance: 170 mm x 160 mm, total dimensions slicer: 1630 mm x 860 mm x 2150 mm, including outfeed conveyor, belt width: 310 mm, total dimensions 1400 mm x 460 mm x 1000 mm.	2750
709	Kittner Anlagen- und Maschinenbau	Kittner Anlagen- und Maschinenbau s/s boots cleaner, brush width: (3x) 300 mm, total dimensions: 730 mm x 790 mm x 1070 mm.	175
710	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: VBA 500 A, serial number: 32 356, working width: 470 mm, infeed belt width: 450, total dimensions: 2050 mm x 950 mm x 1210 mm,	500



Nr	Title	Description	Start €
711	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: PI 9, machine number: 24000, 380 V, 16 A, 9 needles, belt width plastic mesh belt: 290 mm, clearance: 260 mm x 180 mm, total dimensions: 1280 mm x 520 mm x 1810 mm.	1000
712	NN cooking vessel	S/s cooking vessel, inside dimensions: 1600 mm x 800 mm x 500 mm, total dimensions: 1800 mm x 1130 mm x 1000 mm.	200
713	Yale Europe	Yale Europe electrical pallet lifter, model: MS15S, serial number: B855T01851M, year of construction: 2014, nominal capacity: 1500 kg, weight without battery: 1259 kg, battery weight: 353/397 kg, nominal power: 2.6 kW, battery voltage: 24 V, fork length: 1160 mm, maximum lifting height: 3800 mm, total dimensions: 2300 mm x 950 mm x 2350 mm. Including Micropower AB battery charger. Technical condition unknown.	1000
714	HändZ	2 pallets with 24 boxes of HändZ automatic soap dispensers, 12 dispensers each box, dimensions each dispenser: 145 mm x 105 mm x 275 mm.	290
715	HändZ	2 pallets with 24 boxes of HändZ automatic soap dispensers, 12 dispensers each box, dimensions each dispenser: 145 mm x 105 mm x 275 mm.	290
716	HändZ	2 pallets with 25 boxes of HändZ automatic soap dispensers, 12 dispensers each box, dimensions each dispenser: 145 mm x 105 mm x 275 mm.	300
717	HändZ	2 pallets with 22 boxes of HändZ automatic soap dispensers, 12 dispensers each box, dimensions each dispenser: 145 mm x 105 mm x 275 mm.	265
718	NN stands and stands for HändZ soap dispensers	2 pallets with various boxes with stands and for HändZ soap dispensers.	50
719	NN pouches	Pallet with large amount of plastic pouches and pumps, dimensions pouches: 200 mm x 235 mm.	25
720	HändZ	Pallet with 4 boxes of HändZ automatic soap dispensers, 8 dispensers each box, dimensions each dispenser: 155 mm x 100 mm x 275 mm.	35
721	Xin Da	Pallet with 5 boxes of Xin Da automatic soap dispensers, 6 dispensers each box, dimensions each dispenser: 185 mm x 135 mm x 305 mm.	30
722	HändZ	3 pallets with 72 boxes of HändZ automatic soap dispensers with floor stand, dimensions each dispenser: 355 mm x 355 mm x 1500 mm.	145
723	HändZ	3 pallets with 72 boxes of HändZ automatic soap dispensers with floor stand, dimensions each dispenser: 355 mm x 355 mm x 1500 mm.	145
724	HändZ	3 pallets with 72 boxes of HändZ automatic soap dispensers with floor stand, dimensions each dispenser: 355 mm x 355 mm x 1500 mm.	145



Nr	Title	Description	Start €
725	HändZ	3 pallets with 72 boxes of HändZ automatic soap dispensers with floor stand, dimensions each dispenser: 355 mm x 355 mm x 1500 mm.	145
726	HändZ	3 pallets with 96 boxes of HändZ automatic soap dispensers with floor stand, dimensions each dispenser: 355 mm x 355 mm x 1500 mm.	195
727	HändZ	3 pallets with 84 boxes of HändZ automatic soap dispensers with floor stand, dimensions each dispenser: 355 mm x 355 mm x 1500 mm.	170
728	NN disinfectant	Pallet with 27 boxes of disinfectant, dimensions each pouch: 190 mm x 220 mm.	25
729	Chemi-Pharm	Pallet with 27 boxes of Chemi-Pharm disinfectant, dimensions each pouch: 190 mm x 220 mm, 10 pouches each box, best before: 06/2024.	25
730	HändZ	Pallet with large amount of HändZ "hand hygiene station" signs, dimensions each sign: 450 mm x 600 mm.	50
731	HändZ	4 pallets with 96 boxes of HändZ automatic soap dispensers with floor stand, dimensions each dispenser: 355 mm x 355 mm x 1500 mm.	195
732	NN grids	Box with grids for dicer, dimensions chamber: 80 mm x 80 mm.	75
733	Fillflex	Fillflex filling machine, model: F 5500 a, dimensions: 520 mm x 240 mm x 450 mm. Incomplete.	250
734	NN parts for vacuum filling machine	Plastic crate with various parts for vacuum filling machine.	50
735	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik circular saw, type: EFA 17, serial number: 326, 880 W, 1800 rpm, diameter saw blade: 200 mm, total dimensions: 500 mm x 280 mm x 360 mm.	250
736	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik circular saw, type: EFA 17, serial number: 323, 880 W, 1800 rpm, diameter saw blade: 200 mm, total dimensions: 500 mm x 280 mm x 360 mm.	250
737	Ecolean	Ecolean filling machine for liquid food products, type: EL2 A-216301, machine number: 350, year of construction: 2008, 3x400 V, 50 Hz, 3 kW, dimensions: 4300 mm x 1400 mm x 2700 mm.	1000
738	Ecolean	Ecolean filling machine for liquid food products, type: LP 2000 A 213, machine number: 2001-007 04 68, year of construction: 2002, 3x400 V, 50 Hz, dimensions: 4900 mm x 1200 mm x 2500 mm.	1000
775	Victorinox	Wooden rack with content, among others: Victorinox knives, Bobet Material knife	200



Nr	Title	Description	Start €
		sharpeners, whisks, etc, dimensions rack: 2700 mm x 600 mm x 2000 mm.	
777	NN red pepper ground	2 boxes with various bags of red pepper ground, best before date : June 2023.	5
778	Pocahnak	Pallet with various boxes of plastic trays and lids, dimensions trays: Ø 130 mm x 60 mm, dimensions lids: Ø 130 mm.	10
779	NN trays	Pallet with various boxes with plastic trays, dimensions trays: 180 mm x 130 mm x 160 mm.	10
782	Faerch Italy S.r.l.	2 pallets with large amount of Faerch Italy S.r.l. plastic trays, dimensions trays: Ø 190 mm x 70 mm.	10
784	EstPack Plastik	Pallet with 3 boxes of EstPack Plastik plastic trays, dimensions trays: 175 mm x 160 mm x 40 mm.	10
786	Poly-Clip System/ Cliptechnik Deutschland GmbH	Pallet with various boxes with Poly-Clip System and Cliptechnik Deutschland GmbH clips.	25
787	Lorenzo Barroso	Pallet with 4 boxes of Lorenzo Barroso clips.	25
788	NN spacers	Pallet with various spacers and labels, dimensions spacers: 200 mm x 120 mm.	5
789	NN film reels	6 pallets with various film reels, film width: 265 mm, 305 mm, 322 mm and 410 mm, etc.	50
790	Cuki Cofresco S.r.l.	Pallet with 2 boxes of Cuki Cofresco S.r.l. aluminium trays, dimensions trays: 220 mm x 150 mm x 45 mm.	10
792	NN tape	Pallet with 13 boxes of tape, 36 pcs each box.	5
793	Krehalon/Freshpack Solutions	Pallet with various boxes of Krehalon and Freshpack Solutions plastic vacuum bags, dimensions bags: 200 mm x 700 mm and 230 mm x 350 mm.	10
794	Ansell/AlphaTec/PPS Gloves	Pallet with 4 boxes with Ansell, AlphaTec and PPS Gloves rubber gloves.	25
795	NN vacuum bags	Pallet with 9 boxes of plastic vacuum bags, dimensions bags: 600 mm x 700 mm and 300 mm x 500 mm.	10
796	Essentia Protein Solutions	Bag with Essentia Protein Solutions high functional protein for meat (ScanPro™ T 92/SF, content: 20 kg, best before date: 09-10-2025.	5
797	Solina/Almi	Pallet with various boxes of Solina and Almi spices, among others: Emulgator K Melting, Emo Mix, Knacker Komni mix, etc.	10
798	Food Engineering	Pallet with various bags of Food Engineering spices.	10
799	Leipurin Estonia AS	Pallet with 3 buckets of Leipurin Estonia AS blueberry jam, best before date: 28-10-2024.	5
800	KGL	7 pallet with large amount of plastic trays, dimensions trays: 200 mm x 150 mm x 55 mm.	70



Nr	Title	Description	Start €
801	Solina/Wiberg	5 pallets with various Solina and Wiberg spices, among others: sausage seasoning, Beef frankfurter, spare-ribs seasoning, fresh meat injection, Chinese chili & Garlic, orange pepper, grilling mix, etc.	50
804	NN spices	Pallet with various bags of unknown spices.	5
805	NN jute bags	2 pallets with large amount of jute bags, dimensions bags: 340 mm x 380 mm.	10
806	NN plastic bags	Pallet with 5 boxes of plastic bags.	5
807	NN packaging material	Pallet with various packaging materials, among others clips and plastic trays.	10
808	Amcor	Pallet with 2 Amcor plastic film reel, film width: 562 mm, length:(2x) 6000 meters.	50
809	Andrese Soolaladu	Pallet with 40 bags of Andrese Soolaladu dried vacuum salt, content: 25 kg each Bag.	25
810	NN salt	Pallet with 5 bags of salt.	5
812	Combi-Therm A/S	Pallet with Combi-Therm A/S pallet covers, dimensions covers: 1200 mm x 800 mm x 130 mm and 1200 mm x 800 mm x 1800 mm.	25
813	Laadur	Laadur s/s pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
814	NN rack for crates	S/s rack for crates, dimensions: 6450 mm x 600 mm x 1580 mm.	25
815	Tefcold	Tefcold refrigerator, model: FSC 1450, 230 V, 50 Hz, 390 W, refrigerant: R134a/260 gram, net volume: 374 kg, dimensions: 680 mm x 670 mm x 2090 mm.	25
816	NN lockers	2-doors steel lockers, dimensions: 1200 mm x 800 mm x 1890 mm.	10
817	Criocabin S.p.A.	2 Criocabin S.p.A. refrigerated showcases, model: ENIXE 100STANDARD L=125 CM V, 230 V, 1 Ph, 50 Hz, 600 W, refrigerant: R404A/0.70 kg, dimensions: (2x) 1300 mm x 1160 mm x 1190 mm.	50
818	NN waste bag holder	2 mobile steel waste bag holders, dimensions: (2x) 580 mm x 500 mm x 1020 mm.	10
819	NN trolley	S/s trolley, dimensions: 1250 mm x 980 mm x 1990 mm.	10
820	NN meat presses	2 mobile s/s meat presses, dimensions: (2x) 1000 mm x 1000 mm x 1350 mm.	100
821	NN tank	Mobile s/s tank, dimensions: Ø 750 mm x 600 mm, total dimensions: 800 mm x 800 mm x 1300 mm.	50
822	NN tank	Plastic tank, volume: 800 litre, dimensions: Ø 900 mm x 1660 mm.	10
823	NN crates		1680



Nr	Title	Description	Start €
		12 pallets with approximately 3360 plastic crates, dimensions crates: 400 mm x 300 mm x 90 mm.	
824	NN crates	12 pallets with approximately 3360 plastic crates, dimensions crates: 400 mm x 300 mm x 90 mm.	1680
825	NN crates	12 pallets with approximately 1980 plastic crates, dimensions crates: 600 mm x 400 mm x 130 mm.	990
826	NN crates	11 pallets with approximately 1815 plastic crates, dimensions crates: 600 mm x 400 mm x 130 mm.	900
827	NN cages	33 steel cages, dimensions: (33x) 1200 mm x 1200 mm x 1200 mm.	825
828	NN trays	4 pallets with various plastic trays, dimensions trays: 330 mm x 265 mm x 90 mm and 160 mm x 265 mm x 90 mm.	20
829	NN crates	8 pallets with approximately 416 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm and 600 mm x 400 mm x 180 mm.	210
830	NN crates	13 pallets with approximately 1456 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm.	725
831	NN crates	8 pallets with approximately 416 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	210
832	NN crates	14 pallets with approximately 1568 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm.	785
833	NN crates	10 pallets with approximately 520 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	260
834	NN crates	11 pallets with approximately 572 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	285
835	NN crates	14 pallets with approximately 728 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	365
836	NN refrigerated showcases	3 refrigerated showcases, dimensions: 1220 mm x 1050 mm x 900 mm, 1060 mm x 1040 mm x 1170 mm and 1060 mm x 1060 mm x 1230 mm. Technical condition unknown.	25
837	NN ham moulds	Pallet with various ham moulds, dimensions moulds: 250 mm x 130 mm x 110 mm, 300 mm x 95 mm x 110 mm and 340 mm x 85 mm x 90 mm.	10
838	NN cages	2 steel cages, dimensions: (2x) 1200 mm x 1200 mm x 1200 mm.	10
839	Niscayah	Niscayah tourniquet, type: 36020/TTC 2650-01, serial number: v6.2/134807, dimensions: 660 mm x 300 mm x 1020 mm. Technical condition unknown.	10
840	NN rollies	3 pallets with approximately 64 plastic rollies, dimensions rollies: (64x) 610 mm x 410 mm x 170 mm.	50
841	NN hood	S/s hood, dimensions: 1100 mm x 950 mm x 470 mm.	25
842	Frico		25



Nr	Title	Description	Start €
		Pallet with Frico heater, dimensions: 1550 mm x 300 mm x 600 mm.	
843	Fabryka Urzadzen Chlodniczych Byfuch Sp. Z.o.o.	Fabryka Urzadzen Chlodniczych Byfuch Sp. Z.o.o. refrigerated showcase, type: LW 240-75 GDs PLUS, serial number: 103, year of construction: 2010, 230 V, 50 Hz, 700/600 W, temperature range: +3/+7 °C, refrigerant: R404a/0.48 kg, dimensions: 2500 mm x 1130 mm x 1290 mm.	25
844	NN trolley	4 steel trolleys, dimensions: (4x) 470 mm x 470 mm x 1100 mm.	10
845	NN rollies	9 steel rollies, dimensions: (9x) 620 mm x 420 mm x 140 mm.	20
846	NN pallet box	Plastic pallet box with parts, dimensions: 1200 mm x 1000 mm x 850 mm.	10
847	NN concrete drains	Pallet with 4 concrete drains, diameter drains: 240 mm.	5
848	Mondial Group s.r.l.	Mondial Group s.r.l. refrigerated showcase, type: PROD. SLIM L 90, serial number: 811CB82754, net volume: 342 litre, 220-240 V, 50 Hz, 6.4 A, 1100 W, refrigerant: R507/R404A/0.650 kg, dimensions: 970 mm x 580 mm x 2000 mm.	25
849	FKL S.r.l.	FKL S.r.l. evaporator, model: KTDW353M4SS, serial number: 2012/01125, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1.8 A, PS: 16 bar, TS: -38/+70 °C, fluid: Brine, dimensions: 2500 mm x 1070 mm x 300 mm, FKL S.r.l. evaporator, model: KTDW352L4SS, serial number: 2012/01126, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1.2 A, PS: 16 bar, TS: -38/+70 °C, fluid: Brine, dimensions: 1800 mm x 1000 mm x 300 mm.	150
850	Metos	Wooden crate with Metos grill pan, dimensions crate: 840 mm x 830 mm x 920 mm.	25
851	Weber	Weber BBQ grill, model: Spirit Premium, dimensions: 1330 mm x 580 mm x 1150 mm.	10
852	Helkama Vyborg	Helkama Vyborg refrigerator, type: C01G M White, number: 9010037319, year of construction: 21.12.2010, net volume: 874 litre, 230-240 V, 50 Hz, 500 W, refrigerant: R134A/500 gram, dimensions: 1200 mm x 680 mm x 2040 mm.	50
853	NN pig ambulance	S/s pig ambulance, dimensions: 1600 mm x 770 mm x 830 mm.	50
854	NN rollies	18 steel rollies, dimensions: (9x) 620 mm x 420 mm x 140 mm.	50
855	Cosmetal s.r.l.	Cosmetal s.r.l. water dispenser/cooler, model: AQUALITY H-RI, serial number: 0002371305, 220-240 V, 50 Hz, 3.7 A, 850 W, refrigerant:	10



Nr	Title	Description	Start €
		R134a/0.060 kg, dimensions: 350 mm x 340 mm x 1130 mm.	
856	NN plates	8 s/s plates, dimensions: (8x) 600 mm x 400 mm x 20 mm.	10
857	NN table	S/s table, dimensions: 1200 mm x 1050 mm x 970 mm.	10
858	NN table	Mobile s/s table, dimensions: 1520 mm x 750 mm x 900 mm.	10
859	Roltex	Roltex plastic serving plates, dimensions each plate: 530 mm x 325 mm x 15 mm.	5
860	Samsung	Samsung microwave, type: M1712NR, dimensions: 500 mm x 400 mm x 485 mm.	5
861	NN lids for pallet box	6 plastic lids for pallet box, dimensions: (5x) 1200 mm x 1000 mm and (1x) 800 mm x 1200 mm.	5
862	NN crates	16 pallets with approximately 640 plastic crates, dimensions crates: 585 mm x 385 mm x 180 mm.	320
863	NN crates	16 pallets with approximately 640 plastic crates, dimensions crates: 585 mm x 385 mm x 180 mm.	320
864	NN crates	16 pallets with approximately 640 plastic crates, dimensions crates: 585 mm x 385 mm x 180 mm.	320
865	NN crates	28 pallets with approximately 1120 plastic crates, dimensions crates: 585 mm x 385 mm x 180 mm.	560
866	NN crates	36 pallets with approximately 1440 plastic crates, dimensions crates: 585 mm x 385 mm x 180 mm.	720
867	NN crates	16 pallets with approximately 640 plastic crates, dimensions crates: 585 mm x 385 mm x 180 mm.	320
868	NN crates	8 pallets with approximately 448 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	225
869	NN crates	17 pallets with approximately 952 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	475
870	NN crates	12 pallets with approximately 600 plastic crates, dimensions crates: 600 mm x 400 mm x 180 mm and 600 mm x 400 mm x 320 mm.	300
871	NN crates	28 pallets with approximately 1120 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm, 600 mm x 400 mm x 180 mm and 600 mm x 400 mm x 320 mm.	560
872	NN barrels	6 pallets with approximately 48 empty plastic barrels, dimensions barrels: Ø 550 mm x 920 mm.	50
873	NN crates	28 pallets with approximately 1124 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm 600 mm x 400 mm x 180 mm and 600 mm x 400 mm x 320 mm.	565
874	NN barrels	24 pallets with approximately 192 empty plastic barrels, dimensions barrels: Ø 550 mm x 920 mm.	95
875	NN crates	20 pallets with approximately 600 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm	300



Nr	Title	Description	Start €
		600 mm x 400 mm x 180 mm and 600 mm x 400 mm x 320 mm.	
876	NN crates	26 pallets with approximately 1040 plastic crates, dimensions crates: 600 mm x 400 mm x 170 mm.	520
877	NN pallets	Approximately 100 plastic pallets, dimensions pallets: 1200 mm x 1000 mm x 150 mm.	100
878	Laadur	3 Laadur steel pallet lifters, fork length: 1130 mm, total dimensions: (3x) 1460 mm x 520 mm x 1150 mm.	150
879	NN pallets	Approximately 300 plastic pallets, dimensions pallets: 1200 mm x 1000 mm x 150 mm.	250
880	NN barrels	11 pallets with approximately 93 empty plastic barrels, dimensions barrels: Ø 550 mm x 920 mm.	100
881	NN cages	32 steel cages, dimensions: (32x) 1200 mm x 1200 mm x 1200 mm.	800
882	NN crates	22 pallets with approximately 1200 plastic crates, dimensions crates: 600 mm x 400 mm x 170 and 600 mm x 400 mm x 180 mm.	600
883	Falkonettmetall	(4x) Falkonettmetall steel 1-doors lockers, dimensions: (4x) 390 mm x 450 mm x 1970 mm, (2x) Falkonettmetall steel 2-doors lockers, dimensions: (2x) 810 mm x 800 mm x 2080 mm, (10x) Falkonettmetall steel 3-doors lockers, dimensions: (10x) 900 mm x 540 mm x 2080 mm and (13x) Falkonettmetall steel 4- doors lockers, dimensions: (13x) 1200 mm x 540 mm x 2080 mm. Various keys are missing.	350
884	NN crates	15 pallets with approximately 370 plastic crates, dimensions crates: 600 mm x 400 mm x 170 and 600 mm x 400 mm x 180 mm.	185
885	NN tubs	2 s/s tubs, dimensions: 1250 mm x 700 mm x 900 mm and 1300 mm x 1000 mm x 1000 mm.	20
886	NN hood	S/s hood, dimensions: 1300 mm x 1500 mm x 600 mm	10
887	NN table	S/s table, dimensions: 1200 mm x 800 mm x 960 mm.	10
888	NN tubs	2 s/s tubs, dimensions: (2x) 1630 mm x 860 mm x 900 mm.	50
889	NN perforated sheet metal	Reel with perforated sheet metal, dimensions: Ø 630 mm x 1200 mm.	10
890	Wetrok	Wetrok floor sweeper, type: Wetrok Florboy 700, number: 70010-2803, year of construction: 01/02, dimensions: 750 mm x 1100 mm x 1000 mm.	5
891	NN trolley	S/s trolley, dimensions: 900 mm x 450 mm x 1200 mm.	5
892	NN grids		5



Nr	Title	Description	Start €
		2 steel grids, dimensions: (2x) 1370 mm x 500 mm.	
893	NN pipes	Pallet with plastic pipes, steel pipes and pneumatic cylinder, dimensions pallet: 1200 mm x 800 mm x 250 mm.	10
894	NN switch cabinets	Pallet with 3 switch cabinets, dimensions: (3x) 400 mm x 200 mm x 1800 mm.	25
895	NN hood	S/s hood, dimensions: 1500 mm x 700 mm x 570 mm	5
896	NN rack with parts	2 wooden racks with various parts, among others: motors, tiers, s/s buckets, steel frames, steel pipes, drum motors, pumps, balancers, pump units for soap mixing station, dimensions: (2x) 5500 mm x 900 mm x 2000 mm.	250
897	NN waste bins	4 plastic waste bins, dimensions: 350 mm x 250 mm x 500 mm.	5
898	NN crate with valves	Wooden crate with various valves, dimensions: 800 mm x 600 mm x 700 mm.	10
899	NN tank	S/s tank, dimensions: 900 mm x 510 mm x 400 mm.	10
900	Rivacold	Rivacold refrigeration unit for cooling cell, type: PTL016Z002, number: 00022182, 400 V, 3 Ph, 50 Hz, 3.13 A, 1490 W, refrigerant: R404, dimensions: 1050 mm x 630 mm x 750 mm.	25
901	Parker Hiross S.p.A.	Parker Hiross S.p.A. refrigeration dryer, type: SPL030, serial number: 3501050003, 230 V, 1 Ph, 50 Hz, 0.9 kW, 5.0 A, refrigerant: 134a, dimensions: 520 mm x 230 mm x 600 mm.	25
902	LAT Antriebtechnik	Pallet with 2 LAT Antriebtechnik s/s drum motors, dimensions: Ø 150 mm 850 mm and Ø 130 mm 410 mm.	100
903	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik	Wooden crate with EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik splitting saw, dimensions crate: 1650 mm x 650 mm x 500 mm.	350
904	NN refrigeration door	Wooden crate with s/s refrigeration door, dimensions crate: 3000 mm x 1950 mm x 500 mm.	50
905	Finn Scales OY	Finn Scales OY s/s weighing scale, max: 100 kg, min: 5 gram, e= 0.05 gram, dimensions: 540 mm x 540 mm x 660 mm.	25
906	NN plastic plates	Pallet with various plastic plates, dimensions plates: 2000 mm x 900 mm.	10
907	Raute Precision	2 s/s floor weighing scales with Raute Precision indicator, dimensions: (2x) 1500 mm x 1500 mm.	100
908	NN motors	Pallet with various motors, dimensions pallet: 1000 mm x 1000 mm x 700 mm.	10
909	Raute Precision		50



Nr	Title	Description	Start €
		S/s floor weighing scale, dimensions: 1500 mm x 1500 mm, including weighing scale with Axis indicator, dimensions scale: 600 mm x 480 mm.	
910	Seydelmann	Cover for Seydelmann cutter, dimensions: 1800 mm x 1800 mm x 600 mm.	100
911	Fincoil	Wooden crate with Fincoil evaporator, type: AMP-1-12-KK, serial number: 8808-83, year of construction: 1989, dimensions crate: 1700 mm x 1500 mm x 700 mm.	100
912	NN tube rail	Wooden crate with various steel tube rails, dimensions crate: 900 mm x 900 mm x 950 mm.	10
913	NN fan	Fan, dimensions: 1200 mm x 850 mm x 850 mm.	25
914	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 400 mm, elevating height: from 550 mm to 1200 mm, total dimensions: 4000 mm x 600 mm x 1200 mm.	50
915	NN table	Mobile s/s table, dimensions: 2500 mm x 1500 mm x 920 mm.	25
916	NN crate with insulated pipes	Wooden crate with insulated pipes, dimensions: 1200 mm x 800 mm x 1350 mm.	25
917	NN table	S/s table, dimensions: 1200 mm x 800 mm x 1350 mm.	25
918	Dayton Vaaka	2 Dayton Vaaka weighing scales, dimensions: (2x) 280 mm x 270 mm x 600 mm.	10
919	NN steel wire cable	Steel reel with steel wire cable, dimensions: Ø 500 mm x 500 mm.	50
920	NN part for lifter for meat bins	S/s part for lifter for meat bins, dimensions: 800 mm x 700 mm x 450 mm.	25
921	NN motor	Pallet with motor, dimensions: 450 mm x 300 mm x 300 mm.	10
922	NN H-beams	Pallet with steel H-beams, dimensions pallet: 1200 mm x 800 mm x 500 mm.	10
923	Alfa Laval	Alfa Laval plate heat exchanger, type: M10-BWREF, serial number: 30105-10028, year of construction: 2004, dimensions: 1000 mm x 600 mm x 1200 mm.	50
924	NN press	Mobile s/s press, dimensions: 800 mm x 500 mm x 1700 mm.	10
925	NN platform	Steel platform, dimensions: 750 mm x 700 mm x 600 mm.	10
926	Logstor	Pallet with various Logstor plastic pipes, diameter: 125 mm, length: 780 mm.	5
927	Vesig	Vesig mobile welding machine, dimensions: 1400 mm x 750 mm x 1000 mm.	25
928	NN sail	Reel with plastic sail, sail width: 1120, diameter reel: 710 mm.	5
929	NN head cutter		100



Nr	Title	Description	Start €
		Head cutter, dimensions: 1600 mm x 600 mm x 1300 mm.	
930	NN tank	Steel tank, dimensions: 3400 mm x 800 mm x 1400 mm.	100
931	Ciatronic International GmbH	Pallet with 2 Ciatronic International GmbH air conditioners, model: CL 3134, dimensions: (2x) 550 mm x 500 mm x 600 mm.	10
932	Grundfos	Grundfos centrifugal pump, dimensions: 600 mm x 400 mm x 1500 mm.	25
933	NN packaging table	S/s packaging table, dimensions: 2600 mm x 800 mm x 700 mm. Belt is missing.	10
934	NN tub	S/s tub, dimensions: 1600 mm x 870 mm x 650 mm.	25
935	NN tubs	2 s/s tubs, dimensions: 2850 mm x 750 mm x 1000 mm and 2850 mm x 750 mm x 850 mm.	50
936	NN pig ambulance	S/s pig ambulance, dimensions: 1600 mm x 770 mm x 830 mm.	50
937	Hawker	Steel frame with 2 Hawker Perfect Plus batteries, type: 12/3 PZS 360 HX, dimensions: 850 mm x 850 mm x 800 mm.	50
938	Midac Batteries	Wooden crate with 3 Midac Batteries battery cells, cell type: 3MDL125-CT MIDAC WET, dimensions crate: 430 mm x 430 mm x 660 mm.	25
939	NN infeed hopper	S/s cover for infeed hopper, dimensions: 900 mm x 900 mm x 900 mm.	5
940	NN pipes	2 steel cages with various galvanised pipes, diameter pipes: Ø 200 mm and 400 mm, length pipes: 3000 mm.	50
941	NN chain hoist	Pallet with electrical chain hoist, dimensions: 600 mm x 400 mm x 300 mm.	25
942	NN pipes and couplings	Box with various galvanised pipes and couplings, dimensions box: 1300 mm x 1100 mm x 1600 mm.	10
943	NN lifter for meat bins	S/s lifter for meat bins, lifting height: 1500 mm, total dimensions: 1400 mm x 1000 mm x 2600 mm.	250
944	SFK Danfotech	SFK Danfotech s/s lifter for meat bins, type: SH 300, serial number: 1711, year of construction: 1999, 3x400 V, 50 Hz, 1.5 kW, 3.6 A, maximum capacity: 300 kg, lifting height: 1500 mm, total dimensions: 1000 mm x 1000 mm x 3000 mm. Incomplete, technical condition unknown.	250
945	NN tubs with valves	3 s/s tubs with various valves, dimensions: (3x) 1600 mm x 900 mm x 950 mm.	75
946	NN mesh belt	Mesh belt, s/s frame, s/s mesh belt, belt width: 250 mm, total dimensions: 1200 mm x 350 mm x 1000 mm.	25



Nr	Title	Description	Start €
947	NN table	S/s table, dimensions: 750 mm x 400 mm x 1160 mm.	10
948	NN mixer	Mixer, dimensions: 600 mm x 700 mm x 1300 mm. Incomplete.	25
949	NN tank	Insulated steel tank, dimensions: 2500 mm x 1150 mm x 1500 mm.	100
950	NN circular saw	Circular saw, dimensions: 1200 mm x 700 mm x 1100 mm.	25
951	NN pallet weighing scale	Pallet weighing scale, dimensions: 830 mm x 1200 mm. Without indicator.	25
952	Tampella Ltd	Tampella Ltd air compressor, type: F-18, serial number: 89321, year of construction: 1989, 380 V, 18.5 kW, capacity: 50 l/s, max pressure: 8 bar, weight: 460 kg, dimensions: 680 mm x 830 mm x 1850 mm.	50
953	Ucon	Ucon mobile pressure vessel for foam, serial number: 7051124, year of construction: 2007, weight: 46 kg, volume: 120 litre, dimensions: 700 mm x 1000 mm x 1100 mm.	25
954	Cardinal Scale	S/s floor weighing scale with Cardinal Scale indicator, dimensions scale: 1500 mm x 1500 mm.	50
955	NN wheel barrow	3 s/s wheel barrows, dimensions: (3x) 1100 mm x 800 mm x 730 mm.	50
957	NN meat bins	12 s/s meat bins, volume: (12x) 200 litre.	480
958	NN meat bins	32 s/s meat bins, volume: (32x) 200 litre.	1280
959	NN meat bins	28 s/s meat bins, volume: (28x) 200 litre.	1120
960	NN meat bins	28 s/s meat bins, volume: (28x) 200 litre.	1120
961	NN meat bins	42 s/s meat bins, volume: (42x) 200 litre.	1680
962	NN meat bins	4 s/s meat bins, volume: (4x) 200 litre.	160
963	NN cylinders	Pallet with 2 pneumatic cylinders, dimensions pallet: 1200 mm x 800 mm x 350 mm.	10
964	NN chain conveyor	Pallet with 3 crates with plastic chain conveyor, dimensions pallet: 1200 mm x 1000 mm x 500 mm.	10
965	Rocla	Rocla steel pallet lifter, fork length: 1130 mm, total dimensions: 1130 mm x 520 mm x 1150 mm.	50
966	NN table	S/s table, dimensions: 540 mm x 540 mm x 650 mm.	10
967	Rocla	Rocla electrical pallet lifter, type: SP12ac DF3300, serial number: 5945148, year of construction: 2009, maximum capacity: 1200 kg, fork length: 1150 mm, total dimensions: 2500 mm x 800 mm x 2200 mm. Incomplete, technical condition unknown.	100
968	NN spreading hooks	6 steel cages with large amount of spreading hooks, dimensions each hook: 550 mm x 900	250



Nr	Title	Description	Start €
		mm, dimensions cages: 1200 mm x 1200 mm x 1200 mm.	
969	Guy Noel	Guy Noel mobile concrete mill, dimensions: 1200 mm x 650 mm x 1300 mm.	25
970	NN wheel barrow	Steel wheel barrow, dimensions: 1200 mm x 600 mm x 650 mm.	5
971	NN steel pipes, beams and cable gutters	Various steel pipes, beams and cable gutters, various dimensions.	50
972	Towop	Towop metal press, dimensions: 1500 mm x 500 mm x 2100 mm, including wooden cabinet with parts, dimensions: 560 mm x 500 mm x 1000 mm.	150
973	NN sharpener/grinder	Sharpener/grinder, dimensions: 800 mm x 500 mm x 1000 mm.	50
974	NN workbench	Steel workbench with bench vice, dimensions: 1900 mm x 750 mm x 1200 mm, including rack with content.	25
975	NN tables	2 steel tables with wooden worktop, dimensions: 1170 mm x 830 mm x 620 mm and 950 mm x 600 mm.	5
976	Vingis	Vingis mobile welding machine, dimensions: 1000 mm x 600 mm x 750 mm.	25
977	NN trolley	Wooden trolley, dimensions: 1250 mm x 1000 mm x 850 mm.	10
978	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
979	Oleo-Mac	Oleo-Mac brush cutter, model: Sparta 38, dimensions: 800 mm x 400 mm x 1800 mm.	25
980	Husqvarna	Husqvarna land mower, model: TS 142, serial number: 022619 A001818, year of construction: 2019, 8.6 kW, 2600 rpm, weight: 200 kg, dimensions: 1700 mm x 1300 mm x 1500 mm.	150
981	Uninaks	Uninaks pallet with various bag of Uninaks fibre-concrete, 25 kg each bag, dimensions pallet: 1200 mm x 800 mm x 700 mm.	10
982	Power Craft	Power Craft circular saw, model: J1x-JF7B-255, year of construction: 2007, 230 V, 50 Hz, 1800 W, dimensions: 900 mm x 650 mm x 1150 mm.	25
983	NN plastic curtains	Various plastic curtains, width: 200 mm and 300 mm.	25
984	NN beams and gutters	Various steel, s/s and plastic beams, strips and gutters, various dimensions.	75
985	NN hose reel	Mobile hose reel with hose, dimensions: 500 mm x 400 mm x 1000 mm.	10
986	Kärcher	Kärcher high pressure cleaner, model: HD9/19M, dimensions: 400 mm x 400 mm x 1000 mm.	10
987	NN trolley with wire cable		25



Nr	Title	Description	Start €
		Steel trolley with wire cable, dimensions: 1100 mm x 800 mm x 700 mm.	
988	Doosan	Doosan forklift truck, model: D25S-3, serial number: FH-01335, year of construction: 2006, rated capacity: 2500 kg, maximum lifting height: 3300 mm, fork length: 1500 mm, fuel: diesel, total dimensions: 4200 mm x 1600 mm x 2300 mm. Technical condition unknown.	1500
989	Balkancar	Balkancar forklift truck, type: DB 1788.33.20, serial number: 88607902492, year of construction: 1986, maximum lifting height: 3300 mm, weight: 4600 kg, fork length: 960 mm, total dimensions: 3600 mm x 1100 mm x 2300 mm. Technical condition unknown.	1000
990	PC-CP	PC-CP centre lathe, type: 1A62, number: 6360, year of construction: 1958, dimensions: 2800 mm x 1300 mm x 1300 mm, including steel cabinet with parts, dimensions: 600 mm x 500 mm x 1300 mm.	500
991	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH knife sharpener, model: Abziehmaschine, machine number: 244002.60096. 3852, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 1.51/10 A, 0.5 kW, weight: 160 kg, dimensions: 1000 mm x 1150 mm x 1200 mm.	500
992	Vingis	Vingis mobile welding machine, dimensions: 1000 mm x 600 mm x 750 mm.	25
993	NN workbench	Steel workbench with bench vice, dimensions: 1300 mm x 800 mm x 1100 mm.	25
994	NN workbench with sharpener/grinder	Steel workbench with sharpener/grinder, dimensions: 800 mm x 500 mm x 1400 mm.	25
995	NN pipes and beams	Steel rack with various s/s and steel pipes and beams, dimensions rack: 1800 mm x 700 mm x 1800 mm.	75
996	Mettom Ltd	Mettom Ltd sharpener/grinder, dimensions: 600 mm x 500 mm x 1250 mm.	50
997	NN centre lathe	Centre lathe, dimensions: 2800 mm x 1100 mm x 1300 mm, including steel cabinet with parts, dimensions: 1000 mm x 450 mm x 1150 mm.	500
998	NN workbench	Steel workbench with bench vice and rack with content, total dimensions: 2000 mm x 900 mm x 1800 mm.	25
999	NN rack with parts	Steel rack with parts, among others: motors, bolts, screws, springs and couplings, dimensions rack: 2500 mm x 500 mm x 1400 mm.	50
1000	NN pipes and beams	Steel rack with various s/s and steel pipes and beams, dimensions rack: 1700 mm x 700 mm x 1400 mm.	50
1001	Devi		10



Nr	Title	Description	Start €
		Devi electrical heater, dimensions: 400 mm x 400 mm x 400 mm.	
1002	NN spare parts	Complete room with large amount of spare parts, among others: parts for thermoformer, electrical parts, hoses, drum motors, electromotors, seals, bearings, V-belts, derinding rolls, transport belts, etc.	400
1003	NN spare parts	Complete room with large amount of spare parts, among others: electrical parts, electromotors, drum motors, lightning fixtures, fans, etc.	75
1004	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixer, type: KM 100-3 MEM, serial number: 36761, year of construction: 2000, gas: CO2/O2/N2, dimensions: 300 mm x 360 mm x 330 mm.	50
1005	Race/Thermo	2 NN electrical heaters, Race and Thermo electrical heaters, dimensions: (2x) 400 mm x 300 mm x 450 mm, 400 mm x 500 mm x 500 mm and 300 mm x 350 mm x 300 mm.	40
1006	NN sharpener/grinder	Sharpener/grinder, dimensions: 850 mm x 600 mm x 1400 mm.	50
1007	NN drilling machine	Steel workbench with drilling machine, dimensions: 1900 mm x 800 mm x 1650 mm.	100
1008	NN workbench	Steel workbench with bench vice, dimensions: 2000 mm x 850 mm x 1100 mm.	25
1009	NN workbench	Steel workbench with plate cutter, dimensions: 1100 mm x 800 mm x 1600 mm.	25
1010	NN plates and pipes	Various s/s and steel plates, pipes and beams, various dimensions.	25
1011	NN trolley for cutting torch	Steel trolley for cutting torch, dimensions: 750 mm x 500 mm x 1300 mm.	10
1012	NN trolley for cutting torch	Steel trolley for cutting torch, dimensions: 750 mm x 750 mm x 1950 mm.	10
1013	NN welding table	S/s workbench used as welding table, dimensions: 1700 mm x 900 mm x 910 mm, including various motors and pumps.	25
1014	NN rack with parts	Wall mounted steel rack with content, dimensions: 2200 mm x 700 mm x 1000 mm.	25
1015	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
1016	NN pipes and beams	Various s/s and steel pipes and beams, various dimensions.	25
1017	NN parts	Various valves and plumber parts, rack is not included.	100
1018	NN V-belts	Large amount of V-belts, various sizes.	50
1019	Falkonettmetall		10



Nr	Title	Description	Start €
		Falkonettmetall steel 4-doors lockers, dimensions: 1200 mm x 800 mm x 2080 mm. Various keys are missing.	
1020	NN racks	4 wooden racks, dimensions: 2400 mm x 840 mm x 2300 mm, 3100 mm x 500 mm x 2300 mm, 3750 mm x 500 mm x 2300 mm and 1080 mm x 500 mm x 2300 mm.	50
1021	Falkonettmetall	(2x) Falkonettmetall steel 2-doors lockers, dimensions: (2x) 810 mm x 800 mm x 2080 mm, (1x) Falkonettmetall steel 3-doors lockers, dimensions: (1x) 1200 mm x 830 mm x 1900 mm, (4x) Falkonettmetall steel 4-doors lockers, dimensions: (4x) 1200 mm x 540 mm x 2080 mm, (2x) Falkonettmetall steel 8-doors lockers, dimensions: (2x) 380 mm x 460 mm x 2100 mm and 3 coat racks, dimensions: (3x) 1400 mm x 500 mm x 1850 mm. Various keys are missing.	150
1022	Telwin	Telwin mobile welding machine, type: Telmig 203/2 Turbo, dimensions: 1000 mm x 600 mm x 950 mm.	125
1023	Busch	Steel rack with 4 Busch vacuum pumps, types: RA 0302 D 503 / (2x) RA 0250 D 561 DUXX / RA 0160 D 561 GQXX and 1 Gardner Denver vacuum pump, total dimensions: 3200 mm x 1500 mm x 1220 mm.	1000
1024	NN foam mixing trolley	2 s/s foam mixing trolleys, dimensions: (2x) 550 mm x 500 mm x 1100 mm.	50
1025	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
1026	NN pressure vessel for foam	Mobile s/s pressure vessel for foam, dimensions: 500 mm x 500 mm x 1150 mm.	25
1027	NN smoke sticks	Large amount of Y-shaped aluminium smoke sticks, length: 980 mm.	250
1028	Seydelmann	Rack with 3 plastic ejectors for cutter, diameter: 700 mm, including various valves, total dimensions rack: 2000 mm x 640 mm x 2550 mm.	50
1029	Laadur	Laadur steel pallet lifter, fork length: 1130 mm, total dimensions: 1460 mm x 520 mm x 1150 mm.	50
1100	Yantai Max Machinery Co., LTD	Yantai Max Machinery Co., LTD industrial microwave dryer, model: MAXIMC-90S, serial number: MAX191009, year of construction: 10.10.2019, consisting of 3 modules, 380 V, 50 Hz, 96 kW, frequency: 2450 Mhz, working hours: 500 hour, length module: 3400 mm, weight module: 2400 kg, total dimensions: 14400 mm x 1200 mm x 1830 mm. Including s/s switch	37500



Nr	Title	Description	Start €
		cabinet, dimensions switch cabinet: 950 mm x 370 mm x 1500 mm, s/s cool water reservoir, volume: 5m ³ , dimensions reservoir: Ø 1500 mm x 3150 mm, dosing system, dimensions dosing system: 890 mm x 340 mm x 430 mm and pump, dimensions pump: 700 mm x 600 mm x 700 mm.	
1101	StandArt	StandArt air dryer, model: DYD-N20A, 220-240 V, 50 Hz, 280 W, dimensions: 360 mm x 260 mm x 600 mm.	200
1102	Toolnet Elektro OY	Toolnet Elektro OY heater, model: Tuote 9052, 400 V, 50 Hz, 5000 W, dimensions: 260 mm x 260 mm x 400 mm.	25
1103	Metos	Metos drying oven for 1 trolley, dimensions: 1400 mm x 980 mm x 1800 mm. Including 1 s/s trolley, (2x) 16 floors, dimensions floors: (32x) 530 mm x 325 mm, total dimensions trolley: 800 mm x 620 mm x 1750 mm.	500
1104	Metos	Metos drying oven for 1 trolley, dimensions: 1400 mm x 980 mm x 1800 mm. Including 1 s/s trolley, (2x) 16 floors, dimensions floors: (32x) 530 mm x 325 mm, total dimensions trolley: 800 mm x 620 mm x 1750 mm.	500
1105	Ilpra	Ilpra traysealer, model: FD SPEEDY v/g, serial number: FP6047, year of construction: 2004, 380 V, film width: 355 mm, dimensions dye: (2x) 127 mm x 127 mm, total dimensions: 2460 mm x 810 mm x 1500 mm.	2000
1106	Wiegand	Wiegand mobile binding machine, number: R 30 E / 081001, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 1 kW, dimensions: 700 mm x 560 mm x 1400 mm.	750
1107	Profilux	Profilux blast chiller, type: PNC 9VTX, 6.3 kW, refrigerant: R134a, inside dimensions: 800 mm x 700 mm x 1800 mm, total dimensions: 1400 mm x 1300 mm x 2500 mm.	1500
1108	OK Tech	OK Tech rotation oven for 1 trolley, model: B-1300 AE 1-2, identification number: 0211.174, 400/230 V, 3 Ph, 50 Hz, 120 A, 70 kW, dimensions: 2150 mm x 1750 mm x 2250 mm. Including 2 s/s trolleys, dimensions trolleys: (2x) 600 mm x 500 mm x 1900 mm.	1500
1109	NN skinning machine	Mobile skinning machine, 400 V, 16 A, working width: 400 mm, total dimensions: 770 mm x 680 mm x 1000 mm.	750
1110	Ugolini	Ugolini juice cooler, model: ARTIC DELUXE 12/3 AA, number: 4C0315-050-000, 230 V, 50 Hz, 550 W, refrigerant: R404a / 0.275 kg, dimensions: 550 mm x 470 mm x 580 mm.	150



Nr	Title	Description	Start €
1111	Kerres	Kerres cooking chamber, dimensions: 1600 mm x 1300 mm x 2800 mm.	200
1112	NN stunning box	S/s stunning box for pigs, dimensions: 1500 mm x 900 mm x 2200 mm. Never used.	1500
1113	NN tub	S/s tub, diameter outfeed: Ø 40 mm, inside dimensions: 1540 mm x 730 mm x 760 mm, total dimensions: 1600 mm x 800 mm x 760 mm.	50
1114	NN tub	S/s tub, inside dimensions: 1540 mm x 800 mm x 480 mm, total dimensions: 1600 mm x 870 mm x 920 mm.	50
1115	NN tub	S/s tub, inside dimensions: 1920 mm x 1170 mm x 460 mm, total dimensions: 2000 mm x 1230 mm x 800 mm	50
1116	NN tub	S/s tub, inside dimensions: 1540 mm x 790 mm x 480 mm, total dimensions: 1630 mm x 870 mm x 580 mm	50
1117	Bitzer Kühlmaschinenbau GmbH	2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: HSN 5361-30, serial number: 15491894 / 15491893, 400 V, 3 Ph, 50 Hz, 92 / 266 A, volume: 118 m ³ per hour, dimensions: (2x) 760 mm x 430 mm x 320 mm.	200
1118	NN debleeding unit	S/s debleeding unit, dimensions: 900 mm x 500 mm x 1900 mm. Technical condition unknown.	100
1119	NN sorting table	S/s sorting table for 3 E2 crates, dimensions: 1400 mm x 1300 mm x 1300 mm. Without work tops. Never used.	200
1120	NN table	S/s table, dimensions: 2450 mm x 650 mm x 650 mm.	25
1121	NN floor weighing scale	S/s floor weighing scale, 240 V, maximum weight: 600 kg, minimum weight: 4 kg, e= 0.2 kg, dimensions: 1070 mm x 1040 mm. Including Cardinal Scales indicator.	150
1122	NN metal saw	Metal saw, 1.3/2.1 kW, dimensions: 2100 mm x 550 mm x 1100 mm.	200
1123	NN platform	S/s pneumatic instestines platform, adjustable in height, dimensions: 2000 mm x 1500 mm x 3650 mm. Never used.	3500
1124	Valko	Valko tray filling and sealing machine, model: LINEA 340, number: 00013, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 4.7 kW, dimensions dye: (2x) 170 mm x 125 mm, dimensions: 2500 mm x 1000 mm x 1700 mm.	3500
1125	Yale	Yale electrical pallet lifter, model: MP20X, serial number: C843X02640E, year of construction: 2007, capacity: 1500 kg, fork length: 1170 mm, total dimensions: 1950 mm x 780 mm x 1280 mm.	750
1126	Holac		100



Nr	Title	Description	Start €
		Holac dicer, type: HO 84 E, machine number: 35.022.07/1, 2.2 kW, dimensions: 1250 mm x 530 mm x 1150 mm. Technical condition unknown. Incomplete, missing grids and knives.	
1127	NN blood gutter	S/s blood gutter, dimensions: 2000 mm x 1200 mm x 1200 mm. Never used.	300
1128	NN frame	S/s frame for cattle stunning box, dimensions: 2400 mm x 1200 mm x 460 mm. Never used.	300
1129	Albin Pump	Albin Pump hose pump, type: ALP 25, serial number: 220-8125, 400 V, 0.55 kW, flow rate: 0.7 - 2.8 m ³ per hour, dimensions: 1000 mm x 600 mm x 600 mm. Never used.	700
1130	NN noise cancelling cabinet	S/s noise canceling cabinet for can line, inside dimensions: 1380 mm x 980 mm x 2000 mm, total dimensions: 2100 mm x 1100 mm x 2050 mm.	350
1131	NN washing unit	S/s pet veterinary washing unit, model: GROOM-X, dimensions: 1200 mm x 700 mm x 1520 mm.	300
1132	NN washing unit	S/s pet veterinary washing unit, model: GROOM-X, dimensions: 1200 mm x 700 mm x 1520 mm.	300
1133	Alpina	Alpina s/s infeed hopper, dimensions: Ø 1150 mm x 900 mm.	50
1134	Bizerba	Bizerba slicer, 220 V, 1.3 A, 0.280 kW, dimensions: 550 mm x 500 mm x 350 mm.	25
1135	OK Tech	OK Tech rotation oven for 1 trolley, dimensions: 2150 mm x 1750 mm x 2250 mm. Technical condition unknown. Incomplete.	100
1136	Lu-Ve	Lu-Ve condensor, 3 fans, model: SHVN 228 MO, 3.7/2.2 A, 1130/1830 W, refrigerant: R134a/R404a/R22, dimensions: 5200 mm x 1450 mm x 1600 mm.	200
1137	NN table	S/s table, plastic top, dimensions: 1200 mm x 800 mm x 800 mm.	20
1138	NN table	S/s table, dimensions: 1000 mm x 600 mm x 1600 mm.	10
1139	Metos	Metos s/s frame, for oven dimensions: 780 mm x 640 mm x 630 mm.	10
1140	NN frame	Mobile s/s frame, dimensions: 720 mm x 500 mm x 1250 mm.	10
1141	NN table	S/s table, dimensions: 1300 mm x 800 mm x 920 mm.	20
1142	NN tub	S/s tub, dimensions: 1150 mm x 950 mm x 820 mm.	50
1143	NN mixing tank	S/s mixing tank, inside dimensions: Ø 780 mm x 850 mm, total dimensions: Ø 800 mm x 1300 mm.	100
1144	NN tank		300



Nr	Title	Description	Start €
		Insulated tank with agitator, inside dimensions: Ø 1200 mm x 1200 mm, total dimensions: Ø 1500 mm x 2100 mm.	
1145	NN oven	Oven, 64 A, dimensions: 920 mm x 800 mm x 1705 mm. Including s/s trolley, dimensions trolley: 580 mm x 380 mm x 1640 mm.	200
1146	NN tub	S/s tub, dimensions: 1570 mm x 1120 mm x 1110 mm.	50
1147	NN tank	S/s tank, inside dimensions: Ø 1250 mm x 1900 mm, total dimensions: Ø 1350 mm x 2700 mm.	50
1148	Freund	Freund circular saw, type: 02, 380 V, 50 Hz, 1.3 A, 720 W, dimensions: 540 mm x 210 mm.	100
1149	Sulzer Pump Solutions	Sulzer Pump Solution submersible sewage pump, type: ABS XFP1000-VX.2-PE22/4-C-50EX, serial number: 0046507, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 2.50/2.20 kW, weight: 110 kg, Qmax: 97.1 m ³ per hour, Hmax: 8.2 m, DN 100, dimensions: Ø 350 mm x 770 mm. Never used.	750
1150	Sulzer Pump Solutions	Sulzer Pump Solution submersible sewage pump, type: ABS XFP1000-VX.2-PE22/4-C-50EX, serial number: 0046506, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 2.50/2.20 kW, weight: 110 kg, Qmax: 97.1 m ³ per hour, Hmax: 8.2 m, DN 100, dimensions: Ø 350 mm x 770 mm. Never used.	750
1151	NN table	S/s table, dimensions: 2340 mm x 840 mm x 875 mm.	75
1152	NN table	S/s table, dimensions: 2050 mm x 1050 mm x 840 mm.	50
1153	NN table	S/s table, dimensions: 1500 mm x 800 mm x 855 mm.	50
1154	NN tub	S/s tub, dimensions: 1140 mm x 945 mm x 820 mm.	75
1155	NN table	S/s table with drain, dimensions: 1500 mm x 930 mm x 935 mm.	75
1156	NN slicer	S/s slicer unit, 0.25 kW, 1370 rpm per minute.	25
1157	NN table	S/s table, dimensions: 1610 mm x 810 mm x 885 mm.	75
1158	Hackman-MKT Oy	Hackman-MKT Oy cooled s/s blood tank with mixer, type: 1200, number: 20475, year of construction: 5-12-86, 380 V, 3 Ph, 50 Hz, 16 A, dimensions: 2500 mm x 1300 mm x 1400 mm.	350
1159	NN basket for cooking vessel	S/s basket for cooking vessel, dimensions: 720 mm x 610 mm x 400 mm.	200
1160	NN table	S/s table, dimensions: 1500 mm x 1200 mm x 840 mm.	75
1161	Doma		650



Nr	Title	Description	Start €
		Doma cheese slicer, type: DOMA-T KT 2DR DTEP DMAS, maximum cheese size: \varnothing 370 mm, total dimensions: 700 mm x 600 mm x 870 mm.	
1162	EFA Schmid & Wezel	EFA Schmid & Wezel circular saw, type: EFA 17, number: 316, 880 W, 6 bar, diameter blade: 210 mm, dimensions: 500 mm x 300 mm x 300 mm.	300
1163	EFA Schmid & Wezel	EFA Schmid & Wezel circular saw, type: EFA 17, number: 327, 880 W, 6 bar, diameter blade: 210 mm, dimensions: 500 mm x 300 mm x 300 mm.	250
1164	B-D	B-D circular saw, type: AS6, number: 106 684, diameter saw: 160 mm, dimensions: 460 mm x 170 mm x 200 mm.	100
1165	EFA Schmid & Wezel	EFA Schmid & Wezel brisket saw, type: EFA 66, dimensions: 460 mm x 170 mm x 200 mm. Refurbished.	450
1166	EFA Schmid & Wezel	EFA Schmid & Wezel leg cutter for cattle, type: Z 12 D, number: 8004998/416, 200 bar, pneumatic, cutting width: 85 mm, total dimensions: 600 mm x 250 mm, dimensions hydraulic unit: 650 mm x 350 mm x 460 mm. Refurbished.	750
1167	EFA Schmid & Wezel	EFA Schmid & Wezel leg cutter for cattle, type: Z 12 D, 200 bar, pneumatic, cutting width: 85 mm, total dimensions: 600 mm x 250 mm, dimensions hydraulic unit: 650 mm x 350 mm x 460 mm.	750
1168	NN linear weigher	Mobile linear weigher with counter station, 5 heads, maximum weight: 250 gram, minimum weight: 2 gram, dimensions: 1000 mm x 1000 mm x 2200 mm.	1500
1169	EFA Schmid & Wezel	EFA Schmid & Wezel leg cutter, 260 bar, cutting width: 140 mm, type hydraulic unit: HAWE LP 160-3/B 10. Used for spare parts.	400
1170	Rietschle	Rietschle vacuum pump, type: VF 251 (01), number: 1241213, year of construction: 1989, 220/380 V, 3 Ph, 50 Hz, 21/12 A, 5.5 kW, capacity: 250 m ³ per hour, dimensions: 940 mm x 700 mm x 870 mm.	600
1171	Rex	Rex linking attachment and linking gearbox. Including 3 s/s filling pipes.	500
1172	Dieta	Dieta dishwasher, type: DW50, dimensions: 630 mm x 600 mm x 840 mm. Refurbished.	200
1173	Rex	Rex casing spooling device, type: DA 2001, number: 311-1233, dimensions: 560 mm x 370 mm x 200 mm.	200
1174	Busch	Busch vacuum pump, type: RC 0040 E 501, number: 99035253, capacity: 40 m ³ per hour, dimensions: 630 mm x 300 mm x 350 mm.	100
1175	Metos		200



Nr	Title	Description	Start €
		Metos dishwasher, model: Master 50pS D-Wash, dimensions: 630 mm x 600 mm x 840 mm. Refurbished.	
1176	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH case spooling device, type: DA2013, machine number: DA2013137288, year of construction: 2018, 6 bar, dimensions: 600 mm x 400 mm x 140 mm. Never used.	450
1177	Alkar	Alkar smoking chamber for 1 trolley, dimensions trolley: 900 mm x 830 mm x 1500 mm, total dimensions: 1300 mm x 1200 mm x 2300 mm.	750
1178	Tipper Tie technopack	Tipper Tie technopack mobile double automatic clipper, model: KDCM A70, number: 4810.043.307, suitable clips: E210-E240, weight: 130 kg, dimensions: 990 mm x 1350 mm x 1820 mm. Overhauled in 2025.	15000
1179	REICH	REICH universal smoke chamber for 2 trolleys, type: AIRMASTER UK 5000, year of construction: 2011, REICH unicontrol 2000s controller, 400/230 V, 50 Hz, 12 kW, 50 Hz, inside dimensions: 1100 mm x 2500 mm x 2020 mm, total dimensions: 1900 mm x 3100 mm x 3300 mm, including Bitzer Kühlmaschinenbau GmbH cooling compressor, dimensions: 700 mm x 1000 mm x 800 mm.	7500
1180	POHJARANTA OY	POHJARANTA OY smoke chamber for 1 trolley, inside dimensions: 1050 mm x 1000 mm x 2000 mm, total dimensions: 1900 mm x 1250 mm x 2900 mm, including s/s hood, dimensions: 2150 mm x 1210 mm x 540 mm, and ventilation unit, dimensions: 500 mm x 500 mm x 500 mm.	1500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

