



# Industrial Auctions

2063: Online auction machinery for vegetable and meat processing in Oosterhout (NL)

**END DATE**  
04 March 2026 14:00



## General terms and conditions of the online auction

|                                      |  |
|--------------------------------------|--|
| End date                             | 04 March 2026 from 14:00 hrs.  |
| Viewing days                         |  |
| Organising company                   | Industrial Auctions BV<br>Looyenbeemd 11<br>5652 BH Eindhoven, Netherlands<br>Tel.: +31 (0)40 2409 208<br>E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>   |
| Buyers premium                       | 18% over the highest bid   |
| VAT                                  | 21% over the highest bid including premium   |
| Pick up days                         | 11 March 2026 from 09:00 till 16:00 hrs.   |
| Pick up address                      | Denariusstraat 20<br>4903 RC Oosterhout<br>Netherlands   |
| Pick up instructions                 | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.                                 |
| Payment details                      | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.   |
| Combinations                         | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.   |
| Prolongation                         | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.   |



| <b>Nr</b> | <b>Title</b>           | <b>Description</b>  | <b>Start €</b> |
|-----------|------------------------|---|----------------|
| 1         | Grasselli spa          | Grasselli spa slicer, type: KSL, serial number: S27003/043, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 7.20 A, air pressure: 6 bar, 4 plastic belts, belt width: 350 mm, 160 mm and (2x) 370 mm, working width: 370 mm, total dimensions: 1500 mm x 1680 mm x 1340 mm.   | 12000          |
| 2         | Alco Food-Machines     | Alco Food-Machines mobile flattener, type: ASP 600 HDI, serial number: 15501211, year of construction: 2000, 400 V, 1.1 kW, coat belt, belt width: 60 mm, total dimensions: 2300 mm x 900 mm x 1480 mm.   | 2000           |
| 3         | Hepro GmbH             | Hepro GmbH traysealer, type: HSG, 230 V, 1 Ph, 50 Hz, 2.5 kW, film width: 400 mm, dye dimensions: 271 mm x 390 mm, maximum tray height: 120 mm, weight: 77 kg, 6-8 bar, total dimensions: 860 mm x 620 mm x 590 mm.   | 500            |
| 4         | Hobart                 | Hobart dishwasher, inside dimensions: 1200 mm x 600 mm x 700 mm, total dimensions: 1480 mm x 900 mm x 1500 mm.  | 500            |
| 5         | Grasselli spa          | Grasselli spa automatic slicer, model: SL 600, serial number: S31Q00/334, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 9.4 A, 5 hp, 7 bar, distance between knives: 7 mm, total dimensions: 1250 mm x 1200 mm x 1770 mm.   | 3500           |
| 6         | Multivac               | Multivac thermoformer, model: R105, serial number: 128952, year of construction: 04/2009, 220 V, 3 Ph, 60 Hz, 35 A, 6 kW, film width: 380 mm, dye dimensions: (8x) 100 mm x 47 mm x 30 mm, with Busch vacuum pump, type: RA 0100 F 503, capacity: 120 m <sup>3</sup> per hour, total dimensions: 3250 mm x 1000 mm x 1880 mm.                   | 10000          |
| 7         | Omet                   | Omet mixer-grinder with lifter for 200 liter meat bins, model: TCS-A 150-200, number: 0103E09, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 16.5 kW, diameter plate: 150 mm, total dimensions: 2200 mm x 1400 mm x 1680 mm.  | 3000           |
| 8         | EkomeX                 | EkomeX double shaft paddle mixer with lifter for 200 liter meat bins, type lifter: ZM 200, serial number: 101060335, year of construction: 2006, type mixer: ML350, serial number: 03060306, year of construction: 2006, 400 V, 50 Hz, 2.0/2.4 kW, inside dimensions: 640 mm x 1100 mm x 540 mm, total dimensions: 1600 mm x 2000 mm x 2300 mm. | 4000           |
| 9         | Frey Maschinenbau GmbH | Frey Maschinenbau GmbH piston filler, type: Kompakta 2, machine number: K2 30 23 02 00, 400 V, 50 Hz, dimensions: 770 mm x 750 mm x 1200 mm.  | 1000           |
| 10        | CFS                    | CFS mobile forming machine, type: VM400HSE, machine number: 1880, year of construction: 1996,   | 7500           |



| Nr | Title                          | Description   | Start € |
|----|--------------------------------|---|---------|
|    |                                | 415 V, 3 Ph, 50 Hz, 17.67 A, 16.57 kW, weight: 1186 kg, inside dimensions hopper: 600 mm x 200 mm x 700 mm, s/s mesh belt, belt width: 400 mm, total dimensions: 2500 mm x 900 mm x 2100 mm.  |         |
| 11 | Frey Maschinenbau GmbH         | Frey Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, type: F-line F260, serial number: F260PT1092964, year of construction: 2014, 400 V, 50/60 Hz, 10.45 kW, dimensions: 1700 mm x 1300 mm x 2100 mm.   | 20000   |
| 12 | Frey Maschinenbau GmbH         | Frey Maschinenbau GmbH mobile kebab filling machine, type: Kebap-line, model: KL6, serial number: KL6 1071214, year of construction: 2014, 400 V, 50/60 Hz, 0.95 kW, 6 stations, station diameter: Ø 300 mm, total dimensions: 2000 mm x 950 mm x 1180 mm.  | 5000    |
| 13 | Koppens                        | Koppens mobile forming machine, type: VM 600 HS, machine number: VM 600 HS - 379, 380 V, 3 Ph 50 Hz, 45 A, 22 kW, weight: 1750 kg, dimensions forms: (5x) 90 mm x 110 ( oval shaped ), total dimensions: 2100 mm x 1200 mm x 2200 mm.   | 12500   |
| 14 | Ceia / Ishida                  | Ceia / Ishida metal detector with checkweigher and rejectors, model metal detector: THS/SL, serial number: 20600243006, clearance: 370 mm x 190 mm, model checkweigher: DACS-W-030-SB/WP-I-N(CTS), serial number: 556538, year of construction: 11/2006, 240 V, 50 Hz, 1 Ph, 2 A, maximum capacity: 3000 g, plastic belt, belt width: 300 mm, total dimensions: 2160 mm x 880 mm x 1530 mm. | 4000    |
| 15 | Stephan                        | Stephan universal machine, type: UM 44 E, machine number: 723591.01, year of construction: 1997, 400 V, 50 Hz, 12.4/16.2 A, 5.5/7.5 kW, volume: 45 liter, dimensions: 950 mm x 600 mm x 1450 mm.  | 4000    |
| 16 | CFS                            | CFS mobile batter mixer, type: BTM70P, serial number: 978, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 2.4 A, 0.74 kW, weight: 83 kg, volume: 70 liter, total dimensions: 840 mm x 750 mm x 1180 mm.  | 1500    |
| 17 | Poly-clip System GmbH & Co. KG | Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3430, serial number: 726/08, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, 5-7 bar, dimensions: 1100 mm x 1250 mm x 1950 mm.  | 10000   |
| 18 | Stephan                        | Stephan universal machine, type: UM 74 E, machine number: U1400954, year of construction: 2014, 400 V, 50 Hz, 17.22 A, 7.87 kW, volume: 70 liter, capacity: 55 liter, weight: 300 kg, dimensions: 900 mm x 900 mm x 1600 mm.  | 7500    |
| 19 | Grasselli S.p.A.               | Grasselli S.p.A. mobile slicer, model: NSA600, serial number: S23R03/1043, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 9.4 A, 4 kW, plastic belt, belt  | 5000    |



| Nr | Title                        | Description  | Start € |
|----|------------------------------|--|---------|
|    |                              | width: 600 mm, distance between knives: 5 mm, total dimensions: 2200 mm x 1300 mm x 1600 mm. Including spare belt.   |         |
| 20 | Tipper Tie Technopack        | Tipper Tie Technopack mobile automatic double clipper, type: DCA-E, dimensions: 1200 mm x 850 mm x 1880 mm.  | 1000    |
| 21 | Dito Sama                    | Dito Sama mobile mixer, type: 10-TBS140, year of construction: 5/05/99, 380 V, 3 Ph, dimensions: 1650 mm x 900 mm x 1100 mm.   | 1000    |
| 22 | MKN                          | MKN cooking vessel, inside dimensions: Ø 630 mm x 380 mm, total dimensions: 960 mm x 820 mm x 940 mm.  | 500     |
| 23 | Rational                     | Rational combi steamer, model: CPC 101G, serial number: G11CD02091074525, 230 V, 50-60 Hz, 1.0 kW, 10 floors, gas heated, weight: 150 kg, dimensions: 900 mm x 850 mm x 1060 mm.   | 1000    |
| 24 | T&S                          | T&S; cooking vessel, inside dimensions: 800 mm x 600 mm x 500 mm, total dimensions: 1480 mm x 820 mm x 1120 mm.  | 1000    |
| 25 | Electrolux                   | Electrolux blast chiller, type: 10 GN1 1, 6 floors, floor dimensions: (6x) 605 mm x 380 mm, volume: 210 liter, total dimensions: 770 mm x 770 mm x 1660 mm   | 950     |
| 26 | Turbo Systems Ltd            | Turbo Systems Ltd mobile depositor, type: D150P, machine number: D150P5808728, year of construction: 2008, dimensions: 1300 mm x 650 mm x 1800 mm.   | 1250    |
| 27 | Baader                       | Baader mobile separator, type: 696, perforations: Ø 5 mm, total dimensions: 1350 mm x 1050 mm x 1650 mm.   | 6000    |
| 28 | Lock Inspection Systems Ltd. | Lock Inspection Systems Ltd. mobile metal detector with rejector, model: MET30+, serial number: 5342611, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 0.7 A, 5.5 bar, plastic mesh belt, belt width: 350 mm, clearance: 400 mm x 225 mm, total dimensions: 1850 mm x 1300 mm x 1550 mm. | 750     |
| 29 | Nock                         | Nock mobile skinning machine, type: QS 888, serial number: 4733320, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 10 A, 1.1 kW, working width: 430 mm, plastic belt, belt width: 370 mm, total dimensions: 1600 mm x 700 mm x 1350 mm.   | 1000    |
| 30 | Bizerba                      | Bizerba mobile slicer, model: A510, serial number: 10770583, year of construction: 2011, 380/415 V, 3 Ph, 47/63 Hz, 4.15 A, 2.3 kW, s/s mesh belt, belt width: 300 mm, total dimensions: 2500 mm x 900 mm x 1950 mm. Technical condition unknown, control panel broken.                    | 5000    |
| 31 | Ulma                         | Ulma mobile traysealer, model: Taurus 300, machine number: 7130141, year of construction: 2011, 400 V,   | 6000    |



| <b>Nr</b> | <b>Title</b>                   | <b>Description</b>   | <b>Start €</b> |
|-----------|--------------------------------|--|----------------|
|           |                                | 50 Hz, 19 A, 5 kW, dye: (2x) 190 mm x 150 mm, film width: 452 mm, Busch vacuum pump, type: RA 0100 F 4S3, capacity: 100 m <sup>3</sup> per hour, total dimensions: 3360 mm x 1100 mm x 1770 mm.  |                |
| 32        | Mareno                         | Mareno cooking vessel, 400 V, 3 Ph, 50/60 Hz, inside dimensions: Ø 600 mm x 430 mm, total dimensions: 1000 mm x 800 mm x 1000 mm.  | 1000           |
| 33        | Hepro                          | Hepro mobile asparagus peeling machine, type: HSM-U, serial number: 0049 0508 059, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 0.6 kW, plastic belt, belt width: (2x) 70 mm, clearance: 75 mm x 100 mm, total dimensions: 2350 mm x 600 mm x 1400 mm.                            | 2000           |
| 34        | Bakon                          | Bakon mobile whipped cream machine, model: TOP CREAM, dimensions: 460 mm x 600 mm x 1000 mm.   | 750            |
| 35        | Townsend                       | Townsend mobile sausage peeler with infeed table, model: 2800 BL, type: 9337525, serial number: 10416578, year of construction: 2018, 400 V, 3 Ph, 50 Hz, weight: 340 kg, total dimensions: (1x) 700 mm x 950 mm x 1440 mm, (1x) 670 mm x 1350 mm x 1200 mm.                         | 7500           |
| 36        | Frey Maschinenbau GmbH         | Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-E80, machine number: KE 80 35 04 97, 400 V, 50 Hz, vacuum pump, dimensions: 1050 mm x 650 mm x 1650 mm.   | 2000           |
| 37        | K+G Wetter                     | K+G Wetter cutter, 230/400 V, 3 Ph, 50 Hz, 5 speeds, s/s bowl, bowl dimensions: Ø 840 mm x 150 mm, total dimensions: 1540 mm x 1200 mm x 1250 mm.  | 7000           |
| 38        | Busch                          | Steel frame with 2 Busch vacuum pumps, type: RA 0302 D 5Z1 CUZZ / RA 0302 D 5Z1 CWZZ, serial number: C0831000199 / C0939000266, year of construction: 2008 / 2009, capacity: (2x) 300 m <sup>3</sup> per hour, dimensions: 1000 mm x 950 mm x 1650 mm.                               | 1500           |
| 39        | Treif Maschinenbau GmbH        | Treif Maschinenbau GmbH slicer, model: Divider-E, type: 2400, machine number: 240002.61240.0796, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 7 A, dimensions chamber: 1000 mm x 220 mm x 200 mm, plastic belt, belt width: 440 mm, total dimensions: 3220 mm x 930 mm x 1500 mm. | 1500           |
| 40        | PND Fruit Processing Machinery | PND Fruit Processing Machinery peeling machine, serial number: PL4AV 279 FR, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 6 A, 3 kW, plastic belt, belt width: 200 mm, total dimensions: 3400 mm x 1500 mm x 2300 mm.   | 4000           |
| 41        | Bizerba                        | Bizerba grinder, type: FW-N32S/2, number: 1393745, 400 V, 3 Ph, 50 Hz, 5.6 A, Ø plate: 98 mm, on s/s table, total dimensions: 950 mm x 500 mm x 1360 mm.   | 750            |
| 42        | Bizerba                        |  | 750            |



| Nr | Title                  | Description  | Start € |
|----|------------------------|--|---------|
|    |                        | Bizerba grinder on s/s table, model: FW-N32S/2, number: 1671232, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 5.6 A, diameter plate: 98 mm, total dimensions Bizerba: 880 mm x 520 mm x 650 mm, dimensions table: 600 mm x 500 mm x 620 mm.   |         |
| 43 | Maja-Maschinenfabrik   | Maja-Maschinenfabrik flake ice machine, type: RVE 3100 S 2, 400 V, 3 Ph, 50 Hz, dimensions: 1520 mm x 830 mm x 590 mm.   | 1500    |
| 44 | Maja-Maschinenfabrik   | Maja-Maschinenfabrik flake ice machine, type: RVE 3100 S, serial number: 1- 37522, 400 V, 3 Ph, 50 Hz, dimensions: 1370 mm x 650 mm x 590 mm.  | 1500    |
| 45 | Inject Star            | Inject Star vacuum tumbler, type: HSL-750-TC-10, number: 272, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 3.8 kW, volume: 750 liter, weight: 760 kg, dimensions: 1800 mm x 1000 mm x 1780 mm. Inject star vacuum pump, type: TVAP, 380 V, 3 Ph, 50 Hz, 0.75 kW, dimensions: 710 mm x 360 mm x 460 mm.  | 2000    |
| 46 | K+G Wetter             | K+G Wetter cutter with ejector, type: E170, serial number: E170/4, 220/380 V, 3 Ph, 50 Hz, 88 A, 43 kW, s/s bowl, volume: 170 liter, dimensions: 2300 mm x 1400 mm x 1900 mm.  | 5000    |
| 47 | Eillert                | Eillert mobile vegetable slicer, type: BI 1000 A, serial number: 102-9909, year of construction: 1999, 400 V, 3 Ph, 3.8 A, knife width: 115 mm, clearance: Ø 250 mm, total dimensions: 2300 mm x 1400 mm x 1900 mm. Without knives.  | 4000    |
| 48 | Inotec                 | Inotec mobile sausage cutter, type: WT99-IS, serial number: 1 000 000 006, year of construction: 2016, 2 Ph, 200/240/400/460 V 50/60 Hz, 1.8 kW, 290 kg, plastic belt, belt width: 350 mm, total dimensions: 1000 mm x 850 mm x 1640 mm.   | 14000   |
| 49 | Multivac               | Multivac thermoformer with pre-heater, type: R245, machine number: 132360, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 31 A, 11.5 kW, film width: 430 mm, dimensions dyes: (6x) 175 mm x 110 mm, index: 440 mm, plastic mesh outfeed belt, belt width: 380 mm, dimensions pre-heater, 2000 mm x 900 mm x 1050 mm, Busch vacuum pump, type: WV 0500 B, capacity: 500 m <sup>3</sup> per hour, total dimensions: 10000 mm x 1900 mm x 2400 mm. With pallet with parts. | 45000   |
| 50 | Weber                  | Weber slicer, type: CCS 302-UB, number: 413, year of construction: 09-2005, 400 V, 50 Hz, 7 kW, 6 bar, clearance: 320 mm x 130 mm, plastic belt, belt width: 320 mm, total dimensions: 3200 mm x 840 mm x 2080 mm. Including extra outfeed conveyor, 1500 mm longer.   | 8000    |
| 51 | Frey Maschinenbau GmbH | Frey Maschinenbau GmbH piston filler, type: Kompakta-2, serial number: K240 070388, 400 V, 3   | 2000    |



| <b>Nr</b> | <b>Title</b>              | <b>Description</b>   | <b>Start €</b> |
|-----------|---------------------------|--|----------------|
|           |                           | Ph, 50 Hz, 3.6 kW, 30 bar, capacity: 40 liter, portioning range: 5-10.000 gram, maximum 250 portions per minute, weight: 448 kg, total dimensions: 880 mm x 780 mm x 1280 mm.  |                |
| 52        | Loma Systems              | Loma Systems mobile pipeline metal detector, serial number: EPL110209-15523D, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 55 mm, total dimensions: 1000 mm x 700 mm x 350 mm.  | 1000           |
| 53        | Loma Systems              | Loma Systems mobile pipeline metal detector, serial number: EPL110211-15519D, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 55 mm, total dimensions: 1000 mm x 700 mm x 350 mm.  | 1000           |
| 54        | TEC MAQ                   | TEC MAQ grinder, model: Alimat 130, number: 53006031, year of construction: 11/06, 380 V, 38 A, 11 kW, plate diameter: 130 mm, total dimensions: 1100 mm x 950 mm x 1500 mm.   | 4000           |
| 55        | Winterhalter              | Winterhalter dishwasher, type: GS 660, seriennummer: 434023, 400 V, 3 Ph, 50 Hz, 16.5 A, 9.8 kW, inside dimensions: 1280 mm x 720 mm x 950 mm, total dimensions: 1420 mm x 880 mm x 1770 mm.   | 750            |
| 56        | Jeros A/S                 | Jeros A/S washing machine, type: 8130, model: 8130001045000, machine number: 070765, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 27 A, 18 kW, inside dimensions: 1280 mm x 640 mm x 650 mm, total dimensions: 1500 mm x 760 mm x 1690 mm.                  | 1500           |
| 57        | Günther Maschinenbau GmbH | Günther Maschinenbau GmbH mobile double jacketed cooled vacuum tumbler, type: GPM 130K, machine number: 27156, year of construction: 2001, 400 V, 16 A, 1 kW, volume: 130 liter, Becker vacuum pump, total dimensions: 1270 mm x 900 mm x 1300 mm.             | 4500           |
| 58        | Bizerba                   | Bizerba mobile slicer, model: A550, serial number: 10945857, year of construction: 2013, 380/415 V, 3 Ph, 47/63 Hz, 4.15 A, 2.3 kW, weight: 480 kg, capacity: 250 slices/min, s/s mesh belt, belt width: 300 mm, total dimensions: 2420 mm x 740 mm x 1840 mm. | 7500           |
| 59        | Selo Group                | Selo Group mobile flattener, type: SP-250, number: SL250010, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 1.4 A, 0.3 kW, coat belt, belt width: 250 mm, total dimensions: 1400 mm x 800 mm x 1400 mm.   | 2000           |
| 60        | Kronen                    | Kronen mobile vegetable slicer, type: GS 10-2, serial number: 2531, year of construction: 2017, 230 V, 1 Ph, 50/60 Hz, 1.8 kW, plastic belt, belt width: 130 mm, total dimensions: 1750 mm x 650 mm x 1430 mm.   | 9000           |



| <b>Nr</b> | <b>Title</b>                               | <b>Description</b>  | <b>Start €</b> |
|-----------|--|---|----------------|
| 61        | S+S Separation and Sorting Technology GmbH | S+S Separation and Sorting Technology GmbH metal detector, type: VARICON-W 1000/300/350/250, serial number: 2009-11-H3429, year of construction: 2009, 230/115 V, 50/60 Hz, 0.7/1.4 A, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 200 mm, total dimensions: 1000 mm x 740 mm x 1210 mm. | 1950           |
| 62        | Urschel                                    | Urschel vegetable slicer, model: RA-A, number: 2784, year of construction: 2007, dimensions: 1100 mm x 1000 mm x 1900 mm.   | 4500           |
| 63        | Ceia                                       | Ceia metal detector, model: THS, serial number: 20400239002, plastic belt, belt width: 495 mm, clearance: 550 mm x 155 mm, total dimensions: 1500 mm x 950 mm x 1420 mm.  | 2000           |
| 64        | FAM  | FAM mobile vegetable slicer, model: STD 3D, cutting set: 10 mm x 10 mm, total dimensions: 1420 mm x 980 mm x 1880 mm.   | 6000           |
| 65        | Poly-clip System GmbH & Co.KG              | Poly-clip System GmbH & Co.KG mobile double automatic clipper, model: FCA, plastic belt, belt width: (2x) 75 mm, total dimensions: 1500 mm x 1200 mm x 2000 mm.   | 5000           |
| 66        | Kolbe                                      | Kolbe s/s bandsaw, type: 420, 380 V, table dimensions: 880 mm x 790 mm, total dimensions: 970 mm x 900 mm x 1850 mm.  | 1250           |
| 67        | Hobart                                     | Hobart dishwasher, model: UPT-GHN, year of construction: 2011, 400 V, 3 Ph, 50 Hz, inside dimensions: 1280 mm x 780 mm x 950 mm, total dimensions: 1435 mm x 950 mm x 1955 mm.  | 750            |
| 68        | FMT  | FMT mobile vegetable slicer, type: BS-1500, serial number: 9001-01, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 16 A, 1.65 kW, plastic belt, belt width: 125 mm, clearance: 140 mm x 125 mm, total dimensions: 1400 mm x 650 mm x 1500 mm.  | 4000           |
| 69        | Vakona GmbH                                | Vakona GmbH mobile tumbler, type: FM 220-2, machine number: 2631, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 16 A, 2.7 kW, volume: 220 liter, weight: 160 KG, total dimensions: 1200 mm x 1000 mm x 1400 mm.   | 3500           |
| 70        | Townsend                                   | Townsend mobile skinning machine, model: 7620, number: 7710, year of construction: 2005, 380 V, 3 Ph, 50 Hz, working width: 510 mm, total dimensions: 980 mm x 990 mm x 1000 mm.  | 1000           |
| 71        | Ramon                                      | Ramon mobile mixer, serie: AMM, model: 80, number: 1515, 400 V, 50 Hz, 0.36 kW, 1.3 A, 1500 rpm, dimensions: 850 mm x 600 mm x 1050 mm. Plastic lid is broken.  | 1250           |
| 72        | Mado                                       | Mado s/s bandsaw, model: selekta 2, table dimensions: 605 mm x 770 mm, total dimensions: 810 mm x 750 mm x 1670 mm.   | 1250           |



| <b>Nr</b> | <b>Title</b>                     | <b>Description</b>   | <b>Start €</b> |
|-----------|----------------------------------|--|----------------|
| 73        | Tenge-Rietberg                   | Tenge-Rietberg mobile industrial asparagus peeling machine, type: SP 0006, machine number: 262, year of construction: 2001, 230 V, 50 Hz, 6 A, 235 kg, 4-8 bar, dimensions: 2020 mm x 1000 mm x 1500 mm.   | 3000           |
| 74        | Stork Titan B.V.                 | Stork Titan B.V. mobile breading machine, model: TEPM 250, machine number: 4T 211330, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 1.5 kW, s/s mesh belt, belt width: 250 mm, total dimensions: 2500 mm x 700 mm x 1670 mm.   | 5000           |
| 75        | Multivac                         | Multivac mobile traysealer, type: T350, serial number: 15, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 30 A, 7.5 kW, film width: 280 mm, plastic mesh belt, belt width: 200 mm, dimensions dye: (2x) 135 mm x 170 mm, total dimensions: 3900 mm x 1200 mm x 2100 mm. Including Busch vacuum pump, type: RA 0250 D 5ZI ONXX, capacity: 250 m <sup>3</sup> per hour. | 4500           |
| 76        | Stephan                          | Stephan mobile universal machine, type: VM 60, machine number: 714.286.01, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 0.75 kW, 2.15 A, volume: 60 liter, 1350 rpm, dimensions: 900 mm x 600 mm x 1150 mm.   | 1500           |
| 77        | Machiefabriek Duurland Amsterdam | Machiefabriek Duurland Amsterdam vegetable cutter/ slicer, dimensions: 1150 mm x 900 mm x 1300 mm.   | 1250           |
| 78        | Mado                             | Mado grinder, model: MEW 624 Optimo 2, serial number: 30198, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 11/14 A, 5/6 kW, diameter plate: 114 mm, total dimensions: 1100 mm x 600 mm x 1300 mm.  | 1250           |
| 79        | NN coating machine               | Mobile coating machine, s/s mesh belt, belt width: 400 mm, total dimensions: 1800 mm x 700 mm x 1400 mm.   | 1500           |
| 80        | NN mobile breading machine       | S/s mobile breading machine, s/s mesh belt, belt width: 400 mm, plastic rollers, roller width: 400 mm, total dimensions: 1820 mm x 620 mm x 2150 mm.   | 1500           |
| 81        | Inotec                           | Inotec mobile micro cutter, type: I225CD-110D, machine number: 0403-22500330, year of construction: 2009, 230/400 V, 3 Ph, 50 Hz, 206 A, 127 kW, total dimensions: 1200 mm x 1850 mm x 1250 mm.  | 17500          |
| 82        | Kronen                           | Kronen mobile automatic tomato slicer, working width: 75 mm, distance between knives: 6 mm, total dimensions: 1200 mm x 1000 mm x 1200 mm.   | 1500           |
| 83        | Kronen                           | Kronen slicer, type: KSM 100, number: 865, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 0.9 kW, total dimensions: 600 mm x 800 mm x 1200 mm.  | 2500           |
| 84        | Baader                           | Baader separator, type: 603-508, number: 121297, year of construction: 2004, 400 V, 3 Ph, 50 Hz,   | 9500           |



| <b>Nr</b> | <b>Title</b>                  | <b>Description</b>   | <b>Start €</b> |
|-----------|-------------------------------|--|----------------|
|           |                               | perforations: Ø 2 mm, total dimensions: 1100 mm x 1250 mm x 1600 mm.   |                |
| 85        | Multivac                      | Multivac mobile traysealer, type: T200, serial number: 146915, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 20 A, 3.8 kW, dye: (2x) 270 mm x 175 mm, Busch vacuum pump, type: RA 0063 F 503, number: 110014477, capacity: 63 m <sup>3</sup> per hour, total dimensions: 1270 mm x 800 mm x 1610 mm. Including pallets with trays. | 4000           |
| 86        | Poly-clip System GmbH & Co.KG | Poly-clip System GmbH & Co.KG mobile automatic double clipper, type: RCA, number: 118/01, 5-7 bar, dimensions: 1160 mm x 1000 mm x 1900 mm.  | 3000           |
| 87        | Treif Maschinenbau GmbH       | Treif Maschinenbau GmbH mobile slice and portion cutter, model: ZEBRA, machine number: 450007.60194.110244, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 8.8 A, 4.4/5.98 kW, weight: 790 kg, 38 knives, distance between knives: 16 mm, total dimensions: 1250 mm x 1000 mm x 1600 mm.  | 6500           |
| 88        | Busch                         | Busch vacuum pump, type: RC 0250 C 4Z1 QNZZ, serial number: C0004000020, year of construction: 2000, 20 hPa, dimensions: 1000 mm x 600 mm x 600 mm.  | 1000           |
| 89        | Robot Coupe                   | Robot Coupe centrifuge, type: ES 10 A, serial number: F6340116411, 400 V, 3 Ph, 50 Hz, 370 W, dimensions: Ø 500 mm x 1000 mm.  | 950            |
| 90        | Maja-Maschinenfabrik          | Maja-Maschinenfabrik mobile skinning machine, type: Skinny, serial number: 42284, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 425 mm, total dimensions: 830 mm x 600 mm x 1200 mm.  | 750            |
| 91        | Mado                          | Mado cutter on s/s mobile table, type: MTK 661, number: 30484, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4.6/5.9 A, 2.1/2.8 kW, s/s bowl, diameter bowl: 500 mm, total dimensions: 900 mm x 600 mm x 1050 mm.  | 1500           |
| 92        | Maja-Maschinenfabrik          | Maja-Maschinenfabrik flake ice machine with control panel, outfeed clearance: 700 mm x 100 mm, total dimensions: 1700 mm x 510 mm x 460 mm. Without cooling motor.   | 2000           |
| 93        | Vemag                         | Vemag vacuum filling machine with lifter for 200 liter meat bins, model: Robby 2, type: 135, number: 1350478, year of construction: 2000, Busch vacuum pump, type: KC 0016 E 320, number: 140020158, year of construction: 2014, capacity: 16/19 m <sup>3</sup> per hour, dimensions: 1800 mm x 1300 mm x 2000 mm.                   | 5000           |
| 94        | Eillert                       | Eillert vegetable slicer, type: BI 1000 A, 400 V, 3 Ph, 3.8 A, 9 knives, working width: 120 mm, distance   | 4000           |



| <b>Nr</b> | <b>Title</b>     | <b>Description</b>   | <b>Start €</b> |
|-----------|------------------|--|----------------|
|           |                  | between knives: 15 mm, clearance: $\varnothing$ 250 mm, total dimensions: 1500 mm x 900 mm x 1830 mm.  |                |
| 95        | Solina           | Solina salad spinner, basket dimensions: $\varnothing$ 355 mm x 290 mm, total dimensions: 1000 mm x 710 mm x 940 mm.   | 750            |
| 96        | Fuerpla          | Fuerpla piston filler, model: EV-20, number: 3961, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 0.75 kW, volume: 20 liter, dimensions: 660 mm x 500 mm x 1140 mm.   | 1250           |
| 97        | Korimat          | Korimat mobile autoclave, type: KA 240/2.5/E, number: 882021, year of construction: 1988, 230/400 V, 3 Ph, 50 Hz, 16.5 kW, capacity: 240 liter, dimensions: 1500 mm x 900 mm x 1400 mm.  | 6000           |
| 98        | Duurland Kiremko | Duurland Kiremko peeler, model: K12, serial number: 9712013, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 0.37 kW, diameter infeed: 250 mm, inside dimensions drum: $\varnothing$ 370 mm x 250 mm, total dimensions: 550 mm x 500 mm x 1080 mm. | 500            |
| 99        | Scharfen         | Scharfen cutter, s/s bowl, bowl dimensions: $\varnothing$ 465 mm x 90 mm, total dimensions: 700 mm x 550 mm x 420 mm.  | 100            |
| 100       | Bizerba          | Bizerba tenderizer, working width: 185 mm, total dimensions, 400 mm x 240 mm x 460 mm.   | 250            |
| 101       | Rühle            | Rühle mobile dicer, dimensions chamber: 100 mm x 100 mm, total dimensions: 1000 mm x 600 mm x 1080 mm  | 2000           |
| 102       | Rühle            | Rühle dicer, model: SR 2 BiTurbo, year of construction: 2018, dimensions chamber: 120 mm x 120 mm x 450 mm, plastic outfeed belt, belt width: 260 mm, total dimensions: 1600 mm x 1400 mm x 1500 mm. Including Doogee tablet.                      | 3000           |
| 103       | Eillert          | Eillert mobile vegetable slicer, plastic belt, belt width: 150 mm, total dimensions: 2100 mm x 900 mm x 450 mm.  | 1000           |
| 104       | Busch            | Busch vacuum pump, type: RA 0250 D 5ZI QMXX, number: C0235000200, year of construction: 2002, capacity: 250 m <sup>3</sup> per hour, dimensions: 1050 mm x 600 mm x 520 mm.  | 1000           |
| 105       | Webomatic        | Webomatic vacuum machine, type: EASY-PACK, serial number: 05EA630, 230 V, 50 Hz, 4.1 A, 0.55 kW, 16 m <sup>3</sup> per hour, seal length: 370 mm, chamber dimensions: 360 mm x 370 mm, total dimensions: 500 mm x 400 mm x 370 mm.                 | 750            |
| 106       | Kolbe            | Kolbe s/s bandsaw, type: K 220, serial number: 95 0896, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, 77 kg, table dimensions: 580 mm x 410 mm, total dimensions: 630 mm x 500 mm x 1000 mm.                                      | 500            |



| <b>Nr</b> | <b>Title</b>            | <b>Description</b>   | <b>Start €</b> |
|-----------|-------------------------|--|----------------|
| 107       | Kolbe                   | Kolbe s/s bandsaw, type: K 220, serial number: 92 0586, year of construction: 1997, table dimensions: 550 mm x 415 mm, total dimensions: 580 mm x 520 mm x 930 mm.   | 500            |
| 108       | Ramon                   | Ramon piston filler, model: 20, 400 V, 3 Ph, 50 Hz, 1500 rpm, volume: 20 liter, total dimensions: 750 mm x 500 mm x 1300 mm.   | 1000           |
| 109       | Dadaux                  | Dadaux mobile piston filler, type: P25LF, number: 9631, year of construction: 12/2000, 380 V, 50 Hz, volume: 25 liter, dimensions: 500 mm x 480 mm x 1180 mm.  | 1000           |
| 110       | Pulsotronic             | Pulsotronic mobile metal detector, type: M-Pulse BD 450x100 LPW, serial number: 90002719, year of construction: 2010, 230 V, 1 Ph, 50-60 Hz, 350 W, plastic belt, belt width: 405 mm, clearance: 450 mm x 70 mm, total dimensions: 1200 mm x 940 mm x 1160 mm. | 1950           |
| 111       | Tenrit Foodtec          | Tenrit Foodtec mobile asparagus peeler, type: SOLO, serial number: 876, year of construction: 2014, 230 V, 50/60 Hz, 1.5 kW, weight: 250 kg, dimensions: 1380 mm x 700 mm x 1450 mm.   | 3000           |
| 112       | Desa                    | Desa mixer, inside dimensions: 620 mm x 490 mm, total dimensions: 700 mm x 700 mm x 1100 mm.   | 750            |
| 113       | REX                     | REX grinder, type: AWN 130/1, number: 21532380, 380 V, 50 Hz, 22 A, 11 kW, plate diameter: 130 mm, total dimensions: 1200 mm x 750 mm x 1700 mm.   | 1500           |
| 114       | HFE vacuum systems BV   | HFE vacuum systems BV vacuum machine, type: GASTRO ECO, serial number: 20091114, year of construction: 2009, 220-240 V, 1 Ph, 50 Hz, 4 A, seal length: 350 mm, chamber dimensions: 360 mm x 380 mm, total dimensions: 500 mm x 420 mm x 330 mm.                | 750            |
| 115       | Henkelman               | Henkelman vacuum machine, type: Lynx 42, machine number: HOL10160016, year of construction: 2016, 220/230 V, 1 Ph, 50/60 Hz, 5 A, 0.7 kW, seal length: 430 mm, chamber: 430 mm x 370 mm, total dimensions: 520 mm x 500 mm x 400 mm.                           | 750            |
| 116       | Bold Catering Equipment | Bold Catering Equipment drum peeler, model: B56, serial number: 563874, year of construction: 2008, 220-240 V, 50 Hz, 5.4 A, 750 W, diameter infeed: 230 mm, dimensions drum: ø 530 mm x 150 mm, total dimensions: 700 mm x 550 mm x 1250 mm.                  | 1250           |
| 117       | Stephan                 | Stephan universal machine on mobile s/s trolley, type: UMC 12, machine number: 718.093.01, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 1.5/1.9 kW, 1420/2800 rpm, dimensions: 500 mm x 450 mm x 1250 mm.   | 1500           |
| 118       | Tecnovac                | Tecnovac mobile traysealer, model: Olympia 3, serial number: 007332/011, year of construction: 2014, 400   | 1500           |



| <b>Nr</b> | <b>Title</b>              | <b>Description</b>  | <b>Start €</b> |
|-----------|---------------------------|---|----------------|
|           |                           | V, 1 Ph, 50 Hz, 8.5 A, weight: 170 kg, film width: 290 mm, dye: (4x) 140 mm x 100 mm, Busch vacuum pump, type: RA 0040 F 5R3, capacity: 40 m <sup>3</sup> per hour, total dimensions: 900 mm x 950 mm 1700 mm.  |                |
| 119       | Handtmann                 | Handtmann vacuum filling machine with lifter for 200 liter meat bins and linking attachment, type: VF200 B, number: 1180, 380 V, 50 Hz, 12.6 A, 4.5 kW, type linking attachment: 34-5, number: 10938, Becker vacuum pump, type: U1.16SA-31, capacity: 16/19 m <sup>3</sup> per hour, dimensions: 1950 mm x 1400 mm x 2050 mm. | 5000           |
| 120       | Itec Food Technology      | Itec Food Technology hygiene station, type: 23876-800, number: 0370, year of construction: 10/2022, 400 V, 3 Ph, 50/60 Hz, 0.8 kW, brush width: (2x) 100 mm, total dimensions: 1600 mm x 900 mm x 1850 mm.  | 4000           |
| 121       | Treif Maschinenbau GmbH   | Treif Maschinenbau GmbH mobile dicer, chamber: 100 mm x 90 mm, total dimensions: 1150 mm x 700 mm x 1030 mm.  | 1500           |
| 122       | HFE vacuum systems BV     | HFE vacuum systems BV mobile traysealer, maximum film width: 380 mm, dye: 305 mm x 250 mm, Busch vacuum pump, type: KB 0020 D, capacity: 20 m <sup>3</sup> per hour, total dimensions: 800 mm x 980 mm x 1300 mm. Including extra dye set, dye: (2x) 235 mm x 145 mm.   | 1500           |
| 123       | Kolbe                     | Kolbe mobile paddle mixer-grinder, type: MWE 52, number: 126 0490, year of construction: 2006, 400 V, 3 Ph, 50 Hz, diameter plate: 130 mm, total dimensions: 1300 mm x 770 mm x 1300 mm.  | 3000           |
| 124       | Ambach                    | Ambach cooking vessel, model: ESK/150, number: 1021811, 400 V, 3 Ph, 50/60 Hz, 33.5 A, 22 kW, capacity: 150 liter, dimensions: 1120 mm x 1000 mm x 1050 mm.   | 1250           |
| 125       | NN slicer                 | S/s vegetable slicer, clearance: 80 mm x 80 mm, plastic belts, belt width: 65 mm, total dimensions: 2000 mm x 880 mm x 1350 mm.   | 1750           |
| 126       | Alexanderwerk             | Alexanderwerk cutter, type: SKN 45 SS, machine number: 4127, 380 V, 50 Hz, 1500/3000 rpm, volume: 45 liter, dimensions: 1200 mm x 950 mm x 1150 mm.   | 3500           |
| 127       | Günther Maschinenbau GmbH | Günther Maschinenbau GmbH mobile double jacketed vacuum tumbler, type: GPM 130, machine number: 29345, year of construction: 2005, 400 V, 16 A, 0.5 kW, volume: 130 liter, Busch vacuum pump, type: 021-336, capacity: 21 m <sup>3</sup> per hour, total dimensions: 1400 mm x 700 mm x 1400 mm.                              | 3750           |
| 128       | Frey Maschinenbau GmbH    | Frey Maschinenbau GmbH vacuum filling machine, type: Konti-A50, machine number: KA800434886, 400 V, 50 Hz, 4,25 kW, Busch vacuum pump, type: KC   | 5000           |



| Nr  | Title                         | Description   | Start € |
|-----|-------------------------------|---|---------|
|     |                               | 0016 E 3Z0, capacity: 16 m <sup>3</sup> per hour, total dimensions: 900 mm x 800 mm x 1800 mm.  |         |
| 129 | Thompe                        | Thompe mobile pineapple cutter, serial number: PS02-0120, year of construction: 2019, 230 V, 50 Hz, 530 W, diameter clearance: 80 mm, total dimensions: 880 mm x 600 mm x 2250 mm.  | 1950    |
| 130 | Busch                         | Busch vacuum pump, type: RA 0250 C 4Z1 CUZZ, number: 0L01850101, capacity: 250 m <sup>3</sup> per hour, dimensions: 980 mm x 500 mm x 400 mm.   | 1000    |
| 131 | Asca                          | Asca mobile autoclave, number: D0305 50413/542, year of construction: 2005, basket dimensions: 500 mm x 450 mm, total dimensions: 1100 mm x 1000 mm x 1250 mm.  | 2250    |
| 132 | FAM n.v.                      | FAM n.v. mobile vegetable slicer, type: Flexifam, serial number: 6306, year of construction: 2005, 415 V, 3 Ph, 50 Hz, 1.5 kW, weight: 300 kg, distance between knives: 10 mm, dimensions infeed: 420 mm x 275 mm, total dimensions: 1700 mm x 1150 mm x 2180 mm.   | 12500   |
| 133 | Rühle                         | Rühle injector with lifter for E2 crates, type: IR 56, number: 0586, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 7.5 kW, 16 A, 56 needles, s/s walking beam, width: 350 mm, clearance: 350 mm x 170 mm, total dimensions: 1800 mm x 1000 mm x 2050 mm.  | 8000    |
| 134 | Dito-Sama                     | Dito-Sama vegetable slicer, type: TRS, number: U58617, year of construction: 1996, 230 V, 1 Ph, 50 Hz, 3.4 A, 500 W, dimensions: 500 mm x 230 mm x 500 mm. Including extra knives.  | 300     |
| 135 | REX                           | REX piston filler, type: RVF30, number: 3001061121, year of construction: 08/11, 400 V, 3 Ph, 50 Hz, vacuum pump, dimensions: 900 mm x 800 mm x 1250 mm.  | 2500    |
| 136 | Kronen                        | Kronen mobile vegetable slicer, type: KUJ V, serial number: 891, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, 1.3 kW, dimensions: 1100 mm x 1000 mm x 1500 mm.  | 6000    |
| 137 | Handtmann                     | Handtmann vacuum filling machine with linking attachment, type: VF610, number: 20307, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 3.5 kW, 5.1 A, linking attachment type: 34-5, number: 14137, Busch vacuum pump, model: KC 0016 E, capacity: 16 m <sup>3</sup> per hour, dimensions: 1150 mm x 950 mm x 1730 mm. | 12500   |
| 138 | Poly-clip System GmbH & Co.KG | Poly-clip System GmbH & Co.KG mobile automatic double clipper, type: RCA, number: 125/01, 5-7 bar, dimensions: 1160 mm x 1000 mm x 1900 mm.   | 2500    |
| 139 | Stephan                       | Stephan universal machine, type: UM 44, number: 731129, year of construction: 2005, 400 V, 50 Hz,   | 4000    |



| <b>Nr</b> | <b>Title</b>                   | <b>Description</b>  | <b>Start €</b> |
|-----------|--------------------------------|---|----------------|
|           |                                | 3.3/4.5 kW, volume: 45 liter, dimensions: 800 mm x 550 mm x 1100 mm.  |                |
| 140       | Stephanal                      | Stephanal mobile piston filler, type: FA-F-25-ROND, number: 474, 380 V, 3 Ph, 50 Hz, 1.95 A, 0.75 kW, volume: 25 liter, dimensions: 550 mm x 520 mm x 1200 mm.  | 1000           |
| 141       | Weber GmbH                     | Weber GmbH flake ice machine, type: WIS 1500, number: 400, year of construction: 2010, 400 V, 50 Hz, refrigerant: R404 A, 6 kg, 28 bar, 14-16 A, 5.1 kW, roller width: 510 mm, Bock cooling compressor, type: HGX34P/255-4, number: AR29115A014, dimensions: 1200 mm x 1200 mm x 1400 mm. | 2500           |
| 142       | Handtmann                      | Handtmann mobile linking machine, type: 216-21, number: 1451, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.5 kW, 3.6 A, dimensions: 1900 mm x 850 mm x 1130 mm.  | 4500           |
| 143       | Multivac                       | Multivac mobile traysealer, type: T200, number: 109423, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 11 A, 4.5 kW, dye: 320 mm x 260 mm, film width: 445 mm, Busch vacuum pump, RA 0063 E, capacity: 63 m <sup>3</sup> per hour, total dimensions: 1000 mm x 800 mm x 1650 mm.         | 4000           |
| 144       | Poly-clip System GmbH & Co.KG  | Poly-clip System GmbH & Co.KG mobile automatic double clipper, type: PDC-A 600 R, number: 137/17, 400 V, 3 Ph, 50/60 Hz, 2.5 A, 0.1 kW, 4/6 bar, weight: 142 kg, dimensions: 1250 mm x 800 mm x 1950 mm.  | 4000           |
| 145       | Stephan                        | Stephan universal machine, type: UM 44, number: 716.461.01, year of construction: 1990, 380 V, 50 Hz, 13/17 A, 5.5/7.5 kW, volume: 45 liter, dimensions: 880 mm x 600 mm x 1200 mm. Including pump.   | 3500           |
| 146       | Digi / Teraoka Seiko Co., Ltd. | Digi / Teraoka Seiko Co., Ltd. mobile weigh-, wrap-, and label machine, model: AW-4600FX, serial number: 11172854, year of construction: 2011, 380/400/415 V, 3 Ph, 50/60 Hz, 0.9 kW, max: 3/6 kg, min: 20 g, e= 1/2 g, film width: 400 mm, total dimensions: 1000 mm x 860 mm x 1650 mm. | 1000           |
| 147       | Grasselli                      | Grasselli slicer, type: NSL 600, number: T10016/457, plastic belt, belt width: 560 mm, distance between knives: 20 mm, total dimensions: 2000 mm x 1200 mm x 1500 mm.   | 15000          |
| 148       | Holac                          | Holac mobile dicer, type: HO21, machine number: 2101007, 1.1 kW, chamber dimensions: 80 mm x 80 mm x 300 mm, total dimensions: 1200 mm x 1550 mm x 1000 mm.   | 1500           |
| 149       | Frey Maschinenbau GmbH         | Frey Maschinenbau GmbH mobile piston filler, type: Kompakta 2, machine number: K2 30L 12131990, 400 V, 50 Hz, 3.60 kW, volume: 30 liter, dimensions: 900 mm x 850 mm x 1250 mm.   | 4000           |



| <b>Nr</b> | <b>Title</b>          | <b>Description</b>  | <b>Start €</b> |
|-----------|-----------------------|---|----------------|
| 150       | Henkovac              | Henkovac mobile vacuum machine, type: H 3000, machine number: 309071432, 220 V, 3 Ph, 50 Hz, 13.8 A, 3.12 A, seal length: 800 mm and 500 mm, dimensions chamber: 750 mm x 500 mm, Busch vacuum pump, type: 100-132, capacity: 100 m <sup>3</sup> per hour, total dimensions: 900 mm x 700 mm x 1100 mm.   | 950            |
| 151       | Wolfking              | Wolfking mobile mixer-grinder, type: SFG 150/100, number: 58146, year of construction: 1996, 380 V, 50 Hz, 3.7/4.4 kW, 7.8/9.1 A, diameter plate: 98 mm, total dimensions: 1300 mm x 900 mm x 1620 mm. Missing mixing arm.  | 3000           |
| 152       | Mado                  | Mado mobile grinder, type: MEW 620, serial number: 9930709, 230/400 V, 3 Ph, 50 Hz, 21.0/12.1 A, 5.5 kW, diameter plate: 98 mm, total dimensions: 900 mm x 1000 mm x 1350 mm.   | 2000           |
| 153       | Inauen Maschinen AG   | Inauen Maschinen AG mobile dip tank, type: VC999/tank 62.41, machine number: 96T87137, 380 V, 3 Ph, 50 Hz, dimensions: 750 mm x 750 mm x 1250 mm.   | 500            |
| 154       | Hepro GmbH            | Hepro GmbH mobile industrial asparagus peeling machine, type: HSM-180/SAP, machine number: 0049-0902-1048, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 0.5 kW, clearance: 60 mm x 55 mm, total dimensions: 2550 mm x 600 mm x 1420 mm.  | 5000           |
| 155       | Seffelaar & Looyen BV | Seffelaar & Looyen BV mobile flattener, plastic belt, belt width: 250 mm, total dimensions: 1370 mm x 750 mm x 1400 mm.   | 500            |
| 156       | Multivac              | Multivac mobile double chamber vacuum machine, type: C500, serial number: 155219, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6 kW, 28/32 A, seal length: (4x) 665 mm, dimensions chamber: 850 mm x 700 mm, with Busch vacuum pump, type: RA 0250 D 5Z1 CUZZ, capacity: 250 m <sup>3</sup> per hour, total dimensions: 1650 mm x 1050 mm x 1350 mm. | 6500           |
| 157       | Handtmann             | Handtmann vacuum filling machine with lifter for 200 liter meat bins, linking attachment and case holding device, type: VF300B, number: 1950, 380 V, 50 Hz, 23.6 kW, linking attachment type: 34-5, number: 12088, Busch vacuum pump, type: KB 0016 E 300, capacity: 19 m <sup>3</sup> per hour, dimensions: 1950 mm x 1400 mm x 2000 mm.               | 7500           |
| 158       | HFE Vacuum Systems    | HFE Vacuum Systems mobile vacuum machine, type: PX-60, serial number: 20110146, year of construction: 2011, 380/400 V, 3 Ph, 50 Hz, 7.2 A, seal length: (2x) 500 mm, dimensions chamber: (1x) 500 mm x 515 mm, Busch vacuum pump, type: RA 0063 F 5K3, capacity: 63 m <sup>3</sup> per hour, total dimensions: 700 mm x 700 mm x 1000 mm.               | 950            |



| <b>Nr</b> | <b>Title</b>                     | <b>Description</b>   | <b>Start €</b> |
|-----------|----------------------------------|--|----------------|
| 159       | Bizerba                          | Bizerba automatic slicer, type: A 404, number: 10699653, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1160 mm x 850 mm x 760 mm.   | 4000           |
| 160       | Hobart                           | Hobart mixer, model: N-50G, serial number: 14048579, 220 V, 1 Ph, 50 Hz, 1.67 A, s/s bowl, dimensions bowl: Ø 200 mm x 170 mm, total dimensions: 350 mm x 250 mm x 430 mm. Including flat beater, hook and whisk.  | 250            |
| 161       | Bizerba                          | Bizerba slicer with weighing scale, type: VS 12-W, number: 11629383, year of construction: 2019, 230 V, 1 Ph, 50 Hz, 1.8 A, 0.400 kW, dimensions scale: 260 mm x 245 mm, total dimensions: 630 mm x 520 mm x 420 mm.   | 950            |
| 162       | Stephan                          | Stephan universal machine, type: Cut 18, machine number: 731534, year of construction: 2006, 400 V, 50 Hz, 3.8/4.7 A, 1.5/1.9 kW, 1420 / 2810 min-1, volume: 18 liter, dimensions: 500 mm x 350 mm x 670 mm.   | 1200           |
| 163       | Berkel                           | Berkel slicer, model: 834, serial number: 620099W, 220 V, 50 Hz, 220 W, dimensions: 600 mm x 600 mm x 500 mm.  | 250            |
| 164       | Berkel                           | Berkel slicer, model: 834, 220 V, 1 Ph, 50 Hz, 2.3 A, dimensions: 600 mm x 600 mm x 450 mm.  | 250            |
| 165       | Mado                             | Mado grinder, type: Junior, 400 V, plate diameter: 70 mm, total dimensions: 370 mm x 340 mm x 470 mm.  | 500            |
| 166       | Busch                            | Busch vacuum pump, type: RA 0302 D 5Z3 DIXZ, number: C1149000465, year of construction: 2011, capacity: 300 m <sup>3</sup> per hour, dimensions: 1050 mm x 550 mm x 500 mm.  | 1250           |
| 167       | Alco-food-machines GmbH & Co. KG | Alco-food-machines GmbH & Co. KG mobile coating machine, type: ADT 1000 NH, serial number: 02293227, year of construction: 2016, 400 V, 50 Hz, 16 A, 3 kW, weight: 700 kg, s/s mesh belt, belt width: 1000 mm, total dimensions: 3000 mm x 1600 mm x 1300 mm.        | 17500          |
| 168       | Günther                          | Günther injector, type: P172M, machine number: 24161, 380 V, 32 A, 72 needles, plastic mesh belt, belt width: 440 mm, clearance: 450 mm x 220 mm, total dimensions: 1970 mm x 950 mm x 2300 mm. Including s/s mobile filter tub, dimensions: 1400 mm x 700 mm x 800. | 5000           |
| 169       | Marel                            | Marel portion cutter, type: I-CUT 36, serial number: E011407, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 18 A, 8 kW, plastic belt, belt width: 300 mm, total dimensions: 3100 mm x 1300 mm x 1830 mm.  | 7500           |
| 170       | Krumbein                         | Krumbein mobile horizontal slicer, type: Schneidemaschine HGS 1/1 400, serial number: X 381  | 5000           |



| Nr  | Title                                 | Description  | Start € |
|-----|---------------------------------------|--|---------|
|     |                                       | E, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 9 A, working width: 460 mm, plastic belt, belt width: 400 mm, total dimensions: 1750 mm x 750 mm x 1400 mm.   |         |
| 171 | Inauen Maschinen AG                   | Inauen Maschinen AG mobile thermoformer, type: RS compact, machine number: 4405011, 400 V, 3 Ph, 50 Hz, 7 kW, 6-8 bar, film width: 325 mm, dye: (2x) 215 mm x 140 mm, outfeed belt width: 260 mm, Gardner Denver vacuum pump, type: VC 100 (75), number: 2670038, year of construction: 2006, capacity: 100 m <sup>3</sup> per hour, total dimensions: 3300 mm x 950 mm x 1850 mm. | 12500   |
| 172 | Urschel                               | Urschel mobile vegetable slicer, model: RA, serial number: 1060, distance between knives: 7 mm, total dimensions: 1300 mm x 1100 mm x 1800 mm.   | 4500    |
| 173 | Kohlhoff Hygienetechnik GmbH & Co. KG | Kohlhoff Hygienetechnik GmbH & Co. KG hand sanitizer, type: EK-800-Twin, machine number: 800123, year of construction: 07/2012, 230 V, 1 Ph, 0.4 kW, dimensions: 1400 mm x 800 mm x 1580 mm. Incomplete.   | 1500    |
| 175 | Sprematec GmbH                        | Sprematec GmbH mobile belt grill, type: Grillrolle, machine number: 105017, year of construction: 04/2007, working width: 600 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 1750 mm x 1600 mm x 1400 mm.  | 3500    |
| 176 | Pökomat                               | Pökomat mobile injector, 18 needles, s/s belt, belt width: 300 mm, total dimensions: 1550 mm x 800 mm x 2000 mm.   | 750     |
| 177 | Henkovac                              | Henkovac mobile double chamber vacuum machine, seal length: (4x) 620 mm, chamber dimensions: (2x) 520 mm x 600 mm, vacuum pump, total dimensions: 1600 mm x 870 mm x 1150 mm.  | 1500    |
| 178 | Grasselli S.p.A.                      | Grasselli S.p.A. automatic slicer, model: SL 400, working width: 395 mm, total dimensions: 1200 mm x 1030 mm x 1800 mm. Without knives.  | 2500    |
| 179 | Handtmann                             | Handtmann vacuum filling machine on mobile frame, type: VF80, number: 1070, 380 V, 50 Hz, 9.15 A, 3.55 kW, vacuum pump, dimensions: 1050 mm x 880 mm x 1670 mm. Incomplete, without rotor and vanes.   | 2500    |
| 180 | Frey Maschinenbau GmbH                | Frey Maschinenbau GmbH vacuum filling machine, machine number: K50 09 0587, 380 V, Busch vacuum pump, type: 021-336, dimensions: 770 mm x 760 mm x 1620 mm.  | 2000    |
| 181 | Muvero                                | Muvero smoking chamber for 1 trolley with smoke generator, type: 1500 VN-81 ING, fabrication number: 950108, year of construction: 1995, 380 V, 50 Hz, volume: 1720 liter, dimensions 1940 mm x 1000 mm  | 1000    |



| Nr  | Title                                 | Description  | Start € |
|-----|---------------------------------------|--|---------|
|     |                                       | x 2250 mm. Including 1 trolley, 7 floors, floor dimensions: (7x) 940 mm x 700 mm, total dimensions: 1020 mm x 740 mm x 1590 mm and aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm.   |         |
| 182 | PND s.r.l.                            | PND s.r.l. fruit/vegetable peeler, type: peeling machine, year of construction: 2014, clearance: 150 mm x 205, plastic belt, belt width: 195 mm, total dimensions: 2700 mm x 1200 mm x 1900 mm. Including platform, dimensions: 3400 mm x 1800 mm x 1440 mm.   | 2500    |
| 183 | PND s.r.l.                            | PND s.r.l. fruit slicer, type: universal cutting machine, year of construction: 2014, clearance: $\emptyset$ 125 mm, plastic belt, belt width: 220 mm, total dimensions: 3100 mm x 1450 mm x 1960 mm. Including platform, dimensions: 2060 mm x 1500 mm x 1420 mm.   | 3000    |
| 184 | NN table                              | Mobile s/s table with drain, dimensions: 1900 mm x 890 mm x 1000 mm.   | 250     |
| 185 | Kohlhoff Hygienetechnik GmbH & Co. KG | Kohlhoff Hygienetechnik GmbH & Co. KG hygiene station, type: DLSO-SL1100+EK400, number: 801848, year of construction: 12/2012, 400 V, 3 Ph, 0.8 kW, brush length: (2x) 700 mm, total dimensions: 1650 mm x 1000 mm x 1880 mm.  | 750     |
| 186 | NN pineapple de-corer                 | S/s pineapple de-corer, clearance: $\emptyset$ 60 mm, total dimensions: 520 mm x 510 mm x 1450 mm.   | 500     |
| 187 | NN vegetable peeler                   | Mobile vegetable peeler/slicer, number: 457914, 380 V, dimensions: 1200 mm x 900 mm x 2150 mm.   | 500     |
| 188 | Backus Sormac BV                      | Backus Sormac BV union peeler, type: USN 1, number: 954029004, year of construction: 1995, 380 V, 50 Hz, 5 kW, plastic infeed belt width dividers: belt width: 140 mm, divider height: 65 mm, distance between dividers: 335 mm, chain belt with dividers, distance between dividers: 175 mm, clearance: 180 mm x 200 mm, distance between knives: 90 mm, total dimensions: 6700 mm x 960 mm x 2150 mm. Technical condition unknown. | 2500    |
| 189 | CFS                                   | CFS bowl cutter with ejector, type: CMV 500, number: 213/301, 400 V, 3 Ph, 50 Hz, s/s bowl, volume: 500 liter, dimensions: 3100 mm x 2750 mm x 1950 mm.  | 10000   |
| 190 | NN mixer/grinder                      | Double shaft paddle mixer/grinder, inside dimensions: 2000 mm x 1080 mm x 650 mm, maximum plate diameter: 175 mm, total dimensions: 2800 mm x 1430 mm x 3000 mm. Without knives and plates. Technical condition unknown.   | 3000    |
| 191 | Sormac                                | Sormac paprika decoring line consisting of:(4x) Sormac decoring machine, type: PO-30, serial numbers: PO-30/13/35, PO-30/13/34, PO-30/13/36, PO-30/13/37, year of construction: 2020, 400 V, 3 Ph,   | 10000   |



| <b>Nr</b> | <b>Title</b>              | <b>Description</b>   | <b>Start €</b> |
|-----------|---------------------------|--|----------------|
|           |                           | 50 Hz, 10 stations, station working width: Ø 130 mm each, total dimensions: (4x) 2400 mm x 2200 mm x 2600 mm.(4x) Sormac suction device for pit removing, dimensions: (4x) 2500 mm x 1100 mm x 1000 mm.Various Sormac s/s infeed, outfeed and elevating belts. |                |
| 194       | Kronen                    | Kronen slicer, type: GS 25, serial number: 221, overhauled in 2017, 415 V, 3 Ph, 50-60 Hz, 3.2 kW, weight: 635 kg, working width: 250 mm, cutting range: 1-50 mm, total dimensions: 3100 mm x 930 mm x 1620 mm.  | 9000           |
| 195       | Günther Maschinenbau GmbH | Günther Maschinenbau GmbH mobile tumbler, type: GPA 300, serial number: 27581, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 10 A, 1 kW, volume: 300 liter, total dimensions: 1550 mm x 1450 mm x 1750 mm.   | 1500           |
| 196       | Eillert                   | Eillert centrifuge, type: MSD-500-V-HD, serial number: 330, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 16 A, 2.2 kW, volume: 44 liter, 50-1000 rpm, weight: 170 kg, total dimensions: 920 mm x 620 mm x 950 mm.   | 2500           |
| 197       | Mettler Toledo            | Mettler Toledo Safeline mobile metal detector, 230 V, 1 Ph, 50/60 Hz, 0.33 kW, weight: 550 kg, plastic mesh belt, belt width: 650 mm, clearance: 800 mm x 300 mm, total dimensions: 2680 mm x 1320 mm x 1410 mm.   | 1500           |
| 198       | Burgener AG               | Burgener AG mobile bag sealing machine, type: ISPV-3-900-2-GV1, year of construction: 2016, 400 V, 3 Ph, 50 Hz, weight: 180 kg, working width: 890 mm, total dimensions: 1050 mm x 1020 mm x 1800 mm.  | 1500           |
| 199       | Foodcons                  | Foodcons slicer, type: F3000, serial number: F3000-14/08, year of construction: 2014, 230/400 V, 3 Ph, 50/60 Hz, 1.2 kW, capacity: 3600 pieces per hour, weight: 237 kg, dimensions: 1800 mm x 1000 mm x 1610 mm.  | 2500           |
| 200       | Turatti                   | Turatti slicer, type: K6, 400 V, 3 Ph, 50 Hz, 3.3 kW, infeed height: 1590 mm, outfeed height: 880 mm, weight: 781 kg, total dimensions: 3100 mm x 1290 mm x 2030 mm.   | 2500           |

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: the website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.







# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

