



**Industrial
Auctions**

2065: Online auction machinery for the food industry in Emmeloord (NL)

END DATE
05 March 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	05 March 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	12 March 2026 from 09:00 till 16:00 hrs.
Pick up address	Bedrijfsweg 7 8304 AA Emmeloord Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Proseal	Proseal mobile traysealer, type: GT2V, serial number: 3098, year of construction: 2014, 415 V, 50 Hz, 3 Ph, plastic string infeed belt, belt width: 120 mm, dimensions dye: (5x) 210 mm x 130 mm, plastic string outfeed belt, belt width: 120 mm, total dimensions: 4600 mm x 800 mm x 2050 mm, trolley and frame with additional with additional dye, dimensions: 1100 mm x 700 mm x 1500 mm and 2000 mm x 700 mm x 1650 mm. With optional vacuum connection.	7500
2	Intray	Intray denester, type: Buffer 1500, serial number: F-18269, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 10 A, plastic belt, belt width: (2x) 170 mm, dimensions trays: (2x) 230 mm x 150 mm, total dimensions: 2000 mm x 650 mm x 1700 mm.	750
3	Proseal	Proseal mobile traysealer, model: Revolution, serial number: PR30-1005, 240 V, 50 Hz, dimensions dye: (x2) 170 mm x 130 mm, film width: 320 mm, total dimensions: 1100 mm x 1100 mm x 1680 mm.	800
4	Kronen	Kronen belt slicer, plastic belt, belt width: 120 mm, total dimensions: 1500 mm x 550 mm x 1300 mm. Switch cabinet incomplete.	1000
5	Smiths detection	Smiths detection X-Ray scanner, type: Pack 320/430, X-ray tube assembly type: HI-RAY 7, serial number: 101285, year of construction: 05-2008, plastic belt, clearance: 455 mm x 240 mm, total dimensions: 1550 mm x 900 mm x 2100 mm.	750
6	FAM	FAM mobile slicer, type: Mantis, number: 7821, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 17 A, 4 kW, weight: 725 kg, plastic V-belt, belt width: (2x) 100 mm, total dimensions: 3200 mm x 1450 mm x 1700 mm.	10000
7	Leximat	Leximat sleever, type: ASM60, machine number: 15001, year of construction: 2015, dimensions: 1850 mm x 1200 mm x 1500 mm.	1500
8	Anritsu	Anritsu mobile metal detector, type: KD8026AW, serial number: 4100049545, year of construction: 2004, 100-240 V, 1 Ph, 50/60 Hz, maximum product weight: 5 kg, plastic belt, belt width: 350 mm, clearance: 450 mm x 170 mm, total dimensions: 760 mm x 750 mm x 1130 mm.	500
9	Multivac	Multivac traysealer, type: T700, serial number: 269525, year of construction: 2018, 400/230 V, 3 Ph, 50 Hz, 26.4 A, 8.2 kW, operating hours: 10862, chain infeed belt, belt width: 185 mm, dye: (3x) Ø 120 mm, plastic outfeed belt, belt width: 245 mm, film width: 225 mm, total dimensions: 4900 mm x 1040 mm x 2050 mm. Without vacuum pump.	7500
10	Meca Plastic		750



Nr	Title	Description	Start €
		Meca Plastic traysealer, type: Meca2003, number: 5433, year of construction: 03.03, chain infeed conveyor with dividers, belt width: 450 mm, distance between dividers: 380 mm, divider height: 20 mm, film width: 450 mm, dimensions dye: (2x) 285 mm x 185 mm, total dimensions: 4080 mm x 1050 mm x 1950 mm. Incomplete, missing outfeed belt and cover.	
11	Multivac	Multivac traysealer, type: T700S, serial number: 153271, year of construction: 2011, 400/230 V, 3 Ph, 50 Hz, 18/32 A, 4.2 kW, film width: 250 mm, plastic belt, belt width: 240 mm, dimensions dye: 175 mm x 120 mm, total dimensions: 2900 mm x 900 mm x 2050 mm. Technical condition unknown.	10000
13	Marel	Marel bottom labelling machine, model: Concept 500, serial number: 10410586, year of construction: 2018, 230 V, 50/60 Hz, 4 A, plastic belts, belt width: (4x) 110 mm, total dimensions: 1300 mm x 780 mm x 1260 mm.	750
14	Record/Automation Systems BV	Record flowpacker with Automation Systems BV infeed belt, type infeed belt: PATO08, year of construction: 2005, 240 V, 13 A, 6 kW, plastic belt, belt width: 200 mm, total dimensions infeed belt: 2700 mm x 800 mm x 1800 mm, model flowpacker: PANDA MD ST, serial number: 15-06-297, year of construction: 2006, 6 kW, film width: 480 mm, seal length: 280 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 3300 mm x 1400 mm x 2400 mm.	7500
15	NN centrifugal pump	Centrifugal pump on s/s trolley, dimensions: 600 mm x 850 mm x 960 mm.	150
16	Record	Record flowpacker, model: PANDA MD, serial number: 15-04-173, year of construction: 2004, 6 kW, 20/150 rpm, weight: 1050 kg, film width: 440 mm, seal width: 350 mm, plastic belt, belt width: 220 mm, total dimensions: 3050 mm x 1400 mm x 1750 mm. Incomplete.	1500
17	Multipond	Multipond 14-heads multihead weigher, fabrication number: M1256, year of construction: 1999, dimensions: 1450 mm x 1700 mm x 1820 mm. Without control panel.	1500
18	MultiWeigh	MultiWeigh 14-heads multihead weigher, dimensions: 1100 mm x 1110 mm x 1470 mm. Incomplete.	1500
19	PFM	PFM flowpacker, model: SHAMAL INOX S, serial number: C. 7506, year of construction: 2005, 380 V, 50 Hz, 13.4 A, 7.5 kW, weight: 1050 kg, plastic belt, belt width: 350 mm, seal length: 350 mm, total dimensions: 3300 mm x 1500 mm x 1800 mm.	1000
20	Jasa Packaging Systems	Jasa Packaging Systems vertical form- fill- and seal machine, type: J350-QUATRO, machine number: 11341, year of construction: 2006, 400 V, 3 Ph, 16 A, funnel	1500



Nr	Title	Description	Start €
		dimensions: 115 mm x 100 mm, vertical seal length: 360 mm, horizontal seal length: 280 mm, Markem-Imaje SmartDate X60 inkjet printer, total dimensions: 2050 mm x 1050 mm x 2100 mm.	
21	Jasa Packaging Systems	Jasa Packaging Systems vertical form-fill and seal machine, type: J350 0, machine number: 11217, year of construction: 2005, 400 V, 3 Ph, 16 A, 4.51 kW, film width: 610 mm, dimensions clearance: 160 mm x 100 mm, seal length: 360 mm, seal width: 390 mm, total dimensions: 2100 mm x 1230 mm x 2400 mm. Cover broken.	1500
22	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH weighing and labelling machine, type: PAS3012, fabrication number: 17000530, year of construction: 2007, 230 V, 1 Ph, 50/60 Hz, maximum weight: 6000 gram, minimum weight: 20 gram, e=d=: 1 gram, capacity: 100 pieces per minute, plastic belt, belt width: 290 mm, total dimensions: 2350 mm x 850 mm x 1700 mm.	1500
23	AEW Delford	AEW Delford checkweigher, type: 8060, fabrication number: 81056, year of construction: 2004, 230 V, 50 Hz, weighing range: 40-4000 g, e=2g, temperature range: 0-35 °C, plastic belt, belt width: 195 mm, total dimensions: 700 mm x 1200 mm x 1600 mm.	250
24	MF Packaging S.r.l.	MF Packaging S.r.l. 4-lane vertical form- fill- and seal machine (stick packaging machine), model: MF STICK4B700, machine number: 180103103-180225, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 18 A, weight: 2200 kg, diameter filling heads: (4x) 30 mm, Videojet inkjet printer, model: 1530, serial number: 18220036C44ZH, total dimensions: 2900 mm x 1800 mm x 2700 mm.	6000
25	Reepack	Reepack traysealer, model: Reeflex 250, serial number: 1111001, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 21 A, film width: 420 mm, dimensions dye: (2x) 320 mm x 240 mm, plastic mesh outfeed belt, belt width: 400 mm, total dimensions: 4200 mm x 900 mm x 1850 mm.	5000
26	Mclean	Mclean x-ray scanner with rejector, model: CR29-0426-G084, serial number: 11009048-10, 230 V, 1 Ph, 50-60 Hz, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 1000 mm x 2000 mm.	4000
27	Yamato	Yamato 10-heads multihead weigher, model: ADW-410SV, serial number: WG060924, 200-240 V, 1 Ph, 50/60 Hz, 5 A, weighing range: 8 g - 1000 g, dimensions: 1000 mm x 1000 mm x 1600 mm.	7500
28	MultiWeigh	MultiWeigh 16-heads multihead weigher, type: MW 16 2.0M 57° 3MIX, serial number: 0861, year of construction: 03/2015, dimensions: 1500 mm x 1500 mm x 2200 mm.	15000



Nr	Title	Description	Start €
29	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: TRAVE 367 VG, serial number: A/18/A-11784, year of construction: 2018, 400 V, 3 Ph, 50 Hz, plastic string belt, belt width: 300 mm, dimensions dye: (5x) 140 mm x 100 mm, total dimensions: 4100 mm x 1000 mm x 2400 mm. With chain infeed belt, additional dye sets, trolley and frames for dyes.	7500
30	CAB	CAB labelling machine, model: Top/Base labelling R>>L, serial number: 170809, year of construction: 2017, 220-240 V, 50-60 Hz, 10 A, plastic belt, belt width: 300 mm, total dimensions: 1550 mm x 700 mm x 1800 mm.	1000
31	Tennant	Tennant floor scrubbing machine, dimensions: 1550 mm x 700 mm x 1100 mm.	500
32	Safeline Mettler-Toledo Garvens GmbH	Safeline Mettler-Toledo Garvens GmbH metal detector with checkweigher, type metal detector: R Series Profile, serial number: 108910, type checkweigher: XS 3 CC, fabrication number: 35002725, year of construction: 2011, 100-240 V, 50-60 Hz, maximum weight: 1000 gram, minimum weight: 7 gram, e=d= 0.5 gram, T=-900 gram, plastic belt, belt width: 250 mm, total dimensions: 2450 mm x 1300 mm x 1780 mm.	2500
33	Marel	Marel labelling machine, model: CONCEPT 500, serial number: LA0700, year of construction: 2016, 230 V, 50/60 Hz, 4 A, 1 kW, weight: 160 kg, plastic belt, belt width: 240 mm, total dimensions: 900 mm x 700 mm x 1800 mm.	750
34	H. Glass	H. Glass tumbler, type: VSM 570F, machine number: 1733, 220/380 V, 0.7 kW, with agitator with scrapers, inside dimensions: Ø 1000 mm x 850 mm, total dimensions: 1550 mm x 1250 mm x 1950 mm.	1500
35	Carsoe	Carsoe tray denester, type/model: ANYTRAY BUFFER 1500 CLEANLINE RIGHT, year of construction: 2021, 1 x 230 V, 50 Hz, 0.46 kW, plastic belt, belt width: 270 mm, Carsoe tray dispenser, type/model: ANYTRAY LEANONE DENESTER 221 x 138 B, year of construction: 2021, total dimensions: 1900 mm x 700 mm x 1700 mm.	750
36	Multivac	Multivac mobile traysealer, type: T250, serial number: 141145, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 27/32 A, 5.2 kW, dimensions dye: (9x) Ø 90 mm, Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m ³ per hour, total dimensions: 1350 mm x 800 mm x 1650 mm. One cover is missing.	3000
37	Unikon	Unikon mobile crate washing machine, type: UN-100SL, machine number: 96124, 380 V, 3 Ph, 50 Hz, 35 A, 5.5 kW, clearance: 850 mm x 600 mm, total dimensions: 2600 mm x 1000 mm x 1650 mm.	1250
38	Holac	Holac dicer, chamber dimensions: 150 mm x 150 mm, total dimensions: 2200 mm x 1050 mm x 2200 mm.	1500



Nr	Title	Description	Start €
39	Carsoe	Carsoe tray denester, type/model: ANYTRAY BUFFER 1500 LEANONE RIGHT PNEUMATIC, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 0.46 kW, plastic belt, belt width: 270 mm, Carsoe tray dispenser, type/model: ANYTRAY LEANONE DENESTER 178 x 122 B S 2.0, year of construction: 2022, total dimensions: 1900 mm x 700 mm x 1700 mm.	750
40	Thermo Scientific	Thermo Scientific checkweigher, model VERSA WEIGH GVW) V312, serial number: E 307, year of construction: 2019, 230 V, 50/60 Hz, minimum weight: 35 gram, maximum weight: 300 gram, e=d= 0.5 gram, total dimensions: 1150 mm x 920 mm x 1550 mm. Without transport belt.	1500
41	Michelin	Michelin air compressor, serial number: 421005677, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 8.5 A, 5.5 kW, dimensions: 1500 mm x 500 mm x 1000 mm.	250
42	Alup Kompressoren GmbH	Alup Kompressoren GmbH air dryer, type: ADQ 36 (1), serial number: ITJ506027, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 0.236 kW, refrigerant: R513A, dimensions: 500 mm x 350 mm x 500 mm.	200
43	Alup Kompressoren GmbH	Alup Kompressoren GmbH oil-condense seperator, dimensions: 370 mm x 270 mm x 400 mm.	75
44	Multivac	Multivac mobile traysealer, type: T200, machine number: 121012, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 20 A, 3.8 kW, dimensions dye: (2x) 240 mm x 140 mm, total dimensions: 1350 mm x 750 mm x 1600 mm.	3000
45	Multipond	Multipond vibrating gutter with s/s platform, type: BE-EXT-HD, fabrication number: BE 2010017, year of construction: 2010, 230 V, gutter width: 450 mm, total dimensions: 2150 mm x 2400 mm x 2200 mm.	1500
46	Marel	Marel labelling machine, model: CONCEPT 500, serial number: 10422443, year of construction: 2019, 230 V, 3 Ph, 50/60 Hz, bottom labeller, plastic belt, belt width: 230 mm, total dimensions: 1200 mm x 750 mm x 1200 mm.	750
47	Marel	Marel labelling machine, model: CONCEPT 500, serial number: LA0730, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 1 kW, weight: 160 kg, top and bottom labeller, plastic belt, belt width: (1x) 110 mm, total dimensions: 1300 mm x 750 mm x 1150 mm. Missing transport belts.	1000
48	Key Technology	Key Technology optical sorting machine, model: 6 795-604013.1, serial number: 07-188087, year of construction: 2007, 400 V, 50 Hz, 40 A, plastic belt, belt width: 1250 mm, clearance: 1250 mm x 90 mm, total dimensions: 3800 mm x 1900 mm x 2300 mm.	3000
49	MultiWeigh		1500



Nr	Title	Description	Start €
		MultiWeigh 10-heads multihead weigher, type: HDW 10-2.0-60, serial number: X0759, year of construction: 02.2014, 230 V, 1 Ph, 50 Hz, minimum weight: 45 g, maximum weight: 1000 g, d=1/2 g, dimensions: 1250 mm x 1300 mm x 1800 mm. Incomplete, missing one outfeed gutter.	
50	Marel	Marel optical portion cutter, type: IPM3 X300, serial number: A030592, year of construction: 2005, 380-480 V, 3 Ph, 10 A, 4 kW, plastic belt, belt width: 280 mm, total dimensions: 3300 mm x 950 mm x 1900 mm.	2500
51	Meca Plastic	Meca Plastic traysealer, type: MECA S3000, film width: 450 mm, christmas tree dye's, dimensions dye: (2x) 200 mm x 150 mm, plastic outfeed rollers, roller width: 500 mm, total dimensions: 3800 mm x 900 mm x 2000 mm.	1500
52	Alexanderwerk	Alexanderwerk vegetable washing tank with vibrating gutter and water filter, dimensions washing tank: 2900 mm x 450 mm x 1100 mm, dimensions vibrating gutter with filter: 1550 mm x 900 mm x 1100 mm.	2000
53	NN vibrating gutter	Vibrating gutter, gutter width: 480 mm, total dimensions: 2100 mm x 950 mm x 1100 mm.	750
54	Webomatic	Webomatic traysealer, type: TL 300, number: E 9021TK275, 400 V, 3 Ph, 50 Hz, 7.5 A, 4.5 kW, dye: 320 mm x 260 mm, Busch vacuum pump, type: RA 0055 F 503, capacity: 55 m ³ per hour, total dimensions: 1000 mm x 800 mm x 600 mm.	4000
55	Deca	Deca mobile depositor with trolley with parts, year of construction: 2019, dimensions depositor: 1400 mm x 1450 mm x 2050 mm, dimensions trolley for parts: 1250 mm x 700 mm x 1300 mm.	1500
56	Ishida	Ishida checkweigher with rejecter, type: DACS-W-030-SB/WP-I-N, serial number: 562484, year of construction: 2012, 240 V, 50 Hz, 2A, maximum weight: 3300 mm, minimum weight: 125 gram, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 810 mm x 1600 mm.	1500
57	Steven BV	Steven BV dosing machine for cups, serial number: CUPJESDOSEUR, machine number: 16016, year of construction: 2016, 400 V, dimensions: 1000 mm x 1250 mm x 1950 mm.	250
58	Bandall	Bandall mobile binding machine, type: BA 32-102, machine number: 9142045, 230 V, 50 Hz, clearance: 400 mm x 210 mm, total dimensions: 660 mm x 810 mm x 1890 mm.	1000
59	ABL S.R.L.	ABL S.R.L. mango destoning machine, type: MNG 24, serial: 05, year of construction: 2012, weight: 650 kg, total dimensions: 2200 mm x 2050 mm x 2200 mm.	1250
61	Serrano	Serrano mobile double clipper, model: MH-640, s/s rollers, roller width: 190 mm, total dimensions: 1100 mm x 500 mm x 1750 mm.	500



Nr	Title	Description	Start €
62	EME	EME labelling machine, type: EME Serie 1000, serial number: SEE Label head, 220-240 VAC, 50/60 Hz, 250 W, belt width: 235 mm, total dimensions: 2200 mm x 750 mm x 1550 mm.	500
63	Marel	Marel checkweigher with rejector, model: MCheck2, serial number: M0223, year of construction: 2017, 100-120/200-240 V, 50/60 Hz, plastic belt, belt width: 235 mm, total dimensions: 1430 mm x 1170 mm x 2020 mm.	1500
64	VWS Nederland B.V.	VWS Nederland B.V. labelling machine, model: LPX_Blow 4/300R / H statief_800mmbelt, serial number: LP142852, year of construction: 2014, 230 V, 50-60 Hz, plastic belt, belt width: 295 mm, total dimensions: 700 mm x 800 mm x 1700 mm.	500
65	VWS Nederland B.V.	VWS Nederland B.V. labelling machine, model: LPX_Blow 4/300R/H statief_800mmbelt, serial number: LP142791, year of construction: 2014, 230 V, 50-60 Hz, plastic belt, belt width: 300 mm, total dimensions: 750 mm x 800 mm x 1750 mm.	500
66	Jasa Packaging Systems	Jasa Packaging Systems mobile tray filling machine, type: VULSTATION, machine number: 12492, year of construction: 2015, 230 V, 6 bar, weight: 250 mm, clearance outfeed: 150 mm x 145 mm, total dimensions: 950 mm x 900 mm x 2100 mm.	500
67	Falcon	Falcon labelling machine with top and bottom labeller, plastic belt, belt width: 240 mm, total dimensions: 1600 mm x 800 mm x 1750 mm.	1000
68	HENK MAAS Scales	HENK MAAS Scales checkweigher, type: CW-100, serial number: 73304449, 230 V, maximum: 6 kg, minimum: 100 gram, e - 5 gram, total dimensions: 820 mm x 650 mm x 1510 mm.	250
69	Packaging Automation Ltd	Packaging Automation Ltd mobile rotary traysealer, type: 182/5 MK2, serial number: E158918213456, 240 V, 50 Hz, dimensions dye: (2x) 200 mm x 135 mm, total dimensions: 1300 mm x 1200 mm x 1670 mm.	750
70	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S mobile depositor, model: DPD 20, machine number: 7863, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 3.0/16 A, dimensions: 700 mm x 900 mm x 1800 mm. Incomplete.	150
71	Proseal	Proseal mobile traysealer, type: FastPack F40, serial number: 1750, year of construction: 2008, 230 V, 50 Hz, 6 bar, dye: (2x) 165 mm x 125 mm, plastic wire belt, belt width: 180 mm, total dimensions: 2700 mm x 800 mm x 2000 mm.	750
72	Thermo Goring Kerr	Thermo Goring Kerr mobile metal detector with rejector, type: TEK21, serial number: 60951, year of construction: 2002, 220 V, 50/60 Hz, 0.4 A, plastic belt,	1000



Nr	Title	Description	Start €
		belt width: 340 mm, clearance: 500 mm x 105 mm, total dimensions: 1670 mm x 1000 mm x 1130 mm.	
73	SBS	SBS mobile cap sealer, model: FLEXI-PLUS, serial number: 1509, year of construction: 30/04/2018, 240 V, 50 Hz, 16 A, dimensions: 900 mm x 400 mm x 1500 mm.	300
74	Beldos	Beldos mobile depositor, diameter infeed funnel: 385 mm, diameter output: 40 mm, total dimensions: 700 mm x 960 mm x 1500 mm.	500
75	Niro-tech	Niro-tech tiltable paddle-mixer, type: RX-150, inside dimensions: 520 mm x 500 mm x 500 mm, total dimensions: 700 mm x 1400 mm x 1640 mm.	3250
76	Audion Elektro	Audion Elektro mobile vertical form- fill- and seal machine, type: AVMS 190 HS-2, serial number: SP09036, year of construction: 2009, 230/400 V, 3 Ph, 50/60 Hz, 1750 W, diameter filling pipe: 50 mm, vertical seal length: 300 mm, horizontal seal length: 260 mm, total dimensions: 900 mm x 1100 mm x 1800 mm.	750
77	Lock Inspection Systems	Lock Inspection Systems mobile metal detector, model: MET30+, serial number: 26811/1, year of construction: 12-12-05, 380 V, 3 Ph, 50 Hz, 0.8 A, plastic mesh belt, belt width: 350 mm, clearance: 370 mm x 120 mm, total dimensions: 870 mm x 500 mm x 1260 mm.	500
78	Leventi	Leventi combi steamer, model: COMBIMAT DGT, 6 floors, dimensions each floor: 550 mm x 400 mm, total dimensions: 980 mm x 880 mm x 1880 mm.	500
79	OCS	OCS checkweigher, type: HC, serial number: 1007086, year of construction: 2015, 230 V, 1 Ph, 50 Hz, belt width: 600 mm, total dimensions: 970 mm x 830 mm x 1230 mm. Missing belt.	500
80	Anritsu	Anritsu checkweigher, type: KW5304AW3R, serial number: K119048, year of construction: 1999, 100-120/200-240 V, 50/60 Hz, 480 VA, maximum weight: 1200 g, minimum weight: 20 g, e=d= 0.5 g, T=-1200 g, plastic belt, belt width: 220 mm, total dimensions: 900 mm x 700 mm x 1750 mm.	500
81	Loma Systems	Loma Systems metal detector, model: IQ3, serial number: MC304-18129D, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 0.3 A, plastic belt, belt width: 400 mm, clearance: 450 mm x 210 mm, total dimensions: 1050 mm x 900 mm x 1350 mm.	700
82	Marel	Marel bottom labelling machine, model: Concept 500, serial number: LA0754, year of construction: 2018, 230 V, 50/60 Hz, 1 kW, weight: 160 kg, plastic belt, belt width: (2x) 110 mm, total dimensions: 1320 mm x 780 mm x 1800 mm.	750
83	Marel	Marel labelling machine, model: CONCEPT 500, serial number: LA0698, year of construction: 2016, 230 V,	1000



Nr	Title	Description	Start €
		50/60 Hz, 4 A, 1 kW, plastic belt, belt width: (2x) 110 mm, total dimensions: 1750 mm x 850 mm x 1830 mm.	
85	Optima Control Systems GmbH	Optima Control Systems GmbH checkweigher, type: EC, number: 1000404, year of construction: 1998, 230 V, 1 Ph, 50 Hz, weighing range: 50-1500 g, plastic belt, belt width: 150 mm, total dimensions: 900 mm x 600 mm x 1750 mm.	500
87	Grundfos	Pump set with 3 Grundfos circulation pumps, type: (3x) CRN15-03 A-FGJ-G-E-HQQE, 3 kW, 50 Hz, capacity: (3x) 17 m ³ per hour, dimensions: 1000 mm x 500 mm x 600 mm.	350
88	GKS Packaging	GKS Packaging mobile vertical form- fill- and seal machine, type: UP350HS, serial number: 04686, year of construction: 11-2015, diameter filling pipe: 200 mm, vertical seal length: 480 mm, horizontal seal length: 360 mm, total dimensions: 1550 mm x 930 mm x 2800 mm.	12500
89	GKS Packaging	GKS Packaging mobile vertical form- fill- and seal machine, type: UP350HS, serial number: 04674, year of construction: 11-2015, diameter filling pipe: 200 mm, vertical seal length: 480 mm, horizontal seal length: 360 mm, total dimensions: 1550 mm x 930 mm x 2300 mm.	12500
90	GKS Packaging	GKS Packaging elevating belt, plastic belt with dividers, belt width: 300 mm, divider height: 80 mm, distance between dividers: 190 mm, elevating height: 2500 mm, total dimensions: 4000 mm x 860 mm x 2600 mm.	1500
92	Marel	Marel labelling machine, model: CONCEPT 500, serial number: LA0533, year of construction: 2012, 230 V, 50/60 Hz, 4 A, 1 kW, plastic belt, belt width: (2x) 110 mm, total dimensions: 750 mm x 850 mm x 1830 mm.	750
93	Kronen	Kronen centrifuge, diameter basket: 450 mm, height basket: 360 mm, total dimensions: 850 mm x 600 mm x 800 mm.	500
94	Loma Systems	Loma Systems metal detector, model: IQ2, serial number: 11143, year of construction: 2004, 400 V, 3 Ph, 0.35 kW, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 150 mm, total dimensions: 1200 mm x 950 mm x 1150 mm.	1500
96	VWS Nederland B.V.	VWS Nederland B.V. labelling machine, plastic belt, belt width: 280 mm, total dimensions: 2100 mm x 850 mm x 1300 mm.	1000
97	Schäl-Automat	Schäl-Automat asparagus peeling machine, dimensions: 1700 mm x 900 mm x 1400 mm.	2500
99	Metronics Technologies	Metronics Technologies waterjet cutting machine for pastry, model: Watercut, diameter plate: 850 mm, total dimensions: 1900 mm x 1200 mm x 1500 mm.	7500
100	Affeldt	Affeldt 10-lanes linear weigher, lane width: 120 mm, total dimensions: 1800 mm x 1500 mm x 1400 mm.	500
101	Affeldt		500



Nr	Title	Description	Start €
		Affeldt 10-lanes linear weigher, lane width: 120 mm, total dimensions: 1800 mm x 1500 mm x 1400 mm.	
102	Jasa Packaging Systems	Jasa Packaging Systems vertical form- fill- and seal machine, type: QP350/90, machine number: 10720 MOD.1, year of construction: 2001, 400 V, 3 Ph, 16 A, 4.5 kW, infeed belt width: 150 mm, diameter infeed pipe: 170 mm, horizontal seal length: 970 mm, vertical seal length: 390 mm, total dimensions: 1850 mm x 2950 mm x 2190 mm.	1000
103	Airpress	Airpress compressed air dryer, model: ADR 32, serial number: 2200143993, year of construction: 2009, 230 V, 1 Ph, 50 Hz, dimensions: 650 mm x 500 mm x 750 mm.	300
104	Cavanna	Cavanna flowpacker, model: ZERO 1/E, serial number: 4308, year of construction: 2005, 400 V, 3 Ph, 50 Hz, width infeed lane: 80 mm, distance between dividers: 300 mm, seal width: 250 mm, plastic outfeed belt, belt width: 180 mm, total dimensions: 4600 mm x 1200 mm x 1540 mm.	1500
105	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CV/VG-S, machine number: 2307-03/1, year of construction: 2003, 400 V, 3 Ph, 50 Hz, Busch vacuum pump, type: RA 0040 E 501, film width: 330 mm, dimensions dye: (3x) oval 170 mm x 110 mm, total dimensions: 950 mm x 1150 mm x 1650 mm.	500
106	Stork Townsend B.V.	Stork Townsend B.V. meat harvester, model: DMM 10, serial number: B09021, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 12 kW, 1860 kg, ø chamber: 215 mm, length: 450 mm, ø filter: 5 mm, total dimensions: 3200 mm x 1000 mm x 2000 mm, Denison hydraulics hydraulic unit, type: N19 - 01334-A, year of construction: 15-09-2006, dimensions: 1650 mm x 800 mm x 1900, including s/s switch cabinet, dimensions: 850 mm x 400 mm x 1800 mm.	3500
107	Marco	Marco weighing scale for crates on s/s mobile frame, model: LineMaster IV, serial number: 169527, 110-230 V, maximum: 20000 gram, minimum: 20 gram, e= 1 gram, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	100
108	Marco	Marco weighing scale for crates on s/s mobile frame, model: LineMaster V, serial number: 226984, year of construction: 2017, 110-230 V, maximum: 20000 gram, minimum: 20 gram, e= 1 gram, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	100
109	Marco	Marco weighing scale on s/s frame, model: LMIII, serial number: 49586, 90-250 V, 50-60 Hz, 0.8 A, maximum: 20000 gram, minimum: 20 gram, e= 1 gram, dimensions	100



Nr	Title	Description	Start €
		scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	
110	Marco	Marco weighing scale for crates on s/s mobile frame, model: LMIII, serial number: 49584, 90-250 V, 50-60 Hz, 0.8 A, maximum: 20000 gram, minimum: 20 gram, e= 1 gram, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	100
111	EasyPack Technologies	EasyPack Technologies bag filling machine, type: ELS, serial number: 0151, year of construction: 05-2018, 400 V, 50 Hz, plastic mesh belt, belt width: 220 mm, total dimensions: 5200 mm x 2000 mm x 1800 mm.	1500
112	Multipond	Multipond mobile 14-heads multihead weigher, type: MP 1424-FF, serial number: M1722, year of construction: 2002, 400 V, 3 Ph, 50 Hz, maximum weight: 10 kg, minimum weight: 200 g, d=1/2 g, dimensions: 1950 mm x 1650 mm x 1650 mm. Without control panel.	4500
113	Sarco	Sarco elevating belt, plastic belt with dividers, belt width: 450 mm, divider height: 70 mm, distance between dividers: 150 mm, elevating height: 4000 mm, total dimensions: 3000 mm x 1850 mm x 4300 mm.	1500
114	Newtec	Newtec 14-lanes linear weigher, type: 2014PC-2B, number: 5543, year of construction: 2000, 400 V, 3 Ph. 50 Hz, 9 A, lane width: 120 mm, dimension weigher: 2050 mm x 1300 mm x 1500 mm, dimensions platform: 3500 mm x 2900 mm x 3050 mm.	4000
115	Audion Elektro	Audion Elektro vertical form- fill- and seal machine, type: AVM 280H-2, serial number: SP05158, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 5500 W, diameter filling pipe: 150 mm, vertical seal length: 480 mm, horizontal seal length: 360 mm, total dimensions: 1650 mm x 1900 mm x 1950 mm.	1000
116	Sealpac GmbH	Sealpac GmbH traysealer, model: SEALPAC 350, serial number: TVO 02 955 01, year of construction: 2004, 230/400 V, 3 Ph, weight: 450 kg, chain infeed belt, belt width: 70 mm, dye: 290 mm x 160 mm, string outfeed belt, belt width: 145 mm, film width: 220 mm, total dimensions: 2560 mm x 670 mm x 1770 mm. Without vacuum pump. Plastic cover damaged.	750
117	Ulma	Ulma mobile flowpacker, model: SLAU 80x60, machine number: 4515104, year of construction: 2014, 400 V, 50 Hz, 8.5 A, 4.5 kW, plastic belt, belt width: 570 mm, seal length: 600 mm x 865 mm, total dimensions: 2350 mm x 1100 mm x 1700 mm.	5000
118	Ulma	Ulma mobile shrink tunnel, model: TR 65x100 H400, machine number: 4515117, year of construction: 2014, 400 V, 50 Hz, 31.1 A, 21.5 kW, steel belt, belt width: 645	3000



Nr	Title	Description	Start €
		mm, clearance: 640 mm x 430 mm, total dimensions: 1800 mm x 1400 mm x 1800 mm.	
119	Zomerdam	Zomerdam metal detector, type: MN 5.1 CI 450/300, serial number: 920921-CI, 240 V, 50/60 Hz, 2 A, 0.5 kW, plastic belt, belt width: 400 mm, clearance: 350 mm x 260 mm, total dimensions: 2650 mm x 950 mm x 1400 mm.	1000
120	Inauen Maschinen AG	Inauen Maschinen AG thermoformer, type: VC999/RS 459, machine number: RS545907338390, 400 V, 3 Ph, 50 Hz, 30 A, 12 kW, dimensions dye: (2x) 390 mm x 200 mm and (6x) 180 mm x 120 mm, total dimensions: 3350 mm x 1050 mm x 1900 mm. Incomplete, technical condition unknown.	1750
121	Marel	Marel checkweigher, type: INW3 X400, serial number: A038487, year of construction: 2006, 380-480 V, 3 Ph, 50 Hz, 10 A, 1.2 kW, plastic belt, belt width: 390 mm, total dimensions: 1800 mm x 900 mm x 1450 mm.	1500
122	CPS Case Packing Systems	CPS Case Packing Systems crate loader, type: CL 64, order: 16.1808, year of construction: 06-2016, 400 V, 3 Ph, 50 Hz, 35 A, plastic belts, belt width: (4x) 450 mm, 580 mm and 650 mm, dimensions crates: 600 mm x 400 mm x 170 mm, total dimensions: 3100 mm x 4150 mm x 1860 mm, dimensions switch cabinet: 1200 mm x 550 mm x 2850 mm. Including CPS Case Packing Systems electric roller conveyor with rejecting system, steel rollers, roller width: 440 mm, total dimensions: 650 mm x 750 mm x 490 mm and roller conveyor, plastic rollers, roller width: 590 mm, total dimensions: 1450 mm x 780 mm x 510 mm.	10000
123	Zomerdam	Zomerdam checkweighing and labelling machine with 3 top labellers and 1 bottom labeller, type checkweigher: DCW- 0.5/1, fabrication number: 3682-1, year of construction: 2018, 230 V, 50 Hz, maximum weight: 0.125 - 1.2 kg, minimum weight: 40 gram, d = e = 0.5 / 1 gram, belt width: 200 mm, total dimensions: 4520 mm x 1150 mm x 2000 mm.	2000
124	Sealpac GmbH	Sealpac GmbH traysealer, model: SEALPAC 800+, serial number: TVG 01 1341 01, year of construction: 2006, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, plastic infeed wire belt, belt width: 180 mm, dye: (3x) 288 mm x 220 mm, outfeed chain conveyor, conveyor width: 200 mm, total dimensions: 7400 mm x 1000 mm x 2100 mm.	3500
125	Newtec	Newtec bag filling and closing machine, type: VB40CAE, number: 6622, year of construction: 2003, 400 V, 3 Ph, 4 A, 1.1 kW, plastic belt, belt width: 150 mm, total dimensions: 1900 mm x 1350 mm x 1520 mm.	500
126	Betti S.r.l.	Betti S.r.l. packaging machine used for potatoes, machine model: NB/70/24-W.DX, serial number: 2040,	2500



Nr	Title	Description	Start €
		400 V, 3 Ph, 50 Hz, 18 A, s/s rollers, roller width: 215 mm and 225 mm, chain belt with dividers, divider height: 120 mm, distance between dividers: 370 mm, total dimensions: 6250 mm x 1700 mm x 2080 mm.	
127	Schutten Machines BV	Schutten Machines BV filling and closing machine, 8 stations, total dimensions: 2350 mm x 1400 mm x 1950 mm. Incomplete, technical condition unknown.	500
128	Record	Record flowpacker, model: SCORPION, serial number: 09-06-603, year of construction: 2007, weight: 825 kg, 380 V, 3 Ph, 50/60 Hz, kW: 4, 4000 W, seal length: 330 mm, plastic outfeed belt, belt width: 210 mm, total dimensions: 2900 mm x 1400 mm x 2050 mm. Cover is broken.	1500
129	Eillert B.V.	Eillert B.V. slicer, type: G 4400 VS, 230 V, 1 Ph, 10.9 A, plastic belt, belt width: 250 mm, diameter knife: 365 mm, total dimensions: 2900 mm x 2000 mm x 2380 mm. Incomplete.	1000
130	Risco	Risco mobile portioning machine for minced meat, type: RS 914, serial number: P510003, year of construction: 2010, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 180 mm, knife width: 180 mm, total dimensions: 1450 mm x 600 mm x 1580 mm.	1000
131	Ceia	Ceia metal detector, model: THS/3F, serial number: 20300248020, plastic belt, belt width: 400 mm, clearance: 450 mm x 130 mm, total dimensions: 1500 mm x 850 mm x 1430 mm. Last calibrated: 2023.	1000
132	Rietschle	Rietschle vacuum pump, dimensions: 900 mm x 600 mm x 400 mm.	150
133	Omori	Omori mobile stretchwrapper, model: STC-I, minimal tray dimensions: 100 mm x 80 mm x 15 mm, maximum tray dimensions: 350 mm x 180 mm x 60 mm, maximum product height: 80 mm, film width: 220 - 450 mm, plastic infeed belt, belt width: 170 mm, plastic outfeed belt, belt width: 210 mm, total dimensions: 3400 mm x 800 mm x 1500 mm. Including pallet with 22 Lincac rolls of stretch film, model: PREMIUM SLA 200, film width: 380 mm, total dimensions: 1200 mm x 800 mm x 1000 mm.	500
134	AEW Sortaweigh LTD	AEW Sortaweigh LTD weighing and labelling machine, type: 8060, factory number: 86125, year of construction: 2004, temperature range: 0/+35 °C, maximum: 4000 gram, minimum: > 40 gram, e= 2 grams, weighing speed: 58 pieces per minute, BBK labeller, serie: Rapid "S", serial number: SR 120/0404-3115 S, machine number: 24201118, year of construction: 2004, belt width: 200 mm and (2x) 90 mm, total dimensions: 3100 mm x 1000 mm x 1850 mm.	500



Nr	Title	Description	Start €
135	AEW Delford	AEW Delford checkweighing and labelling machine, type: 8060, fabrication number: 86229, year of construction: 2006, 230 V, 50 Hz, maximum weight: 4000 gram, minimum weight: 40 gram, e=: 2 gram, T=-1000 gram, capacity: 100 pieces per minute, top and bottom labeller, plastic belt, belt width: (2x) 90 mm and (1x) 195 mm, total dimensions: 1200 mm x 700 mm x 1600 mm and 1500 mm x 680 mm x 2000 mm. Missing screen.	250
136	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: E3, factory number: 33004862, year of construction: 2006, 230 V, 50/60 Hz, plastic belts, belt width: 400 mm, total dimensions: 2550 mm x 900 mm x 1700 mm.	1500
137	MultiWeigh	MultiWeigh 20-heads multihead weigher, type: HDW20-4.0-60-TWIN, serial number: X0592, year of construction: 02.2012, 400 V, 50 Hz, weighing range: 230-5000 g, scale interval d: 5.0 g, scale interval d: 10.0 g, temperature range: 0 C°-15 C°, dimensions: 1600 mm x 1600 mm x 1820 mm.	6000
138	MultiWeigh	MultiWeigh 14-heads multiweigher, dimensions: 1500 mm x 1500 mm x 1340 mm. Incomplete, technical condition unknown.	750
139	Mettler Toledo / Safeline	Mettler Toledo / Safeline metal detector head, type: R Series Profile, serial number: 891456, 100-240 V, 50-60 Hz, 340 W, clearance: 300 mm x 175 mm, total dimensions: 830 mm x 280 mm x 420 mm.	500
140	Safeline Mettler-Toledo Garvens GmbH	Safeline Mettler Toledo mobile metal detector, model: 50H, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 280 mm, clearance: 300 mm x 80 mm, total dimensions: 2500 mm x 950 mm x 1600 mm.	1500
141	Jasa Packaging Systems	Jasa Packaging Systems vertical form- fill- and seal machine, type: QP 350/90, machine number: 11745, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 18 A, 4.5 kW, vertical seal length: 480 mm, horizontal seal length: 395 mm, total dimensions: 2700 mm x 1700 mm x 2400 mm.	1000
143	Tramper	Tramper traysealer, type dye set: BM3060, serial number: 082, project number: 195185, year of construction: 2011, plastic belt, belt width: 350 mm, dimensions dye: (2x) 220 mm x 180 mm, total dimensions: 3500 mm x 1000 mm x 2150 mm. Incomplete, technical condition unknown.	1000
144	Diwac b.v.	Diwac b.v. weighing scale, type: IT1000, serial number: 051971, 110-240 V, 50/60 Hz, 0.2 A, maximum weight: 30 kg, minimum weight: 0.2 kg, e=d= 0.01 kg, dimensions: 500 mm x 500 mm x 770 mm.	50
145	Ulma	Ulma traysealer, model: TAURUS 300, serial number: 7130092, year of construction: 2010, 400 V, 50 Hz, 19 A,	3000



Nr	Title	Description	Start €
		5 kW, barcode printer, belt width: (2x) 160 mm, clearance: 520 mm x 240 mm, dye: (2x) 175 mm x 175 mm, index: 280 mm, plastic belt, belt width: 450 mm, total dimensions: 4150 mm x 1100 mm x 2100 mm. Without vacuum pump.	
146	Mepac Productions GmbH	Mepac Productions GmbH vertical form- fill- and seal machine, type: VSC 420 IS, serial number: 25.11.08.01, year of construction: 2009, seal length: 130 mm and 450 mm, dimensions: 2950 mm x 1850 mm x 2900 mm.	5000
147	Newtec	Newtec 6-lanes linear weigher on s/s platform, type: 2013M, number: 6404, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 9 A, 1.4 kW, 6, lane width: 85 mm, total dimensions: 1900 mm x 2000 mm x 3320 mm.	4000
148	Teknox	Teknox industrial washing machine, type: Unix 120 2B, serial number: 12881, year of construction: 2020, 400 V, 3 Ph, 50 Hz, maximum temperature: 80°C, maximum capacity: 300 kg, inside dimensions: 1260 mm x 1320 mm x 1100 mm, total dimensions: 2400 mm x 2200 mm x 1900 mm.	3000
149	J. Affeldt	J. Affeldt mobile elevating belt, type: AVN/771, number: 2795, year of construction: 1984, 380 V, 50 Hz, plastic belt with dividers, belt width: 190 mm, divider height: 30 mm, distance between dividers: 235 mm, elevating height: 1750 mm, total dimensions: 3600 mm x 1500 mm x 1900 mm.	400
150	Jay-Craft	Jay-Craft Food Machinery mobile slicer, plate diameter: 180 mm, working width: 140 mm, total dimensions: 1550 mm x 750 mm x 1550 mm.	400
151	NN tumbler	S/s tumbler, tub dimensions: Ø 1850 mm x 3200 mm, total dimensions: 4000 mm x 1850 mm x 2200 mm.	1500
152	NN tubs	2 s/s tubs, dimensions: (2x) 940 mm x 770 mm x 1030 mm.	200
153	Key Technology	Key Technology vibrating gutter, type: MVSSF, year of construction: 2000, gutter width: 480 mm, total dimensions: 3200 mm x 900 mm x 2420 mm.	750
154	WVG Kainz GmbH	WVG Kainz GmbH meat bin washer, dimensions: 1950 mm x 1800 mm x 2300 mm.	1500
155	Sartorius	Sartorius pressure filter, type: 30312, year of construction: 1987, max pressure: 8 bar, capacity: 17 liter, dimensions: 430 mm x 450 mm x 1800 mm.	50
156	NN elevating belt	Mobile elevating belt, plastic mesh belt, belt width: 400 mm and 300 mm, elevating height: 1700 mm, total dimensions: 3400 mm x 1000 mm x 2000 mm.	750
157	Scanvaegt	Scanvaegt checkweigher, type: 4717 BB. 275*1200, serial number: BOF00132, year of construction: 2008, 400–480 V, 3 Ph, 50/60 Hz, 10.0 A, weight: 175 kg, belt width: 275 mm, total dimensions: 1700 mm x 800 mm x 1940 mm. Incomplete, technical condition unknown.	250



Nr	Title	Description	Start €
158	Conveyor Tec	Conveyor Tec mobile 90° curve conveyor, serial number: 270911, s/s mesh belt, belt width: 1090 mm, total dimensions: 2150 mm x 1500 mm x 1070 mm. Missing 1 wheel.	400
159	Daumar S.A.	Daumar S.A. multihead weigher, type: PA 25, fabrication number: 142553, year of construction: 2008, 400 V, 50 Hz, maximum weight: 3 kg, minimum weight: 100 gram, d=e=: 2 gram, T= 3 kg, plastic belt, belt width: 220 and 250 mm, total dimensions: 1400 mm x 1400 mm x 2750 mm.	1000
160	Tap Machinebouw	Tap Machinebouw stacker, type: GL50, serial number: 015-06832, year of construction: 2010, clearance: 210 mm x 600 mm, plastic belts, belt width: 210 mm and 150 mm, total dimensions: 1400 mm x 1520 mm x 2000 mm.	750
161	Jasa Packaging Systems	Jasa Packaging Systems elevating belt, type: Bufferband, machine number: JA 12780, serial number: 001, year of construction: 2017, machine weight: 92 kg, 230 V, 3 Ph, 0.17 A, 0.37 kW, plastic belt: 400 mm, elevating height: 1800 mm, total dimensions: 2000 mm x 1200 mm x 1980 mm.	300
162	CPS Case Packing Systems	CPS Case Packing Systems buffer belt, number: 42321, year of construction: 06-2016, plastic belt, belt width: (2x) 200 mm and 450 mm, total dimensions: 1550 mm x 980 mm x 1840 mm.	750
163	NN lifter	Lifter for 200 liter meat bins, dimensions: 1200 mm x 1240 mm x 2750 mm.	300
164	Eillert B.V.	Eillert B.V. mobile elevating belt, type: TR 2700, machine number: 2001-19, s/s frame, plastic belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 2680 mm x 850 mm x 1680 mm.	400
166	NN transport belt	Transport belt, belt width: 480 mm, total dimensions: 2200 mm x 840 mm x 300 mm.	200
167	CPS Case Packing Systems	CPS Case Packing Systems transport belt, number: 42330, year of construction: 06-2016, belt width: 650 mm, total dimensions: 1750 mm x 1040 mm x 730 mm.	400
168	Romonta B.V.	Romonta B.V. transport belt, belt width: 380 mm, total dimensions: 4100 mm x 640 mm x 1040 mm.	400
169	NN transport belt	Transport belt, belt width: 200 mm, total dimensions: 3150 mm x 430 mm x 550 mm.	200
170	NN elevating screw	Elevating screw, s/s screw, diameter screw: 400 mm, total dimensions: 3600 mm x 900 mm x 1800 mm.	1500
171	Foodeq	Foodeq tilting device with outfeed belt, type: TVB400/4350, number: 2012-46-070, year of construction: 2012, clearance: 1240 mm x 1400 mm, plastic belt, belt width: 1050 mm, total dimensions: 1900 mm x 2620 mm x 2270 mm.	750
172	NN turning table	Turning table, dimensions: Ø 1490 mm x 940 mm.	200



Nr	Title	Description	Start €
173	Niverplast	2 Niverplast transport belts, (1x) type: Conveyor, machine number: 7777-2-800, year of construction: 2016, 230/400 V, 50 Hz, 0.82 A, 0.25 kW, weight: 150 kg, plastic mesh belt, belt width: 500 mm, total dimensions: 5100 mm x 720 mm x 350 mm and (1x) type: Inclining conveyor, machine number: 7777-3-200, year of construction: 2016, 230/400 V, 50 Hz, 0.82 A, 0.25 kW, weight: 130 kg, plastic mesh belt, belt width: 500 mm, total dimensions: 4350 mm x 720 mm x 520 mm.	500
174	NN transport belt	Transport belt, plastic belt, belt width: 300 mm, total dimensions: 2250 mm x 420 mm x 1050 mm.	400
175	Niverplast	Niverplast 45° curve conveyor, type: Curved conveyor, machine number: 7777-3-100, year of construction: 2016, 230/400 V, 50 Hz, 0.82 A, 0.25 kW, weight: 70 kg, plastic belt, belt width: 500 mm, total dimensions: 1700 mm x 750 mm x 700 mm.	300
176	Foodeq	Foodeq s/s vibrating gutter, type: STR 600/2500, serial number: 12004, year of construction: 2012, gutter width: 600 mm, total dimensions: 3000 mm x 960 mm x 1240 mm.	750
177	NN transport belt	Transport belt, plastic belt, belt width: 800 mm, total dimensions: 7150 mm x 950 mm x 2400 mm.	400
178	NN weighing scale	Weighing scale, dimensions: 650 mm x 500 mm x 810 mm.	50
179	NN table	S/s table, dimensions: 2000 mm x 700 mm x 960 mm.	50
180	NN table	S/s table, dimensions: 1200 mm x 900 mm x 840 mm.	50
181	NN table	S/s table, dimensions: 1200 mm x 800 mm x 850 mm.	50
182	NN table	S/s table, dimensions: 900 mm x 600 mm x 840 mm.	50
183	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 350 mm, total dimensions: 1600 mm x 800 mm x 1100 mm.	200
184	VWS	VWS inliner, model: Inliner 4 >> 1, serial number: 160408-12.2, year of construction: 2016, 230 V, 50/60 Hz, 6.3 A, plastic belts, belt width: (1x) 550 mm, (3x) 80 mm, total dimensions: 1700 mm x 850 mm x 1020 mm.	500
185	NN leg triturator	S/s leg triturator, dimensions: 1200 mm x 650 mm x 620 mm.	250
187	Niverplast	Niverplast transport belt, type: Conveyor, machine number: 7580-2-100, year of construction: 2016, 230/400 V, 50 Hz, 1.1 kW, weight: 115 kg, plastic mesh belt, belt width: 780 mm, total dimensions: 1500 mm x 1250 mm x 1500 mm.	200
188	NN transport belt	Transport belt, (2x) plastic belt, belt width: (2x) 370 mm, total dimensions: 3600 mm x 1230 mm x 1440 mm.	500
189	NN transport belt	Transport belt, plastic belt, distance between dividers: 125 mm x 125 mm x 380 mm, total dimensions: 4920 mm x 620 mm x 1140 mm.	400



Nr	Title	Description	Start €
190	NN stairs	S/s stairs, dimensions: 5350 mm x 940 mm x 1200 mm.	200
191	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 1260 mm x 850 mm x 430 mm.	200
192	Newtec	Newtec tray filler, type: NBM61, number: 8581, year of construction: 2007, 400 V, 3 Ph, 3 A, 0.6 kW, plastic belt with dividers, plastic belt, belt width: 150 mm, divider height: 120 mm, distance between dividers: 220 mm, total dimensions: 3600 mm x 900 mm x 1380 mm. Technical condition unknown and incomplete.	500
193	BMF	BMF roller conveyor, roller length: 570 mm, total dimensions: 4400 mm x 1600 mm x 1470 mm.	600
194	Van Rijn	Van Rijn transport belt, plastic mesh belt, belt width: 455 mm, total dimensions: 3800 mm x 840 mm x 760 mm.	400
195	NN stairs	S/s stairs, dimensions: 5500 mm x 950 mm x 1200 mm.	250
196	CPS Case Packing Systems	CPS Case Packing Systems buffer belt, number: 42334, year of construction: 06-2016, plastic belt, belt width: (2x) 200 mm and 450 mm, total dimensions: 1550 mm x 980 mm x 1840 mm.	750
197	NN denester	Denester, dimensions dye: 225 mm x 180 mm, total dimensions: 1040 mm x 930 mm x 1900 mm.	250
198	Dorit-dft Fleischereimaschinen GmbH	Dorit-dft Fleischereimaschinen GmbH tumbler, dimensions: 2000 mm x 2050 mm x 2100 mm.	950
199	Newtec	Newtec tray filler, type: NBM50G, number: 11540, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 3 A, dimensions punnet filler: 2100 mm x 2200 mm x 1600 mm.	500
200	NN rack	S/s mobile rack, dimensions: 900 mm x 770 mm x 1690 mm.	50
201	NN transport belt	Transport belt, plastic belt, belt width: 230 mm, s/s rollers, roller width: 300 mm, total dimensions: 1600 mm x 550 mm x 1300 mm.	150
202	NN conveyor	Curve conveyor, plastic mesh belt, belt width: 200 mm, total dimensions: 2640 mm x 500 mm x 980 mm.	150
204	Jasa Packaging Systems	Jasa Packaging Systems mobile elevating belt with turning table, diameter table: 1190 mm, total dimensions: 1250 mm x 3200 mm x 1350 mm.	250
205	Trabo	Trabo s/s computer cabinet, dimensions: 500 mm x 530 mm x 1820 mm.	75
206	TAG	TAG punnet denester, model: TAG Egenore, serial number: TAG Guendalina 00220-3/11, year of construction: 2020, chain belt with dividers, belt width: 550 mm, distance between dividers: 250 mm, divider height: 40 mm, total dimensions: 2200 mm x 1400 mm x 1750 mm.	1000
207	NN elevating belt		500



Nr	Title	Description	Start €
		Elevating belt, plastic belt, belt width: 300 mm, distance between dividers: 250 mm, divider height: 70 mm, total dimensions: 2000 mm x 570 mm x 1540 mm.	
208	NN frame for transport belt	S/s frame for transport belt, dimensions: 5130 mm x 800 mm x 1200 mm.	200
209	Key Technology	Key Technology vibrating gutter, model: SH01-063868, serial number: W2010608-026647, year of construction: 2018, gutter width: 500 mm, total dimensions: 4600 mm x 740 mm x 650 mm. Without motor.	1500
210	NN hopper	S/s hopper, dimensions: 1180 mm x 1180 mm x 730 mm.	25
211	Key Technology	Key Technology vibrating gutter, model: SH01-018417, serial: W2004727-013057, gutter width: 500 mm, total dimensions: 4600 mm x 900 mm x 1100 mm. Without motors.	1500
212	NN tilting device	Tilting device for pallet boxes, inside dimensions: 930 mm x 690 mm x 980 mm, total dimensions: 3000 mm x 1600 mm x 2600 mm.	750
213	NN elevating belt	Elevating belt, plastic belt, belt width: 605 mm, distance between dividers: 520 mm, divider height: 50 mm, total dimensions: 8400 mm x 1100 mm x 1080 mm.	750
214	LETS BV	LETS BV crate washing and drying machine, model: K564 HE ST / D564 HE, pump 1: 5.5 kW, 11.5 A, 72 m ³ per hour, pump 2: 11 kW, 30.5 A, 8 m ³ per hour, pump 3: 11 kW, 22 A, 72 m ³ per hour, blowers: 3 x 5.5 kW, total dimensions: 9650 mm x 1350 mm x 2600 mm.	2500
215	Van Rijn	Van Rijn transport belt, plastic mesh belt, belt width: 305 mm, total dimensions: 1030 mm x 730 mm x 1010 mm.	200
216	Jasa Packaging Solutions	Jasa Packaging solutions transport belt, type: LUTB-CL-500, machine number: 109968-003, year of construction: 2014, 230 V, 1 Ph, 0.55 kW, weight: 300 kg, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 4100 mm x 1000 mm x 1300 mm.	500
217	NN transport belt	Transport belt, plastic belt, belt width: 305 mm, distance between dividers: 140 mm, divider height: 40 mm, total dimensions: 4830 mm x 1100 mm x 1400 mm.	500
218	NN transport belt	Transport belt, plastic belt, belt width: 305 mm, total dimensions: 4820 mm x 380 mm x 330 mm.	400
219	Zanussi	Zanussi cooking vessel, inside dimensions: Ø 420 mm x 470 mm, total dimensions: 810 mm x 930 mm x 1000 mm.	200
220	NN rolelr conveyors	2 roller conveyors, roller length: 600 mm, total dimensions: (2x) 1420 mm x 700 mm x 460 mm.	150
221	NN tank	S/s tank, inside dimensions: Ø 800 mm x 950 mm, total dimensions: Ø 800 mm x 1900 mm.	100
222	NN dosing machine		250



Nr	Title	Description	Start €
		Mobile dosing machine, dimensions: 900 mm x 600 mm x 2050 mm.	
223	NN mixer tank	S/s mixer tank, dimensions: 1080 mm x 1420 mm x 2230 mm.	650
224	NN elevating belt	Elevating belt, plastic belt, belt width: 600 mm, distance between dividers: 400 mm, divider height: 25 mm, total dimensions: 3400 mm x 1300 mm x 1930 mm.	400
225	Berief	Berief tiltable cooking and roasting vessel with mixing arm, year of construction: 2007, 400 V, 16-35 A, 6 kW, dimensions: 3200 mm x 1960 mm x 1850 mm.	10000
226	NN lifter	Mobile lifter for film rolls, dimensions: 900 mm x 860 mm x 1700 mm.	150
227	NN lifter	Mobile lifter for film rolls, dimensions: 900 mm x 860 mm x 1700 mm.	150
228	NN platforms	2 mobile s/s platforms, total dimensions: 2000 mm x 750 mm x 1600 mm.	200
231	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 10600 mm x 750 mm x 920 mm.	750
232	NN trolley	S/s trolley, dimensions: 1030 mm x 510 mm x 820 mm.	50
233	NN frame	S/s frame, dimensions: 2030 mm x 740 mm x 1070 mm.	75
234	Ovaco Waagen GmbH	Ovaco Waagen GmbH weighing scale, dimensions scale: 660 mm x 550 mm, total dimensions: 800 mm x 600 mm x 1500 mm.	50
235	NN cap feeder	Vibrating cap feeder on s/s frame, dimensions: 1020 mm x 1020 mm x 1530 mm.	200
250	Robert Pack / Fanuc	Robert Pack / Fanuc pick- and place robot, type: 1008-00-00, serial number: RP6208-200, year of construction: 10-2006, plastic belt, belt width: 200 mm, infeed belt for crates, belt width: 460 mm, steel rollers, roller width: 470 mm, total dimensions: 2300 mm x 2900 mm x 2700 mm.	2000
251	NN transport belt	Mobile transport belt with s/s frame, belt width: 200 mm, total dimensions: 2050 mm x 850 mm x 1350 mm.	300
252	Rev Packaging Solutions	Rev Packaging Solutions horizontal clip netting machine, model: VEGA, serial number: 1290, year of construction: 2018, 400 V, 50 Hz, 1.5 kW, weight: 460 kg, plastic belt, belt width: 240 mm, total dimensions: 2400 mm x 800 mm x 1700 mm. Incomplete.	250
254	NN stairs	Mobile s/s stairs with 8 steps, working height: 1620 mm, total dimensions: 2150 mm x 1300 mm x 2620 mm.	500
255	Sealpac GmbH	Sealpac GmbH traysealer, type: SEALPAC 800, serial number: TVG 01 1497 01, year of construction: 2006, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, plastic wire belt, belt width: 180 mm, dimensions traysealer: 3600 mm x 900 mm x 2200 mm. Incomplete, technical condition unknown.	1500
257	NN silo		200



Nr	Title	Description	Start €
		S/s silo, number: 5050, infeed pipe: Ø 200 mm and Ø 135 mm, Ø funnel: 845 mm, depth: 2050 mm, total dimensions: 1530 mm x 1120 mm x 2480 mm.	
258	Schur Technology a/s	Schur Technology a/s bagging machine, type: 2040-C, number: 513 Y061, year of construction: 2010, plastic belt, belt width: 200 mm, seal length: 300 mm, total dimensions: 7100 mm x 1000 mm x 1550 mm.	2000
259	Sacmi Packaging	Sacmi Packaging carton erector, type: TF 40, serial number: 10141465, year of construction: 2011, maximum box size: 460 mm x 390 mm, Robatech glue unit, total dimensions: 5400 mm x 1500 mm x 2400 mm.	1500
260	Sepamatic	Sepamatic separator, type: DMS 400, machine number: 114025, 400 V, 50 Hz, 2 A, 0.75 kW, inside dimensions: 890 mm x 750 mm x 670 mm, total dimensions: 950 mm x 1100 mm x 2040 mm. Incomplete.	1000
261	Viscon	Viscon palletizer, s/s rollers, roller width: 1270 mm, total dimensions: 5300 mm x 2400 mm x 3200 mm. Including turning device, steel chain belt, belt width: 250 mm, dimensions turning device: 1450 mm x 950 mm x 1150 mm.	2500
262	Viscon	Viscon palletizer, s/s rollers, roller width: 1270 mm, total dimensions: 5300 mm x 2400 mm x 3200 mm. Including turning device, steel chain belt, belt width: 250 mm, dimensions turning device: 1450 mm x 950 mm x 1150 mm.	2500
263	Rev Packaging Solutions	Rev Packaging Solutions net loader, model: Rev-Vortex-Ves, serial number: 1235, 400 V, 50 Hz, 0.36 kW, weight: 124 kg, dimensions: 800 mm x 1600 mm x 1830 mm. Incomplete.	250
264	NN tub	S/s mobile dispenser tub for plates, inside dimensions: 1060 mm x 660 mm, total dimensions: 1130 mm x 710 mm x 1020 mm.	150
265	NN transport belt	Transport belt, plastic belt, belt width: 295 mm, total dimensions: 1360 mm x 500 mm x 900 mm.	100
266	NN labelling machine	Labelling machine, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 800 mm x 2100 mm.	150
267	Yang srl	Yang srl mobile traysealer, model: OLYMPUS VAC, serial number: 075042, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 4.6 kW, weight: 250 kg, dye: (4x) 120 mm x 100 mm, total dimensions: 950 mm x 720 mm x 1440 mm.	450
270	NN cabinet	S/s switch cabinet, dimensions: 800 mm x 550 mm x 300 mm.	50
272	Sepamatic	Sepamatic separator, type: SEPA 400 V, machine number: 107234, 400 V, 50 Hz, 3 A, 2.2 kW, plastic belt, belt width: 200 mm, diameter perforations: 10 mm,	750



Nr	Title	Description	Start €
		drum diameter: 170 mm, total dimensions: 1130 mm x 750 mm x 1500 mm. Incomplete.	
273	Perfotec	Perfotec chemical filter, model: PER100, serial number: PER100/0034, year of construction: December 2010, 230 V, 50/60 Hz, 1.5 A, dimensions: 1200 mm x 800 mm x 500 mm.	50
274	NN frame	S/s frame, dimensions: 800 mm x 600 mm x 880 mm.	50
275	Marel	Marel top and bottom labeller with rejector, model: Concept 500, serial number: LA0699, year of construction: 2016, 230 V, 50/60 Hz, 4 A, plastic belts, belt width: (4x) 110 mm, total dimensions: 1300 mm x 800 mm x 1810 mm.	750
276	Kiekens	Kiekens mobile dust Hoover, type: A190, 220-240 V, 50/60 Hz, 1000 W, dimensions: 700 mm x 400 mm x 1000 mm.	50
277	Multivac	Multivac rack for dyes, for Multivac type: RS700, serial number: 276801, year of construction: 2019, weight: 43-45 kg, maximum load: 350 kg, working width: (2x) 550 mm, total dimensions: 2080 mm x 750 mm x 1265 mm.	150
278	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 1320 mm, elevating height: 2220 mm, total dimensions: 3200 mm x 1550 mm x 2400 mm.	950
279	Lumacon	Lumacon mobile double transport belt, type: RC350x2650 Easy clean duo, serial number: 21-00054-008-A, year of construction: 2020, speed: 0.20 m/sec, plastic belt, belt width: (2x) 355 mm, total dimensions: 2650 mm x 1100 mm x 1970 mm. Missing belt.	400
281	NN elevating belt	Mobile elevating belt, plastic mesh belt, belt width: 400 mm and 300 mm, elevating height: 1700 mm, total dimensions: 3100 mm x 1000 mm x 2050 mm.	750
282	Carsoe	Carsoe buffer belt, type: Buffer Light 2000, serial number: SO-11178, year of construction: 2014, 230 V, 1 Ph, 0.12 kW, plastic belt, belt width: 340 mm, total dimensions: 2000 mm x 600 mm x 1540 mm.	400
283	De Groot International BV	De Groot International BV mobile infeed belt, 3 lanes, plastic belt, belt width: (3x) 1000 mm, total dimensions: 1500 mm x 3700 mm x 1200 mm.	1000
284	Lumacon	Lumacon mobile elevating belt, type: RC850x3650 Easy clean, serial number: 21-00298-009, year of construction: 2021, speed: 0.16 m/sec, plastic belt with dividers, belt width: 850 mm, distance between dividers: 315 mm, divider height: 20 mm, elevating height: 2200 mm, total dimensions: 3400 mm x 1100 mm x 2300 mm.	950
286	Eillert B.V.	Eillert B.V. transport belt, type: TR 2000, number 345, year of construction: 2001, 400 V, 3 Ph, s/s frame,	200



Nr	Title	Description	Start €
		plastic belt, belt width: 600 mm, total dimensions: 2100 mm x 800 mm x 1000 mm.	
288	Belektronik	Belektronik checkweigher with rejector, type: BANDSTYRING, serial number: A6287301, 230 Vac, 50 Hz, 5 A, string belt, belt width: 220 mm, plastic belt, belt width: 235 mm, total dimensions: 1050 mm x 1000 mm x 1770 mm.	250
289	AFT	AFT mobile slicer, 10 knives, distance between knives: 20 mm, total dimensions: 680 mm x 680 mm x 1100 mm.	750
290	JB I A/S	JB I A/S manual tomato slicer, dimensions: 200 mm x 550 mm x 300 mm. Some knives are broken.	100
291	JB I A/S	JB I A/S manual tomato slicer, dimensions: 200 mm x 550 mm x 300 mm. Some knives are broken.	100
292	JB I A/S	JB I A/S manual tomato slicer, dimensions: 200 mm x 550 mm x 300 mm. Some knives are broken.	100
293	Ulma	Ulma flowpacker, model: Ocean, serial number: 1219179, year of construction: 2007, 380 V, 50 Hz, 10 A, 2.5 kW, plastic belt, belt width: 175 mm, seal length: 250 mm, total dimensions: 2550 mm x 1300 mm x 1720 mm.	1000
294	Bosch	Bosch vertical bag form-, fill-, and seal machine, type: SVE 3615 LR, number: 705950MS7536N, year of construction: 2008, Becker vacuum pump, type: VT 4.25, weight: 1450 kg, film width: 710 mm, dimensions pipe: 230 mm x 155 mm, horizontal seal length: 375 mm, total dimensions: 1850 mm x 2550 mm x 2000 mm. Incomplete, vertical seal is missing. Including outfeed elevating belt with plastic mesh belt, belt width: 455 mm, elevating height: 860 mm, total dimensions outfeed belt: 2800 mm x 800 mm x 890 mm.	2000
295	Hako	Hako floor scrubbing machine, type: Hakomatic B 750 R, dimensions: 1600 mm x 900 mm x 1520 mm.	500
296	NN roller conveyor	Roller conveyor with s/s frame and plastic rollers, roller width: 245 mm, total dimensions: 1500 mm x 400 mm x 920 mm.	75
297	Ceia	Ceia metal detector, model: THS, serial number: 20700237041, 230 V, 50-60 Hz, plastic mesh belt, belt width: 210 mm, clearance: 350 mm x 150 mm, total dimensions: 1430 mm x 850 mm x 1100 mm.	750
298	Eillert B.V.	Eillert B.V. belt slicer, type: G3300VS, serial number: 485-9515, year of construction: 1995, 220 V, 1 Ph, 11.8 Amp, plastic belt, belt width: 240 mm, clearance: 265 mm x 295 mm, diameter knife: 800 mm, total dimensions: 2220 mm x 980 mm x 1600 mm. Including 2 knives. Missing belt.	1000
299	NN stairs	S/s stairs, dimensions: 3700 mm x 1000 mm x 1300 mm.	250
300			1000



Nr	Title	Description	Start €
	NN tiltable cooking vessel	Tiltable double jacketed cooking vessel, inside dimensions: Ø 840 mm x 550 mm, total dimensions: 1800 mm x 2050 mm x 1700 mm.	
301	Feltracon	Feltracon melon slicer, type: 61D, number 3814-61D1, year of construction: 2010, 230/400 V, 0.6 kW, plastic belt, belt width: 400 mm, working width: 300 mm, distance between knives: 40 mm, vibrating gutter, gutter width: 330 mm, total dimensions: 2000 mm x 1400 mm x 1860 mm.	1500
302	Key Technology	Pallet with cloth transport belt and Key Technology sieve belt.	50
303	Detectronic	Detectronic mobile elevating metal detector, type: 606-250-2700-1, plastic belt, belt width: 350 mm, clearance: 400 mm x 200 mm, total dimensions: 2600 mm x 840 mm x 1100 mm.	500
304	NN feeder	Mobile s/s feeder used for herbs, diameter outfeed: 30 mm, total dimensions: 800 mm x 800 mm x 1630 mm.	300
305	NN elevating belt	Elevating belt, s/s frame and plastic belt, belt width: 250 mm, elevating height: 800 mm, total dimensions: 1100 mm x 700 mm x 1160 mm.	200
306	NN vibrating gutter	Vibrating gutter, gutter width: 200 mm, total dimensions: 1600 mm x 700 mm x 2200 mm.	400
307	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejector, type: XE3, serial number: 35002093, year of construction: 2010, 100-240 V, 50-60 Hz, weighing range: 10 g- 5500 g, e= 2 g, d= 2 g, speed: 65 m/min, capacity: 94 pieces/min, plastic belt, belt width: 400 mm, total dimensions: 900 mm x 2400 mm x 1650 mm. Technical condition unknown.	500
308	Jorgensen	Jorgensen vegetable washer, inside dimensions: 2600 mm x 580 mm x 530 mm, total dimensions: 3100 mm x 1100 mm x 1440 mm, with vibrating gutter, gutter length: 1220 mm, gutter width: 600 mm, total dimensions: 1700 mm x 1450 mm x 1120 mm.	3000
310	NN elevating belt	Elevating belt, plastic belt, belt width: 600 mm, elevating height: 1200 mm, total dimensions: 2300 mm x 900 mm x 1240 mm.	400
311	NN elevating belt	Mobile elevating belt, plastic mesh belt, belt width: 400 mm and 300 mm, elevating height: 1700 mm, total dimensions: 3100 mm x 1000 mm x 2050 mm.	750
312	Eillert B.V.	2 Eillert B.V. salad spinners, inside dimensions: Ø 430 mm x 300 mm, total dimensions: (2x) 830 mm x 600 mm x 840 mm, dimensions switch cabinet: 600 mm x 400 mm x 200 mm. Without baskets.	500
313	DWC	DWC checkweigher, model: VSM-12, serial number: 20190891, year of construction: 2019, 240 V, 5 A, 12 lanes, plastic belt, belt width: (12x) 75 mm, total dimensions: 1850 mm x 1000 mm x 1600 mm.	250



Nr	Title	Description	Start €
314	NN crate packaging belt	Crate packaging belt, plastic belt, belt width: 370 mm, total dimensions: 2400 mm x 700 mm x 1400 mm.	650
315	Detectronic	Detectronic elevating metal detector, type/number: 606-350-1218-1, plastic belt, belt width: 340 mm, clearance: 405 mm x 170 mm, elevating height: 800 mm, total dimensions: 2600 mm x 800 mm x 900 mm.	500
316	Sealing System / Ohaus / Mettler Toledo	Sealing System depositor with Ohaus / Mettler Toledo weighing scale, model: +A1, serial number: 18-3974, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 16 Amp, 6 Ka, diameter pipe: 25 mm, Ohaus weighing scale, model: TD52XW, serial number: B831202962, 100/240 V, 50/60 Hz, 0.5 A, scale dimensions: 350 mm x 350 mm, total dimensions: 1550 mm x 570 mm x 1330 mm.	200
317	NN turning table	Mobile s/s turning table, dimensions: Ø 1200 mm x 880 mm.	200
318	NN tub	S/s mobile dispenser tub for plates, inside dimensions: 1060 mm x 660 mm, total dimensions: 1130 mm x 710 mm x 1020 mm.	150
319	Skals brushing machine	Skals brushing machine, type: 616SS, year of construction: 1996, brush width: 550 mm, total dimensions: 3500 mm x 1700 mm x 1980 mm.	750
320	NN transport belt	Transport belt with plastic belt, belt width: 220 mm, total dimensions: 600 mm x 510 mm x 570 mm.	150
321	NN platform	Mobile s/s platform with plastic grids, working height: 470 mm, total dimensions: 2200 mm x 730 mm x 1570 mm.	250
322	HITEC	HITEC double transport belt, type: In-feed conveyor / Afvalband, year of construction: 2014, s/s frame, plastic belt, belt width: (2x) 320 mm, total dimensions: 5500 mm x 960 mm x 2400 mm.	750
323	NN tank	Plastic tank, volume: 500 liter, dimensions: Ø 770 mm x 1600 mm.	25
324	NN tank	Plastic tank, volume: 1000 liter, dimensions: 1050 mm x 1400 mm x 1400 mm.	35
325	Abar Automation B.V.	Abar Automation B.V. part for robot installation, type: FP160, serial number: 01257 Line 803, year of construction: 2013, 415 V, 3 Ph, 50 Hz, 3 kVA, dimensions: 2750 mm x 1500 mm x 1750 mm.	400
326	Abar Automation B.V.	Abar Automation B.V. part for robot installation, type: FP160, serial number: 01258 Line 802, year of construction: 2013, 415 V, 3 Ph, 50 Hz, 3 kVA, dimensions: 2750 mm x 1500 mm x 1750 mm.	400
327	Abar Automation B.V.	Abar Automation B.V. part for robot installation, type: FP160, serial number: 01155 Line 2 Cell 2, year of construction: 2009, 415 V, 3 Ph, 50 Hz, 3 kVA, dimensions: 2750 mm x 1500 mm x 1750 mm.	400
328	NN pallet rack	Steel pallet rack, total dimensions: 2750 mm x 1900 mm x 1300 mm.	400



Nr	Title	Description	Start €
329	NN transport belt with rejectors	Transport belt with double rejector, plastic belt, belt width: 250 mm, total dimensions: 700 mm x 700 mm x 1050 mm.	200
331	SKAKO Vibration	SKAKO Vibration vibrating gutter, type: 50D, number: 397107, 400 V, 50 Hz, 10 kA, gutter width: 400 mm, total dimensions: 2900 mm x 1100 mm x 1200 mm.	750
332	Foodeq	Foodeq vibrating gutter, type: VCM-FC50-350, serial number: 22017-010.01, year of construction: 2022, gutter width: 490 mm, total dimensions: 3700 mm x 1100 mm x 1280 mm.	1500
333	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt with dividers, belt width: 370 mm, distance between dividers: 595 mm, height dividers: 20 mm, elevating height: 1550 mm, total dimensions: 3100 mm x 800 mm x 1650 mm.	400
334	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, height dividers: 30 mm, elevating height: 1950 mm, total dimensions: 2100 mm x 1050 mm x 2130 mm.	500
335	Ceia	Ceia mobile metal detector, model: THS, serial number: 20300242023, 230 V, 50-60 Hz, plastic belt, belt width: 300 mm, clearance: 350 mm x 125 mm, total dimensions: 1450 mm x 800 mm x 1500 mm. Last calibrated: 2018.	1000
336	Primodan	Primodan filling machine, plastic belt, belt width: 130 mm, total dimensions: 2700 mm x 2000 mm x 2600 mm. Including two pallets with parts. Machine incomplete.	1000
337	Veenstra	Veenstra agitator, type: FRR-150, number: 2010.327, dimensions: ø 270 mm x 2050 mm.	150
338	Carnitech a/s	Carnitech a/s lifter for 200 liter meat bins, type: L 25, number: 371200, year of construction: 1990, 220/380 V, 50 Hz, 3.45/2 A, 0.25 kW, lifting height: 5020 mm, total dimensions: 1500 mm x 800 mm x 6000 mm.	500
339	NN lifter for meat bins	S/s lifter for 200 liter meat bins, lifting height: 5044 mm, total dimensions: 1500 mm x 900 mm x 5144 mm.	500
340	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 400 mm, divider height: 10 mm, distance between dividers: 300 mm, elevating height: 600 mm, total dimensions: 1700 mm x 550 mm x 700 mm.	200
341	NN transport belt	S/s frame for transport belt, belt width: 260 mm, total dimensions: 2060 mm x 310 mm x 260 mm. Incomplete.	50
342	NN transport belt	S/s frame for transport belt, belt width: 260 mm, total dimensions: 2030 mm x 400 mm x 200 mm. Incomplete.	50
343	NN transport belt	S/s frame for transport belt, belt width: 260 mm, total dimensions: 3500 mm x 600 mm x 500 mm. Incomplete.	75
344	NN transport belt		100



Nr	Title	Description	Start €
		S/s frame for transport belt, belt width: 260 mm, total dimensions: 2000 mm x 500 mm x 1400 mm. Incomplete.	
345	PFM	PFM vertical bag form-, fill-, and seal machine, model: Zenith.EW.TWIN, serial number: C.9059, year of construction: 2008, 380 V, 50 Hz, 20.5 A, 11.5 kW, weight: 1600 kg, SmartDate barcode printer, type: X60, film width: 670 mm, diameter pipe: 115 mm, vertical seal length: 450 mm, total dimensions: 2310 mm x 1510 mm x 2000 mm. Incomplete, horizontal seal is missing.	1000
346	GEA	GEA evaporator with 1 fan, type: SGB 091 C-KUBA VERDAMPER, serial number: 10085572, year of construction: 2013, 230/400 V, 3 Ph, 50-60 Hz, 450 W, fluid group: 2, dimensions: 1060 mm x 700 mm x 640 mm.	75
347	ACB solutions	ACB solutions 90° curve conveyor, machine: 38324 1, serial number: 316050047, year of construction: 2016, plastic mesh belt, belt width: 370 mm, total dimensions: 2100 mm x 1700 mm x 1000 mm. Technical condition unknown.	300
348	Diwac b.v.	Diwac b.v. weighing scale and indicator, type: IT1000, serial number: 051968, 110-240 V, 50-60 Hz, 0.2 A, with Teda Huntleigh load cell, model: 1242, scale dimensions: 500 mm x 400 mm, total dimensions: 500 mm x 500 mm x 800 mm.	50
349	Ohaus	Ohaus weighing scale, model: D60BL, serial number: 1623183-6CK, capacity: 60 kg / 150 lb, with Teda Huntleigh load cell, model: 1260, dimensions: 550 mm x 420 mm x 130 mm. Without indicator.	25
350	Ohaus	Ohaus weighing scale, model: D60BL, serial number: 1623177-6CK, capacity: 60 kg / 150 lb, Diwac indicator, type: Diwac BWS IT 1000, serial number: 091172, weighing range: 200 g - 30 kg, 110-240 V, 50-60 Hz, 100 mA, with Teda Huntleigh load cell, model: 1260, dimensions: 550 mm x 420 mm x 130 mm.	50
351	Atlas Copco	Atlas Copco air dryer, type: FX 4 (A3), serial number: CAI216727, year of construction: 2006, 230 V, 50 Hz, 0.47 kW, refrigerant: R 134 A/0.35 kg, weight: 25 kg, dimensions: 360 mm x 500 mm x 600 mm.	200
352	Ohaus	Ohaus weighing scale, model: D60BL, capacity: 60 kg / 150 lb, Diwac indicator, type: Diwac BWS IT 1000, weighing range: 200 g - 30 kg, 110-240 V, 50-60 Hz, 100 mA, with Teda Huntleigh load cell, model: 1260, dimensions: 550 mm x 420 mm x 130 mm.	50
353	NN switch cabinet	Steel switch cabinet, dimensions: 500 mm x 600 mm x 300 mm.	25
354	NN safety sensors		100



Nr	Title	Description	Start €
		2 safety sensors, type: 4 EN 61496-1, serial number: M23G05120, sensor length: (2x) 850 mm, total dimensions: (2x) 110 mm x 80 mm x 1260 mm.	
355	NN roller conveyer	Double roller conveyer with plastic rollers, roller width: (2x) 400 mm, total dimensions: 2900 mm x 560 mm x 1370 mm.	100
356	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 600 mm x 250 mm.	50
357	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 600 mm x 250 mm.	50
358	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 600 mm x 400 mm.	50
359	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 420 mm x 220 mm.	50
360	NN roller conveyer	2 roller conveyers with plastic rollers, roller width: 400 mm, total dimensions: 3000 mm x 500 mm x 800 mm.	100
361	Ishida	Ishida weighing scale and indicator, model: BWI-15, type: PRIOR SW 2212, serial number: 38557, year of construction: 2001, weighing range: 100 g - 15 kg, e=d= 5 g, T= -15 kg, 230 V, 50 Hz, scale dimensions: 400 mm x 500 mm, total dimensions: 400 mm x 600 mm x 750 mm.	50
362	Diwac b.v.	Diwac b.v. weighing scale and indicator, type: IT1000, serial number: 091175, 110-240 V, 50-60 Hz, 100 mA, with Teda Huntleigh load cell, model: 1242, scale dimensions: 500 mm x 400 mm, total dimensions: 500 mm x 500 mm x 800 mm.	50
363	NN infeed hoppers	2 s/s infeed hoppers, dimensions: (2x) 1050 mm x 750 mm x 800 mm.	200
364	NN transport belt	Transport belt with s/s frame and plastic belt, belt width: 800 mm, total dimensions: 3300 mm x 1100 mm x 2350 mm.	500
365	NN switch cabinet	s/s switch cabinet, dimensions: 600 mm x 850 mm x 400 mm.	50
366	NN switch cabinet	s/s switch cabinet, dimensions: 800 mm x 1000 mm x 400 mm.	50
367	Ohaus	Ohaus weighing scale, model: D60BL, serial number: 1623181-6CK, capacity: 60 kg / 150 lb, Diwac indicator, type: Diwac BWS IT 1000, serial number: 091171, weighing range: 200 g - 30 kg, 110-240 V, 50-60 Hz, 100 mA, with Teda Huntleigh load cell, model: 1260, dimensions: 550 mm x 420 mm x 130 mm.	50
368	Ohaus	Ohaus weighing scale, model: D60BL, serial number: 1623184-6CK, capacity: 60 kg / 150 lb, Diwac indicator, type: Diwac BWS IT 1000, serial number: 091170, weighing range: 200 g - 30 kg, 110-240 V, 50-60 Hz, 100 mA, with Teda Huntleigh load cell, model: 1260, dimensions: 550 mm x 420 mm x 130 mm.	50



Nr	Title	Description	Start €
369	AVC sealing solutions	AVC sealing solutions sealing machine, model: CS.450, serial number: 2290314, 230 V, 1 Ph, 50 Hz, 3 A, 0.5 kW, dimensions: 700 mm x 450 mm x 500 mm. Technical condition unknown.	25
370	Bopack systems N.V.	Bopack systems N.V. labelling machine, model: Collamat + UBI 501, serial number: 20012517, year of construction: 2001, 230 V, 50 Hz, plastic belt, belt width: 280 mm, total dimensions: 1520 mm x 600 mm x 1600 mm. Incomplete.	250
371	NN parts	Pallet with various parts for labelling machines, dimensions: 1100 mm x 1200 mm x 1100 mm.	100
372	NN belts	Pallet with various transport belts with various belt widths, dimensions: 1000 mm x 1200 mm x 1100 mm.	200
373	Foodeq	Foodeq transport belt with weighing scale, type: TRB350/1700, number: 2014-170, year of construction: 2014, plastic belt, belt width: 350 mm, plastic rollers, roller width: 350 mm, weighing range: 100 g - 15 kg, total dimensions: 2000 mm x 800 mm x 1450 mm.	400
374	Jasa Packaging Systems	Jasa Packaging Systems elevating belt with brush, type: OPVOERBAND, machine number: JA 12517, year of construction: 2015, 240 V, 3 Ph, 0.75 kW, plastic belt and dividers, belt width: 620 mm, distance between dividers: 150 mm, divider height: 50 mm, elevating height: 4250 mm, brush width: 770 mm, total dimensions: 4900 mm x 1150 mm x 4400 mm.	1500
375	Jasa Packaging Systems	Jasa Packaging Systems elevating belt, type: SAM, OPVOERBAND, model: 18100760500000, machine number: 14127, year of construction: 2018, 400 V, 3 Ph, 3.05 A, 0.75 kW, plastic belt and dividers, belt width: 620 mm, distance between dividers: 150 mm, divider height: 50 mm, elevating height: 4250 mm, brush width: 770 mm, total dimensions: 4900 mm x 1150 mm x 4400 mm.	1250
376	NN transport belt	Transport belt with s/s frame and plastic belt, belt width: 770 mm, total dimensions: 4900 mm x 1100 mm x 470 mm.	200
377	NN platform	S/s platform, dimensions: 2200 mm x 2100 mm x 1350 mm.	500
378	TIBO	TIBO mobile brushing machine, type: BOMA-60, number: 1640, brush width: 600 mm, total dimensions: 2400 mm x 850 mm x 1650 mm.	500
379	NN elevating belt	Elevating sorting belt, s/s frame, plastic belt, belt width: (3x) 300 mm, elevating height: 1090 mm, total dimensions: 2200 mm x 780 mm x 1130 mm.	500
380	NN transport belts	Pallet with 5 transport belts, belt width: 300 mm, total dimensions: 1500 mm x 1300 mm x 1000 mm.	250
381	SPX	SPX weighing scale and indicator, model: 350, serial number: 538307, 90-250 V, 50-60 Hz, 0.5 A, with Tede-	100



Nr	Title	Description	Start €
		Huntleigh loading cell, model: 1042, scale dimensions: 400 mm x 350 mm, total dimensions: 910 mm x 550 mm x 1500 mm.	
382	AL Tech	AL Tech labelling machine, model: Alritma S, version: SX, serial number: 1903050022527, year of construction: 2019, 110-230 V, 1 Ph, 50-60 Hz, 300 W, dimensions: 1300 mm x 600 mm x 600 mm. Technical condition unknown.	100
383	MAF RODA	MAF RODA buffer belt, plastic belts, belt width: (2x) 495 mm and (2x) 415 mm, total dimensions: 3950 mm x 1350 mm x 1150 mm.	1000
384	MAF RODA	MAF RODA buffer belt, number: 027.178.001, 400 V, 50 Hz, 3 A, 10 KA, plastic belts, belt width: (2x) 495 mm and (2x) 415 mm, total dimensions: 3950 mm x 1350 mm x 1150 mm.	1000
385	NN platform	S/s platform with stairs, working height: 2450 mm, dimensions platform: 8600 mm x 3770 mm x 3600 mm, dimensions stairs: 2300 mm x 910 mm x 3590 mm. Railing is not included.	1250
386	Viscon	Viscon palletizer, type: PAL. UNI IT UNIVERSE, serial number: 64988-206-1, year of construction: 2005, weight: 2000 kg, s/s rollers, roller width: 1270 mm, total dimensions: 5300 mm x 2400 mm x 3200 mm. Including turning device, steel chain belt, belt width: 250 mm, dimensions turning device: 1450 mm x 950 mm x 1150 mm.	2500
387	Cabinplant	Cabinplant lifter for 200 liter meat bins, lifting height: 5430 mm, total dimensions: 1460 mm x 900 mm x 6430 mm.	500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

