



**Industrial  
Auctions**

**2067: Online auction machinery for the food industry in Brokstedt (DE)**

**END DATE**  
10 March 2026 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)



## General terms and conditions of the online auction

End date	10 March 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	18 March 2026 from 09:00 till 16:00 hrs.
Pick up address	Osterfeld 14 24616 Brokstedt Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
1	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: TWISTER SP, machine number: 413203.163401.113630, year of construction: 2012, 380/480 V, 3 Ph, 50/60 Hz, 20 A, 6/8.16 kW, weight: 800 Kg, plastic belt, belt width: 245 mm, dimensions chamber: 120 mm x 120 mm, total dimensions: 2020 mm x 1600 mm x 1920 mm.	5900
2	Rex Technologie	Rex Technologie vacuum filling machine with lifter for 200 liter meat bins, type: RVF 736, machine number: 73611210116, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 35 A, 13 kW, Busch vacuum pump, type: KC 0025 F 100, serial number: D17472150, capacity: 30 m <sup>3</sup> /per hour, dimensions: 1770 mm x 1380 mm x 2060 mm.	9500
3	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT DP 10 C, number: 1530273, year of construction: 1998, Busch vacuum pump, type: KC 0016, serial number: CZM125030507, capacity: 19 m <sup>3</sup> /per hour, dimensions: 2150 mm x 1350 mm x 1960 mm.	3900
4	Schröder	Schröder curing press, type: PSM500, number: PSM25499, 400 V, 50 Hz, 2.5 A, 1.2 kW, plastic belt, belt width: 650 mm, roller length: 650 mm, dimensions infeed: 665 mm x 135 mm, total dimensions: 1620 mm x 1000 mm x 1870 mm.	950
5	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile portion cutter, type: FPS 40, serial number: 41859, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 3.5 A, 1.3 kW, Busch vacuum pump, type: RC 0025 E 501, number: 00031553, capacity: 25 m <sup>3</sup> per hour, belt width: 200 mm, total dimensions: 2700 mm x 750 mm x 1700 mm. Including 2 crates with moulds and spare parts.	1200
6	Wiesheu GmbH	Wiesheu GmbH double stacked oven, model top oven: B4-E2, serial number: 10201187, year of construction: 2012-05, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, dimensions inside: 660 mm x 400 mm, model bottom oven: B8-E2, serial number: 10201163, year of construction: 2012-05, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, total dimensions: 1250 mm x 950 mm x 2250 mm. Including loading trolley, serial number: 10207282, year of construction: 2012-07, dimensions: 740 mm x 600 mm x 1950 mm.	780
7	Schröder	Schröder injector, type: IMAX 420, number: 420.1026.03, year of construction: 2003, 400/440 V, 50/60 Hz, 18 A, 9.5 kW, walking beam, total dimensions: 2300 mm x 1100 mm x 2350 mm. With Schröder filter tub, dimensions: 1550 mm x 650 mm x 1250 mm, trolley with parts for walking beam, dimensions trolley: 2200 mm x 1000 mm x 1050 mm, and infeed slide,	3500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		dimensions infeed slide: 1600 mm x 1200 mm x 1300 mm.	
8	Wiesheu GmbH	Wiesheu GmbH double stacked oven, model top oven: B4-E2, serial number: 10204287, year of construction: 2012-06, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, dimensions inside: 660 mm x 400 mm, model bottom oven: B8-E2, serial number: 10204309, year of construction: 2012-06, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, total dimensions: 1250 mm x 950 mm x 2250 mm. Including loading trolley, serial number: 10207281, year of construction: 2012-07, dimensions: 740 mm x 600 mm x 1950 mm.	780
9	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG friction smoke generator, type: RF, factory number: 214-0907, year of construction: 11/2007, 230/400 V, 9.5 kW, dimensions: 1850 mm x 1350 mm x 1930 mm. Including switch cabinet.	490
10	Wiesheu GmbH	Wiesheu GmbH mobile oven, type: M8E2IS600, serial number: 10121747, year of construction: 2008-06, 400 V, 3 Ph, 50 Hz, 13.3 A, 9.2 kW, 4 floors, dimensions floors: (4x) 635 mm x 370 mm, total dimensions: 1000 mm x 950 mm x 1400 mm.	450
11	Roeder	Roeder mobile s/s tiltable braising pan, inside dimensions: 680 mm x 660 mm x 180 mm, total dimensions: 1150 mm x 950 mm x 1250 mm. Missing wheel.	300
12	Wiesheu GmbH	Wiesheu GmbH mobile oven, type: M8CR, number: 44660, year of construction: 1996-9, 400 V, 50 Hz, 8.4 kW, 2 floors, floor dimensions: (2x) 400 mm x 630 mm, dimensions: 930 mm x 820 mm x 1700 mm.	50
13	Wiesheu GmbH	Wiesheu GmbH oven, type: G12SR, 12 floors, dimensions floor: (12x) 540 mm x 350 mm, total dimensions: 870 mm x 830 mm x 1210 mm.	250
14	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: AS450, serial number: 724, 380 V, 50 Hz, 0.75 kW, working width: 390 mm, total dimensions: 690 mm x 590 mm x 980 mm.	750
15	Townsend	Townsend mobile skinning machine, model: 1520, serial number: 211, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 330 mm, total dimensions: 700 mm x 610 mm x 1030 mm.	350
16	Stephan	Stephan mobile flattener, type: SPL-29188, number: 96016, 380 V, 50 Hz, plastic belt, belt width: 300 mm, total dimensions: 1300 mm x 750 mm x 1660 mm.	1000
17	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: VS 3, number: 131041, year of construction: 2000, 230 V, 50 Hz, maximum capacity: 1000 gram, type weighing cells: BF 20, plastic belt, belt width: 200 mm, total	200



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		dimensions: 1050 mm x 800 mm x 1340 mm. One belt broken.	
18	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: VS 3, number: 130086, year of construction: 1998, maximum capacity: 1000 gram, type weighing cells: BF 8, plastic belt, belt width: 150 mm, total dimensions: 1050 mm x 750 mm x 1320 mm. Defect.	250
19	Boekels	Boekels metal detector with rejector, type: 25x9, number: 94.20.103, year of construction: 11/94, 220 V, 50 Hz, 156 Khz, plastic belt, belt width: 160 mm, clearance: 250 mm x 100 mm, dimensions: 2000 mm x 950 mm x 1300 mm.	300
20	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic clipper, type: SFC 700 Drilling, serial number: 136/GU 08, 220 V, 3 Ph, 50/60 Hz, 0.6 A, 0.2 kW, plastic belt, belt width: 70 mm, diameter pipe: 55, total dimensions: 1220 mm x 1200 mm x 1400 mm.	600
21	NN skinning machine	S/s skinning machine, working width: 290 mm, total dimensions: 800 mm x 600 mm x 1870 mm. Missing knife.	150
22	Miveg	Miveg speed twister, model: KK-2006, serial number: 07010, year of construction: 03-2007, dimensions: 700 mm x 650 mm x 1070 mm.	400
23	Jumo/Atmos	Pallet with Jumo control panel for Atmos smoke generator, type: MPF-88 and frequency inverter for Atmos smoke generator.	200
24	Linx	Linx mobile inkjet printer, model: 6200, serial number: LP72034, year of construction: 1998, dimensions: 450 mm x 500 mm x 1070 mm.	300
25	Nock	Nock mobile skinning machine, type: V460N, number: 1134380, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 650 mm x 950 mm.	1200
26	Nock	Nock mobile skinning machine, type: V460, number: 3026810, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 650 mm x 950 mm.	1100
27	Rühle	Rühle mobile cooled vacuum tumbler, year of construction: 2010, 16 A, 3 kW, dimensions inside: Ø 680 mm x 430 mm, total dimensions: 1200 mm x 1200 mm x 1940 mm.	2900
28	Handtmann	Handtmann collating belt, type: 311-01, year of construction: 2018, 575 V, 3 Ph, 50/60 Hz, 3.7 A, 3.5 kW, plastic belt, belt width: 330 mm, clearance: 230 mm x 90 mm, total dimensions: 2860 mm x 900 mm x 1100 mm.	3500
29	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: AE130/3/B, machine number: 94207-1, year of	6700



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		construction: 2004, 400 V, 50 Hz, 74 A, diameter plate: 130 mm, total dimensions: 2240 mm x 1550 mm x 1700 mm.	
30	Teltek / HM Systems	Teltek / HM Systems labelling machine, type: top bund etikettering, serial number: 44553-35-01, year of construction: 2019, 230 V, 50 Hz, 300 W, plastic belt, belt width: 145 mm, total dimensions: 1900 mm x 750 mm x 1750 mm.	300
31	Toledo/Schember	Toledo weighing scale, model: 8139, serial number: 4120732-4SL, 120 V, 50/60 Hz, 0.15 kW with Schember indicator, type: 320-3, number: 45478, minimum / maximum weight: 5 kg / 250 kg, e=d= 100 g, scale dimensions: 1000 mm x 1000 mm, total dimensions: 1350 mm x 1000 mm x 1670 mm.	250
32	NN apron washer	S/s apron washer, dimensions: 1400 mm x 600 mm x 1800 mm.	250
33	NN pressure regulator	Crate with pressure regulator for press, dimensions: 550 mm x 350 mm x 270 mm.	60
34	GGM Gastro International GmbH	GGM Gastro International GmbH oven, model: EHK100, serial number: C011605042-YXD-1AE, year of construction: 19/05/2016, 230 V, 1 Ph, 50 Hz, 2670 W, 4 floors, dimensions each floor: 320 mm x 450 mm, total dimensions: 600 mm x 600 mm x 570 mm.	80
35	Electrolux	Electrolux dishwasher, model: NUC1DP, serial number: 02306074, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 3.65 kW, dimensions: 620 mm x 600 mm x 830 mm.	100
36	NN circular saw	Circular saw, type: 80 84M, serial number: 057138, 230 V, 50 Hz, 5.5 A, dimensions: 410 mm x 720 mm x 380 mm.	50
37	NN sink	S/s sink, dimensions: 400 mm x 340 mm x 590 mm.	20
38	Bastra	Bastra heating element, dimensions: 600 mm x 300 mm x 750 mm.	50
39	NN coat hangers	9 s/s coat hangers on tube, length tube: 1770 mm.	50
40	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 1401182, 110-240 V, 50/60 Hz, 100 mA, dimensions: 550 mm x 580 mm x 1300 mm.	50
41	Bastra	Blower for Bastra smoke chamber, dimensions: 600 mm x 600 mm x 600 mm.	100
42	Busch	Busch vacuum pump, type: 063-122, number: 161146, 0.5 mbar, 1.5 kW, capacity: 63 m <sup>3</sup> per hour, dimensions: 600 mm x 300 mm x 300 mm.	100
43	NN electric units	2 electric units for smoke chamber, dimensions: (2x) 650 mm x 250 mm x 200 mm	40
44	August Sauter	August Sauter weighing scale, dimensions: 350 mm x 380 mm x 470 mm.	20
45	Steinmetz	Steinmetz DA-Turbo Fix part for filling and clipping, machine type: DA-89-TH and DA-90, machine number:	50



Nr	Title	Description	Start €
		69299 and 83239 dimensions: 400 mm x 250 mm x 140 mm and 300 mm x 100 mm x 140 mm.	
46	Handtmann	Handtmann case spooling device, model: 78-5, number: 196, 220/240 V, 50 Hz, 0.3 A, 0.05/0.06 kW, dimensions: 450 mm x 180 mm x 220 mm.	220
47	Handtmann	Handtmann rotor, type: VF 630.	500
48	Vemag	Vacuum pump for Vemag Old DC vacuum fillers drive unit, type: DA 1.45/4-20, year of construction: 1997, 1.6 kW, 31 m <sup>3</sup> /per hour, dimensions: 230 mm x 370 mm x 270 mm.	50
49	Seydelmann	4 parts for Seydelmann 300 liter cutter, diameter: 180 mm.	100
50	Maschinenfabrik Dornhan	Maschinenfabrik Dornhan wooden top grinder, type: MHR39D, serial number: 30032, 220/380 V, 3 Ph, 50 Hz, 1.5/0.9 A, 400 W, dimensions: 400 mm x 140 mm x 140 mm.	10
51	Videojet	Videojet mobile inkjet printer, model: EXCEL/100, serial number: E92K08016, 220 V, 50/60 Hz, 3.4 A, 6.0 bar, dimensions: 510 mm x 200 mm x 810 mm.	150
52	Tipper Tie Technopack GmbH	Tipper Tie technopack GmbH chamber retractor, model: Kammereinziehger, number: 5123.026.503, year of construction: 1997, pressure: 6 bar, dimensions: 1680 mm x 300 mm x 280 mm.	100
53	Tipper Tie Technopack GmbH	Tipper Tie technopack GmbH chamber retractor, model: Kammereinziehger, number: 5121.027.503, pressure: 6 bar, dimensions: 1680 mm x 300 mm x 280 mm.	100
54	NN rollie	S/s rollie, dimensions: 1100 mm x 700 mm.	25
55	Rotek	Rotek heater, model: HF-09-400-MD, 400 V, 3 Ph, 50 Hz, 13/16 A, 46 W/ 4.5/9 kW, dimensions: 410 mm x 330 mm x 450 mm.	5
56	Winterhalter	Winterhalter dishwasher with infeed- and outfeed table, type: GS 502, serial number: 1081486, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 15,7 A, 9.5 kW, dimensions: 3000 mm x 750 mm x 2250 mm.	400
57	Emsens	Emsens netting machine for small products, model: MF01, serial number: 09.17.002, year of construction: 2017, diameter up to: 100 mm, length: 280 mm, dimensions: 3000 mm x 1200 mm x 1800 mm.	4700
58	Intervac	Intervac belt vacuum machine, type: INV 504, serial number: 3386, year of construction: 2018, 230/400 V, 50 Hz, 9 kW, weight: 850 kg, plastic belt, belt width: 550 mm, seal length: (2x) 1020 mm, Busch vacuum pump, type: RA 0302 D 503, serial number: C1701000550, year of construction: 2017, capacity: 300 m <sup>3</sup> per hour, total dimensions: 2780 mm x 1180 mm x 1360 mm.	5300
59	NN waste bag holder	Steel waste bag holder, dimensions: 550 mm x 530 mm x 950 mm.	10
60	NN vacuum pump		750



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Vacuum pump on mobile s/s frame, dimensions: 1260 mm x 460 mm x 1000 mm.	
61	NN crates	3 pallets with large amount of plastic crates, various sizes.	100
62	Edwards	Edwards vacuum pump, model: EH500IND, serial number: 066377778, 50 Hz, capacity: 505 m <sup>3</sup> per hour, total dimensions: 820 mm x 380 mm x 400 mm.	250
63	Bröcker	Bröcker refrigerated showcase, dimensions: 1130 mm x 470 mm x 800 mm.	10
64	Dynopack Maschinenbau GmbH	Dynopack Maschinenbau GmbH mobile traysealer, type: 500 VG, machine number: D0045, year of construction: 12-99, dye: (4x) 132 mm x 95 mm, total dimensions: 750 mm x 900 mm x 1580 mm.	1500
65	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: ESB 4434/2P, serial number: M-49396, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.15 A, 0.75 kW, plastic belt, belt width: 385 mm, working width: 460 mm, total dimensions: 1320 mm x 850 mm x 1250 mm.	700
66	Webomatic	Webomatic mobile vacuum machine, type: E 60-W-ESA, number: 1471K97, 400 V, 3 Ph, 50 Hz, 5 A, 2.2 kW, 100 m <sup>3</sup> per hour, seal length: 835 mm and 470 mm, dimensions chamber: 900 mm x 510 mm x 105 mm, total dimensions: 970 mm x 680 mm x 980 mm.	750
67	Multivac	Multivac traysealer, type: T 200, machine number: 130, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 11 A, 4.5 kW, dye: 290 mm x 225 mm, film width: 450 mm, with Busch vacuum pump, type: RA 0063 E 5Z1, number: 03043785, capacity: 63 m <sup>3</sup> per hour. total dimensions: 1000 mm x 760 mm x 1570 mm. Including pallet with plastic trays, total dimensions: 1200 mm x 800 mm x 1600 mm and box with dyes.	2300
68	Handtmann	Handtmann high vacuum filling machine with infeed hopper, type: HVF658, number: 31921, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 26 A, 18 kW, Busch vacuum pump, KB 0040 D IZO, number: CZM123380806, capacity: 48 m <sup>3</sup> per hour, dimensions: 1660 mm x 1600 mm x 2400 mm, dimensions infeed hopper: 1900 mm x 1550 mm x 2000 mm.	16900
69	Günther	Günther injector, type: PI8/16, machine number: 22520, 380 V, 8 A, plastic mesh belt, belt width: 240 mm, 16 needles, total dimensions: 1350 mm x 450 mm x 1650 mm.	400
70	Variovac	Variovac mobile double chamber vacuum machine, type: INV 10/10, machine number: 1688, year of construction: 2003, 230/400 V, 2.2 A, Busch vacuum pump, type: RA 0100 E 501, number: 03048889, capacity: 100 m <sup>3</sup> per hour seal length: (4x) 605 mm, total dimensions: 1580 mm x 830 mm x 1130 mm.	1600



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
71	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 0853, machine number: 08531.65981.0338, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 5.5 A, dimensions chamber: 110 mm x 90 mm x 400 mm, total dimensions: 1360 mm x 670 mm x 1210 mm.	900
72	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH mobile slicer, type: SECT 230, serial number: 270-00-08, year of construction: 2011, 400 V, 50 Hz, 10 A, 4 kW, plastic belt, belt width: 250 mm, dimensions chamber: 230 mm x 180 mm, total dimensions: 2850 mm x 920 mm x 1320 mm.	2900
73	Rational	Rational combi steamer, model: CM 101G, serial number: G11MG10052216616, year of construction: 2010, 230 V, 1 Ph, 50-60 Hz, 390 W, 10 floors, floor dimensions: (10x) 330 mm x 540 mm, total dimensions: 850 mm x 880 mm x 1740 mm.	750
74	Vemag	Vemag mobile vacuum filling machine, model: Robby, number: 139 0010, year of construction: 2019, 400-460 V, 3 Ph, 50/60 Hz, 8 A, 5 kW, Vemag vacuum pump, type: KC 0016 E 3Z0, serial number: V18410409, capacity: 19 m <sup>3</sup> per hour dimensions: 1240 mm x 780 mm x 2480 mm.	9500
75	Vemag	Vemag linking and case holding device, number: 8021931, dimensions: 310 mm x 510 mm x 100 mm and 500 mm x 230 mm x 280 mm.	800
76	Vemag	Vemag mobile hamburger forming machine, model: FM250, number: 2500729, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 2.5 kW, weight: 340 kg, diameter clearance: 90 mm, plastic belt, belt width: 200 mm, total dimensions: 1820 mm x 770 mm x 1540 mm.	6000
77	Verbufa	Verbufa mobile portioning machine, type: 51764-A-0004, serial number: 230935, year of construction: 2016, 230 V, 50 Hz, 10 A, 4 kW, weight: 300 kg, plastic belt, belt width: 150 mm, diameter form: 35 mm, total dimensions: 1500 mm x 730 mm x 1550 mm. Including crate with parts.	5400
78	Handtmann	Handtmann vacuum filling machine, type: RV 50, dimensions: 860 mm x 850 mm x 1680 mm.	3000
79	Handtmann	Handtmann linking and case holding device, type linker: 34-5, number: 11941, type case holder: 60-6, number: 3763: dimensions: 550 mm x 430 mm x 150 mm.	1200
80	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, working width: 700 mm, dimensions: 1690 mm x 680 mm x 480 mm.	900
81	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, total dimensions: (4x) 1030 mm x 1030 mm x 1980 mm.	400
82	Cyklop	Cyklop mobile strapping machine, type: CD80, machine number: 02302077, 230 V, 50 Hz, 1 KVA, clearance: 870	450



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		mm x 605 mm, total dimensions: 1430 mm x 600 mm x 1550 mm.	
83	TVM	TVM mobile portioning machine, type: TVM Portio 4000, serial number: 10.26844.229, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.5 A, 4-8 bar, 380 kg, Busch vacuum pump, type: RC 0025 E 501, number: 00045179, capacity: 25 m <sup>3</sup> per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1500 mm x 720 mm x 1900 mm. With trolley with parts, dimensions trolley: 820 mm x 620 mm x 1670 mm.	1200
84	Hellmut Kühn	Hellmut Kühn vegetable slicer, type: 1/77, fabrication number: 16684, 220 V, 1 Ph, 50 Hz, 1.8 A, 0.22 kW, U/ min 2700 mm, dimensions: 300 mm x 450 mm x 520 mm. Incomplete, missing knife.	80
85	Busch	Busch vacuum pump, type: 160-132, number: 39312, capacity: 160 m <sup>3</sup> per hour, dimensions: 800 mm x 500 mm x 620 mm.	500
86	NN meat bins	2 s/s meat bins, volume: 200 liter each.	160
87	NN meat bins	2 s/s meat bins, volume: 200 liter each.	160
88	NN meat bins	4 s/s meat bins, volume: 200 liter each.	320
89	NN meat bins	4 s/s meat bins, volume: 200 liter each.	320
90	Leybold-Heraeus Varovac	Leybold-Heraeus Varovac vacuum pump, type: S 100 F, fabrication number: 10606 A891100011, volume flow rate: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 500 mm x 400 mm.	200
91	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, total dimensions: (4x) 1030 mm x 1030 mm x 1980 mm.	400
92	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, total dimensions: (4x) 1030 mm x 1030 mm x 1980 mm.	400
93	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, total dimensions: (4x) 1030 mm x 1030 mm x 1980 mm.	400
94	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, total dimensions: (4x) 1030 mm x 1030 mm x 1980 mm.	400
95	SAS Uni	SAS Uni denester, clearance: 185 mm x 155 mm, total dimensions: 580 mm x 500 mm x 1480 mm.	80
96	Knecht	Knecht mobile knife sharpener, type: HV 208, number: 0210194, year of construction: 1994, 380 V, 50 Hz, 0.88 A, 0.18 kW, dimensions: 1220 mm x 1000 mm x 1330 mm. Incomplete.	200
97	Thielman	Thielman braising pan, inside dimensions: 600 mm x 650 mm x 180 mm, total dimensions: 1100 mm x 850 mm x 900 mm.	100
98	DYNO	DYNO traysealer, type: 461-3, machine number: 102, year of construction: 1977, 220 V, 50 Hz, 2 kW, diameter dye: 95 mm, total dimensions: 400 mm x 520 mm x 550 mm.	100
99	MGM		100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		MGM traysealer, type: SAV MAXI, serial number: 13384, year of construction: 2013, 230 V, 3 A, dye: 215 mm x 165 mm, total dimensions: 350 mm x 550 mm x 510 mm.	
100	Busch	Busch vacuum pump, number: C0603000688, year of construction: 2006, dimensions: 1040 mm x 580 mm x 410 mm.	650
101	Busch	Busch booster pump, type: WV 0500 B 001 KAGM, number: C9904000798, year of construction: 1999, capacity: 500 m <sup>3</sup> /h, dimensions: 890 mm x 340 mm x 270 mm.	400
102	Myac	Myac mobile curing press, type: 450, machine number: 50120, year of construction: 1986, 380 V, 50 Hz, 0.4 kW, clearance: 450 mm x 220 mm, working width: 450 mm, total dimensions: 1050 mm x 850 mm x 1500 mm.	50
103	Strapex AG	Strapex AG mobile strapping machine, type: 351-200-003, machine number: 5131.80, serial number: 1680.06, 220 V, 50 Hz, 450 W, dimensions: 910 mm x 570 mm x 780 mm. Including 2 strap rolls.	100
104	Cyklop	Cyklop mobile strapping machine, type: CD80, machine number: 00312892, year of construction: 02/2001, 230 V, 50 Hz, 1 KVA, clearance: 870 mm x 605 mm, total dimensions: 1430 mm x 600 mm x 1550 mm.	400
105	Grasselli	Grasselli mobile skinning machine, model: RST520-M, serial number: T04R04IM1656, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, working width: 480 mm, total dimensions: 700 mm x 700 mm x 930 mm.	1450
106	Busch	Busch vacuum pump, type: WV 2000 C 001 XXXX, number: C0604000083, year of construction: 2006, dimensions: 1350 mm x 540 mm x 650 mm.	650
107	Vemag	Vemag vacuum filling machine, model: Robby, type: 194, number: 1340739, year of construction: 1997, 220-460 V, 3 Ph, 50/60 Hz, 9.7-25 A, with Rietschle vacuum pump, type: VGA-20 and linking attachment, number: 8283899, total dimensions: 900 mm x 850 mm x 1650 mm. Including crate with parts, number linking attachment: 9370451.	3700
108	Leonhardt	Leonhardt mobile dosing machine, type: 0140/1028, number: 02-487, year of construction: 2002, 230 V, 3 Ph, 50 Hz, 16 A, dimensions: 1400 mm x 650 mm x 1350 mm. Incomplete.	500
109	Grasselli	Grasselli mobile skinning machine, model: RST520-M, serial number: 01 4R04/M1280, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, working width: 480 mm, total dimensions: 700 mm x 700 mm x 930 mm.	1250
110	NN tumbler		900



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		S/s mobile tumbler, type: VSM 150, number: 1169, volume: 150 liter, dimensions inside: ø 590 mm x 550 mm, total dimensions: 850 mm x 800 mm x 1350 mm.	
111	H.Glass	H.Glass mobile tenderizer, type: GS 720, number: 202, year of construction: 1992, 380 V, 50 Hz, 6.3/3.65 A, 1.5 kW, working width: 290 mm, distance between knives: 5 mm, total dimensions: 1520 mm x 850 mm x 1350 mm. Missing belt.	800
112	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, number: 5235858, year of construction: 1992, 440 V, 60 Hz, working width: 425 mm, total dimensions: 950 mm x 850 mm x 1500 mm. Incomplete.	350
113	Collischan	Collischan checkweigher with rejector, type: TC8420, number: 9614, year of construction: 2007, weight: 250 kg, 230 V, 50 Hz, 0.4 kW, plastic belt, belt width: 155 mm, total dimensions: 1300 mm x 600 mm x 1500 mm.	500
114	Espera	Espera labelling machine with control panel on s/s mobile table, type: ESC 903, number: 70/02/0508, dimensions: 900 mm x 500 mm x 1350 mm.	25
115	NN tub	Mobile s/s tub with drain, inside dimensions: 600 mm x 580 mm, total dimensions: 700 mm x 650 mm x 900 mm.	100
116	Herman Waldner GmbH & Co.KG	Herman Waldner GmbH & Co.KG mobile traysealer, type: VG3025, number: 16112310, year of construction: 2010, 230 V, 50 Hz, 15/16 A, dimensions dye: (6x) 110 mm x 80 mm, film width: 320 mm, built-in vacuum pump, total dimensions: 900 mm x 570 mm x 1400 mm.	400
117	Townsend	Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 45 mm.	800
118	Townsend	Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 40 mm.	800
119	Townsend	Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 210 mm.	800
120	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile double clipper, model: KDCM 200, serial number: 4806.681.039, year of construction: 2019, weight: 100 kg, dimensions: 1460 mm x 950 mm x 1900 mm.	4800
121	Multiprint	Multiprint labelling machine with top and bottom labeller, type: MP 2038, 100-240 V, 50/60 Hz, 450 W, plastic belt, belt width: 200 mm, total dimensions: 2150 mm x 720 mm x 2000 mm.	950
122	Inauen Maschinen AG	Inauen Maschinen AG dip tank, type: VC999/ 85.47i, number: 95T061278, 400 V, 50 Hz, 31.5 A, 20.5 kW, clearance: 540 mm x 305 mm, dimensions inside: 990 mm x 440 mm, total dimensions: 1300 mm x 1050 mm x 1350 mm.	400
123	Ittec		250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Itec puffer station, type: pufferstation, serial number: 0014, year of construction: 03/08, 400 V, 3 Ph, 50 Hz, 2.5 kW, dimensions: 1050 mm x 910 mm x 1170 mm.	
124	Townsend	Townsend injector, model: PI 128.170, serial number: D53.727, 220 V, 3 Ph, 50 Hz, s/s walking beam, clearance: 405 mm x 200 mm, total dimensions: 2750 mm x 1050 mm x 1800 mm. Including filter tub, dimensions: 1660 mm x 650 mm x 800 mm.	2500
125	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, model: HUSKY E, machine number: 471001.70021.101366, year of construction: 2006, 380/480 V, 3 Ph, 50/60 Hz, 16 A, 2 kW, weight: 389 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 2260 mm x 850 mm x 1200 mm. Including pallet with parts.	2900
126	NN rollies	Pallet with 20 s/s rollies, dimensions each rollie: 660 mm x 420 mm x 170 mm.	400
127	NN rollies	Pallet with 20 s/s rollies, dimensions each rollie: 660 mm x 420 mm x 170 mm.	400
128	NN rollies	Pallet with 20 s/s rollies, dimensions each rollie: 660 mm x 420 mm x 170 mm.	400
129	Koncept Tech	Pallet with Koncept Tech hole plates for micro cutter, hole plates: 10-12 mm, diameter plates: 400 mm, total dimensions: 800 mm x 600 mm x 500 mm.	600
130	NN hooks	Pallet box with large amount of plastic hooks, hook length: 1040 mm, total dimensions: 1200 mm x 1000 mm x 760 mm.	20
131	Junger	Junger electric sausage warmer, inside dimensions: (2x) 305 mm x 255 mm x 130 mm, total dimensions: 760 mm x 330 mm x 290 mm.	50
132	NN trolley for smoke sticks	S/s trolley for smoke sticks, dimensions: 1020 mm x 580 mm x 1090 mm.	130
133	Bartscher GmbH	Bartscher GmbH electric sausage cutter, type: SW-228-2, 230 V, 50 Hz, 135 W, dimensions: 185 mm x 225 mm x 330 mm.	30
134	Lutetia	Lutetia vacuum tumbler with steam injection, type: 40, serial number: 16544, year of construction: 2004, volume: 2200 liter, 400 V, 50 Hz, 6.6 A, total dimensions: 3300 mm x 1700 mm x 1100 mm.	7000
135	Nimo KG	Nimo KG lifter for pallets, type: LP 1000 H, number: 10491, year of construction: 2007, maximum load: 1000 kg, total dimensions: 1500 mm x 1100 mm x 2370 mm.	850
138	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH mobile dicer, type: AUT 125, number: MS 211.01.02, 5.2 kW, dimensions chamber: 115 mm x 115 mm, total dimensions: 1820 mm x 1000 mm x 1550 mm.	700
139	Biro	Biro mobile mixer-grinder, model: AFMG52-4, serial number: 452140, 415 V, 3 Ph, 50 Hz, total dimensions:	1700



Nr	Title	Description	Start €
		1400 mm x 850 mm x 1800 mm. Missing knives and plates.	
141	Bizerba	Bizerba grinder, type: FW-N 22/2, number: 1517355, year of construction: 1997, 400 V, 50 Hz, 6.9/4 A, diameter plate: 82 mm, dimensions: 460 mm x 460 mm x 480 mm.	420
142	Steiner Apparatebau GmbH	Steiner Apparatebau GmbH tiltable double jacketed cooking vessel with agitator and scrapers, machine type: HK400, machine number: 03-950, year of construction: 2003, 400 V, volume: 800 liter, volume jacket: 26 liter, temperature range: 100C / 183C, total dimensions: 2750 mm x 1600 mm x 2150 mm.	6500
143	Juno	Juno frying machine, type: 5062-3, 400 V, 3 Ph, 50 Hz, dimensions: 3400 mm x 1500 mm x 1200 mm. Missing 1 cover.	1100
144	NN extraction hood	S/s extraction hood, dimensions: 2400 mm x 450 mm x 2200 mm.	25
145	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 500 mm x 950 mm.	25
146	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 500 mm x 950 mm.	25
147	Alcan	Alcan traysealer, type: Y61, number: 40, year of construction: 5/80, 230 V, 1 Ph, 50 Hz, 9.3 kW, 2.1 kW, dye: 148 mm x 100 mm, total dimensions: 410 mm x 700 mm x 640 mm.	50
148	NN filling machine	Can filling machine, 9 stations, diameter each station: 60 mm, s/s outfeed belt, belt width: (2x) 30 mm, total dimensions: 1050 mm x 1350 mm x 1950 mm.	1400
149	Kerres	Kerres cooking chamber, steam heated, inside dimensions: 950 mm x 1070 mm x 1930 mm, total dimensions: 1180 mm x 1550 mm x 2540 mm.	2400
150	Wolfking	Wolfking frozen block grinder with lifter for 200 liter meat bins, diameter plate: 300 mm, dimensions: 1900 mm x 1100 mm x 1900 mm, Wolfking Scanio lifter for 200 liter meat bins, type: K7, serial number: 8969, year of construction: 1999, 3 x 400 V, 50 Hz, 2.0 A, 1.4 kVa, lifting height: 1900 mm, total dimensions lifter: 3000 mm x 800 mm x 800 mm, switch cabinet, dimensions: 1200 mm x 800 mm x 1450 mm, s/s tool trolley with screw, dimensions trolley: 1450 mm x 800 mm x 800 mm, pallet with parts. Without knives and plates.	12500
151	Bastramat	Bastramat smoking chamber, electric heated, dimensions: 1400 mm x 1000 mm x 1900 mm. Including 2 s/s smoke trolleys, dimensions: (2x) 700 mm x 650 mm x 1360 mm and crate with smoke sticks.	1500
152	Nieros	Nieros mobile ham press, number: 2 257, dimensions: 1100 mm x 500 mm x 1180 mm.	550
153	Kerres		2500



Nr	Title	Description	Start €
		Kerres smoking chamber, gas heated, inside dimensions: 1100 mm x 930 mm x 1540 mm, total dimensions: 1710 mm x 1250 mm x 2700 mm. Including door.	
154	Tipper Tie Technopack	Tipper Tie Technopack table model clipper, dimensions: 200 mm x 280 mm x 870 mm.	120
155	Bizerba	Bizerba table model bandsaw, type: FK 2 3, number: 10645050, year of construction: 2010, 230/400 V, 50 Hz, 2.3 A, dimensions: 530 mm x 540 mm x 850 mm.	390
156	NN machine part	Part of dosing machine, dimensions: 550 mm x 240 mm x 440 mm.	5
157	NN trolley for smoke sticks	S/s trolley for smoke sticks, dimensions: 1020 mm x 580 mm x 1090 mm.	130
158	NN fryer	Fryer, model: FOE-6+6, number: 91121709, 220 V, 50 Hz, 3.5 kW, inside dimensions: (2x) 235 mm x 295 mm x 200 mm, total dimensions: 540 mm x 430 mm x 350 mm.	90
159	Zentrag AG	Zentrag AG vacuum machine, 220-240 V, 1 Ph, 4.7 A, 0.63 kW, seal length: 350 mm, dimensions chamber: 360 mm x 380 mm x 40 mm, total dimensions: 400 mm x 460 mm x 330 mm.	250
160	NN smoke sticks	S/s tub with approximately 435 s/s y shaped smoke sticks, length sticks: 1000 mm, total dimensions: 600 mm x 400 mm x 1140 mm.	150
161	Konzept Tech	Pallet with Konzept Tech hole plates for micro cutter, hole plates: 3 mm / 6 mm, diameter plates: 248 mm.	400
162	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG smoking chamber, type: HR-KR-F 2 Wg, number: 058-0300/01, year of construction: 10-2000, 230/400 V, 18.5 kW, gas heated, inside dimensions: 1600 mm x 2200 mm x 2050 mm, total dimensions: 1790 mm x 3400 mm x 2750 mm, with Schröter Technologie GmbH & Co. KG smoke generator, type: R 91, number: 0580300/01. 651/2, year of construction: 08/2000, 230/400 V, 1,5 kW, dimensions: 780 mm x 600 mm x 1750 mm. Including switch cabinet, dimensions: 750 mm x 1000 mm x 380 mm.	3000
163	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG smoking chamber, type: HR-KR-F 2 Wg, number: 058-0300/02, year of construction: 10-2000, 230/400 V, 18.5 kW, gas heated, inside dimensions: 1600 mm x 2200 mm x 2050 mm, total dimensions: 1790 mm x 3400 mm x 2750 mm, with Schröter Technologie GmbH & Co. KG smoke generator, type: R 91, number: 0580300/02. 652/2, year of construction: 08/2000, 230/400 V, 1,5 kW, dimensions: 780 mm x 600 mm x 1750 mm. Including switch cabinet, dimensions: 750 mm x 1000 mm x 380 mm.	3000



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
164	ELVAmac SA	ELVAmac SA filling machine, type: ELVAbbox 22, dimensions: 410 mm x 680 mm x 790 mm.	25
165	NN glass jars	2 pallets with large amount of glass jars and a bag with lids, dimensions jar: ø 80 mm x 110 mm.	100
166	Mesutronic	Mesutronic mobile metal detector with rejector belt, type: Metron 2.2 C 500/100, serial number: 991128-C, 100/240 V, 50/60 Hz, 100/250 mA, plastic belt, belt width: 400 mm, clearance: 410 mm x 70 mm, total dimensions: 1500 mm x 930 mm x 1020 mm.	300
167	PS SystemPack GmbH	PS SystemPack GmbH traysealer, type: 830A, serial number: 5905053, year of construction: 1995, 400 V, 3 Ph, dyes: (2x) 100 mm x 290 mm and (1x) 290 mm x 215 mm, total dimensions: 2200 mm x 950 mm x 1800 mm. Technical condition unknown.	25
168	Mesutronic	Mesutronic mobile metal detector with Satorius checkweigher and rejector, type metal detector: Matron 2.20 500x100, plastic belt, belt width: 400 mm, clearance: 410 mm x 70 mm, type checkweigher: EWK 439 / WS 1.25 kg D, number: 5.24.98.09.514, year of construction: 1999, maximum capacity: 1500 g, minimum capacity: 4 g, e=d= 0.2 g, T= 1250 g, total dimensions: 1500 mm x 930 mm x 1020 mm.	300
169	Boekels / Sartorius	Sartorius checkweigher, type: EWK2000 /WS 10 kg, number: VAB-12755-01, year of construction: 2002, 230 V, 50 Hz, maximum weight: 6000 gram, minimum weight: 40 gram, e=d=: 2 gram, T= -6000 gram, capacity: 60 pieces per minute, plastic belt, belt width: 400 mm, total dimensions: 1200 mm x 800 mm x 1770 mm.	300
170	Safety-Kleen Deutschland GmbH	Safety-Kleen Deutschland GmbH industrial cleaner, type: WR-I, serial number: 300 031, year of construction: 1993, 220/380 V, 4 kW, diameter washing basket: 850 mm, total dimensions: 1400 mm x 980 mm x 1090 mm.	500
171	Boekels / Sartorius	Boekels metal detector with Sartorius checkweigher with 2 rejectors, type metal detector: ESE 25 X 15, number: 6 1531 025015, year of construction: 2000, plastic belt, belt width: 100 mm, clearance: 255 mm x 150 mm, type checkweigher: EWK439/ WS 1.25 kg D, number: VAB-10866-01, year of construction: 2000, 230 V, 50 Hz, 800 VA, maximum weight: 1500 gram, minimum weight: 4 gram, d=e= 0.02 gram, T=-1250 gram, capacity: 180 packages per minute, temperature: 0°C / + 40°C, total dimensions: 1850 mm x 820 mm x 1740 mm.	300
172	Senking	Senking braising pan, inside dimensions: 860 mm x 660 mm x 160 mm, total dimensions: 1300 mm x 1070 mm x 870 mm.	150
173			250



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
	DIGI/Teraoka Seiko Co. LTF	DIGI/Teraoka Seiko Co. LTF weigh, wrap and label system, model: FX-3600 XL, serial number: 00164359, 400 V, 3 Ph, 50/60 Hz, 1.5 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e = 1/2 gram, T = 0.999 kg, dimensions: 860 mm x 940 mm x 1390 mm.	
174	NN refrigerator	Refrigerator with freezer cabinet, inside dimensions: 500 mm x 480 mm x 710 mm, total dimensions: 540 mm x 540 mm x 870 mm. Broken.	10
175	NN forms for liver cheese	Plastic pallet box with 47 s/s forms used for liver cheese, dimensions each form: 930 mm x 100 mm x 80 mm.	600
176	Stricker	Stricker electric shutter door, type: GS-315 E, number: 3A1-16-13-03651, year of construction: 2013, 1.5 kW, door width: 1600 mm, total dimensions: 2950 mm x 800 mm x 750 mm.	350
177	Efaflex	Efaflex electric shutter door, type: MCP2 door width: 1600 mm, total dimensions: 2600 mm x 800 mm x 600 mm.	350
178	Busch	Busch vacuum pump, number: 0407072, 230/400 V, 50/60 Hz, 5.5 kW, dimensions: 1100 mm x 500 mm x 600 mm.	50
179	Hayssen	Hayssen horizontal form, fill and seal machine used for cheese, model: RT-250, serial number: R85507, year of construction: 9-20-96, 380 V, 3 PH, 50 Hz, 35 A, plastic belt, belt width: 230 mm, roller width: 370 mm, total dimensions: 3800 mm x 1200 mm x 1900 mm.	500
180	Linde AG	Linde AG refrigerated showcase, number: G 56834, 220 V, 50 Hz, 380 W, pressure: 22 bar, inside dimensions: 1350 mm x 770 mm x 300 mm, total dimensions: 1450 mm x 1000 mm x 1000 mm.	20
181	Linde AG	Linde AG refrigerated showcase, type: CTP 1530 FSX, production number: 810066, 230 V, 50 Hz, 16 A, 482 W, pressure: 22 bar, refrigerant: R22, 0.56 kg, inside dimensions: 1350 mm x 780 mm x 220 mm, total dimensions: 1500 mm x 1000 mm x 1000 mm.	20
182	Linde AG	Linde AG refrigerated showcase, type: CTP 1530 SX, production number: 388404 230 V, 50 Hz, 16 A, 480 W, pressure: 22 bar, refrigerant: inside dimensions: 1350 mm x 780 mm x 220 mm, total dimensions: 1500 mm x 1000 mm x 1000 mm.	20
183	NN trolley	S/s trolley, dimensions: 930 mm x 700 mm x 1560 mm.	5
184	PS SystemPack GmbH	PS SystemPack traysealer, machine type: 830, machine number: 4912051, year of construction: 1994, 230 V, 16-5 A, pressure: 6 bar, film width: 205 mm, dye: (2x) 215 mm x 80 mm, total dimensions: 1600 mm x 870 mm x 1650 mm.	200
185	Multivac	Multivac thermoformer, type: R5100, number: 462/10, year of construction: 1982, 380 V, 50 Hz, 35/36 A, 15	2500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		kW, dye: 270 mm x 200 mm, total dimensions: 4150 mm x 950 mm x 1650 mm. Including 2 crates with parts.	
186	Krämer + Grebe	Krämer + Grebe thermoformer, type: 2500, machine number: 656/104, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 20 A, dimensions dye: 195 mm x 150 mm, total dimensions: 6400 mm x 980 mm x 1980 mm. Without rollies.	400
187	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0122701, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 450 kg, chain conveyor with dividers, distance between dividers: 160 mm, dye: (2x) 130 mm x 160 mm, film width: 230 mm, total dimensions: 5400 mm x 950 mm x 1800 mm.	1500
188	Trinitas Trading	Trinitas Trading transport belt, s/s mesh belt, belt width: 770 mm, total dimensions: 2150 mm x 1040 mm x 1470 mm.	300
189	NN transport belt	Transport belt, plastic belt, belt width: 190 mm, total dimensions: 3000 mm x 600 mm x 900 mm.	300
190	NN belts	2 pallet boxes with plastic belts.	100
191	Anritsu	Anritsu 10-lanes linear weigher, model: KE7410AW, serial number: K089039, year of construction: 15.11.1999, 230 V, 50/60 Hz, 700 VA, capacity: 70 packs per minute, total dimensions: 2000 mm x 1000 mm x 1740 mm. Including pallet with extra parts.	750
192	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, total dimensions: (5x) 1030 mm x 1030 mm x 1980 mm.	500
193	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, total dimensions: (5x) 1030 mm x 1030 mm x 1980 mm.	500
194	Schur Packaging Systems a/s	Schur Packaging Systems a/s mobile sealing machine, type: 425 UR, number: 2167 F944, plastic belt, belt width: 210 mm, total dimensions: 4000 mm x 900 mm x 1620 mm.	1900
195	Genie Industries	Genie Industries aerial lift, model: PLC-30AC, serial number: 1487-14880-8, 220 V, 50 Hz, 4.5 A, maximum load: 300 lbs, dimensions platform: 620 mm x 620 mm, total dimensions: 3100 mm x 3400 mm x 2300 mm.	600
196	CFS	CFS mobile screw loader, type: SCREWLOADER Ø 500, year of construction: 2008, 2.6 A, 5.87 kW, screw diameter: 500 mm, total dimensions: 6750 mm x 1700 mm x 1800 mm.	4900
197	NN transport belt	Transport belt for crates, plastic belt, belt width: 50 mm, total dimensions: 5300 mm x 640 mm x 910 mm.	150
198	NN frame for transport belt	S/s frame for transport belt, dimensions: 6400 mm x 1200 mm x 1060 mm.	150
199	Mafo Holtkamp B.V.	Mafo Holtkamp B.V. crate washer, serial number: 200-5681-834/8-2002, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 24.1 A, 24.1 kW, clearance: 680 mm x	650



Nr	Title	Description	Start €
		500 mm, total dimensions: 2450 mm x 940 mm x 1480 mm.	
200	NN apron washer	S/s apron washer, dimensions: 1250 mm x 500 mm x 1920 mm.	200
201	Techniqa	Techniqa hygiene station, serial number: 10 212 21, year of construction: 2021, 400 V, 50 Hz, 0.7 kW, weight: 230 kW, brush length: (2x) 750 mm, dimensions: 1650 mm x 930 mm x 2020 mm.	1000
202	Thermo	Thermo metal detector with rejector, plastic mesh belt, belt width: 300 mm, clearance: 345 mm x 100 mm, total dimensions: 1100 mm x 900 mm x 1050 mm.	1000
203	NN dispenser	S/s wall mounted dispenser, dimensions: 500 mm x 400 mm x 500 mm.	10
204	Safeline/Mettler Toledo	Safeline/Mettler Toledo mobile metal detector, 100/240 Vac, 50/60 Hz, 330 W, plastic belt, belt width: 380 mm, clearance: 450 mm x 215 mm, total dimensions: 2000 mm x 980 mm x 1150 mm.	1300
205	GEA Küba Kältetechnik GmbH	2 GEA Küba Kältetechnik GmbH evaporators, type: (2x) SGL E 82, number: 154870/1700/2000/6774483, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 5150 W, dimensions: (2x) 1880 mm x 730 mm x 520 mm.	250
206	Jungheinrich	Jungheinrich gas forklift, type: TFG 2,0-A, serial number: BC 0149, year of construction: 1988, weight: 3200 kg, capacity: 2000 kg, fork length: 1100 mm, total dimensions: 3300 mm x 1000 mm x 2700 mm. Technical condition unknown.	1500
207	GEA Küba Kältetechnik GmbH	3 GEA Küba Kältetechnik GmbH evaporators, (1x) type: SBE 62, number: P366767542/2000/6767542, year of construction: 2000, 230 V, 1 Ph, 50/60 Hz, 3294 W, dimensions: 1360 mm x 700 mm x 520 mm, (1x) type: SGA 51, number: 154870/0800/2000/6774484, year of construction: 2000, 230 V, 1 Ph, 50/60 Hz, 107 W, dimensions: 900 mm x 700 mm x 520 mm, (1x) type: SGA 51, number: 154870/0700/2000/6774488, year of construction: 2000, 230 V, 3 Ph, 50/60 Hz, 5150 W, dimensions: 900 mm x 700 mm x 520 mm.	300
208	GEA Küba Kältetechnik GmbH/Kelvion	1 GEA Küba Kältetechnik GmbH evaporator, type: SGA 81, number: 6553511, 400 V, 3 Ph, 50/60 Hz, 300 W, dimensions: 1050 mm x 810 mm x 520 mm, (1x) Kelvion evaporator, type: SGBE 072 D, number: 5100754967/200221213/60/2018/16, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 3630 W, dimensions: 1580 mm x 860 mm x 520 mm.	200
209	GEA Küba Kältetechnik GmbH	2 GEA Küba Kältetechnik GmbH evaporators, (1x) type: SGBE 71, number: 154870/1300/2000/6774493, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 2320 W, dimensions: 910 mm x 640 mm x 520 mm, (1x) number: 154870/1300/2000/6774491, year of construction:	200



Nr	Title	Description	Start €
		2000, 230/400 V, 3 Ph, 50/60 Hz, 1737 W, dimensions: 810 mm x 680 mm x 520 mm.	
210	GEA Küba Kältetechnik GmbH	2 GEA Küba Kältetechnik GmbH evaporators, (1x) type: SPBE 042, number: P366767567/2000/6767567, year of construction: 2000, 230/400 V, 1 Ph, 50/60 Hz, 2908 W, dimensions: 1280 mm x 420 mm x 450 mm, (1x) type: SPB 032, number: P2566849577/2000/6684957, year of construction: 2000, 230/400 V, 1 Ph, 50/60 Hz, 148 W, dimensions: 1280 mm x 420 mm x 450 mm.	250
211	GEA Küba Kältetechnik GmbH/Kelvion	4 GEA Küba Kältetechnik GmbH evaporators, (1x) type: SGBE 31, number: 154870/0900/2000/6774489, year of construction: 2000, 230/400 V, 1 Ph, 50/60 Hz, 1476 W, dimensions: 660 mm x 480 mm x 430 mm, (1x) type: SGBE 081, number: 10028131/2009/00292309/1, year of construction: 2009, 230/400 V, 1 Ph, 50/60 Hz, 3765 W, dimensions: 1070 mm x 750 mm x 520 mm, (1x) type: SGBE 81, number: P376777602/2000/6777602, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 2830 W, dimensions: 1070 mm x 750 mm x 520 mm, (1x) dimensions: 660 mm x 480 mm x 430 mm.	400
212	GEA Küba Kältetechnik GmbH/Kelvion	2 GEA Küba Kältetechnik GmbH evaporators, type: (2x) SGA 61, number: 154870/0500/2000/6774485, year of construction: 2000, 230 V, 1 Ph, 50/60 Hz, 107 W, dimensions: (2x) 820 mm x 750 mm x 520 mm.	200
213	GEA Küba Kältetechnik GmbH/Kelvion	2 GEA Küba Kältetechnik GmbH evaporators, type: (2x) SBE 71, number: P286701771/2000/6701771, year of construction: 2000, 230 V, 1 Ph, 50/60 Hz, 2320 W, dimensions: (2x) 920 mm x 750 mm x 520 mm.	200
214	GEA Küba Kältetechnik GmbH/Kelvion	2 GEA Küba Kältetechnik GmbH evaporators, (1x) type: SGA 71, number: 154870/0600/2000/6774487, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 300 W, dimensions: 920 mm x 780 mm x 540 mm, (1x) type: DPA 031, number: 154870/0300/2000/6775423, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 195 W, dimensions: 980 mm x 1000 mm x 200 mm.	250
215	Günther AG & Co. KG/Kelvion	(1x) Günther AG & Co. KG evaporator, type: GHF 031.2F/27-ENW50.E, serial number: 400/1351892.0007, year of construction: 2011, dimensions: 1200 mm x 520 mm x 420 mm, (1x) Kelvion evaporator, type: : SGBE072 D, number: 5100754967/200221213/60/2018/1, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 2.1 A, 3630 W, dimensions: 1500 mm x 820 mm x 540 mm. Including 2 Pego control units.	300
216	Bitzer Kühlmaschinenbau GmbH / Compact Kältetechnik GmbH	Compact Kältetechnik GmbH compressor rack, type: XB 2-147, serial number: 210-00, year of construction: 09/00, 28/16 bar, refrigerant: R404A, consisting of (2x) Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (1x) 4HE-18Y-40P, (1x) 4H-15.2 Y, 380 / 420 / 440 /	1500



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		480 V, 3 Ph, 50/60 Hz, capacity: 73.6/88.8 m <sup>3</sup> per hour, dimensions: 1300 mm x 960 mm x 1260 mm.	
217	Bitzer Kühlmaschinenbau GmbH	3 Bitzer Kühlmaschinenbau GmbH pressure vessels on steel frame, type: (3x) FS 562, serial numbers: 15895439, 15895440, 15895441, year of construction: 2000, 28 bar, total dimensions: 1400 mm x 650 mm x 1170 mm.	1000
218	Bitzer Kühlmaschinenbau GmbH/Compact Kältetechnik GmbH	Compact Kältetechnik GmbH compressor rack, type: BX 3-68H, serial number: 210-00, year of construction: 10/00, 28/16 bar, refrigerant: R404A, consisting of: (6x) Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4EC-4.2 Y, (3x) 4EC-6.2 Y, 380 / 420 / 440 / 480 V, 3 Ph, 50/60 Hz, capacity: 22.14/27.4 m <sup>3</sup> per hour, dimensions: 1650 mm x 800 mm x 1720 mm.	2000
219	Rittal	Rittal switch cabinet, dimensions: 1600 mm x 400 mm x 2000 mm.	350
220	NN smoke trolleys	20 s/s smoke trolleys, 6 floors, total dimensions: (20x) 1030 mm x 1030 mm x 1980 mm.	1500
221	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON conti, machine number: 461007.162571.112885, year of construction: 2011, 380/480 V, 3 Ph, 50/60 Hz, 32 A, 8.6 kW, machine weight: 750 kg, plastic belt, total dimensions: 6000 mm x 1100 mm x 1900 mm.	9800
222	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, total dimensions: (5x) 1030 mm x 1030 mm x 1980 mm.	500
223	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, total dimensions: (5x) 1030 mm x 1030 mm x 1980 mm.	500
224	VARA s.r.l.	VARA s.r.l. carton erector, type: VR82AD, number: 1724-94, 380 V, 6 kW, 6 bar, dimensions: 1870 mm x 1680 mm x 2000 mm.	200
228	Kerres	Kerres drying- smoking- and cooking chamber, type: CS 350, serial number: 15.056, year of construction: 09-1985, on sawdust or liquid smoke, 6 floors, dimensions floor: (6x) 540 mm x 445 mm, total dimensions: 830 mm x 680 mm x 1750 mm.	1800
231	Rühle GmbH	Rühle GmbH tumbler, type: MKR 130, number: 283, 380 V, 3 Ph, 50 Hz, 3.15 kW, volume: 130 liter, dimensions: 1150 mm x 750 mm x 1200 mm.	1400
236	NN vacuum machine	Mobile vacuum machine, seal length: (2x) 500 mm, dimensions chamber: 500 mm x 500 mm, Busch vacuum pump, type: 063-112, number: 38740, capacity: 63 m <sup>3</sup> per hour, total dimensions: 650 mm x 580 mm x 1100 mm.	250
238	Pökomat	Pökomat mobile injector, 400 V, plastic mesh belt, belt width: 260 mm, clearance: 280 mm x 170 mm, total dimensions: 1220 mm x 480 mm x 1560 mm.	1500
240	Reich		550



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		Reich cooking vessel, type: KO 300 E/Ö, year of construction: 1981, 220 V, 16.2 kW, inside dimensions: 930 mm x 650 mm x 550 mm, total dimensions: 1100 mm x 1200 mm x 1100 mm.	
241	Stephan	Stephan mobile universal machine, type: BB 100, number: 4558760, year of construction: 1986, 380 V, 50 Hz, 28 A, 12.5 kW, volume: 100 liter, total dimensions: 1200 mm x 950 mm x 1400 mm.	800
242	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH cooking vessel, type: 9310, number: 9310/2/0115, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 12.6 kW, inside dimensions: 600 mm x 800 mm x 420 mm, total dimensions: 840 mm x 1400 mm x 1030 mm.	750
243	NN clipper	Table model clipper, number: TCX-200T-1346-412, dimensions: 450 mm x 200 mm x 800 mm.	100
244	Kramer + Grebe GmbH & Co.KG	Kramer + Grebe GmbH & Co.KG grinder, type: AW 114, machine number: 271/228 87, diameter plate: 114 mm, dimensions: 780 mm x 1170 mm x 1200 mm.	2000
245	Ziegara	Ziegara ice machine, type: UBE 125, number: 883636, dimensions: 700 mm x 980 mm x 600 mm.	300
246	Stephan	Stephan universal machine, type: MC10, number: 5073615, year of construction: 1993, 380 V, 50 Hz, 15 A, 7.5 kW, dimensions: 680 mm x 640 mm x 960 mm.	4500
247	NN cooking trolleys	5 s/s cooking trolleys, 5 floors, dimensions: (5x) 1000 mm x 1000 mm x 2000 mm.	350
248	NN cooking trolleys	4 s/s cooking trolleys, 5 floors, dimensions: (4x) 1000 mm x 1000 mm x 2000 mm.	300
249	NN cooking trolleys	4 s/s cooking trolleys, 10 floors, dimensions: (4x) 1000 mm x 1000 mm x 2000 mm.	300
250	Magurit GmbH	Magurit GmbH frozen block cutter, type: MAGURIT 052, machine number: 4197, year of construction: 1997, 400 V, 4 kW, clearance: 465 mm x 210 mm, total dimensions: 1650 mm x 750 mm x 1630 mm.	4500
251	Multivac	Multivac double chamber vacuum machine, model: C 450, seal length: (4x) 470 mm, dimensions chamber: (2x) 625 mm x 470 mm, with Rietschle vacuum pump, type: VCH 140 (05), year of construction: 2003, total dimensions: 1230 mm x 950 mm x 1020 mm,	1000
252	Nowicki	Nowicki mobile micro cutter, model: KR-15, number: 32820011, year of construction: 2020, 400 V, 3 Ph, 50 Hz, dimensions: 1700 mm x 950 mm x 700 mm.	6500
253	Weber	Weber skinning and deriding machine, type: ASB 1400, number: 332, 380 V, 50 Hz, 1.5 kW, working width: 700 mm, total dimensions: 1080 mm x 930 mm x 1150 mm. Including 2 plastic belts, belt width: 620 mm.	2800
254	Bupi-Golser Maschinenbau GmbH	Bupi-Golser Maschinenbau GmbH industrial cleaner, type: J 1000, serial number: 11420, 400 V, 50 Hz, 19 A,	450



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		11.3 kW, diameter washing basket: 860 mm, total dimensions: 1200 mm x 1050 mm x 1250 mm.	
255	Steiner Apparatebau GmbH	Steiner Apparatebau GmbH double jacketed cooking vessel, type: SK100, number: 08-1239, year of construction: 07-2008, 400 V, volume: 140 liter, dimensions: 1550 mm x 1100 mm x 1730 mm. Missing agitator.	1800
256	Foodlogistik Fleischereimaschinen GmbH	Foodlogistik Fleischereimaschinen GmbH mobile slicer, model: SLICR COMFORT 21, serial number: 2173011, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 4.8 kW, plastic belt, belt width: 290 mm, dimensions chamber: 210 mm x 190 mm x 900 mm, total dimensions: 3000 mm x 830 mm x 1380 mm.	1500
257	NN cooking trolleys	6 s/s cooking trolleys, 5 floors, dimensions: (6x) 1000 mm x 1000 mm x 2000 mm.	400
258	Bizerba	Bizerba slicer, type: VS 8 A, machine number: 461044, 220/380 V, 3 Ph, 50 Hz, 1.7/1.2 A, 0.41 kW, dimensions: 700 mm x 680 mm x 540 mm.	250
259	NN cooking trolleys	4 s/s cooking trolleys, (2x) 5 floors, (2x) 10 floors, dimensions: (4x) 1000 mm x 1000 mm x 2000 mm.	300
260	Risco S.P.A.	Risco S.P.A. vacuum filling machine with s/s infeed bunker, model: RS 2005 V, serial number: H199001, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 11.5 kW, weight: 1340 kg, dimensions vacuum filling machine: 1350 mm x 1100 mm x 2800 mm, dimensions infeed bunker: 2700 mm x 1560 mm x 1100 mm.	4400
261	NN knife sterilizer	S/s knife sterilizer, dimensions: 250 mm x 200 mm x 450 mm.	100
262	PVS Systemtechnik GmbH	PVS Systemtechnik GmbH micro cutter, type: PVS Cut 180 HD, number: 180.HD.169.2023 3, year of construction: 2023, 400 V, 50 Hz, 19.3 A, 11 kW, weight: 1010 Kg, dimensions: 2400 mm x 1220 mm x 1000 mm. Including 2 crates with parts.	35000
263	Palmia	Palmia grinder, type: P207320, number: 4421, dimensions: 980 mm x 1380 mm x 1680 mm. Missing knives and plates.	3000
264	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile clipper, model: KDCM 90, number: 4801.248.489, dimensions: 1180 mm x 720 mm x 1800 mm.	3000
265	Vemag	Vemag vacuum filling machine, model: ROBBY, type: 134, number: 134.0339, year of construction: 1994, 220-460 V, 3 Ph, 50/60 Hz, 9.7-25 A, dimensions: 900 mm x 860 mm x 1620 mm.	3500
266	TVM Maschinenbau GmbH & Co KG	TVM Maschinenbau GmbH & Co KG mobile portioning machine, type: TVM-Portio 4000, serial number: 05-00.26725218, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.5 A, weight: 380 kg, plastic belt, belt width:	2500



Nr	Title	Description	Start €
		205 mm, total dimensions: 1800 mm x 1040 mm x 2320 mm. Including trolley with forms.	
267	Tipper Tie technopak GmbH	Tipper Tie technopak GmbH mobile double clipper, type: DCA-E, dimensions: 1140 mm x 800 mm x 1780 mm.	950
268	Kilia	Kilia grinder, type: AW D 114 2000S, machine number: 79011854, year of construction: 1990, 380 V, 19.5/25 A, 8.5/11 kW, diameter plate: 114 mm, total dimensions: 900 mm x 1150 mm x 1550 mm.	2000
269	Vemag	Vemag vacuum filling machine, model: Robot 500, number: 128 5037, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 13 A, 4.9 kW, total dimensions: 850 mm x 750 mm x 1580 mm.	3500
270	Eloma	Eloma combi steamer on s/s cabinet, 6 floors, dimensions each floor: 535 mm x 300 mm, total dimensions: 970 mm x 850 mm x 1500 mm.	300
271	Eloma	Eloma combi steamer, type: Multimax B 20-11, serial number: EL0740985 ELN115781, year of construction: 05/2013, 400 V, 3 Ph, 50 Hz, 45 kW, dimensions: 1040 mm x 930 mm x 1960 mm. Including s/s trolley, 20 floors, dimensions each floor: 540 mm x 330 mm,	1800
272	Stephan	Stephan universal machine, type: MC 10, machine number: 35492, year of construction: 1983, 380 V, 3 Ph, 50 Hz, 15 A, 7.5 kW, dimensions: 500 mm x 600 mm x 970 mm.	2000
273	Stephan	Stephan micro cutter, type: MHC-D150, number: M05040, year of construction: 30-05, 460 V, 60 Hz, 70 A, 45 kW, water cooled, dimensions: 1450 mm x 900 mm x 800 mm. Incomplete.	7500
274	PVS Systemtechnik GmbH	PVS Systemtechnik GmbH double shaft paddle mixer, year of construction: 2023, volume: 450 liter, dimensions: 1860 mm x 1050 mm x 1680 mm.	7500
275	NN universal machine	Universal machine, dimensions: Ø 650 mm x 1080 mm.	750
276	Rex	Rex vacuum filling machine, type: RVF 560, Busch vacuum pump, type: KC 0016 D, number: 060081117, year of construction: 2006, capacity: 16 m <sup>3</sup> per hour, dimensions: 1250 mm x 930 mm x 1950 mm. Including linking gearbox and case holding device. Missing cover.	6500
277	Handtmann	Handtmann mobile linking machine, dimensions: 1640 mm x 860 mm x 1370 mm. Technical condition unknown.	400
278	Webomatic	Webomatic mobile double chamber vacuum machine, type: ECOMAT-C, number: 5010MC584, 400 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, capacity: 065 m <sup>3</sup> per hour, seal length: (4x) 440 mm, dimensions chamber: (2x) 450 mm x 420 mm, Busch vacuum pump, type: RA 0100 E 5Z1, number: 02023556, capacity: 100 m <sup>3</sup> per hour, total dimensions: 980 mm x 720 mm x 980 mm.	1300



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
279	Rühle GmbH	Rühle vacuum tumbler, type: HTR 600, number: 0119 G, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 16 A, 2.2 kW, Busch vacuum pump, type: RA 0025 F 5030, serial number: D15350251, year of construction: 2015, capacity: 25 m <sup>3</sup> /per hour, dimensions: 1000 mm x 1400 mm x 1780 mm.	800
280	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 3331, 400 V, 50 Hz, 17 A, 6.5 kW, dimensions: 1480 mm x 1200 mm x 2080 mm.	3000
281	Gramiller	Gramiller mobile tiltable tumbler, inside dimensions: Ø 600 mm x 680 mm, total dimensions: 840 mm x 1100 mm x 1570 mm.	500
282	Henneken GmbH	Henneken GmbH injector, type: HPI 350, machine number: HPI-350-7085, year of construction: 2015, 400 V, 50 Hz, 6.2 kW, weight: 460 kg, volume: 20 liter/minute, 50 needles, clearance: 350 mm x 210 mm, total dimensions: 1620 mm x 1000 mm x 1940 mm.	1000
283	Baader	Baader separator, type: 696, number: 12 1866 0696, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 3.7 A, diameter perforations: 3 mm, total dimensions: 1240 mm x 880 mm x 1250 mm.	1250
284	Günther	Günther injector, type: PI 52 M, machine number: 27638, year of construction: 2002, 400 V, 16 A, 5.5 kW, 52 needles, plastic mesh belt, belt width: 330 mm, clearance: 345 mm x 220 mm, total dimensions: 1780 mm x 900 mm x 2000 mm. Including filter tub.	3000
285	Nock	Nock flake ice machine, type: SE 600, machine number: 2129350, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 6.6 A, 2.4 kW, refrigerant: R404AA/3.2 kg, dimensions: 1300 mm x 800 mm x 1650 mm.	500
286	Velox	Velox crate washer, model: BC29CR2DXE, serial number: 18358, year of construction: 11/2017, 400 V, 50 Hz, 32 A, 2.4 kW, clearance: 510 mm x 430 mm, total dimensions: 2260 mm x 720 mm x 1610 mm.	700
287	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: HP30E, number: 1660379, year of construction: 2014, 400-460 V, 3 Ph, 50/60 Hz, 50 A, 34 kW, dimensions: 2300 mm x 1500 mm x 2200 mm.	23900
288	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: FCA 120, number: 1035, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 4.0 kW, 4.0 A, 625 kg, dimensions: 1600 mm x 1200 mm x 2000 mm.	19500
289	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF612, machine number: 29867, year of construction: 2011, 220 V, 3 Ph, 50/60 Hz, 4.5	9900



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
		kW, 11.8 A, dimensions: 1900 mm x 1300 mm x 2000 mm.	
290	Kohlhoff	Kohlhoff hygiene station, type: DLSO800+EK800, machine number: 77625, year of construction: 1/2009, 3x 400 V, 50 Hz, 0.8 kW, dimensions: 1500 mm x 1200 mm x 1900 mm.	2700

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.





# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

