



**Industrial
Auctions**

**2068: Online auction potato dumpling line in
Stavenhagen (DE)**

END DATE
10 March 2026 14:00



General terms and conditions of the online auction

End date	10 March 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	Pick up in consultation with Industrial Auctions BV.
Pick up address	Schultetusstraße 37 17153 Stavenhagen Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Rosoma GmbH	Rosoma GmbH big bag unloading station consisting of 3 stations with vibrating outfeed hoppers, 3 Demag electric chain hoists, double lane outfeed belt, plastic belt, belt width: (2x) 370 mm, dimensions each station: 4200 mm x 1200 mm x 2500 mm, total dimensions with frame: 4400 mm x 2700 mm x 5500 mm, s/s switch cabinet, dimensions: 1250 mm x 550 mm x 2400 mm.	4000
2	Eima GmbH	Eima GmbH infeed hopper with transport screw and outfeed hopper on weighing cells with valve, s/s screw, diameter: 180 mm, tier: 120 mm, dimensions infeed hopper with transport screw: 2500 mm x 1000 mm x 4000 mm, dimensions outfeed hopper: 1300 mm x 1300 mm x 2000 mm.	3000
3	NN infeed storage installation	Infeed storage installation consisting of: s/s infeed silo with valve and s/s transport screw, dimensions silo: Ø 1050 mm x 2000 mm, length transport screw: 4000 mm, 2 s/s storage silos with DMN Westinghouse valves, type valves: (2x) AS 250 1E, dimensions: (2x) Ø 1650 mm x 5300 mm, s/s platform, dimensions: 4500 mm x 5500 mm x 7000 mm, s/s switch cabinet, dimensions: 1000 mm x 400 mm x 2000 mm.	7500
4	Eima GmbH	Eima GmbH infeed hopper with transport screw and outfeed hopper on weighing cells with valve, s/s screw, diameter: 180 mm, tier: 120 mm, dimensions infeed hopper with transport screw: 2500 mm x 800 mm x 2500 mm, dimensions outfeed hopper: 1300 mm x 1300 mm x 2000 mm.	3000
5	Diosna Dierks & Söhne GmbH	Diosna Dierks & Söhne GmbH carousel dough kneading installation consisting of: Diosna Dierks & Söhne GmbH wendel mixer with rotating carousel, type: WV 240 A, number: 974-056, 400 V, 3 Ph, 50 Hz, 34 kW, 63 A, 4 s/s tubs, inside dimensions: (4x) Ø 1000 mm x 500 mm, volume each tub: 370 liter / 240 kg, total dimensions: 3900 mm x 3100 mm x 2550 mm, Diosna Dierks & Söhne GmbH lifter with mobile outfeed hopper, type: HK 300, number: 3400-286, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 7.9 A, 3.15 kW, dimensions: 2100 mm x 2300 mm x 7000 mm, Diosna Dierks & Söhne GmbH washing station, type: HK-300, number: 3400-291, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 4.4 A, 2.8 kW, dimensions: 2700 mm x 2400 mm x 2900 mm, Rosoma water preparation unit for washing station, Diosna Dierks & Söhne GmbH outfeed belt, plastic belt, belt width: 850 mm, total dimensions: 6500 mm x 900 mm x 400 mm, Diosna Dierks & Söhne GmbH mobile outfeed dividing belt, plastic belt, belt width: 850 mm, total dimensions: 3500 mm x 1350 mm x 900 mm, S/s platform, dimensions: 11000 mm x 11000 mm x 7150	25000



Nr	Title	Description	Start €
		mm,S/s switch cabinet, dimensions: 3650 mm x 550 mm x 2300 mm.	
6	Diosna Dierks & Söhne GmbH	Diosna Dierks & Söhne GmbH dough kneading machine, inside dimensions: Ø 800 mm x 400 mm, total dimensions: 1200 mm x 1100 mm x 1900 mm, additional tub, inside dimensions: Ø 800 mm x 400 mm, total dimensions: 650 mm x 850 mm x 1150 mm, s/s fences with 2 s/s switch cabinets, dimensions switch cabinets: (2x) 500 mm x 250 mm x 700 mm.	2000
7	Rosoma GmbH	Rosoma GmbH hot water installation consisting of: 2 hot water tanks, dimensions: (2x) Ø 1050 mm x 3000 mm, s/s switch cabinet, dimensions: 800 mm x 450 mm x 1350 mm, s/s platform, dimensions: 3500 mm x 3000 mm x 3800 mm, various valves.	3500
8	Rosoma GmbH	Rosoma GmbH liquid grease dosing installation consisting of: s/s mixing tank, dimensions: Ø 1200 mm x 2700 mm, s/s switch cabinet, dimensions: 800 mm x 350 mm x 1200 mm, s/s frame, dimensions: 3200 mm x 2100 mm x 3100 mm.	3000
9	Rheon	Rheon double lane encrusting machine with flour covering device, model encrusting machine: WN055, serial number: 125, year of construction: sep. 2006, 380 V, 3 Ph, 50/60 Hz, 11.3 A, 4.3 kW, plastic belt, belt width: (2x) 130 mm, total dimensions: 1700 mm x 1000 mm x 2750 mm, model flour covering device: DU220, serial number: 220, year of construction: oct. 2008, 200 V, 3 Ph, 50 Hz, 2.6 A, 0.28 kW, plastic belt, belt width: (2x) 100 mm, total dimensions: 1600 mm x 900 mm x 1750 mm.	10000
10	Rheon	Rheon double lane encrusting machine with flour covering device, model encrusting machine: WN055, serial number: 126, year of construction: sep. 2006, 380 V, 3 Ph, 50/60 Hz, 11.3 A, 4.3 kW, plastic belt, belt width: (2x) 130 mm, total dimensions: 1700 mm x 1000 mm x 2750 mm, model flour covering device: DU220, serial number: 043, year of construction: sep. 2006, 200 V, 3 Ph, 50 Hz, 2.6 A, 0.28 kW, plastic belt, belt width: (2x) 100 mm, total dimensions: 1600 mm x 900 mm x 1750 mm.	10000
11	Rheon	Rheon double lane encrusting machine with flour covering device, model encrusting machine: WN055, serial number: 123, year of construction: sep. 2006, 380 V, 3 Ph, 50/60 Hz, 11.3 A, 4.3 kW, plastic belt, belt width: (2x) 130 mm, total dimensions: 1700 mm x 1000 mm x 2750 mm, model flour covering device: DU220, serial number: 040, year of construction: sep. 2006, 200 V, 3 Ph, 50 Hz, 2.6 A, 0.28 kW, plastic belt, belt width:	10000



Nr	Title	Description	Start €
		(2x) 100 mm, total dimensions: 1600 mm x 900 mm x 1750 mm.	
12	Rheon	Rheon double lane encrusting machine with flour covering device, model encrusting machine: WN055, serial number: 124, year of construction: sep. 2006, 380 V, 3 Ph, 50/60 Hz, 11.3 A, 4.3 kW, plastic belt, belt width: (2x) 130 mm, total dimensions: 1700 mm x 1000 mm x 2750 mm, model flour covering device: DU220, serial number: 042, year of construction: sep. 2006, 200 V, 3 Ph, 50 Hz, 2.6 A, 0.28 kW, plastic belt, belt width: (2x) 100 mm, total dimensions: 1600 mm x 900 mm x 1750 mm.	10000
13	Rheon	Rheon double lane encrusting machine with flour covering device, model encrusting machine: WN055, serial number: 172, year of construction: oct. 2008, 380 V, 3 Ph, 50/60 Hz, 11.3 A, 4.3 kW, plastic belt, belt width: (2x) 130 mm, total dimensions: 1700 mm x 1000 mm x 2750 mm, model flour covering device: DU220, serial number: 041, year of construction: sep. 2006, 200 V, 3 Ph, 50 Hz, 2.6 A, 0.28 kW, plastic belt, belt width: (2x) 100 mm, total dimensions: 1600 mm x 900 mm x 1750 mm.	10000
14	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 350 mm x 1550 mm.	500
15	Rheon	Rheon transport belt, year of construction: sep 2006, 200 V, 50 Hz, 3.4 A, 0.75 kW, plastic belt, belt width: 1000 mm, total dimensions: 6000 mm x 1100 mm x 1200 mm.	1000
16	Rheon	Rheon transport belt, model: 3C330, serial number: 00008, year of construction: sep 2006, 200 V, 3 Ph, 50 Hz, 3.04 A, 0.8 kW, plastic belt, belt width: 1000 mm, total dimensions: 2000 mm x 1150 mm x 1200 mm.	500
17	H. Wichelmann	H. Wichelmann mobile transport belt, type: FTB, machine number: 06-1350, year of construction: 2008, 1 kW, plastic belt, belt width: 500 mm, total dimensions: 1800 mm x 650 mm x 1100 mm.	1000
18	H. Wichelmann	H. Wichelmann mobile coating machine with outfeed vibrating gutter, type: BMA, machine number: 06/838, year of construction: 2006, 10 kW, drum dimensions: Ø 950 mm x 2300 mm, gutter width: 500 mm, s/s screw, diameter: 350 mm, tier: 240 mm, total dimensions: 4500 mm x 2000 mm x 2550 mm, H. Wichelmann filter unit, dimensions: 600 mm x 600 mm x 2000 mm.	7500
19	H. Wichelmann	H. Wichelmann nitrogen freezing belt, type: LIN-Froster, serial number: 06/884, year of construction: 2006, s/s mesh belt, belt width: 800 mm, s/s screw, diameter: 150 mm, tier: 150 mm, total dimensions: 6200 mm x 3300 mm x 2300 mm, blower, dimensions: 800 mm x 350 mm	10000



Nr	Title	Description	Start €
		x 850 mm, s/s switch cabinet, dimensions: 1000 mm x 400 mm x 800 mm.	
20	Nerak	Nerak elevating belt, type: PB 150, machine number: 2765/06, year of construction: 2006, plastic bucket belt, dimensions each bucket: 190 mm x 160 mm x 140 mm, total dimensions: 4000 mm x 650 mm x 6000 mm.	3000
21	NN office unit	Office unit on s/s frame, dimensions: 3500 mm x 3100 mm x 5500 mm.	3000
22	Sartorius	Sartorius metal detector with rejector, type: BMG 10 155x40 MDP-H 50x12.5, serial number: BOGM06250ZA0101-0001, year of construction: 2006, 230/400 V, 50/60 Hz, 2200 VA, plastic belt, belt width: 400 mm, clearance: 330 mm x 100 mm, total dimensions: 2000 mm x 800 mm x 2300 mm.	1000
23	HD Wiegetechnik	HD Wiegetechnik 14 heads multihead weigher, type: HDW14-1.5-30 KG, number: 191, year of construction: 10.2006, dimensions: 1350 mm x 1350 mm x 1900 mm.	5000
24	HDG Verpackungsmaschinen GmbH	HDG Verpackungsmaschinen GmbH form- fill- and seal machine for pouches, type: RBKL 1, machine number: 1369, year of construction: 10.2006, rotary table system with 8 stations, plastic wire belt, belt width: 200 / 140 mm, total dimensions: 5550 mm x 1600 mm x 2300 mm.	10000
25	NN switch cabinet	S/s switch cabinet, dimensions: 1600 mm x 600 mm x 2280 mm.	750
26	NN transport belt	Transport belt, plastic mesh belt, belt width: 220 mm, total dimensions: 3500 mm x 460 mm x 1500 mm.	750
27	NN transport belt	Transport belt, plastic mesh belt, belt width: 220 mm, total dimensions: 10000 mm x 1800 mm x 2350 mm.	750
28	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 500 mm x 1900 mm.	750
29	NN transport belt	Transport belt, plastic belt, belt width: 370 mm, total dimensions: 1250 mm x 950 mm x 2400 mm, s/s platform, dimensions: 900 mm x 700 mm x 1900 mm.	1000
30	Hoegger	Hoegger pasteurizer, type: NP 130, fabrication number: 05-374-130-764, year of construction: 2006, 230/400 V, 3 Ph, 50 Hz, 60 kW, 4/6 bar, plastic mesh infeed belt, belt width: 300 mm, chain belt with s/s trays, dimensions each tray: 2500 mm x 800 mm, total dimensions: 13000 mm x 3500 mm x 3500 mm. Please note: pump- and heat exchanger installation is not included, these are offered in the following lot numbers and the combination lot.	15000
31	Lowara	Lowara centrifugal pump, dimensions: 1050 mm x 400 mm x 600 mm.	750
32	Bernard	Bernard electric valve actuator, type: ASP, number: 15126/03 001, 230 V, 1 Ph, 50 Hz, 0.6 A, dimensions: 400 mm x 200 mm x 300 mm.	300



Nr	Title	Description	Start €
33	API Schmidt-Bretten GmbH & Co.KG	API Schmidt-Bretten GmbH & Co.KG heat exchanger, type: SiGMA 76 SAL, fabrication number: PA-90519, year of construction: 2006, minimum temperature: -5°C, maximum temperature: 60°C, dimensions: 750 mm x 400 mm x 2050 mm.	2500
34	Lowara	Lowara centrifugal pump, type: SHS 80-160/185, serial number: 2007 0320, capacity: 72-228 m ³ per hour, dimensions: 850 mm x 350 mm x 500 mm.	750
35	Lowara	Lowara vertical multistage centrifugal pump, type: SV405N11T/A, number: 01183, year of construction: 2009/06/17, 1.1 kW, capacity: 2.4-8 m ³ per hour, dimensions: 300 mm x 250 mm x 650 mm.	750
36	NN balance tank	S/s balance tank with heating element, dimensions: 600 mm x 600 mm x 1650 mm.	750
37	NN actuator	Electric valve actuator, dimensions: 400 mm x 350 mm x 650 mm.	300
38	NN steam distributor	Steam distributor, dimensions: 1000 mm x 550 mm x 700 mm.	3000
39	Bernard	Bernard electric valve actuator, type: ASP, number: 99697/01.004, 230 V, 1 Ph, 50 Hz, 0.03 A, dimensions: 300 mm x 300 mm x 500 mm.	300
40	NN transport belt	Transport belt, plastic mesh belt, belt width: 300 mm, total dimensions: 2800 mm x 750 mm x 1700 mm.	750
41	NN transport belt	Transport belt, plastic mesh belt, belt width: 300 mm, total dimensions: 1400 mm x 500 mm x 200 mm. Without frame.	750
42	NN transport belt	Transport belt, plastic mesh belt, belt width: 300 mm, total dimensions: 2400 mm x 700 mm x 1450 mm.	750
43	Hoegger	Hoegger dryer, s/s mesh belt, belt width: 300 mm, total dimensions: 5900 mm x 1600 mm x 3000 mm.	7500
44	NN transport belt	Transport belt, plastic mesh belt, belt width: 300 mm, total dimensions: 1100 mm x 700 mm x 1250 mm.	750
45	NN curve conveyor	180° curve conveyor, plastic mesh belt, belt width: 240 mm, total dimensions: 2000 mm x 1150 mm x 1300 mm.	750
46	NN transport belt	Transport belt, plastic mesh belt, belt width: 220 mm, total dimensions: 5600 mm x 400 mm x 1300 mm.	750
47	NN transport belt	Transport belt, plastic mesh belt, belt width: 220 mm, total dimensions: 4500 mm x 1100 mm x 1200 mm.	750
48	NN platform	S/s working platform with stairs, working height: 1300 mm, total dimensions: 2700 mm x 700 mm x 2370 mm.	350
49	NN transport belt	Transport belt, s/s mesh belt, belt width: 220 mm, total dimensions: 7300 mm x 1200 mm x 1170 mm. Without frame.	750
50	WIPOTEC-OCS GmbH	WIPOTEC-OCS GmbH checkweigher with rejector, type: HC, model: 71008890, year of construction: 2018,	2500



Nr	Title	Description	Start €
		plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1600 mm.	
51	NN transport belt	Transport belt, plastic mesh belt, belt width: 240 mm, total dimensions: 1400 mm x 600 mm x 950 mm.	750
52	NN platform	S/s working platform with stairs, working height: 1100 mm, total dimensions: 2800 mm x 650 mm x 2200 mm.	350
53	Ammeraal Beltech GmbH	Ammeraal Beltech GmbH line dividing belt, plastic belt, belt width: 270 mm and 250 mm, plastic mesh belt, belt width: 260 mm, cloth belt, belt width: 300 mm, total dimensions: 3700 mm x 2300 mm x 1200 mm.	1000
54	Hans Paal KG Maschinenbau GmbH & Co	Hans Paal KG Maschinenbau GmbH & Co case packer, type: ELE 3000 S, year of construction: 2006, 230/400 V, 3 Ph, 50 Hz. 9.5 kW, 32/53 A, plastic infeed belt, belt width: (4x) 50 mm, s/s outfeed rollers, roller width: 300 mm, total dimensions: 6400 mm x 2500 mm x 2800 mm, steel switch cabinet, dimensions: 2800 mm x 500 mm x 2100 mm.	5000
55	Transnova RUF / WTT Fördertechnik	Transnova RUF / WTT Fördertechnik conveyor system with pallet de-stacker, type: 470, machine number: 1329, year of construction: 2019, 400/230 V, 50 Hz, 14.7 KVA, s/s rollers, roller width: 910 / 500 / 400 mm, dimensions de-stacker: 1800 mm x 1350 mm x 2870 mm, conveyor length: 6000 mm, 2000 mm and 3000 mm, steel switch cabinet, dimensions: 800 mm x 500 mm x 1180 mm.	1500
56	ABB AB	ABB AB pick- and place robot, type: IRB 660, serial number: 660-102322, year of construction: 2019, maximum capacity: 3000 kg, dimensions: 3000 mm x 1500 mm x 4000 mm, control cabinet, dimensions: 700 mm x 500 mm x 800 mm.	10000
59	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack consisting of 2 cooling compressors, type: (2x) CSH7571-70Y-40P, serial number: 1070400107/1068400450, 400/460 V, 50/60 Hz, 124 A, capacity: (2x) 258/311 m ³ per hour, dimensions: 3100 mm x 1200 mm x 1700 mm, steel switch cabinet, dimensions: 1200 mm x 400 mm x 2000 mm.	3000
60	Lowara	Lowara centrifugal pump, type: SHS 80-160/185, number: 00910, year of construction: 2005, capacity: 72-222 m ³ per hour, dimensions: 900 mm x 400 mm x 500 mm.	750
61	NN heat exchanger	Heat exchanger, dimensions: 800 mm x 650 mm x 2100 mm.	2000
62	KSB	KSB centrifugal pump, type: ETABLOC GN 040-125 300, capacity: 34 m ³ per hour, dimensions: 700 mm x 350 mm x 800 mm.	350
63	Regeltechnik Kornwestheim GmbH		350



Nr	Title	Description	Start €
		Regeltechnik Kornwestheim GmbH valve, type: MX E BC, 230 V, 50/60 Hz, dimensions: 300 mm x 350 mm x 600 mm.	
64	Otto Heat	Otto Heat pressure vessel, type: 220, maximum temperature: 120°C, volume: 220 liter, dimensions: Ø 500 mm x 1200 mm.	350
65	NN pump	Pump, dimensions: 800 mm x 300 mm x 700 mm.	450
66	NN pressure vessel	Steel pressure vessel, dimensions: Ø 1200 mm x 3000 mm.	1350
67	Regeltechnik Kornwestheim GmbH	Regeltechnik Kornwestheim GmbH valve, type: MXJBH, 230 V, 50/60 Hz, temperature range: -20/70°C, dimensions: 300 mm x 350 mm x 600 mm.	350
68	NN valve	Steam valve, dimensions: 450 mm x 450 mm x 400 mm.	350
69	NN valve	Steam valve, dimensions: 300 mm x 300 mm x 800 mm.	350
70	Schrader	Schrader steam distributor, number: 2151, year of construction: 1996, dimensions: 1150 mm x 500 mm x 900 mm.	1500
71	Lowara	Lowara centrifugal pump, type: SHS 80-160/185, number: 00911, year of construction: 2005, capacity: 72-222 m ³ per hour, dimensions: 900 mm x 400 mm x 500 mm.	750
72	Spirax Sarco	Spirax Sarco heat exchanger with Bernard valve, fabrication number heat exchanger: 06449, year of construction: 2005, capacity: 45 liter, type valve: ASP, number: 15126/01 001, 230 V, 1 Ph, 0.03 kW, dimensions: 2300 mm x 550 mm x 1000 mm.	2500
73	NN platform	S/s working platform with stairs, working height: 1200 mm, total dimensions: 1800 mm x 820 mm x 2070 mm.	250
74	NN platform	S/s working platform with stairs, working height: 1200 mm, total dimensions: 1800 mm x 820 mm x 2070 mm.	250
75	NN table	S/s table, dimensions: 1550 mm x 750 mm x 750 mm.	75
76	DMT	DMT leak testing device for sealed pouches, machine number: 90146, year of construction: 2005, dimensions: 800 mm x 400 mm x 450 mm.	750
77	NN platform	S/s working platform with stairs, working height: 4200 mm, total dimensions: 6500 mm x 10000 mm x 5300 mm.	5000
78	NN transport belt	Transport belt, dimensions: 950 mm x 900 mm x 600 mm. Missing belt.	200
79	Max Dörr	Max Dörr 90° curve conveyor, type: ST22 ES90°/400/1350R, machine number: 05-7103, year of construction: 2005, plastic belt, belt width: 400 mm, total dimensions: 1800 mm x 1600 mm x 650 mm.	750
80	Max Dörr	Max Dörr 90° curve conveyor, type: ST22 ES90°/790/600R, machine number: 05-7102, year of construction: 2005, plastic belt, belt width: 800 mm, total dimensions: 1600 mm x 1500 mm x 1400 mm.	750



Nr	Title	Description	Start €
81	NN transport belt	Transport belt, plastic mesh belt, belt width: 750 mm, total dimensions: 1400 mm x 800 mm x 1350 mm.	500
82	Max Dörr	Max Dörr 90° curve conveyor, plastic belt, belt width: 800 mm, total dimensions: 1600 mm x 1500 mm x 1400 mm.	750
83	NN platform	S/s working platform with stairs, working height: 650 mm, total dimensions: 1900 mm x 750 mm x 1670 mm.	150
84	NN dryer	Dryer, plastic mesh infeed belt, belt width: 800 mm, s/s mesh belt, belt width: 700 mm, total dimensions: 3750 mm x 3800 mm x 3650 mm.	7500
85	Axima Refrigeration GmbH	Axima Refrigeration GmbH water chiller, type: AquaChill, fabrication number: 66.0028559-1, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 75 A. dimensions: 2200 mm x 900 mm x 2050 mm.	2500
86	JohnsonDiversey	JohnsonDiversey dosing system for cleaning chemicals, 2 cabinets with 3 Prominet Dosiertechnik dosing pumps, capacity: (3x) 120 liter per hour, dimensions: 1100 mm x 450 mm x 1020 mm and 2100 mm x 450 mm x 1020 mm, 2 switch cabinets, dimensions: 600 mm x 200 mm x 600 mm and 600 mm x 200 mm x 400 mm.	1500
87	NN switch cabinet	S/s switch cabinet, dimensions: 2400 mm x 580 mm x 2100 mm.	1000
88	NN control cabinet	Control cabinet, dimensions: 500 mm x 600 mm x 1500 mm.	100
89	NN chemical dosing system	Chemical dosing system consisting of IBC tank with steel frame, dimensions: 1100 mm x 1300 mm x 1750 mm, 2 dosing pumps, s/s switch cabinet, dimensions: 800 mm x 300 mm x 1000 mm.	100
90	Güntner	Güntner roof condenser, dimensions: 2500 mm x 2100 mm x 2000 mm.	1750

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

