



**Industrial
Auctions**

2072: Online auction machinery for the food industry in Tegelen (NL)

END DATE
12 March 2026 14:00

General terms and conditions of the online auction

End date	12 March 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	19 March 2026 from 09:00 till 16:00 hrs.
Pick up address	Kaldenkerkerweg 5 5932 CS Tegelen Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Mustang, type: 0721, machine number: 072104.73231.0450, year of construction: 1987, 220/380 V, 50 Hz, 1.1/26 A, dimensions chamber: 105 mm x 105 mm, total dimensions: 1750 mm x 920 mm x 1150 mm.	1500
2	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 514, plastic belt, belt with: (2x) 140 mm and (3x) 90 mm, total dimensions: 2400 mm x 750 mm x 1800 mm.	1200
3	Mettler Toledo	Mettler Toledo mobile metal detector, model: V45-RAD, serial number: 118909, year of construction: 07/2013, 100/240 Vac, 50/60 Hz, 340 W, plastic belt, belt width: 380 mm, clearance: 400 mm x 145 mm, total dimensions: 1180 mm x 1050 mm x 1300 mm.	1000
4	Marel/Vemag	Marel/Vemag checkweigher, model: CHW-2000118, type: 4717.275.30, serial number: E021799, year of construction: 2019, 400/460 Vac, 50/60 Hz, 5 A, 2 kW, belt width: 275 mm, total dimensions: 1700 mm x 750 mm x 1850 mm. Missing belt.	750
5	NN meat bin	S/s meat bin, volume: 200 liter.	100
6	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: HP 17 C, number: 147 1514, year of construction: 2005, 220/240/400/460/575 V, 3 Ph, 50/60 Hz, 22/34/64 A, 24 kW, dimensions: 2300 mm x 1350 mm x 2120 mm. Incomplete.	2500
7	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile co-extrusion, model: CC215, number: 2150103, year of construction: 2014, 400/460 V, 3 Ph, 50/60 Hz, 4 A, 2.5 kW, plastic belt, belt width: 50 mm, total dimensions: 1920 mm x 950 mm x 1300 mm. Including s/s trolley, dimensions: 940 mm x 440 mm x 700 mm. Including 10 boxes with parts.	4000
8	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile vacuum filling machine and co-extrusion, model: HP Coex, number: 172 0011, year of construction: 2014, 400-460 V, 3 Ph, 50/60 Hz, 2 A, 1.3 kW, weight: 253 kg, Vemag vacuum pump, type: 090113402, number: 425899, dimensions: 1100 mm x 800 mm x 2100 mm.	4000
9	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile meat ball forming machine, model: B0237, number: 2370025, year of construction: 2013, 220-240 V, 3 Ph, 50/60 Hz, 6 A, 1.2 kW, plastic belt, belt width: 200 mm, ϕ form: (2x) 65 mm, total dimensions: 1500 mm x 1200 mm x 1700 mm.	1500
10	Jiayue Machinery	Jiayue Machinery mobile continuous fryer, model: JYWZ-1200/200, 380 V, 3 Ph, s/s mesh belt, belt width: 600 mm, distance between dividers: 200 mm, divider	1250



Nr	Title	Description	Start €
		height: 15 mm, total dimensions: 3450 mm x 1400 mm x 2000 mm. Including switch cabinet, dimensions: 600 mm x 260 mm x 1250 mm.	
11	Stephan	Stephan mobile micro cutter, machine type: MCH 20, machine number: M10052, year of construction: 2010, 400 V, 50 Hz, 26 A, 15 kW, dimensions: 1150 mm x 650 mm x 530 mm.	7500
12	Stephan	Stephan mobile micro cutter, machine number: MCH20, machine number: M11021, year of construction 2011, 400 V, 50 Hz, 26 A, 15 kW, dimensions: 1050 mm x 650 mm x 700 mm.	7500
13	Pomac	Pomac centrifugal pump, type: CPC31066/230X20, serial number: 28 234, year of construction: 10/2017, capacity: 60 m ³ per hour, dimensions: 1280 mm x 440 mm x 660 mm.	3000
14	Pomac	Pomac lobe pump, type: PLP 4-4 Bi Wing, serial number: 32 269, year of construction: 12/2021, capacity: 37.8/25 m ³ per hour, dimensions: 1480 mm x 550 mm x 750 mm.	6000
15	Urschel Laboratories Inc.	Urschel Laboratories Inc. comitrol processor, model number: 3640, serial number: 710, year of construction: 2010, working width: 75 mm, distance between knives: 20 mm, total dimensions: 1400 mm x 900 mm x 1200 mm.	5000
16	NN process tank	Process tank with SEW Eurodrive agitator and pump installation, capacity: 250 liter, dimensions tank: ø 740 mm x 600 mm, OBL pump, type: LY65ATB70RF G+M MV, capacity: 20 liter per hour, SPX centrifugal pump, model: C216, total dimensions: 1400 mm x 1400 mm x 1600 mm. Never used.	5000
17	CB Equipments	CB Equipments mobile denester, model: 286-20-20 Depileur X2, year of construction: Mars 2020, 230 V, 1 Ph, 2 kW, dye: (2x) 185 mm x 125 mm, total dimensions: 1760 mm x 950 mm x 1940 mm.	500
18	CB Equipments	CB Equipments mobile denester, model: 286-20-10 Depileur X2, year of construction: Mars 2020, 230 V, 1 Ph, 2 kW, dye: (2x) 195 mm x 175 mm, total dimensions: 1760 mm x 950 mm x 1940 mm.	500
19	CB Equipments	CB Equipments mobile denester, model: 286-20-30 Depileur X3, year of construction: Mars 2020, 230 V, 1 Ph, 2 kW, dye: (3x) 135 mm x 115 mm, total dimensions: 1760 mm x 950 mm x 1940 mm.	500
20	Veenstra Technology	Veenstra Technology Mixer, type: FRR-100, machine number: 2022.044, weight: 38 Kg, with Depa air operated diaphragm pump, type: DH50-SS-2ET, serial number: 810959-1, total dimensions: 1170 mm x 750 mm x 1500 mm.	4100
21	Depa		450



Nr	Title	Description	Start €
		Depa air operated diaphragm pump, type: DH50-SS-2ET, serial number: 813041-1, year of construction: 05.07.2022, dimensions: 500 mm x 350 mm x 550 mm.	
22	Depa	Depa air operated diaphragm pump, type: DH50-SS-EET, serial number: B1805058, year of construction: 07.11.2018, dimensions: 500 mm x 350 mm x 550 mm.	450
23	NN diaphragm pump	Diaphragm pump, dimensions: 240 mm x 230 mm x 310 mm.	200
24	Betec	Betec au bain-marie, dimensions inside: 700 mm x 510 mm x 230 mm, total dimensions: 900 mm x 850 mm x 850 mm.	250
25	Merrychef	Merrychef turbo oven, serial number: 1805213091014, dimensions inside: 340 mm x 310 mm x 130 mm, total dimensions: 700 mm x 380 mm x 620 mm.	400
26	Merrychef	Merrychef Microcook, model number: MICROCOOK HD2025, serial number: 1412213091534, 220-230 V, 50 Hz, 14.1 A, 3.12 kW, dimensions inside: 540 mm x 360 mm x 200 mm, total dimensions: 650 mm x 520 mm x 480 mm.	250
27	Leventi	Leventi double combi steamer, type: (2x) Bakermat MK3 MM DI 2PL, number: 009090001 and 009090002, 220/240 V, 1 Ph, 50 Hz, 16 A, 3.6 kW, (2x) 2 floors, dimensions each floor: 605 mm x 415 mm, total dimensions: 970 mm x 750 mm x 780 mm. Missing 2 covers.	250
28	NN hose	Hose with pistol, dimensions: 800 mm x 600 mm.	100
29	Bizerba	Bizerba slicer, type: VS 12 F, number: 10514956, year of construction: 2009, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.27 kW, dimensions: 700 mm x 640 mm x 460 mm.	300
30	Merrychef	Merrychef turbo oven, serial number: 1810213091801, dimensions floor: (2x) 350 mm x 330 mm, total dimensions: 620 mm x 590 mm x 560 mm.	400
31	Rational	Rational combi steamer, model: CPC 61, serial number: E61CD02071070798, 400 V, 3 Ph, 50/60 Hz, 10 kW, 6 floors, dimensions each floor: 540 mm x 335 mm, total dimensions: 1000 mm x 850 mm x 780 mm.	700
32	Leventi	Leventi combi steamer, type: Combimat MK3.1 MM 3B 6PL, number: 039120063, 380/415 V, 3 Ph, 16 A, 9.5 kW, 6 floors, dimensions each floor: 550 mm x 410 mm, total dimensions: 1000 mm x 850 mm x 780 mm.	250
33	Convotherm	Convotherm double combi steamer, model: (2x) OES 6.10 mini, number: EIMFL1252 and ESMGG2141, 400 V, 3 Ph, 50/60 Hz, 14.8 A, 7.1 kW, (2x) 12 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 900 mm x 560 mm x 1800 mm.	500
34	Eilert-lbelco	Eilert-lbelco cutter, type: A7842, number: 137, year of construction: 1978, ø bowl: 475 mm, total dimensions: 750 mm x 580 mm x 1200 mm.	200



Nr	Title	Description	Start €
35	Amitek	Amitek saladette, model: Saladette AK300S GN1/6, serial number: 28070379, year of construction: 2018, 230 V, 1 Ph, 50 Hz, weight: 122 kg, temperature: 2-8 °C, dimensions inside: (3x) 590 mm x 335 mm, total dimensions: 1370 mm x 700 mm x 1000 mm.	150
36	Modular	Modular 4-pits stove, dimensions: 700 mm x 700 mm x 1000 mm.	300
37	Creemers Compressors BV	Creemers Compressors BV air compressor with air dryer, model: EDU 1415, type: 406, serial number: 013/15020/57, refrigerant: R134a, 220-230 V, 1 Ph, 50 Hz, 0.28 kW, dimensions: 580 mm x 450 mm x 550 mm.	100
38	REA	REA 6-pits stove, model: G657, serial number: DR 0970858, dimensions: 1120 mm x 750 mm x 950 mm.	400
40	Bizerba	Bizerba slicer on s/s table, dimensions: 800 mm x 800 mm x 1400 mm.	500
41	Carpigiani	Carpigiani mobile ice machine, model: ICELAB 60 RMT, number: 365115, volume: 60 liter, 380 V, 3 Ph, 50 Hz, 8.7 A, 3.5 kW, dimensions: 1040 mm x 360 mm x 1120 mm.	500
42	Wiesheu GmbH	Wiesheu GmbH mobile oven, 6 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 910 mm x 800 mm x 1650 mm.	250
43	Gram	Gram refrigerator, type: 3011-3C4B, serial number: 0308270418, 230 V, 50 Hz, 1.55 A, 217 W, refrigerant: R134A, 3 floors, dimensions each floor: 530 mm x 440 mm, total dimensions: 620 mm x 600 mm x 1800 mm.	150
44	Miele	Miele dryer, model: PT 8333 G, serial number: 00/99976768, 220/240 V, 50 Hz, 6.3 A, 0.3/0.4 kW, capacity: 13/16 Kg, total dimensions: 1020 mm x 910 mm x 1400 mm.	500
45	Miele	Miele washing machine, model: PW 6201 MF EL, serial number: 40/96117020, 380/415 V, 3 Ph, 50/60 Hz, 3x16 A/ 2x4 A, 4.3 kW, capacity: 20 Kg, total dimensions: 1070 mm x 920 mm x 1420 mm.	500
48	Neuruppin/Heimlich/Gloria	Large amount of Neuruppin/Heimlich/Gloria fire extinguishers on pallet.	75
49	Wiesheu GmbH	Wiesheu GmbH loading trolley, serial number: 18000454, year of construction: 2013-01, dimensions: 750 mm x 510 mm x 1930 mm.	50
50	Wiesheu GmbH	Wiesheu GmbH loading trolley, serial number: 18433542, year of construction: 2020-03, dimensions: 750 mm x 510 mm x 1930 mm.	50
51	Wiesheu GmbH	Wiesheu GmbH loading trolley, serial number: 10220617, year of construction: 2012-10, dimensions: 750 mm x 510 mm x 1930 mm.	50
52	Wiesheu GmbH	Wiesheu GmbH loading trolley, serial number: 18433517, year of construction: 2020-03, dimensions: 750 mm x 510 mm x 1930 mm.	50



Nr	Title	Description	Start €
53	Rhewa	Rhewa weighing scale, min: 40/100 g, max: 6/15 Kg, e=2/5 g, dimensions scale: 500 mm x 400 mm, total dimensions: 500 mm x 470 mm x 700 mm.	75
54	Foamico	Foamico s/s high pressure cleaner, type: MO 0127-4, serial number: 213936, year of construction: 23-04-2021, 380/400 V, 3 Ph, 50/60 Hz, 7.7/6.9 A, 3.2 kW, Grundfos pump, model: PN-SN A-98647172-10000397, dimensions: 1000 mm x 700 mm x 1070 mm.	200
55	NN crates	Pallet with various crates.	25
56	Beelonia	Beelonia cooking vessel, dimensions inside: 1100 mm x 700 mm x 400 mm, total dimensions: 1530 mm x 1100 mm x 1150 mm.	650
57	MIWE	MIWE convection oven, type: CBA 3.0406, serial number: 601732, year of construction: 2014, 230/400 V, 3 Ph, 50 Hz, 5.4 kW, 5 floors, dimensions each floor: 810 mm x 600 mm, total dimensions: 1100 mm x 800 mm x 1680 mm.	200
58	Sagi	Sagi mobile refrigerator, dimensions inside: (2x) 650 mm x 535 mm, total dimensions: 1500 mm x 820 mm x 2020 mm.	300
59	Townsend Engineering BV	Townsend Engineering BV mobile skinning machine, model: 1520, serial number: 121, year of construction: 1997, 220 V, 1 Ph, 50 Hz, 5.6 A, working width: 380 mm, total dimensions: 700 mm x 610 mm x 1000 mm.	250
60	NN grinder	Cooled grinder, ø plate: 80 mm, total dimensions: 420 mm x 530 mm x 550 mm.	600
61	S.A. Tiffon	S.A. Tiffon cooled grinder, number: 322, year of construction: 1988-6, ø plate: 80 mm, total dimensions: 530 mm x 450 mm x 550 mm.	600
62	Foster	Foster mobile refrigerator, model: EP 26 BSF, serial number: E5555271, year of construction: 2019, 230 V, 1 Ph, 50 Hz, 4.3 A, 559 W, capacity: 673.1 liter, refrigerant: R290/120 g, 16 floors, dimensions each floor: 730 mm x 420 mm, total dimensions: 940 mm x 700 mm x 2300 mm.	600
63	J&J service AB	J&J; service AB mobile elevating belt, number: 1080, year of construction: 2020, plastic belt with dividers, belt width: 210 mm, dividers height: 60 mm, distance between dividers: 300 mm, elevating height: 1900 mm, total dimensions: 1550 mm x 600 mm x 1960 mm.	2000
64	NN transport belt	Transport belt, plastic belt, belt width: 290 mm, total dimensions: 4350 mm x 500 mm x 600 mm.	300
65	Foster	Foster mobile refrigerator, model: EP 26 BSF, serial number: E5565116, 230 V, 1 Ph, 50 Hz, 4.3 A, 559 W, capacity: 673.1 liter, refrigerant: R290/120 g, 16 floors, dimensions each floor: 730 mm x 420 mm, total dimensions: 940 mm x 700 mm x 2300 mm.	600



Nr	Title	Description	Start €
66	Foster	Foster mobile refrigerator, model: EPR 026 BSF, serial number: E5396850, 230 V, 1 Ph, 50 Hz, 4.3 A, 559 W, capacity: 673.1 liter, refrigerant: R290/120 g, 16 floors, dimensions each floor: 730 mm x 420 mm, total dimensions: 940 mm x 700 mm x 2300 mm.	600
67	Scan cool	Scan cool mobile refrigerated showcase, model: OFC 220, 230 V, 50 Hz, 8 A, volume: 220 liter, 3 floors, dimensions each floor: 455 mm x 280 mm, total dimensions: 700 mm x 500 mm x 1750 mm.	100
68	Formax	Formax mobile forming machine, model: PFM-6, serial number: 127, 420 V, 3 Ph, 50 Hz, 17 A, s/s mesh belt, belt width: 180 mm, total dimensions: 2800 mm x 800 mm x 1800 mm. Incomplete.	2000
69	NN transport belt	Mobile transport belt, s/s mesh belt, belt width: 180 mm, total dimensions: 1100 mm x 500 mm x 1050 mm.	400
70	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile pre-duster, model: 200W ECONODUST M/C, serial number: ED 18/01/004, 380/415 V, 3 Ph, 50/60 Hz, 0.51 kW, s/s mesh belt, belt width: 220 mm, clearance: 220 mm x 120 mm, total dimensions: 1000 mm x 1000 mm x 1930 mm.	1500
71	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile battering machine, model: 200W WEIR ECONOROB M/C, serial number: WER 18/01/003, 380/415 V, 3 Ph, 50/60 Hz, 0.88 kW, s/s mesh belt, belt width: 220 mm, total dimensions: 1400 mm x 650 mm x 1300 mm.	1500
72	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile battering machine, model: 200W DIP-ECONOROB M/C, serial number: ER 18/01/005, 380/415 V, 3 Ph, 50/60 Hz, 0.4 kW, s/s mesh belt, belt width: 220 mm, total dimensions: 1500 mm x 800 mm x 1200 mm.	1500
73	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile breading machine, s/s mesh belt, belt width: 220 mm, total dimensions: 1500 mm x 800 mm x 1200 mm.	1500
74	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile fryer, s/s mesh belt, belt width: 220 mm, clearance: 220 mm x 80 mm, total dimensions: 3000 mm x 1200 mm x 2400 mm.	4000
75	Kilia	Kilia mixer-grinder with lifter for 200 liter meat bins, type: G 160 2000 S, machine number: 29112031, year of construction: 1991, 380 V, 61/81 A, 28/35 kW, diameter plate: 160 mm, total dimensions: 2750 mm x 1750 mm x 2300 mm. Including switch cabinet, dimensions: 750 mm x 200 mm x 950 mm. Missing knives and plates.	4000
76	Nowicki	Nowicki injector, type: MH-280, number: 00501014, year of construction: 2001, 400 V, 3 Ph, 1.05 kW, weight: 1260 kg, clearance: 595 mm x 270 mm, s/s walking beam, total dimensions: 2800 mm x 1200 mm x 2150 mm. Including Nowicki filter tub, type: FBN-28012,	4000



Nr	Title	Description	Start €
		number: 91601014, year of construction: 2001, 400 V, 3 Ph, weight: 185 kg, dimensions: 1880 mm x 800 mm x 850 mm and switch cabinet, dimensions: 1120 mm x 350 mm x 820 mm.	
77	Seydelmann	Seydelmann cutter, type: K90DC6, machine number: 94168-1, 380 V, 50 Hz, 130 A, volume: 90 liter, s/s bowl, type control panel: Micro-12, dimensions: 1330 mm x 2050 mm x 1600 mm.	5500
78	Zoin Refrigerazione Srl	Zoin Refrigerazione Srl mobile refrigerated showcase, model: HILL 100, serial number: 0636/18, year of construction: 2018, 230 V, 50 Hz, refrigerant: R404/0.300 kg, dimensions: 1070 mm x 800 mm x 1300 mm.	200
79	Caterpillar	Caterpillar electric forklift, fork length: 1150 mm, total dimensions: 2400 mm x 800 mm x 1500 mm. Including IEB battery charger, type: E 230 G 24/40 B1-FML Puls, dimensions: 360 mm x 240 mm x 240 mm.	250
80	NN shutter door	Shutter door, door width: 2200 mm, door height: 2800 mm.	100
81	NN tank	S/s tank with 3 valves, dimensions: 1300 mm x 600 mm x 1000 mm.	100
82	NN cabinet	S/s cabinet, dimensions: 1150 mm x 630 mm x 1700 mm.	50
83	MTSA	MTSA bottle closing machine, serial number: 400574, year of construction: 2005, diameter head: 100 mm, total dimensions: 830 mm x 500 mm x 1600 mm.	200
84	NN vending machine	Vending machine, dimensions: 800 mm x 870 mm x 1830 mm.	100
85	Autobar	Autobar coffee machine, model: infinity, dimensions: 850 mm x 700 mm x 1830 mm.	75
86	Gamko	Gamko refrigerated cabinet, type: GM/212MU, year of construction: 2011, 220-240 V, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 1700 mm x 580 mm x 860 mm.	75
87	Rational	Rational combi steamer, type: CMP 61G, serial number: G61MH16082540242, 230 V, 50/60 Hz, 13 kW, gas heated, 6 floor, dimensions each floor: 550 mm x 330 mm, total dimensions: 860 mm x 800 mm x 820 mm.	800
88	Rational	Rational combi steamer, type: CM 61, 400 V, 50/60 Hz, 10 kW, 6 floor, dimensions each floor: 550 mm x 330 mm, total dimensions: 860 mm x 800 mm x 820 mm.	800
89	Square	Square metal detector, model: SDII3012WH, serial number: M097201671, 100-240 V, 50/60 Hz, plastic belt, belt width: 250 mm, clearance: 300 mm x 110 mm, total dimensions: 1800 mm x 640 mm x 1320 mm.	500
90	MR	MR checkweigher with rejector, model: DACS-W-030-SB/WP-I-N(CTS), serial number: 560588, year of construction: 09/2010, 230 V, 1 Ph, 50 Hz, 2 A,	300



Nr	Title	Description	Start €
		maximum weight: 3000 g, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 1000 mm x 1500 mm.	
91	Zebra	Zebra label printer, model: S4M, serial number: 03C06260385, 90-264 V, 47-63 Hz, 3 A, 100 W, dimensions: 460 mm x 260 mm x 300 mm.	5
92	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile breading machine, s/s mesh belt, belt width: 200 mm, total dimensions: 1600 mm x 900 mm x 1900 mm.	1500
93	NN battering machine	Mobile battering machine, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 900 mm x 1340 mm.	1500
94	Hinst GmbH	Hinst complete stainless steel, electric heated, washing machine for machine parts. Consisting of 3 steps. Wash, after rinse and drying. Section 1: wash in hot water by dip and flushing, electric heated. Section 2: after rinse by dipping in hot water, electric heated. Circulation pump 0,25 kW. With automatic tank filling and level monitoring. Section 3: drying above the bath, by heat of the parts. Including hose for hand washing. Bath size: 60 x 40 x 25 cm. Complete with lifting device, roller conveyor, automatic mode. Total dimensions: 1600 x 2400 x 2300 mm.	500
95	MPE	MPE mobile traysealer, model: SL 1200, serial number: 1109, year of construction: 2013, 415 V, 3 Ph, 50 Hz, dimensions dye: 190 mm x 145 mm, total dimensions: 2750 mm x 780 mm x 1230 mm. Damaged.	500
96	Rühle	Rühle mobile traysealer, type: VR 1, number: 0149, year of construction: 2005, 230 V, 50 Hz, 1.5 kW, dye: 300 mm x 250 mm, total dimensions: 700 mm x 600 mm x 1700 mm.	700
97	NN cabinet	S/s mobile cabinet, dimensions: 800 mm x 800 mm x 900 mm.	20
98	MaDo	MaDo mobile portioning machine, type: POG 420, number: 30064, year of construction: 2000, working width: 180 mm, total dimensions: 580 mm x 480 mm x 1020 mm.	200
99	Silver King	Silver King milk dispenser, model: SKMAJ2, serial number: SBED163572A, 230 V, 50 Hz, 1.4 A, refrigerant: 134A, inside dimensions: (2x) 290 mm x 260 mm x 500 mm, total dimensions: 720 mm x 440 mm x 1000 mm.	100
100	SAS NIJAL	SAS NIJAL mobile twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: T14, serial number: 1680405, year of construction: AVR-05, dimensions: 1500 mm x 1200 mm x 1770 mm.	800
101	Eillert B.V.	Eillert B.V. mobile slicer, type G3300, plastic belt, belt width: 240 mm, total dimensions: 2100 mm x 900 mm x 2250 mm. Kronen control system.	1000
102	Kronen		2500



Nr	Title	Description	Start €
		Kronen mobile vegetable slicer, type: SPIRELLO S021-1001, serial number: 021-023, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 0.3 kW, dimensions: 1000 mm x 600 mm x 1200 mm.	
103	NN infeed bunker	S/s mobile infeed bunker, dimensions: 800 mm x 750 mm x 1400 mm.	50
104	Silver King	Silver King milk dispenser, model: SKMAJ2, serial number: SBED163469A, 230 V, 50 Hz, 1.4 A, refrigerant: 134A, inside dimensions: (2x) 290 mm x 260 mm x 500 mm, total dimensions: 720 mm x 440 mm x 1000 mm.	100
105	Kronen	Kronen mobile vegetable spiral cutting machine, type: SPIRELLO SP150, number: 199, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 0.9 kW, clearance: Ø 75 mm, total dimensions: 1100 mm x 600 mm x 1700 mm.	2500
106	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 2020 mm x 440 mm x 910 mm.	200
107	Alco Food Machines GmbH	Alco Food Machines GmbH mobile battering machine, type: ADT 400, serial number: 00707209, year of construction: 1998, 400 V, s/s mesh belt, belt width: 400 mm, total dimensions: 2300 mm x 1000 mm x 1200 mm.	1250
108	Bulldog	Bulldog mobile pre-duster, s/s mesh belt, belt width: 600 mm, total dimensions: 2300 mm x 1300 mm x 2000 mm. Never used.	1500
109	Koppens	Koppens mobile pre-duster, type: PRM 400 M, machine number: PRM 400 M-1042, 380 V, 3 Ph, 50 Hz, 7.4 A, 2.45 kW, weight: 400 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2700 mm x 800 mm x 1800 mm.	3500
110	Seffelaar und Looyen GmbH	Seffelaar und Looyen GmbH mobile breading machine, s/s mesh belt, belt width: 400 mm, total dimensions: 1900 mm x 900 mm x 1800 mm.	1000
111	Cryovac	Cryovac flowpacker, model: CJ55, serial number: A91600109, year of construction: 1997, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: 200 mm, seal width: 330 mm, total dimensions: 5100 mm x 1400 mm x 1950 mm. Including crate with parts.	1500
112	Leventi	Leventi mobile bread oven, type: bakermatic, serial number: 07110078, year of construction: 2007, 380/415 V, 3 Ph, 50/60 Hz, 6.5 kW, dimensions: 1700 mm x 850 mm x 1500 mm.	200
113	NN cabinet	S/s cabinet, dimensions: 1150 mm x 630 mm x 1700 mm.	50
114	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0400050, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 21 A, dye: (1x) 290 mm x 225 mm, plastic rollers, roller width: 480 mm, total dimensions: 2300 mm x 900 mm x 1780 mm.	1500
115	Comenda		500



Nr	Title	Description	Start €
		Comenda plate washer, type: LAV 1000, model: P1 13931/11/00, 380 V, 3 Ph, 50 Hz, 43 A, 28.84 kW, clearance: 385 mm x 35 mm, total dimensions: 2460 mm x 900 mm x 1950 mm.	
116	NN smoke trolleys	4 smoke trolleys, 6 floors, dimensions: (4x) 1020 mm x 1000 mm x 1980 mm.	400
117	TBS-Pack GmbH	TBS-Pack GmbH mobile flow packer, model: FWH-400, serial number: 160229, 220 V, 3.2 kW, seal width: 200 mm, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 850 mm x 1520 mm.	4000
118	JA+F	JA+F lifter for boxes, type: 260/l, fabrication number: 98041C, year of construction: 1998, plastic infeed belt, belt width: 120 mm, dimensions lifting divider: 400 mm x 230 mm x 100 mm, plastic rollers, roller width: 280 mm, total dimensions: 2500 mm x 1300 mm x 3000 mm.	150
119	Stephan	Stephan high speed cutter, type: TK 150, machine number: 714.539.01, year of construction: 1989, 380 V, 50 Hz, 14 kW, dimensions infeed: 350 mm x 220 mm, diameter drum: 560 mm, dimensions outfeed: 430 mm x 220 mm, total dimensions: 1880 mm x 1000 mm x 1730 mm. Missing knife.	2000
120	Hinst	Hinst complete stainless steel, electric heated, washing machine for machine parts, type: 2-Kammer-TS-Anlage number: 98416, year of construction: 1998, inside dimensions: (2x) 800 mm x 880 mm x 850 mm, total dimensions: 2300 mm x 1500 mm x 2200 mm.	500
121	Ganzhorn + Stirn	Ganzhorn + Stirn filling machine, number: 452.67, output: Ø 20, dimensions funnel: Ø 320 mm x 670 mm, total dimensions: 700 mm x 600 mm x 1800 mm.	150
122	DIVUS	DIVUS scale and scanner, dimensions scale: 300 mm x 270 mm x 100 mm, total dimensions: 630 mm x 600 mm x 1700 mm.	50
123	Cryovac	Cryovac shrink tunnel, model: CJ51T RH, serial number: 02073, year of construction: 1994, 380 V, 50 Hz, 23 A, 15 kW, plastic roller conveyor, roller width: 300 mm, clearance: 300 mm x 100 mm, total dimensions: 2100 mm x 900 mm x 1300 mm.	200
124	MSF-Technik	MSF-Technik mobile turning table, s/s top, steel frame, dimensions: Ø 1500 mm x 900 mm.	200
125	MSF-Technik	MSF-Technik turning table, type: FD 370 KR IP54, 230 V, 3 Ph, 50/60 Hz, 0-250 Hz, s/s top, steel frame, dimensions: Ø 1500 mm x 1030 mm.	200
126	BBC Technologies	BBC Technologies packaging table with 2-level transport belts, product: 3TPT, model: 80052, serial number: 116028, plastic belt, belt width: (2x) 410 mm, total dimensions: 3900 mm x 1000 mm x 1150 mm.	500
127	BBC Technologies	BBC Technologies packaging table with 2-level transport belts, product: PT3T, model: 80052, serial number:	500



Nr	Title	Description	Start €
		117554, plastic belt, belt width: (2x) 410 mm, total dimensions: 3900 mm x 1000 mm x 1150 mm.	
128	AuVeSo	AuVeSo check weigher, type: UES - 6 / K, number: 120301, year of construction: 2012, minimum weight: 100 gram, maximum weight: 800 gram, target weight: 2000 gram till 10000 gram, capacity: 100 per minute, temperature: 10 till 40° Celsius, 6 bar, 230/400 V, 50 Hz, 6 A, plastic belt, belt width: 200 mm, total dimensions: 1000 mm x 700 mm x 1700 mm. Technical condition unknown.	100
129	Burlodge	Burlodge hostess cart, serial number: BLC 104018, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 12 A, 7400 W, refrigerant: R134a/300 g, dimensions: 750 mm x 800 mm x 1450 mm.	75
130	Burlodge	Burlodge hostess cart, serial number: BLC 104014, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 12 A, 7400 W, refrigerant: R134a/300 g, dimensions: 750 mm x 800 mm x 1450 mm.	75
131	Rösen & Robbert	Rösen & Robbert bread slicer, type: 28 H47 01, machine number: 3580-1284, 380 V, 50 Hz, dimensions chamber: 800 mm x 185 mm x 170 mm, total dimensions: 1800 mm x 900 mm x 850 mm.	20
132	NN smoke trolley	Smoke trolley, 6 floors, dimensions: 1020 mm x 1000 mm x 1980 mm.	75
133	Kalfass	Kalfass mobile shrink packaging machine, type: KC 5040/450 UNIVERSAL, machine number: VD 05.05.697, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 10.8 A, film width: 520 mm, seal length: 500 mm, plastic belt, belt width: 370 mm, clearance: 520 mm x 250 mm, total dimensions: 2550 mm x 1070 mm x 1300 mm.	750
134	NN smoke trolleys	2 smoke trolleys, 6 floors, dimensions: (2x) 1020 mm x 1000 mm x 1980 mm.	150
135	NN smoke trolleys	2 smoke trolleys, 6 floors, dimensions: (2x) 1020 mm x 1000 mm x 1980 mm.	150
136	NN smoke trolleys	2 smoke trolleys, 6 floors, dimensions: (2x) 1020 mm x 1000 mm x 1980 mm.	150
137	Hidro Mechanika	Hidro Mechanika heating tank on steel frame with Alfa Laval plate heat exchanger, type heating tank: HCLK-50-16, year of construction 1999, 4 kW, type heat exchanger: M3-FG, number: 30104-54430, year of construction: 1997, volume: 1liter, dimensions tank: Ø 700 mm x 1100 mm, total dimensions: 1300 mm x 1100 mm x 1600 mm.	350
138	NN smoke trolleys	4 smoke trolleys, 6 floors, dimensions: (4x) 1020 mm x 1000 mm x 1980 mm.	300
139	Regal	Regal denester with vibration gutter, type: 14000, serial number: 139, year of construction: 9-98, 240 V, 1 Ph, 50 Hz, dimensions gutter: (2x) 360 mm x 70 mm,	400



Nr	Title	Description	Start €
		dimensions funnel output: 90 mm x 90 mm x 230 mm, dimensions funnel input: 40 mm x 30 mm x 450 mm, total dimensions: 1200 mm x 600 mm x 2100 mm.	
140	DOSELEC	DOSELEC dosing machine, type: VOL1, serial number: 3005D2, year of construction: 09-2009, diameter hose: 40 mm, total dimensions: 1000 mm x 400 mm x 1340 mm.	100
141	Tenderstar	Tenderstar mobile tenderizer, model: T.S.E., serial number: 200296, year of construction: 2000, 220/380 V, 3 Ph, 50 Hz, 6.4/3.7 A, 0.9 kW, working width: 400 mm, total dimensions: 920 mm x 850 mm x 1790 mm.	400
142	Eckert	Eckert case erector, type: TRAYAUFRICHTER, machine number: 153, year of construction: 1998, plastic belt, belt width: 130 mm, 30 mm, Nordson glue unit, total dimensions: 3200 mm x 1500 mm x 2260 mm.	400
143	Wernsen	Wernsen s/s mover, type: HW 30, number: 300.0008, year of construction: 2021, capacity: 3000 kg, weight: 285 kg, dimensions: 1600 mm x 600 mm x 1050 mm.	400
144	NN table	S/s table, dimensions: 760 mm x 720 mm x 510 mm.	5
145	Weber	Parts for Weber thermoformer, dimensions: (3x) 800 mm x 400 mm x 470 mm.	75
146	Yamato Scale GmbH	Yamato Scale GmbH 8 heads multihead weigher, model: ADW-508MWH, serial number: WG000496, 220-240 V, 1 Ph, 50/60 Hz, 5 A, weighing range: 20-2000 g, maximum speed: 100 pieces per minute, dimensions: 1950 mm x 1500 mm x 2400 mm.	4000
147	NN bag-filling machine	Bag-filling machine, diameter filling pipe: 60 mm, clearance bag holder: 130 mm x 40 mm, total dimensions: 1100 mm x 900 mm x 1800 mm.	200
148	NN transport belt	S/s mobile transport belt, dimensions: 3600 mm x 550 mm x 950 mm. Incomplete, belt and motor are missing.	200
149	Zakkencentrale	Zakkencentrale turning table, type: Draaitafel 1990mm, number: 34837, year of construction: 03-2020, weight: 155 kg, 0.18 kW, s/s top, steel frame, dimensions: ø 2000 mm x 910 mm.	200
150	NN infeed bunker	S/s infeed bunker, dimensions: 1000 mm x 1000 mm x 1050 mm.	100
151	Key Technology Inc.	Key Technology Inc. vibrating gutter, model: 427281-1, serial number: 99-46401, dimensions: 2080 mm x 1000 mm x 700 mm.	750
152	Meiko	Meiko dishwasher, type DV 120 B, machine number: 58.795, 220 V, 3 Ph, 50 Hz, 38 A, 14 kW, inside dimensions: 520 mm x 520 mm, total dimensions: 850 mm x 800 mm x 1375 mm. Missing back panel.	300
153	Key Technology BV	Key Technology BV vibrating gutter, type: MVIID, number: 176406 2, year of construction: 2007, gutter width: (3x) 100 mm, total dimensions: 2550 mm x 620 mm x 1800 mm.	800



Nr	Title	Description	Start €
154	Rühle	Rühle mobile cooled vacuum tumbler, dimensions: 1300 mm x 950 mm x 1720 mm. Technical condition unknown.	1500
155	DEBAG	DEBAG double stacked oven, type: Dila 5, serial number: D 315629/D 315630, year of construction: 04/2012, 400 V, 50 Hz, 16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1135 mm x 1050 mm x 1600 mm.	200
156	Hettich	Hettich laboratory cabinet, type: PSC 1400, serial number: 202010544, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, 20-40 degrees, refrigerant: R134A, 6 floors, dimensions each floor: 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	300
157	Hettich	Hettich laboratory cabinet, type: PSC 1400, serial number: 202010542, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, refrigerant: R134A, 8 floors, dimensions each floor: 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	300
158	Nieros	Nieros sole cleaner, type: DR/1000, serial number: N3B47-13, year of construction: 11/2011, 400 V, 3 Ph, 50 Hz, 0.45 kW, brush length: (2x) 800 mm, total dimensions: 1900 mm x 800 mm x 1420 mm.	1500
159	DEBAG	DEBAG loading trolley for oven, type: ZBL000164-E, serial number: P-00-0756, 10 floors, dimensions each floor: 620 mm x 355 mm, total dimensions: 765 mm x 530 mm x 1985 mm.	50
160	Wiesheu	Wiesheu loading trolley for oven, type: 18129130, year of construction: 11/2016, 14 floors, dimensions each floor: 620 mm x 355 mm, total dimensions: 765 mm x 530 mm x 1985 mm.	50
161	DEBAG	DEBAG double stacked oven, type: Dila 5, serial number: D 301967/D 301968, year of construction: 01/2014, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	300
162	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: (2x) 200 mm, total dimensions: 3000 mm x 1700 mm x 1120 mm.	400
163	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm, total dimensions: 2000 mm x 750 mm x 1800 mm. Including Espera control panel, model: ESC 964 and 2 frames for control panel, model: ESV 104, dimensions: (2x) 680 mm x 470 mm x 1100 mm and (1x) 680 mm x 470 mm x 1370 mm.	950
164	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm,	950



Nr	Title	Description	Start €
		total dimensions: 2050 mm x 750 mm x 1800 mm. Including Espera control panel, model: ESC 964 and Espera label printer, model: ESD 104, dimensions: 680 mm x 470 mm x 1370 mm and 680 mm x 580 mm x 1360 mm.	
165	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm, total dimensions: 2050 mm x 750 mm x 1800 mm. Including Espera control panel, model: ESC 964 and Espera label printer, model: ESD 104, dimensions: 680 mm x 470 mm x 1370 mm and 680 mm x 580 mm x 1360 mm.	950
166	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm, total dimensions: 2050 mm x 750 mm x 1800 mm. Including Espera control panel, model: ESC 964 and Espera label printer, model: ESD 104, dimensions: 680 mm x 470 mm x 1370 mm and 680 mm x 580 mm x 1360 mm.	950
167	DEBAG	DEBAG double stacked oven, type: Dila 5, serial number: D 317091, year of construction: 11/2012, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	300
168	Gram Equipment	Gram Equipment ice cream extruder/forming, cutting with stick inserter, type: CUTTER, clearance input: 650 mm x 100 mm, dimensions pipe: 100 mm x 40 mm, total dimensions: 1400 mm x 1000 mm x 1850 mm.	250
169	Gram Equipment	Gram Equipment ice cream extruder/forming, cutting with stick inserter, type: CUTTER, clearance input: 650 mm x 100 mm, dimensions pipe: 100 mm x 40 mm, total dimensions: 1400 mm x 1000 mm x 1850 mm.	250
170	Deca	Deca traysealer, type: MECA 900, serial number: S.M. 1201, year of construction: 2001, film width: 270 mm, dimensions dye: (2x) 200 mm x 140 mm, total dimensions: 1400 mm x 800 mm x 1800 mm. Including 2 pallets with parts, dimensions dyes: 220 mm x 150 mm, 280 mm x 180 mm, 320 mm x 270 mm.	700
171	Weber	Weber infeed belt lift, type: CHB, number: 181, year of construction: 08-2009, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 1200 mm x 840 mm x 1650 mm.	400
172	Ruhle	Ruhle vacuum tumbler with lift for 200 liter meat bin, type: MPR 500, number: 0401, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 24.9 A, 12.6 kW, refrigerant: R404A, Busch vacuum pump, serial number: 140040161, volume: 19 m ³ per hour, total dimensions:	8000



Nr	Title	Description	Start €
		2000 mm x 1850 mm x 2320 mm. Including 3 tablets used as control panel.	
173	Lutetia	Lutetia vacuum tumbler, number: 7257, dimensions: 2650 mm x 1500 mm x 2100 mm. Without vacuum pump.	4000
174	Lutetia	Lutetia vacuum tumbler, dimensions: 2800 mm x 1450 mm x 2100 mm. Without vacuum pump.	3500
175	NN transport belt	Transport belt, chain belt, belt width: 20 mm, working width: 160 mm, total dimensions: 4950 mm x 700 mm x 1200 mm.	500
176	VEB Wägetechnik Rapido Radebeul	VEB Wägetechnik Rapido Radebeu weighing scale, model: Nagema Rapido, serial number: 35-012/012, year of construction: 1986, weight: 310, minimum weight: 10 kg, maximum weight: 300 kg, e: 0.2 kg, dimensions scale: 780 mm x 780 mm, total dimensions: 1370 mm x 780 mm x 1950 mm.	40
178	GEA	GEA thermoformer with film roll holder, type: PowerPak, serial number: 50560109, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 45 A, 30 kW, dye: (1x) 540 mm x 540 mm, total dimensions: 10000 mm x 1500 mm x 2200 mm. Without vacuum pump.	4000
179	Combisteel	Combisteel refrigerated showcase, model: 7450.0815, serial number: 21080377, 230 V, 50 Hz, 3.9 A, 710 Watt, refrigerant: R290, net weight: 275 kg, dimensions shelf: (1x) 1950 mm x 300 mm, (1x) 1950 mm x 390 mm, total dimensions: 2020 mm x 700 mm x 1200 mm.	250
180	Ilapak s.p.a.	Ilapak s.p.a. flowpacker, type: UNO, serial number: 019 97, year of construction: 1997, 380 V, 50 Hz, 5000 W, plastic belt with dividers, distance between dividers: 430 mm, plastic belt, belt width: 220 mm, total dimensions: 6700 mm x 1350 mm x 1490 mm.	750
181	Alco food-machines	Alco food-machines mobile transport belt, serial number: 0903210, year of construction: 1999, 380 V, 60 Hz, plastic mesh belt, belt width: 410 mm, total dimensions: 2440 mm x 835 mm x 900 mm.	100
182	NN transport belt	Transport belt, s/s chain with dividers, divider height: 30 mm, distance between dividers: 350 mm, total dimensions: 7400 mm x 850 mm x 2270 mm.	250
183	NN lamp	Lamp, dimensions: 1300 mm x 300 mm x 1400 mm.	10
184	Spaleck	S/s platform with Spaleck vibrating gutter, type: SFDU 120-70-1000, fabrication number: 153316, year of construction: 2006, gutter width: 120 mm, working height platform: 1220 mm, total dimensions: 1800 mm x 1800 mm x 2400 mm.	500
185	NN tubs	3 s/s tubs, dimensions: (3x) 890 mm x 720 mm x 510 mm.	150
186	Sealpac	Sealpac traysealer, type: SEALPAC A10, serial number: A10-01-2623, year of construction: 2013, 400/230 V, 3	2000



Nr	Title	Description	Start €
		Ph, 50/60 Hz, 15 kW, weight: 2700 kg, dimensions: 6000 mm x 1000 mm x 2000 mm. Without dye set.	
187	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH box stacker, type: Kistenaufstapler, machine number: 1012307, year of construction: 2015, working width: 385 mm x 580 mm, total dimensions: 1720 mm x 1020 mm x 2900 mm.	400
188	CFS	CFS traysealer with conveyor, type: TwinStar, machine number: 773-119, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 18 A, 12 kW, weight: 2200 kg, plastic belt, belt width: (2x) 150 mm, total dimensions: 4750 mm x 910 mm x 2350 mm. With conveyor belt, plastic mesh belt, belt width: (2x) 175 mm, total dimensions: 880 mm x 850 mm x 1800. Without dye set. Rollies not included.	1000
189	Multivac	Multivac thermoformer, type: R530, dimensions dye: (8x) 78 mm x 325 mm, plastic belt, belt width: 378 mm, total dimensions: 7660 mm x 1040 mm x 1870 mm. Including Busch vacuum pump, dimensions pump: 1100 mm x 370 mm x 7200 mm.	5000
190	Nordfels	Nordfels lasagna pick and place loader for thermoformer with 2 Stäubli robot arms, machine number: M19130, year of construction: 2019, 400 V, 3 Ph, weight: 2500 kg, type robot arms: TS2-80, dimensions: 2100 mm x 2100 mm x 2800 mm.	1000
191	Smits Techniek	Smits Techniek dosing and weighing unit, type: EWM120, serial number: 48-13-2015-09, year of construction: 2015, dimensions: Ø (2x) 85 mm, total dimensions: 1200 mm x 1100 mm x 4000 mm.	150
192	Smits Techniek	Smits Techniek dosing and weighing unit, type: EWM120, serial number: 18-13-2011-7, year of construction: 2011, dimensions: 1000 mm x 920 mm x 3900 mm.	300
193	NN filter	Filter, dimensions pipe: Ø 65 mm Ø 50 mm and Ø 25 mm, total dimensions: 490 mm x 280 mm x 1600 mm.	40
194	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH box turner, type: Kistenwender, machine number: 1012307, year of construction: 2015, working width: 620 mm x 280 mm, total dimensions: 750 mm x 675 mm x 1480 mm.	75
195	NN sorting station	Sorting station with 6 rejectors, plastic belt, belt width: 200 mm, total dimensions: 2750 mm x 1600 mm x 1450 mm.	400
196	CFS	CFS thermoformer, type: PowerPak ST 420, Typ1, machine number: 14200106, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 28 A, 18 kW, dye: (4x) 380 mm x 85 mm, plastic belt, belt width: 355 mm, Busch booster pump, type: WV 0500 H 001, number: 09919000265, capacity: 500 m ³ per hour, total dimensions: 5200 mm x 1300 mm x 1800 mm. Including suction device, pallet with dyes, dye: (3x) 345 mm x 165 mm and parts.	1500



Nr	Title	Description	Start €
197	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10220913, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B4-E2, serial number: 10220914, year of construction: 10/2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, total dimensions: 765 mm x 530 mm x 1985 mm.	600
198	Boge	Boge air compressor, type: SF 100-2, machine number: 562417, year of construction: 2005, volume: 10.5 m ³ per hour, dimensions: 2250 mm x 1250 mm x 1450 mm.	300
199	Still	Still electric pallet lifter, type: EGU 20, serial number: 710119021229, year of construction: 2000, capacity: 2000 kg, weight: 535 kg, working hours: 3535 hour, fork length: 1150 mm, maximum lifting height: 200 mm, total dimensions: 1800 mm x 700 mm x 1400 mm. Including Polar battery charger, type: Q1, serial number: 51202651.	200
200	NN frame	S/s frame, dimensions: 970 mm x 500 mm x 1215 mm.	40
201	Tool-Temp	Tool-Temp temperature control unit, type: TT-157 E, serial number: 24-04522-10, (3x) 380/415 V, 50 Hz, 9'850 Watt, dimensions: 610 mm x 230 mm x 525 mm.	75
202	Grassair	Part for Grassair dryer, type: ADC-SFX, serial number: 1057367/1, year of construction: 2000, 230 V, 50-60 Hz, dimensions: 340 mm x 340 mm x 100 mm.	40
203	Mobepack Sistem	Mobepack Sistem knife sharpener, model: 11G-40, serial number: 04-01-092, year of construction: 2005, 380 V, 1 Ph, weight: 80 kg, dimensions: 600 mm x 570 mm x 800 mm. Incomplete.	40
204	Imerial-Werke GmbH	Imerial-Werke GmbH 4-pits stove with oven, type: EHWF4010, fabrication number: 132/8310, year of construction: 1983, 380 V, 16000 Watt, electric heated, dimensions: 900 mm x 750 mm x 860 mm.	40
205	NN smoke sticks	S/s trolley with approximately 300 y shaped smoke sticks, length smoke stick: 1000 mm, total dimensions: 700 mm x 700 mm x 1100 mm.	250
206	GFL	GFL incubator, type: 7601, serial number: 10146101 D, 230 V, 50/60 Hz, 2.7 A, 0.65 kW, dimensions: 600 mm x 570 mm x 650 mm.	100
207	Krups	Krups handmixer, type: GN5021, dimensions box: 170 mm x 260 mm x 200 mm.	30
208	Tristar	Tristar coffee machine, type: CM-1244, dimensions box: 220 mm x 240 mm x 510 mm.	5
209	Tarrington House	Tarrington House raclette grill, type: RG2081 RE, 230 V, 50 Hz, 2000 W, dimensions box: 200 mm x 620 mm x 320 mm.	40
210	EKA	EKA oven, model: KF 937 D UD, serial number: 4012008464, 220-230 V, 50/60 Hz, 3.7 kW, 3 floors, dimensions each floor: 395 mm x 370 mm, total dimensions: 790 mm x 710 mm x 470 mm.	100



Nr	Title	Description	Start €
211	Kärcher	Kärcher floor scrubbing machine, type: BD 450 BAT, number: 010343, year of construction: 1994, 24 V, 950 W, dimensions: 1200 mm x 700 mm x 900 mm. Missing brush.	100
212	Hoonved	Hoonved dishwasher, model: C 60 E, serial number: BD 593320605, 400 V, 3 Ph, 50 Hz, 16 A, 4.75 kW, dimensions crate: 460 mm x 460 mm x 85 mm, total dimensions: 600 mm x 600 mm x 815 mm.	75
213	D&T Products	D&T; Products coffee machine, type: FD520, 230 V, 50 Hz, 2800 W, 6 bar, dimensions: 450 mm x 360 mm x 700 mm.	10
214	Grundfos	Grundfos mobile centrifugal booster pump, model: A96513564P10428, diameter in/output pipe: 50 mm, total dimensions: 800 mm x 700 mm x 1450 mm.	200
215	Turbo Systems	Turbo Systems mobile dosing and filling machine, number: M93014203008, dimensions funnel: 700 mm x 400 mm x 500 mm, diameter output pipe: (6x) 20 mm, total dimensions: 1000 mm x 950 mm x 1900 mm.	600
216	Polaris	Polaris s/s refrigerated counter, type: KSTP 03 710 DX, serial number: BN020084275, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 300 W, refrigerant: R404a, dimensions: 700 mm x 1560 mm x 900 mm.	150
217	NN smoke sticks	S/s trolley with approximately 300 y shaped smoke sticks, length smoke stick: 1000 mm, total dimensions: 700 mm x 700 mm x 1100 mm.	250
218	MK	MK mobile labelling machine, type: VST 2011-H-G, number: 200414103805001, year of construction: 20/07/2004, dimensions: 1250 mm x 900 mm x 1900 mm.	150
219	Loma Systems	Loma Systems rejector belt, plastic belt, belt width: 250 mm, total dimensions: 900 mm x 1000 mm x 1160 mm.	40
220	NN filling machine	3 heads mobile filling machine, 3 funnels, dimensions funnel: Ø 200 mm x 500 mm, diameter output: 20 mm, total dimensions: 1220 mm x 950 mm x 1800 mm.	450
221	NN paraffin bath	Mobile paraffin bath, dimensions: 1250 mm x 600 mm x 1050 mm.	50
222	Wipotec	Wipotec labelling machine, serial number: 0003733, year of production: 2006, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 650 mm x 1800 mm.	75
223	NN filling head	Mobile frame with filling head, 8x4 filling heads, dimensions: 740 mm x 400 mm x 1500 mm.	50
224	Rational	Rational combi steamer, model: SCC201, serial number: E21SE06092076153, year of construction: 2006 400 V, 3 Ph, 50/60 Hz, 37 kW, electric heated, dimensions: 880 mm x 750 mm x 1040 mm.	1500
225	Maja Maschinenfabrik	Maja Maschinenfabrik mobile strip cutter, type: ESB 4434 SH, serial number: C-01159, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3.55 A, 1.5 kW, working width:	400



Nr	Title	Description	Start €
		440 mm, distance between knives: 0.5 mm, total dimensions: 1600 mm x 800 mm x 1300 mm. Incomplete, missing belts and knife.	
226	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning and deriding machine, type: ESB 4434 SH, serial number: C-01136, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 3.55 A, 1.5 kW, working width: 440 mm, distance between knives: 0.5 mm, total dimensions: 1600 mm x 800 mm x 1300 mm. Incomplete.	250
227	Espera	Espera labelling machine, model: ES 1000, type: ES 1210, 230 V, 50-60 Hz, 3 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 1300 mm x 700 mm x 1750 mm.	800
228	Eloma	ES Eloma mobile proofer, 12 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1000 mm x 850 mm x 830 mm.	80
229	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH skinning machine, type: ASE 553, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 770 mm x 650 mm x 1050 mm.	250
230	Unox	Unox oven, type: XEFT-04EU-ELDV, serial number: 2019A0006215, 380-415 V, 3 Ph, 6.9 kW, weight: 57 kg, 4 floors, dimensions each floor: 605 mm x 370 mm, total dimensions: 800 mm x 840 mm x 480 mm.	400
231	Tool-Temp	Tool-Temp temperature control unit, type: TT-162 E, serial number: 25-05688-4, (3x) 380/415 V, 50 Hz, 12'850 Watt, dimensions: 600 mm x 305 mm x 710 mm.	80
232	Witt-Gaserechnik	Witt-Gaserechnik gas mixing station, type: KM 100-2 MEM, serial number: 71562, year of construction: 2006, gas: CO ₂ , dimensions: 340 mm x 340 mm x 220 mm.	15
233	NN dyes	Pallet with 3 dyes for traysealer, dimensions dye: (2x) 200 mm x 125 mm and (1x) Ø 70 mm, total dimensions: 400 mm x 350 mm x 250 mm, 420 mm x 350 mm x 200 mm and 400 mm x 240 mm x 200 mm.	100
234	BBC Technologies	BBC Technologies mobile denester, model: 30581, serial number: 117538, dye: 150 mm x 120 mm, total dimensions: 1750 mm x 1040 mm x 1540 mm.	200
235	NN autoclave	Autoclave, inside dimensions: 500 mm x 400 mm x 330 mm, diameter rings: 100 mm, total dimensions: 700 mm x 500 mm x 860 mm.	150
236	Wiegand	Wiegand mobile binding machine, number: R 20 E/113401, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 1 kW, clearance: Ø 180 mm, total dimensions: 650 mm x 540 mm x 1340 mm.	200
237	Höfelmeyer	Höfelmeyer indicator for weighing scale, model: HKW2843HE-C7.55-A-3.75-S, serial number: 6113276, year of construction: 2018, 400 V, 50 Hz, 1.55 kVA, weighing range: 150 gram - 2500 gram, dimensions: 800 mm x 870 mm x 1850 mm.	150



Nr	Title	Description	Start €
238	Multivac	Multivac outfeed belts for thermoformer with cutting attachments for type: R515/535, plastic belt, belt width: (3x) 100 mm and (3x) 100 mm, dimensions: 1100 mm x 550 mm x 70 mm and 660 mm x 550 mm x 70 mm.	150
239	NN sprayer	Sprayer, dimensions: 650 mm x 360 mm x 520 mm.	40
240	Brüel	Pallet box with parts for Brüel crate washer.	150
241	Brüel	Pallet box with parts for Brüel crate washer.	150
242	Talsa	Talsa mobile mixer, model: MIX 150 PT, serial number: 97544, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 14.55 A, 1.65 kW, s/s bowl, volume: 150 liter, total dimensions: 800 mm x 1100 mm x 1200 mm.	750
243	Siat S.p.a.	Siat S.p.a. mobile box closing machine, model: SK2 A, serial number: 3131, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 W, plastic rollers, roller width: 500 mm, total dimensions: 1500 mm x 750 mm x 1500 mm.	30
244	Brüel	4 crates with parts for Brüel crate washer.	75
245	Brüel	Parts for Brüel crate washer, among others 60 meters of plastic chain.	150
246	Christen & Co.	Christen & Co. mobile weighing scale, type: 3G, maximum capacity: 150 kg, dimensions scale: 600 mm x 660 mm, total dimensions: 900 mm x 630 mm x 2040 mm.	100
247	Bizerba	Bizerba pallet weighing scale with indicator and labelling machine, type indicator: GT-6M, number: 10722578, type labelling machine: GLP-W, number: 11000801, maximum weight: 6/15/30 kg, minimum weight: 40 gram, e= 2/5/10 gram, 230 V, 50 Hz, 0.65 A, dimensions scale: 1250 mm x 640 mm x 1850 mm, dimensions s/s cabinet: 650 mm x 640 mm x 1850 mm.	750
248	Kreyenborg GmbH	Kreyenborg GmbH screen changer, type: K-SWE-050, machine number: 18489/A, year of construction: 1999, dimensions: 1200 mm x 600 mm x 1650 mm.	100
249	D2 Food Systems Limited	D2 Food Systems Limited traysealer, serial number: 100M008, film width: 280 mm, dimensions dye: (2x) 200 mm x 130 mm, total dimensions: 1150 mm x 900 mm x 670 mm.	100
250	CHEP	5 CHEP plastic pallets, dimensions: (5x) 1200 mm x 800 mm.	40
251	NN hygiene equipment	Hygiene equipment.	1
252	Insectzap	Pallet with 9 Insectzap insect killers and 2 CRI-CRI insect killers.	15
253	Nilfisk	Nilfisk vacuum cleaner, dimensions: 700 mm x 700 mm x 1230 mm.	15
254	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 10/8055/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives,	250



Nr	Title	Description	Start €
		distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	
255	Jac	Jac mobile bread slicer, model: SLD 450/11, machine number: 11/3433/02, year of construction: 3-08-2011, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 40 knives, distance between knives: 11 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	250
256	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 08/3645/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	250
257	PI Electronique	PI Electronique label printer, type: TP16A, number: 109050501175, dimensions: 215 mm x 140 mm x 150 mm.	1
258	Rolly NRG	Rolly NRG floor scrubbing machine, dimensions: 700 mm x 400 mm x 1100 mm.	80
259	NN sandblaster	10 gallon sandblaster, model: XH-T1010, serial number: T11602-023, year of construction: 2016, dimensions: 500 mm x 500 mm x 900 mm.	40
260	Pulsar	Pulsar mobile diaphragm metering pump, model: 25HJ, serial number: F457752-1, max capacity: 1.3 liter per hour, max pressure: 17.2 bar, dimensions: 1300 mm x 600 mm x 1200 mm.	75
261	Ecolab	Ecolab mobile pressure vessel for foam, model: ST-2700, type: P3-topax-66, max: 150-300°F, dimensions: 400 mm x 370 mm x 1100 mm.	75
262	Tool-Temp	Tool-Temp temperature control unit, type: TT-188 c. Spez, serial number: 318-5457-2, year of construction: 2018, (3x) 380/415 V, 50 Hz, 9.85 kW, 9'850 Watt, weight: 55 kg, dimensions: 610 mm x 230 mm x 525 mm.	75
263	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 11/0154/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 11 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	250
264	Hobart	Hobart mixer, model: NCM40, serial number: 97130702, 400 V, 3 Ph, 50 Hz, 2.6 A, 1.1 kW, volume: 40 liter, total dimensions: 700 mm x 560 mm x 1460 mm. Including whisk and mixing arm.	750
265	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 80, machine number: 05204.65071.1910-1, year of construction: 1982, 220/380 V, 3 Ph, 50 Hz, 1.9/16 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1050 mm x 680 mm x 960 mm.	500
266		Parts for evaporator.	500



Nr	Title	Description	Start €
	NN parts for evaporator		
267	Leventi	Leventi combi steamer, type: BM 8 MM YOU, serial number: 17 01 68513, 400 V, 3 Ph, 50/60 Hz, 18 kW, 8 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 930 mm x 880 mm x 2080 mm.	500
268	DEBAG	DEBAG double stacked oven, type: DiLa 5 and DiLa 10, number: D 320962 and D 320963, year of construction: 07/2012, 400 V, 50 Hz, 31.5/32 A, 20.5 kW, dimensions inside: 695 mm x 415 mm, total dimensions: 1100 mm x 920 mm x 2120 mm.	500
269	Rational	Rational combi steamer, dimensions: 1000 mm x 900 mm x 1900 mm. Including s/s trolleys, 20 floors, dimensions each floor: 530 mm x 335 mm.	1200
270	C.M.I.A. - BODSON	C.M.I.A. - BODSON mobile skinning machine, type: D112, serial number: 327, year of construction: 11-06-82, 220/380 V, working width: 440 mm, total dimensions: 710 mm x 450 mm x 1000 mm. Incomplete.	400
271	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: AS 450, number: 3633, 380 V, 50 Hz, 0.4 kW, working width: 380 mm, total dimensions: 680 mm x 500 mm x 1000 mm.	359
272	Netzsch	Netzsch progressing cavity pump, type: NM0383Y04SZ43, serial number: 386990, year of construction: 2007, capacity: 400-1700-3000 l/h, dimensions: 220 mm x 350 mm x 450 mm.	3200
273	Netzsch	Netzsch progressing cavity pump, type: NM063BY01L06B, serial number: D9446041/4300012937/0100, year of construction: 2022, 4.11 kW, capacity: 24 m ³ per hour, dimensions: 220 mm x 350 mm x 450 mm.	4200
274	Aerzen	Aerzen blower, type: GM25S, serial number: 821874, year of construction: 2003, weight: 780 kg, dimensions: 1550 mm x 1300 mm x 1600 mm.	4000
275	Tetra Pak	Tetra Pak heat exchanger, type: C8-SR, serial number: 30104-21923, year of construction: 2003, volume: 60/62 liter, dimensions: 1380 mm x 500 mm x 1800 mm.	3200
276	Wiesheu GmbH	Wiesheu GmbH convection oven, type: B8 IS500, serial number: 96436, year of construction: 2004-03, 400 V, 3 Ph, 50/60 Hz, 26.6 A, 18.4 kW, 10 floors, dimensions each floor: 615 mm x 370 mm, total dimensions: 1050 mm x 930 mm x 2050 mm.	500
277	Hobeka	Hobeka mixer, dimensions inside: ø 550 mm x 400 mm, total dimensions: 780 mm x 720 mm x 1220 mm.	700
278	NN piston filler	Mobile piston filler with knee control, dimensions: 550 mm x 400 mm x 1150 mm.	700
279	Airpress	Airpress mobile compressor, model: HL 310-25, serial number: 3850270, year of construction: 2021, 230 V, 50	300



Nr	Title	Description	Start €
		HZ, 6 A, 1.5 kW, volume: 24 liter, weight: 27 kg, dimensions: 600 mm x 250 mm x 550 mm.	
280	Kärcher	Kärcher floor scrubbing machine, type: BD 550, number: 014635, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 1900 W, 16 A, dimensions: 1400 mm x 800 mm x 1100 mm. Missing brush.	500
281	Reima	Reima floor scrubbing machine, dimensions: 1150 mm x 500 mm x 1100 mm.	300
282	Focus	Focus mobile barbecue, number: 01405, input side burner, dimensions grill: 860 mm x 410 mm, total dimensions: 1900 mm x 600 mm x 1150 mm. Including parts.	300
283	NN chainmail apron	S/s chainmail apron.	200
284	Rational	Rational combi steamer, model: SelfCooking Center, dimensions: 1120 mm x 1120 mm x 2000 mm. Including 2 s/s Rational trolleys, 20 floors, dimensions each floor: 570 mm x 535 mm, total dimensions: (2x) 950 mm x 750 mm x 1700 mm.	1500
285	NN trolleys	2 S/s trolleys, 16 floors, dimensions each floor: 600 mm x 400 mm, weight: Max 90 kg, total dimensions: (2x) 750 mm x 500 mm x 1700 mm.	120
286	NN trolleys	4 S/s trolleys, 16 floors, dimensions each floor: 600 mm x 400 mm, weight: Max 90 kg, total dimensions: (4x) 750 mm x 500 mm x 1700 mm.	240
287	NN trolley	S/s trolley, 20 floors, dimensions each floor: 540 mm x 335 mm, total dimensions: 700 mm x 500 mm x 1700 mm.	60
288	Comarame	Comarame box closing machine, model: GEM-45, serial number: 90004672, 380 V, 50 Hz, 1 A, 184 W, roller width: 500 mm, total dimensions: 900 mm x 800 mm x 900 mm. Missing legs.	150
289	Getra	Getra mobile strapping machine, model: TP-702-12, machine number: 150717824, year of construction: 2015, 230 V, 50 Hz, 3 A, clearance: 380 mm x 500 mm, total dimensions: 1200 mm x 650 mm x 1450 mm.	100
290	Alipack	Alipack labelling machine, serial number: ET 780, year of construction: 2002, 220 V, 50/60 Hz, dimensions: 900 mm x 850 mm x 1660 mm.	100
291	NN plates	S/s roll container with large amount of plates.	250
292	NN roller conveyor	Mobile roller conveyor with plastic rollers, roller width: 400 mm, total dimensions: 1970 mm x 500 mm x 850 mm.	50
293	AZO	AZO big bag installation, type: BBA 300 F 370LG A22R, machine number: 041744A-40009, year of construction: 30-01-2003, ø inside: 310 mm and 780 mm, perforations: 8 mm and 40 mm, total dimensions: 1720 mm x 1680 mm x 2000 mm. Including 3 pallet with parts, Demag hoist, pole length: 3000 mm, dimensions	500



Nr	Title	Description	Start €
		pallet: 2100 mm x 100 mm x 400 mm, 1600 mm x 1600 mm x 900 mm, 3000 mm x 1200 mm x 500 mm and 1200 mm x 1000 mm x 400 mm.	
294	Coral S.p.A.	Coral S.p.A. filter, type: FILTRO, model: CLEAN 22, serial number: 2023-0343P23017173, year of construction: 2023, weight: 42 kg, dimensions: 1550 mm x 700 mm x 850 mm.	100
295	Coral S.p.A.	Coral S.p.A. filter, type: FILTRO, model: CLEAN 22, serial number: 2023-0344P23017173, year of construction: 2023, weight: 42 kg, dimensions: 1550 mm x 700 mm x 850 mm.	100
296	NN filter	2 Parts for filter cone.	75
297	Oscartielle	Oscartielle mobile refrigerated showcase, serial number: 1J15311002, year of construction: 2010, 230 V, 50 Hz, 1200 W, refrigerant: R404A, 3 floors, dimensions each floor: 940 mm x 370 mm, total dimensions: 1050 mm x 800 mm x 2040 mm.	100
298	NN fryer	Mobile fryer, s/s mesh belt, belt width: 400 mm, total dimensions: 2900 mm x 1050 mm x 1300 mm.	400
299	NN fryer	Double fryer, dimensions inside: (2x) 600 mm x 510 mm x 330 mm, total dimensions: 1320 mm x 700 mm x 500 mm.	250
300	Zanussi	Zanussi dishwasher, model: LS6EAH, serial number: 61200032, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6.85 kW, dimensions: 600 mm x 600 mm x 840 mm.	75
301	Busch	Busch vacuum pump, CB 0220 D 1, number: 070005001, capacity: 220 m ³ per hour, dimensions: 1100 mm x 300 mm x 600 mm.	100
302	NN trolley	Steel trolley, dimensions: 950 mm x 600 mm x 1080 mm.	5
303	NN trolley	Steel trolley, dimensions: 950 mm x 600 mm x 1080 mm.	5
304	Alfaco	Alfaco steel server cabinet, dimensions: 1000 mm x 800 mm x 2000 mm.	50
305	Gardner Denver	Gardner Denver side channel blower, type: G_200, serial number: BN 10019136 bo 2, dimensions: 600 mm x 250 mm x 400 mm.	75
306	NN pallet	Pallet with large amount spirals, dimensions: 1200 mm x 1200 mm x 1150 mm.	40
307	Roxell	Roxell dosing unit, diameter pipe: 85 mm, total dimensions: 1060 mm x 250 mm x 210 mm.	40
308	NN dosing unit	Dosing unit, diameter pipe: 75 mm and (6x) 90 mm, total dimensions: 880 mm x 450 mm x 980 mm.	200
309	Kronen	Kronen knife for GS 14, diameter: 560 mm.	10
310	Kronen	Kronen knife for GS 14, diameter: 560 mm.	10
311	Kronen	Kronen knife for GS 14, diameter: 560 mm.	10
312	GEA Food Solutions Germany GmbH	GEA Food Solutions Germany GmbH labelling unit, type: LPM 108-12 Ll, serial number: 18861281, year of	75



Nr	Title	Description	Start €
		construction: 2018, 30 V, 50-60 Hz, 12 A. dimensions: 850 mm x 350 mm x 600 mm.	
313	Denios AG	2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-002, year of construction: 2002, volume: 200 liter, dimensions: (2x) 1650 mm x 430 mm x 350 mm.	50
314	Denios AG	2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-001, year of construction: 2002, dimensions: (2x) 1650 mm x 430 mm x 350 mm.	50
315	Cafe Bar	Cafe Bar coffee machine, model: CB932NL/BK/L, 230 V, 50 Hz, 2.31 kW, dimensions: 500 mm x 250 mm x 460 mm.	10
316	Flamco	2 Flamco degassing units, type: (2x) ENA 1, dimensions: (2x) 800 mm x 400 mm x 1400 mm.	150
317	Gastro M	Gastro M ice cube machine, inside dimensions: 320 mm x 320 mm x 150 mm, total dimensions: 470 mm x 400 mm x 710 mm.	100
318	Frymaster	Frymaster universal holding cabinet, model: UHCP4TP, serial number: 0802UH0388, 230 V, 1 Ph, 50/60 Hz, 13.3 A, 3050 W, 4 floors, dimensions each floor: 600 mm x 450 mm x 60 mm, total dimensions: 645 mm x 550 mm x 645 mm.	75
319	NN roller conveyor	Roller conveyor with s/s frame and rollers, roller width: 500 mm, total dimensions: 1000 mm x 600 mm x 500 mm.	5
320	Gardner Denver	Gardner Denver vacuum pump, type: VC 150 (76), number: 2865581, capacity: 100 m ³ per hour, dimensions: 700 mm x 420 mm x 300 mm.	100
321	Busch	Busch vacuum pump, type: RC 0063 E 501, number: 060119488, year of construction: 2006, capacity: 60 m ³ per hour, dimensions: 600 mm x 400 mm x 300 mm.	100
322	Busch	Busch vacuum pump, dimensions: 800 mm x 380 mm x 400 mm.	75
323	Busch	Busch vacuum pump, type: CB 0220 C 1, number: 460239/OPXX/OC, year of construction: 1997, capacity: 220 m ³ per hour, dimensions: 1000 mm x 300 mm x 600 mm.	75
324	Busch	Busch vacuum pump, type: RA 0100 B 5M1, number: 02023463, capacity: 100 m ³ per hour, dimensions: 900 mm x 370 mm x 360 mm.	75
325	Gardner Denver	Gardner Denver vacuum pump, type: VC 150 (75), number: 1026527655, year of construction: 2010, capacity: 150/180 m ³ per hour, dimensions: 750 mm x 400 mm x 600 mm.	100
326	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), year of construction: 2008, 1450 rates per minute, capacity: 220 / 80 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	40



Nr	Title	Description	Start €
327	Rietschle	Rietschle vacuum pump, type: VFS 220.80 (01), number: 2751336, year of construction: 2007, capacity: 220/80 m ³ per hour, dimensions: 1030 mm x 600 mm x 700 mm.	100
328	SEW/ABB	SEW and ABB motor.	50
329	Busch	Busch vacuum pump, dimensions: 980 mm x 350 mm x 630 mm.	100
330	Bell-Mark	Bell-Mark coding attachment for thermoformer, type: EasyPrint mlp, dimensions: 500 mm x 300 mm x 595 mm.	100
331	Edwards	Edwards vacuum pump, model: EH500A, total dimensions: 800 mm x 300 mm x 310 mm.	500
332	Rietschle	Rietschle vacuum pump, type: VCH 140 (05), serial number: 2363164, year of construction: 2003, capacity: 140 m ³ per hour, dimensions: 700 mm x 400 mm x 300 mm. Incomplete. Technical condition unknown.	100
333	NN trolley	S/s trolley, dimensions: 1020 mm x 650 mm x 1000 mm.	40
334	NN parts for thermoformer	Pallet with 2 presses for thermoformer, dimensions: (2x) 1000 mm x 720 mm x 130 mm. Never used.	1000
335	Roxell	Roxell dosing unit, serial number: 351745, diameter pipe: 100 mm and 85 mm, total dimensions: 810 mm x 250 mm x 390 mm.	40
336	Nerimotori	Nerimotori motor, dimensions: 330 mm x 230 mm.	10
337	Leybold	Leybold vacuum pump, dimensions: 1000 mm x 600 mm x 500 mm.	40
338	NN pump	Pump, dimensions: 1000 mm x 500 mm x 300 mm.	75
339	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), year of construction: 2008, 1450 rates per minute, capacity: 220 / 80 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	75
340	Busch	Busch vacuum pump, type: RA 0100 B5M, number: 195004154, capacity: 100 m ³ per hour, dimensions: 800 mm x 350 mm x 400 mm.	75
341	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 2636069, year of construction: 2006, 230/400 V, 50 Hz, 19.7/11.4 A, 1450 rates per minute, capacity: 200 m ³ per hour, dimensions: 960 mm x 300 mm x 600 mm.	75
342	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 1697924, year of construction: 1995, 1450 rates per minute, capacity: 200 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	75
343	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), number: 2182775, capacity: 200 m ³ per hour, dimensions: 1100 mm x 300 mm x 600 mm.	75
344	Gardner Denver	Gardner Denver vacuum pump, type: VFS 201 (01) 100921-0117, number: 1783802, year of construction:	75



Nr	Title	Description	Start €
		1996, capacity: 200 m ³ per hour, dimensions: 980 mm x 300 mm x 440 mm.	
345	Teko	Teko evaporator, model: T1, serial number: 00289, year of construction: 2013, 230 V, 50 Hz, 3 A, dimensions: 930 mm x 500 mm x 800 mm.	30
346	Hainan Tingli	28 Hainan Tingli solar panels, model: YL245P-29b, maximum power: 245 Watt, dimensions: 1650 mm x 990 mm x 1250 mm.	200
347	NN part for clipper	Part for clipper, dimensions: 1300 mm x 1000 mm x 570 mm.	40
348	Güntner	Güntner evaporator, type: S-GHDE 45/28, number: 6 328410, year of construction: 1993, 2 fans, dimensions: 1700 mm x 680 mm x 620 mm.	200
350	NN cooling unit	Mobile cooling unit, dimensions: 600 mm x 750 mm x 600 mm.	80
351	Rietschle	Rietschle vacuum pump, type: VFS 220.80 (01), serial number: 1571811, year of construction: 1994, capacity: 200/80 m ³ per hour, dimensions: 1060 mm x 350 mm x 580 mm.	40
352	Berkel / Soehnle	Berkel floor weighing scale and Soehnle indicator, dimensions: 1250 mm x 1000 mm x 160 mm. Incomplete.	350
353	Soehnle	Soehnle floor weighing scale with indicators, 220 V, 50 Hz, maximum 600 kg, minimum 10 kg, e=d= 0.2 kg, dimensions: 1500 mm x 1250 mm x 80 mm.	350
354	Grundfos	Grundfos centrifugal pump, model: A96553626P10735, dimensions: 700 mm x 300 mm x 340 mm.	100
355	Grundfos	Grundfos centrifugal pump, dimensions: 1700 mm x 400 mm x 300 mm.	100
356	HYFRA Industriekuhlanlagen GmbH	HYFRA Industriekuhlanlagen GmbH mobile cooling unit, type: Kälteanlage Chilly 15-S, machine number: 13090516, year of construction: 2013, 230 V, 1 Ph, 50 Hz, refrigerant: R407C, dimensions: 700 mm x 500 mm x 500 mm.	75
357	L Systems	L Systems insect killer, model: FTC40, serial number: WV-0514000162, 230 V, 50 Hz, 50 W, dimensions: 700 mm x 180 mm x 350 mm.	10
358	NN transport belts	Plastic crate with various plastic belts, belt width: (2x) 150 mm and (3x) 130 mm.	40
359	Soehnle	Soehnle weighing with indicator, serial number: 7390.131700580, 100-240 V, 50-60 Hz, 400 mA, maximum weight: 6/15 kg, minimum weight: 40/100 gram, e= 2/5 gram, dimensions weighing scale: 310 mm x 270 mm x 80 mm.	75
360	Sunex	Sunex filling and rinding pump, type: SN1, 230 V, 50 Hz, capacity: 3800 liter per hour, dimensions: 400 mm x 200 mm x 450 mm.	30



Nr	Title	Description	Start €
361	NN mesh belt	Plastic mesh belt, belt width: 500 mm.	10
362	Nilfisk	Nilfisk floor scrubbing machine, model: Scrubber-Dryer BA 611D, serial number: 3510131101235, 100-240 Vac, 50-60 Hz, 1.3 kW, dimensions: 1400 mm x 800 mm x 1080 mm.	250
363	Handtmann	Handtmann linking attachment, type: 34-4, number: 1580, dimensions: 330 mm x 190 mm x 120 mm.	400
364	GGG	GGG conveyor toaster, model: TCT-01, serial number: CKGGG202105N1-029, 220-240 V, 50 Hz, 1940 W, s/s mesh belt, belt width: 250 mm, total dimensions: 520 mm x 440 mm x 420 mm.	250
365	ADE	ADE slicer, dimensions: 700 mm x 550 mm x 500 mm.	75
366	Bizerba	Bizerba slicer, model: VS 12, number: 2203346, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 600 mm x 540 mm x 420 mm. Defect.	40
367	Digi	Digi weighing scale & printer, type: SM-500EP, serial number: 09903694, 230 V, 50/60 V, 0.4 A, minimum weight: 40 gram, maximum weight: 6/15 kg, e=d=2/5 gram, scale dimensions: 360 mm x 255 mm, total dimensions: 450 mm x 400 mm x 600 mm.	100
368	Bizerba	Bizerba hook weighing scale with indicator, maximum weight: 150 kg, minimum weight: 5 kg, e= 0.1 kg, dimensions: 600 mm x 700 mm x 1400 mm.	200
369	Bizerba	Bizerba weighing scale with indicator, model indicator: KF II, serial number: 11387841, 120-240 V, 50/60 Hz, 0.7-0.35 A, type weighing scale: 18 K D97-09-027, number: 1881255, maximum weight: 6 kg, minimum weight: 40 gram, e= 2 gram, dimensions scale: 370 mm x 300 mm and dimensions indicator: 440 mm x 300 mm x 130 mm.	75
370	Bizerba	Bizerba cash register system, consisting of; Bizerba screen, number: 11387840 and 11387838, dimensions: 560 mm x 450 mm x 650 mm, Crate with Epson printer, model: M296A, serial number: T48F065975, Bizerba scanner and pay terminal, dimensions: 600 mm x 400 mm x 200 mm, Cash register, dimensions: 420 mm x 395 mm x 110 mm.	50
371	Rhewa-Waagenfabrik	Rhewa-Waagenfabrik weighing scale with indicator and label printer, type weighing scale: 83sigma, number: 175403-1, dimensions scale: 350 mm x 280 mm x 90 mm, dimensions indicator: 330 mm x 230 mm x 90 mm, dimensions printer: 380 mm x 260 mm x 280 mm.	200
372	NN press	S/s press, dimensions press: 90 mm x 70 mm, total dimensions: 200 mm x 200 mm x 400 mm.	50
373	Brökelmann	Brökelmann s/s sink with faucet, item number: 5320100, year of construction: 10-11-2011, weight: 7 kg, dimensions: 550 mm x 450 mm x 400 mm.	10



Nr	Title	Description	Start €
374	Ballerstaedt	Ballerstaedt press, type: PN, number: 23780, year of construction: 2003, 220 V, 0.35 kW, diameter dye: 100 mm, total dimensions: 560 mm x 350 mm x 700 mm.	200
375	NN dicer	Manual dicer, dimensions: 550 mm x 220 mm x 600 mm.	75
376	Kanon Loading Equipment B.V.	Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010733, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm.	50
377	Kanon Loading Equipment B.V.	Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010734, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm.	50
378	Woodhead L.P.	Woodhead L.P. cable reel, serial number: 816758757 AB, 600 VAC, 30 A, dimensions: 450 mm x 400 mm x 250 mm.	50
379	NN coat rack	Aluminium coat rack.	5
380	Avery Dennison	Avery Dennison label printer, type: 6405, serial number: 0831631001-6405, 100-240 V, 50-60 Hz, 3.2 A, dimensions: 500 mm x 320 mm x 310 mm.	5
381	Zodiac	3 Zodiac control panels.	100
382	Getränketechnik Grote & Blohm GmbH & Co. KG	Getränketechnik Grote & Blohm GmbH & Co. KG cooling unit, type: begleitkühlgerät BK20, serial number: NJ 158585, year of construction: 2013, 230 V, 50 Hz, 1.4 A, 250 W, refrigerant: R134a/120 g, dimensions: 380 mm x 300 mm x 340 mm.	75
383	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-2 M, serial number: 28070, year of construction: 1997, gas: CO ₂ /N ₂ , dimensions: 400 mm x 310 mm x 300 mm.	50
384	Thermo Allen Coding	Thermo Allen Coding coding machine, dimensions: 550 mm x 200 mm x 200 mm.	40
385	Multivac	Multivac gas mixing station, type: KM100-2M, number: 12610, year of construction: 1990, dimensions: 360 mm x 320 mm x 260 mm.	40
386	Bizerba	Bizerba weighing scale with indicator, type: KH II 800, serial number: 11387842, 120-240 V, 50/60 Hz, 0.7-0.35 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T= -6/15 kg, dimensions: 440 mm x 430 mm x 580 mm.	200
387	Armour&Danforth	Armour&Danforth impact drill, type: AD4406-016, 230 V, 50 Hz, dimensions: 270 mm x 70 mm x 240 mm.	30
388	Armour&Danforth	Armour&Danforth; cordless drill, type: TMX5773, 230 V, 50 Hz, dimensions: 190 mm x 60 mm x 190 mm.	20
389	Armour&Danforth	Armour&Danforth cordless drill, type: TMX5773, 230 V, 50 Hz, dimensions: 190 mm x 60 mm x 190 mm.	30
390	Armour&Danforth	Armour&Danforth; impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm.	40
391	Armour&Danforth		40



Nr	Title	Description	Start €
		Armour&Danforth; impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm.	
392	Busch	Busch vacuum pump, type: WV 1000 C 001, serial number: C1411000270, capacity: 1000 m ³ per hour, dimensions: 1200 mm x 600 mm x 500 mm.	300
393	Busch	Busch vacuum pump, dimensions: 1000 mm x 600 mm x 600 mm.	150
394	CFS	2 CFS displays.	40
395	Kontron	Kontron industrial computer for data-intensive, model: Kbox A-151-TGL, serial number: 481177003, year of construction: 2024, dimensions: 215 mm x 140 mm x 80 mm.	50
396	Allen-Bradley	Allen-Bradley screen, serial number: 312058418, dimensions: 300 mm x 250 mm x 80 mm.	50
397	Sick	Large amount of Sick sensors.	300
398	Beckhoff	Beckhoff control panel.	50
399	Noax	Noax control panel.	50
400	Mr	Mr control panel.	50
401	CFS	CFS control panel.	50
402	Zebra	Zebra label printer, model: ZT410, serial number: 18J202900290, dimensions: 500 mm x 270 mm x 330 mm.	50
403	Ventinet	Ventinet centrifugal ventilator, type: VN-TGR 402R T - 2.2 kW, year of construction: 19-02-2024, 2.2 kW, dimensions: 800 mm x 600 mm x 1150 mm.	100
404	Ventinet	Ventinet centrifugal ventilator, type: VN-TGR 402R T - 2.2 kW, year of construction: 19-02-2024, 2.2 kW, dimensions: 800 mm x 600 mm x 1150 mm.	100
405	Busch	Busch vacuum pump, model: Mink MM 1100 AV, dimensions: 950 mm x 400 mm x 650 mm.	400
406	Busch	Busch vacuum pump, type: MM 1142 AV, number: 04018148, capacity: 140 m ³ per hour, 50 Hz, dimensions: 950 mm x 400 mm x 650 mm.	400
407	Busch	Busch vacuum pump, type: RA 0063 E, number: 060086091, capacity: 63 m ³ per hour, dimensions: 600 mm x 400 mm x 300 mm.	300
409	Busch	Busch vacuum pump, type: RA 0160 D 56I QLXX, number: C9933000371, capacity: 160 m ³ per hour, dimensions: 840 mm x 500 mm x 420 mm.	400
410	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: D17520195, capacity: 120 m ³ per hour, dimensions: 700 mm x 400 mm x 300 mm.	400
411	NN bench screw	4x Bench screw, dimensions: (4x) 460 mm x 125 mm x 140 mm.	75
412	Busch		400



Nr	Title	Description	Start €
		Busch vacuum pump, type: CB 0250 B, serial number: 100023294, capacity: 250 m ³ per hour, dimensions: 1000 mm x 500 mm x 420 mm.	
413	Busch	Busch vacuum pump, type: CB 0250 B, serial number: V16330014, capacity: 250/80 m ³ per hour, dimensions: 1050 mm x 550 mm x 420 mm.	400
414	Linco	Linco scalding screw, machine number: 117400801, year of construction: 2018, \emptyset worm: 600 mm, total dimensions: 4800 mm x 900 mm x 1500 mm.	4400
415	NN transport belt	S-shaped transport belt, belt width: 80 mm, total dimensions: 2500 mm x 1700 mm x 1100 mm.	500
416	Sabroe	Sabroe screw compressor, type: SAB 128, serial number: 11228, year of construction: 1997, dimensions: 1500 mm x 2300 mm x 1900 mm.	1000
417	NN infeed screw	Infeed screw, dimensions: \emptyset 155 mm, total dimensions: 3240 mm x 600 mm x 560 mm.	500
418	Delta Technics Engineering	Delta Technics Engineering evaporator, model: DSP-65, serial number: 01007, year of construction: 2007, 230 V, 50 Hz, 5 fans, dimensions, 2700 mm x 950 mm x 300 mm.	200
419	NN pallet rack	Pallet rack with 9 uprights and 21 beams, dimensions uprights: (9x) 1100 mm x 100 mm x 3000 mm, length beams: (16x) 2780 mm and (5x) 3400 mm.	500
420	Strautmann	Strautmann baler, type: PP 1207, serial number: 533 02 062, year of construction: 2002, 400 V, 50 Hz, 4 kW, 580 kN, inside dimensions: 1190 mm x 680 mm x 1400 mm, total dimensions: 2400 mm x 1600 mm x 3100 mm.	1600
421	Strautmann	Strautmann baler, type: PP 1207, serial number: 533 02 596, year of construction: 2004, 400 V, 50 Hz, 4 kW, 580 kN, inside dimensions: 1190 mm x 680 mm x 1400 mm, total dimensions: 2400 mm x 1600 mm x 3100 mm.	1800
422	Krause	Krause mobile ladder, working height: 1660 mm, total dimensions: 1900 mm x 950 mm x 2650 mm.	200
423	Rational	Rational VarioCookingCenter, dimensions inside: 1160 mm x 820 mm x 500 mm, total dimensions: 1550 mm x 930 mm x 1100 mm.	4000
424	Hobart	Hobart dishwasher, dimensions inside: 800 mm x 700 mm x 1170 mm, total dimensions: 950 mm x 780 mm x 2220 mm.	100
425	Rational	Rational combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1080 mm.	2000
426	Rational	Rational combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1020 mm.	300
427	Rational	Rational combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1050 mm.	1250



Nr	Title	Description	Start €
428	Rational	Rational combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1090 mm.	2000
429	Rational	Rational combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1090 mm.	1250
430	Rational	Rational combi steamer, model: SCC 201, serial number: E21SE05032027163, 400 V, 3 Ph, 50/60 Hz, 37 kW, dimensions inside: 660 mm x 430 mm x 1500 mm, total dimensions: 900 mm x 800 mm x 1800 mm.	1000
431	NN trolley	S/s trolley, 20 floors, dimensions each floor: 540 mm x 330 mm, total dimensions: 700 mm x 620 mm x 1850 mm.	50
432	LUMEN GmbH/LUNA	LUMEN GmbH/LUNA mobile soft ice machine, model: L 12 HL-S (SB), number: 7813, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 8.5 A, 3.5 kW, refrigerant: R404A, dimensions: 7700 mm x 580 mm x 1500 mm.	500
433	Nissei Freezer	Nissei Freezer mobile ice cream machine, model: NA3338WEGK, serial number: B8150019, 400 V, 3 Ph, 50 Hz, 3.6 A, refrigerant: R-404A/730 g, total dimensions: 900 mm x 600 mm x 1570 mm.	1000
434	Rational	Rational combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1050 mm.	300
435	Berkel	Berkel slicer, dimensions: 700 mm x 640 mm x 470 mm.	50
436	Franke	Franke coffee machine with vitrifrigo fridge, model: FG10I, refrigerant: R600a, dimensions: 600 mm x 550 mm x 750 mm.	350
437	Hobart	Hobart dishwasher, dimensions inside: 570 mm x 500 mm x 560 mm, total dimensions: 620 mm x 620 mm x 830 mm. Incomplete.	100
438	Hobart	Hobart dishwasher, dimensions inside: 570 mm x 500 mm x 560 mm, total dimensions: 620 mm x 620 mm x 560 mm. Missing cover.	100
439	Pitco	2 Pitco fryers, model: 35C, minimum capacity: 15.9 kg, gas type: G25-G25.3, dimensions inside: 600 mm x 340 mm x 180 mm, total dimensions: 800 mm x 400 mm x 1050 mm.	400
440	Convotherm	Convotherm oven, type: OES6.06 mini, serial number: XS80G4769, 400 V, 3 Ph, 50/60 Hz, 11.8 A, 5.7 kW, water pressure: 200-600kPa, total dimensions: 840 mm x 550 mm x 500 mm.	500
441	Select Cuisine	Select Cuisine oven, model: HL10891DK, type: Bak off 60x40, 230 V, 3.4 kW, 4 floors, dimensions each floor: 650 mm x 500 mm, total dimensions: 900 mm x 750 mm x 500 mm.	100
442	Winterhalter		250



Nr	Title	Description	Start €
		Winterhalter dishwasher, type: GS 640, dimensions inside: 800 mm x 650 mm, total dimensions: 870 mm x 670 mm x 1600 mm.	
443	NN grill	Grill, dimensions plate: 600 mm x 340 mm, total dimensions: 870 mm x 670 mm x 1600 mm.	50
444	Top Cold	Top Cold freezer, model: ACE 430, number: 22801034 4000079, 220/240 V, 50 Hz, 1.5 A, 320 W, refrigerant: R290/ 0.115 kg, 6 floors, dimensions each floor: 475 mm x 385 mm, total dimensions: 620 mm x 620 mm x 1830 mm. Never used.	300
445	Top Cold	Top Cold freezer, model: ACE 430, number: 22801034 4000096, 220/240 V, 50 Hz, 1.5 A, 320 W, refrigerant: R290/ 0.115 kg, 6 floors, dimensions each floor: 475 mm x 385 mm, total dimensions: 620 mm x 620 mm x 1830 mm. Never used.	300
446	Top Cold	Top Cold freezer, model: ACE 430, number: 22801034 4000095, 220/240 V, 50 Hz, 1.5 A, 320 W, refrigerant: R290/ 0.115 kg, 6 floors, dimensions each floor: 475 mm x 385 mm, total dimensions: 620 mm x 620 mm x 1830 mm. Never used.	300
447	Top Cold	Top Cold freezer, model: APA 600, number: 22800146 12000001, 220/240 V, 50 Hz, 1.5 A, 260 W, refrigerant: R290/ 0.140 kg, 6 floors, dimensions each floor: 630 mm x 500 mm, total dimensions: 750 mm x 720 mm x 1850 mm. Never used.	500
448	Top Cold	Top Cold freezer, model: APA 600, number: 22800146 12000028, 220/240 V, 50 Hz, 1.5 A, 260 W, refrigerant: R290/ 0.140 kg, 6 floors, dimensions each floor: 630 mm x 500 mm, total dimensions: 750 mm x 720 mm x 1850 mm. Never used.	500
449	Top Cold	Top Cold freezer, model: APA 600, number: 22800146 12000007, 220/240 V, 50 Hz, 1.5 A, 260 W, refrigerant: R290/ 0.140 kg, 6 floors, dimensions each floor: 630 mm x 500 mm, total dimensions: 750 mm x 720 mm x 1850 mm. Never used.	500
450	Moduline	Moduline mobile oven, type: RB051E, number: 130854002E, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 5 floors, dimensions each floor: 535 mm x 390 mm, total dimensions: 810 mm x 780 mm x 1640 mm.	150
451	Digi/Tereoka Seiko Co. LTD	Digi/Tereoka Seiko Co. LTD weigh-, wrap- and label machine, model: AW-4600 FX, serial number: 13164829, year of construction: 2013, 380/440 V, 3 Ph, 50/60 Hz, 0.9 kW, min 20 g, max 3/6 kg, e=1/2g, dimensions: 950 mm x 930 mm x 1450 mm.	750
452	Pimak	Pimak chicken grill on mobile table, model: M006, year of construction: 2023, 400 V, 50/60 Hz, 7 kW, dimensions table: 1200 mm x 700 mm x 850 mm,	250



Nr	Title	Description	Start €
		dimensions grill: 1070 mm x 610 mm x 940 mm. Vacuum machine and crate not included.	
453	Alto-Shaam	Alto-Shaam combi steamer, 7 floors, dimensions each floor: 540 mm x 330 mm, total dimensions: 950 mm x 900 mm x 1650 mm.	750
454	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH warming cabinet, type: HBB10K-02, serial number: HBB10-0116-0099, year of construction: 2016, 230 V, 1 Ph, 50/60 Hz, 11.5 A, 2.65 kW, 10 floors, dimensions each floor: 600 mm x 410 mm, total dimensions: 850 mm x 750 mm x 1720 mm.	150
455	Bertrand	Bertrand 3-pits wok stove, ø stove: (3x) 290 mm, total dimensions: 1500 mm x 680 mm x 800 mm.	250
456	Giorik	Giorik oven, model: EPE04R, number: 004453/05/10, 400 V, 3 Ph, 50 Hz, 6 kW, 4 floors, dimensions each floor: 605 mm x 380 mm, total dimensions: 800 mm x 770 mm x 1520 mm.	200
457	NN showcase	Showcase, 4 floors, dimensions each floor: 650 mm x 535 mm, total dimensions: 870 mm x 730 mm x 1750 mm.	100
458	Frima	Frima VarioCookingCenter, model: VCC 112 +, serial number: E11PG11058008538, 220 V, 3 Ph, 17 kW, volume: (2x) 16 liter, total dimensions: 1200 mm x 800 mm x 1100 mm.	1250
459	SEPAmatic	SEPAmatic separator, type: SEPA 410R, machine number: 108912, year of construction: 11/2021, 400 V, 50 Hz, 4.5 A, roll width: 205 mm, ø perforations: 2 mm, total dimensions: 1300 mm x 1150 mm x 1600 mm.	10000
460	Eloma	Eloma combi steamer, type: Genius 10-11, number: 141401 708071, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 17.1 kW, 11 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 950 mm x 920 mm x 1150 mm.	400
461	Küppersbusch GmbH	Küppersbusch GmbH combi steamer, model: CCE 110, 230 V, 3 Ph, 50 Hz, 10 floors, dimensions each floor: 550 mm x 325 mm, total dimensions: 1000 mm x 850 mm x 980 mm.	300
462	Engelen Heere	Engelen Heere pressure fryer, model: PFE-600, serial number: 1612291, year of construction: 12.2016, 380 V, 3 Ph, 50/60 Hz, 13.5 kW, oil capacity: 25 liter, dimensions: 960 mm x 460 mm x 1200 mm. Including 4 baskets with 4 floors, dimensions each floor: 295 mm x 240 mm.	750
463	Küppersbusch GmbH	Küppersbusch GmbH combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 950 mm x 850 mm x 1000 mm.	300
464	Virtus	Virtus toaster, dimensions: 350 mm x 230 mm x 260 mm.	10
465	Craftland	Thermo bodywarmer, size S and craftland safety boots.	20



Nr	Title	Description	Start €
466	Combisteel BV	Combisteel BV saladette, model: 7950.0100, serial number: 170800083, year of construction: 09-2017, refrigerant: R600a, 230 V, 50 Hz, weight: 120 kg, dimensions inside: (3x) 345 mm x 580 mm, total dimensions: 1380 mm x 700 mm x 1000 mm.	150
467	KBS Kältechnik GmbH	KBS Kältechnik GmbH saladette, model: S903, serial number: 369386, year of construction: 04-2013, refrigerant: R134a, 230 V, 50 Hz, 1.6 A, weight: 107 kg, dimensions inside: (3x) 570 mm x 320 mm, total dimensions: 1370 mm x 700 mm x 850 mm.	150
468	Zumex Group S.A.	Zumex Group S.A. mobile juicer, model: SPEED S PLUS SELF-SERV PODIUM, serial number: 454152, year of construction: 06-2018, 220-240 V, 50/60 Hz, dimensions: 810 mm x 700 mm x 1760 mm.	350
469	Zumex Group S.A.	Zumex Group S.A. mobile juicer, model: SPEED S PLUS SELF-SERV PODIUM, serial number: 455399, year of construction: 07-2018, 220-240 V, 50/60 Hz, 0.3 kW, dimensions: 810 mm x 700 mm x 1760 mm.	350
470	JAC	JAC mobile bread slicer, model: SFNP 450/10, machine number: 18100004, year of construction: 02/01/2018, 400 V, 3 Ph, 50/60 Hz, 1.5 A, 0.49 kW, weight: 210 Kg, working width: 415 mm, total dimensions: 740 mm x 600 mm x 1220 mm.	150
471	JAC	JAC mobile bread slicer, model: SFNP 450/10, machine number: 18100217, year of construction: 15/01/2018, 400 V, 3 Ph, 50/60 Hz, 1.5 A, 0.49 kW, weight: 210 Kg, working width: 415 mm, total dimensions: 740 mm x 600 mm x 1220 mm.	150
472	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile bread slicer, type: GMH450, serial number: 0508512, year of construction: 2012, 230 V, 1 Ph, 3 A, 750 W, working width: 390 mm, total dimensions: 750 mm x 680 mm x 1250 mm.	150
473	Cold design	Cold design mobile refrigerated showcase, type: PICKER ECO, production number: 1723000307, year of construction: 2017, 230 V, 50 Hz, 230 W, weight: 67 Kg, dimensions inside: 410 mm x 410 mm x 300 mm, total dimensions: 600 mm x 500 mm x 850 mm.	75
474	Cold design	Cold design mobile refrigerated showcase, type: PICKER ECO, production number: 1723000317, year of construction: 2017, 230 V, 50 Hz, 230 W, weight: 67 Kg, dimensions inside: 410 mm x 410 mm x 300 mm, total dimensions: 600 mm x 500 mm x 850 mm.	75
475	Cold design	Cold design mobile refrigerated showcase, type: PICKER ECO, production number: 1723000318, year of construction: 2017, 230 V, 50 Hz, 230 W, weight: 67 Kg, dimensions inside: 410 mm x 410 mm x 300 mm, total dimensions: 600 mm x 500 mm x 850 mm.	75
476	Cold design		75



Nr	Title	Description	Start €
		Cold design mobile refrigerated showcase, type: PICKER ECO, production number: 1723000304, year of construction: 2017, 230 V, 50 Hz, 230 W, weight: 67 Kg, dimensions inside: 410 mm x 410 mm x 300 mm, total dimensions: 600 mm x 500 mm x 850 mm.	
477	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	100
478	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	100
479	Oasis	Oasis drink water dispenser, serial number: 1632P58046, 220-240 Vac, 50/60 Hz, 0.8 A, 100 W, dimensions: 370 mm x 320 mm x 1120 mm.	50
480	Culligan	Culligan drink water dispenser, serial number: 2004012547, 230 V, 50 Hz, 0.6 A, 140 W, dimensions: 420 mm x 340 mm x 1100 mm.	50
481	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	100
482	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	100
483	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	100
484	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	100
485	Sayl	Sayl showcase, model: 24 TP1051C, 230 V, 50 Hz, 1.5 A, dimensions inside: (8x) 170 mm x 150 mm, total dimensions: 800 mm x 700 mm x 250 mm.	75
486	Sayl	Sayl showcase, model: 24 TP1052C, 230 V, 50 Hz, 1.5 A, dimensions inside: (8x) 170 mm x 150 mm, total dimensions: 800 mm x 700 mm x 250 mm.	75
487	Bramidan	Bramidan baler, model: B3, number: PVD352743, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, 10 A, 1.1 kW, weight: 310 kg, dimensions inside: 690 mm x 490 mm, total dimensions: 820 mm x 670 mm x 1950 mm.	750
488	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	100
489	Henkovac	Henkovac vacuum machine, serial number: 20102923, year of construction: 2010, 220-240 Vac, 1 Ph, 50 Hz, 4 A, seal length: 440 mm, dimensions chamber: 450 mm x 420 mm, total dimensions: 550 mm x 520 mm x 450 mm. Including crate with bags.	400
490	Hitachi		50



Nr	Title	Description	Start €
		Hitachi air conditioner, model: RAM-40NP2E, serial number: 23C224140041, 220-240 V, 1 Ph, 50/60 Hz, dimensions: 850 mm x 350 mm x 580 mm.	
491	Hitachi	Hitachi heat pump, model: RAS-2WHVRP1, serial number: 005352, year of construction: 11-2022, 230 V, 1 Ph, 50 Hz, dimensions: 850 mm x 350 mm x 580 mm.	50
492	Hisense	2 Hisense air conditioner, dimensions: (2x) 870 mm x 340 mm x 270 mm.	100
493	Hitachi	Hitachi air conditioner, model: RAK-25PED, serial number: 022719, 220-230 V, 1 Ph, 50 Hz, dimensions: 850 mm x 350 mm x 580 mm.	50
494	NN manifold	S/s manifold with 16 valves, dimensions: 2500 mm x 1050 mm x 1220 mm.	150
495	Sterling Fluid Systems	2 Sterling Fluid Systems centrifugal pumps, model: ZLND065250(251), year of construction: 2005, dimensions: (2x) 1100 mm x 500 mm x 600 mm.	600
496	Fristam	Pallet with fristam centrifugal pump, type: FP 742C, number: 0444480082 and 2 centrifugal pump, dimensions: 1200 mm x 800 mm x 500 mm.	300
497	Pentair	Manifold with 13 Pentair valves and centrifugal pump, dimensions: 1700 mm x 1550 mm x 2000 mm.	120
498	Pentair	Manifold with 16 Pentair valves, dimensions: 1400 mm x 1300 mm x 1500 mm.	150
499	Fristam	3 Fristam centrifugal pumps, dimensions: 1200 mm x 800 mm x 500 mm.	300
500	Alfa Laval	Alfa Laval manifold with 29 Alfa Laval valves, dimensions: 1400 mm x 1200 mm x 750 mm.	300
501	Fristam	5 Fristam centrifugal pumps, dimensions: 1200 mm x 800 mm x 600 mm.	500
502	APV/SPX	APV/SPX manifold with 17 valves, dimensions: 1950 mm x 1150 mm x 1500 mm.	150
503	Pentair	Manifold with 10 Pentair valves, dimensions: 1600 mm x 1150 mm x 850 mm.	100
504	Grundfos	Pressure boosting system with 2 Grundfos centrifugal pumps, model: A96501914P31325, type: CRI15-05 A-FGJ-I-E-HQQE, capacity: 17 m ³ per hour, dimensions: 1200 mm x 800 mm x 1000 mm.	400
505	Sterling Fluid Systems	2 Sterling Fluid Systems centrifugal pumps, model: ZLND065250(251), year of construction: 2005, dimensions: (2x) 1100 mm x 500 mm x 600 mm.	600
506	APV/SPX	2 APV/SPX centrifugal pumps, type: W 22/20 and WS 30/30, serial number: 3045958 and 3045959, year of construction: 2013 and 1 centrifugal pump, total dimensions: 1200 mm x 800 mm x 500 mm.	200
507	NN manifold	S/s manifold with 9 valves, dimensions: 1400 mm x 1200 mm x 1100 mm.	100
508	Pentair		120



Nr	Title	Description	Start €
		S/s manifold with 12 Pentair valves, dimensions: 1500 mm x 1150 mm x 1100 mm.	
509	Alfa Laval	S/s manifold with 10 Alfa Laval valves, dimensions: 2500 mm x 700 mm x 350 mm.	100
510	NN compressor/ condensing unit	Compressor/ condensing unit, 380 V, 1 Ph, 50 Hz, 4 fans, dimensions: 2150 mm x 1850 mm x 1750 mm.	750
511	Edwards	Edwards mechanical booster vacuum pump, model: EH500, serial number: 016931802, weight: 74 kg, dimensions: 800 mm x 300 mm x 350 mm.	300
512	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), number: 2143323, year of construction 2000, 1450 rates per minute, capacity: 220 / 80 m ³ per hour, dimensions: 1050 mm x 300 mm x 600 mm.	100
513	Busch	Busch vacuum pump, type: RA 0250 D 5ZI CUXX, number: C0111000356, capacity: 250 m ³ per hour, dimensions: 1000 mm x 550 mm x 400 mm.	250
514	Busch	Busch vacuum pump, model: CB 0220, serial number: V16470014, capacity: 220 / 80 m ³ per hour, dimensions: 1150 mm x 350 mm x 550 mm.	100
515	Gardner Denver	Gardner Denver vacuum pump, model: V-VC 150 (76) serial number: SC10389196002, year of construction: 2019, capacity: 150 m ³ per hour, dimensions: 750 mm x 450 mm x 300 mm.	150
516	Busch	Busch vacuum pump, type: RA 0160 D 5Z3 LOZZ, number: C0641000584, year of construction: 2006, capacity: 160 m ³ per hour, dimensions: 900 mm x 600 mm x 650 mm.	150
517	Busch	Busch vacuum pump, type: RA 0063 E 5Z1, number: 060102583, year of construction: 2006, capacity: 63 m ³ per hour, dimensions: 600 mm x 400 mm x 260 mm.	75
518	Busch	Busch vacuum pump, type: RA 0100 E 5Z1, number: 060108908, year of construction: 2006, capacity: 100 m ³ per hour, dimensions: 600 mm x 400 mm x 260 mm.	100
519	Busch	Busch vacuum pump, type: RA 0100 F 503, number: 130089935, year of construction: 2014, capacity: 100 m ³ per hour, dimensions: 680 mm x 650 mm x 330 mm.	100
520	Busch	Busch vacuum pump, type: WP 0500 D 4V1 TLXX, number: C1313000001, year of construction: 2013, capacity: 500 m ³ per hour, dimensions: 1000 mm x 330 mm x 500 mm.	200
521	Mecapack	Mecapack traysealer, model: S 2000, serial number: O08738, year of construction: 2019, 400 V, 3 Ph, 5.1 kW, ø dye: (2x) 105 mm, total dimensions: 3580 mm x 850 mm x 1580 mm. Including trolley with extra forms, transport belt, plastic mesh belt, belt width: 465 mm, total dimensions transport belt: 1600 mm x 650 mm x 1000 mm and 6 pallets with film rolls.	2500
522	Bühnen		150



Nr	Title	Description	Start €
		Bühnen hot melt glue unit on s/s trolley, model: HB 5010, serial number: 00518, year of construction: 2014, 230 Vac, 16 A, 2900 W, dimensions: 980 mm x 600 mm x 1700 mm. Including pallet with glue.	
523	Tecnovac	Tecnovac traysealer, model: ATHENA, serial number: 2P-07-02-03, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 10 A, weight: 500 kg, plastic mesh belt, belt width: 427 mm, dye: (3x) 160 mm x 120 mm, total dimensions: 3100 mm x 1100 mm x 1800 mm.	500
524	EFM Machinery	EFM Machinery can filling machine, type: 42 2, serial number: 2136, year of construction: 2009, 1123 working hours, plastic belt, belt width: 80 mm, total dimensions: 3000 mm x 850 mm x 2400 mm.	250
525	Repak b.v.	Repak b.v. thermoformer, type: R7000, machine number: RE12601, year of construction: 1997, 220/380 V, 3 Ph, 50 Hz, 34 A, 17 kW, film width: 560 mm, dye: (21x) 50 mm x 50 mm, Busch vacuum pump, capacity: 63 m ³ per hour, total dimensions: 4300 mm x 1050 mm x 1850 mm. Including 3 pallets with parts and 7 pallets with film rolls.	750
526	Repak b.v.	Repak b.v. thermoformer, type: RE-3, machine number: 2014, year of construction: 2000, 230/400 V, 3 Ph, 50 Hz, 46 A, 16 kW, plastic belt: 400 mm, film width: 359 mm, dye: 345 mm x 265 mm, total dimensions: 5500 mm x 1000 mm x 2150 mm. Without rollies. Including 6 pallets with film rolls.	1000
527	NN labelling machine	Mobile labelling machine, belt width: 155 mm , total dimensions: 1700 mm x 1000 mm x 1830 mm. Missig belt.	300
528	NN vibrating gutter	Vibrating gutter, gutter width: 390 mm, total dimensions: 1500 mm x 750 mm x 2580 mm.	300
529	Atoma	Atoma linear batch weigher, minimum weight: 500-5000 gram, gutter width: 300 mm, dimensions batch: 295 mm x 270 mm, total dimensions: 2300 mm x 1000 mm x 2150 mm.	500
530	Hocon Ketelbouw	Hocon Ketelbouw steam boiler, volume: 1000 liter, Elco burner, model: VG 05.1000 DP, serial number: 000626, year of construction: 2012, 230/400 V, 50 Hz, 1850 W, 2 Grundfos centrifugal pumps, type: CR2-150 A-A-A-BUBE and CR2-150 A-A-AA, model: D40500015P19641 and A 9719, volume: (2x) 2.5 m ³ per hour, total dimensions: 3900 mm x 2000 mm x 2250 mm. Isolation damaged. Needs to be dismantled.	1500
531	Hocon Ketelbouw	Hocon Ketelbouw steam boiler, number: 1007625, year of construction: 1995, volume: 500 liter, Giersch GmbH burner, model: MG1-Z-L-N, year of construction: 1995, min: 20 mbar, max: 100 mbar, 380 V, 3 Ph, 50 Hz, 1100	1000



Nr	Title	Description	Start €
		kw, total dimensions: 3100 mm x 1500 mm x 1650 mm. Needs to be dismantled.	
532	GEA	GEA heat exchanger, type: VT40 LOCIN, fabrication: 171/6881, year of construction: 1996, volume: 469/467 liter, estimated weight: 4000 kg, dimensions: 3500 mm x 600 mm x 1900 mm.	3000
533	NN Compressor/ condensing unit	Compressor/ condensing unit, 380 V, 1 Ph, 50 Hz, 4 fans, dimensions: 2150 mm x 1850 mm x 1750 mm.	750

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

