



**Industrial
Auctions**

2074: Online auction machinery for the food industry in Raciaz (PL)

END DATE
17 March 2026 14:00



General terms and conditions of the online auction

End date	17 March 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	24 March 2026 from 09:00 till 16:00 hrs.
Pick up address	Ul. Plocka 76 09-140 Raciaz Poland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, model: Argon, machine number: 410001.70031.100702, year of construction: 2005, 380/480 V, 3 Ph, 50/60 Hz, 5.5/16 A, 2.0 kW, weight: 415 kg, chamber: 100 mm x 100 mm, maximum width outfeed belt: 250 mm, total dimensions: 1750 mm x 1500 mm x 1200 mm. Without outfeed belt.	4600
2	Karpowisz	Karpowisz crate washer, clearance: 400 mm x 300 mm, total dimensions: 3450 mm x 950 mm x 2100 mm.	3500
4	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: ICA 8700, number: 150, year of construction: 2002, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, 5/7 bar, plastic outfeed belt, belt width: 180 mm, total dimensions: 1950 mm x 900 mm x 1870 mm.	6000
5	MIESIARKA	MIESIARKA spiral mixer, year of construction: 1993, 380 V, 1.35/1.15 kW, s/s bowl, inside dimensions: Ø 450 mm x 300 mm, total dimensions: 880 mm x 500 mm x 1200 mm.	800
6	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double-clipper, type: FCA 3430-18, number: 142, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 6 A, 40 kW, 5/7 bar, plastic outfeed belt, belt width: 75 mm, diameter pipe: 60 mm, total dimensions: 1440 mm x 1170 mm x 1920 mm.	16500
7	NN colloid mill	S/s colloid mill, inside dimensions: Ø 380 mm x 440 mm, total dimensions: 650 mm x 700 mm x 2060 mm.	1400
8	Multivac	Multivac mobile traysealer, type: T200, number: 105657, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 11 A, 4.5 kW, film width: 430 mm, dye: (2x) 240 mm x 160 mm, Busch vacuum pump, type: RA 0063 E, capacity: 63 m ³ per hour, total dimensions: 1250 mm x 770 mm x 1630 mm.	3500
9	Rietschle	Rietschle mobile suction device for rest film, type: CEVP 37 18-3(31), number: 1375167 5, year of construction: 1991, dimensions: 700 mm x 550 mm x 1200 mm.	50
10	Mastech	Mastech double shaft paddle mixer with lifter for 200 liter meat bins, type: MS-950, number: 001, year of construction: 2011, 400 V, weight: 1560 kg, volume: 950 liter, length paddles: (2x) 1500 mm, total dimensions: 2060 mm x 2100 mm x 2860 mm.	8000
11	NN braising pan	S/s braising pan, inside dimensions: 670 mm x 720 mm x 160 mm, total dimensions: 730 mm x 1030 mm x 950 mm.	1200
12	ACFRI	ACFRI blast chiller, type: AR80C/OL, number: N656, 400 V, 50 Hz, refrigerant: R 404 A, inside dimensions: 850 mm x 630 mm x 1880 mm, total dimensions: 1050 mm x 1120 mm x 2600 mm.	2300
13	NN switch cabinet		100



Nr	Title	Description	Start €
		S/s switch cabinet, dimensions: 600 mm x 400 mm x 2100 mm.	
14	Limitech A/S / G. Mondini S.p.a.	Limitech A/S double high shear mixer, inside dimensions: (2x) Ø 900 mm x 950 mm, total dimensions: 2050 mm x 1350 mm x 2500 mm. G. Mondini S.p.a. depositor, model: VF/SP-E, number: 2045-02/3, year of construction: 28/02/03, 400 V, 3 Ph, 50 Hz, dimensions: 1200 mm x 900 mm x 2200 mm.	6500
15	Limitech A/S / G. Mondini S.p.a.	Limitech A/S cip unit, model: CIP-932, serial number: 947, year of construction: 2002, 32 A, 20 kW, netto volume: 660 liter, dimensions: 2400 mm x 1100 mm x 1950 mm. G.Mondini S.p.a. depositor, model: VF/SP-E, number: 2046-02/4, year of construction: 28/02/03, 400 V, 3 Ph, 50 Hz, dimensions: 1200 mm x 750 mm x 2230 mm.	6000
16	Laska Maschinenfabrik	Laska Maschinenfabrik silo with paddle mixer, elevating screw and grinding head on weighing cells, type: Silo B 521, serial number: 14570, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 2.6 kW, 6 A, volume: 521 liter, diameter screw: 230 mm, outfeed height: 1550 mm, total dimensions: 2900 mm x 960 mm x 2400 mm.	2400
17	Cryovac	Cryovac drying tunnel, model: WR81, s/s mesh belt, belt width: 550 mm, clearance: 560 mm x 300 mm, (3x) blowers, working width blower: (3x) 550 mm, total dimensions: 2050 mm x 1170 mm x 1700 mm.	2700
18	Laska Maschinenfabrik	Laska Maschinenfabrik mobile micro cutter, type: FZ 175, serial number: 14892, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 165 A, inside dimensions bunker: 1000 mm x 1110 mm x 340 mm, total dimensions: 2140 mm x 1180 mm x 1370 mm. Without plates.	4500
19	Maja	Maja flake ice machine, type: SA 400 N, serial number: 32970, year of construction: 2003, 400 V, 3 Ph, 50 Hz, refrigerant: R 404 A, capacity: 400 kg per 24 hours, dimensions: 770 mm x 600 mm x 1070 mm.	1500
20	Frima	Frima vario cooking center, model: Thermojet 110, number: 16 09 0358, year of construction: 2002, 3 Ph, 50 Hz, 400 V, 25 kW, water pressure: 150-600 kPa, volume: 110 liter, total dimensions: 1320 mm x 950 mm x 1050 mm.	2000
21	NN sterilizer	Sterilizer, inside dimensions: 580 mm x 680 mm x 500 mm, total dimensions: 770 mm x 630 mm x 970 mm. Technical condition unknown.	1300
22	Spomasz	Spomasz intestine crusher, type: MOD 35.05, number: 1598, year of construction: 2014, machine weight: 248 kg, plastic rollers, roller width: 450 mm, total dimensions: 960 mm x 580 mm x 1620 mm.	1900
23	Jugema PPUH	Jugema PPUH autoclave, type: A-150 E, number: 353/211/10, year of construction: 2010, 400/230 V, 3 Ph,	1800



Nr	Title	Description	Start €
		13.5 kW, 3 bar, volume: 150 liter, dimensions: 1150 mm x 1000 mm x 1280 mm.	
24	Alexanderwerk	Alexanderwerk grinder, type: WSL 130II, number: 04603015, 400 V, 50 Hz, 25.2/21.4 A, 8.1/13.2 kW, plate diameter: 130 mm, total dimensions: 1050 mm x 950 mm x 1400 mm.	3500
25	Spomasz	Spomasz intestine crusher, type: MOD 33.07, fabrication number: 1448, year of construction: 2008, 138 kg, plastic rollers, roller width: 800 mm, total dimensions: 1150 mm x 560 mm x 1600 mm.	1600
26	Pek-Mont	Pek-Mont belt cooker, type: GP-400, number: 11, year of construction: 2019, 400 V, steam heated, plastic mesh belt, belt width: 950 mm, dimensions belt cooker: 6600 mm x 1900 mm x 2550 mm, dimensions switch cabinet: 900 mm x 700 mm x 1880 mm. Never used.	45000
27	NN tub	S/s mobile tub with drain, inside dimensions: Ø 590 mm x 590 mm, total dimensions: 1100 mm x 600 mm x 1000 mm.	350
28	NN organ washer	S/s organ washer, inside dimensions: Ø 670 mm x 300 mm, total dimensions: 1080 mm x 960 mm x 1060 mm.	2000
29	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and linking attachment, type: VF300B, number: 1716, 380 V, 50 Hz, 23.6 A, 9.5 kW, type linking attachment: 34-4, number: 7587, Becker vacuum pump, type: U1.16 SA-31, capacity: 16 m ³ per hour, dimensions: 1770 mm x 1330 mm x 2020 mm.	4500
30	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, type: 137, model: ROBBY 2, number: 37 0030, year of construction: 2004, 220/240/400/460/575 V, 3 Ph, 50/60 Hz, 13/25 A, Vemag vacuum pump, type: KC 0016, capacity: 16 m ³ per hour, dimensions: 1100 mm x 850 mm x 2050 mm.	2800
31	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH linking attachment and case holding device, number: 8590049, dimensions: 640 mm x 400 mm x 340 mm. Including extra filling pipes, different sizes.	1200
32	Unilogo	Unilogo capping machine, type: Z1, number: 1644, year of construction: 2011, 230 V, dimensions: 900 mm x 600 mm x 1650 mm.	500
33	NN heated tub	NN s/s heated tub, inside dimensions: 900 mm x 200 mm x 420 mm.	500
34	NN pressure vessels	S/s cabinet with 2 pressure vessels, dimensions: 800 mm x 370 mm x 1360 mm.	150
35	EFA	EFA splitting saw, type: SB 287 E, working width: 460 mm, total dimensions: 1500 mm x 400 mm x 600 mm. Including Tecna balancer, type: 9436, number: 002023, stroke: 3000 mm, capacity: 50/60 kg.	2500
36	Carsø		1800



Nr	Title	Description	Start €
		Carsø s/s lifter for 200 liter meat bins, type: HVK200, number: SM989364, year of construction: 2009, 3x 400 V, 0.75 kW, lifting height: 1650 mm, maximum weight: 300 kg, total dimensions: 1150 mm x 500 mm x 2630 mm.	
37	Eller	Eller vacuum tumbler, model: Macomat 150, number: 8700226, year of construction: 1987, 380 V, 50 Hz, 3 A, 0.6 kW, volume: 150 liter, total dimensions: 1200 mm x 800 mm x 1570 mm. Without vacuum pump.	900
38	Kramer + Grebe	Kramer + Grebe grinder with Carsø lifter for 200 liter meat bins, type grinder: WW 160, number: 197/460/1, year of construction: 1987, diameter plate: 160 mm, type lifter: HKV200, number: SM 9879364, year of construction: 2009, 400 V, 3 Ph, 0.75 kW, total dimensions: 2320 mm x 1900 mm x 2600 mm. Including s/s tool trolley with plates and knives, dimensions tool trolley: 1450 mm x 630 mm x 1530 mm.	11500
39	Nowicki	Nowicki vacuum tumbler, type: MS, serial number: 78, year of construction: 01, volume: 1300 liter, dimensions: 1380 mm x 2120 mm x 1890 mm.	6200
40	Karl Schnell GmbH & Co	Karl Schnell GmbH & Co emulsion grinder, type: 250, number: 25163, year of construction: 2001, dimensions: 1550 mm x 1200 mm x 1700 mm.	4800
41	Rational	Rational combi steamer, model: CPC G, serial number: G210D03011582597, year of construction: 2003, 230 V, 1 Ph, 50/60 Hz, 73.4 kW, s/s trolley with 20 floors, floor dimensions: 540 mm x 320 mm, total dimensions: 1000 mm x 900 mm x 1900 mm.	500
42	Rational	Rational combi steamer, model: CPC G, s/s trolley with 20 floors, floor dimensions: 540 mm x 320 mm, total dimensions: 1000 mm x 900 mm x 1900 mm.	600
43	Rational	Rational combi steamer, model: CPC G, serial number: G21CA98081144, year of construction: 1998, s/s trolley with 20 floors, floor dimensions: 540 mm x 320 mm, total dimensions: 1000 mm x 900 mm x 1900 mm.	700
44	Rational	Rational combi steamer, s/s trolley with 20 floors, floor dimensions: 540 mm x 320 mm, total dimensions: 930 mm x 900 mm x 2030 mm.	1500
45	Kokot	Kokot smoke stick washer, number: 11009, year of construction: 2005, 400 V, 50 Hz, 0.37/6 kW, weight: 300 kg, inside dimensions: Ø 600 mm x 1040 mm, total dimensions: 1750 mm x 800 mm x 1500 mm.	2800
46	NN mixer	Mobile mixing tub with lobe pump, inside dimensions: 900 mm x 500 mm x 550 mm, total dimensions: 1900 mm x 800 mm x 1300 mm.	800
47	Mado	Mado bandsaw, type: MKB 554 D, number: 32867, 220/380 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1100 W, table	1100



Nr	Title	Description	Start €
		dimensions: 720 mm x 720 mm, total dimensions: 720 mm x 720 mm x 1600 mm.	
48	NN boot washer	Boot washer, brush length: (3x) 300 mm, total dimensions: 770 mm x 630 mm x 1100 mm.	300
50	Rühle	Rühle dicer with lifter for 200 liter meat bins, type: SR3, year of construction: 2006, dimensions: 3100 mm x 1400 mm x 2330 mm.	3500
51	KT	KT pig scalding and dehairing machine, inside dimensions: 2010 mm x 770 mm x 1050 mm, total dimensions: 3040 mm x 1200 mm x 1500 mm.	5500
52	Karpowisz	Karpowisz pig scalding and dehairing machine, type: OSK, year of construction: 2014, inside dimensions: 1830 mm x 770 mm x 1040 mm, total dimensions: 2240 mm x 1000 mm x 1530 mm.	3000
53	Karpowisz	Karpowisz pig scalding and dehairing machine with loading system and s/s table, inside dimensions: 1820 mm x 800 mm x 700 mm, total dimensions: 2850 mm x 1000 mm x 1550 mm, dimensions loading system: 2400 mm x 2500 mm x 1250 mm, dimensions s/s table: 2000 mm x 1140 mm x 800 mm.	5200
54	Tetra Laval Food	Tetra Laval Food bowl cutter with lifter for 200 liter meat bins and ejector, type: VSM500, serial number: 288/162, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 400 A, s/s bowl, volume: 500 liter, dimensions: 4720 mm x 3180 mm x 2150 mm. Including Busch vacuum pump, type: 400-212.2709, dimensions: 1550 mm x 820 mm x 1600 mm.	35000
55	Multivac	Multivac mobile traysealer, type: Galaxy, model: TS355, number: 794, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 23 A, 8.75 kW, film width: 424 mm, dye: (3x) 215 mm x 130 mm, Busch vacuum pump, type: RA 0100 E 5Z1, capacity: 100 m ³ per hour, total dimensions: 1100 mm x 720 mm x 1550 mm.	2800
56	MHS Schneidetechnik	MHS Schneidetechnik mobile slicer, type: PCE 100 K, serial number: 081300, year of construction: 2000, 400 V, 6 A, 2.2 kW, chamber: 200 mm x 180 mm, total dimensions: 2450 mm x 850 mm x 1250 mm.	800
57	Bizerba	Bizerba mobile automatic slicer, model: A 404, number: 1610831, year of construction: 1998, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, dimensions: 1100 mm x 800 mm x 1400 mm.	600
58	Maja	Maja portion cutter, type: C-01200, outfeed clearance: 200 mm x 100 mm, total dimensions: 1890 mm x 1070 mm x 1850 mm. Including 2 trolleys with dyes, knives and other spare parts, dimensions dyes: Ø 480 mm, dimensions knives: Ø 280 mm, total dimensions trolley: (2x) 950 mm x 800 mm x 1480 mm.	350
59			10000



Nr	Title	Description	Start €
	Karl Schnell Gmbh & Co	Karl Schnell Gmbh & Co mobile micro cutter, type: 119-FD225D, number: 33439, 380 V, 3 Ph, 50 Hz, 138 A, 74 kW, plate diameter: 225 mm, total dimensions: 1500 mm x 1050 mm x 900 mm.	
60	Mado	Mado bandsaw, 220/380 V, 50 Hz, 8.3/9 A, 1500 W, table dimensions: 1000 mm x 800 mm, total dimensions: 1000 mm x 800 mm x 1660 mm.	1600
61	Spomasz	Spomasz cutter with porpulsion attachment, cutter type: MM10, number: 665, year of construction: 2006, 400 V, 50 Hz, 3.0 A, 1100 W, s/s bowl, volume: 10 liter, type porpulsion attachment: MKF5, working width: 220 mm, total dimensions: 1600 mm x 800 mm x 1200 mm.	650
62	Rühle	Rühle mobile injector, s/s belt, belt width: 260 mm, clearance: 260 mm x 180 mm, 15 needles, total dimensions: 1000 mm x 500 mm x 1570 mm.	750
64	Multivac	Multivac mobile traysealer, type: T200, film width: 420 mm, dye: (3x) 172 mm x 123 mm, Busch vacuum pump, type: RA 0063 E 5Z1, capacity: 63 m ³ per hour, total dimensions: 1000 mm x 770 mm x 1580 mm.	3500
65	Ulma	Ulma thermoformer, model: TF-MINI, number: 3011632, year of construction: 2008, 380 V, 50 Hz, 15 A, 17 kW, bottom film width: 330 mm, dye: Ø 280 mm, plastic outfeed belt, belt width: 265 mm, Busch vacuum pump, type: RA 0100 F 503, capacity: 120 m ³ per hour, total dimensions: 3650 mm x 950 mm x 1600 mm.	6500
66	Pulsotronic	Pulsotronic metal detector, type: Digital+, serial number: 90003389, year of construction: 2011, 115/230 V, 1 Ph, 50/60 Hz, 40 W, clearance: 300 mm x 160 mm, plastic belt, belt width: 250 mm, total dimenisions: 1540 mm x 800 mm x 1300 mm.	500
67	Pulsotronic	Pulsotronic metal detector, type: Digital+, serial number: 90003390, year of construction: 2011, 115/230 V, 1 Ph, 50/60 Hz, 40 W, clearance: 300 mm x 160 mm, plastic belt, belt width: 250 mm, total dimenisions: 1540 mm x 800 mm x 1300 mm.	800
68	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON, machine number: 460005.155612.108835, year of construction: 2010, 380/480 V, 3 Ph, 50/60 Hz, 25 A, machine weight: 780 kg, plastic belt, belt width: 200 mm, clearance: 260 mm x 260 mm, total dimensions: 2800 mm x 1270 mm x 1900 mm. Display is broken.	4500
69	Rühle	Rühle mobile injector, s/s belt, belt width: 290 mm, clearance: 290 mm x 90 mm, 20 needles, total dimensions: 1200 mm x 450 mm x 1500 mm.	750
70	Pulsotronic	Pulsotronic metal detector, type: Digital+, serial number: 90003394, year of construction: 2011, 115/230 V, 1 Ph, 50/60 Hz, 40 W, clearance: 300 mm x 160 mm, plastic	900



Nr	Title	Description	Start €
		belt, belt width: 250 mm, total dimensions: 1540 mm x 800 mm x 1300 mm.	
71	Stein	Stein cooking vessel, type: EUROPA 300, number: 86197, year of construction: 1988, 220 V, 50 Hz, 25 kW, inside dimensions: 850 mm x 950 mm x 430 mm, total dimensions: 1330 mm x 1250 mm x 1150 mm.	900
72	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 2710, machine number: 271000.6870.0456, year of construction: 1997, 400/230 V, 50 Hz, 3/10 A, 1.0 kW, weight: 180 kg, chamber: 90 mm x 90 mm, total dimensions: 950 mm x 700 mm x 1060 mm.	2500
73	Metos	Metos cooking vessel with agitator, type: CULINO / CULIMIX, inside dimensions: Ø 750 mm x 500 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	2600
74	Mettler Toledo / Safeline	Mettler Toledo / Safeline mobile pipe line metal detector, diameter pipe: 90 mm, total dimensions: 700 mm x 400 mm x 1450 mm.	500
75	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF612, number: 17151, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 6.5 A, dimensions: 2260 mm x 1400 mm x 2300 mm.	14000
76	Handtmann	Handtmann linking attachment and case holding device, type linking attachment: 34-4, number: 5256, type case holding device: 60-7, number: 2433.	1200
77	Bulldog	Bulldog frying tunnel, s/s mesh belt, belt width: 400 mm, total dimensions: 5600 mm x 1200 mm x 2800. Including Normit belt with blower, type: CC air-cooling belt, number: 298114, year of construction: 2017, plastic belt, belt width: 495 mm, total dimensions: 1500 mm x 1100 mm x 1300 mm.	12000
78	NN frying tunnel	S/s frying tunnel, s/s mesh belt, belt width: 600 mm, total dimensions: 3800 mm x 1100 mm x 1950 mm.	7000
79	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA3463, number: 459/08, 400 V, 3 Ph, 50/60 Hz, 4 A, 3.8 kW, 5/7 bar, maximum outfeed belt width: 300 mm, total dimensions: 1600 mm x 1200 mm x 2100 mm. Without outfeed belt.	10000
80	Innotec GmbH	Innotec GmbH mobile micro cutter, type: I225CD-132D, machine number: 200-00466, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 242 A, 151 kW, plate diameter: 225 mm, total dimensions: 2000 mm x 1330 mm x 1300 mm.	11000
81	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH skinning machine, type: EVM 2000, number: 37302, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 2.3 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 700 mm x 1100 mm.	800
82		VC999 Verpackungssysteme AG shrink tunnel, type: VC999 ST2E, machine number: 88T13033, year of	2800



Nr	Title	Description	Start €
	VC999 Verpackungssysteme AG	construction: 2013, 400 V, 3 Ph, 50 Hz, 80 AT, 52.3 kW, s/s mesh belt, belt width: 880 mm, clearance: 970 mm x 340 mm, total dimensions: 1400 mm x 1400 mm x 1660 mm.	
83	Inotec GmbH	Inotec GmbH mobile micro cutter, type: I140CD-37D, machine number: 140-00678, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 75 A, 45 kW, plate diameter: 140 mm, total dimensions: 1590 mm x 1050 mm x 1200 mm.	4000
84	Frey	Frey piston filler, inside dimensions: Ø 320 mm x 360 mm, total dimensions: 800 mm x 700 mm x 1200 mm.	1900
85	Cryovac	Cryovac mobile dip tank, model: ST02, serial number: 7091632, year of construction: 1991, 380 V, 50 Hz, clearance: 600 mm x 400 mm x 310 mm, total dimensions: 750 mm x 600 mm x 1100 mm.	1100
86	M.T.A. S.p.A.	M.T.A. S.p.A. water chiller, model: ON211, number: 2200208255, year of construction: 2012, 400 V, 3 Ph, 50 Hz, machine weight: 12.200 kg, minimum temperature: +19°C, maximum temperature: +46°C, dimensions: 4630 mm x 1300 mm x 1900 mm. Damaged.	600
87	NN coating machine	S/s coating machine, s/s mesh belt, belt width: 285 mm, total dimensions: 2800 mm x 600 mm x 1450 mm.	1900
88	NN frying tunnel	S/s frying tunnel, s/s mesh belt, belt width: 285 mm, total dimensions: 2000 mm x 660 mm x 1200 mm.	3500
89	NN tumbler	S/s tumbler, inside dimensions: Ø 600 mm x 700 mm, total dimensions: 1400 mm x 1100 mm x 1000 mm.	800
90	Premier	Premier tiltable cooking vessel with agitator, inside dimensions: Ø 700 mm x 600 mm, total dimensions: 1400 mm x 1100 mm x 1000 mm.	2800
91	Metos	Metos cooking vessel with agitator, type: CULINO / CULIMIX, inside dimensions: Ø 750 mm x 500 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	2600
92	Inject Star	Inject star cooled vacuum tumbler, type: Magnum-1500-Cool, number: K-308, year of construction: 1995, 220/380 V, 3 Ph, 50 Hz, 5.7 kW, dimensions: 3350 mm x 1750 mm x 2070 mm.	4500
93	Henkovac	Henkovac mobile double chamber vacuum machine, model: E-403-XL, serial number: 20073122, year of construction: 2007, 380/400 V, 3 Ph, 50 Hz, 15 A, 368 kg, seal length: (4x) 700 mm, chamber: 570 mm x 700 mm x 150 mm, Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m ³ per hour, total dimensions: 1650 mm x 880 mm x 1230 mm.	2900
94	NN chain hoist	Chain hoist, dimensions: 390 mm x 470 mm x 430 mm.	150
95	Vakona GmbH	Vakona injector, 1 needle, dimensions: 370 mm x 180 mm x 250 mm.	450
96	NN plastic rolls for liver sausages	9 plastic rolls for liver sausages.	150
97	WEG		300



Nr	Title	Description	Start €
		WEG table model tenderizer, number: 174603, working width: 180 mm, 42 knives, distance between knives: 4 mm, total dimensions: 400 mm x 230 mm x 430 mm.	
98	WEG	WEG table model tenderizer, number: 153558, working width: 180 mm, 42 knives, distance between knives: 4 mm, total dimensions: 400 mm x 230 mm x 430 mm.	300
99	TCS	TCS weighing scale, maximum weight: 150 kg, minimum weight: 1 kg, e=d= 50 gram, scale dimensions: 500 mm x 400 mm, total dimensions: 610 mm x 400 mm x 830 mm.	200
100	Elva	Elva s/s table with sink and drawer, dimensions: 2560 mm x 700 mm x 840 mm.	300
101	Bizerba	Bizerba automatic slicer, model: VS 12 D-P, number: 2045793, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 1.9/1.38 A, 0.552 kW, dimensions: 850 mm x 600 mm x 500 mm.	350
102	Bizerba	Bizerba automatic slicer, model: VS 12 D-V/R, number: 2127412, year of construction: 2003, 230/400 V, 3 Ph, 50 Hz, 1.9/1.38 A, 0.552 kW, dimensions: 1000 mm x 650 mm x 500 mm.	350
103	Bizerba	Bizerba bandsaw, type: FK 22, 220/380 V, 3 Ph, 50 Hz, 3.8/2.2 A, 1.080 kW, table dimensions: 450 mm x 410 mm, total dimensions: 460 mm x 540 mm x 910 mm.	350
104	Bizerba	Bizerba automatic slicer, model: A 404, number: 1551164, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, dimensions: 1000 mm x 750 mm x 750 mm.	500
105	Handtmann	Handtmann linking attachment, type: 34-4, number: 158, dimensions: 350 mm x 200 mm x 130 mm.	750
106	Tawi	Tawi blower, type: SA 350/2, number: 19869, year of construction: 2012, dimensions: 580 mm x 330 mm x 450 mm.	700
107	NN cutter knives	6 s/s cutter knives, type: SSM60, dimensions: 245 mm x 180 mm.	50
108	NN cutter knives	6 s/s cutter knives, dimensions: 250 mm x 135 mm.	50
109	NN cutter knives	6 cutter knives, dimensions: 300 mm x 175 mm.	50
110	NN cutter knives	6 cutter knives, dimensions: 245 mm x 180 mm.	50
111	NN cutter knives	12 cutter knives, dimensions: (2x) 230 mm x 130 mm and (10x) 250 mm x 140 mm.	50
112	Teome	6 Teome cutter knives, dimensions: 275 mm x 230 mm.	50
113	NN cutter knives	6 cutter knives, dimensions: 220 mm x 170 mm.	50
114	Stalgast SP. Z.o.o.	Stalgast SP. Z.o.o. table model mixer, model: 783210, serial number: 78321020120062, 230 V, 50 Hz, 0.75 kW, 49 kg, volume: 20 liter, dimensions: 450 mm x 550 mm x 780 mm. Including whisk, paddle and spiral.	700
115	NN cutter knives	8 cutter knives, type: FL R 240 U2, dimensions: 245 mm x 210 mm.	50
116	NN cutter knives	6 cutter knives, dimensions: 240 mm x 190 mm.	50
117	NN cutter knives		50



Nr	Title	Description	Start €
		18 cutter knives, type: FL R 240 U2, dimensions: 260 mm x 190 mm.	
118	NN cutter knives	8 cutter knives, dimensions: 235 mm x 135 mm.	50
119	Stalgast SP. Z.o.o.	Stalgast SP. Z.o.o. table model mixer, model: 783200, number: 11639, year of construction: 07-2014, 230 V, 50 Hz, 0.75 kW, 116 kg, volume: 20 liter, dimensions: 400 mm x 550 mm x 750 mm. Including paddle and spiral.	650
120	Ma-Ga	Ma-Ga slicer, model: S712p, number: 5264, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 430 W, weight: 50 kg, dimensions: 650 mm x 500 mm x 650 mm.	150
121	Ma-Ga	Ma-Ga slicer, model: S712p, number: 5151, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 430 W, weight: 50 kg, dimensions: 650 mm x 500 mm x 650 mm.	150
122	Handtmann	Handtmann case spooling device, type: 78-6, number: 300, 230 V, 50 Hz, 0.65 A, 0.14 kW, dimensions: 500 mm x 200 mm x 220 mm.	450
123	NN knife sterilizer	S/s knife sterilizer, dimensions: 240 mm x 180 mm x 550 mm.	200
124	S.A.M.	S.A.M. automatic slicer, model: S.A.M. 337 i, serial number: 17636, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 1.41 A, dimensions: 800 mm x 700 mm x 500 mm.	200
125	Ma-Ga	Ma-Ga slicer, model: S612p, 50 Hz, 500 W, dimensions: 600 mm x 500 mm x 650 mm.	150
126	NN pallet lifter	S/s pallet lifter, fork length: 1130 mm, total dimensions: 1520 mm x 520 mm x 1200 mm. Defect.	300
127	NN vessel	Mobile s/s vessel, inside dimensions: \varnothing 420 mm x 500 mm, total dimensions: 700 mm x 650 mm x 1000 mm.	300
128	Attec / Itec	Attec / Itec part of circular knife, type: BTSL, order number: 16212-002, serial number: 100, year of construction: 2007, diameter knife: 340 mm, total dimensions: 610 mm x 300 mm x 850 mm.	300
129	Busch	Busch vacuum pump, type: RA 0250 C 401 QNXX, serial number: MJ02750202, capacity: 250 m ³ per hour, dimensions: 970 mm x 560 mm x 420 mm.	900
130	Busch	Busch vacuum pump, type: RA 0250 B 461 CUXX, number: ME01370503, year of construction: 1995, capacity: 250 m ³ per hour, dimensions: 1000 mm x 600 mm x 550 mm.	1800
131	NN trolley	S/s trolley, dimensions: 600 mm x 600 mm x 1150 mm.	150
132	NN tool trolley	S/s tool trolley, dimensions: 1700 mm x 1080 mm x 1220 mm.	700
133	Viscofan	Large amount of Viscofan sausage casings, type: NDC-D.	100
137	NN container	Steel 20 ft. container, type: SP-STDT-02(F), identification number: HAKU 212665 0, container weight: 2185 kg, inside volume: 33.2 m ³ , loading capacity: 30480 kg, including 7 mobile galvanized steel tubs, dimensions	2500



Nr	Title	Description	Start €
		tubs: (7x) 1320 mm x 1050 mm x 1200 mm, total dimensions container: 5900 mm x 2350 mm x 2390 mm.	
138	Stork	Steel 20 ft. container with Stork stunning line for chicken, model stunning line: B-5, length stunning line: 2200 mm, type container: SP-STDT-02(F), identification number: HAKU 212586 5, container weight: 2185 kg, inside volume: 33.2 m ³ , loading capacity: 30480 kg, total dimensions container: 5900 mm x 2350 mm x 2390 mm. Not sea worthy.	2500
139	Stork	Steel 20 ft. container with Stork stunning line for chicken, model stunning line: B-5, length stunning line: 2200 mm, type container: SP-STDT-02(F), identification number: HAKU 212588 7, container weight: 2185 kg, inside volume: 33.2 m ³ , loading capacity: 30480 kg, total dimensions container: 5900 mm x 2350 mm x 2390 mm. Not sea worthy.	2500
140	NN cooking vessel	Cooking vessel with hood, dimensions cooking vessel: 2000 mm x 1450 mm x 1200 mm, total dimensions: 3150 mm x 1600 mm x 2800 mm.	700
142	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 700 mm, elevating height: 1200 mm, total dimensions: 1500 mm x 900 mm x 1200 mm.	250
143	ZFM	ZFM cooking vessel for dumplings with infeed and outfeed belt, type: LDP-400, number: 9/LDP400/2015, year of construction: 12/2015, 3x 400 V, 50 Hz, 2.7 kW, fuel: gas, dimensions: 2400 mm x 1450 mm x 1750 mm, infeed belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1200 mm x 600 mm x 1000 mm, outfeed elevating belt with dividers and sprayers, belt width: 700 mm, distance between dividers: 200 mm, divider height: 70 mm, elevating height: 1550 mm, total dimensions: 1800 mm x 1000 mm x 1780 mm.	4500
158	NN platform	S/s platform, 3 steps, working height: 910 mm, total dimensions: 3150 mm x 900 mm x 2010 mm.	700
159	NN gutter	S/s gutter, gutter minimum width: 390 mm, maximum width: 845 mm, total dimensions: 3030 mm x 1200 mm x 1180 mm.	350
160	NN drain gutter	S/s drain gutter, dimensions: 2000 mm x 1060 mm x 1060 mm.	350
165	Cobe	Cobe elevating belt, type: 4.5 Prz. wzn. tasm., number: 831/2009, 0.37 kW, s/s frame, plastic belt, belt width: 450 mm, elevating height: 900 mm, total dimensions: 2100 mm x 750 mm x 1000 mm.	200
167	Sercon	Sercon 90° curved conveyor, type: Bochtband, number: 493, year of construction: 2000, 230/400 V, 3 Ph, 50 Hz, 0.25 kW, plastic mesh belt, belt width: 255 mm, total dimensions: 4200 mm x 1420 mm x 1050 mm.	600
168	Inject Star		1900



Nr	Title	Description	Start €
		Inject Star vacuum tumbler installation, consisting of 2 rotating stations, dimensions: (2x) 1950 mm x 1450 mm x 1770 mm and 4 s/s tubs, dimensions tubs: (4x) 1000 mm x 1000 mm x 1530 mm. Without vacuum pump.	
175	Kolbe	Kolbe bandsaw, table dimensions: 700 mm x 600 mm, total dimensions: 860 mm x 760 mm x 1700 mm.	1000
176	Bizerba	S/s frame with Bizerba weighing scale and label printer, scale type: EW 100, number: 1509907, 220 V, 50 Hz, maximum capacity: 6/15 kg, minimum capacity: 40 g, e=d= 2/5 g, scale dimensions: 340 mm x 260 mm, type label printer: GD, number: 1856007, 230 V, 50 Hz, 0.6 A, total dimensions: 600 mm x 500 mm x 1400 mm.	600
177	Bizerba	Bizerba weighing scale, indicator and label printer, scale dimensions: 340 mm x 260 mm, model indicator: PHT, number: 1100707, type label printer: E/P 8000, number: 1100700, 220 V, 50 Hz, 1.25 A, total dimensions: 550 mm x 600 mm x 1450 mm.	600
178	Risco	Risco vacuum filling machine with double outfeed pipe, dimensions: 1450 mm x 850 mm x 1700 mm.	1500
179	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF612, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6.5 A, 4.5 kW, dimensions: 2100 mm x 1400 mm x 2000 mm.	12000
180	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 4215, year of construction: 1998, 400 V, 50 Hz, 17 A, 6.3 kW, dimensions: 1750 mm x 1350 mm x 2100 mm.	4000
181	Karpowicz	Karpowicz cooled vacuum tumbler, model: MK-2000C, serial number: 5252, volume tumbler: 2000 liter, ZTP TEPRO vacuum pump, type pump: AT 40 A, serial number: 1293, year of construction: 2015, capacity: 38 m ³ /h, dimensions tumbler: 3500 mm x 1650 mm x 2050 mm, dimensions cooling unit: 970 mm x 580 mm x 940 mm.	3500
182	Nowicki	Nowicki cooled vacuum tumbler, type: MA-3600 PSCH, number: 22706052, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 13 A, 5.3 kW, machine weight: 2000 kg, volume: 3600 liter, Busch vacuum pump, type: RC 0063 E 501, number: 060057311, capacity: 63 m ³ per hour, dimensions: 3700 mm x 1600 mm x 2080 mm. Including cool unit, dimensions: 1240 mm x 810 mm x 950 mm.	15000
183	Multivac	Multivac thermoformer, type: M 812, machine number: 165, year of construction: 1999, 380 V, 50 Hz, 16 A, 6 kW, bottom film width: 320 mm, top film width: 300 mm, dye: (2x) 220 mm x 135 mm, total dimensions: 3000 mm x 700 mm x 1630 mm. Including Multivac suction device, type: T2, number: 405401, 220/380 V, 50 Hz, 6.1/3.5 A, 1.5 kW, dimensions: 670 mm x 490 mm x 1050 mm.	400



Nr	Title	Description	Start €
184	Multivac	Multivac thermoformer, type: R140, number: 105751, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 28 A, 11.5 kW, bottom film width: 425 mm, top film width: 420 mm, dye: (4x) 180 mm x 130 mm, plastic outfeed belt, belt width: 380 mm, Busch vacuum pump, total dimensions: 4000 mm x 1100 mm x 2000 mm. Including suction device and crates with parts, suction device type: CEVF 3718-3 (50), dimensions: Ø 550 mm x 1150 mm.	16000
185	Multivac	Multivac thermoformer, model: M855, Rietschle vacuum pump, type: VFS 201 (01), number: 1211452, year of construction: 1989, capacity: 200 m ³ per hour, dimensions dye: (4x) 155 mm x 97 mm, index: 230 mm, total dimensions: 4750 mm x 750 mm x 1650 mm.	900
186	Bizerba	Bizerba mobile automatic slicer, model: A 406 FB, number: 10678584, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1320 mm x 1600 mm x 1350 mm. Including knife sharpener.	700
187	Bizerba	Bizerba mobile automatic slicer, model: A 406 FB, number: 181194, year of construction: 2015, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1320 mm x 1600 mm x 1350 mm. Including knife sharpener.	700
188	NN tilting device	S/s mobile tilting device, tilting height: 900 mm, total dimensions: 1250 mm x 1150 mm x 1100 mm.	1700
189	Pek-Mont	Pek-Mont tumbler, volume: 200 liter, dimensions: 1150 mm x 1370 mm x 1580 mm.	1900
191	Kilia	Kilia paddle mixer-grinder, type: Tiger 114 2000, machine number: S 129412672, year of construction: 1994, 400 V, 50 Hz, 31 A, 13 kW, maximum plate diameter: 114 mm, total dimensions: 1350 mm x 770 mm x 1320 mm. Without knives and plates.	2000
192	Berkel	Berkel automatic slicer, model: 180GS, serial number: 9184 1000 04440, plastic belt, belt width: 300 mm, diameter knife: 350 mm, total dimensions: 2400 mm x 850 mm x 1340 mm.	200
193	Laska Maschinenfabrik	Laska Maschinenfabrik frozen block grinder with lifter for 200 liter meat bins, type: WWB 200, number: 12489, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 130 A, 68 kW, 55 lp, plate diameter: 200 mm, Laska Maschinenfabrik lifter, type: BA 24, number: 13027, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 3.5 A, 1.5 kW, 55 lp, lifting height: 2100 mm, total dimensions: 2500 mm x 2100 mm x 2850 mm.	40000
194	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH flake ice machine, type: SA 110 EL, machine number: 23814, year of construction: 1995, refrigerant: Firgen 22, 1.5 kg, inside dimensions:	300



Nr	Title	Description	Start €
		590 mm x 590 mm x 280 mm, total dimensions: 750 mm x 750 mm x 1200 mm.	
195	ZTP TEPRO S.A.	ZTP TEPRO S.A. mobile traysealer, type: SPP 4, serial number: 74, year of construction: 2012, 400 V, 50 Hz, 3 kW, weight: 235 kg, film width: 370 mm, dye: (2x) 214 mm x 127 mm, ZTP TEPRO S.A. vacuum pump, type: AT40, capacity: 38 m ³ per hour, total dimensions: 1000 mm x 700 mm x 1700 mm.	2200
196	Nowicki	Nowicki brine mixer, type: MS-400, number: 30104217, year of construction: 2004, 400 V, 3 Ph, 6 A, 2.05 kW, volume: 400 liter, weight: 170 kg, dimensions: 1350 mm x 1100 mm x 1940 mm.	1700
197	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH mobile skinning and derinding machine, type: Skinny II, serial number: M-50753, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 1.97 A, 0.75 kW, working width: 430 mm, plastic belt, belt width: 385 mm, total dimensions: 1400 mm x 750 mm x 1150 mm.	2700
198	Rühle	Rühle double jacketed tumbler with lifting arm for 200 liter meat bins, inside dimensions: Ø 800 mm x 650 mm, total dimensions: 1950 mm x 1600 mm x 2500 mm.	3300
199	NN skinning machine	Mobile skinning machine, working width: 420 mm, total dimensions: 680 mm x 580 mm x 980 mm.	600
200	Nowicki	Nowicki vacuum tumbler, type: MA-1000 PSCH, number: 22104041, year of construction: 2004, 400 V, 3 Ph, 3.2 kW, weight: 770 kg, volume: 1000 liter, Nord vacuum pump, type: SK 9022.1 VL-90 L/4 F, dimensions: 2550 mm x 1350 mm x 1620 mm. Without vacuum pump.	9000
201	Nowicki	Nowicki vacuum tumbler, inside dimensions: Ø 1400 mm x 900 mm, Busch vacuum pump, type: RC 0021 B 303 APAI, capacity: 21 m ³ per hour, total dimensions: 2050 mm x 1200 mm x 1550 mm.	5000
202	Rational	Rational combi steamer, model: CM 201, serial number: 21M91052164, 380 V, 3 Ph, 50 Hz, 36.6 kW, s/s trolley with 16 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 950 mm x 950 mm x 1800 mm. Including 7 trays.	1700
203	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH brine tank, type: GMA350, machine number: 24354/96, 380 V, 10 A, volume: 350 liter, dimensions: 1260 mm x 830 mm x 1330 mm.	1200
204	Supervac	Supervac belt vacuum machine, type: GK402B, number: 208029, year of construction: 08, 400 V, 3 Ph, 50 Hz, 7.8 A, 3.34 kW, plastic belt, belt width: 620 mm, seal length: 720 mm, total dimensions: 2300 mm x 1200 mm x 1160 mm.	3200
205	Zasada ZUP SP. z.o.o.	Zasada ZUP SP. z.o.o. injector, model: NASTRYKIWARKA ZASADA, type: NAS 50, year of construction: 2012, 400 V,	700



Nr	Title	Description	Start €
		3 Ph, 50 Hz, 5.5 kW, 50 needles, s/s belt, belt width: 430 mm, clearance: 430 mm x 180 mm, total dimensions: 2100 mm x 730 mm x 1970 mm.	
206	Multivac	Multivac belt vacuum machine, seal length: 970 mm, plastic belt, belt width: 440 mm, s/s rollers, roller width: 450 mm, total dimensions: 1270 mm x 850 mm x 1100 mm.	900
207	NN injector	S/s injector, 27 needles, s/s belt, belt width: 400 mm, clearance: 400 mm x 210 mm, total dimensions: 1230 mm x 600 mm x 1850 mm.	800
208	Rühle	Rühle injector, type: IR28, number: 11, year of construction: 2002, 400 V, 50 Hz, 16 A, 3/7.5 kW, s/s walking beam, beam width: 350 mm, total dimensions: 1400 mm x 800 mm x 2000 mm.	900
209	Nowicki	Nowicki injector, type: MH-4-120, machine number: 00400078, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 4.5 kW, weight: 780 kg, s/s belt, belt width: 570 mm, clearance: 580 mm x 200 mm, 120 (2x 60) needles, total dimensions: 1850 mm x 850 mm x 1980 mm. Including Nowicki s/s filter tub, type: FBN-280/1, number: 90900020, year of construction: 2000, 380 V, 3 Ph, 0.8 kW, weight: 162 kg, dimensions filter tub: 1600 mm x 600 mm x 800 mm.	5200
210	Karpowicz	Karpowicz injector, type: NK-54, serial number: 1689, year of construction: 18-11-99, 54 needles, s/s belt, belt width: 400 mm, clearance: 410 mm x 210 mm, total dimensions: 1830 mm x 660 mm x 1880 mm.	800
211	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector with filter tub, type: PI- 24/48, serial number: 22908, 380 V, 16 A, , 24/48 needles, plastic mesh belt, belt width: 320 mm, clearance: 350 mm x 220 mm, total dimensions: 2030 mm x 780 mm x 2750 mm. Including filter tub, tub dimensions: 1500 mm x 800 mm x 730 mm.	900
212	H.Maurer + Söhne	H.Maurer + Söhne smoke chamber with smoke trolley, trolley with 5 floors, floor dimensions: 800 mm x 800 mm, trolley dimensions: 840 mm x 800 mm x 1340 mm, total dimensions smoke chamber: 1150 mm x 1200 mm x 2120 mm.	500
213	NN injector	S/s injector, 15 needles, plastic mesh belt, belt width: 220 mm, clearance: 280 mm x 250 mm, dimensions: 1250 mm x 580 mm x 1860 mm.	250
214	NN ice machine	Flake ice machine, dimensions: 880 mm x 740 mm x 1240 mm.	600
215	A&J	A&J injector, plastic belt, belt width: 340 mm, clearance: 340 mm x 80 mm, 31 needles, total dimensions: 1650 mm x 550 mm x 1950 mm. Including s/s tub.	1100
216	Freund	Freund circular saw with balancer, saw diameter: 220 mm, total dimensions: 600 mm x 250 mm x 200 mm.	600



Nr	Title	Description	Start €
		Freund balancer type: F14-2SK, serial number: 13790, capacity: 10/14 kg, dimensions: 300 mm x 200 mm x 150 mm. Dimensions switch cabinet: 550 mm x 430 mm x 200 mm.	
217	Inwestpol	Inwestpol injector, type: Ans-31, number: 1071, year of construction: 2011, 400 V, 3 Ph, 3 kW, weight: 380 kg, plastic belt, belt width: 340 mm, 62 needles, total dimensions: 1600 mm x 600 mm x 2100 mm. Including s/ s tub.	1100
218	NN colloid mill	S/s colloid mill, inside dimensions: Ø 400 mm x 400 mm, total dimensions: 700 mm x 500 mm x 1220 mm.	600
219	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH mobile skinning and derinding machine, type: ESB 3441, number: 40181, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 400 mm, plastic belt, belt width: 370 mm, total dimensions: 1350 mm x 850 mm x 1180 mm.	2200
220	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 640, 380 V, 50 Hz, 17.8 A, 7.4 kW, Becker vacuum pump, type: U1.16 SA-31, capacity: 16 m ³ per hour, dimensions vacuum filling machine: 1100 mm x 1500 mm x 2050 mm, dimensions lifter: 2900 mm x 700 mm x 300 mm. Technical condition unknown.	4500
221	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 84/1, machine number: 172507, year of construction: 2001-1, 380/220 V, 3 Ph, 50 Hz, 4.5/2.0 A, chamber: 100 mm x 100 mm, total dimensions: 1300 mm x 850 mm x 1150 mm.	1200
222	NN colloid mill	Colloid mill, inside dimensions: Ø 400 mm x 400 mmm, total dimensions: 600 mm x 500 mm x 1100 mm.	600
223	Inauen Maschinen AG	Inauen Maschinen AG mobile dip tank, type: VC999 tank 62.41, machine number: 96T87160, 380 V, 3 Ph, 50 Hz, 25 A, 4 kW, clearance: 620 mm x 410 mm x 350 mm, total dimensions: 730 mm x 700 mm x 1350 mm.	800
224	NN ham press	S/s mobile ham press, 10 trays, tray dimensions: 980 mm x 900 mm x 60 mm, total dimensions: 1000 mm x 1000 mm x 1220 mm.	500
225	Werner & Pfleiderer	Werner & Pfleiderer combi steamer, type: Backstar 800 WP (A), number: 77902, year of construction: 2000-11, 400 V, 50 Hz, 18.4 A, 8 floors, floor dimensions: 350 mm x 610 mm, total dimensions: 1380 mm x 930 mm x 2040 mm.	600
226	Spomasz	Spomasz vacuum tumbler, number: 1208, weight: 440 kg, inside dimensions: Ø 700 mm x 750 mm, total dimensions: 1400 mm x 1000 mm x 1850 mm.	700
227	Tipper Tie Technopack	Tipper Tie Technopack mobile double clipper, type: KDCN 90, number: 1255.486, plastic rollers, roller width: 100 mm, total dimensions: 1250 mm x 550 mm x 1820 mm.	500



Nr	Title	Description	Start €
228	Tepro	Tepro mobile double chamber vacuum machine, seal length: (4x) 660 mm, chamber: (2x) 660 mm x 650 mm x 160 mm, total dimensions: 1700 mm x 960 mm x 1100 mm.	2300
229	EFA Schmid & Wezel	EFA Schmid & Wezel splitting saw, type: SR 287 E, number: 490, year of construction: 2004, 42 V, 3 Ph, 50 Hz, 1500 W, working width: 470 mm, total dimensions: 1500 mm x 400 mm x 400 mm. Including Ingersoll Rand balancer, capacity: 24/32 kg, and switch cabinet.	1500
230	EFA Schmid & Wezel	EFA Schmid & Wezel splitting saw, type: SB 286 E, number: 106797, 24 V, 3 Ph, 50 Hz, 5 A, 1500 W, working width: 450 mm, total dimensions: 1500 mm x 400 mm x 400 mm. Including Tecna balancer, capacity: 50/60 kg, and switch cabinet.	1500
231	Bettcher Industries	Bettcher Industries trimmer, model: UN-84, 230 V, 1 Ph, 50 Hz, 2.7 A, 440 kW, dimensions: 750 mm x 300 mm x 200 mm.	1300
232	Bettcher Industries	Bettcher Industries trimmer, model: UN-84, 230 V, 1 Ph, 50 Hz, 2.7 A, 440 kW, dimensions: 750 mm x 300 mm x 200 mm.	1300
233	Wiesheu GmbH	Wiesheu GmbH oven, type: B4MR, number: 73978, year of construction: 2000-5, 400 V, 50 Hz, 8 kW, 4 floors, floor dimensions: 400 mm x 600 mm, total dimensions: 950 mm x 870 mm x 1700 mm.	300
234	Weber	Weber mobile skinning and derinding machine, type: ASB 600, number: 2021, year of construction: 2006, 400 V, 50 Hz, 0.85 kW, weight: 230 kg, working width: 360 mm, plastic belt, belt width: 320 mm, total dimensions: 1800 mm x 800 mm x 1200 mm.	2500
236	NN clipper	Mobile double clipper, plastic rollers, roller width: 85 mm, total dimensions: 1300 mm x 550 mm x 1800 mm.	1500
237	Henkovac	Henkovac vacuum machine, type: H 1500 H, machine number: 159090676, 200 V, 1 Ph, 50 Hz, 6.5 A, 1.32 kW, seal length: 400 mm, dimensions chamber: 420 mm x 370 mm, total dimensions: 500 mm x 500 mm x 450 mm.	350
238	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: PDC 200F, number: 1661/05, 5/7 bar, dimensions: 1100 mm x 900 mm x 1850 mm.	3500
239	Düker	Düker grinder, type: AW98-1400, serial number: 330634, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4 kW, plate diameter: 970 mm, total dimensions: 1030 mm x 900 mm x 1150 mm.	1500
240	MHS Schneidetechnik	MHS Schneidetechnik mobile slicer, type: PCE 100/21, serial number: 11005, year of construction: 2005, 400 V, 6.25 A, 2.5 kW, chamber: 200 mm x 180 mm, total dimensions: 2400 mm x 800 mm x 1200 mm.	1600
241	Seydelmann	Seydelmann grinder, type: AD114, number: 98468-1, 400 V, 50 Hz, 21 A, diameter plate: 114 mm, total	4500



Nr	Title	Description	Start €
		dimensions: 1050 mm x 900 mm x 1280 mm. Including extra plates.	
242	Dagama	Dagama circular saw, model: 180, number: 73290, 230 V, 1 Ph, 50 Hz, 3.4 A, 700 W, saw diameter: 180 mm, total dimensions: 530 mm x 250 mm x 200 mm. Including Dagama balancer.	600
243	Bobrme komel	Bobrme komel circular saw, type: PRJg 250 III, number: 4090, 24 V, 3 Ph, 50 Hz, 790 W, 1025 rpm, saw diameter: Ø 250 mm, total dimensions: 600 mm x 250 mm x 300 mm. Including Ingersoll-Rand balancer, capacity: 24/32 kg and switch cabinet.	600
244	Bakeres Sp. z.o.o.	Bakeres Sp. z.o.o. rotating oven, model: Rotoreal SP, number: NP 0200 0053, year of construction: 2019, 400 V, 50 Hz, 3.5 kW, weight: 2000 kg, inside dimensions: 900 mm x 900 mm x 1850 mm, total dimensions: 1650 mm x 3000 mm x 2300 mm.	900
245	Mikscer	Mikscer cooled tumbler, volume: 400 liter, dimensions: 1850 mm x 1300 mm x 1650 mm, total dimensions: 1850 mm x 1300 mm x 1650 mm. Including cooling and condensing unit, dimensions: 1000 mm x 700 mm x 1100 mm.	1800
246	Nowicki	Nowicki crate washer, type: MP-300 W, number: 95810113, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 12 A, 6 kW, weight: 600 kg, clearance: 480 mm x 200 mm, total dimensions: 3700 mm x 1100 mm x 2100 mm. Including s/s frame, dimensions: 2300 mm x 550 mm x 1000 mm.	5500
247	Nowicki	Nowicki crate washer, clearance: 490 mm x 200 mm, total dimensions: 3350 mm x 1000 mm x 2000 mm.	3500
248	Laska Maschinenfabrik	Laska Maschinenfabrik grinder with lifter for 200 liter meat bins, type: WW 200 2, number: M 6909, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 85 A, 43 kW, plate diameter: 200, total dimensions: 2500 mm x 2200 mm x 2650 mm. Including tool trolley with worm, knives and plates, dimensions: 800 mm x 850 mm x 1000 mm.	20000
249	Laska Maschinenfabrik	Laska Maschinenfabrik grinder with lifter for 200 liter meat bins, type: WW 200-2, number: 9745, 220/380 V, 50 Hz, plate diameter: 200 mm, total dimensions: 2500 mm x 1700 mm x 2500 mm.	19000
250	Lutetia	Lutetia injector, type: IMPB, number: 11090, year of construction: 1998, 400 V, 50 Hz, 6.5 kW, weight: 670 kg, s/s mesh belt, belt width: 380 mm, 72 needles, total dimensions: 2300 mm x 1000 mm x 1950 mm. Including 200 liter s/s meat bin.	1300
251	Fomaco	Fomaco injector, model: FGM 44/88, machine number: 4093 1988, s/s belt, belt width: 550 mm, total dimensions: 2300 mm x 1000 mm x 2300 mm.	1300
252	Handtmann		18000



Nr	Title	Description	Start €
		Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF630, number: 20121, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 18 A, 12.5 kW, vacuum pump, dimensions: 1900 mm x 1400 mm x 2100 mm.	
253	SRM	SRM double shaft paddle mixer, volume: 500 liter, dimensions: 1400 mm x 1200 mm x 1700 mm.	4900
254	Karpowicz	Karpowicz crate washer, type: MSK 250/o, year of construction: 2013, chain belt with dividers, belt width: 660 mm, dividers height: 20 mm, distance between dividers: 320 mm, clearance: 940 mm x 550 mm, total dimensions: 3400 mm x 1300 mm x 2000 mm.	3000
255	NN tumbler	Vacuum tumbler, volume: 1000 liter, dimensions: 2700 mm x 1600 mm x 1900. Including Busch vacuum pump, type: RC 0040 B 502, capacity: 40 m ³ per hour, dimensions: 800 mm x 500 mm x 700 mm.	3500
256	Webomatic	Webomatic mobile vacuum machine, seal length: 410 mm, chamber: 410 mm x 450 mm x 80 mm, total dimensions: 620 mm x 530 mm x 1100 mm.	500
257	Angelo Po	Angelo Po combisteamer, number: 06962869001, 230 V, 1 Ph, 50 Hz, 750 Watt, 6 floors, floor dimensions: 480 mm x 320 mm, total dimensions: 980 mm x 800 mm x 1600 mm.	200
258	Fagor	Fagor cooking vessel, model: MG9-15 BM GN, serial number: 1120522901 0611 000082, inside dimensions: Ø 630 mm x 530 mm, total dimensions: 1080 mm x 850 mm x 1120 mm.	150
259	Henkelman B.V.	Henkelman B.V. mobile vacuum machine, type: MARLIN 52 KK, serial number: M301005182, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 10.5 Amp, 3 kW, machine weight: 143 kg, seal length: (2x) 520 mm, chamber: 500 mm x 460 mm x 140 mm, Busch vacuum pump, pump type: RA 0063 F 5K3, serial number: 100025924, capacity: 63 m ³ per hour, total dimensions: 680 mm x 700 mm x 1030 mm.	900
260	Turbovac	Turbovac mobile vacuum machine, type: 520-ST, serial number: 20131222, year construction: 2013, 22/240 V, 3 Ph, 50 Hz, 11.5 A, seal length: (4x) 500 mm, chamber: 500 mm x 460 mm x 140 mm, Busch vacuum pump, pump type: RA 0063 F 5K3, serial number: 130012141, capacity: 63 m ³ per hour, total dimensions: 680 mm x 700 mm x 1060 mm.	600
261	Inotech	Inotech rotisserie grill, type: ITE C.4, number: 178, year of construction: 27.03, 400 V, 3 Ph, 50/60 Hz, 28.4 A, 19.7 kW, 4 rotors, length: 1000 mm, total dimensions: 1360 mm x 650 mm x 1070 mm.	150
262	Tepro		500



Nr	Title	Description	Start €
		Tepro mobile vacuum machine, seal length: (2x) 660 mm, dimensions chamber: 680 mm x 390 mm, total dimensions: 750 mm x 680 mm x 1000.	
263	Tepro	Tepro mobile vacuum machine, type: PP11M, number: 163, year of construction: 1997, seal length: (2x) 660 mm, dimensions chamber: 680 mm x 390 mm, total dimensions: 750 mm x 680 mm x 1000.	500
275	Multivac	Multivac thermoformer, type: R275, machine number: 162415, year of construction: 2013, 400/230 V, 3 Ph, 49/63 A, 16.5 kW, dye: (3x) 195 mm x 125 mm, hard film, film width: 465 mm, index: 260 mm, dimensions: 10000 mm x 1300 mm x 2300 mm.	29000
276	Multivac	Multivac thermoformer with film roll holder, type: R535, machine number: 140005, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 67/80 A, 27 A, dye: (8x) 160 mm x 120 mm, film width: 530 mm, index: 360 mm, total dimensions: 13700 mm x 1300 mm x 2300 mm and 1500 mm x 1200 mm x 600 mm.	29000
277	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 80, number: 519, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 16 A, 3 kW, 5/7 bar, weight: 460 kg.	30000
278	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 160, number: 938, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 6 A, 4 kW, 5/7 bar, weight: 625 kg.	49000
280	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF608, number: 20943, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 5.1 A, 3 kW, total dimensions: 700 mm x 800 mm x 1850 mm.	10000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

