



**Industrial
Auctions**

**2077: Online auction machinery and inventory due
to cessation of activities Cooymans Vlees BV in
Den Dungen (NL)**

END DATE
19 March 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

| | |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End date | 19 March 2026 from 14:00 hrs. |
| Viewing days | |
| Organising company | Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com |
| Buyers premium | 18% over the highest bid |
| VAT | 21% over the highest bid including premium |
| Pick up days | 26 March 2026 from 09:00 till 16:00 hrs. |
| Pick up address | Boscheweg 8 5275 HB Den Dungen Netherlands |
| Pick up instructions | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place. |
| Payment details | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. |
| Combinations | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable. |
| Prolongation | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed. |



| Nr | Title | Description | Start € |
|-----------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 1 | Bayha & Strackbein GmbH | Bayha & Strackbein GmbH cooking vessel, type: 8110-7, year of construction: 2008, 230 V, 50 Hz, 0.15 kW, capacity: 700 liter, gas heated, inside dimensions: 1800 mm x 800 mm x 500 mm, total dimensions: 2000 mm x 1400 mm x 2000 mm. | 1000 |
| 2 | Bayha & Strackbein GmbH | Bayha & Strackbein GmbH cooking vessel, type: 8110-7, year of construction: 2008, 230 V, 50 Hz, 0.15 kW, capacity: 700 liter, gas heated, inside dimensions: 1800 mm x 800 mm x 500 mm, total dimensions: 2000 mm x 1400 mm x 2000 mm. | 1000 |
| 3 | Bayha & Strackbein GmbH | Bayha & Strackbein GmbH cooking vessel, type: 8110-7, year of construction: 2008, 230 V, 50 Hz, 0.15 kW, capacity: 700 liter, gas heated, inside dimensions: 1800 mm x 800 mm x 500 mm, total dimensions: 2000 mm x 1400 mm x 2000 mm. | 1000 |
| 4 | Spako | Spako cooking vessel, type: RHA500, year of construction: 2011, capacity: 500 liter, 32kW, gas heated, inside dimensions: 1600 mm x 700 mm x 500 mm, total dimensions: 1800 mm x 1200 mm x 1000 mm. | 1000 |
| 5 | Spako | Spako cooking and smoking chamber for liquid smoke and wood chips , type: AE2000, serial number: SP60210084/1, year of construction: Rev. 2021, 400 V, 50 Hz, 25 kW, electric heated, s/s smoke trolley, 12 floors, dimensions each floor: 1020 mm x 920 mm, total dimensions trolley: 1060 mm x 1015 mm x 1945 mm, inside dimensions chamber: 1100 mm x 1120 mm x 2100 mm, total dimensions chamber: 1300 mm x 2200 mm x 2650 mm. | 3500 |
| 6 | Loma Systems | Loma Sytems metal detector, plastic mesh belt, belt width: 590 mm, clearance: 650 mm x 220 mm, total dimensions: 1500 mm x 1100 mm x 1200 mm. | 850 |
| 7 | Loma Systems | Loma Systems metal detector with rejector, model: IQ ² , serial number: MDOIEU-36479, year of construction: Sept 2004, plastic belt, belt width: 300 mm, clearance: 350 mm x 120 mm, total dimensions: 1700 mm x 1100 mm x 1200 mm. | 1000 |
| 8 | Bizerba | Bizerba weighing scale, maximum weight: 150 kg, minimum weight: 5 kg, e=d= 100 g, dimensions: 750 mm x 600 mm x 1400 mm. | 250 |
| 9 | NN sink | S/s sink, dimensions: 470 mm x 410 mm x 250 mm, soap dispenser, dimensions: 100 mm x 100 mm x 270 mm, paper dispenser, dimensions: 250 mm x 250 mm x 350 mm. | 50 |
| 10 | NN cooking vessel | Mobile cooking vessel, inside dimensions: electric heated, Ø 700 mm x 550 mm, total dimensions: 900 mm x 850 mm x 1000 mm. | 500 |
| 11 | Turbo Systems Limited | Turbo Systems Limited mobile depositor, machine number: D90014509880, dimensions: 1100 mm x 400 mm x 1680 mm. | 1000 |
| 12 | Turbo Systems Limited | Turbo Systems Limited transport belt with denester, machine number: CONO32501, plastic belt, diameter cups: 115 mm, belt width: 240 mm, total dimensions: 3200 mm x 500 mm x 1800 mm. | 750 |
| 14 | NN frame | | 20 |



| Nr | Title | Description | Start € |
|-----------|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| | | S/s wall mounted frame, dimensions: 900 mm x 260 mm x 200 mm. | |
| 15 | NN sink | S/s sink, dimensions: 470 mm x 410 mm x 250 mm, knife sterilizer, dimensions: 200 mm x 150 mm x 400 mm, paper dispenser, dimensions: 250 mm x 250 mm x 350 mm. | 50 |
| 16 | Delrue | Delrue cooking vessel, model: A200A1, number: 20030911A, year of construction: 2003, 18.5 kW, gas heated, inside dimensions: 620 mm x 620 mm x 540 mm, total dimensions: 900 mm x 940 mm x 1120 mm. | 500 |
| 17 | Metaflex | Metaflex s/s refrigeration sliding door, dimensions door: 1900 mm x 3550 mm, thickness: 115 mm, rail length: 4300 mm. | 300 |
| 18 | Metaflex | Metaflex s/s refrigeration sliding door, dimensions door: 1700 mm x 2300 mm, thickness: 115 mm, rail length: 3700 mm. | 150 |
| 19 | Metaflex | Metaflex s/s refrigeration sliding door, dimensions door: 1420 mm x 2300 mm, thickness: 115 mm, rail length: 3200 mm. | 250 |
| 20 | Cryovac | Cryovac belt vacuum machine, model: VS85, 400 V, 3 Ph, 50 Hz, 20 A, 5.3 kW, chamber volume: 170 liter, maximum product dimensions: 540 mm x 135 mm, seal length: 920 mm, plastic belt, belt width: 535 mm, plastic rollers, roller width: 560 mm, total dimensions: 2350 mm x 1150 mm x 2050 mm. Including film suction device, dimensions: 800 mm x 950 mm x 1450 mm. | 2000 |
| 21 | Cryovac | Cryovac dip tank, model: ST12 L/HS, serial number: SN01003, year of construction: 2011, 380/415 V, 3 Ph, 50 Hz, 16 A, clearance: 710 mm x 240 mm, s/s belt, belt width: 610 mm, plastic rollers, roller width: 590 mm, total dimensions: 1500 mm x 1400 mm x 2000 mm. | 2000 |
| 22 | Rühle GmbH | Rühle GmbH vacuum tumbler, type: MKR300, serial number: 10070505, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 14.0 A, 6.5 kW, drum volume: 300 litres, maximum filling capacity: 220 litres, weight: 1200 kg, double jacketed for cooling, with Busch vacuum pump, type: KC 0016 D IZO, capacity: 16 m ³ per hour, dimensions: 1900 mm x 1600 mm x 2400 mm. | 8000 |
| 23 | Grasselli SPA | Grasselli SPA semi-automatic slicer, type: NSL600, serial number: Z09R04/1567, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 5.3 kW, cutting set: 4 mm, clearance: 610 mm x 180 mm, belt width: 580 mm, weight: 700 kg, total dimensions: 2000 mm x 1200 mm x 1500 mm. | 4500 |
| 24 | Loma Systems | Loma Systems mobile metal detector with rejector, model: IQ ³ +ST, serial number: QPB90-15-24908, year of construction: 27.5.2014, 110-240 V, 1 Ph, 50/60 Hz, 0.5-1.0 A, plastic belt, belt width: 860 mm, clearance: 860 mm x 105 mm, total dimensions: 2350 mm x 1500 mm x 1650 mm. | 2000 |
| 25 | Selo | | 5000 |



| Nr | Title | Description | Start € |
|----|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | Selo slicer/applicator, machine type: SL Slicer, number: 017, year of construction: 2004, 400 V, 50 Hz, 4 kW, dye: (4x) Ø 80 mm, capacity: max 200 strokes/min, cutting thickness: maximum 20 mm, belt width: 565 mm, weight: 750 kg, total dimensions: 1700 mm x 1200 mm x 2150 mm, including pallet with extra forms, dye: (3x) 95 mm x 45 mm. | |
| 26 | NN sink | S/s sink, dimensions: 500 mm x 500 mm x 600 mm, s/s knife sterilizer, dimensions: 200 mm x 160 mm x 450 mm. | 50 |
| 27 | Torras | Torras organ washer for pigs, model: P1000, number: 2514, year of construction: 2013, 15 kW, weight: 900 kg, dimensions: 1900 mm x 1600 mm x 1800 mm. | 3000 |
| 28 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMF-8452, serial number: 1011, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3 A, 650 W, 2 fans, dimensions: 2000 mm x 600 mm x 600 mm. | 100 |
| 29 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMF-8452, serial number: 1012, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3 A, 650 W, 2 fans, dimensions: 2000 mm x 600 mm x 600 mm. | 100 |
| 30 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMF-8452, serial number: 1013, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3 A, 650 W, 2 fans, dimensions: 2000 mm x 600 mm x 600 mm. | 100 |
| 31 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMF-8452, serial number: 02055, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 3 A, 650 W, 2 fans, dimensions: 2000 mm x 600 mm x 600 mm. | 200 |
| 32 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMF-8452, serial number: 02054, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 3 A, 650 W, 2 fans, dimensions: 2000 mm x 600 mm x 600 mm. | 200 |
| 33 | NN dishwasher | Dishwasher, type: GOLT 3, number: 984902, year of construction: 1999, inside dimensions: 1100 mm x 600 mm x 750 mm, total dimensions: 1200 mm x 800 mm x 1650 mm. | 250 |
| 34 | Rühle GmbH | Rühle GmbH vacuum tumbler, type: MTR 150, number: 219, volume: 150 liter, dimensions: 1100 mm x 750 mm x 1400 mm. | 2200 |
| 35 | Tedea-Huntleigh | Tedea-Huntleigh tube rail weighing system, model: 3510, serial number: 85974, maximum weight: 500 kg, dimensions: 750 mm x 200 mm x 500 mm, s/s cabinet with indicator and label printer, dimensions: 1000 mm x 500 mm x 600 mm, weighing scale for crates, dimensions: 600 mm x 450 mm x 130 mm. | 250 |
| 36 | Hoshizaki | Hoshizaki refrigerator, inside dimensions: 520 mm x 650 mm x 1300 mm, dimensions: 840 mm x 660 mm x 2000. | 400 |
| 37 | Handtmann | Handtmann vacuum filling machine, type: VF50, number: 19315, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 11 A, 4 | 4000 |



| Nr | Title | Description | Start € |
|----|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | kW, dimensions: 850 mm x 500 mm x 1600 mm. Including tray with spare parts. | |
| 38 | NN refrigeration sliding door | S/s refrigeration sliding door, dimensions door: 1500 mm x 2300 mm, thickness: 115 mm, rail length: 3000 mm. | 250 |
| 39 | NN sink | S/s sink, dimensions: 500 mm x 500 mm x 600 mm, s/s knife sterilizer, dimensions: 370 mm x 220 mm x 570 mm, soap dispenser, dimensions: 100 mm x 100 mm x 270 mm, paper dispenser, dimensions: 250 mm x 250 mm x 350 mm. | 50 |
| 40 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: DSP-62, serial number: 01306, year of construction: 2011, 230 V, 50 Hz, 0.32 A, 73 W, 2 fans, dimensions: 1200 mm x 1000 mm x 400 mm. | 200 |
| 41 | Metalfex | Metalfex plastic swing doors, dimensions: (2x) 850 mm x 2200 mm. | 50 |
| 42 | Strapex | Strapex mobile binding machine, type: SMA10, serial number: 118071298, year of construction: 2018, 230 V, 50 Hz, strap width: 12 mm, dimensions: 900 mm x 600 mm x 750 mm. | 350 |
| 43 | DMS | DMS mixer, type: DMM 90 VM, serial number: S 17476, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.85 A, 0,75 kW, weight: 110 kg, volume: 90 liter, dimensions: 600 mm x 900 mm x 1120 mm. | 1800 |
| 44 | Hsiao Lin Machine Co. Ltd | Hsiao Lin Machine Co. Ltd mixer with s/s bowl, year of construction: 2000, 220 V, 1 Ph, 3.5 A, bowl: \varnothing 245 mm, total dimensions: 500 mm x 370 mm x 650 mm. | 200 |
| 45 | Henkelman | Henkelman vacuum machine, type: JUMBO 35, machine number: J200509131, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.6 kW, seal length: 360 mm, dimensions chamber: 360 mm x 365 mm x 45 mm, total dimensions: 550 mm x 450 mm x 430 mm. | 500 |
| 46 | Infrico | Infrico refrigerator, model: BMGN1470II, 220-230 V, 50 Hz, 3.13 A, 3.27 kW, gross volume: 873 liter, nett volume: 295 liter, refrigerant: R134a, 260/230 g, dimensions each floor: 540 mm x 330 mm, total dimensions: 1470 mm x 700 mm x 960 mm. | 450 |
| 47 | Hobart | Hobart double dishwasher, inside dimensions: (2x) 300 mm x 500 mm x 400 mm, total dimensions: 1350 mm x 850 mm x 1500 mm. Technical condition unknown. | 1500 |
| 48 | Stephan | Stephan universal machine, type: UM 44 A, machine number: 719.061.01, year of construction: 10-12, 220 V, 50 Hz, 20.9 A, 3.3/4.5 kW, dimensions: 800 mm x 550 mm x 1200 mm. | 2200 |
| 49 | NN sliding door | S/s sliding door, dimensions door: 1220 mm x 2300 mm, thickness: 75 mm, rail length: 2000 mm. | 200 |
| 50 | Metaflex | Metaflex s/s refrigeration sliding door, dimensions door: 1600 mm x 2250 mm, thickness: 150 mm, rail length: 3000 mm. | 250 |
| 51 | CVP SYSTEMS INC | CVP SYSTEMS INC mobile modified atmosphere packaging machine, model number: A-300, serial number: 9313-27, 240 | 750 |



| Nr | Title | Description | Start € |
|----|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | V, 1 Ph, 50/60 Hz, 10 A, seal length: 1400 mm, total dimensions: 1500 mm x 1150 mm x 1950 mm. | |
| 52 | Townsend | Townsend mobile skinning and derinding machine, model: 9000, serial number: 119, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 3.5 A, belt width: 510 mm, working width: 510 mm, total dimensions: 2100 mm x 900 mm x 1330 mm. Outfeed belt is broken. | 750 |
| 53 | MCM paunch machine | MCM paunch machine, type GX8, inside dimensions: \varnothing 980 mm x 450 mm, total dimensions: 1500 mm x 1050 mm x 1050 mm. Including pallet with parts. | 750 |
| 54 | Frey | Frey mobile piston filler, type: KOMPAKTA2, machine number: K230C11735976, year of construction: 2016, 400 V, 50 Hz, 3.7 kW, dimensions: 900 mm x 800 mm x 1300 mm. | 6500 |
| 55 | Rational | Rational combi steamer, model: ClimaPlus Combi CPC 201, serial number: E21CD02111079329, 400 V, 50 Hz, electric heated, s/s trolley, 20 floors, dimensions each floor: 530 mm x 330 mm, dimensions trolley: 850 mm x 540 mm x 1800, total dimensions: 1000 mm x 900 mm x 1900 mm. | 2500 |
| 56 | Mado | Mado bandsaw, type: MKB 654, serial number: 30404, year of construction: 2003, 230/400 V, 3 Ph, 50 Hz, 8.6/5.0 A, table dimensions: 850 mm x 720 mm, total dimensions: 1300 mm x 1000 mm x 1800 mm. Missing cover. | 1500 |
| 57 | NN deboning table | S/s deboning table with plastic worktops dimensions: 2000 mm x 1060 mm x 1900 mm. | 200 |
| 58 | Berkel | Berkel slicer, model: 834, number: 61514, 220 V, 50 Hz, 220 W, dimensions: 600 mm x 600 mm x 450 mm. | 250 |
| 59 | NN overhead conveyor | Steel tube rail overhead conveyor with infeed- and outfeed lane, length infeed lane: approximately 16 meter, (2x) 6 lanes, length: (6x) 4000 mm and (6x) 3000 mm, length outfeed lane: approximately 7 meter. Construction beams not included. | 750 |
| 60 | NN vacuum machine | Mobile vacuum machine, seal length: 450 mm, chamber dimensions: 850 mm x 460 mm, vacuum pump, total dimensions: 950 mm x 570 mm x 910 mm. | 500 |
| 61 | Bizerba | Bizerba table model bandsaw, type: FK 22, 220/380 V, 50 Hz, 3.8/2.2 A, 1.080 kW, dimensions: 450 mm x 500 mm x 900 mm. | 350 |
| 62 | Bizerba | Bizerba weighing scale with indicator, type: MCI, number: 1116886, 220/240 V, 50/60 Hz, 0.5 A, maximum weight: 300/1000 kg, minimum weight: 0.1/25 kg, e=d=0.5 dimensions scale: 280 mm x 300 mm x 240 mm, dimensions indicator: 300 mm x 300 mm x 200 mm. | 100 |
| 63 | NN table | Steel table, dimensions: 2000 mm x 750 mm x 950 mm. | 75 |
| 64 | Parise Compressori | Parise Compressori air compressor, model: P150 CT, serial number: L1867/11, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.2 kW, dimensions: 1350 mm x 500 mm x 900 mm. | 200 |
| 65 | NN refrigeration sliding door | Refrigeration sliding door, dimensions door: 1200 mm x 2300 mm, thickness: 120 mm, rail length: 2600 mm. | 200 |



| Nr | Title | Description | Start € |
|-----------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 66 | NN evaporator | Evaporator, 1 fan, dimensions: 800 mm x 400 mm x 500 mm. | 50 |
| 67 | NN office inventory | Office inventory consisting of: 3 wooden office tables, dimensions: (3x) 1200 mm x 800 mm x 700 mm, 2 steel drawers, dimensions: (2x) 450 mm x 600 mm x 1000 mm, wooden drawers, dimensions: 440 mm x 600 mm x 550 mm, office chair. | 100 |
| 68 | Broeze | Broeze overhead elevating conveyor, model: BRZST 17, serial number: 112020, year of construction: 2011, 400 V, 3 Ph, 16 A, 0.75 kW, maximum capacity: 400 kg, dimensions: 2300 mm x 560 mm x 2200 mm. | 750 |
| 69 | Hitachi | Steel electric driven loading ramp with Hitachi control panel, dimensions loading ramp: 2200 mm x 1200 mm. | 250 |
| 70 | NN overhead conveyor | Steel overhead conveyor, total length: approximately 20 meter. Including hoist. | 500 |
| 71 | NN writing desk | S/s writing desk, dimensions: 700 mm x 500 mm x 1200 mm. | 75 |
| 72 | NN sink | S/s sink, dimensions: 500 mm x 500 mm x 600 mm, s/s waste bag holder, dimensions: 200 mm x 250 mm x 120 mm, paper dispenser, dimensions: 250 mm x 250 mm x 350 mm. | 50 |
| 73 | NN sole cleaner | S/s sole cleaner, brush length: (2x) 1000 mm, total dimensions: 1700 mm x 800 mm x 1100 mm. | 250 |
| 75 | Bizerba | Bizerba mobile automatic slicer, model: A 404 FB, number: 1742198, year of construction: 1999, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh outfeed belt, belt width: 250 mm, total dimensions: 1700 mm x 1000 mm x 1600 mm. | 1750 |
| 76 | Vakona GmbH | Vakona GmbH mobile vacuum tumbler, type: 150 IPV, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 16 A, 1 kW, capacity: 150 liter, Busch vacuum pump, type: KC 0010 D, capacity: 10 m ³ per hour, dimensions: 1200 mm x 700 mm x 1300 mm. | 2600 |
| 77 | Leventi | Leventi combi steamer, 9 floors, floor dimensions: (9x) 550 mm x 400 mm, total dimensions: 1000 mm x 760 mm x 1000 mm. | 650 |
| 78 | Foster | Foster mobile refrigerator, model: EP820LW, serial number: E5465284, 230 V, 1 Ph, 50 Hz, 5.2 A, 1025 W, refrigerant: R404a, 3 floors, dimensions each floor: 540 mm x 650 mm, total dimensions: 800 mm x 700 mm x 2050 mm. | 600 |
| 79 | Foster | Foster mobile refrigerator, model: G1440L, serial number: E5457353, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 5.1 A, 1050 W, refrigerant: R290, 5 floors, dimensions each floor: 650 mm x 530 mm, total dimensions: 1440 mm x 840 mm x 2060 mm. | 900 |
| 81 | Afinox | Afinox blast chiller, model: Infinity 8T RU EF GFMULTIFUN+EVO 230V, serial number: 4007156001, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 8.62 A, 900 W, refrigerant: R452A/1.10 kg, 8 floors, floor dimensions: 600 mm x 300 mm, total dimensions: 790 mm x 800 mm x 1330 mm. | 1250 |
| 82 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, 3 fans, dimensions: 2300 mm x 600 mm x 600 mm. | 200 |



| Nr | Title | Description | Start € |
|-----------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 83 | Metaflex | Metaflex s/s door, serial number: 2010066, year of construction: 2001, dimensions: 1150 mm x 80 mm x 2230 mm. | 100 |
| 84 | Metaflex | Metaflex s/s door, dimensions: 950 mm x 60 mm x 2200 mm. | 100 |
| 85 | Lets BV | Lets BV high pressure unit, type: 440 S, 380 V, 5.5 kW, maximum temperature: 75°C, capacity: 30 L/min, dimensions: 9502 mm x 450 mm x 900 mm. | 500 |
| 86 | Metalflex | Metalflex plastic swing doors, dimensions: (2x) 650 mm x 2050 mm. | 50 |
| 87 | Treif Maschinenbau GmbH | Treif Maschinenbau GmbH slicing line consisting of: Treif Maschinenbau GmbH slicer, model: Divider 660, machine number: 570003.61977.105618, year of construction: 2009, 380-480 V, 3 Ph, 50/60 Hz, 32 A, 7.5 kW, weight: 820 kg, plastic wire belt, belt width: 380 mm, total dimensions: 1800 mm x 1000 mm x 2150 mm, Treif Maschinenbau GmbH checkweigher, plastic wire belt, belt width: 340 mm, total dimensions: 1100 mm x 400 mm x 1100 mm, Treif Maschinenbau GmbH outfeed belt with rejector, wire belt, belt width: 300 mm, plastic belt, belt width: 320 mm, total dimensions: 3500 mm x 600 mm x 1400 mm. | 12500 |
| 88 | Variovac PS SystemPack GmbH | Variovac PS SystemPack GmbH thermoformer, type: Optimus, machine number: OL0707, year of construction: 2018, 230/400 V 50 Hz, 22 A, 13 kW, dimensions dye: (2x) 180 mm x 240 mm, plastic outfeed belt, belt width: 380 mm, Busch vacuum pump, RA 0155 A 503, capacity: 155 m ³ per hour, total dimensions: 4350 mm x 1100 mm x 1850 mm. | 10000 |
| 89 | Sweepix | Sweepix floor scrubbing machine, serial number: 57277CX20250826004, cleaning width: 560 mm, squeegee width: 825 mm, working efficiency: 3600 m ² , battery capacity: 24V/103Ah, water tank capacity: 55/65 liter, 550/300 W, total dimensions: 1350 mm x 700 mm x 1200 mm. New, never used. | 1400 |
| 90 | NN hydraulic unit | Hydraulic unit, dimensions: 350 mm x 350 mm x 600 mm. | 350 |
| 91 | Interpump | Interpump high pressure unit with 3 high pressure pumps, model: (3x) WS151, dimensions: 2700 mm x 500 mm x 1000 mm. | 1200 |
| 92 | NN deboning table | S/s deboning table with plastic worktops dimensions: 3150 mm x 1350 mm x 900 mm. | 200 |
| 93 | Jarvis | Jarvis reciprocating saw, model: SER-04, serial number: 130923, year of construction: 9/17/18, 230 V, 6.5 A, dimensions: 900 mm x 200 mm x 200 mm. | 500 |
| 94 | NN hand injector | Hand injector, type: HI-M, machine number: 1814.01, year of construction: 2001, 230 V, 50 Hz, 0.09 kW, dimensions: 450 mm x 200 mm x 300 mm. | 150 |
| 95 | NN evaporator | Evaporator, 2 fans, dimensions: 1100 mm x 800 mm x 500 mm. | 100 |
| 96 | NN evaporator | Evaporator, 2 fans, dimensions: 1100 mm x 800 mm x 500 mm. | 100 |



| Nr | Title | Description | Start € |
|-----------|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 97 | NN hood | S/s extraction hood, dimensions: 3900 mm x 3700 mm x 550 mm. | 300 |
| 98 | NN hood | S/s extraction hood, dimensions: 3300 mm x 1600 mm x 500 mm. | 200 |
| 99 | NN sink | S/s sink, dimensions: 500 mm x 500 mm x 600 mm, s/s knife sterilizer, dimensions: 370 mm x 220 mm x 570 mm, soap dispenser, dimensions: 100 mm x 100 mm x 270 mm, paper dispenser, dimensions: 250 mm x 250 mm x 350 mm. | 50 |
| 100 | NN deboning table | S/s deboning table with plastic worktops dimensions: 2950 mm x 1550 mm x 980 mm. | 200 |
| 101 | Technoclipper | Technoclipper table model clipper, number: TC407M001, dimensions: 220 mm x 230 mm x 780 mm. | 100 |
| 102 | Tipper Tie Technopack | Tipper Tie Technopack table model clipper, dimensions: 250 mm x 200 mm x 850 mm. | 100 |
| 103 | Schmidt & Wezel EFA | Schmidt & Wezel EFA breaking saw, type: EFA 86, number: 1473, year of construction: 2006, diameter saw: 200 mm, total dimensions: 600 mm x 230 mm x 230 mm. Including balancer. | 500 |
| 104 | Schmidt & Wezel EFA | Schmidt & Wezel EFA breaking saw, diameter saw: 200 mm, total dimensions: 600 mm x 230 mm x 230 mm. Including balancer. | 500 |
| 105 | NN saw blades | Various s/s saw blades, diameter: 200 and 270 mm. | 25 |
| 106 | Townsend | Townsend mobile skinning machine, working width: 510 mm, total dimensions: 830 mm x 600 mm x 950 mm. | 650 |
| 107 | Maja-Maschinenfabrik | Maja-Maschinenfabrik mobile skinning machine, type: EVM 3000, number: 42677, year of construction: 2000, 400 V, 50 Hz, 2.2 A, 7.5 kW, working width: 420 mm, total dimensions: 700 mm x 550 mm x 1000 mm. | 500 |
| 108 | Weber Maschinenbau GmbH | Weber Maschinenbau GmbH mobile skinning machine, type: AS 450, number: 4129, 380 V, 50 Hz, 0.4 kW, working width: 400 mm, total dimensions: 620 mm x 530 mm x 1000 mm. | 350 |
| 109 | NN refrigeration sliding door | S/s refrigeration sliding door, dimensions door: 1900 mm x 3000 mm, thickness: 115 mm, rail length: 3850 mm. | 250 |
| 110 | NN overhead conveyor | Steel overhead conveyor with outfeed lane, 5 lanes, length: (5x) 4000 mm, length outfeed lane: approximately 9 meter. | 500 |
| 111 | LU-VE | LU-VE evaporator, type: F35HC_213_N_7_AP, serial number: 317256/2011, 230 V, 50 Hz, 175 W, 0.8 A, refrigerant: R22/R134a/R407c/R404a/R507, dimensions: 2000 mm x 400 mm x 500 mm. | 200 |
| 112 | NN refrigeration door | S/s refrigeration door, dimensions door, 980 mm x 2350 mm, thickness: 80 mm. | 150 |
| 113 | Metaflex | Metaflex refrigeration sliding door, dimensions door: 1650 mm x 2330 mm, thickness: 200 mm, rail length: 3000 mm. | 250 |
| 115 | NN rollies | 6 s/s rollies, dimensions: (6x) 650 mm x 400 mm x 150 mm. | 75 |
| 116 | NN buckets | 16 plastic buckets, diameter: 350 mm. | 5 |
| 117 | NN sole cleaner | Sole cleaner, brush length: 280 mm, total dimensions: 550 mm x 250 mm x 800 mm. | 25 |



| Nr | Title | Description | Start € |
|-----------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 118 | NN smoke sticks | S/s trolley with large amount of Y-shaped smoke sticks, length each smoke stick: 1000 mm, total dimensions: 1000 mm x 420 mm x 900 mm. | 200 |
| 119 | NN plastic crates | 21 plastic crates, dimensions: (21x) 800 mm x 500 mm x 200 mm. | 50 |
| 120 | NN rollie | Plastic rollie, dimensions: 620 mm x 450 mm x 200 mm. | 5 |
| 121 | NN pressure vessel for foam | Pressure vessel for foam, dimensions: 620 mm x 620 mm x 1250 mm. | 75 |
| 122 | NN pressure vessel for foam | Pressure vessel for foam, dimensions: 600 mm x 600 mm x 1500 mm. | 75 |
| 123 | Sievert | Sievert gas brander with various gas bottles. | 25 |
| 124 | NN plastic crates | 23 plastic crates, dimensions: (19x) 600 mm x 400 mm x 190 mm, dimensions: (4x) 600 mm x 400 mm x 250 mm. | 50 |
| 125 | NN cleaning chemicals | 7 jerry cans with cleaning chemicals. | 25 |
| 126 | NN waste bag holders | 2 s/s waste bag holders, dimensions: (2x) 400 mm x 400 mm x 600 mm. | 20 |
| 127 | NN plastic crates | 49 plastic crates, dimensions: (41x) 600 mm x 400 mm x 110 mm. | 50 |
| 128 | NN carton boxes | 2 plastic pallets with large amount of carton boxes. | 50 |
| 129 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMX5-2850, serial number: CEN 060401-02, 220 V, 50 Hz, 120 W, 2 fans, dimensions: 1200 mm x 600 mm x 450 mm. | 75 |
| 130 | NN parts | Various parts. | 25 |
| 131 | Handtmann | Handtmann case holding device, type: 60-6, number: 12806348, dimensions: 600 mm x 400 mm x 250 mm. | 500 |
| 132 | NN kitchen tools | Plastic crate with kitchen tools. | 10 |
| 133 | NN tools | Plastic crate with tools. | 5 |
| 134 | NN face masks | Box with large amount of disposable face masks. | 10 |
| 135 | NN gloves | Box with large amount of working gloves. | 25 |
| 136 | NN clothes | 3 boxes with various working clothes. | 25 |
| 137 | NN crates | 2 plastic crates, dimensions: (2x) 800 mm x 600 mm x 400 mm. | 50 |
| 138 | NN crates | 3 plastic crates, dimensions: (2x) 750 mm x 600 mm x 400 mm, (1x) 750 mm x 550 mm x 400 mm. | 50 |
| 139 | Bizerba | Bizerba weighing scale with indicator, number: 1187759, maximum weight: 150 kg, minimum weight: 2.5 kg, e=d=0.05 kg, dimensions weighing scale: 750 mm x 600 mm x 1000 mm, indicator: 280 mm x 240 mm x 260 mm. | 200 |
| 140 | NN shoe rack | S/s shoe rack, dimensions: 900 mm x 600 mm x 1400 mm. | 75 |
| 141 | NN cutting board | Plastic cutting board, dimensions: 700 mm x 1000 mm. | 15 |
| 142 | NN evaporator | Evaporator, 1 fan, dimensions: 2000 mm x 500 mm x 400 mm. | 50 |
| 143 | NN evaporator | Evaporator, 1 fan, dimensions: 2000 mm x 500 mm x 400 mm. | 50 |
| 144 | Smeva | Smeva s/s door, dimensions: 1080 mm x 2050 mm, thickness: 100 mm. | 100 |



| Nr | Title | Description | Start € |
|-----------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 145 | NN organ hooks | 2 plastic crates with s/s organ hooks, dimensions: (2x) 600 mm x 400 mm x 280 mm. | 200 |
| 146 | NN meat hooks | Plastic crate with s/s meat hooks, dimensions: 600 mm x 400 mm x 300 mm. | 200 |
| 147 | NN buckets | Various plastic buckets with lids. | 5 |
| 148 | NN rack | Steel rack, dimensions: 2050 mm x 800 mm x 2200 mm. | 50 |
| 149 | NN waste bag holders | 5 s/s waste bag holders, dimensions: (5x) 350 mm x 350 mm x 600 mm. | 50 |
| 150 | Electrolux | Electrolux dishwasher, model: HHT8, serial number: 91610005, year of construction: 2019, 230/400 V, 1/3 Ph, 50 Hz, 12.9 kW, dimensions: 750 mm x 900 mm x 1570 mm. | 1250 |
| 151 | Metalfex | Metalfex plastic swing doors, dimensions: (2x) 700 mm x 2150 mm. | 50 |
| 152 | Kaeser Kompressoren | Kaeser Kompressoren rotary screw compressor, type: AS 35, number: 374575, year of construction: 1988, 2.2 kW, 10 bar, dimensions: 1250 mm x 650 mm x 900 mm. | 500 |
| 153 | Smeva/L'unite Hermetique | Smeva cooling compressor rack with 6 L'unite Hermetique cooling compressors, type compressors: TAGP4546Z, (2x) TAGP2516Z, (2x) TAGP4561Z, TAGP4561X, 400 V, 3 Ph, 50 Hz, 22 A, 2.25 kW, refrigerant: R404a, dimensions: 2500 mm x 800 mm x 1450 mm. | 1500 |
| 154 | Grundfos | Grundfos high pressure unit with vertical, multistage centrifugal pump, type: CR4-80/7 A-A-BUBE, model: C500007P1, capacity: 6 m ³ per hour, dimensions: 750 mm x 500 mm x 900 mm. | 400 |
| 155 | NN knife sterilizer | S/s knife sterilizer, dimensions: 370 mm x 150 mm x 600 mm. | 25 |
| 156 | Eminent Products | Eminent Products air dryer, dimensions: 300 mm x 400 mm x 400 mm. | 75 |
| 157 | Smeva | Smeva temperature control cabinet, dimensions: 200 mm x 200 mm x 100 mm. | 15 |
| 158 | Smeva | Smeva temperature control cabinet, dimensions: 200 mm x 200 mm x 100 mm. | 15 |
| 159 | Smeva | Smeva temperature control cabinet, dimensions: 200 mm x 200 mm x 100 mm. | 15 |
| 160 | Smeva | Smeva temperature control cabinet, dimensions: 200 mm x 200 mm x 100 mm. | 15 |
| 161 | Smeva | Smeva temperature control cabinet, dimensions: 200 mm x 200 mm x 100 mm. | 15 |
| 162 | Smeva | Smeva temperature control cabinet, dimensions: 200 mm x 200 mm x 100 mm. | 15 |
| 163 | Smeva | Smeva temperature control cabinet, dimensions: 250 mm x 250 mm x 100 mm. | 15 |
| 164 | NN cabinet | Wooden cabinet, dimensions: 520 mm x 400 mm x 650 mm. | 10 |
| 165 | Güntner | Güntner evaporator, type: GACC RX 040.1/2-70.A-1820879M, serial number: 504014482/04.00817, year of construction: | 300 |



| Nr | Title | Description | Start € |
|-----|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| | | 2017, volume: 10.3 liter, 2 fans, dimensions: 1700 mm x 400 mm x 500 mm. | |
| 166 | Icem s.r.l. | Icem s.r.l. electric pallet lifter, model: TE20/316FDSZ, serial number: 2060, year of construction: 2012, 24 V, loading capacity: 1200 kg, maximum lifting height: 3200 mm, total dimensions: 1950 mm x 1000 mm x 2100 mm. Including charger. | 750 |
| 167 | Challeng Air | Challeng Air roof condenser, dimensions: 3200 mm x 1200 mm x 900 mm. | 200 |
| 168 | Copeland | Copeland condensing unit, model: MC-M(-ZBD45KE-TFD, serial number: 11H335047 M, dimensions: 800 mm x 800 mm x 800 mm. | 300 |
| 169 | ECO | ECO roof condenser, model: KCE51M3V.0007, serial number: BS201500352, year of construction: 09/02/2015, 230 V, 1 Ph, 50-60 Hz, 0.97-1.3 A, 22-290 W, dimensions: 1250 mm x 750 mm x 800 mm. | 200 |
| 170 | NN roof fan | Roof fan, dimensions: 650 mm x 650 mm x 1800 mm. | 150 |
| 171 | NN roof fan | Roof fan, dimensions: 800 mm x 800 mm x 1800 mm. | 150 |
| 172 | Smeva/Bitzer | Smeva water chiller with 2 Bitzer cooling compressors, model: IMS-SM02-B0066F4, serial number: 6060109, year of construction: 23/11/2016, 400 V, 3 Ph, 50 Hz, 25.4 kW, refrigerant: R407F, type compressors: (2x) 4CES-9Y-40S, capacity: (2x) 32.5/39.2 m ³ per hour, dimensions: 2150 mm x 800 mm x 1900 mm. | 1500 |
| 173 | Bitzer | Bitzer water chiller, dimensions: 1350 mm x 600 mm x 1500 mm. | 1000 |
| 174 | Güntner | Güntner roof condenser, fabrication number: 00/123384.1, year of construction: 2001, dimensions: 4050 mm x 1180 mm x 1650 mm. | 1000 |
| 175 | NN fire hose | Fire hose, dimensions: 600 mm x 600 mm x 140 mm. Technical condition unknown. | 50 |
| 176 | NN fire hose | Fire hose, dimensions: 600 mm x 600 mm x 140 mm. Technical condition unknown. | 50 |
| 177 | NN door | S/s door, dimensions: 850 mm x 2230 mm, thickness: 35 mm. | 100 |
| 178 | Hoshizaki | Hoshizaki ice cube machine, model number: IM-65NE-HC-SN, serial number: M0238IJ, 220-240 V, 50 Hz, 2.5 A, refrigerant: R290/110 gram, weight: 50 kg, dimensions: 630 mm x 500 mm x 970 mm. | 650 |
| 179 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMT-3845, serial number: 02756, year of construction: 2016, 230 V, 50 Hz, 0.48 A, 110 W, 4 fans, dimensions: 2000 mm x 700 mm x 500 mm. | 300 |
| 180 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMT-3845, serial number: 02787, year of construction: 2016, 230 V, 50 Hz, 0.48 A, 110 W, 4 fans, dimensions: 2000 mm x 700 mm x 500 mm. | 300 |
| 181 | | Delta Technics Engineering B.V. evaporator, model: FMT-3845, serial number: 02755, year of construction: 2016, | 300 |



| Nr | Title | Description | Start € |
|-----------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| | Delta Technics Engineering B.V. | 230 V, 50 Hz, 0.48 A, 110 W, 4 fans, dimensions: 2000 mm x 700 mm x 500 mm. | |
| 182 | Delta Technics Engineering B.V. | Delta Technics Engineering B.V. evaporator, model: FMX528EO, serial number: CEN060401-03, 220 V, 50 Hz, (2x) 120 W, 2 fans, dimensions: 750 mm x 400 mm x 500 mm. | 75 |

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

