



**Industrial
Auctions**

2078: Online auction machinery for the food industry on behalf of BMG Trade in Zamość (PL)

END DATE
23 March 2026 14:00

General terms and conditions of the online auction

End date	23 March 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	31 March 2026 from 09:00 till 16:00 hrs.
Pick up address	Lipisko 241 22-400 Zamość Poland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Carnitech	Carnitech grinder, model: CT3113, type: ON 23960 00, serial number: 04-2063, year of construction: 2005, 400 V, 3 Ph, 50 Hz, plate diameter: 225 mm, total dimensions: 2200 mm x 2150 mm x 2450 mm. Including s/s tool trolley.	10000
2	Cryovac	Cryovac shrink tunnel, model: CJ61 RL-F, serial number: SN00615, year of construction: 2009, 400 V, 50 Hz, 32 A, 18 kW, clearance: 280 mm x 150 mm, total dimensions: 2100 mm x 930 mm x 1450 mm.	3000
3	Bilwenco/Hassia	Bilwenco/Hassia packaging line, consisting of: Bilwenco 10-heads multihead weigher, type: BW110-W, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 5000 VA, 10 KA, air pressure: 5-10 bar, weighing range: 10 gram to 3000 gram, total dimensions: 1350 mm x 2200 mm x 3300 mm. Hassia vertical bag form- fill and seal machine, type: FB BI-400-IS, machine number: 152-710, year of construction: 2006, 230/400 V, 3 Ph, 50 Hz, 35 A, 23 kVA, vertical seal length: 500 mm, horizontal seal length: 470 mm, dimensions: 1750 mm x 2700 mm x 2850 mm. Including 2 conveyors, dimensions: 4350 mm x 1400 mm x 3400 mm.	15000
4	Medoc S.A.	Medoc S.A. bandsaw, dimensions table: 950 mm x 880 mm, total dimensions: 1110 mm x 1000 mm x 1800 mm.	1500
5	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON evolution, machine number: 464001.227398.135490, year of construction: 2018, 380-480 V, 3 Ph, 18/22/32 A, 11.3/15.3 kW, machine weight: 2100 kg, clearance: 260 mm x 200 mm, total dimensions: 4150 mm x 1950 mm x 1820 mm. missing belts. Including transport belt, type: FÖRDERBAND conveyor belt, machine number: 481000.60223.135597, year of construction: 2018, 230 V, 1 Ph, 50/60 Hz, 1.25/10 A, 0.2/0,27 kW, machine weight: 165 kg,	50000
6	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH friction smoke generator, type: 501, number: 501.0234, year of construction: 2004, 400 V, 50 Hz, 15 A, dimensions: 1200 mm x 800 mm x 1920 mm. Including switch cabinet.	750
7	Grote	Grote sectoring slicer, model: SS-2, serial number: 1124838, clearance: 130 mm x 110 mm, total dimensions: 1920 mm x 850 mm x 1670 mm.	1250
8	Lensink	Lensink meat press with Christmas moulds, dimensions: 2100 mm x 490 mm x 1290 mm.	200
9	ITW Packaging Systems Group GmbH	ITW Packaging Systems Group GmbH mobile binding machine, model: B A32-102, serial number: 14258367, year of construction: 2008, 230 V, 50 Hz, clearance: 330 mm x 210 mm, total dimensions: 1070 mm x 570 mm x 1500 mm.	650
10	Stein	Stein hydraulic unit, type: HPP-75, number: 472, dimensions: 1330 mm x 1000 mm x 1900 mm.	250
11	Laska	Laska mobile micro cutter, type: emulsifier FZ 175, number: 15248, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 155 A,	17500



Nr	Title	Description	Start €
		91 kW, dimensions: 2150 mm x 1160 mm x 1300 mm. Including crate with parts.	
12	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF80B, number: 3290, year of construction: 1998, 400 V, 50 Hz, 12.6 A, 4.5 kW, filling, portioning and linking, dimensions: 1800 mm x 1200 mm x 1850 mm. Including Handtmann case holding device, type: 216-01, number: 1757.	4000
13	Handtmann	Handtmann linking machine, year of construction: 2000, 400 V, 50 Hz, 3.5 A, 2.5 kW, belt width: 25 mm, total dimensions: 830 mm x 700 mm x 1270 mm. Including Handtmann hanging line, type: 220-16, serial number: 1310, year of construction: 2003, dimensions: 2550 mm x 650 mm x 1290 mm.	1250
14	Stein	Stein hydraulic unit, type: HPP-75/160, number: 454, dimensions: 1330 mm x 1000 mm x 1900 mm.	250
15	Risco S.p.A.	Risco S.p.A. vacuum filling machine with lifter for 200 liter meat bins, model: RS 503, serial number: C804001, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 14 kW, weight: 1060, with Busch vacuum pump, type: RA 0040 F 503, serial number: DEM119231529, Vmax = 40 m ³ /h, total dimensions: 2000 mm x 1400 mm x 2300 mm. Including extra parts.	4000
16	Risco S.p.A.	Risco S.p.A. mobile forming machine, plastic belt, belt width: 200 mm, total dimensions: 1700 mm x 750 mm x 1420 mm.	3500
17	Grasselli SPA	Grasselli SPA mobile skinning machine, type: RST520-M/CLO, serial number: R36R00/M1441, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, 7 bar, working width: 485 mm, total dimensions: 700 mm x 650 mm x 935 mm.	2000
19	Marel	Marel portion cutter, type: OptiCut, serial number: A085335, year of construction: 2011, 380/480 V, 3 Ph, 50/60 Hz, 11 A, belt type: Intralox s1100 FTAC, belt width: 250 mm, clearance: 410 mm x 75 mm, total dimensions: 2050 mm x 750 mm x 2700 mm. With Marel dynamic weighing unit, type: DWU-CWEI, serial number: A086917, year of construction: 2011, 230-400 V, 3 Ph, 50-60 Hz, 0.9-0.5 A, belt width: 254 mm, total dimensions weigher: 1000 mm x 550 mm x 1150 mm. Including 2 trolleys with parts, dimensions: (2x) 1000 mm x 500 mm x 1050 mm.	3500
20	Cryovac	Cryovac manual darfresh machine (skin packer), type: VS26, serial number: SNO2604, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 21 A, weight: 500 Kg, seal length: 560 mm, dimensions chamber: 720 mm x 530 mm, dimensions dye: (8x) 240 mm x 150 mm, with Gardner Denver vacuum pump, type: V-VC 202, total dimensions: 1600 mm x 1040 mm x 1220 mm. Including pallet with film rolls, film width: 560 mm.	15000
21	Inotec GmbH	Inotec GmbH mobile micro cutter, type: I140CD-37D, machine number: 140-00685, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 75 A, 45 kW, total dimensions: 1560 mm x 1120 mm x 1200 mm.	7500



Nr	Title	Description	Start €
22	Singer & Sohn GmbH	Singer & Sohn GmbH mobile grouping system, type: Gruppiersystem, number: 51-11.15439.00.00.001, year of construction: 2011, 400 V, 50 Hz, plastic belt with dividers, belt width: 50 mm, distance between dividers: 165 mm, divider height: 35 mm, clearance: 120 mm x 55 mm, total dimensions: 2350 mm x 1050 mm x 1860 mm.	500
23	Carnitech	Carnitech mobile giraf product screw, type: Giraf model B, serial number: 04-0250, year of construction: 2005, 400 V, 3 Ph, 50 Hz, screw diameter: 230 mm, tier: 190 mm, elevating height: 2000 mm, total dimensions: 1000 mm x 1000 mm x 2400 mm. Including mobile s/s infeed bunker, dimensions: 1400 mm x 400 mm x 400 mm. Including trolley with screw, dimensions: 1300 mm x 500 mm x 970 mm.	2750
24	Pulsotronic	Pulsotronic metal detector with rejector, type: M-pulse BD-HD 500 x 175 LPW MFT, serial number: 90007346, year of construction: 2018, 115/230 V, 1 Ph, 50/60 Hz, 16A, 350 W, 4-6 bar, plastic mesh belt, belt width: 450 mm, clearance: 310 mm x 150 mm, transport belt type: HQ-HD 1600 x 450-GK (WVG), serial number: 90003522, year of construction: 2012, 230 V, 1 Ph, 50/60 Hz, 350 W, 4-6 bar, total dimensions: 1850 mm x 1100 mm x 1270 mm.	2500
25	K+G Wetter	K+G Wetter grinder, machine number: 400/1160, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 42/50 A, 19 kW, diameter plate : 130 mm, total dimensions: 1300 mm x 1050 mm x 1750 mm.	7500
26	Marel	Marel checkweigher, type: 4700 ProcessCheck 4727.205.10, serial number: E016280, year of construction: 2014, 400/480 V, 3 Ph, 50/60 Hz, 16 A, weight: 150 Kg, plastic belt, belt width: 430 mm, total dimensions: 930 mm x 830 mm x 1760 mm. Including crate with parts.	1500
27	Simo	Simo separator with infeed hopper, dimensions: 2400 mm x 1600 mm x 1680 mm, dimensions switch cabinet: 600 mm x 410 mm x 800 mm. Including pallets with extra drum and worm.	12500
28	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT 99-S, machine number: 070-00325, year of construction: 2015, 200/240/400/460 V, 2 Ph, 50/60 Hz, 2 kW, machine weight: 290 kg, dimensions: 810 mm x 900 mm x 1400 mm.	10000
29	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile linking machine, model: LPG, type: 202, serial number: 202 0084, year of construction: 2002, 220-240/400-460/575 V, 3 Ph, 50/60 Hz, 10-16/7.5-16 A, dimensions: 1400 mm x 650 mm x 1350 mm.	2000
30	Sepamatic	Sepamatic separator, type: Sepa 403, machine number: 114029, 400 V, 50 Hz, 9 A, diameter drum: 190 mm, drum perforations: 1 mm, total dimensions: 1500 mm x 1000 mm x 1900 mm.	4000
31	Bizerba GmbH & Co. KG	Bizerba GmbH & Co. KG bandsaw, type: FK 32, serial number: 2168141, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.6 A,	1500



Nr	Title	Description	Start €
		table dimensions: 750 mm x 780 mm, total dimensions: 710 mm x 780 mm x 1600 mm.	
32	Heinrich GmbH	Heinrich GmbH mobile sausage cutter, model: Trenn-Fix, serial number: HM 920502, 220 V, 50 Hz, diameter drum: 750 mm, total dimensions: 2850 mm x 1000 mm x 2220 mm.	5000
33	Handtmann	Handtmann vacuum filling machine, type: VF200, number: 2271-1, dimensions: 1120 mm x 980 mm x 1900 mm.	3500
34	ITEC Food Technology	ITEC Food Technology mobile tilting device for 200 liter meat bins, type: 27100, serial number: 0110, year of construction: 03/2007, 400 V, 3 Ph, 50 Hz, 0.75 kW, outfeed height: 840 mm, total dimensions: 2000 mm x 1240 mm x 1330 mm.	2500
35	Frey	Frey vacuum filling machine with lifter for 200 liter meat bins and linking attachment, type: KONTI-T250, serial number: KT250007402, 400 V, 50 Hz, 11.7 kW, with Busch vacuum pump, type: RB 0021 C 3Z3, serial number: D15150344, Vmax = 24 m ³ /h, total dimensions: 2100 mm x 1200 mm x 2040 mm. Including extra parts.	3500
36	Steen	Steen mobile skinning machine, type: ST 600, serial number: 2G8/1709B, 380 V, 50/60 Hz, 5.8 A, 2200 W, plastic belt, belt width: (2x) 430 mm, working width: 340 mm, clearance 520 mm x 60 mm, total dimensions: 2900 mm x 650 mm x 1460 mm.	3000
37	Ceia S.p.A.	Ceia S.p.A. mobile pipeline metal detector, model: THS/PL-63, serial number: 20600226014, 115/230 V, 50-60 Hz, Ø clearance: 100 mm, total dimensions: 580 mm x 360 mm x 1580 mm.	500
38	Webomatic	Webomatic traysealer, type: TL 500, machine number: F 9021RJ116, 400 V, 3 Ph, 50 Hz, 8.5 A, 4.5 kW, 100-B m ³ /h, plastic mesh belt, belt width: (2x) 150 mm, dye: (2x) 155 mm x 200 mm, plastic belt, belt width: 320 mm, total dimensions: 3500 mm x 1060 mm x 1570 mm. Without vacuum pump.	5000
39	Kilia	Kilia double shaft mixer-grinder with lifter for meat bins, model: Leopard G 160-1000 L, serial number: 49814034, year of construction: 1998, overhauled in 2025, 400 V, 50 Hz, 110 A, 47 kW, capacity: 1000 liter, plate diameter: 160 mm, dimensions: 3500 mm x 2950 mm x 2400 mm.	12500
40	Henneken	Henneken mobile flattener, plastic belt, belt width: (2x) 415 mm, clearance: 420 mm x 45 mm, total dimensions: 2000 mm x 850 mm x 1240 mm.	4000
41	Nieros	Nieros hygiene station with sole cleaner, hand disinfection, Dyson hand dryer and tourniquet, type: URK/W, serial number: N3C35-04, article number: 2550-251-030, year of construction: 09/2012, 400 V, 3 Ph, 50 Hz, 2,2 kW, brush length: 920 mm, total dimensions: 2000 mm x 1300 mm x 1610 mm.	3500
42	NN meat bin washer	Meat bin washer for 200 liter meat bins, type: B42.1-MRD, serial number: 933250642, 380 V, 3 Ph, 35 A, 17.43 kW, clearance: 900 mm x 980 mm, total dimensions: 2940 mm x 1670 mm x 2630 mm.	5000



Nr	Title	Description	Start €
43	Handtmann	Handtmann vacuum filling machine, type: VF80, number: 3297, year of construction: 1998, 400 V, 50 Hz, 11 A, 4 kW, dimensions: 1100 mm x 900 mm x 2170 mm. Incomplete, missing rotor. With crate with parts and attachments.	3500
44	Herbert Grunwald GmbH	Herbert Grunwald GmbH cup filling, sealing and lidding machine, type: HITTPAC AKH-059/3, work number: 31/08, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 20.0 A, 9.0 kW, Busch vacuum pump, type: RA 0100 F 503, number: 080086618, year of construction: 2008, capacity: 100 m ³ per hour, dimensions cups: 113 mm x 83 mm, total dimensions: 2200 mm x 1750 mm x 2210 mm.	5500
45	ITEC Food Technology	Itec Food Technology hygiene station with sole cleaner, hand disinfection and tourniquet, type: 23740/li, serial number: 0395, order number: 99003, year of construction: 10/2004, 230 V, 50 Hz, 0.3 kW, brush rollers length: 1600 mm, total dimensions: 2750 mm x 950 mm x 1900 mm.	3500
46	Scanvaegt	Scanvaegt checkweigher with rejector and metal detector, type: Powercheck, year of construction: 2011, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 395 mm, clearance: 450 mm x 200 mm, metal detector type: IQ3, serial number: MD304-16169D, year of construction: 24-4-2011, total dimensions: 2550 mm x 1380 mm x 1560 mm. Missing belt.	1750
47	Kerres	Kerres meat bin washer for 200 liter meat bins, type: KBW 200, serial number: 20.041, year of construction: 04/2012, 400 V, 3 Ph, 13 kW, heating system: steam, clearance: 1120 mm x 1150 mm, total dimensions: 3580 mm x 1700 mm x 2500 mm.	8000
48	Suhner	Suhner sausage cutter, type: tender-cut, serial number: 10560004, 220 V, 50 Hz, 6 A, 0.55 kW, 5-30 RPM, drum clearance: 490 mm, total dimensions: 1900 mm x 900 mm x 1470 mm.	1250
49	Carnitech	Carnitech mobile s/s giraf product screw with ribbon mixer, screw dimensions: 240 mm, tier: 180 mm, elevating height: 2500 mm, total dimensions: 2000 mm x 1000 mm x 3000 mm, dimensions infeed bunker: 2300 mm x 1500 mm x 1200 mm. Including s/s trolley, dimensions: 1350 mm x 450 mm x 970 mm.	2750
50	Marel	Marel Carnitech mobile s/s giraf product screw with ribbon mixer, model: B250, serial number: M10189, year of construction: 2016, 400 V 3 Ph, 50 Hz, 7.9 A, screw dimensions: 240 mm, tier: 180 mm, elevating height: 2500 mm, total dimensions: 2000 mm x 1000 mm x 3000 mm, with s/s infeed bunker, dimensions: 2300 mm x 1500 mm x 1200 mm. Including s/s trolley, dimensions: 1350 mm x 450 mm x 970 mm.	2750
51	Carnitech	Carnitech mixer-grinder, type: CT3115, serial number: 04-0261, year of construction: 2005, 400 V, 3 Ph, 50 Hz, plate diameter: 250 mm, total dimensions: 2300 mm x 1950 mm x 2500 mm.	17500
52			1250



Nr	Title	Description	Start €
	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile portioning machine, type: MMP 220, serial number: 220 0019, year of construction: 2004, plastic belt, belt width: 250 mm, working width: 240 mm, total dimensions: 1600 mm x 630 mm x 1460 mm.	
53	Ekomex	Ekomex mixer-grinder with lifter for 200 liter meat bins, type: WW-130/230, number: 7214250004, year of construction: 2014, 400 V, 50 Hz, 21.0 kW, weight: 1200 kg, outfeed diameter: 130 mm, total dimensions: 1450 mm x 1400 mm x 1700 mm, EkomeX lifter for 200 liter meat bins, type: ZM-200, nr: 10114050251, year of construction: 2014, 400 V, 50 Hz, weight: 220 kg, capacity: 250 kg, total dimensions lifter: 1200 mm x 1150 mm x 2750 mm. Including crate with separation head.	7500
54	Rühle	Rühle injector, model: IR 56, number: 0522, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, s/s walking beam, beam width: 350 mm, total dimensions: 1500 mm x 950 mm x 2040 mm.	5000
55	KYLtechnik	KYLtechnik cooling compressor installation with scroll compressors, type: KM 2, year of construction: 22-05-2010, refrigerant: R448A, dimensions: 1200 mm x 800 mm x 850 mm.	200
56	Logopak	Logopak labeller, dimensions: 950 mm x 600 mm x 1100 mm. Technical condition unknown.	200
57	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, model E3, serial number: 333474, year of construction: 2005, 230 V, 50 Hz, weigher: DMS, dimensions: 1340 mm x 850 mm x 1680 mm.	500
58	NN breeding machine	S/s mobile breeding machine, s/s mesh belt, belt width: 600 mm, total dimensions: 2760 mm x 1100 mm x 1760 mm.	5000
60	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, model E3, serial number: 333476, year of construction: 2005, 230 V, 50 Hz, weigher: DMS, dimensions: 1340 mm x 850 mm x 1680 mm.	250
61	NN tilting device	S/s mobile tilting device for 200 liter meat bins, dimensions: 1320 mm x 970 mm x 1330 mm.	3500
62	Krämer + Grebe	Krämer + Grebe mixer-grinder with GEA lifter for 200 liter meat bins, type lifter: Column Loader 300S, serial number: E011270605473/7984, year of construction: 04/2010, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, type grinder: TMG, machine number: 371/0109, year of construction: 1998, 400/2000 V, 3 Ph, 50 Hz, 110/125 A, capacity: 1500 liter, diameter plate: 200 mm, dimensions grinder: 2900 mm x 2400 mm x 2350 mm, dimensions lifter: 2900 mm x 600 mm x 100 mm.	19500
63	Henny Penny	Henny Penny rotisserie chicken grill, model: SCR-6, serial number: CA1301016, 400 V, 3 Ph, 50/60 Hz, 13.5 A, dimensions: 820 mm x 700 mm x 840 mm.	500
64			2500



Nr	Title	Description	Start €
	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile sausage cutter, model: TM, serial number: 203 890 004, dimensions: 680 mm x 650 mm x 1650 mm. Incomplete.	
65	Ilpra	Ilpra traysealer, model: 1403 V/G, serial number: FP 8357, year of construction: 2011, 400 V, dye: (6x) 250 mm x 170 mm, total dimensions: 7500 mm x 1400 mm x 2200 mm. Including 2 trolleys with dye and extra parts, dye: (8x) 170 mm x 155 mm.	5000
66	Stork	Stork forming- and breading line, consisting of: Stork Titan B.V. mobile forming machine, model: THV 400-E65 TA2107, type: 4779132, serial number: 10058201, year of construction: 2006, s/s mesh belt, belt width: 400 mm, diameter press: 95 mm, total dimensions: 2450 mm x 900 mm x 2040 mm. Stork Titan B.V. mobile battering machine. Marel Townsend Further Processing B.V. mobile breading machine, model: TPM 400 TD2104, type: 4279225, serial number: 10153206, year of construction: 2016, s/s mesh belt, belt width: 400 mm, clearance: 420 mm x 70 mm, total dimensions: 2400 mm x 830 mm x 1950 mm. Without lifter.	15000
67	Spomasz	Spomasz intestine crusher, working width: 450 mm, total dimensions: 900 mm x 600 mm x 1550 mm.	1250
68	Risco	Risco sausage cutter, clearance: 75 mm x 65 mm, total dimensions: 1000 mm x 900 mm x 1430 mm. Incomplete.	1500
69	Laska	Laska double shaft Z-arm mixer, type: ME 400 ZN1A, serial number: G 1283, year of construction: 1995, 3x380 V / 400 V, 50 Hz, 20 A, 9 kW, capacity: 400 liter, dimensions: 1650 mm x 1800 mm x 1720 mm.	5000
70	Scanvaegt	Scanvaegt checkweigher with rejector, type: Powercheck, serial number: 56496, belt width: 315 mm, total dimensions: 1500 mm x 780 mm x 1400 mm. Missing belt.	500
71	NN netting machine	S/s netting machine, clearance: 200 mm x 40 mm, working width: 180 mm, total dimensions: 800 mm x 600 mm x 1650 mm.	750
72	Tipper Tie Alpina	Tipper Tie Alpina bowl cutter with ejector, type: PB 90, serial number: 805 099 1, 400 V, 3 Ph, 50 Hz, 80 A, s/s bowl and knives, volume: 90 liter, dimensions: 2030 mm x 1300 mm x 1690 mm. Including extra knives.	5000
73	Bizerba GmbH & Co. KG	Bizerba GmbH & Co. KG slicer, type: A330, machine number: 1174862, 220/380V, 3 Ph, 50 Hz, 2.1/1.2 A, 0.710 kW, diameter knife: 330 mm, total dimensions: 1000 mm x 650 mm x 520 mm.	500
74	Risco S.p.A.	Risco S.p.A. portioning machine, clearance (adjustable): 215 mm x 250 mm, plastic belt, belt width: 180 mm, total dimensions: 3600 mm x 800 mm x 2380 mm. Incomplete.	7500
75	Carnitech	Carnitech mixer-grinder, type: CT3115, serial number: 04-0260, year of construction: 2005, 400 V, 3 Ph, 50 Hz, plate diameter: 250 mm, total dimensions: 2300 mm x 1950 mm x 2500 mm.	17500
76	Risco S.p.A.		4000



Nr	Title	Description	Start €
		Risco S.p.A. grinder, type: TR 130, machine number: G105004, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 11.75 kW, weight: 590 kg, dimensions: 1000 mm x 900 mm x 1430 mm.	
77	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Twister G, serial number: 412605.77551.108141, year of construction: 2010, 380-480 V, 3 Ph, 50/60 Hz, 6 / 8.16 kW, chamber dimensions: 120 mm x 120 mm, plastic outfeed belt, belt width: 245 mm, total dimensions: 2000 mm x 1750 mm x 1820 mm, with mobile elevating belt, plastic belt, belt width: 560 mm, divider width: 480 mm, divider height: 85 mm, distance between dividers: 140 mm, elevating height: 1100 mm, total dimensions: 1900 mm x 800 mm x 1900 mm.	3500
78	Schmidt & Wezel/EFA	EFA splitting saw, type: SB/287F, article number: 110890935, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 5.5/3.2 A, 1500 W, with Tecna balancer, type: 9405, serial number: 003255, year of construction: 2009, stroke: 2500 mm, capacity: 50/60 kg, machine weight: 25 kg, total dimensions: 1450 mm x 550 mm x 1350 mm.	1500
79	Anritsu industrial solutions	Anritsu metal detector and checkweigher, type: KW5412AP3D, serial number: 4600197517, year of construction: 2013, 100-120 / 200-240 V, 1 Ph, 50/60 Hz, 1.5 kA, plastic belt, belt width: (2x) 250 mm, clearance: 300 mm x 80 mm, total dimensions: 860 mm x 670 mm x 1590 mm. Including transport belt with ejector, dimensions: 700 mm x 440 mm x 970 mm.	1500
80	Carnitech	Carnitech mixer-grinder, type: CT3113, serial number: 04-0262, year of construction: 2005, 400 V, 3 Ph, 50 Hz, plate diameter: 240 mm, total dimensions: 2300 mm x 1950 mm x 2500 mm.	17500
81	Sesotec GmbH	Sesotec GmbH mobile pipe line metal detector with rejector, type: LIQUISCAN-VF+, serial number: 10034160, year of construction: 2019, 100/240 V, 50/60 Hz, 0.50/0.25 A, 66/69 IP, machine weight: 125 kg, diameter pipe: 54 mm, total dimensions: 2080 mm x 750 mm x 1400 mm. Without infeed pipe.	1250
82	Reich	Reich bandsaw, type: 4205 526 D 14, 380 V, 3 Ph, 50 Hz, 2.8 A, 1.1 kW, dimensions table: 680 mm x 630 mm, total dimensions: 950 mm x 630 mm x 1570 mm.	750
83	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 1180, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 500 mm, foot control, total dimensions: 900 mm x 550 mm x 1100 mm.	650
84	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 1179, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 500 mm, foot control, total dimensions: 900 mm x 550 mm x 1100 mm.	650
85	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: ASE 570, number: 1472, 400 V, 50 Hz, 0.37 kW, working width: 520 mm, total dimensions: 900 mm x 600 mm x 1000 mm.	500



Nr	Title	Description	Start €
86	Krämer + Grebe	Krämer + Grebe bowl cutter with lifter for 200 liter meat bins and ejector, type: Cutter 325 L STL, serial number: 173/296, revised in 2005, s/s bowl and knives, volume: 325 liter, dimensions: 3000 mm x 2200 mm x 1900 mm. Including switch cabinet, dimensions: 1700 mm x 600 mm x 2000 mm and lifter, dimensions: 1800 mm x 1200 mm x 800 mm.	10000
87	Tiromat	Tiromat thermoformer, type: Powerpack/680, number: 681/0245-98, dye: (4x) 250 mm x 115 mm, total dimensions: 7000 mm x 1300 mm x 2400 mm. Including outfeed belt, plastic belt, belt width: 600 mm, dimensions: 1500 mm x 800 mm x 600 mm. Without vacuum pump.	2500
88	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 1181, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 520 mm, foot control, total dimensions: 900 mm x 550 mm x 1100 mm.	500
89	Stork PMT B.V.	Stork PMT B.V. automatic transfer system, model: TR-10/NT 180° H2113, type: 3750866, serial number: 10064264, year of construction: 2007, dimensions: 2860 mm x 1920 mm x 2750 mm.	6000
90	Townsend	Townsend mobile skinning and derinding machine, model: 9000, serial number: 255, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 3.5 A, working width: 500 mm, plastic belt, belt width: 510 mm, total dimensions: 2100 mm x 900 mm x 1350 mm. Missing cover.	1500
91	Marel	Marel portion cutter, type: Opticut, serial number: RA039403, year of construction: 2006/2011, 380-480 Vac, 3 Ph, 50-60 Hz, 11-8.5 A, plastic mesh belt, belt width: 250 mm, clearance: 250 mm x 55 mm, total dimensions: 2050 mm x 750 mm x 2700 mm. With Marel dynamic weighing unit, type: DWU-CWEI, serial number: A086944, year of construction: 2011, 230-400 V, 3 Ph, 50-60 Hz, 0.9-0.5 A, belt width: 254 mm, total dimension weigher: 1000 mm x 550 mm x 1150 mm. Including 2 trolleys with parts, dimensions: (2x) 1000 mm x 500 mm x 1050 mm.	3500
92	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: E3, machine number: 333.77, year of construction: 2005, maximum capacity: 3000 mg, plastic belt, belt width: 300 mm, clearance: 150 mm x 380 mm, total dimensions: 1350 mm x 850 mm x 1600 mm. Missing belts.	1000
93	Zomerdam	Zomerdam metal detector with rejector, type: MN 5.1 CI 250/100, serial number: 1444-CI, year of construction: 2010, 100-240 V, 50/60 Hz, 50-300 mA, plastic belt, belt width: 200 mm, clearance: 350 mm x 175 mm, total dimensions: 1600 mm x 800 mm x 1500 mm.	750
94	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: E3, plastic belt, belt width: 300 mm, clearance: 150 mm x 380 mm, total dimensions: 1350 mm x 850 mm x 1600 mm. Missing belt.	1000



Nr	Title	Description	Start €
95	Sepamatic	Infeed bunker for Sepamatic separator, dimensions: 1500 mm x 1050 mm x 1300 mm.	750
96	Ceia S.p.A.	Ceia S.p.A. mobile pipe line metal detector, model: THS/PL-63, serial number: 20500235023, clearance: \varnothing 100, total dimensions: 600 mm x 400 mm x 1350 mm. Incomplete, technical condition unknown.	150
97	Baader	Baader separator, type: 600/501, serial number: 120002228/10, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 4.0 A, 1.5 kW, plastic belt, belt width: 180 mm, diameter output: 190 mm, diameter perforations: 5 mm, total dimensions: 1050 mm x 850 mm x 1170 mm.	10000
98	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/K1 N 220, serial number: 1096 042, 400 V 3 Ph, 50 Hz, 20 A, 10 kW, seal width (approximately): 830 mm, seal length (approximately): 1120 mm, roller width: 625 mm, total dimensions: 1450 mm x 950 mm x 1200 mm.	1250
99	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejection and metal detector, model E3, serial number: 333470-7.14/02, year of construction: 2005, 230 V, 50 Hz, weigher TF-20 dimensions: 1800 mm x 1100 mm x 1520 mm. Including transport belt with rejectors, dimensions 600 mm x 700 mm x 1050 mm and waste bin, dimensions 400 mm x 370 mm x 1100 mm.	500
100	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: Robot 500, number: 128 4466, year of construction: 2013, 400-460 V, 3 Ph, 50/60 Hz, 13 A, 4.9 kW, dimensions: 1800 mm x 1300 mm x 1810 mm. Including s/s tool trolley, dimensions: 1100 mm x 650 mm x 1050 mm.	17000
101	Nowicki	Nowicki bowl cutter with ejector, type: KN-90, serial number: 51922064, year of construction: 2022, 400 V, 3 Ph, 50 Hz, capacity: 90 liter, total dimensions: 2050 mm x 1520 mm x 1650 mm. Including switch cabinet, dimensions: 1000 mm x 400 mm x 1400 mm.	9500
102	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: XS 3, serial number: 35001001, 100/240 V, 50/60 Hz, year of construction: 2008, maximum capacity: 2500 g, minimum capacity: 300 g, e= 0.5 g, d= 0.5 g, plastic belts, belt width: 380 mm, total dimensions: 1700 mm x 1000 mm x 1700 mm.	1250
103	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, model E3, serial number: 333475, year of construction: 2005, 230 V, 50 Hz, weigher DMS, maximum load: 3000 g, dimensions: 1400 mm x 800 mm x 1550 mm.	500
104	Sealpac GmbH	Sealpac GmbH traysealer, type: SEALPAC 800+, serial number: TVG 01 1123 01, year of construction: 2004, 230/400 V, 3 Ph, 10 kW, 2000 kg, chain belt, belt width: 40 mm, clearance: 340 mm x 110 mm, total dimensions: 3750 mm x 950 mm x 2150 mm. Including outfeed belt, dimensions: 3800 mm x 700 mm x	5000



Nr	Title	Description	Start €
		1200 mm and s/s trolley with dye, dimensions dye: 250 mm x 70 mm, total dimensions: 1500 mm x 1150 mm x 1350 mm.	
105	Inauen Maschinen AG	Inauen Maschinen AG belt vacuum machine with outfeed conveyor and turning table, type vacuum machine: VC999/K8 TA/220-220 W1000, serial number: 1307105, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 40 A, 18 kW, plastic belt, belt width: 680 mm, divider width: 660 mm, divider height: 5 mm, distance between dividers: 910 mm, with Garner Denver vacuum pump, type: VWP 1000 (06), year of construction: 2007, total dimensions: 3650 mm x 1300 mm x 2020 mm, belt width outfeed conveyor: 840 mm, dimensions outfeed conveyor: 1200 mm x 1050 mm x 1100 mm, turning table dimensions: Ø 1200 mm x 700 mm. Including suction device for rest film, dimensions: 1350 mm x 780 mm x 2090 mm.	4000
106	Inauen Maschinen AG	Inauen Maschinen AG dip tank, type: VC999/85.47i E 30 kW, serial number: 95T071313, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 44 A, 30.5 kW, inside dimensions: 1000 mm x 525 mm x 350 mm, clearance: 520 mm x 350 mm, roller width: 480 mm, total dimensions: 1600 mm x 900 mm x 1430 mm.	2500
107	Inauen Maschinen AG	Inauen Maschinen AG shrink tunnel, type: VC999/33.78 i, serial number: 9497 049, 400 V, 3 Ph, 50 Hz, 20 A, 12 kW, s/s mesh belt, belt width: 780 mm, clearance: 860 mm x 390 mm, total dimensions: 2000 mm x 1200 mm x 1530 mm.	2500
108	Sleegers Technique	Sleegers Technique mobile s/s turning table, dimensions: 1050 mm x 1050 mm x 1150 mm.	500
109	Günther	Günther injector, type: PIH 57 M, serial number: 35620, year of construction: 2017, 400 V, 16 A, 2 kW, 30 l/min, plastic mesh belt, belt width: 260 mm, 57 needles, total dimensions: 1800 mm x 740 mm x 2230 mm. Including s/s mobile filter tub, dimensions: 1450 mm x 480 mm x 1580 mm.	2000
110	Marel	Marel in-line massaging and marinating drum, model: Valuedrum, serial number: 3879503, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 8 kW, weight: 1100 kg, plastic mesh belt, belt width: 405 mm, diameter drum: 865 mm, total dimensions: 3450 mm x 2000 mm x 2050 mm.	17500
111	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: PH20E, number: 1630774, year of construction: 2015, 400-460 V, 3 Ph, 50/60 Hz, 38 A, 23 kW, dimensions: 2200 mm x 1400 mm x 2130 mm. Including s/s tool trolley.	7500
112	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile high-speed length portioning machine, type: FSL 210, serial number: 2100064, year of construction: 2015, 400-460 V, 3 Ph, 50/60 Hz, 10 A, 7 kW, weight: 548 kg, total dimensions: 2200 mm x 1400 mm x 2130 mm.	3500
113	Hema Technologies	Hema Technologies can seaming line consisting of:Hema Technologies lidder for cans, with denester, steel chain with	4000



Nr	Title	Description	Start €
		dividers, clearance: 110 mm x 100 mm, dimensions: 3460 mm x 800 mm x 2050 mm. Hema Technologies can seamer, type: SHV 60, serial number: 196, year of construction: 1990, dimensions: 1550 mm x 1200 mm x 1850 mm.	
114	Fessmann	Fessmann cooking chamber for 2 trolleys, year of construction: 2009, inside dimensions: 2200 mm x 1100 mm x 2000 mm, total dimensions: 2700 mm x 1060 mm x 2700 mm.	3000
115	Carnitech	Carnitech giraf product screw, type: Giraf model B, serial number: 04-0251, year of construction: 2005, 400 V, 3 PH, 50 Hz, screw diameter: 230 mm, tier: 190 mm, elevating height: 2000 mm, total dimensions: 1000 mm x 1000 mm x 2400 mm. Including mobile s/s infeed bunker, dimensions: 1400 mm x 400 mm x 400 mm. Including trolley for screw, dimensions: 1300 mm x 500 mm x 970 mm.	2750
116	FAM	FAM dicer, type: CHD-3D, serial number: 4362, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 7.5 kW, weight: 475 kg, working width: 220 mm, total dimensions: 1500 mm x 1300 mm x 2050 mm.	4500
117	Medoc S.A.	Medoc S.A. bandsaw, model: Beta 300 CE, number: 830 241, year of construction: 1998, 220/380 V, 50 Hz, 6.3/3.65 A, 1.49 kW, table dimensions: 600 mm x 500 mm, total dimensions: 750 mm x 600 mm x 1780 mm.	1000
118	Busch	Busch rotary vane vacuum pump, type: R5 RA 0302 D, capacity: 300 m ³ /h, on s/s frame with s/s cover, dimensions: 1500 mm x 650 mm x 970 mm.	1000
119	Reich	Reich bandsaw, table dimensions: 700 mm x 500 mm, total dimensions: 700 mm x 600 mm x 1400 mm.	1200
120	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, model E3, year of construction: 2005, 230 V, 50 Hz, weigher DMS, dimensions: 1400 mm x 800 mm x 1550 mm.	500
121	Inject Star	Inject Star vacuum tumbler installation, model: HS 5, capacity: 500 liter, weight of raw material: 250-350 kg, voltage: 400 V, 3 Ph, 50 Hz, turnover regulation: Mechanical, vacuum tumbler weight: 700 kg. Five removable barrels in the set.	2000
122	Gruppo Fabbri Vignola S.p.A.	Gruppo Fabbri Vignola S.p.A. packaging machine, model: B-241, serial number: 5-429, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 10 A, weight: 610 kg, belt width: 175 mm, dimensions: 2400 mm x 950 mm x 1720 mm. Cover and display are broken.	1750
123	Inject Star	Inject Star brine preparation unit, type: CLB-800-COOL, serial number: LB800-172, year of construction: 2010, 3x400 V, 50 Hz, 9 kW, capacity: 800 liter, total dimensions: 1800 mm x 1600 x 1720 mm. Including Inject Star infeed bunker, dimensions: 900 mm x 650 mm x 1420 mm.	4500
124	Carnitech	Carnitech mixer-grinder, model: CT3204, year of construction: 2005, 400V, 3 Ph, 50 Hz, dimensions: 3900 mm x 1450 mm x 2500 mm. Including trolley for components, dimensions: 1800 mm x 700 mm x 1100 mm.	10000



Nr	Title	Description	Start €
125	Carnitech	Carnitech mixer, model: CT3046, year of construction: 2005, 400V, 3 Ph, 50 Hz, dimensions: 3200 mm x 1600 mm x 2300 mm.	10000
126	Alco	Alco giraf product screw, model: AGS 350/2100, serial number: 03863232, year of construction: 2021, 400 V, 50 Hz, 6.6 kW, weight: approx. 800 kg, elevating height: 1950 mm, total dimensions: 2700 x 2300 x 3200 mm.	2500
127	Ulma	Ulma stretch wrap packaging machine, model: GALAXY, machine number: 2103133, year of construction: 2003, 400 V, 50 Hz, 11 A, 2.8 kW, plastic wire belt, belt width: 250 mm, total dimensions: 3650 mm x 950 mm x 1550 mm.	1000
128	Schröder	Schröder brine mixing tank, type: PB-FIF, serial number: RB.309.04, year of construction: 2004, 400 V, 50 Hz, 2 A, 1 kW, inside dimensions: Ø 1100 mm x 1150 mm, total dimensions: 1300 mm x 1550 mm x 2200 mm.	2500
129	Fessmann	Fessmann smoke chamber for 1 trolley, inside dimensions: 1090 mm x 1030 mm x 2000 mm, with smoke generator, total dimensions: 1780 mm x 1280 mm x 2550 mm.	5000
130	Fessmann	Fessmann smoke chamber for 1 trolley, inside dimensions: 1090 mm x 1030 mm x 2000 mm, with smoke generator, total dimensions: 1780 mm x 1280 mm x 2550 mm.	5000
131	Alco	Alco mobile giraf product screw, weight: approx. 800 kg, elevating height: 1950 mm, total dimensions: 2300 x 2300 x 3400 mm.	2500
132	NN tumbler for meat bins	S/s tumbler for 200 liter meat bins, dimensions: 1800 mm x 1850 mm x 1360 mm.	1000
133	Sealpac	Sealpac traysealer, model: 800+, serial number: TVG 01 1120 01, year of construction: 2004, 400 / 230 V, 3 Ph, 50 Hz, 10 kW, weight: 2000 kg, dye dimensions: (5x) 200 mm x 155 mm, total dimensions: 6600 mm x 900 mm x 2200 mm. Including dye trolley, dimensions 1600 mm x 1000 mm x 1400 mm.	5000
134	Sealpac	Sealpac traysealer, model: 800+, serial number: TVG 01 1124 01, year of construction: 2004, 400 / 230 V, 3 Ph, 50 Hz, 10 kW, weight: 2000 kg, dye dimensions: (6x) 170 mm x 130 mm, total dimensions: 6600 mm x 900 mm x 2200 mm. Including trolley for dyes, dimensions 1600 mm x 1000 mm x 1400 mm.	5000
135	Henkovac	Henkovac traysealer, model: TPS-950, serial number: 29.07.10.22, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 15 A, weight: 500 kg, dimensions dyes: (2x) 250 mm x 165 mm, outfeed roller conveyor, roller width: 490 mm, total dimensions: 2650 mm x 1040 mm x 1400 mm. Missing cover.	3500
136	Heinen / Lagafors	Heinen / Lagafors spiral freezer, serial number: 01101071 / P011502, year of construction: 2017, plastic mesh belt, belt width: 450 mm, infeed height: 620 mm, outfeed height: 2800 mm, total dimensions: 6300 mm x 2900 mm x 3140 mm.	25000
137	Skind Easy	Skind Easy s/s co-extrusion tub, inside dimensions: 1700 mm x 400 mm x 150 mm, total dimensions: 1765 mm x 700 mm x 1400 mm.	750



Nr	Title	Description	Start €
138	Nock	Nock mobile strip cutter, type: quattro slicer, serial number: 4751640, year of construction: 2015, 400 V, 50 Hz, 49 and 20 knives, distance between knives: 8 mm and 20 mm, working width: 380 mm, total dimensions: 1350 mm x 1790 mm.	1500
139	AIA	AIA evaporator with 2 fans, model: NE40-124F-XD-3-1/4"-EN, number: 0800684, year of construction: 2008, 230 V, 50 Hz, 1.05 A, 0.24 kW, dimensions: 1150 mm x 500 mm x 500 mm.	150
140	Alco	Alco double shaft cooled vacuum mixer with lifter for 200 liter meat bins, type: AMP 3000 V, number: 04512202, 380 V, 3 Ph, 50 Hz, capacity: 3000 liter, Busch vacuum pump, type: RA 0160 D 5ZI QLZZ, number: C0438000115, capacity: 160 m ³ per hour, dimensions mixer: 3700 mm x 1700 mm x 2900 mm. Lifter type: K 7, serial number: 3593, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 205 A, 0.75 kW, maximum capacity: 300 kg, dimensions: 1450 mm x 1300 mm x 3400 mm. Including s/s platform, dimensions: 2100 mm x 800 mm x 2400 mm.	20000
141	AIA	AIA evaporator with 2 fans, model: EVFC 7-8-N1-1-E1, 230 V, 1 Ph, 50 Hz, 0.65 A, 0.127 kW, dimensions: 1140 mm x 700 mm x 500 mm.	150
142	Meissner	Meissner bowl cutter with lifter for 200 liter meat bins and ejector, type: VD-200, serial number: 169.147, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 140 A, capacity: 200 liter, total dimensions: 3200 mm x 2700 mm x 1800 mm. Including switch cabinet, dimensions: 2210 mm x 550 mm x 1850 mm.	5000
143	Inject Star	Inject Star separator, model: P60, 400 V, 3 Ph, 18 kW, weigh: 4100 kg, dimensions: 4900 mm x 1900 mm x 2900 mm.	5000
145	Hermann Waldner GmbH	Hermann Waldner GmbH cup filling and sealing machine, type: Dosomat 2.3 SERVO, serial number: 2278, year of construction: 2009, 400 V, 50 Hz, 32 A, 8000 units per hour, weight: 2000 kg, dye dimensions: (3x) Ø 95 mm, total dimensions: 2300 mm x 1850 mm x 2500 mm, with CIP tank on s/s mobile frame, type: CIP wagen, serial number: 13025, 400 V, 3 Ph, 50-60 Hz, 16 A, 10.5 kW, inside dimensions: Ø 690 mm x 540 mm, total dimensions: 1500 mm x 800 mm x 1360 mm.	4500
146	Repak	Repak thermoformer, type: RE 25, serial number: 250003, year of construction: 2005, 240/400 V, 3 Ph, 50 Hz, 32 A, 13 kW, dye: 185 mm x 125 mm, index: 450 mm x 415 mm, with Busch vacuum pump, total dimensions: 8500 mm x 1200 mm x 2000 mm. Including Busch suction device for rest film.	7500
147	Pekmont	Pekmont immersion scalding and dehairing line, consisting of: Pekmont immersion scalding, type OP-3p, number: 28, year of construction: 2010, 400 V, 2.2kW, weight: 1450 kg, dimensions: 3300 mm x 2800 mm x 2300 mm. Pekmont dehairing, type: SP-1, number: 24, year of construction: 2010, 400 V, 11 kW, weight: 2100 kg, dimensions: 2800 mm x 1500 mm x 2100 mm. S/s table, dimensions: 2200 mm x 1750 mm x 1050 mm.	5000



Nr	Title	Description	Start €
148	Hermann Waldner GmbH	Hermann Waldner GmbH cup filling and sealing machine, type: Dosomat 2.3, serial number: 2542, year of construction: 2013, 400 V, 3 Ph, 50-60 Hz, 35 A, 24 kW, 7200 units per hour, weight: 2600 kg, dye dimensions: (3x) 100 mm x 75 mm, film width: 380 mm, total dimensions: 2400 mm x 2850 mm x 2420 mm, with CIP tank on s/s mobile frame, inside dimensions: Ø 1000 mm x 820 mm, total dimensions: 2350 mm x 1030 mm x 2300 mm. including s/s trolley with densters, dimensions: 1500 mm x 800 mm x 1050 mm, and palletbox with extra parts, dimensions: 1200 mm x 1000 mm x 1500 mm.	5500
149	Multivac	Multivac belt vacuum machine, type: B890, machine number 270, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 25 A, 7 kW, plastic belt with dividers, plastic belt width: 600 mm, distance between dividers: 75 mm, divider height: 30 mm, Busch vacuum pump, type: RA 0250 C 4ZI QMZZ, capacity: 250 m ³ /h, total dimensions: 1700 mm x 1100 mm x 1250 mm.	1500
150	Marelec	Marelec checkweigher, type: M1-F10, serial number: 7132, year of construction: 10/2020, plastic mesh belt, belt width: 300 mm, total dimensions: 2000 mm x 900 mm x 1600 mm.	1000
152	Searle	Searle evaporator with 2 fans, model: KS35-5, serial number: 102538, medium: HCFCs & HFCs, dimensions: 1150 mm x 370 mm x 470 mm.	150
153	Marel	Marel grader, type: M2200-A01, serial number: A025708, max weight: 0.6/1.5/3 kg, min weight: 40/100/200g, plastic mesh belt, belt width: 305 mm, 6 rejecters, total dimensions: 2900 mm x 850 mm x 1600 mm.	4000
154	AIA	AIA evaporator with 2 fans, year of construction: 2008, dimensions: 1150 mm x 500 mm x 510 mm.	150
155	AIA	AIA evaporator with 2 fans, dimensions: 1150 mm x 500 mm x 510 mm.	150
156	Cryovac	Cryovac flowpacker, model: CJ50 MD-BDF, serial number: S91190098, year of construction: 01/1999, 400 V, 50 Hz, 6 A, 4 kW, air pressure: 6 bar, water pressure: 2.5 bar, plastic belt, belt width: 220 mm, seal length: 260 mm, total dimensions: 5150 mm x 1000 mm x 1880 mm.	4000
157	Carnitech	Carnitech mobile fat analyser, type: CT3601, number: 04-0032, year of construction: 2005, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 550 mm, total dimensions: 2300 mm x 1400 mm x 1780 mm.	1500
158	Carnitech	Carnitech mobile fat analyser, type: CT3601, number: 04-0031, year of construction: 2005, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 550 mm, total dimensions: 2300 mm x 1400 mm x 1780 mm.	1500
159	EDT	EDT hygiene station with sole and booth cleaner, hand disinfection and tourniquet, type: EDT1452, number: DSR100008IX131, year of construction: 2008, 230/400 V, 6/10 A, 210 kW, brush length: (2x) 600 mm, brush height: (2x) 400 mm, total dimensions: 2600 mm x 900 mm x 1725 mm.	4500



Nr	Title	Description	Start €
161	EDT	EDT Hygiene station with sole cleaner, hand disinfection and tourniquet, brush length:(2x) 900 mm, total dimensions: 2000 mm x 870 mm x 1740 mm.	3500
162	Bicold	Bicold condenser, refrigerant: R404A, dimensions: 1100 mm x 600 mm x 1150 mm.	500
163	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 573, 380 V, 50 Hz, 25.7 A, 10.9 kW, filling and portioning, dimensions: 1900 mm x 1400 mm x 2870 mm. Incomplete, missing among other rotor and vanes.	4000
164	Bicold	Bicold condenser, refrigerant: R404A, dimensions: 1100 mm x 650 mm x 1250 mm.	500
165	EDT	EDT hygiene station with hand disinfection and tourniquet, type: DSRKMHDDB07XI001, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, 10 A, 110 kW, total dimensions: 2700 mm x 1000 mm x 1740 mm.	4000
166	Inauen Maschinen AG	Inauen Maschinen GmbH vacuum machine, type: VC999/07 DF15 220, machine number: 07062459, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, 5-6 bar, seal length: 440 mm and 950 mm, chamber dimensions: 440 mm x 950 mm, Rietschle vacuum pump, total dimensions: 1250 mm x 760 mm x 1100 mm.	1250
167	Unipak	Unipak cup filling machine, type: PKG-2, year of construction: 1997, dimensions cups: 105 mm x 105 mm, dimensions lid: 115 mm x 115 mm, belt width: 170 mm, total dimensions: 2400 mm x 1150 mm x 2000 mm. Missing cover.	1500
168	NN sole cleaner	Sole cleaner, brush length: (2x) 1000 mm, total dimensions: 2040 mm x 640 mm x 1240 mm.	1500
169	ITEC Food Technology	ITEC Food Technology hygiene station with sole cleaner, hand disinfection and tourniquet, type: 23872, serial number: 0025, order number: 49447, year of construction: 11/2003, 400 V, 3 Ph, 50 Hz, 0.3 kW, brush length: (2x) 900 mm, total dimensions: 1950 mm x 1000 mm x 2000 mm.	3500
170	Inject star	Inject star double injector, type: BI-408-C/152, serial number: BI408-169, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 26 kW, belt width: 600 mm, (2x) 76 needles, total dimensions: 2900 mm x 1100 mm x 2300. Including mobile filter tub, dimensions: 2150 mm x 600 mm x 1050 mm.	3000
171	Elpek	Elpek hygiene station with sole cleaner, hand disinfection and tourniquet, type: 142-001, serial number: SR1115028, year of construction: 11/2015, 230/400 V, 3 Ph, 50 Hz, 500 W, brush length: (2x) 700 mm, total dimensions: 1500 mm x 1000 mm x 1640 mm.	3500
172	NN sole cleaner	Sole cleaner, type: 142-0040-02, serial number: SR1115029, year of construction: 11/2015, 400/230 V, 3 Ph, 50 Hz, 500 W, brush length: 400 mm, total dimensions: 1100 mm x 1600 mm x 1200 mm.	700
173	Inject Star		4000



Nr	Title	Description	Start €
		Inject Star separator, type: P-20, number: 332, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 8.2 kW, perforations: 1 mm, total dimensions: 2000 mm x 900 mm x 1850 mm.	
174	Airpol	Airpol screw air compressor, type: PR75, serial number: P00250110, 10 A, 7.5 kW, dimensions: 2800 mm x 1420 mm x 1720 mm.	1500
176	Meissner	Meissner bowl cutter, type: RSM45, number: 458918, year of construction: 2018, 230/400 V, 3 Ph, 50 Hz, 39/50 A, s/s bowl and knives, capacity: 45 liter, dimensions: 1110 mm x 1300 mm x 1250 mm.	8000
177	Ceia S.p.A.	Ceia S.p.A. mobile pipeline metal detector, model: THS/PL-63, serial number: 20600226014, 230 V, 50-60 Hz, clearance: \emptyset 100 mm, total dimensions: 580 mm x 360 mm x 1580 mm.	750
178	Gardner Denver Deutschland GmbH	Gardner Denver Deutschland GmbH rotary screw air compressor, type: L75-8, id-number: 349022/1806, year of construction: 2004, 400 V, 3 Ph, 50 Hz, volume rate of flow: 10.1 m ³ /min, motor capacity: 75 kW, weight: 1220 kg, dimensions: 1800 mm x 1200 mm x 1640 mm.	1500
179	Carsoe	Carsoe trimming table, s/s frame, plastic belt, type: TRIMMING TABLES X 3, SO-number: SO 14153, year of construction: 2018, 3x400 V, 0.18 kW, belt width: (2x) 130 mm, total dimensions: 3600 mm x 900 mm x 1300 mm, dimensions switch cabinet: 800 mm x 220 mm x 1050 mm.	2000
180	FAM	FAM dicer, type: CHD, serial number: 4363, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 7.5 kW, working width: 220 mm, total dimensions: 1550 mm x 1300 mm x 2030 mm. Incomplete.	2500
181	Kolbe	Kolbe bandsaw, type: K410, serial number: 49 230 ET, year of construction: 1990, table dimensions: 970 mm x 880 mm, total dimensions: 970 mm x 880 mm x 1820 mm.	1500
182	Cryovac	Cryovac belt vacuum machine, model: VS 85, serial number: A03600404, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 20 A, 7 kW, plastic belt, belt width: 535 mm, total dimensions: 2600 mm x 1100 mm x 2050 mm.	1750
183	Schröder	Schröder brine mixing tank, dimensions: 1900 mm x 1300 mm x 2300 mm.	2000
184	Grote	Grote slicer/applicator, model: S/A-530-2E, serial number: 1158251, 400 V, 3 Ph, 50 Hz, diameter: (2x) 110 mm, total dimensions: 2000 mm x 1000 mm x 2000 mm.	4000
185	Campesa S.A.	ELS labelling machine with top and bottom labeller, machine number: 8677/2011, 230 V, 50-60 Hz.	50
186	Maurer AG	Maurer AG cooking chamber for 2 trolleys, type: SKK 3621 ND, serial number: 0275360, year of construction: 2003, 400 V, 50 Hz, 10.0 A, 3.0 kW, inside dimensions: 2100 mm x 1100 mm x 2100 mm, total dimensions: 2480 mm x 1470 mm x 2600 mm.	4500
187	Tramper	Tramper denester, type: D-360, serial number: 057, year of construction: 2013, 400 Vac, 6 bar, 160 kg, dimensions tray:	1250



Nr	Title	Description	Start €
		(3x) 200 mm x 145 mm, total dimensions: 950 mm x 920 mm x 1400 mm.	
188	ANTTI Lindfors OY	ANTTI Lindfors OY mobile elevating belt, type: Hiku, serial number: 3205, year of construction: 2009, 0.85 kW, plastic belt, belt width: 400 mm, elevating height: 1250 mm, total dimensions: 2400 mm x 1200 mm x 1320 mm.	500
189	Scanvaegt / Marel	Scanvaegt / Marel portion cutter, type: B-55, serial number: 7143.80.0430, year of construction: 26-08-2004, 400 V, 3 Ph, 50/60 Hz, 20 A, 10 kW, plastic belt, belt width: 290 mm, clearance: 390 mm x 190 mm, total dimensions: 3400 mm x 1650 mm x 2000 mm.	7500
190	Spomasz Poland	Spomasz Poland bowl cutter with s/s bowl and knives, bowl diameter: 900 mm, total dimensions: 1420 mm x 1050 mm x 1220 mm.	2000
191	Sealpac GmbH	Sealpac GmbH traysealer, type: SEALPAC 800+, serial number: TVG 01 1125 01, year of construction: 2004, 230/400 V, 3 Ph, 10 kW, 2000 kg, chain belt, belt width: 40 mm, clearance: 340 mm x 110 mm, total dimensions: 3600 mm x 1000 mm x 2100 mm. Including outfeed belt, dimensions: 4000 mm x 1000 mm x 1150 mm.	5000
192	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic double clipper, type: FCA 3461, serial number: 753/97, 400 V, 50 Hz, 16 A, dimensions: 1200 mm x 1300 mm x 1700 mm. Incomplete, technical condition unknown.	1000
193	Verinox	Verinox oven / marking and cooling line, model: TU40, serial number: 3259, year of construction: 2012, 400 V, 130 kW, s/s mesh belt, belt width: 400 mm, clearance: 350 mm x 220 mm, total dimensions: 3520 mm x 880 mm x 1800 mm, 2550 mm x 850 mm x 1810 mm and 4100 mm x 1100 mm x 1150 mm. Including switch cabinets, dimensions: 1680 mm x 600 mm x 2200 mm.	10000
194	Inotec GmbH	Inotec GmbH mobile emulsifier, type: 175CD-75D, machine number: 101-01007, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 142 A, 87 kW, weight: 750 kg, inside dimensions: 1100 mm x 1100 mm x 500 mm, total dimensions: 2100 mm x 1150 mm x 1240 mm. Missing complete head, knives and plates.	6000
195	NN flattener	Mobile flattener, plastic belt, belt width: 650 mm, total dimensions: 2400 mm x 960 mm x 1380 mm.	1500
196	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, type: FALCON conti, machine number: 461005.154538.109916, year of construction: 2010, 24/380/480 V, 3 Ph, 50/60 Hz, 18/22/32 A, 8.6/11.7 kW, clearance: 260 mm x 220 mm, dimensions: 4300 mm x 1400 mm x 1900 mm. Without belt. Including s/s tool trolley with knife holders, dimensions trolley: 1400 mm x 750 mm x 1600 mm.	15000
197	Cryovac	Cryovac shrink tunnel, type: STE98-800, serial number: SN00915, year of construction: 2016, 380-400 V, 3 Ph, 50 Hz, 78 A, 54 kW, 620 kg, s/s mesh belt, belt width: 850 mm,	2500



Nr	Title	Description	Start €
		clearance: 825 mm x 275 mm, total dimensions: 1230 mm x 540 mm x 1760 mm.	
198	Hobart	Hobart combi steamer, type: CD.20126, serial number: 81.825.475, 415 V, 3 Ph, 50 Hz, 20 floors, floor dimensions: (20x) 325 mm x 535 mm, total dimensions: 1100 mm x 1150 mm x 1920 mm.	500
199	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: FALCON, machine number: 460002.61806.100482, year of construction: 2005, 24/400/480 V, 3 Ph, 50/60 Hz, 9.6/11.5/25 A, 8.0 kW, clearance: 280 mm x 170 mm, total dimensions: 2800 mm x 1300 mm x 1750 mm. Missing outfeed belt.	5000
200	Cryovac	Cryovac drying tunnel, type: WR81-800, serial number: SN01307, year of construction: 2016, 400-460 V, 3 Ph, 50 / 60 Hz, 32 A, 17.6 kW, s/s mesh belt, belt width: 845 mm, working width: 800 mm, clearance: 810 mm x 300 mm, total dimensions: 2050 mm x 1320 mm x 1650 mm.	2500
201	Busch	Busch vacuum pump, type: Mink MM 1252 AVE, serial number: 1000G1766, year of construction: 2010, 3000/3600 min-1, capacity: 250/300 m3/h, 100hPa (mbar), dimensions: 1200 mm x 520 mm x 850 mm.	1000
202	Busch	Busch vacuum pump, type: Mink MM 1252A VE3, serial number: 120035512, year of construction: 2012, 3000/3600 min-1, capacity: 250/300 m3/h, 100hPa (mbar), dimensions: 1200 mm x 520 mm x 850 mm.	1000
203	Busch	Busch vacuum pump, type: Mink MM 1252 AVE, serial number: 100061768, year of construction: 2010, 3000/3600 min-1, capacity: 250/300 m3/h, 100hPa (mbar), dimensions: 1200 mm x 520 mm x 850 mm.	1000
204	Kronen	Kronen slicer, type: GS 10, serial number: 711, year of construction: 2013, 230 V, 1 Ph, 50/60 Hz, 1.8 kW, plastic belt, belt width: 130 mm, clearance: 125 mm x 150 mm, total dimensions: 1500 mm x 680 mm x 1280 mm. Including s/s trolley, dimensions: 1370 mm x 610 mm x 1080 mm.	1500
205	Schröder	Schröder injector, type: IMAX 520, serial number: 520 2010 01, year of construction: 2001, 400 V, 50/60 Hz, 18 A, 9 kW, s/s walking beam, beam width: 510 mm, total dimensions: 2250 mm x 1600 mm x 2350 mm. Including filter tub, dimensions: 1900 mm x 1200 mm x 1500 mm.	500
206	Reich	Reich bandsaw, number: 6479, table dimensions: 860 mm x 820 mm, total dimensions: 1200 mm x 930 mm x 2200 mm.	750
207	Reich	Reich bandsaw, number: 6477, table dimensions: 860 mm x 820 mm, total dimensions: 1200 mm x 930 mm x 2200 mm.	750
208	CAB	CAB label printer, model: A4+/300P, serial number: 0150139 Y47, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm.	200
209	Inotec GmbH	Inotec GmbH micro cutter, type: I175CD-75D, machine number: 101-00490, year of construction: 2006, 230/400 V, 3	9000



Nr	Title	Description	Start €
		Ph, 50 Hz, 142 A, 88 kW, plate diameter: 175 mm, dimensions: 1950 mm x 1150 mm x 1250 mm.	
210	Reich	Reich bandsaw, year of construction: 2005, 230 V, 50 Hz, 2.2 kW, table dimensions: 820 mm x 660 mm, total dimensions: 880 mm x 810 mm x 1900 mm. Missing saw.	750
212	CAB	CAB label printer, model: A4+/300P, serial number: 0041296 Q34, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
213	CAB	CAB label printer, model: A4+/300P, serial number: 0091230 U29, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
214	CAB	CAB label printer, model: A4+/300P, serial number: 0176063 A25, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
215	CAB	CAB label printer, model: A3/300P, serial number: 0019597 O50, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
216	CAB	CAB label printer, model: A3/300P, serial number: 0019589 O50, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
217	CAB	CAB label printer, model: A3/300P, serial number: 0019591 O50, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
218	NN bandsaw	S/s bandsaw, table dimensions: 680 mm x 750 mm, total dimensions: 930 mm x 750 mm x 1980 mm. Missing saw.	750
219	CAB	CAB label printer, model: A3/300P, serial number: 0022015 P13, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
220	Reich	Reich bandsaw, year of construction: 2012, 50 Hz, 5.3 A, 2.2 kW, table dimensions: 860 mm x 820 mm, total dimensions: 990 mm x 820 mm x 2190 mm. Missing saw.	750
221	Risco S.p.A.	Risco S.p.A. vacuum filling machine with lifter for 200 liter meat bins, type: RS 505, serial number: C806029, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 11 kW, machine weight: 1000 kg, total dimensions: 2000 mm x 1400 mm x 2100 mm.	12000
222	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 4333, year of construction: 1999, 400 V, 50 Hz, 17 A, 6.5 kW, dimensions: 2300 mm x 1450 mm x 1950 mm. Including linking attachment and case holding device.	3500
223	Handtmann	Handtmann mobile linking and hanging line, type: 216-21, serial number: 1433, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5 kW, dimensions: 1400 mm x 700 mm x 1250 mm. Handtmann hanging line, type: 220-16, serial number: 1677, year of construction: 2007, dimensions: 2400 mm x 730 mm x 1340 mm.	2500
224	Food Tech	Food Tech contact cooker, type: KBA 550/2500, serial number: 0103.10, year of construction: 10/2010, teflon belts, belt	12000



Nr	Title	Description	Start €
		width: (2x) 540 mm, total dimensions: 2700 mm x 1300 mm x 1650 mm.	
225	Rational AG	Rational AG combi steamer, type: CPC 61, serial number: E61CD03061091383, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 10 kW, 6 floors, floor dimensions: (6x) 540 mm x 330 mm, total dimensions: 900 mm x 770 mm x 820 mm.	1000
226	CFS	CFS steaker type: STK600, serial number: 126, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.5 A, 0.55 kW, weight: 160 kg, s/s mesh belt, belt width: 600 mm, working width: 575 mm, total dimensions: 1700 mm x 870 mm x 1330 mm.	750
227	Tipper Tie Alpina	Tipper Tie Alpina automatic double clipper, type: Swipper 18-15, serial number: 855.563, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 15 A, 6-7 bar, dimensions: 1250 mm x 1100 mm x 2120 mm. Missing matrix and outfeed conveyor. Technical condition unknown.	6000
228	Tipper Tie Alpina	Tipper Tie Alpina automatic double clipper, type: Swipper 15-12, serial number: 854.073, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 15 A, 7.5 kW, 6 bar, dimensions: 980 mm x 750 mm x 1740 mm. Technical condition unknown.	3000
229	Tipper Tie Alpina	Tipper Tie Alpina automatic double clipper, type: DC 15/12, serial number: 852.001, 400 V, 3 Ph, 50 Hz, 10 bar, dimensions: 1140 mm x 1160 mm x 1760 mm. Technical condition unknown.	3000
230	Suhner	Suhner injector, type: WS20, serial number: 9920913, 400 V, 50 Hz, 3.2 A, 1.1 kW, s/s belt, belt width: 285 mm, 19 needles, total dimensions: 1230 mm x 540 mm x 1760 mm.	750
231	Heat and Control	Heat and Control linear oven, model: 20/21 Electric MPO, serial number: SNA 35438, 380 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 600 mm, electric heated, total dimensions: 9230 mm x 1610 mm x 2530 mm.	3000
232	Rühle	Rühle vacuum tumbler with lifter for 200 liter meat bins, type: MGR 900, serial number: 0140, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 31.4 A, 16.1 kW, capacity: 900 liter, with Busch vacuum pump, type: KG0016 E 3z0, serial number: D14291738, Vmax = 19 m ³ /h, total dimensions: 2000 mm x 2200 mm x 2450 mm. Missing parts of lifting arm.	4000
233	Nowicki	Nowicki s/s vacuum tumbler, type: MA-3600 PSCH, serial number: 22703025, year of construction 2003, 400 V, 3 Ph, 5.3 / 11.1 kW, capacity: 3600 liter, weight: 2000 kg, clearance: Ø 600 mm, with Busch vacuum pump, type: RC 0063 E 501, serial number: 03007773, 20 hPa, total dimensions: 3200 mm x 1750 mm x 2050 mm.	4000
234	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic double clipper, model: FCA 160, 3x400 V, 50/60 Hz, 6.0 A, 4.0 kW, 5-7 bar, 625 kg, dimensions: 1500 mm x 1200 mm x 1900 mm.	30000
235	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic double clipper, type: FCA 3463, 400 V, 3 Ph, 50/60 Hz, plastic belt, belt width: 75 mm, total dimensions: 1300 mm x 1100 mm x 2000 mm.	9500



Nr	Title	Description	Start €
236	Nowicki	Nowicki s/s vacuum tumbler, inside dimensions: Ø 1300 mm x 1800 mm, clearance: 440 mm, with Busch vacuum pump, total dimensions: 3100 mm x 1400 mm x 1780 mm.	4000
237	Andritz	Andritz waste water system, consisting of: flotation unit, Andritz centrifuge, type: D2LC30BHP, number: 80.5799, year of construction: 2009, 15 kW, 5000 rpm, drum diameter: 260 mm, operating range: 2-70°C, maximum solid particle density: 1.2 kg/dm ³ , curved s/s screen and reaction chamber.	15000
238	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic double clipper, number: 332/06, plastic belt, belt width: (2x) 75 mm, dimensions: 1600 mm x 1300 mm x 1900 mm.	15000
239	Baader	Baader mobile separator, type: 600-501, serial number: 121700210/10, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 5.6 A, 2.2 kW, weight: 290 kg, drum diameter: 210 mm, belt width: 180 mm, total dimensions: 1050 mm x 900 mm x 1270 mm. Incomplete, missing among other belt and drum.	500
240	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH cooking chamber for 1 trolley, dimensions: 3900 mm x 1940 mm x 2700 mm. Technical condition unknown.	3500
241	Niro-Tech	Niro-Tech three-shaft whip washer, capacity: 120 pcs/h, 400 V, 6.6 kW, dimensions: 1950 mm x 1750 mm x 3700 mm.	4500
242	Niro-Tech	Niro-Tech stunning box, 210 kg, dimensions: 1506 mm x 784 mm x 2432 mm.	2500
244	WVG Kainz	WVG Kainz E2 AND E1 crate washer, steam heated, double row, including blower-dryer, belt width: 500 mm, clearance: 500 mm x 300 mm, dimensions washer: 2000 mm x 1100 mm x 3000 mm. Including conveyors, crate buffer and approximately 2500 crates. Already dismantled.	25000
245	Kronen	Kronen vegetable washer, type: GEWA 3800 V PLUS, serial number: 869, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 6.3 kW, inside dimensions: 2500 mm x 510 mm x 630 mm, clearance: 385 mm x 150 mm, sieve width: 620 mm, total dimensions: 3750 mm x 1300 mm x 1670 mm. Including mobile Kronen pump, type: GE 11, serial number: 193, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.2 kW.	3000
246	P.P.H.U. Szlachet-Stal	P.P.H.U. Szlachet-Stal poultry divider, type: DD-P/6, serial number: 03/01/03/12, year of construction: 2012, 1.1 kW, dimensions: 6500 mm x 1350 mm x 2100 mm.	1500
247	Henneken	Henneken s/s vacuum tumbler, inside dimensions: Ø 1400 mm x 1700 mm, clearance: Ø 500 mm, with busch vacuum pump, type: RC 0063 E 501, serial number: 070002875, year of construction: 2007, 20 hPa, total dimensions: 3000 mm x 1900 mm x 2050 mm.	3500
248	Inotec	Inotec double shaft paddle mixer, type: IM-2000, serial number: 300-00188, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 45 A, 27 kW, inside dimensions: 1220 mm x 2300 mm x 950 mm, total dimensions: 4100 mm x 2100 mm x 2250 mm.	6000



Nr	Title	Description	Start €
249	Fuji Machinery Co., Ltd.	Fuji Machinery Co., Ltd. flowpacker, model: DDWQF-F10200A, type: FW3430, serial number: D0157J525010009, year of construction: 7-2015, 200/220 V, 3 Ph, 50/60 Hz, 5 KVA, with film printing units, plastic belt, belt width: 240 mm, seal length: 295 mm, total dimensions: 5650 mm x 1500 mm x 1950 mm.	12500
250	Nowicki	Nowicki s/s vacuum tumbler, inside dimensions: Ø 1300 mm x 1800 mm, clearance: 440 mm, with Busch vacuum pump, type: RA 0040 F 5003, serial number: 080013606, year of construction: 2008, total dimensions: 3100 mm x 1400 mm x 1780 mm.	5000
251	NN tilting device	S/s tilting device for pallet boxes, clearance: 1600 mm x 1100 mm, total dimensions: 2200 mm x 1400 mm x 1800 mm.	1000
252	Inject Star	Inject Star infeed slide for Inject Star tumbler, type: Magnum 4600, number: 241, year of construction: 1996, 220 V, 3 Ph, 50 Hz, 14 kW, dimensions: 2200 mm x 1400 mm x 1800 mm.	750
254	Carsoe	Carsoe elevating belt with dividers, type: INFEED CONVEYOR, serial number: SO-12611, year of construction: 2016, 230 V, 1 Ph, 0.25 kW, plastic belt, belt width: 505 mm, divider height: 25 mm, distance between dividers: 600 mm, elevating height: 1700 mm, total dimensions: 2700 mm x 1100 mm x 2000 mm.	1750
255	Kronen	Kronen slicer/decorer, model Tona Rapid, type: 145-1002, serial number: 145-088, year of construction: 2011, 230-400 V, 1-3 Ph, 50 Hz, 32 A, 0.6-13 kW, weight: 460 kg, core diameter: 80 mm, up to 4.500 pieces per hour, total dimensions: 2000 mm x 1200 mm x 1650 mm.	950
256	NN double shaft paddle mixer	S/s double shaft paddle mixer, inside dimensions: 1200 mm x 2000 mm, total dimensions: 2700 mm x 1300 mm x 1800 mm.	7500
257	Attec Food Technology	Attec Food Technology circular saw with transport belt, type belt: RSSL300, serial number: 10854, year of construction: 1995, total dimensions: 1400 mm x 1100 mm x 1600 mm. Missing saw blade.	1500
258	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, type: HP20E, year of construction: 2020, 400-460 V, 3 Ph, 50/60 Hz, 23 kW, with Busch vacuum pump, type: KC 0040 D IZO, serial number: 090116620, year of construction: 2020, 20 hPa, total dimensions: 1460 mm x 1150 mm x 2120 mm. Including grinding head.	15000
260	SFK Systems A/S	SFK Systems A/S circular saw with transport belt, type: S690-011-007, number: 30695-1003, year of construction: 2012-08, diameter blade: 690 mm, plastic belt, total dimensions: 2200 mm x 1200 mm x 1700 mm. Missing saw blade.	1500
261	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, type: DP14E, serial number: 1580028, year of construction: 2013, 400-460 V, 3 Ph, 50/60 Hz, 25 A, 17.5 kW, dimensions: 2100 mm x 1530 mm x 2200 mm.	7500



Nr	Title	Description	Start €
262	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile linking machine, type: LPG208 Servo, serial number: 2080686, year of construction: 2018, 400-460 V, 3 Ph, 50/60 Hz, 7 A, 4.5 kW, weight: 517 kg, dimensions: 1580 mm x 860 mm x 1370 mm.	5000
263	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH sausage cutter, type: TM, serial number: 2030150, year of construction: 2006, dimensions: 680 mm x 550 mm x 1650 mm.	1750
265	Stork Protecon	Stork Protecon mobile tenderizer, type: PMT41, serial number: 329, 380 V, 3 Ph, 50 Hz, working width: 410 mm, total dimensions: 1060 mm x 750 mm x 1940 mm.	2000
269	Attec Food Technology	Attec Food Technology film wrapping machine with in- and outfeed transport belts, type: FWAL, series: 453, order number: 15860-001, year of construction: 2004, seal length: 1050 mm, plastic belts, belt width: 1000 mm and 750 mm, total dimensions: 6200 mm x 1700 mm x 1830 mm.	2000
270	Attec Food Technology	Attack Food Technology film wrapping machine with transport belt, type: FWAL, series: 453, order number: 15860-001, year of construction: 2004, seal length: 1050 mm, plastic belt, belt width: 1000 mm, total dimensions: 3400 mm x 170 mm x 1830 mm. Including extra parts.	2000
271	Metrisoft KFT / Sato	Metrisoft KFT weighing scale, type: MSAR-150-1/22, number: 07-09, 230 V, 50 Hz, minimum load: 0.1 kg, maximum load: 15 kg, e= 0.005 kg, dimensions scale: 400 mm x 300 mm, with Sato label printer, model: M-5900Rve, serial number: 6B520016, 100-120/200-240 V, 50/60 Hz, 3/1.5 A, total dimensions: 1200 mm x 700 mm x 1450 mm.	150

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

