



**Industrial
Auctions**

2081: Online auction food processing machinery,
catering and butchery equipment in Anzegem (BE)

END DATE
25 March 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	25 March 2026 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	01 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Beukenhofstraat 77A 8570 Anzegem Belgium
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Van Rijn	Van Rijn mobile bucket sealing machine, serial number: 250608, year of construction: 2015, 230 V, 3.3 kW, weight: 1000 kg, 6 bar, plastic mesh belt, belt width: 305 mm, diameter dye: 118 mm, film width: 180 mm, total dimensions: 3500 mm x 150 mm x 1550 mm. Including crate with parts and dye's, diameter dye's: 198 mm and 95 mm.	4500
2	Maschinenfabrik Bermatingen GmbH Co	Maschinenfabrik Bermatingen GmbH Co paper press, type: Horizontalballenpresse 60 SLD, serial number: 117883, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, dimensions: 4650 mm x 1950 mm x 2580 mm. Including trolley, trolley dimensions: 1300 mm x 880 mm x 1040 mm.	7500
3	Colussi Ermes	Colussi Ermes crate washing and drying line, type: L013/01, type: 9973, serial number: 1856, year of construction: 2010, maximum crate size: 600 mm x 400 mm x 330 mm, consisting of: infeed belt, plastic mesh belt, belt width: 620 mm, total dimensions: 7250 mm x 970 mm x 930 mm, washing machine with tilting device, dimensions: 7700 mm x 2500 mm x 3600 mm, dryer, dimensions: 9000 mm x 2600 mm x 3600 mm, outfeed belt, dimensions: 6160 mm x 1100 mm x 1100 mm, switch cabinet, dimensions: 1620 mm x 650 mm x 2260 mm.	10000
4	NN mixer	Mobile s/s mixer, inside dimensions: 970 mm x 360 mm x 370 mm, outlet: (4x) 45 mm, total dimensions: 1350 mm x 1000 mm x 1320 mm.	500
5	Telm	Telm can filling machine with 4 filling heads, serial number: TM117/2018, year of construction: 2018, 400 V, 50 Hz, 6 kW, weight: 1200 kg, clearance: 450 mm x 175 mm, total dimensions: 1550 mm x 1150 mm x 2030 mm. Missing belt.	500
6	Telm	Telm can closing machine, lid diameter: 42 mm, dimensions clearance: 450 mm x 175 mm, total dimensions: 1310 mm x 1060 mm x 2050 mm.	500
7	Schnitzel Master	Schnitzel Master mobile tenderizer, type: TURBO, serial number: SMTurbo 0001012003, 400 V, 50/60 Hz, 16 A, weight: 150 kg, clearance: 335 mm x 45 mm, plastic belt, belt width: 320 mm, total dimensions: 1800 mm x 680 mm x 1340 mm.	3600
8	Service 2000	Service 2000 mobile labelling machine, type: 3000.150, serial number: 2723.98, year of construction: 1998, weight: 160 kg, coat belt, belt width: 190 mm, total dimensions: 1510 mm 850 mm 1500 mm.	300
9	MKN GmbH	MKN GmbH combi steamer for 1 trolley, serial number: 66021383, 400 V, 3 Ph, 50 Hz, 32 kW, inside	500



Nr	Title	Description	Start €
		dimensions: 670 mm x 610 mm x 1550 mm, total dimensions: 1080 mm x 900 mm x 1950 mm.	
10	MKN GmbH	MKN GmbH combi steamer for 1 trolley, type: 1926520, machine number: 8, 380 V, 3 Ph, 50 Hz, 50 A, 30.8 kW, dimensions: 1100 mm x 900 mm x 1950 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 520 mm x 320 mm, dimensions trolley: 770 mm x 610 mm x 1800 mm.	1250
11	Convotherm Elektrogeräte GmbH	Convotherm Elektrogeräte GmbH combi steamer for 1 trolley, type: 0D20.20, serial number: U 102628, 380 V, 3 Ph, 92.4 A, 60.8 kW, total dimensions: 1200 mm x 1120 mm x 1850 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 660 mm x 530 mm, dimensions trolley: 860 mm x 660 mm x 1850 mm.	1250
12	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300 B, number: 1012, 380 V, 50 Hz, 17.4 A, 7 kW, dimensions: 1950 mm x 1320 mm x 2020 mm. Rollies not included.	1500
13	Kovinox	Kovinox freezer, 8 floors, floor dimensions: (8x) 600 mm x 395 mm, total dimensions: 1320 mm x 785 mm x 1930 mm.	500
14	Lainox	Lainox blast chiller, model: DBMC40T, serial number: SI020026926, 400 V, 3 Ph, 50 Hz, 3540 W, refrigerant: R404a / 7500 gram, inside dimensions: 960 mm x 810 mm x 1850 mm, total dimensions: 1400 mm x 1240 mm x 2350 mm. Including Rivacold refrigeration unit, type: 6160, serial number: 05490485, 400 V, 3 Ph, 50 Hz, 6.14 A, refrigerant: R404A, dimensions: 900 mm x 600 mm x 650 mm.	3000
15	Lainox	Lainox blast chiller, model: DBMC40T, 400 V, 3 Ph, 50 Hz, 5540 W, refrigerant: R404a / 7500 gram, inside dimensions: 960 mm x 810 mm x 1850 mm, total dimensions: 1400 mm x 1240 mm x 2350 mm. Including Rivacold refrigeration unit. type: 6160, serial number: 05490483, 400 V, 3 Ph, 50 Hz, 6.14 A, 2940 W, refrigerant: R404A, dimensions: 900 mm x 600 mm x 650 mm.	3000
16	Kolb Huizhou Ltd	Kolb Huizhou Ltd oven, type: GC-3070, serial number: GC-307013202, 230 V, 15 A, 3.3 kW, inside dimensions: 330 mm x 300 mm x 130 mm, total dimensions: 670 mm x 570 mm x 440 mm.	1250
17	Aleda	Aleda thermo container, inside dimensions: 840 mm x 615 mm x 1580 mm, total dimensions: 1020 mm x 790 mm 1930 mm.	120
18	EME	EME labelling machine, type: EME SERIE 1000, 220/240 V, 50/60 Hz, 250 W, dimensions: 770 mm x 650 mm x 1480 mm. Cart not included.	100
19	Beck Packautomaten		250



Nr	Title	Description	Start €
		Beck Packautomaten shrink tunnel, type: HV 601, serial number: 10992291, year of construction: 1999, 230/400 V, 3 Ph, 50 Hz, 19 A, clearance: 675 mm x 375 mm, s/s roller belt, roller width: 615 mm, total dimensions: 2120 mm x 1100 mm x 1560 mm.	
20	Sicli	Sicli fire extinguisher, type: AQUA 50, volume: 50 liter, dimensions: 560 mm x 540 mm x 1150 mm.	50
21	Kärcher	Kärcher mobile high pressure cleaner, type: K3.80MD, serial number: 023798, 220/240 V, 50/60 Hz, 1.7 kW, dimensions: 320 mm x 280 mm x 900 mm.	10
22	Digi Europe Ltd	Digi Europe Ltd top and bottom labeling machine, model: HI-700, LAB SHN 700, serial number: 02015600I, 08015670I, year of construction: 02, 08, 230 V, 1 Ph, 50 Hz, 10 A, air pressure: 4 bar, temperature range: 0-30°C, plastic belt, (4x) 100 mm, (2x) 230 mm, clearance: 300 mm x 200 mm, total dimensions: 1080 mm x 600 mm x 1530 mm and 1080 mm x 700 mm x 1850 mm.	2500
23	Bosch Groep	Bosch Groep vertical form-, fill-, and seal machine, type: SVB 3601 A, number: 77809INS7501N, year of construction: 1996, diameter pipe: 130 mm, film width: 450 mm, seal width: 360 mm, Gardner Denver vacuum pump, type: V-VC 75, capacity: 70.0/84.0 m ³ per hour, total dimensions: 2200 mm x 1550 mm x 2200 mm. With 6 head filling station, diameter: 145 mm, total dimensions: 1350 mm x 1050 mm x 1300 mm and ltra elevating belt with 90° curve, plastic belt, belt width: 400 mm, elevating height from 450 mm to 1150 mm, total dimensions: 3000 mm x 2350 mm x 1250 mm. Including large amount of extra parts.	3500
24	NN infeed silo for rice	S/s mobile infeed silo for rice, Ø input: 150 mm, Ø output: 150 mm, total dimensions: 1000 mm x 1000 mm x 1400 mm.	500
25	NN filter installation for rice	Filter installation for rice consisting of 2 s/s infeed silo's, Ø silos: 820 mm and 800 mm, Ø output: 150 mm, total dimensions: 1200 mm x 860 mm x 3200 mm.	500
26	DMN Westinghouse	Storage silo with DMN Westinghouse valve, type: AL 150 3N, serial number: D64815, year of construction: 2006, Axial DS: 0.14-0.15 mm, Axial NDS: 0.14-0.15 mm, Radial DS: 0.13-0.15 mm, Radial NDS: 0.13-0.15 mm, product temperature: 60 °C, 17 rpm, Ø silo: 790 mm, Ø output: 70 mm, total dimensions: 1200 mm x 860 mm x 3200 mm.	500
27	Siloba		3000



Nr	Title	Description	Start €
		6 Siloba silo's for rice with build-in weighing cell, maximum volume: 38 m ³ , dimensions silo: Ø 2800 mm x 11000.	
33	NN switch cabinet	Switch cabinet used for 6 Sibola silo's with Siemens touchscreen control panel.	1500
34	MBM	MBM cooking vessel, inside dimensions: 1045 mm x 550 mm x 440 mm, total dimensions: 1350 mm x 970 mm x 1050 mm.	500
35	Henkovac	Henkovac mobile double chamber vacuum machine, type: H-5000, machine number: 509053147, 380 V, 3 Ph, 50 Hz, 18 A, seal length: (4x) 825 mm, chamber dimensions: (2x) 845 mm x 820 mm, Busch vacuum pump, type: RA 0250 D 5Z1, capacity: 250 m ³ per hour, total dimensions: 1790 mm x 1150 mm x 1100 mm.	2000
36	Busch	Busch blower, type: SB 0530 D, 50/60 Hz, 5.5/6.3 kW, dimensions: 1200 mm x 500 mm x 570 mm.	250
37	Hobart	Hobart switch cabinet, 400 V, 3 Ph, 50 Hz, 8 kW, 15.6 A, dimensions: 650 mm x 200 mm x 1330 mm.	50
38	Strapex	Strapex mobile box closing machine with top and bottom taper, type: L-15, machine number: 7100, 220/380 V, 50 Hz, 0.7/1.1 A, plastic rollers, roller width: 515 mm, total dimensions: 1430 mm x 1020 mm x 1520 mm.	250
39	Strapex	Strapex mobile box closing machine with top and bottom taper, type: GM-50, 380 V, 0.8 A, s/s rollers, roller width: 500 mm, total dimensions: 1400 mm x 850 mm x 1600 mm.	250
40	Xerox	Xerox mobile printer, model: J-D040, 220/240 V, 50/60 Hz, 8/12 A, dimensions: 630 mm x 610 mm x 1100 mm.	200
41	Karopack	Karopack mobile strapping machine, model: DBA-130A, machine number: 03107244, 220 V, 1 Ph, 50 Hz, 0.8 kva, dimensions: 870 mm x 570 mm x 1520 mm.	250
42	Karopack	Karopack mobile strapping machine, model: DBA-130A, machine number: 03107245, 220 V, 1 Ph, 50 Hz, 0.8 kva, dimensions: 870 mm x 570 mm x 1520 mm.	250
43	TESA	TESA mobile box closing machine with top taper, plastic rollers, roller width: 300 mm, total dimensions: 1000 mm x 1000 mm x 1680 mm. Without bottom taper.	250
44	TESA	TESA mobile box closing machine with top and bottom taper, type: 6030, serial number: 2699, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 1.5 A, 400 W, plastic rollers, roller width: 300 mm, total dimensions: 1370 mm x 1000 mm x 1680 mm.	250



Nr	Title	Description	Start €
45	Rochman	Rochman mobile shrink tunnel, number: 427-4, 380 V, 9 kW, clearance: 445 mm x 270 mm, steel rollers, roller width: 445 mm, total dimensions: 1400 mm x 950 mm x 1650 mm.	250
46	TESA	TESA mobile box closing machine with top and bottom taper, type: 6030, serial number: 2700, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 1.5 A, 400 W, plastic rollers, roller width: 300 mm, total dimensions: 1370 mm x 1000 mm x 1680 mm.	250
47	Enercon Industries Ltd	Enercon Industries Ltd mobile sealing machine, model: LM5022-263, serial number: C24081-01, 230 V, 50 Hz, 10 A, working width: 310 mm x 215 mm, total dimensions: 875 mm x 570 mm x 1650 mm.	250
48	NN transport belt	NN transport belt, dimensions: 1200 mm x 850 mm x 1050 mm. Missing belt.	60
49	ME.RO S.p.A	ME.RO S.p.A cap sealing machine, model: MR/GST 2K IGBT RA, serial number: 140053, 3x400 V, 50 Hz, 4 A, 2 kW, 2.5 kva, weight: 55 kg, clearance: 60 mm x 45 mm, total dimensions: 1000 mm x 830 mm x 1800 mm.	250
50	Van Riet	Van Riet mobile transport belt, number: 6247, year of construction: 1961, plastic belt, belt width: 400 mm, total dimensions: 5000 mm x 670 mm x 850 mm.	150
51	NN transport belt	NN mobile transport belt, plastic belt, belt width: 300 mm, total dimensions: 5200 mm x 650 mm x 950 mm.	150
52	Gramegna	Gramegna wrapping and shrink tunnel, serial number: PZ.4627, year of construction: 1/1988, 380 V, 3 Ph, 23 kW, clearance: 630 mm x 430 mm, steel belt, belt width: 610 mm, plastic belt, belt width: 590 mm, seal length: 700 mm, total dimensions: 4000 mm x 140 mm x 2150 mm. Rollies not included.	250
53	Krones	Krones mobile infeed hopper with transport screw, serial number: 047-T93, year of construction: 1997, 220/380 V, 3 Ph, 50 Hz, 3 A, Ø input: 1000 mm, Ø pipe: 110 mm, screw length: 2650 mm, total dimensions: 3250 mm x 1150 mm x 2750 mm.	1500
54	NN turning table	S/s turning table, Ø table: 800 mm, total dimensions: 900 mm x 1450 mm.	450
55	Bizerba	Bizerba tenderizer, model: S 111 PLUS, number: 11049185, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 2.7 A, working width: 190 mm x 30 mm, distance between knives: 4 mm, total dimensions: 400 mm x 350 mm x 460 mm.	400
56	NN sink	S/s sink with 3 faucets, dimensions: 1800 mm x 480 mm x 340 mm. Trolley not included.	160
57	NN sink	S/s sink with 5 faucets, dimensions: 3000 mm x 480 mm x 300 mm. Trolley not included.	250



Nr	Title	Description	Start €
58	NN sink	S/s sink with 5 faucets, dimensions: 3000 mm x 480 mm x 300 mm. Trolley not included.	250
59	Farmomac	Farmomac filling and closing machine, 1 station, type: F 45, serial number: 45031, plastic belt, belt width: 80 mm, Ø cans: 45 mm, input clearance: 115 mm x 40 mm, output clearance: 95 mm x 70 mm, total dimensions: 2900 mm x 970 mm x 2000 mm. Rollies not included.	450
60	OCM	OCM electric shutter door, serial number: 5158, year of construction: 2012, door dimensions: 2050 mm x 1450 mm, total dimensions: 2050 mm x 450 mm x 2450 mm.	100
61	OCM	OCM electric shutter door, serial number: 5239, year of construction: 2012, door dimensions: 2100 mm x 2040 mm, total dimensions: 2650 mm x 450 mm x 2420 mm.	100
62	Bertrand	S/s tank with pumps, year of construction: 2013, volume: 4000 liter, RVS316L, dimensions: 2550 mm x 2100 mm x 3500 mm.	2250
63	NN freezer	Freezer, model: ERC 130, 230 V, 1 Ph, 50 Hz, 4.6 A, 587 W, refrigerant: R290/150 g, freezing capacity: 220 kg/24 h, volume: 1310 liter, 4 floors, floor dimensions: (4x) 1250 mm x 500 mm, total dimensions: 1400 mm x 800 mm x 2000 mm.	450
64	Kerres	Kerres smoking, cooking and frying chamber with smoke generator for wood chips, type: OS 700 o1, serial number: 09.0323, year of construction: 09.89, 380 V, 50 Hz, 6 floors, dimensions floor: (6x) 700 mm x 800 mm, total dimensions: 1060 mm x 920 mm x 1800 mm.	1000
65	Leventi	Leventi combi steamer with 6 floors, floor dimensions: (6x) 400 mm x 600 mm, total dimensions: 960 mm x 900 mm x 1520 mm.	250
66	NN cabinet	S/s isolated cabinet with doors on 2 sides, 8 floors, floor dimensions: 360 mm x 500 mm, total dimensions: 1200 mm x 800 mm x 1720 mm. Mounted on pallet.	250
67	Charot	Charot pressure vessel, type: ECS, year of construction: 09-1994, capacity: 1000 liter, pressure: 7 bar, dimensions: 900 mm x 900 mm x 2500 mm.	100
68	NN trolleys	2 s/s trolleys with large amount of meat hooks, meat hook length: 1300 mm, trolley dimensions: (2x) 800 mm x 1220 mm x 1990 mm.	375
69	NN trolley	S/s trolley with large amount of meat hooks, meat hook length: 1300 mm, trolley dimensions: 800 mm x 1220 mm x 1990 mm.	375
70	NN lifting table	Lifting table, maximum load capacity: 2000 kg, dimensions: 1550 mm x 1000 mm x 880 mm.	350



Nr	Title	Description	Start €
71	NN lifting table	Lifting table, maximum load capacity: 2000 kg, dimensions: 1550 mm x 1000 mm x 880 mm.	350
72	NN turning table	Turning table, Ø table: 1200 mm, total dimensions: 1200 mm x 1250 mm.	300
73	NN turning table	Turning table, Ø table: 1200 mm, total dimensions: 1200 mm x 1250 mm.	300
74	Convotherm	Convotherm combi steamer, type: C4eD20.20 ES, serial number: XS716051165, 400 V, 3Ph, 50/60 Hz, 67.3 kW, 97.3 A, dimensions: 1150 mm x 1100 mm x 1950 mm. Including 2 s/s trolleys, 20 floors each, dimensions floors: (20x) 650 m x 535 mm.	4000
75	Jungheinrich	Jungheinrich electric forklift, model: EFG 316, serial number: FN505844, rated capacity: 1600 kg, fork length: 1200 mm, total dimensions: 3400 mm x 1100 mm x 3550 mm. Including battery charger. Battery renewed in 2024.	3800
76	NN lockers	2 steel lockers, inside dimensions (2x): 430 mm x 330 mm x 1450 mm, total dimensions (2x): 455 mm x 380 mm x 2000 mm. Missing keys.	100
77	Dumon	Dumon 45° roller conveyor, fabric number: 1910052, s/s frame, plastic rollers, roll width: 160 mm, total dimensions: 2200 mm x 920 mm x 940 mm.	100
78	Strautman	Strautmann baler, type: AutoLoad, machine number: 411.51.012, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4 kW, dimensions: 2200 mm x 2100 mm x 3200 mm.	7500
79	Sacmi Labelling	Sacmi Labelling labelling machine for cans, model: RHM5046T, type: SR S1F, serial number: 00421, year of construction: 2006, 380 V, 50 Hz, 16 A, 8 kW, weight: 2500 kg, cans: Ø 100 mm, total dimensions: 2450 mm x 2100 mm x 2180 mm. Including pallet with parts. Missing belt. Rollies not included.	3000
80	NN film	Large amount of film rolls.	10
81	NN film	Large amount of film rolls, film width: 160 mm.	10
82	NN switch cabinet	Switch cabinet, dimensions: 920 mm x 330 mm x 1080 mm.	100
83	NN film	Large amount of film rolls, film width: 105 mm.	10
84	Grundfos	Grundfos pump, serial number: A96123983P11233, 50 Hz, 18.5 kW, 64 m ³ per hour, with 2 Reflex pressure vessels, dimensions: 1600 mm x 500 mm x 1520 mm.	750
85	Perfecta	Perfecta fryer, type: Perfection RH, serial number: 160182, year of construction: 2016, 400 V, 105 kW, fuel: natural gas, dimensions: 5800 mm x 950 mm x 2150 mm, including Bartscher steamer, type: KT061, 400 V, 6.9 kW and 2 Amana microwaves, model: URS511MB.	20000
86	Sterling	6 Sterling motors, dimensions: 670 mm x 240 mm.	50



Nr	Title	Description	Start €
87	NN curved roller conveyor	45° curved roller conveyor, steel frame, plastic rollers, roller width: 505 mm, total dimensions: 1280 mm x 540 mm x 710 mm.	100
88	Meca	Meca Plastic traysealer, type: 2005, number: 5745, year of construction: 2004, film width: 560 mm, dimensions dye: (3x) 210 mm x 125 mm, total dimensions: 5700 mm x 1100 mm x 2100 mm. Rollies not included.	2000
89	NN trolley	3x s/s trollies, 24 floors each, floor dimensions: (24x) 520 mm x 370 mm, total dimensions: 920 mm x 630 mm x 1770 mm.	225
90	NN rack	S/s mobile rack, 6 floors, floor dimensions: (2x) 2600 mm x 690 mm (4x) 2600 mm x 380 mm, total dimensions: 2660 mm x 700 mm x 1950 mm.	450
91	Gernal	Gernal rotary cooking chamber, type: KBG-SE-LPF-2A, number: 02/00475, year of construction: 2002, 415 V, 50 Hz, 108 kW, 191.4 A, inside dimensions: 1000 mm x 1050 mm x 2000 mm, s/s rack, 15 floors, floor dimensions: (15x) 640 mm x 535 mm, total dimensions: 1350 mm x 1650 mm x 3050 mm.	1500
92	Crown Gabelstapler GmbH & Co. KG	Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5200, serial number: 5A221602, nominal capacity: 1600 kg, retracted mast height: 3690 mm, fork length: 1140 mm, total dimensions: 2600 mm x 1300 mm x 3350 mm. Including Hawker battery charger, 3x400 V, 50 Hz, 10 A.	1500
93	Bayonne	Bayonne mobile heated counter, 380 V, 3 Ph, 7500 W, inside dimensions: (5x) 500 mm x 300 mm x 155 mm, total dimensions: 2000 mm x 900 mm x 1700,	200
94	Animo	Animo double coffee machine, model: number: 10640/ 2U 13921, volume: (2x) 10 liter, total dimensions: 910 mm x 580 mm x 1700 mm.	150
95	France Tranfo	France Transfo mobile transformer, type: NBN HD 428.1 S1 -CC', serial number: 409976-01, year of construction: 2006, 400 V, 225.3 A, weight: 915 kg, 160 kVA, dimensions: 800 mm x 1100 mm x 1380 mm.	1250
96	Electrolux	Electrolux braising pan, inside dimensions: 860 mm x 650 mm x 200 mm, total dimensions: 1080 mm x 1000 mm x 900 mm.	250
97	Lamber	Lamber dishwasher, model: 015/24L-L24, number: 20048925, 400 V, 3 Ph, 50 Hz, 25 A, 10.3 kW, dimensions inside: 580 mm x 530 mm, total dimensions: 860 mm x 750 mm x 1430 mm.	250
98	Comenda	Comenda dishwasher, model: C100, number: DB013593/12/04, 380/400 V, 3 Ph, 50 Hz, 14 A, 8/9.1 kW, dimensions inside: 500 mm x 500 mm, total dimensions: 830 mm x 730 mm x 1530 mm.	250



Nr	Title	Description	Start €
99	Mile High Equipment	Mile High Equipment flake ice machine with bunker, model: CF705A48P, serial number: W227-00495-W, 230 V, 1 Ph, 50 Hz, bunker dimensions: 720 mm x 610 mm x 580 mm, total dimensions: 1230 mm x 760 mm x 1040 mm.	500
100	Gruppo Fabbri S.p.A.	Gruppo Fabbri S.p.A. packaging machine, model: Elixia Plus XS-B.228.XS, serial number: 1/12917, year of construction: 2009, 230 V, 1 Ph, 50-60 Hz, 8,6 A, weight: 170 kg, wire infeed belt, belt width: 325 mm, plastic outfeed belt, belt width: 340 mm, total dimensions: 1300 mm x 1130 mm x 1300 mm.	1000
101	Bizerba / August Sauter KG.	Bizerba / August Sauter KG. weighing scale, type: F, serial number: 528562, year of construction: 1976, scale: 540 mm x 450 mm, total dimensions: 750 mm x 900 mm x 1300 mm.	50
102	Talleres Vall S.A.	Talleres Vall S.A. s/s bowl cutter, bowl dimensions: \varnothing 685 mm x 120 mm, total dimensions: 1050 mm x 800 mm x 1050 mm.	1500
103	Wetrok	Wetrok floor scrubbing machine, type: Duomatic 500 B, number: 50160- 7552, 24 V, 880 W, weight: 209 kg, dimensions: 1100 mm x 700 mm x 1200 mm. With charger.	250
104	NN aquarium	Mobile cooled oyster aquarium, inside dimensions: 730 mm x 730 mm x 300 mm, total dimensions: 810 mm x 810 mm x 1070 mm.	100
105	Dito-Sama	Dito-Sama bowl mixer, type: MC40S, serial number: 19274 0230 025, 230/400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 900 W, volume: 40 liter, inside dimensions bowl: \varnothing 400 mm x 400 mm, total dimensions: 620 mm x 750 mm x 1410 mm.	350
106	NN mixer	Mixer, dimensions: 830 mm x 500 mm x 1000 mm.	150
107	Deco	Deco mixer, model: imperator 30, type: PL, number: 73357, dimensions: 680 mm x 600 mm x 1070 mm. Including whisk and hook.	150
108	Viessmann	Viessmann boiler with electric burner, model: Vitocorral 200, dimensions: 2100 mm x 820 mm x 2000 mm. Including Reflex pressure vessel.	1000
109	Rubbens	Rubbens cooking vessel, type: SNK150G, number: 2005 045151 0001, 230 V, 50 Hz, 10 A, 0.7 kW, 2.86 m ³ per hour, volume: 150 liter, total dimensions: 1000 mm x 1250 mm x 1250 mm.	750
110	Spako	Spako cooking vessel, type: RHA400, number: 0085 BM 0459, year of construction: 2014, 230 V, 50 Hz, 60 W, 27.9/31 kW, gas heated, natural gas, gas consumption: 2.70 m ³ per hour, inside dimensions: 1100 mm x 650 mm x 485 mm, total dimensions: 1400 mm x 1170 mm x 985 mm.	3000
111	NN transport belt		250



Nr	Title	Description	Start €
		Mobile transport belt, s/s frame, plastic belt, belt width: 480 mm, total dimensions: 2000 mm x 650 mm x 850 mm.	
112	Quarto	5 Quarto payment systems with receipt printer from which 6 in a frame, dimensions each: 600 mm x 600 mm x 440 mm. Table not included.	500
113	Ideal	Ideal ice cream counter, dimensions baskets: 190 mm x 180 mm x 170 mm, total dimensions: 3200 mm x 1100 mm x 1200 mm. Rollies not included.	500
115	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1850 mm x 600 mm x 950 mm.	300
116	NN grinder	Grinder, \emptyset plate: 100 mm, \emptyset perforations: 10 mm, total dimensions: 600 mm x 470 mm x 135 mm.	375
117	NN grinder	Grinder, type: HP32, number: 2630, 380 V, 2.2 kW, \emptyset plate: 100 mm, \emptyset perforations: 4 mm, total dimensions: 900 mm x 550 mm x 1250 mm.	375
118	Multivac	Multivac vacuum machine, type: A 300/16, machine number: 3930, 400 V, 3 Ph, 50 Hz, 3.8 A, 0.8 kW, chamber dimensions: 430 mm x 330 mm, seal length: 490 mm, total dimensions: 560 mm x 520 mm x 400 mm.	375
119	NN tenderizer	Tenderizer, working width: 210 mm, dimensions: 600 mm x 530 mm x 1600 mm.	200
120	Melior-Ganda	Melior-Ganda tenderizer, model: 35NSH, number: 16040484, year of construction: 16, clearance: 290 mm x 100 mm, dimensions: 440 mm x 400 mm x 1670 mm.	300
121	Bizerba	Bizerba slicer, model: SE 12, 230 V, 1 Ph, 50 Hz, 1.79 A, dimensions: 700 mm x 600 mm x 500 mm.	500
122	Bizerba	Bizerba slicer, model: SE 12, year of construction: 2000, 50 Hz, 1.79 A, dimensions: 700 mm x 600 mm x 500 mm.	500
123	Bizerba	Bizerba slicer, model: SE 12, number: 10258797, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 1.79 A, dimensions: 700 mm x 600 mm x 500 mm.	500
124	Bizerba	Bizerba slicer, model: SE 12, 230 V, 1 Ph, 50 Hz, 1.79 A, dimensions: 700 mm x 600 mm x 500 mm.	500
125	Fazzini	Fazzini knife sharpener, dimensions: 250 mm x 320 mm x 150 mm.	250
126	Maja	Maja mobile twister for bacon, type: Speed Twister, number: C-01024, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.10 A, 0.75 kW, dimensions: 1250 mm x 610 mm x 1230 mm.	1500
127	Merrychef	Merrychef turbo oven, model: eikon e5, 230 V, 50 Hz, 2 floors, floor dimensions: (2x) 450 mm x 300 mm, total dimensions: 700 mm x 650 mm x 650 mm.	750



Nr	Title	Description	Start €
128	Inventum	Inventum oven, model: OV607B/01, serial number: 23010361, 220/240 V, 50/60 Hz, 2000 W, 1 floor, floor dimensions: 350 mm x 450 mm, total dimensions: 630 mm x 450 mm x 420 mm.	45
129	Enomatic	Enomatic 4-bottle wine dispenser climate cabinet, serial number: 090008496, year of construction: 04/2009, 220 V, 50 Hz, 150 W, dimensions: 750 mm x 250 mm x 650 mm.	350
130	Duni AB	Duni AB traysealer, type: DF25, machine number: DF251876, 230 V, 1 Ph, 50 Hz, 1.0 kW, seal length: 290 mm, total dimensions: 750 mm x 310 mm x 650 mm. Without dye.	500
131	NN hose	Plastic hose with pistol.	15
132	Aramix NV	Aramix NV osmose system, serial number: MIC040047, year of construction: 2004, 230 V, 8 A, dimensions: 650 mm x 300 mm x 700 mm.	200
133	Zebra	Zebra label printer, model: ZM400, serial number: 08J122501162, 100/240 V, 47/63 Hz, 4 A, dimensions: 500 mm x 300 mm x 350 mm.	250
134	Metos	Metos dishwasher, model: MM35, serial number: 03014857, 230 V, 50 Hz, 9 A, 2030 W, inside dimensions: 330 mm x 330 mm x 170 mm, total dimensions: 510 mm x 400 mm x 565 mm.	50
135	NN ice maker	Ice maker, inside dimensions: Ø 300 mm x 250 mm, total dimensions: 700 mm x 550 mm x 1100 mm.	450
136	Gamko	Gamko mobile refrigerated counter, type: AV/MU84N, year of construction: 2006, 220/240 V, 50 Hz, 380 W, top dimensions: 870 mm x 750 mm, total dimensions: 870 mm x 750 mm x 920 mm.	225
137	NN counter	Ideal mobile showcase with refrigerator, type: SE 1-769-1T, serial number: 2017-441595-80007778-323551, 220-240 V, 50 Hz, 210 W, refrigerant: R134a, dimensions: 920 mm x 700 mm x 1260 mm.	200
138	NN ice machine	Flake ice machine with bunker, model: IMS-100, serial number: SHS100 1018028, 230 V, 50 Hz, 12.4 A, 520 W, netto weight: 58 kg, refrigerant: R134A, 130 g, capacity: 100 kg per hour, dimensions: 500 mm x 610 mm x 930 mm.	250
139	Carpigiani	Carpigiani mobile ice cream machine, model: LABO 20/30 M, serial number: IC32714, 380-415 V, 3 Ph, 50 Hz, 16 A, 2.9 kW, refrigerant: R404a, 0.7 kg, dimensions: 870 mm x 460 mm x 1280 mm.	4000
140	Winterhalter	Winterhalter dishwasher, type: GR 62/2, serial number: 376 004, 230 V, 50 Hz, 27 A, 10 kW, dimensions: 600 mm x 660 mm x 840 mm.	200
141	Ott freezer		1000



Nr	Title	Description	Start €
		Ott freezer mobile ice machine, type: F3, number: 5249, 220 V, 4/6.4 A, 0.35/0.9 kW, dimensions: 700 mm x 420 mm x 1100 mm.	
142	Unox	Unox mobile double stacked oven, type: XBC404, serial number: 450/ 451, year of construction: 7/2010, 400 V, 1 Ph, 50/60 Hz, 8 floors, floor dimensions: (8x) 615 mm x 370 mm, total dimensions: 1000 mm x 900 mm x 1800 mm.	600
143	Convotherm	Convotherm combi steamer, type: OSP 6.10, number: O1R02081845, 380-415 V, 3 Ph, 50/60 Hz, 9-11 kW, 14-16 A, 6 floors, dimensions: 1130 mm x 900 mm x 1560 mm.	500
144	Beko	Beko freezer, model: HSA47520, serial number: 1920557502, 220/240 V, 50 Hz, 1.1 A, 130 W, refrigerant: R600a, inside dimensions: 1450 mm x 650 mm, total dimensions: 1550 mm x 700 mm x 850 mm.	75
145	Kühlschrank	Kühlschrank refrigerator, model: KS 155 PROF, serial number: 762777, year of construction: 07.2000, 220/230 V, 50 Hz, 110 W, refrigerant: R134a, 6 floors, floor dimensions: (6x) 500 mm x 340 mm, total dimensions: 630 mm x 580 mm x 840 mm.	50
146	Gram Commercial A/S	Gram Commercial A/S freezer, type: HOSHIZAKI F 210 RH 3, serial number: 10193504, 230 V, 50 Hz, 1.06 A, 129 W, refrigerant: R134a/70g, 8 floors, floor dimensions: (3x) 430 mm x 470 mm, total dimensions: 650 mm x 600 mm x 830 mm.	150
147	NN refrigerator	Mobile refrigerator, model: RB27S, 220 V, 50 Hz, 1.075 A, 165 W, volume: 279 L, inside dimensions: 900 mm x 500 mm x 600 mm, total dimensions: 1050 mm x 720 mm x 1050 mm.	50
148	Solymac	Solymac gas stove with 2 burners and 1 wok and oven, inside dimensions: 650 mm x 540 mm, total dimensions: 1200 mm x 800 mm x 910 mm.	500
149	Rosinox	Rosinox braising pan, number: B-29258, 400 V, inside dimensions: 800 mm x 600 mm x 180 mm, total dimensions: 1000 mm x 900 mm x 1000 mm.	400
150	Unox	Unox oven on trolley, model: XF193, serial number: 2751, year of construction: 31/03/2008, 230/400 V, 3 Ph, 50/60 Hz, 6.3 kW, 4 floors, floor dimensions: 610 mm x 370 mm, total dimensions: 800 mm x 800 mm x 1230 mm.	250
151	Rational	Rational combi steamer on s/s cabinet, model: SCC WE 102G, type: A3, B13, B13BS, serial number: G12SH12082313829, year of construction: 2012, 230 V, 50/60 Hz, 800 W, 10 floors, dimensions floor: (10x) 650 mm x 535 mm, total dimensions: 1070 mm x 1050 mm x 1800 mm.	1500



Nr	Title	Description	Start €
152	Furka	Furka grill, 200 W, dimensions grill: 620 mm x 500 mm, total dimensions: 1100 mm x 700 mm x 1000 mm.	125
153	Eurast	Eurast 1-pit stove, dimensions: 650 mm x 600 mm x 500 mm.	100
154	Ambach	Ambach cooking station, cabinet dimensions: 640 mm x 740 mm, inside dimensions: 300 mm x 505 mm x 180 mm.	250
155	Angelo Po	Angelo Po double fryer, model: 70FE1, serial number: 501150001, year of construction: 93, 220 V, 3 Ph, 50 Hz, 37 A, 14.1 kW, dimensions: 920 mm x 400 mm x 1100 mm.	250
156	Moricea	Moricea gas heated grill plate, grill dimensions: 560 mm x 250 mm, total dimensions: 620 mm x 710 mm x 900 mm.	75
157	Küppersbusch	Küppersbusch deep fryer, model: NEF-144, serial number: 523 114 001, year of construction: V, 220 V, 3 Ph, 50 Hz, 9.0 kW, dimensions: 850 mm x 600 mm x 1000 mm.	200
158	NN cabinet	S/s cooling cabinet, inside dimensions: 890 mm x 840 mm x 1050 mm, total dimensions: 1000 mm x 960 mm x 1600 mm.	100
159	ERRE 2 srl	ERRE 2 srl stove, model: CT-7200, number: 05 04 88, dimensions: 800 mm x 700 mm x 980 mm.	100
160	NN stove	Stove, stove dimensions: 800 mm x 720 mm, total dimensions: 910 mm x 800 mm x 950 mm.	100
161	ERRE 2 srl	ERRE 2 srl gas stove with oven, model: 90/200 FE, number: OM12057002, 400 V, 3 Ph, 50 Hz, 6.55 kW, dimensions: 800 mm x 900 mm x 970 mm.	400
162	Morice / Furka	Morice / Furka grill, type: SA0003 0601, serial number: 3090160105, dimensions: 780 mm x 470 mm x 800 mm.	250
163	Diamond	Diamond refrigerated counter, model: DT178/R2, serial number: 180639, year of construction: 2019, 220/240, 1 Ph, 50 Hz, 1.3 A, dimensions: 1750 mm x 700 mm x 840 mm.	500
164	Coolhead	Coolhead refrigerated counter, model: S903 STF, serial number: RWB1307S903STD6104001, 240 V, 50 Hz, 2 A, 300 W, weight: 107 kg, refrigerant: R134a, dimensions: 1370 mm x 700 mm x 840 mm.	250
165	Scaiola	Scaiola mobile refrigerated showcase, 3 floors, floor dimensions: Ø 750 mm, total dimensions: 1050 mm x 1050 mm x 1890 mm.	300
166	Sagi	Sagi freezer, 20 floors, floor dimensions: (20x) 650 mm x 520 mm, total dimensions: 810 mm x 750 mm x 2000 mm.	400
167	De Rigo		200



Nr	Title	Description	Start €
		De Rigo mobile refrigerated showcase, inside dimensions: 1170 mm x 1220 mm x 250 mm, total dimensions: 1400 mm x 1330 mm x 920 mm.	
168	Gram	Gram refrigerator, type: PLUS K 1400 RSG 10 M, number: 12 00 66 32, serial number: 086, 230 V, 50 Hz, 800 W, 3.50 A, refrigerant: R290, 110 g, dimensions: 1400 mm x 850 mm x 2160 mm.	450
169	Rivacold	Rivacold freezer, serial number: 110921003, 220/230 V, 1 Ph, 50 Hz, 2.3 A, 380 W, refrigerant: R404A, 6 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 810 mm x 730 mm x 2100 mm.	350
170	Everlasting	Everlasting double doors freezer, model: PRO 1502 BTV REM, serial number: 99542, 230 V, 1 Ph, 50 Hz, refrigerant: R404A, 8 floors, dimensions freezer: 1500 mm x 830 mm x 2090 mm. With Silensys cool motor, model: SJ80530202, serial number: 16B10 072936 SJ80530202, 220/240 V, 1 Ph, 50 Hz, 4.1 A, dimensions: 950 mm x 600 mm x 850 mm.	600
171	NN trolley	S/s smoke trolley, 5 floors, dimensions floors: (5x) 820 mm x 690 mm, total dimensions: 830 mm x 700 mm x 1500 mm.	250
172	NN trolley	S/s smoke trolley, 5 floors, dimensions floors: (5x) 810 mm x 690 mm, total dimensions: 830 mm x 700 mm x 1500 mm.	250
173	Stephan	Stephan vacuum mixer, type: VM 100, machine number: 32593, year of construction: 1982, 380 V, 3 Ph, 50 Hz, 3.1 A, inside dimensions: Ø 465 mm x 530 mm, total dimensions: 1100 mm x 950 mm.	1400
174	Fagor	Fagor cooking vessel, model: MPG9-15 BM, serial number: 1120523150 0911 000007, 220/240 V, 50 Hz, 2-4 bar, inside dimensions: Ø 625 mm x 530 mm, total dimensions: 1020 mm x 850 mm x 1050 mm.	1500
175	Fagor	Fagor cooking vessel, model: MPG9-15 BM, serial number: 1120523150 0911 000008, 220/240 V, 50 Hz, 2-4 bar, inside dimensions: Ø 625 mm x 530 mm, total dimensions: 1020 mm x 850 mm x 1050 mm.	1500
176	Erre 2 srl	Erre 2 srl gas stove, grill and oven, model: 90/200, type: B11, number: OM12057001, 400 V, 3 Ph, 50 Hz, 1.48 m ³ per hour, 3 floors, dimensions floors: (3x) 630 mm x 540 mm, total dimensions: 1600 mm x 910 mm x 1000 mm.	500
177	Gico	Gico 4-pit stove, type: 2CY-S2DY-S, serial number: AS78921001, year of construction: 12/01/18, 18 kW, dimensions: 700 mm x 800 mm x 900 mm.	300
178	Delrue	Delrue cooking vessel, number: 20950162, inside dimensions: 500 mm x 500 mm x 430 mm, total dimensions: 800 mm x 1000 mm x 1700 mm.	500
179	ATA		300



Nr	Title	Description	Start €
		ATA 4-pit stove, dimensions: 700 mm x 800 mm x 870 mm.	
180	Engels	Engels waste bin, capacity: 120 liter, foot control, dimensions: 560 mm x 480 mm x 950 mm.	25
181	NN tub	S/s tub, dimensions: 1210 mm x 820 mm x 900 mm.	100
182	NN bowl	S/s mobile bowl, inside dimensions: \varnothing 760 mm x 275 mm, total dimensions: 820 mm x 770 mm x 760 mm.	100
183	NN cup holder trolley	S/s cup holder trolley for 15 cups, cup dimensions: \varnothing 95 mm x 140 mm, dimensions: 800 mm x 705 mm x 1490 mm.	50
184	NN tub	Plastic tub, inside dimensions: 710 mm x 530 mm x 570 mm, total dimensions: 790 mm x 595 mm x 680 mm.	25
185	Belux Mondial	Belux Mondial ticket machine, dimensions: 270 mm x 100 mm x 1200 mm.	15
186	NN tub	S/s tub, dimensions: 1000 mm x 815 mm x 835 mm.	75
187	NN tub	Plastic tub, inside dimensions: 860 mm x 610 mm x 750 mm, total dimensions: 970 mm x 730 mm x 770 mm.	30
188	Sofinor	Sofinor mobile s/s sorting table, dimensions: 1600 mm x 1000 mm x 1000 mm.	150
189	NN trolley	S/s smoke trolley, 8 floors, floor dimensions: (8x) 1000 mm x 1000 mm, total dimensions: 1050 mm x 1030 mm x 1900 mm.	100
190	NN trolley	S/s smoke trolley, 6 floors, floor dimensions: (6x) 1000 mm x 1000 mm, total dimensions: 1050 mm x 1020 mm x 1060 mm.	100
191	NN trolley	S/s trolley, 10 floors, floor dimensions: (10x) 950 mm x 550 mm, total dimensions: 850 mm x 650 mm x 1850 mm.	100
192	NN cabinet	S/s cabinet, dimensions: 1200 mm x 420 mm x 1950 mm.	75
193	NN E2 crates	39 plastic E2 crates, dimensions: 600 mm x 400 mm x 200 mm.	50
194	NN E2 crates	38 plastic E2 crates, dimensions: 600 mm x 400 mm x 200 mm.	50
195	NN trolley	S/s trolley, 6 floors with plates, plate dimensions: 730 mm x 440 mm, total dimensions: 740 mm x 530 mm x 1340 mm.	50
196	NN trolley	S/s trolley, 9 floors, floor dimensions: (9x) 820 mm x 600 mm, total dimensions: 850 mm x 650 mm x 1500 mm.	50
197	NN tub	S/s mobile tub, inside dimensions: 1350 mm x 600 mm x 1150 mm, total dimensions: 1600 mm x 650 mm x 1200 mm.	150
198	NN rack		15



Nr	Title	Description	Start €
		S/s rack, 3 floors, floor dimensions: (3x) 1520 mm x 460 mm, total dimensions: 1520 mm x 460 mm x 1850 mm.	
199	NN rack	S/s rack, 3 floors, floor dimensions: (3x) 900 mm x 460 mm, total dimensions: 900 mm x 460 mm x 1650 mm.	30
200	NN rack	S/s rack, 3 floors, floor dimensions: (3x) 1050 mm x 600 mm, total dimensions: 1060 mm x 600 mm x 1900 mm.	15
201	NN trolley	Steel trolley, 9 floors, floor dimensions: (9x) 960 mm x 480 mm, total dimensions: 1050 mm x 500 mm x 1450 mm.	45
202	NN rack	Steel rack, 5 floors, floor dimensions: (5x) 1370 mm x 370 mm, total dimensions: 1400 mm x 400 mm x 1820 mm.	50
203	NN frame	S/s mobile frame, dimensions: 1280 mm x 500 mm x 1640 mm.	50
204	NN trolley	S/s trolley, total dimensions: 600 mm x 500 mm x 1000 mm.	50
205	NN sorting table	S/s sorting table, dimensions: 2300 mm x 750 mm x 900 mm.	450
206	Fimap	Fimap floor scrubbing machine, type: My16 B, dimensions: 710 mm x 450 mm x 950 mm.	250
207	Siemens	Siemens refrigerator, 16 floors, floor dimensions: (16x) 510 mm x 320 mm, total dimensions: 700 mm x 650 mm x 2000 mm.	50
208	Eurokraft	Eurokraft mobile PC cabinet, dimensions: 600 mm x 600 mm x 1730 mm.	100
209	NN heated trolley	S/s mobile heated trolley, 2 floors, floor dimensions: (2x) 1000 mm x 450 mm, total dimensions: 1200 mm x 720 mm x 1800 mm.	225
210	NN refrigerator	Refrigerator, type: HOP-900 DER, year of construction: 2003, 230 V, 290 W, refrigerant: R134a, weight: 150, volume: 765 L, 8 floors, floor dimensions: (8x) 800 mm x 600 mm, total dimensions: 1000 mm x 800 mm x 2000 mm.	90
211	Rubbens	Rubbens cooking vessel, inside dimensions: 720 mm x 600 mm x 200 mm, total dimensions: 1300 mm x 1000 mm x 1400 mm.	1000
212	Foster	Foster mobile shock freezer, 3 floors, floor dimensions: (3x) 530 mm x 330 mm, total dimensions: 850 mm x 710 mm x 900 mm.	1000
213	Kulig	Kulig refrigerator, type: UL 1401, number: 66296092, 220 V, 50 Hz, 1500 W, volume: 1087 liter, dimensions: 1530 mm x 840 mm x 1970 mm.	100
214	Kovu	2 Kovu refrigerator, model: D 372 SL M4, type: Vertical Cooler, 220/240 V, 50 Hz, 2.38 A, 211 W,	60



Nr	Title	Description	Start €
		volume: 334/372 liter, refrigerant: R134a, dimensions: (2x) 640 mm x 600 mm x 1830 mm.	
215	NN refrigerator	Refrigerator with 4 floors, type: HO 600 DEN-EX, number: 117985, year of construction: 1998, 230 V, 50 Hz, 270 W, weight: 140 kg, volume: 575 liter, refrigerant: R034a, floor dimensions: 500 mm x 650 mm, total dimensions: 710 mm x 790 mm x 2050 mm.	200
216	LTH	LTH refrigerator, type: HO_700 DEM, year of construction: 2006, 230 V, 50 Hz, 1.9 A, 250 W, Netto volume: 540 liter, Netto weight: 140 kg, refrigerant: R 134a - 0.28 kg, temperature range: -2/+8 °C, dimensions: 700 mm x 800 mm x 2000 mm.	200
217	Mondial	Mondial freezer, 230 V, dimensions: 700 mm x 870 mm x 1930 mm.	100
218	NN refrigerated showcase	S/s refrigerated showcase, dimensions inside: (2x) 330 mm x 540 mm, total dimensions: 1065 mm x 730 mm x 900 mm.	75
219	Küpperbusch	Küpperbusch combi steamer, type: KEG 0058, 230/400 V, 3 Ph, 50 Hz, 10 floors, floor dimensions: (10x) 550 mm x 330 mm, total dimensions: 1030 mm x 850 mm x 1000 mm.	250
220	Leventi	Leventi combi steamer on s/s frame, model: COMBIMAT MM 3B 10PL MK3, number: 999050076, 220/240 V, 3 Ph, 50 A, 18.5 kW, 10 floors, dimensions floors: (10x) 600 mm x 400 mm, total dimensions: 970 mm x 970 mm x 1850 mm.	250
221	Fri-Jado	Fri-Jado heated showcase, model: Classic Deck Low, number: 100038347, 230/400 V, 3 Ph, 50 Hz, 9.6 A, 3 floors, total dimensions: 1200 mm x 800 mm x 1550 mm.	250
222	Unox	Unox oven, model: XFT190, serial number: 201610066593, 220/240 V, 3 Ph, 50/60 Hz, weight: 61 kg, 4 floors, floor dimensions: (4x) 600 mm x 370 mm, total dimensions: 800 mm x 780 mm x 510 mm.	250
223	Leventi	Leventi combimat combi steamer, dimensions: 1000 mm x 900 mm x 750 mm. Incomplete.	300
224	Taylor Crown	Taylor Crown mobile ice cream machine, model: C706-58, serial number: N1072801, 380/415 V, 3 Ph, 50 Hz, 4.1 kW, dimensions: 870 mm x 500 mm x 1550 mm. Including crate with parts.	3000
225	Diamond	Diamond refrigerated showcase, model: MN15B-A1/R2, serial number: 3025, year of construction: 08/08/2019, 230 V, 50 Hz, 1242 W, refrigerant: R290, 3 floors, dimensions: 750 mm x 1000 mm x 1380 mm.	350
226	Hobart	Hobart dishwasher with 2 Suma soap stations, model: AMX900-14, serial number: 86474004, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 16.7 A, 9.9	300



Nr	Title	Description	Start €
		kW, dimensions crate: 500 mm x 500 mm, total dimensions: 770 mm x 750 mm x 1600 mm.	
227	Frimond	Frimond mobile refrigerated showcase, inside dimensions: 1170 mm x 520 mm x 200 mm, total dimensions: 1230 mm x 950 mm x 850 mm.	125
228	Dibo	Dibo dishwasher, model: LP105DDTEB type: U61HE, serial number: 935435, year of construction: 11/07/2008, 400 V, inside dimensions: 640 mm x 670 mm x 1000 mm, total dimensions: 780 mm x 800 mm x 1900 mm.	500
229	Colged	Colged dishwasher, model: GL72, serial number: 111292, year of construction: 08/09/2005, 400 V, 3 Ph, 50 Hz, 16 A, clearance: 500 mm x 500 mm, total dimensions: 830 mm x 700 mm x 1570 mm.	250
230	Colged	Colged dishwasher, model: PT810 / PROTECH810, serial number: 169960, year of construction: 04/11/2008, 400 V, 3 Ph, 50 Hz, 16 A, 8.8 kW, 1-6 bar, dimensions: 840 mm x 700 mm x 1560 mm.	900
231	Hanna	5 Hanna thermometers.	25
232	Dostman	5 Dostman thermometers.	25
233	Hanna	5 Hanna thermometers, model: E/05.	25
234	Testo AG	5 Testo AG thermometers, model T106.	25
235	NN salad bar	Mobile salad bar, model: BR4GN, serial number: 18233-003, 220-240 V, 50 Hz, 507 W, refrigerant: R134a/190 g, inside dimensions: 1280 mm x 500 mm x 140 mm.	350
236	Palux	Palux combi steamer on s/s cabinet, type: E611QBRTXTB0000, serial number: 458077, year of construction: 2017, 230 V, 3 Ph, 50/60 Hz, 11 kW, 7 floors, dimensions floors: (7x) 495 mm x 560 mm, total dimensions: 980 mm x 850 mm x 1370 mm.	200
237	Van de Moortele	Van de Moortele sauce pump, dimensions: 350 mm x 160 mm x 470 mm.	40
238	Rieber	Rieber mobile au bain-marie with 4 bins, number: 43982314/1/ 00012, year of construction: 31.08.2000, 400 V, 3 Ph, 50 Hz, 5.310 kW, total dimensions: 1770 mm x 830 mm x 1350 mm.	100
239	Delrue	Delrue double oven, number: 7502 832, 4 floors, dimensions floors: (4x) 650 mm x 450 mm, total dimensions: 820 mm x 750 mm x 1680 mm.	150
240	Zoin Refrigerazione srl	Zoin Refrigerazione srl refrigerated showcase, model: Artemis 129 standard - Tutto Grigio, serial number: 2286/15, year of construction: 12/06/2015, 230 V, 50 Hz, refrigerant: R404, 0.520 kg, dimensions: 1320 mm x 950 mm x 950 mm.	300
241	TurboChef Technologies	TurboChef Technologies pizza oven, model: HCW2620EW, serial number: Hhc2620EWED00504, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 21	2400



Nr	Title	Description	Start €
		A, 4.4 kW, s/s mesh belt, belt width: 655 mm, total dimensions: 1550 mm x 1000 mm x 370 mm. Without table.	
242	Sharpenset Engineering Ltd	Sharpenset Engineering Ltd knife sharpener, model: sharpenset whetstone, serial number: 31481, 220-240 V, 1 Ph, 50 Hz, 180 W, dimensions: 300 mm x 250 mm x 370 mm.	75
243	NN cheese slicer	Cheese slicer, working width: 240 mm, total dimensions: 400 mm x 430 mm x 200 mm.	50
244	Nafa	Nafa lamp, number: 6513, 230 V, 50 Hz, dimensions: Ø 300 mm x 410 mm.	25
245	Brunner	Brunner vegetable slicer, type: GSM 4-SA, serial number: 81457, 230 V, 1 Ph, 50 Hz, 1.8 A, 0.22 kW, dimensions: 500 mm x 250 mm x 530 mm.	250
246	MetalTech	MetalTech lid closer for metal trays, type: 7216, year of construction: 2016, dye: 230 mm x 175 mm, total dimensions: 300 mm x 350 mm x 390 mm.	100
247	Digi / Teraoka Seiko Co. Ltd	Digi / Teraoka Seiko Co. Ltd weighing scale and labelling machine, model: DPS-4600 M Single, serial number: 10103833, 220/240 V, 1 A, 150 W, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=-5.998 kg, model weighing scale: SYC-4600, serial number: 10105368, maximum weight: 15 kg, dimensions scale: 340 mm x 280 mm,	50
248	General	General air unit, model: ARHG24LMLA, serial number: R003541, 230 V, 50 Hz, 4 air channels, Ø air channel: (4x) 195 mm, total dimensions: 1300 mm x 850 mm x 280 mm.	150
249	Samsung	Samsung ventilator, model: AN050JSKLN, year of construction: 2016, 220/240 V, 50/60 Hz, 1.1 A, 175 W, air volume: 500 m ³ /h, 2 air channels, Ø air channel: 190 mm, total dimensions: 1250 mm x 1100 mm x 280 mm.	150
250	Krampouz	Krampouz waffle maker, model: WECAAA, serial number: 611269102002, 230/240 V, 50/60 Hz, 7.7 A, 1800 W, dimensions waffle: (2x) 105 mm x 145 mm, total dimensions: 400 mm x 450 mm x 180 mm.	150
251	Poly-clip System GmbH & Co	Poly-clip System GmbH & Co table model clipper, type: SCD-600, serial number: 6203/10, bar: 5-7, dimensions: 370 mm x 270 mm x 95 mm.	250
252	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG table model clipper type: SCD 7000, serial number: 7851, pressure: 5-7 bar, dimensions: 400 mm x 1800 mm x 920 mm.	250
253	Novo	Novo coffee machine, model: Novo-011, type: 8.733.401.200, year of construction: 1996, 230 V, 50/60 Hz, 2115 W, dimensions: 340 mm x 205 mm x 440 mm.	50
254	Recsi		25



Nr	Title	Description	Start €
		Recsi slicer, diameter knife: 215 mm, total dimensions: 550 mm x 360 mm x 360 mm.	
255	Giles & Posner	2 Giles & Posner fondue fountain, serial number: 1010884, dimensions: (2x) Ø 200 mm x 400 mm.	20
256	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH induction plate, type: AK-2, serial number: 2-1113-3076, year of construction: 2013, 230 V, 1 Ph, 50/60 Hz, 9.1 A, 2.1 kW, dimensions: Ø 320 mm x 100 mm.	100
257	Carotti	Carotti ice crusher, working width: 60 mm x 40 mm, Ø output: 45 mm, dimensions: 230 mm x 110 mm x 320 mm.	50
258	Gust Convent	Gust Convent 2-pits stove, gas heated, dimensions: 450 mm x 650 mm x 150 mm.	75
259	L.Bossuyt	L.Bossuyt piston filler, dimensions inside: Ø 190 mm x 300 mm, total dimensions: 400 mm x 250 mm x 840 mm.	250
260	Sibola	Sibola seal machine, type: TNDV 500 SFN, serial number: 6198, year of construction: 1988, 110-240 V, 0.26 A, 480 W, seal length: 550 mm, total dimensions: 610 mm x 750 mm x 180 mm.	30
261	Dito sama	Dito sama peeler, type: T25E, number: 27007 0426 001, 230/400 V, 3 Ph, 50/60 Hz, 2.4/4.2 A, Ø input: 320 mm, total dimensions: 800 mm 570 mm 1120 mm.	500
262	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with label printer, type: E1300 / ETM03, serial number: 3031371, 100-240 V, 50/60 Hz, 2.2 A, minimum load: 40 g, maximum load: 6/15 kg, e=2/5 g, scale dimensions: 400 mm x 220 mm, total dimensions: 400 mm x 500 mm x 150 mm.	200
263	Robot Coupe	Robot Coupe slicer, type: R.4, serial number: 24/4420, 220/380 V, 50 Hz, 3.6 A, 6700 W, dimensions: 330 mm x 270 mm x 370 mm.	75
264	Hatco Corporation	Hatco Corporation soup kettle, model: RHW-1, serial number: C358051626, 230 V, 1 Ph, 50/60 Hz, 5.4 A, 1250 W, inside dimensions: Ø 270 mm x 200 mm, total dimensions: 360 mm x 330 mm x 390 mm.	75
265	Diamond	Diamond au bain-marie, model: BM1/X, 220-240 V, 50 Hz, 1500 W, inside dimensions: 300 mm x 500 mm x 160 mm, total dimensions: 560 mm x 330 mm x 250 mm.	50
266	Diamond	Diamond au bain-marie, model: BM1/X, 220-240 V, 50 Hz, 1500 W, inside dimensions: 300 mm x 500 mm x 160 mm, total dimensions: 560 mm x 330 mm x 250 mm.	50
267	Diamond/MPR	Diamond/MPR grill, model: 60/60 FTE2, number: 2014101700112, year of construction: 2014, 230 V, 1	100



Nr	Title	Description	Start €
		Ph, 50 Hz, 6 kW, grill dimensions: 595 mm x 470 mm, total dimensions: 630 mm x 600 mm x 420 mm.	
268	Robot coupe	Parts for Robot coupe support marmite, number: 102736, dimensions: 490 mm x 340 mm x 100 mm.	25
269	Akwa+reinigingsssystemen	Akwa+reinigingsssystemen mobile hygiene trolley with s/s hose reel and pump, dimensions: 980 mm x 730 mm x 1370 mm.	250
270	Frigomec S.p.A.	Frigomec S.p.A. pressure vessel, type: FSR 90+2SGR7+SV(R7/R7), number: 0182262, year of construction: 2017, volume: 90 liter, dimensions: 380 mm x 350 mm x 1100 mm.	75
271	Henkelman	Henkelman vacuum machine, type: Boxer 42, machine number: HOB10150003, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 5 A, 0.8 kW, seal length: 425 mm, dimensions chamber: 420 mm x 370 mm x 70 mm, total dimensions: 520 mm 480 mm x 450 mm.	550
272	NN vacuum machine	Mobile vacuum machine, dimensions chamber: 490 mm x 480 mm, seal length: 445 mm, with Rietschle vacuum pump, type: SVLE 60, number: 246261, capacity: 60 m ³ per hour, 1400 rpm, total dimensions: 800 mm x 680 mm x 1080 mm.	150
273	HygroMatik	HygroMatik steam generator, dimensions: 400 mm x 450 mm x 200 mm.	100
274	Alto-Shaam	Alto-Shaam mobile warming cabinet, model: 750-B/TRP-3, serial number: 5067-13-390, 220 V, 1 Ph, 3000 W, (3x) 12 floors, dimensions floors: (12x) 650 mm x 540 mm, total dimensions: 820 mm x 730 mm x 1920 mm.	500
275	Dadaux	Dadaux meat slicer with integrated cooling, type: NEOCUT, number: P-1656, year of construction: 05-2016, 230 V, 50 Hz, refrigerant: R134a/140 gram, dimensions: 350 mm x 500 mm x 600 mm. Never used.	1000
276	Cretel	Cretel skinning machine on s/s trolley with foot control, type: 361 F, number: 732.98.05, year of construction: 1998, 220/380 V, 3 Ph, 50 Hz, 1.85/1.05 A, 0.37 kW, working width: 315 mm, total dimensions: 600 mm x 500 mm x 1150 mm.	500
277	Renove	Renove mobile bread slicer, working width: 600 mm, distance between knives: 7.5/8.5 mm, total dimensions: 800 mm x 800 mm x 1150 mm.	250
278	Townsend	Townsend mobile skinning machine, model: 7620, year of construction: 2003, 380 V, 3 Ph, 50 Hz, working width: 510 mm, total dimensions: 910 mm x 820 mm x 1000 mm.	750
279	Italdibipack S.p.A.	Italdibipack S.p.A. mobile shrink wrapper, model: Dibipack 4255EVX restyling, serial number: 022634,	450



Nr	Title	Description	Start €
		year of construction 2021, 230 V, 50/60 Hz, 3.5 kW, weight: 90 Kg, film width: 515 mm, seal length: 570 mm x 440 mm, total dimensions: 800 mm x 1300 mm x 1500 mm. Including 2 extra film rolls.	
280	VMI	VMI mixer, model: PH602 XV, machine number: 150493, year of construction: 27/03/08, 400 V, 50 Hz, 8.1 A, 2.2 kW, s/s tub, tub dimensions: Ø 450 mm x 450 mm, total dimensions: 1000 mm x 650 mm x 1520 mm. Including extra flat beater.	1000
281	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD semi automatic weigh, wrap and labelling machine, model: AW-4600CP, serial number: 14172045, year of construction: 2014, 220-240 V, 1 Ph, 50/60 Hz, 5 A, 1.0 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=-2.999 kg, dimensions: 1100 mm x 1050 mm x 1500 mm.	1500
282	Avery Berkel	Avery Berkel mobile weighing scale, model: HL122, serial number: ER401697, year of construction: 2008, maximum weight: 150 kg, minimum weight: 1 kg, e=0.05 kg, 9 V, operating temp: -10°C/40°C, dimensions scale: 600 mm x 460 mm, total dimensions: 850 mm x 460 mm x 1000 mm.	75
283	Maxima	Maxima planetary mixer, model: MPM20, serial number: MPM20-1554, 230 V, 1 Ph, 50 Hz, 0.75 kW, volume: 20 liter, dimensions: 530 mm x 450 mm x 800 mm. Including flat beater and hook. Trolley not included.	200
284	Maxima	Maxima planetary mixer, model: MPM20, serial number: MPM20-1976, 230 V, 1 Ph, 50 Hz, 0.75 kW, volume: 20 liter, dimensions: 530 mm x 450 mm x 800 mm. Including flat beater and hook. Trolley not included.	200
285	Cretel	Cretel skinning machine on s/s trolley with foot control, type: 360F, number: A894.90.03, year of construction: 23-03-1990, 220/380 V, 50 Hz, 2.46/1.42 A, 0.55 kW, working width: 325 mm, total dimensions: 550 mm x 450 mm x 350 mm.	750
286	Debotec	Debotec piston filler, inside dimensions: Ø 215 mm x 460 mm, total dimensions: 540 mm x 430 mm x 1150 mm.	750
287	Berkel	Berkel piston filler, inside dimensions: Ø 290 mm x 375 mm, total dimensions: 700 mm x 510 mm x 1150 mm.	500
288	Cretel	Cretel skinning machine on s/s trolley, type, type: 360 F, number: 1122.91.11, year of construction: 1991, 220/380 V, 3 Ph, 50 Hz, 3.35/1.93 A, 0.75 kW, working width: 325 mm, total dimensions: 570 mm x 450 mm x 1100 mm.	500



Nr	Title	Description	Start €
289	Cretel	Cretel mobile skinning machine, working width: 437 mm, total dimensions: 820 mm x 700 mm x 950 mm.	500
290	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 13102019, year of construction: 20/06/2013, 400 V, 3 Ph, 50/60 Hz, 1.50 A, 0.49 kW, weight: 230 kg, working width: 410 mm, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	300
291	Dito-Sama	Dito-Sama planetary mixer, model: BMXE80AS, number: FF357, year of construction: 11/1995, 230-400 V, 3 Ph, 50 Hz, 7.1-4.1 A, 2000 W, volume: 80 liter, dimensions: 700 mm x 1100 mm x 1450 mm. Including s/s bowl, whisk and aluminium paddle.	1200
292	Dito-Sama	Dito-Sama spiral mixer, model: XBE20, s/s tub, tub dimensions: Ø 310 mm x 300 mm, total dimensions: 700 mm x 450 mm x 1200 mm. Including extra aluminium whisk and flat beater.	500
293	Dadaux	Dadaux strip cutter, model: PRECICUT 2 D, number: PVBX 034, 400 V, 50 Hz, chamber dimensions: 70 mm x 70 mm x 170 mm, distance between knives: 7 mm, total dimensions: 680 mm x 500 mm x 640 mm.	900
294	Kolbe	Kolbe grinder table model, type: LW 82, serial number: 78 1421, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.3 A, 1.25 kW, weight: 64 kg, Ø perforations: 3 mm, Ø plate: 80 mm, total dimensions: 480 mm x 440 mm x 600 mm.	500
295	Multivac	Multivac traysealer, type: Galaxy, model: TS 355, machine number: 996, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2.3 A, 8.75 kW, film width: 500 mm, dye: (3x) 211 mm x 163 mm, with Busch vacuum pump, type: RA 0063 E 5Z1, 63 m ³ per hour, total dimensions: 730 mm x 1250 mm x 1540 mm.	1750
296	Reepack	Reepack mobile traysealer, model: 511VG, number: 3803076, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 18 A, dye: 320 mm x 255 mm, film width: 360 mm, with Busch oxygen vacuum pump, type: RC 0063 E 453, number: 03026309, capacity: 63 m ³ per hour, total dimensions: 950 mm x 600 mm x 1540 mm. Including 3 boxes with plastic trays, model trays: 1/2 GN 100 WH CMH 950 CTN.	1500
297	Hydro press	S/s mobile Hydro fruit press, dimensions: Ø 850 mm x 1280 mm.	250
298	Etipack	Etipack labelling machine, model: Spiderplus4/8, serial number: 16/000002368, year of construction: 2016, 230 V, 50/60 Hz, 0.8 A, dimensions: 500 mm x 600 mm x 500 mm.	250
299	Thermodyne	Thermodyne mobile slow cook and hold oven, model: 1900G, serial number: 14567, year of	3500



Nr	Title	Description	Start €
		construction: 1/1/17, 230/440 V, 3 Ph, 50 Hz, 11 A, 10 floors, floor dimensions: (10x) 650 mm x 550 mm, total dimensions: 830 mm x 680 mm x 1960 mm.	
300	Romeo Agustoni	Romeo Agustoni salad spinner, model: GT90, number: 0942, 220-380 V, 50 Hz, drum diameter: 450 mm, total dimensions: 650 mm x 600 mm x 1000 mm.	450
301	Dito-Sama	Dito-Sama peeler, type: T 10S, serial number: 19376 0447 007, 400 V, 3 Ph, 1.2 A, 370 W, inside dimensions: Ø 390 mm x 160 mm, total dimensions: 730 mm x 460 mm x 1300 mm. Trolley not included.	500
302	NN skinless sausage cutting machine	Skinless sausage cutting machine, 24 V, working width: 300 mm, total dimensions: 650 mm x 500 mm x 450 mm. Technical condition unknown.	250
303	Henkovac	Henkovac mobile vacuum machine, dimensions chamber: 600 mm x 450 mm x 50 mm, seal length: 590 mm, Busch pump, type: 063-122, capacity: 62 m ³ per hour, total dimensions: 700 mm x 620 mm x 1050 mm.	600
304	Turbo Systems LTD	Turbo Systems LTD mobile dosing machine, type: UPG110512, machine number: D150P5709666, year of construction: 2011, tub dimensions: Ø 570 mm x 430 mm, total dimensions: 1200 mm x 940 mm x 1725 mm.	750
305	Stephan	Stephan vacuum mixer, type: UM 44 S, machine number: 719.110.01, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 13.8 A, 5.5 kW, inside dimensions: Ø mm x mm, total dimensions: 1100 mm x 650 mm x 1200 mm.	2500
306	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 814, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 500 mm, total dimensions: 900 mm x 850 mm x 950 mm.	600
307	Ora	Ora seal machine, type: 2031, serial number: 1 323, year of construction: 2008, 230 V, 50/60 Hz, 1.5 A, working width: 500 mm, total dimensions: 600 mm x 320 mm x 350 mm.	100
308	Sicli	Sicli powder fire extinguisher, type: P 50 A M 1, dimensions: 600 mm x 600 mm x 1000 mm.	25
309	Urschel	Urschel s/s cutter for cutting jullienne, model: CC, serial number: 2751, clearance: 255 mm x 165 mm, Ø input: 240 mm, inside dimensions: Ø 350 mm x 90 mm, total dimensions: 1250 mm x 95 mm x 240 mm.	2000
310	NN transport belt	Transport belt with rejector, plastic mesh belt, belt width: 380 mm, total dimensions: 660 mm x 660 mm x 1000 mm.	250
311	NN transport belt		250



Nr	Title	Description	Start €
		Transport belt with rejector, plastic mesh belt, belt width: 380 mm, total dimensions: 660 mm x 660 mm x 1000 mm,	
312	Logitrans	Logitrans s/s pallet lifter, serial number: 083B04064236, year of construction: 2008, capacity: 2000 kg, fork length: 1140 mm, total dimensions: 1600 mm x 520 mm x 1220 mm.	250
313	AC-Hand	AC-Hand pallet lifter, serial number: 12011395-7/104, year of construction: 2012, capacity: 2500 kg, fork width: 540 mm, fork length: 1150 mm, total dimensions: 1550 mm x 550 mm x 1250 mm. Defect.	25
314	Bertrand	Bertrand mobile liquid sourdough fermentation tank, model: SEBP BPU, type: FERMENTOLEVAIN FL80, serial number: 9300000000015940, year of construction: 05/2014, 400 V, 50/60 Hz, 3.75 A, 1.5 kW, fluid: R404A, machine weight: 220 kg, tank: Ø 600 mm x 500 mm, total dimensions: 1150 mm x 830 mm x 1500 mm.	1500
315	Bertrand	Bertrand mobile liquid sourdough fermentation tank, model: SEBP BPU, type: FERMENTOLEVAIN FL140, serial number: 9300000000044328, year of construction: 09/2016, 400 V, 3 Ph, 50 Hz, 5.25 A, 2.1 kW, fluid: R404A, machine weight: 265 kg, tank: Ø 600 mm x 750 mm, total dimensions: 1150 mm x 800 mm x 1500 mm.	2100
316	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190020C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	900
317	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190017C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 550 mm.	900
318	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190014C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	900
319	Videojet	Videojet inkjet printer, model: 1620, serial number: 16292104C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	900
320	Busch	Busch vacuum pump, type: 063-122 303875, capacity: 62 m ³ per hour, total dimensions: 575 mm x 320 mm x 300 mm.	100
321	Yaskawa	Yaskawa motor, model: KVB284THTNA7026AAR152I, serial number: 70013608.02, dimensions: 720 mm x 530 mm 500.	100



Nr	Title	Description	Start €
322	ABB	ABB motor, dimensions: 600 mm x 470 mm x 440 mm.	50
323	Busch	Busch vacuum pump, type: SV 1016 B 000, serial number: C0219000166, year of construction: 02, capacity: 16 m ³ per hour, dimensions: 420 mm x 210 mm x 320 mm.	100
324	Rietschle	Rietschle vacuum pump, type: KLT 15 (03), year of construction: 2006, capacity: 15/18 m ³ per hour, dimensions: 480 mm x 250 mm x 300 mm.	100
325	Rietschle	Rietschle pump, type: SKG 250-2V.02, serial number: 1494165, year of construction: 1992, 380/415 V, 3 Ph, 50/60 Hz, 3.3/3.5 A, 1.1/1.3 kW, dimensions: 390 mm x 230 mm x 350 mm.	75
326	ABB	ABB motor, model: 3GQA 082301-BSA, serial number: 3GC11500367239011050, year of construction: 2011.1, weight: 17 kg, dimensions: 380 mm x 200 mm x 230 mm.	50
327	ABB	ABB motor, model: 3GQA 132101-HDA, number: 3GC11500365471011020, year of construction: 2011.1, dimensions: 460 mm x 250 mm x 330 mm.	50
328	Busch	Busch vacuum pump, type: SV 1025 C 000, number: C0333000262, year of construction: 03, capacity: 25 m ³ per hour, dimensions: 480 mm x 250 mm x 440 mm.	100
329	Busch	Busch vacuum pump, type: SV 1025 B 000 1 KXX, number: C0002000116, year of construction: 00, capacity: 25 m ³ per hour, dimensions: 550 mm x 440 mm x 370 mm.	100
330	Busch	Busch vacuum pump, type: SV 1025 B 000, number: NF00810103, year of construction: 96, capacity: 25 m ³ per hour, dimensions: 480 mm x 330 mm x 550 mm.	100
331	Busch	Busch vacuum pump, type: SV 1025 B 000, number: C0101000363, year of construction: 01, capacity: 25 m ³ per hour, dimensions: 480 mm x 270 mm x 600 mm.	100
332	Elektrimax	Elektrimax motor, model: CC068A, dimensions: 430 mm x 300 mm x 230 mm.	50
333	NN parts	21x gas springs, 2x Illinois Pneumatics, model: 16SAL-1-CMB-NS, 2x Clippard Minimatic, 17x Bimba Stainless.	100
334	Embraco	2 Embraco cooling compressors with fans, model: UNEU2168U, number: 5631A0304AA, 220/240 V, 1 Ph, 50 Hz, dimensions: 340 mm x 340 mm x 300 mm, 500 mm x 400 mm x 340 mm.	50
335	Ecolab GmbH	3 Ecolab GmbH hygiene systems.	20
336	NN parts	Pneumatic lifting bags, dimensions bags: (6x) Ø 390 mm x 270 mm.	100



Nr	Title	Description	Start €
337	NN machine parts	large amount of machine parts.	50
338	Leybold S.A.	2 Leybold S.A. vacuum pumps, type: SV65 109 07, serial number: J99 12 00044, year of construction: 1999, weight: 47 kg, dimensions: 680 mm x 300 mm x 310 mm. 1 incomplete.	200
339	NN battery chargers	Pallet with 3 battery chargers.	30
340	Sicli	10 Sicli foam fire extinguishers, volume: 6 liter.	20
341	Sicli	10 Sicli powder fire extinguishers, volume: 9 kg.	50
342	Sicli	10 Sicli foam fire extinguishers, volume: 9 liter.	50
343	Aariac	Aariac air compressor, model: CPRD 4200 N 8298 MT V230, year of construction: 2014, 230 V, 3 Ph, 50 Hz, 3 kW, maximum pressure: 11 bar, weight: 121 kg, dimensions: 1550 mm x 500 mm x 950 mm.	100
344	PMC Millot	3x PMC Millot weighing scales, model: SS15, 12 V, 830 mA, maximum weight: 15 kg, dimensions: (3x) 290 mm x 235 mm x 120 mm.	75
345	Baxtran	2x Baxtran weighing scale, model: SS, 12 V, 830 mA, weighing capacity: 15 kg, dimensions: (2x) 260 mm x 225 mm x 120 mm.	50
346	PMC Millot	1 PMC Millot weighing scale, model: SS15 PMC, 12 V, 830 mA, maximum weight: 15 kg, dimensions: (3x) 290 mm x 235 mm x 120 mm.	25
347	AHT	AHT freezer, type: PARIS: 210, serial number: 409934 00006554, year of construction: 06/2012, 220-240 V, 50 Hz, 2.6 A, 480 W, refrigerant: R404A/0.250 kg, capacity: 664 dm ³ , total dimensions: 1870 mm x 860 mm x 840 mm.	100
348	AHT	AHT freezer, type: PARIS: 210, serial number: 409961 00001922, year of construction: 02/2012, 220-240 V, 50 Hz, 2.6 A, 480 W, refrigerant: R404A/0.250 kg, capacity: 622 dm ³ , total dimensions: 1870 mm x 860 mm x 840 mm.	100
349	AHT	AHT freezer, type: PARIS: 210, serial number: 409547 00000344, year of construction: 09/2020, 220-240 V, 50 Hz, 2.6 A, 400 W, refrigerant: R404A/0.250 kg, capacity: 724 dm ³ , total dimensions: 1870 mm x 860 mm x 840 mm.	100
350	NN sink	S/s sink, sink dimensions: 850 mm x 700 mm, total dimensions: 2850 mm x 850 mm x 1300 mm.	250
351	DECA Packaging Group thermoformer	DECA Packaging Group traysealer, type: 2000, number: 22C0055, year of construction: 1991, dye: (2x) 170 mm x 130 mm, roller width: 310 mm, film width: 360 mm, total dimensions: 5050 mm x 740 mm x 1600 mm. Missing cover.	500
352	NN platform	S/s platform, dimensions: 4000 mm x 3000 mm x 2830 mm.	250
353	NN transport belt	S/s mobile frame with sorting belt, plastic mesh belt, belt width: 147 mm, s/s rollers, roller width: 720 mm,	1000



Nr	Title	Description	Start €
		input width: 630 mm, total dimensions: 3950 mm x 2000 mm x 1350 mm.	
354	Intrion	Intrion tray denester, serial number: PR00655, year of construction: 2013, clearance: 245 mm x 160 mm, total dimensions: 2250 mm x 1250 mm x 1760 mm.	100
355	Itra	Itra mobile transport belt, number: 10-0342, plastic belt, belt width: 390 mm, total dimensions: 2540 mm x 620 mm x 860 mm.	250
356	BVM Brunner GmbH u. Co.KG	BVM Brunner GmbH u. Co.KG shrink tunnel, type: SC 4530 SD, number: 20090641882, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 18 kW, plastic mesh belt, belt width: 440 mm, clearance: 450 mm x 330 mm, total dimensions: 2400 mm x 1150 mm x 1620 mm.	1000
357	Styron	30 Styron plastic pallets, dimensions (30x): 1200 mm x 800 mm x 150 mm.	50
358	Styron	30 Styron plastic pallets, dimensions (30x): 1200 mm x 800 mm x 150 mm.	50
359	Styron	30 Styron plastic pallets, dimensions (30x): 1200 mm x 800 mm x 150 mm.	50
360	NN table	S/s table with plastic top, dimensions: 3000 mm x 1500 mm x 910.	200
361	NN table	S/s table with plastic work top, dimensions: 3000 mm x 1580 mm x 990 mm.	200
362	Clivet	Clivet condensing unit with 6 fans, type: WSAT-XEE 302, serial number: AAG1382G0314, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 71 A, 37.1 kW, refrigerant: R410A, 17.5 kg, dimensions: 2350 mm x 1100 mm x 1520 mm.	950

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

