



**Industrial
Auctions**

2085: Online auction machinery for the food industry (including wrap production line from company Beetgold) due to closing production location Fischer in Bamberg (DE)

END DATE
30 March 2026 14:00

General terms and conditions of the online auction

End date	30 March 2026 from 14:00 hrs.
Viewing days	25 March 2026 from 09:00 till 12:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	09 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Jäckstraße 33 96052 Bamberg Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Seydelmann	Seydelmann bowl cutter with lifter for meat bins and ejector, type: K 126 H AC 9, machine number: 16 100-1, year of construction: 2016, 400 V, 50 Hz, 160 A, 86 kW, s/s bowl, volume bowl: 120 liter, s/s knives, dimensions: 2600 mm x 1650 mm x 2050 mm. Including s/s switch cabinet, dimensions switch cabinet: 1680 mm x 600 mm x 2220 mm and s/s trolley with knives, dimensions trolley: 1150 mm x 600 mm x 1400 mm.	15000
2	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF 828 S, number: 48953, year of construction: 2022, 380 - 440 V, 50/60 Hz, 15.2 A, 10.0 kW, Busch vacuum pump, dimensions: 2450 mm x 1450 mm x 2470 mm. Including s/s tool trolley, dimensions tool trolley: 1150 mm x 600 mm x 1400 mm.	49000
3	Robomotion / MCS	Tortilla forming and baking line, consisting of: Mobile waterwheel with forming roll and transport belt, diameter form: 250 mm, plastic belt, belt width: 340 mm, total dimensions: 4000 mm x 400 mm x 1200 mm. (2x) Robomotion automatic dough placer with ABB pick and place robot, name: Tortilla-Handhabung, type: Delta-Robotanlage, serial number: 212417002, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 10 A, 7 kW, diameter picker: 250 mm, total dimensions Robomotion: 3000 mm x 1640 mm x 2930 mm. MCS srl oven, type: e-IMS 1 x 10m, serial number: XC00289-XLA.02139, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 6000 A, baking time: 20 to 15 minutes, s/s mesh belt, belt width: 1000 mm, clearance: 1000 mm x 20 mm, total belt length: 10000 mm, total dimensions: 13000 mm x 2300 mm x 2900 mm. Ecor Pro dehumidifier unit, model: DSR-12, serial number: 191000467, 220-240 V, 1 Ph, 50 Hz, 6.8 A, 1490 W, dimensions: 850 mm x 640 mm x 900 mm. (3x) rollie with crates with various parts. S/s switch cabinet, dimensions: 2850 mm x 840 mm x 2350 mm. Spare s/s mesh belt, belt width: 1000 mm, total dimensions: 1200 mm x 800 mm x 550 mm. Pallet with spare motors, dimensions pallet: 1200 mm x 800 mm x 600 mm. Pallet with parts, dimensions pallet: 1200 mm x 800 mm x 500 mm.	50000
4	NN curve conveyor	Curve conveyor with camera, s/s frame, plastic mesh belt, belt width: 290 mm, conveyor length: 12000 mm, conveyor width: 460 mm, total surface area of the conveyor belt: 10000 mm x 2500 mm x 2000 mm. Including wall mounted s/s switch cabinet, dimensions: 880 mm x 450 mm x 1620 mm.	250
5	Multivac	Multivac thermoformer, consisting of: Multivac thermoformer, type: R 530, machine number: 1692, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 45 A, 17 kW, film width: 420 mm, dyes: (1x) 300 mm x 240 mm, index: 370	12500



Nr	Title	Description	Start €
		mm, belt width: 410 mm, plastic belt, belt width: (3x) 95 mm, total dimensions: 8900 mm x 1050 mm x 2220 mm. Multivac gas mixing station, type: KM 100-2MEM, number: 30363, year of construction: 1997, minimum: 6 bar, maximum: 13 bar, dimensions: 630 mm x 450 mm x 950 mm. Domino inkjet printer, type: Ax350i, serial number: AX0000007597, 100/240 V, 50/60 Hz, 4 A, 55 lp, dimensions: 660 mm x 500 mm x 1600 mm. Multivac vacuum pump, type: CB 0250 B 003 DIXX, serial number: CZM124210412, year of construction: 2024, capacity: 250 m ³ /per hour, dimensions: 1150 mm x 600 mm x 800 mm. Rollie with plastic crates with parts, dimensions: 600 mm x 400 mm x 1300 mm. Trolley with film roll, film width: (2x) 420 mm, dimensions: 900 mm x 660 mm x 1000 mm. Thermoformer is completely overhauled by Multivac in 2021.	
6	Robomotion	Robomotion automatic dough placer with ABB pick and place robot, diameter picker: 230 mm, total dimensions: 1700 mm x 2000 mm x 2700 mm.	3000
7	Rotzinger	Rotzinger curve conveyor, number: 2217 7870, year of construction: 2003, s/s frame, plastic belt, belt width: 190 mm, total dimensions: 6450 mm x 800 mm x 1170 mm.	250
8	OCS Checkweighers GmbH	OCS Checkweighers GmbH X-ray scanner with checkweigher, type: HC, number: 81100280, year of construction: 2014, Comet scanner, type: MXR-75HP/20, serial number: 440568, year of construction: 05/2014, 3.7 A, 1000 W, clearance: 350 mm x 50 mm, plastic belt, belt width: 300 mm, total dimensions: 2900 mm x 1000 mm x 2000 mm.	3500
9	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 1770 mm x 400 mm x 730 mm.	300
10	Seydelmann	Seydelmann grinder, type: MU200B, machine number: 12211-1, year of construction: 2012, 400 V, 50 Hz, 75 A, 39 kW, diameter plate: 200 mm, total dimensions: 2000 mm x 2550 mm x 2170 mm. Including s/s tool trolley with extra plates, dimensions: 1120 mm x 900 mm x 1000 mm.	12500
12	Laska	Laska double shaft paddle mixer with lifter for meat bins, type: Mixer ME 1000 SPB, machine number: 13994, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 18 A, 55 lp, 8.5 kW, volume: 1000 liter, total dimensions: 3000 mm x 1400 mm x 1900 mm. Laska lifter for 200 liter meat bins, type: Loading device BA 24, machine number: 16916, year of construction: 2020, 55 lp, hydraulic pressure: 125-150 bar, safe working load: 350 kg, lifting height: 2100 mm, total dimensions: 1260 mm x 860 mm x 2770 mm.	15000
13	NN plastic crates	45 plastic crates, each crate dimensions: 600 mm x 400 mm x 200 mm.	20
14	NN meat bin		150



Nr	Title	Description	Start €
		S/s 300 liter meat bin with lid, dimensions: 760 mm x 670 mm x 940 mm.	
15	Günther	Günther mobile double jacketed cooled vacuum tumbler, type: GPA 200K, machine number: 30992, year of construction: 2008, 400 V, 15 A, 2.0 kW, volume: 200 liter, Becker vacuum pump, type: 05.10/25-51 XL, number: 3820080, year of construction: 2023, capacity: 10.5/12.5 m ³ /per hour, total dimensions: 1800 mm x 830 mm x 1800 mm.	4000
16	NN frame	S/s frame, dimensions: 670 mm x 430 mm x 480 mm.	10
17	NN meat bin	S/s 300 liter meat bin with lid, dimensions: 760 mm x 670 mm x 940 mm.	150
18	NN meat bin	S/s 200 liter meat bin with lid.	100
19	Mettler Toledo	Mettler Toledo weighing scale with indicator on s/s table, type scale: PBA42X-B30H, maximum: 30 kg, indicator type: ICS4x9-1, serial number: C040217788, 100/240 V, 50/60 Hz, scale dimensions: 500 mm x 400 mm, total dimensions: 650 mm x 600 mm x 1450 mm.	50
20	NN meat bin	S/s 300 liter meat bin, dimensions: 760 mm x 670 mm x 940 mm.	150
21	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF 842, number: 39640, year of construction: 2017, 380 - 440 V, 50/60 Hz, 15.2 A, 10.0 kW, Busch vacuum pump, type lifter: AHV 496, number: 19000512, year of construction: 2017, total dimensions: 2100 mm x 1450 mm x 2670 mm. Including s/s tool trolley, dimensions tool trolley: 820 mm x 630 mm x 1150 mm.	49000
22	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG automatic mobile clipper, type: FCA 50, number: 139, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 6.0 A, 4.0 kW, 5-7 bar, machine weight: 360 kg, plastic belt, belt width: 40 mm, total dimensions: 1000 mm x 500 mm x 1900 mm.	8500
23	GRAEF GmbH & Co. KG	GRAEF GmbH & Co. KG slicer, type: Master 3310, serial number: 7377767, year of construction: 2016, 400 V, 50 Hz, 2.2 A, 500 W, machine weight: 43, diameter knife: 290 mm, total dimensions: 670 mm x 620 mm x 450 mm.	200
24	Kolbe	Kolbe bandsaw on s/s table, type: K 220, serial number: 95 0785, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 3.1 A, machine weight: 75-77 kg, table: 580 mm x 400 mm, total dimensions: 600 mm x 520 mm x 1480 mm.	300
25	Unicraft	Unicraft fan, type: MV 760-3, serial number: CY2305487, year of construction: 05/23, 230 V, 50 Hz, 65 A, 240 W, diameter fan: 700 mm, total dimensions: 850 mm x 450 mm x 860 mm.	50
26	Helios	Helios industrial ventilation unit, type: GBD 560/6/6, artikel number: 05522, 400 V, 3 Ph, 50 Hz, clearance: 445 mm x 500 mm, total dimensions: 1680 mm x 820 mm x 1100 mm.	100



Nr	Title	Description	Start €
27	NN writing desk	S/s writing desk, dimensions: 600 mm x 530 mm x 1250 mm.	20
28	NN cabinet	S/s cabinet, dimensions: 1180 mm x 470 mm x 1800 mm.	100
29	NN writing desk	S/s mobile writing desk, dimensions: 600 mm x 530 mm x 1250 mm.	20
30	Soehnle Industrial Solution GmbH	Soehnle Industrial Solution GmbH wall mounted weighing scale with indicator, indicator model: D07-09-011, serial number: 2821.221612588, 100/240 V, 50/60 Hz, 65 Ip, maximum: 60 kg, minimum: 400 gram, e= 20 gram, scale: 550 mm x 450 mm, total dimensions: 600 mm x 560 mm x 730 mm.	50
31	NN trolley	S/s trolley, dimensions: 1050 mm x 650 mm x 870 mm.	50
32	ELS	ELS mobile labeller, type: TE3-DB1339-SCBF201-SCBF201, machine number: 12852/2017, year of construction: 19.1.2018, 230 V, 50/60 Hz, plastic belt, belt width: 370 mm, label width: 50 mm, total dimensions: 1300 mm x 800 mm x 1860 mm.	1500
33	ELS	ELS mobile bottom labeller, type: ELS300, machine number: 16277, year of construction: 2023, 230 V, 50/60 Hz, plastic belt, belt width: 190 mm, label width: 95 mm, total dimensions: 1400 mm x 700 mm x 1400 mm.	2000
34	Kreislemayer	Kreislemayer soap dispenser, dimensions: 380 mm x 380 mm x 1820 mm.	20
35	Bayha & Strackbein G.m.b.H.	Bayha & Strackbein G.m.b.H. hygiene station with sole cleaner, hand disinfection and tourniquet, type: 074-HS1.1, fabrik number: 04788, year of construction: 11/10, 400 V, 50 Hz, 0.6 kW, brush length: (2x) 730 mm, total dimensions: 1350 mm x 930 mm x 1770 mm.	1500
36	Kreislemayer	Kreislemayer soap dispenser, dimensions: 380 mm x 380 mm x 1820 mm.	20
37	Dansensor	Dansensor leak tester, model: LeakPointer II, serial number: 71120566, year of construction: 2012, 207/253 V, 50/60 Hz, 1000 V, chamber: 500 mm x 410 mm x 120 mm, total dimensions: 730 mm x 600 mm x 500 mm.	500
38	NN table	S/s table with plastic work top, dimensions: 1800 mm x 900 mm x 900 mm.	300
39	NN plastic crates	5 pallets with large amount of plastic crates, each crate dimensions: 600 mm x 400 mm x 200 mm.	250
40	NN plastic crates	63 plastic crates, each crate dimensions: 600 mm x 400 mm x 200 mm.	50
41	K+G Wetter	K+G Wetter grinder, machine number: 421/1006, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 41/50 A, 19 kW, diameter plate: 160 mm, total dimensions: 1380 mm x 990 mm x 1300 mm.	4000
42	Günther	Günther mobile double jacketed cooled vacuum tumbler, type: GPA 200K, machine number: 33514, year of construction: 2012, 400 V, 15 A, 2.0 kW, volume: 200 liter,	4000



Nr	Title	Description	Start €
		vacuum pump, total dimensions: 1800 mm x 830 mm x 1700 mm.	
43	Radwag	Radwag weighing scale with indicator, model: TMX, serial number: 535323, 100/240 V, 50/60 Hz, 0.6 A, maximum: 60 kg, d= 10 g, scale dimensions: 500 mm x 500 mm, indicator dimensions: 460 mm x 170 mm x 420 mm.	50
44	Flintec	Flintec weighing scale, type: PC6-20kg C3 MI6-s, serial number: 11311629, Y= 25.000, maximum: 12 kg, scale dimensions: 300 mm x 250 mm x 110 mm. Without indicator.	50
45	Mettler Toledo	Mettler Toledo weighing scale with indicator, type: ICS4x9-1, serial number: C004962718, 100/240 V, 50/60 Hz, 300 mA, scale dimensions: 300 mm x 240 mm, total dimensions: 420 mm x 240 mm x 390 mm.	50
46	NN table	S/s table, dimensions: 2000 mm x 700 mm x 860 mm.	150
47	NN meat bins	3 meat bins with lids, dimensions: (3x) 750 mm x 700 mm x 950 mm.	300
48	India Organic	Pallet with 18 bags with India Organic psyllium husk powder, manufacturing date: August 2024, best used before: July 2027, each bag: 25 kg, total dimensions: 1200 mm x 800 mm x 500 mm.	200
49	Salz	Pallet with 9 bags with salt, each bag: 25 kg, total dimensions: 1200 mm x 800 mm x 500 mm.	100
50	Avena Best Ingredients	pallet with 6 bags Avena Best Ingredients organic hull fiber 125, each bag: 22.68 kg, total dimensions: 1300 mm x 1100 mm x 950 mm.	200
51	Helsinki Mills Ltd	Pallet with Helsinki Mills Ltd 17 bags with organic gluten free fine wholegrain oat flour, production date/batch number: 8.12.2023, best before date: 8.3.2025, each bag: 20 kg, total dimensions: 1300 mm x 960 mm x 800 mm.	200
52	Easyakku	Pallet with 16 boxes with Easyakku ice packs, each box: 20 pieces, total dimensions: 1200 mm x 800 mm x 1150 mm.	100
53	Easy2cool	Pallet with Easy2cool paperfloc insulation for cartonnen boxes, total dimensions: 1200 mm x 800 mm x 1250 mm.	200
54	NN carton boxes	5 pallets with large amount of carton boxes, dimensions boxes: 420 mm x 350 mm x 200 mm and 330 mm x 260 mm x 70 mm, total dimensions: (5x) 1200 mm x 800 mm x 1800 mm.	50
55	Mesutronic	Mesutronic metal detector, type: MN 5.0 CT. 400/200, serial number: 930217-CI, 100/240 V, 50/60 Hz, 50-300 A, 66 Ip, plastic belt, belt width: 350 mm, clearance: 400 mm x 160 mm, total dimensions: 1650 mm x 840 mm x 1130 mm.	750
56	Loma systems	Loma systems metal detector head, model: IQ3, serial number: MG308-18101D, year of construction: 8.12.2011, clearance: 750 mm x 350 mm, total dimensions: 1300 mm x 600 mm x 960 mm.	1250
57	Loma systems		1250



Nr	Title	Description	Start €
		Loma systems metal detector head, model: IQ3, serial number: MH308-18099D, year of construction: 7.12.2011, clearance: 750 mm x 350 mm, total dimensions: 1300 mm x 600 mm x 960 mm.	
58	Voran / MAS-Germany GmbH	Voran / MAS-Germany GmbH sausage cutter, type: SB Cut, series: 203, order number: 2140004, year of construction: 2022, 400 V, 3 Ph, 50-60 Hz, 1.5 kW, dimensions: 1655 mm x 750 mm x 1440 mm.	12000
59	NN plastic crates	Pallet with large amount of plastic crates, each crate: 600 mm x 400 mm x 200 mm.	50
60	NN plastic crates	19 plastic crates, each crate dimensions: 600 mm x 400 mm x 200 mm.	10
61	Weber	Weber mobile skinning and deriding machine, type: ASB 600, number: 1821, 400 V, 50 Hz, 0.85 kW, plastic belt, belt width: (2x) 320 mm, deriding roll width: 350 mm, working width: 390 mm, total dimensions: 1800 mm x 750 mm x 1170 mm.	400
62	Treif maschinenbau GmbH	Treif maschinenbau GmbH dicer, model: ARGON, machine number: 410007.179537.116042, year of construction: 2012, 380/480 V, 3 Ph, 50/60 Hz, 5-4/16 A, chamber: 550 mm x 100 mm x 100 mm, grid: 17 mm x 4 mm, plastic belt, belt width: 240 mm, total dimensions: 1750 mm x 1450 mm x 1200 mm. Including crate with extra grid.	6000
63	K+G Wetter	K+G Wetter grinder, type: WW G 160, machine number: 421/1032, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 41/50 A, 19 kW, diameter plate: 160 mm, total dimensions: 1120 mm x 1400 mm x 1360 mm.	4000
64	Günther	Günther mobile double jacketed cooled vacuum tumbler, type: GPA 200K, machine number: 33940, year of construction: 2013, 400 V, 15 A, 2 kW, volume: 200 liter, vacuum pump, total dimensions: 1830 mm x 900 mm x 1750 mm.	4000
65	Reich	Reich bandsaw, type: Profi 400, number: 400 1443, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 6.3 A, 2.2 kW, table: 830 mm x 680 mm, total dimensions: 830 mm x 790 mm x 1800 mm.	500
66	Reich	Reich bandsaw, type: Profi 400, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 6.3 A, 2.2 kW, table: 830 mm x 680 mm, total dimensions: 830 mm x 790 mm x 1800 mm.	750
67	NN trolley	S/s trolley, 21 floors, 6 plates: 650 mm x 530 mm, total dimensions: 540 mm x 720 mm x 1790 mm.	50
68	Bila A/S	Bila A/S automatic pallet stacker and destacker, type: 1500C1-09-3002, serial number: 16-0252, year of construction: 2017, 365 kg, 100-240 VAC, 1 Ph, 50-60 Hz, dimensions: 1300 mm x 800 mm x 1500 mm.	250
69	Verbufa	Verbufa skewering machine, type: VSP-1, serial number: 201701530, year of construction: 2017, 230 V, 50 Hz, 5 A, machine weight: 240 kg, clearance: 45 mm x 45 mm,	5000



Nr	Title	Description	Start €
		plastic mesh belt, belt width: (1x) 40 mm, (1x) 265 mm, skewer length: 180 mm, machine weight: 240 kg, total dimensions: 1300 mm x 1120 mm x 1620 mm.	
70	Weber	Weber mobile skinning machine, type: ASE 553, number: 1760/87039, year of construction: 02.10.1987, 400 V, 50 Hz, 54 lp, machine weight: 150 kg, working width: 500 mm, dimensions: 600 mm x 850 mm x 1020 mm.	300
71	Maja	Maja strip cutter, type: ESB 4434 S, number: UC-47278, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.15 A, 0.75 kW, plastic belt, belt width: (2x) 390 mm, working width: 290 mm, 6 knives, distance between knives: 50 mm, total dimensions: 1900 mm x 760 mm x 1260 mm. Extra knife set, 25 knives, distance between knives: 10 mm.	1250
72	NN plastic crates	7 pallets with large amount of plastic crates, each crate: 600 mm x 400 mm x 200 mm.	200
73	Schütz	Schütz IBC tank, dimensions: 1200 mm x 1000 mm x 1170 mm.	100
74	India Organic	Pallet with 16 bags with India Organic psyllium husk powder, manufacturing date: August 2024, best used before: July 2027, each bag: 25 kg, total dimensions: 1200 mm x 800 mm x 500 mm.	200
75	NN insulation boxes	3 different sizes insulation boxes.	10
76	NN tank	S/s tank, dimensions: 850 mm x 780 mm x 1660 mm.	100
77	NN IBC tank	IBC tank, dimensions: 1200 mm x 1000 mm x 1170 mm.	100
78	Döhler	Pallet with Döhler organic lemon juice concentrate, product date: 28.11.2024, batch: 4465333, each bag: 19 kg, total dimensions: 1200 mm x 800 mm x 800 mm.	50
79	Gustodoro	Pallet with Gustodoro concentrato 28/30 tomato paste, total dimensions: 1200 mm x 800 mm x 1200 mm.	50
80	Quiel	Quiel mobile tray filling machine with denester, type: FKFA2, serial number: 19784, year of construction: 2020, 400 V, 50 Hz, 0.4 kW, plastic belt with dividers, belt width: 115 mm, distance between dividers: 280 mm, divider height: 15 mm, s/s out feed rollers, roller width: 170 mm, total dimensions: 2200 mm x 750 mm x 1900 mm. Used for leber kase with trays for: 2000 gram, 1000 gram, 500 gram and 250 gram. With trolley, total dimensions: 1400 mm x 800 mm x 1200 mm.	7000
81	Webomatic	Webomatic mobile traysealer, type: TL300 Skin, serial number: E9021-Z3G-454, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 3.7 kW, machine weight: 376 kg, dyes: (4x) 175 mm x 130 mm, Busch vacuum pump, type: RA 0100 F 503, serial number: DEM120091433, capacity: 100 m ³ /per hour, total dimensions: 1000 mm x 800 mm x 1630 mm.	5000
82	NN trolley	S/s trolley, dimensions: 1400 mm x 800 mm x 1100 mm.	50
83	NN lockers	Steel lockers with bench, 8 doors, total dimensions: 1480 mm x 820 mm x 2150 mm.	50



Nr	Title	Description	Start €
84	Webomatic	Webomatic traysealer, type: TL 500, serial number: F 9015VL160, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 6.0 kW, plastic mesh belt, belt width: (2x) 150 mm, dye: (3x) 170 mm x 120 mm, film width: 280 mm, plastic outfeed belt, belt width: 310 mm, with Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m ³ per hour, total dimensions: 4000 mm x 1000 mm x 1600 mm. Including trolley with parts and extra dye: (4x) Ø 95 mm, trolley dimensions: 1400 mm x 610 mm x 1450 mm.	12000
85	NN denester	Denester, plastic belt, belt width: 30 mm, distance between dividers: 120 mm, divider height: 10 mm, dimensions: Ø 185 mm x 115 mm, clearance: 200 mm x 180 mm, total dimensions: 2100 mm x 600 mm x 1700 mm.	3200
86	Nespresso Professional	Nespresso Professional coffee machine aguila, type: AG220PRO, serial number: 18313AG2n002278Q1Ga, year of construction: 2018-10-31, 220/240 V, 50/60 Hz, 3200/3800 W, refrigerant: R134a, dimensions: 600 mm x 650 mm x 640 mm.	100
87	NN table	S/s table, dimensions: 1200 mm x 700 mm x 600 mm.	150
88	Convotherm	Convotherm combi steamer, type: Cmx eT 6.10 ES, 380/415 V, 3 Ph, 50/60 Hz, 14.6/15.7 A, 9.6/11.3 kW, 6 floors, floor dimensions: 470 mm x 330 mm, total dimensions: 870 mm x 880 mm x 1490 mm.	400
89	ALTO Shaam	ALTO Shaam heated showcase, model: ED2-48, serial number: 2001817-000, year of construction: 06/12/17, 230 V, 1 Ph, 50/60 Hz, 2900 W, inside dimensions: 1150 mm x 690 mm x 400 mm, total dimensions: 1230 mm x 850 mm x 680 mm.	300
90	NN belt	S/s mesh belt, belt width: 603 mm, length: 25000 mm, total dimensions: 700 mm x 460 mm x 550 mm.	200
91	Euralpina	Euralpina boots drying rack, number: E1639, year of construction: 160817, 230 V, 160 W, 20 pegs, peg length: 350 mm, total dimensions: 410 mm x 400 mm x 1500 mm.	100
92	Sorgo	Sorgo climate installation consisting of: Sorgo pre ripening chamber with door and 3 channels, door dimensions: 1260 mm x 80 mm x 2080 mm, 3 channels, dimensions: (1x) 3850 mm x 300 mm x 400 mm, (1x) 4600 mm x 300 mm x 400 mm, (1x) 4200 mm x 600 mm x 400 mm, total chamber dimensions: 4100/5000 mm x 3800 mm x 2700 mm. Sorgo ripening chamber with door and 3 channels, door dimensions: 1150 mm x 100 mm x 2030 mm, channel dimensions: (2x) 12600 mm x 300 mm x 400 mm, (1x) 13000 x 600 mm x 300 mm, total chamber dimensions: 13300/14200 mm x 3500 mm x 2850 mm. 2 control panels, dimensions: (2x) 540 mm x 400 mm. Heat generator, dimensions: 1850 mm x 1500 mm x 1300 mm. Heat generator, dimensions: 2000 mm x 1500 mm x 1500 mm.	3000



Nr	Title	Description	Start €
		Smoke generator, dimensions: 550 mm x 400 mm x 1300 mm. Kaeser air dryer, type: TC 36, serial number: 2166, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 5.8 A, refrigerant: R134a, 1 kg, dimensions: 700 mm x 950 mm x 1100 mm. Kaeser compressor, type: 8°C1100-500, number: 1821064, year of construction: 1994, 400 V, 3 Ph, 50 Hz, 12 A, 5.5 kW, dimensions: 1850 mm x 600 mm x 1300 mm.	
93	NN mobile cabinets	7 wooden cabinets with drawers, each cabinet dimensions: 770 mm x 440 mm x 570 mm.	70
94	NN clothes	Large amount of clothing's.	200
95	NN rack	S/s rack, 4 floors, dimensions: 1500 mm x 800 mm x 1940 mm.	100
96	NN kebab grill	S/s kebab grill, model number: 196 60 244 259, serial number: 73, 230 V, 50/60 Hz, 16.70 W, dimensions: 700 mm x 550 mm x 670 mm.	50
97	NN kebab grill	S/s kebab grill, model: DG 4A, serial number: 2717, year of construction: 2014, 28-30/37 mbar, dimensions: 650 mm x 550 mm x 670 mm.	50
98	Euralpina	Euralpina boots drying rack, number: E1639, year of construction: 160817, 230 V, 160 W, 20 pegs, peg length: 350 mm, total dimensions: 410 mm x 400 mm x 1500 mm.	100
99	NN rack	Aluminum rack with large amount of parts, 4 floors, dimensions: 1600 mm x 600 mm x 1810 mm.	50
100	Liebherr	Liebherr refrigerator, type: 2021036, serial number: 61.568.859.4, 220 / 240 V, 50 Hz, 4.4 A, volume: 461 liter, dimensions: 770 mm x 670 mm x 2000 mm.	200
101	Liebherr	Liebherr refrigerator, type: 2021036, serial number: 61.142.740.1, 220 / 240 V, 50 Hz, 4.4 A, volume: 461 liter, dimensions: 770 mm x 670 mm x 2000 mm.	200
102	Liebherr	Liebherr refrigerator, type: 2021036, serial number: 61.266.187.3, 220 / 240 V, 50 Hz, 4.4 A, volume: 461 liter, dimensions: 770 mm x 670 mm x 2000 mm.	200
103	Liebherr	Liebherr refrigerator, type: 2021036, serial number: 61.145.845.0, 220 / 240 V, 50 Hz, 4.4 A, volume: 461 liter, dimensions: 770 mm x 670 mm x 2000 mm.	200
104	Liebherr	Liebherr refrigerator, type: 2021036, serial number: 61.568.860.0, 220 / 240 V, 50 Hz, 4.4 A, volume: 461 liter, dimensions: 770 mm x 670 mm x 2000 mm.	200
105	NN locker	Steel locker, dimensions: 800 mm x 530 mm x 1800 mm.	50
106	Seydelmann	Seydelmann bowl cutter with ejector, type: K120DC8, number: 97243-1, 400 V, 50 Hz, 130 A, volume: 120 liter, dimensions: 1200 mm x 2250 mm x 1640 mm. Including switch cabinet and panel, switch cabinet dimensions: 800 mm x 370 mm x 1050 mm.	5000
107	Mesutronic	Mesutronic metal detector, serial number: 930645 CI, 100/240 V, 50/60 Hz, 50/300 A, plastic belt, belt width: 600 mm, clearance: 650 mm x 110 mm, total dimensions: 1570 mm x 1070 mm x 1100 mm.	750



Nr	Title	Description	Start €
108	NN plastic folding crates	9 pallet boxes with large amount of plastic folding crates, each crate dimensions: 500 mm x 300 mm x 150 mm.	300
109	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector, serial number: 96221, plastic belt, belt width: 630 mm, clearance: 700 mm x 120 mm, total dimensions: 1800 mm x 1250 mm x 1100 mm.	900
110	NN drip tray	Plastic drip tray, dimensions: 1250 mm x 870 mm x 370 mm.	50
111	NN drip tray	Plastic drip tray with large amount of hygiene liquid, dimensions: 2470 mm x 1400 mm x 470 mm.	100
112	Kärcher	Kärcher vacuum cleaner, model: AD 4 Premium, serial number: 314914 10230, 220/240 V, 50/60 Hz, 600 W, dimensions: 430 mm x 300 mm x 560 mm.	50
113	Kaeser	Kaeser air system, consisting of: Refrigeration dryer, model: TC 36, serial number: 2065-9756856, 230 V, 50 Hz, 6.4/7.0 A, refrigerant: R 513A, maximum working pressure: 18.0 bar, dimensions: 770 mm x 670 mm x 980 mm. Aquamat, model: CF6, serial number: 13889, year of construction: 10.04.2024, Energo Chocen pressure vessel, type: 99480640, serial number: 52P/22493, year of construction: 2024, volume: 91 literPressure vessel installation: type: ACT 67, serial number: 902724.0 - 1012, year of construction: 04/2024, 16 bar, dimensions: 750 mm x 1000 mm x 2000 mm. Air compressor, model: ASK27, serial number: 1032, year of construction: 2008, 400 V, 3 Ph, 50 Hz, dimensions: 1150 mm x 750 mm x 1230 mm.	2500
114	Grünbeck	Grünbeck reverse osmosis installation, consisting of: Grünbeck unit with Grundfos circulation pump, model: GENO-OSMO-X 200, serial number: 020360, year of construction: 06/2024, 400 V, 3 Ph, 50/60 Hz, 54 lp, 0.53 kW, weight: 122 kg, Grundfos circulation pump type: MG90SD2-24FT115-H3, number: 99605826, dimensions: 900 mm x 680 mm x 1710 mm. Grünbeck plastic tank, model: GT 1000, number: 100098860000, year of construction: 06/2024, 5/30°C, dimensions: 960 mm x 860 mm x 2200 mm. Grünbeck water pressure booster system, model: GENO-FU-X 2/40-1 N, serial number: 100328, 210/240 V, 50/60 Hz, 0.7 kW, water temperature: 5/40°C, maximum air pressure: 4 bar, dimensions: 640 mm x 270 mm x 950 mm. Grünbeck electronic blending system, serial number: 100381, year of construction: 06/2024, 230 V, 50/60 Hz, 14/16 A, 43 lp, 5/30/40°C, dimensions: 770 mm x 770 mm x 1480 mm.	6000
115	Unikon	Unikon dishwasher, type: T-1200, machine number/year of construction: 1501856, 400 V, 3 Ph, 19 A, 0.18/2.2 kW, machine weight: 300 kg, clearance: (2x) 640 mm x 440 mm, total dimensions: 780 mm x 1230 mm x 1580 mm.	1200
116	NN platform	Steel platform, dimensions: 1000 mm x 600 mm x 250 mm.	50



Nr	Title	Description	Start €
117	Bastra / Bayha & Strackbein G.m.b.H.	Bastra / Bayha & Strackbein G.m.b.H. crate washer, type: 074-DSKM, fabrik number: 05386, year of construction: 05/13, 400 V, 14.8 kW, clearance: 510 mm x 440 mm, belt width: 400 mm, total dimensions: 2500 mm x 860 mm x 1470 mm.	1750
118	NN trolleys	3 s/s trolleys with plates, (3x) 22 floors, plate dimensions: 640 mm x 530 mm, total dimensions: (3x) 720 mm x 540 mm x 1780 mm.	300
119	Seydelmann	Seydelmann bowl cutter, type: K75 U, machine number: 15 305-1, year of construction: 2015, 400 V, 50 Hz, 57 A, 29 kW, machine weight: 900 kg, volume: 75 liter, dimensions: 1150 mm x 1540 mm x 1510 mm. Including switch cabinet and extra knives, dimensions: 1060 mm x 800 mm x 350 mm.	5000
120	Plastic crates	16 plastic crates, each crate dimensions: 600 mm x 400 mm x 220 mm.	20
121	NN plastic folding crates	Large amount of plastic folding crates, each crate dimensions: 500 mm x 300 mm x 150 mm.	50
122	NN plastic crates	Pallet with plastic crates, each crate dimensions: 600 mm x 400 mm x 200 mm.	50
123	Seydelmann	Seydelmann bowl cutter, type: K 90 U, machine number: 04341-1, year of construction: 2004, 400 V, 50 Hz, 55 A, 29 kW, volume: 90 liter, dimensions: 1300 mm x 1400 mm x 1270 mm. Including switch cabinet and panel, dimensions: 1000 mm x 800 mm x 230 mm.	5000
124	Seydelmann	Seydelmann grinder, type: WD114, machine number: 96097-1, 400 V, 50 Hz, 16 A, diameter plate: 110 mm, total dimensions: 1100 mm x 670 mm x 1050 mm.	800
125	Janner Waagen GmbH	Janner Waagen GmbH floor weighing scale with indicator, indicator type: IT3/IT3-AC, serial number: 2003606, 110/240 V, 50/60 Hz, 0.25/0.1 A, scale dimensions: 1250 mm x 1000 mm x 270 mm, total dimensions: 1370 mm x 1330 mm x 320 mm.	400
126	Avena Best Ingredients	4 pallets with Avena Best Ingredients organic oat hull fiber 125. week of manufacturing: 27-JUL-2020, Best before: 28-JUL-2022.	200
127	Mesutronic	Mesutronic metal detector, type: MN 5.0 CI 650/150, serial number: 930222-CI, 100/240 V, 50/60 Hz, 50/300 A, 66 Ip, plastic belt, belt width: 600 mm, clearance: 650 mm x 120 mm, total dimensions: 1600 mm x 1070 mm x 1180 mm.	750
128	NN plastic crates	Pallet with plastic crates, each crate dimensions: 600 mm x 400 mm x 200 mm.	50
129	Eadertal Elektromotoren GmbH & Co. KG	Eadertal Elektromotoren GmbH & Co. KG tenderizer, type: Steaker FM 35, number: 83635, year of construction: 2019/08, 230 V, 1 Ph, 50 Hz, 3.0 A, 0.60 kW, weight: 32 kg, infeed clearance: 200 mm x 35 mm, working width: 170 mm, distance between knives: 3 mm, total dimensions: 570 mm x 240 mm x 500 mm.	400



Nr	Title	Description	Start €
130	Eadertal Elektromotoren GmbH & Co. KG	Eadertal Elektromotoren GmbH & Co. KG tenderizer, type: Steaker FM 35, number: 83632, year of construction: 2019/08, 230 V, 1 Ph, 50 Hz, 3.0 A, 0.60 kW, weight: 32 kg, infeed clearance: 200 mm x 35 mm, working width: 170 mm, distance between knives: 3 mm, total dimensions: 570 mm x 240 mm x 500 mm.	400
131	NN table	S/s mobile table, dimensions: 1400 mm x 700 mm x 930 mm.	150
132	NN rack	S/s rack, 4 floors, dimensions: 1800 mm x 470 mm x 1800 mm.	100
133	NN frame	S/s mobile frame, dimensions: 1500 mm x 660 mm x 2100 mm.	50
134	NN meat bin	S/s 300 liter meat bin, dimensions: 760 mm x 670 mm x 940 mm.	150
135	NN meat bins	2 s/s 200 liter meat bins with lids.	200
136	NN waste bag holder	S/s mobile waste bag holder, dimensions: 700 mm x 600 mm x 1270 mm.	20
137	NN writing desk	S/s mobile writing desk, dimensions: 550 mm x 600 mm x 1200 mm.	20
138	NN trolleys	3 s/s trolleys with plates, (3x) 22 floors, plate dimensions: 640 mm x 530 mm, total dimensions: (3x) 720 mm x 540 mm x 1780 mm.	300
139	Magurit	Magurit frozen block cutter, infeed clearance: 480 mm x 280 mm, working width: 520 mm, distance between knives: 75 mm, total dimensions: 1500 mm x 840 mm x 1700 mm.	4000
140	Magurit	Magurit flaker, type: 314, machine number: 7406, year of construction: 2019, 400 V, 50 Hz, 20 A, 9.3 kW, air pressure: 6 bar, machine weight: 1000 kg, infeed clearance: 400 mm x 330 mm, working width: 500 mm, total dimensions: 2440 mm x 1000 mm x 1300 mm.	12500
141	Maja	Maja mobile skinning and derinding machine, type: ESB 4434/1, serial number: M-54299, year of construction: 2018, 400 V, 3 Ph, 50 Hz, machine weight: 250 kg, plastic belt, belt width: (2x) 390 mm, deriding roll width: 370 mm, working width: 420 mm, total dimensions: 1770 mm x 750 mm x 1250 mm. Deriding roll damaged.	1250
142	NN table	S/s table, dimensions: 2000 mm x 600 mm x 850 mm.	100
143	Radwag	Radwag weighing scales with indicator, indicator model: TMX, serial number: 527863, 100/240 V, 50/60 Hz, 0.6 A, floor weighing scale dimensions: 860 mm x 840 mm, total dimensions floor weighing scale: 1700 mm x 1150 mm x 80 mm, Radwag weighing scale: model: TMX, serial number: 527860, Fintec weighing cell, type: PC6-10kg C3-s, serial number: 12777069, scale dimensions: 300 mm x 250 mm. Radwag weighing scale, model: TMX, serial number: 527860, Flintec weighing cell, type: PC6-100kg C3-s, serial	500



Nr	Title	Description	Start €
		number: 11240903, scale dimensions: 500 mm x 500 mm, dimensions s/s trolley: 950 mm x 650 mm x 1430 mm.	
144	NN meat bin	S/s 300 liter meat bin with lid, dimensions: 760 mm x 670 mm x 940 mm.	150
145	Böske GmbH	Böske GmbH mobile dual head weigher, type: DW2-V2N-150, number: 089, year of construction: 2016, 400 V, 6 bar, infeed clearance: 620 mm x 400 mm, diameter screw: 60 mm, vibrating gutter length: 550 mm, gutter width: 120 mm, basket dimensions: (2x) 145 mm x 90 mm x 170 mm, total dimensions: 1380 mm x 1150 mm x 2050 mm.	1200
146	Böske GmbH	Böske GmbH mobile dual head weigher, type: DW2-V2N-10-320, number: 095, year of construction: 2016, 400 V, 6 bar, infeed clearance: 620 mm x 400 mm, diameter screw: 60 mm, vibrating gutter length: 550 mm, gutter width: 120 mm, basket dimensions: (2x) 145 mm x 90 mm x 170 mm, total dimensions: 1380 mm x 1150 mm x 2050 mm.	1200
147	NN trolleys	2 s/s trolleys, (1x) 20 floors, (1x) 36 floors, total dimensions: (1x) 620 mm x 460 mm x 1800 mm, (1x) 570 mm x 380 mm x 1740 mm.	100
148	Inox Behälter GmbH	Inox Behälter GmbH s/s mobile tank, dimensions: 850 mm x 850 mm x 830 mm.	150
149	Radwag	Radwag weighing scales with indicator, indicator model: TMX, serial number: 527860, 100/240 V, 50/60 Hz, 0.6 A, floor weighing scale dimensions: 860 mm x 840 mm, total dimensions floor weighing scale: 1700 mm x 1150 mm x 80 mm, Radwag weighing scale: model: TMX, serial number: 527863, Fintec weighing cell, type: PC6-100kg C3-s, serial number: 11314020, scale dimensions: 500 mm x 500 mm.	400
150	NN meat bin	S/s 300 liter meat bin with lid, dimensions: 760 mm x 670 mm x 940 mm.	150
151	CG engineering GmbH	CG engineering GmbH elevating belt, s/s frame, machine number: APW.08.19.100, year of construction: 2020, machine weight: 180 kg, plastic belt, belt width: 420 mm, elevating height: 1400 mm, total dimensions: 2900 mm x 1530 mm x 1480 mm.	500
152	NN elevating belt	Mobile elevating belt, s/s frame, plastic mesh belt with dividers, belt width: 350 mm, dividers height: 100 mm, distance between dividers: 300 mm, elevating height: 1250 mm, total dimensions: 1700 mm x 800 mm x 1550 mm.	500
153	NN plastic crates	Pallet with plastic crates, each crate dimensions: 600 mm x 400 mm x 200 mm.	50
154	Anritsu Industrial Solutions Co.,Ltd.	Anritsu Industrial Solutions Co.,Ltd. X-ray scanner with rejector, type: KD7405AWH, serial number: 4600139289, 230 V, 50/60 Hz, maximum product weight: 5 kg, maximum product size: width: 240 mm, height: 120, clearance: 340 mm x 140 mm, plastic belt, belt width: (1x) 270 mm, (1x)	1250



Nr	Title	Description	Start €
		220 mm, total dimensions: (1x) 1100 mm x 760 mm x 1680 mm, (1x) 690 mm x 700 mm x 870 mm.	
155	Treif	Treif maschinenbau GmbH slicer, model: PUMA-CE, chamber: 230 mm x 250 mm, diameter knife: 550 mm, total dimensions: 1830 mm x 900 mm x 1410 mm.	1200
156	Zentjes Food BV	Zentjes Food BV mobile flattener, type: RMP 600, number: 117, year of construction: 2006, plastic belt, belt width: 600 mm, total dimensions: 2000 mm x 800 mm x 1900 mm.	2000
157	Bila A/S	Bila A/S automatic pallet stacker and destacker, type: 1500C1-09-3002, serial number: 17-0491, year of construction: 2017, 365 kg, 100-240 VAC, 1 Ph, 50-60 Hz, dimensions: 1300 mm x 800 mm x 1500 mm.	250
158	NN plastic crates	Pallet with plastic crates, each crate dimensions: 600 mm x 400 mm x 200 mm.	50
159	Vakona	Vakona mobile double jacketed cooled vacuum tumbler, volume: 200 liter, Busch vacuum pump, type: KB 0018 D IZO, number: 99022127, capacity: 18 m ³ per hour, dimensions: 1300 mm x 760 mm x 1300 mm.	750
160	NN plastic bottle crates	Large amount of plastic bottle crates, each crate dimensions: 300 mm x 200 mm x 150 mm.	100
161	NN coat rack	S/s coat rack for aprons, 25 s/s hangers, dimensions: 2000 mm x 700 mm x 1910 mm.	100
162	NN kitchen equipment	3 cabinets with large amount of kitchen equipment, among others: plates, cutlery, and drinking glasses, total dimensions: 3800 mm x 400 mm x 1470 mm.	100
163	Siemens	Siemens dishwasher, dimensions: 570 mm x 450 mm x 850 mm.	50
164	Mettler Toledo	Mettler Toledo weighing scale, type: PM3000/9, number: G20542, 220 V, 50 Hz, maximum: 3100 g, minimum: 5 g, e=0.1 g, dd= 0.1 g, T= -3100 g, scale: 230 mm x 190 mm, total dimensions: 350 mm x 195 mm x 90 mm.	25
165	Koenic	Koenic table fan, serial number: 220400, 220/240 V, 50/60 Hz, 35 W, diameter fan: 280 mm, total dimensions: 300 mm x 360 mm x 550 mm.	10
166	Profi Cook	Profi Cook induction cooktop, model: PC-EKP 1210, number: 62687, 220/240 V, 50/60 Hz, 2000 W, diameter cooktop: 210 mm, total dimensions: 300 mm x 380 mm x 80 mm.	20
167	Bosch	Bosch microwave, type: HFT870, number: HMG9720, 220/230 V, 50 Hz, 3.6 kW, dimensions: 560 mm x 550 mm x 380 mm.	20
168	Panasonic	Panasonic microwave, type: NE-1027, number: 5B28190005, year of construction: 1998, inside dimensions: 330 mm x 300 mm x 195 mm, total dimensions: 510 mm x 370 mm x 305 mm.	20
169	Switch on	Switch on mini oven, model: PD-9007KL, number: T31666, year of construction: 11/2023, 220/240 V, 50/60 Hz, 1300	20



Nr	Title	Description	Start €
		W, 3 floors, floor dimensions: 270 mm x 250 mm, total dimensions: 320 mm x 410 mm x 280 mm.	
170	Bartscher GmbH / Sunnex	2 Bartscher GmbH / Sunnex soup kettles, type: RDS-100, number: 100061, 230 V, 50 Hz, 400 W, dimensions: 380 mm x 380 mm x 400 mm, Sunnex soup kettle, number: 81328-1, 220/240 V, 50 Hz, 400/450 W, dimensions: 320 mm x 320 mm x 330 mm.	20
171	Bartscher GmbH	Bartscher GmbH au-bain-marie, type: KG-205, number: 200207, 230 V, 50 Hz, 1200 W, inside dimensions: 500 mm x 300 mm x 200 mm, total dimensions: 600 mm x 360 mm x 300 mm.	50
172	NN plastic bins	Plastic bins, dimensions: (6x) 200 mm x 200 mm x 240 mm.	10
173	TCM	TCM weighing scale, number: 243886, maximum weight: 5000 g, division: 1g, battery: 4x AA, dimensions: 260 mm x 210 mm x 50 mm.	10
174	NN cabinet	Steel wall mounted cabinet, dimensions: 170 mm x 400 mm x 460 mm.	10
175	Memmert	Memmert laboratory oven, type: TV26u, number: 365073, 220 V, 900 W, 30-220°C, 7 floors, floor dimensions: 280 mm x 160 mm, total dimensions: 340 mm x 400 mm x 600 mm.	150
176	NN racks	3 s/s racks, (3x) 4 floors, total dimensions: (3x) 900 mm x 360 mm x 1380 mm.	100
177	NN cabinet	S/s heated cabinet, 4 drawers, total dimensions: 2000 mm x 800 mm x 920 mm.	300
178	NN cabinet	S/s mobile cooled cabinet, 3 drawers, total dimensions: 1750 mm x 750 mm x 900 mm.	300
179	Liebherr	Liebherr refrigerator, type: 211 001, serial number: 86.174.423.5, volume: 569 liter, dimensions: 750 mm x 750 mm x 1690 mm.	150
180	Liebherr	Liebherr refrigerator, type: 2021036, serial number: 61.037.762.2, 220 / 240 V, 50 Hz, 4.4 A, volume: 461 liter, dimensions: 770 mm x 670 mm x 2000 mm.	200
181	Liebherr	Liebherr refrigerator, type: 2021036, serial number: 61.092.161.0, 220 / 240 V, 50 Hz, 4.4 A, volume: 461 liter, dimensions: 770 mm x 670 mm x 2000 mm.	200
182	Liebherr	Liebherr refrigerator, type: 2021036, serial number: 61.092.146.7, 220 / 240 V, 50 Hz, 4.4 A, volume: 461 liter, dimensions: 770 mm x 670 mm x 2000 mm.	200
183	NN cooking cabinet	S/s mobile cooking cabinet with 2 induction wok stations, diameter wok: 290 mm, total dimensions: 1770 mm x 750 mm x 900 mm.	500
184	Linde AG	Linde AG cooling compressor rack with 4 Bitzer cooling compressors, type: B2/4, cooling compressors type: (4x) 4G-20.2Y-40P, capacity 84.6/102.1 m ³ per hour, total dimensions: 2600 mm x 800 mm x 1950 mm.	1500
185			200



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH & CO. KG,	Bitzer Kühlmaschinenbau GmbH & CO. KG, type: 4P-10.2 Y, serial number: 65462469, 380/420 V, capacity: 47.14 m ³ per hour, dimensions: 1300 mm x 700 mm x 700 mm.	
186	Schiessl Produktions GmbH	Schiessl Produktions GmbH cooling compressor rack with 2 GEA Bock cooling compressors, type: E-FU2-BO-1 (HGX12P/110-4S+FPE4.0), serial number: 28003201-3, year of construction: 2010, 380/420 V, 3 Ph, 50 Hz, 14.64 A, 8.64 kW, volume: 19 liter, refrigerant: R 404A, 14/28 bar, GEA Bock cooling compressor, type: (2x) HGX12P/110-4 S, serial number: AS28888A025 and BC26337A046, capacity: 9.4/11.3 m ³ per hour, total dimensions rack: 1250 mm x 800 mm x 1680 mm.	300
187	Linde AG	Linde AG pressure vessel, number: 111742, year of construction: 1998, volume: 142 liter, 28 bar, temperature: 70°C, maximum pressure: 28 bar, dimensions: 1300 mm x 470 mm x 770 mm.	150
188	Lachnit	Lachnit electric pallet lifter, type: 420 S, serial number: 3017, year of construction: 2013, 1.0 kW, weight: 1200 kg, capacity: 1200 kg, lifting height: 3100 mm, dimensions: 2000 mm x 1000 mm x 2000 mm. Without charger.	1250
189	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Felix 100, machine number: 027115.208680.130822, year of construction: 2017, 400/230 V, 3 Ph, 50 Hz, 1.0/1.36 kW, 174 kg, dimensions: 1000 mm x 1000 mm x 600 mm. Only 50 working hours, including 4 grids.	1500
190	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CV/VG-500x320, serial number: A/14/A-00964, year of construction: 12/2014, 400 V, 3 Ph, 50 Hz, 600 kg, dimensions: 1300 mm x 1300 mm x 1900 mm.	1250
191	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: PUMA 700 E/EB (HS), machine number: 019417.212674.131407, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.4/4.4.62 kW, 780 kg, dimensions: 2000 mm x 900 mm x 1450 mm. Including outfeed belt.	3000
192	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF610, number: 19308, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 5.1 A, machine weight: 490 kg, dimensions: 800 mm x 800 mm x 1700 mm.	5000
193	Inotec	Inotec mobile sausage cutter, type: WT99-iT, machine number: 1 000 000 425, year of construction: 2020, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 1.6 kW, 290 kg, dimensions: 1200 mm x 600 mm x 700 mm. Only 0.11 working hours/165 cuts.	12500
194	Inject Star	Inject Star vacuum tumbler, model: ECO 3700, number: ECO3700-031, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 6.2 kW, weight: 2500 kg, volume: 3700 liter, with Busch	5000



Nr	Title	Description	Start €
		vacuum pump, type: RA 0063 F, dimensions: 3625 mm x 1500 mm x 2152 mm	
195	Inject Star	Inject Star mobile tilting device meat bins used for tumbler, dimensions: 1200 mm x 800 mm x 1400 mm.	1250
196	Inject Star	Inject Star vacuum tumbler, type: ES-3700, number: ECO3700-32, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 6.0 kW, 2000 kg, volume: 3300 liter, Busch vacuum pump, type: RA 0063 F, dimensions: 3624 mm x 1500 mm x 2152 mm.	5000
197	Inject Star	Inject Star mobile tilting device for meat bins used for tumbler, type: EL-E-200-II, number: ELE200-107, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.5 kW, dimensions: 1200 mm x 800 mm x 1600 mm.	1250
198	Inject Star	Inject Star vacuum tumbler, type: ES-3300, number: ES3300-504, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 6.0 kW, 2000 kg, volume: 3300 liter, Busch vacuum pump, type: RA 0063 F, dimensions: 3100 mm x 1620 mm x 1930 mm.	4000
199	NN tilting device	Mobile s/s tilting device for meat bins used for tumbler.	1250
200	Rosenberg ventilatoren GmbH	Rosenberg ventilatoren GmbH air treatment system, model: Airbox T60-13Q, serial number: CE7377131/15/1, 46.7 kW, capacity: 10000 m ³ /per hour, plate heat exchanger, type: H21500/5.0/E, 96.2 kW, silencer, type: EMB, dimensions: 6000 mm x 1600 mm x 2900 mm. Including switch cabinet and canals, switch cabinet: 1010 mm x 450 mm x 1800 mm.	20000
201	M.T.A. S.p.A.	M.T.A. S.p.A. chiller, model: TA T 060/SSN, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 54 hp, refrigerant: R410A, 3 fans, dimensions: 3400 mm x 1150 mm x 2200 mm.	2500
202	Colt International GmbH	3 Colt International GmbH air installation, model: (3x) Airbox S40-13 R, number: CE7212442/09/1, capacity: 10000 m ³ /per hour, Fan with freewheeling rotor, type: GKHM500-CIW1, (2x) Standard filter, quality: F7, total dimensions: (3x) 2600 mm x 2400 mm x 350 mm.	600
203	Handtmann	Handtmann case holding device, type: 60-7, number: 12906193.	800
204	CFS	CFS cooled double shaft vacuum paddle mixer, model: UniMix V 2500, serial number: 5000067474, year of construction: 2010, capacity: 2500, weight: 3500 kg, with Busch vacuum pump, dimensions: 4065 mm x 2200 mm x 2300 mm.	17500
205	CFS	CFS s/s lifter for meat bins, type: Columnloader 300 S, year of construction: 2010, 3x 400 V, 50 Hz, 0.75 kW, 1.4 kVa, capacity: 1000 kg, weight: 800 kg, elevating height: 2500 mm, total dimensions: 2600 mm x 1150 mm x 4000 mm.	1250
206	Peukert	Peukert cooking- and smoking chamber for 1 trolley, type: FR 150 RS DUO, number: 2960462, year of construction:	1250



Nr	Title	Description	Start €
		1996, 400/230 V, 50 Hz, 15.8 kW, electric heated with climate package, dimensions: 1000 mm x 1600 mm x 2400 mm. Including smoke generator for woodchips.	
207	Supervac	Supervac belt vacuum machine, model: GK 602 B/L, serial number: 2017054, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.7 kW, 8/10 A, seal length: (2x), capacity: 3 packages per minute, dimensions: 2800 mm 1400 mm x 1700 mm. Including Busch vacuum pump, type: RA 0305 D 5Z3, serial number: C1707000380, year of construction: 2017, 360 m ³ per hour.	3500
208	Ishida	Ishida traysealer, type: QX1100 split dual lane, serial number: 561558, year of construction: 2015, 380-415 V, 3 Ph, 3000 kg, clearance: 550 mm x 130 mm, plastic belt, belt width: (2x) 200 mm, total dimensions: 4500 mm x 1100 mm x 2100 mm. Including pallet with dye set, dye: 180 mm x 130 mm.	4500
209	Ishida	Ishida infeed conveyor, type: buffer infeed conveyor, serial number: 581429, year of construction: 03-2015, 230 V, 50 Hz, 200 kg, dimensions: 2000 mm x 1000 mm x 1000 mm.	1000
210	Fuji Machinery LTD.	Fuji Machinery LTD. high speed horizontal form-, fill- and seal machine, model: FW3710B, serial number: 124401, year of construction: 2002, 200 V, 50/60 Hz, with Videojet inkjet printer, model: 1880, year of construction: 2024, dimensions: 3000 mm x 1200 mm x 1500 mm. Including various parts.	2500
211	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF612K, number: 33293, 400 V, 3 Ph, 50 Hz 4.5 kW, 6.5 A, 1200 kg, dimensions: 2100 mm x 1400 mm x 2200 mm.	15000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

