



**Industrial
Auctions**

2095: Online auction machinery for the food industry in cooperation with E-Auctions in Mitchelstown, Co. Cork (IE)

END DATE
07 April 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	07 April 2026 from 14:00 hrs.
Viewing days	01 April 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	14 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Unit H1, Mitchelstown Business Park Dublin Road Mitchelstown, Co. Cork Ireland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Henkelman	Henkelman mobile dip tank, type: Diptank 60, machine number: HOD00220032, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 14 A, 9 kW, inside dimensions: 600 mm x 500 mm x 400 mm, total dimensions: 740 mm x 700 mm x 1170 mm.	1500
2	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine with plastic storage bunker, type: SAH 85 L, serial number: I-52112, year of construction: 2023, 230 V, 1 Ph, 50 Hz, 3.83 A, 0.58 kW, refrigerant: R 449 A / 0.7 kg, total dimensions flake ice machine: 720 mm x 700 mm x 1380 mm, inside dimensions storage bunker: 580 mm x 540 mm x 440 mm, total dimensions storage bunker: 650 mm x 610 mm x 650 mm.	3000
3	Thompson Meat Machinery	Thompson Meat Machinery paddle mixer-grinder, type: 3200, serial number: 3200 M 1 06, year of construction: 10-2014, 400 V, 50 Hz, 41.65 / 19.6 A, 2.2 / 9.2 kW, diameter plate: 130 mm, total dimensions: 1200 mm x 1200 mm x 1720 mm.	3500
4	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: F-LINE F100, machine number: F 100T2 015088, year of construction: 2008, 400 V, 50 Hz, 4.70 kW, dimensions: 950 mm x 950 mm x 1880 mm. Incomplete, missing 1 vane and vacuum pump.	6500
5	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile hamburger forming machine, model: R SERIES FORMATIC M/C, serial number: R220/25/03/096, 220/240 V, 1 Ph, 50/60 Hz, 0.55 kW, dye: (2x) Ø 35 mm, plastic outfeed belt, belt width: 125 mm, total dimensions: 730 mm x 580 mm x 1430 mm. Incomplete, missing wire drum scraper.	3000
6	Mainca	Mainca grinder, model: PC-98/32, serial number: PC98212376, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 5.5 A, 2.2 kW, diameter plate: 98 mm, total dimensions: 800 mm x 500 mm x 590 mm.	950
7	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH vertical slicer, model: K207 / DIVIDER startup, machine number: 750002.250100.146695, year of construction: 2021, 380-480 V, 3 Ph, 50/60 Hz, 16 A, 2.8 kW, weight: 560 kg, clearance: 280 mm x 180 mm, plastic belt, belt width: 360 mm, total dimensions: 2300 mm x 1100 mm x 2000 mm.	25000
8	Ekeby Rostfria Prod. AB	Ekeby Rostfria Prod. AB mobile tumbler for spices, model: spicer, number: GB 2008, year of construction: 2021, 240 V, 1 Ph, 50 Hz, s/s tub, inside dimensions: Ø 400 mm x 400 mm, total dimensions: 780 mm x 710 mm x 1100 mm.	950
9	Lakidis s.a.	Lakidis s.a. frozen meat flaker, model: FLAKER, type: FR-100, serial number: 480722, year of construction: 2022, 5.5 kW, infeed dimensions: 530 mm x 280 mm, working width: 610 mm, total dimensions: 2150 mm x 970 mm x 1790 mm.	7500
10			750



Nr	Title	Description	Start €
	Minerva Omega group s.r.l.	Minerva Omega group s.r.l. paddle mixer, model: C-EMM30, type: MESCOLATORE, serial number: 14E3974, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 3.5 A, 0.75 kW, volume: 30 liter, dimensions: 800 mm x 450 mm x 770 mm.	
11	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG s/s sink with 3 faucets, type: WR ECO-3 L-SV, machine number: 311759.002, year of construction: 05/2020, 230 V, 1 Ph, 0.2 kW, sensor control, dimensions: 1530 mm x 480 mm x 1350 mm.	500
13	Ramon	Ramon grinder, serie: P, model: SUPERSTAR, number: 3555, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 4.5 A, 1.84 kW, 1390 rpm, diameter plate: 100 mm, total dimensions: 630 mm x 410 mm x 520 mm.	1250
16	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Argon+, machine number: 755002.261270.153796, year of construction: 2024, 380-480 V, 3 Ph, 50/60 Hz, 16 A, 2.0 kW, weight: 435 kg, dimensions chamber: 95 mm x 95 mm, belt width outfeed: 250 mm, total dimensions: 1880 mm x 1420 mm x 1200 mm. Incomplete, plastic outfeed belt missing.	17500
17	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVMsplit 5006, serial number: M-58199, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 2.24 A, 0.55 kW, 6 bar, capacity: 280 liter per minute, working width: 540 mm, total dimensions: 950 mm x 720 mm x 1000 mm.	9500
18	Koneteollisuus OY	Koneteollisuus OY tenderizer / strip cutter, type: KT-PK, number: 167676, year of construction: 02-2018, 220-240 V, 1 Ph, 50 Hz, 4.3 A, 0.55 kW, 2800 rpm, weight: 32 kg, clearance: 170 mm x 30 mm, working width: 170 mm, 18 knives, distance between knives: 10 mm, total dimensions: 430 mm x 430 mm x 450 mm.	950
19	Lorenzo Barroso	Lorenzo Barroso clipper, model: H2 H-550, number: 671, year of construction: 2020, 6 bar, dimensions: 480 mm x 210 mm x 860 mm.	950
20	Lorenzo Barroso	Lorenzo Barroso clipper, model: H1 H-2700, number: 375, year of construction: 2023, 6 bar, dimensions: 310 mm x 200 mm x 830 mm.	750
21	Koneteollisuus OY	Koneteollisuus OY tenderizer / strip cutter, type: KT-PK, number: 177747, year of construction: 10/2021, 220-240 V, 1 Ph, 50 Hz, 4.3 A, 0.55 kW, 2800 rpm, weight: 32 kg, clearance: 170 mm x 30 mm, working width: 170 mm, 18 knives, distance between knives: 10 mm, total dimensions: 430 mm x 430 mm x 450 mm.	950
22	Ramon	Ramon grinder, serie: P, model: 22, number: 2801, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 2.3 A, 1.1 kW, 1500 rpm, diameter plate: 83 mm, total dimensions: 470 mm x 310 mm x 480 mm.	950
24	Henkelman	Henkelman vacuum machine, type: TOUCAN 42 DS SA, machine number: B400603009, year of construction: 2006,	650



Nr	Title	Description	Start €
		230 V, 1 Ph, 50 Hz, 7.5 A, 1. kW, seal length: 420 mm, dimensions chamber: 420 mm x 380 mm, total dimensions: 490 mm x 460 mm x 750 mm.	
25	Henkelman	Henkelman vacuum machine, type: Jumbo 42, machine number: HOJ30241973, year of construction: 2025, 230 V, 1 Ph, 50 Hz, 4 A, 0.6 kW, seal length: 430 mm, chamber dimensions: 430 mm x 370 mm, total dimensions: 520 mm x 500 mm x 450 mm. Incomplete, one seal bar missing.	1250
26	Henkelman	Henkelman vacuum machine, type: Boxer 52, machine number: H0B60240505, year of construction: 2024, 230 V, 1 Ph, 50 Hz, 8 A, 0.8 kW, seal length: (2x) 420 mm, chamber dimensions: 600 mm x 420 mm, total dimensions: 700 mm x 520 mm x 450 mm.	1500
27	Henkelman	Henkelman vacuum machine, type: Aero 42 XL, machine number: HAE30230065, year of construction: 2023, 230 V, 1 Ph, 50 Hz, 5 A, 0.8 A, seal length: (2x) 430 mm, chamber dimensions: 430 mm x 410 mm, total dimensions: 600 mm x 500 mm x 450 mm.	1500
30	Thompson Meat Machinery	Thompson Meat Machinery paddle mixer-grinder, type: 3000, serial number: 3000 M1 2 63, year of construction: 03-2014, 415 V, 50 Hz, 21.7 A, 9.2 / 1.1 kW, diameter plate: 130 mm, total dimensions: 1160 mm x 1100 mm x 1600 mm. Incomplete, missing plates and knives.	3500
31	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile hamburger forming machine, plastic outfeed belt, belt width: 120 mm, total dimensions: 850 mm x 620 mm x 1320 mm. Incomplete, missing form roll.	1750
33	Butcher Boy	Butcher Boy bandsaw, model: 1640, serial number: S659, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 4.9 A, 2.2 kW, dimensions table: 920 mm x 860 mm, total dimensions: 1100 mm x 900 mm x 1970 mm.	500
34	Henkelman	Henkelman mobile vacuum machine, type: 300 A II, machine number: 300401031, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 20 A, 2.3 kW, Busch vacuum pump, type: RA 0063 E, year of construction: 2004, capacity: 63 m ³ per hour, seal: (2x) 510 mm, dimensions chamber: 510 mm x 500 mm, total dimensions: 700 mm x 680 mm x 1040 mm.	500
35	Braher Internacional, S.A.	Braher Internacional, S.A. grinder, model: TM 32 "CE", number: 491.572, year of construction: 2020, 230/400 V, 3 Ph, 50 Hz, 15.7/9.1 A, diameter plate: 98 mm, total dimensions: 780 mm x 460 mm x 560 mm.	750
36	Mainca	Mainca grinder, model: PC-82/32, serial number: 8293, year of construction: 2016, 230 V, 2 Ph, 50 Hz, 10.2 A, 1.10 kW, diameter plate: 82 mm, total dimensions: 610 mm x 410 mm x 480 mm.	950
37	Henkelman	Henkelman vacuum machine, type: 200 A, number: 20912695, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 5 A, 1.2 kW, seal width: 420 mm, dimensions chamber: 420	500



Nr	Title	Description	Start €
		mm x 370 mm, total dimensions: 520 mm x 500 mm x 430 mm.	
38	Thompson Meat Machinery	Thompson Meat Machinery mobile paddle mixer-grinder, type: TMG 900 M, serial number: TMG / 900M / 570, year of construction: 05.2004, 415 V, 50 Hz, 11 A, 4 / 1.1 kW, diameter plate: 98 mm, total dimensions: 1200 mm x 1200 mm x 1300 mm. Incomplete, missing plates and knives.	3000
39	Gaser	Gaser mobile breading machine, model: PRACTIC-240, serial number: 5708-6439, year of construction: 2019, 230 V, 50-60 Hz, 3.9 A, 0.62 kW, s/s mesh belt, belt width: 310 mm, total dimensions: 1980 mm x 550 mm x 1630 mm.	2500
40	Gaser	Gaser mobile coating machine on s/s trolley, model: COMPACT, serial number: 7057-7788, year of construction: 2022, 230 V, 50-60 Hz, 1.5 A, 0.2 kW, s/s mesh belt, belt width: 310 mm, total dimensions: 650 mm x 500 mm x 730 mm.	2750
41	NN dip tank	Mobile dip tank, inside dimensions: 650 mm x 500 mm x 400 mm, total dimensions: 740 mm x 700 mm x 1400 mm.	1250
42	Ramon	Ramon mobile mixer, serie: AMM, model: 80, number: 1675, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.3 A, 0.36 kW, s/s bowl, volume bowl: 80 liter, dimensions: 800 mm x 600 mm x 1000 mm.	950
43	Risco S.P.A.	Risco S.P.A. vacuum filling machine, model: RS 110, serial number: A820040, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 5.0 A, weight: 300 kg, Busch vacuum pump, type: KC 0010 E, year of construction: 2020, capacity: 10 m ³ per hour, dimensions: 1000 mm x 700 mm x 1650 mm. Incomplete, missing rotor and vanes.	1500
44	Henkelman	Henkelman mobile double chamber vacuum machine, type: 900, number: 80011058, year of construction: 2000, Busch vacuum pump, seal width: (2x) 840 mm, dimensions chamber: (2x) 840 mm x 830 mm, total dimensions: 2000 mm x 1290 mm x 1250 mm.	2250
45	HFE Vacuum Systems bv	HFE Vacuum Systems bv mobile traysealer, model: TPS COMPACT XL, serial number: 07211, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 8 A, weight: 150 kg, Busch vacuum pump, type: RA 0021 B 3S3 APZZ, year of construction: 2007, capacity: 21 m ³ per hour, dye: (2x) 220 mm x 150 mm, film width: 410 mm, total dimensions: 850 mm x 560 mm x 1300 mm.	550
46	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile hamburger forming machine, model: R SERIES FORMATIC M/C, serial number: R2200/20/04/139, 220/240 V, 1 Ph, 50/60 Hz, 0.55 kW, plastic belt, belt width: 122 mm, dimensions Deighton Manufacturing UK LTD: 800 mm x 760 mm x 1040 mm, dimensions trolley: 690 mm x 510 mm x 900 mm. Incomplete, missing form roll.	550
48			1500



Nr	Title	Description	Start €
	Ekeby Rostfria Prod. AB	Ekeby Rostfria Prod. AB mobile tumbler for spices, model: spicer, number: GB 2053, year of construction: 2022, 240 V, 1 Ph, 50 Hz, s/s tub, inside dimensions: Ø 400 mm x 400 mm, total dimensions: 780 mm x 710 mm x 1100 mm.	
51	NN bandsaw	Bandsaw, dimensions table: 830 mm x 800 mm, total dimensions: 860 mm x 860 mm x 1780 mm.	450
53	Promax	Promax tumbler, model: TM-40, serial number: 21041301, 220 V, 1 Ph, 50 Hz, 10 A, dimensions tumbler: Ø 400 mm x 330 mm, total dimensions: 640 mm x 500 mm x 500 mm. Technical condition unknown.	500
54	Lorenzo Barroso	Lorenzo Barroso clipper, model: HD3 H-18, number: 403, year of construction: 2009, 6 bar, dimensions: 420 mm x 270 mm x 950 mm.	950
55	NN strip cutter	Mobile strip cutter, 13 knives, distance between knives: 22 mm, total dimensions: 770 mm x 500 mm x 710 mm.	350
56	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Puma CE 700 F, machine number: 192109.61817.101351, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 16 A, 3.4 kW, weight: 285 kg, dimensions chamber: 250 mm x 230 mm, total dimensions: 1950 mm x 900 mm x 1420 mm.	2250
57	Martin Weinert Maschinenbau	Martin Weinert Maschinenbau mobile binding machine, model: TGM 350, serial number: 10.280.251, year of construction: 2013, 230 V, 50-60 Hz, 16 A, clearance: 300 mm x 320 mm, total dimensions: 880 mm x 540 mm x 1440 mm.	1500
58	HFE Vacuum Systems bv	HFE Vacuum Systems bv mobile traysealer, model: TPS COMPACT, serial number: 07189, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 6 A, weight: 132 kg, Busch vacuum pump, dye: (2x) 220 mm x 150 mm, total dimensions: 900 mm x 460 mm x 1620 mm.	650
59	Koneteollisuus OY	Koneteollisuus OY mobile paddle mixer-grinder, diameter plate: 98 mm, total dimensions: 920 mm x 730 mm x 1170 mm.	1200
60	Tecnovac	Tecnovac mobile traysealer, model: QUICK, serial number: 22-06-01-01, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 7.5 A, weight: 220 kg, Busch vacuum pump, film width: 420 mm, total dimensions: 1000 mm x 600 mm x 1550 mm.	750
61	Lorenzo Barroso	Lorenzo Barroso clipper, model: H3L HE-401, number: 52, year of construction: 1998, dimensions: 650 mm x 300 mm x 1000 mm.	200
62	Mainca	Mainca piston filler, model: EM-20, number: 5998, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.5 A, 0.9 kW, volume: 20 liter, dimensions: 470 mm x 420 mm x 1100 mm.	950
63	Scharfen	Scharfen tenderizer, type/model: TH, number: 2074010, 400 V, 3 Ph, 50 Hz, 2.4 A, 1100 W, dimensions: 700 mm x 700 mm x 1780 mm.	450
64	Tender Star		250



Nr	Title	Description	Start €
		Tender Star tenderizer, number: 961260, dimensions: 560 mm x 410 mm x 1840 mm.	
65	NN turning table	S/s turning table, diameter top: 1180 mm, total dimensions: \varnothing 1250 mm x 770 mm.	350
66	Henkelman	Henkelman mobile vacuum machine, type: MARLIN 52 II, machine number: M300411039, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 10.5 A, 3 kW, Busch vacuum pump, type: RA 0063 E, year of construction: 2004, capacity: 63 m ³ per hour, seal width: (2x) 530 mm, dimensions chamber: 530 mm x 510 mm, total dimensions: 680 mm x 680 mm x 1030 mm. Incomplete, missing 2 seal bars.	1250
67	Reich	Reich bandsaw, type: INDUSTRY 500 OS, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 8.2 A, 4 kW, dimensions table: 870 mm x 820 mm, total dimensions: 1050 mm x 870 mm x 2150 mm.	2000
68	NN grinder	Grinder, plate diameter: 95 mm, total dimensions: 800 mm x 460 mm x 1000 mm.	450
69	InterVac Vakuumtechnik GmbH	InterVac Vakuumtechnik GmbH mobile double chamber vacuum machine, type: INV 30/30, number: 1351, year of construction: 2001, 230/400 V, 50 Hz, 4.5 kW, weight: 612 kg, seal length: (2x) 810 mm, chamber: (2x) 870 mm x 830 mm, total dimensions: 1980 mm x 1180 mm x 1150 mm. Incomplete, missing vacuum pump.	1500
70	Valko s.r.l.	Valko s.r.l. vacuum machine on s/s frame, model: VC 20/50, number: 00623, year of construction: 2005, 230 V, 50 Hz, 0.9 kW, Busch vacuum pump, type: RB 0021 B 3Z4 ATXX, year of construction: 2003, capacity: 21 m ³ per hour, seal length: 500 mm, dimensions chamber: 500 mm x 440 mm, total dimensions Valko s.r.l.: 600 mm x 600 mm x 380 mm, dimensions s/s frame: 570 mm x 570 mm x 570 mm.	650
71	Handtmann	Handtmann vacuum filling machine, type: VF 80, number: 1284, 420 V, 50 Hz, 11.6 A, 4 kW, Rietschle vacuum pump, dimensions: 1000 mm x 830 mm x 1630 mm.	1500
72	HFE vacuum systems bv	HFE vacuum systems bv mobile traysealer, model: TPS COMPACT XL, serial number: 10112, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 8 A, 132 kg, Busch vacuum pump, type: RB 0021 C 3S5, year of construction: 2009, capacity: 21 m ³ per hour, dimensions dye: 300 mm x 242 mm, total dimensions: 800 mm x 600 mm x 1300 mm.	500
73	Base Handling Products LTD	Base Handling Products transport belt with frame for inkjet printer, s/s frame, serial number: 053924, year of construction: 20-4-2005, plastic belt, belt width: 195 mm, total dimensions: 1470 mm x 600 mm x 1260 mm.	150
74	NN tumbler	Mobile s/s tumbler, inside dimensions: \varnothing 400 mm x 600 mm, total dimensions: 1250 mm x 850 mm x 1600 mm.	650
75	NN cooking vessel	S/s mobile cooking vessel, inside dimensions: 1190 mm x 800 mm x 640 mm, total dimensions: 1300 mm x 860 mm x 1070 mm.	450



Nr	Title	Description	Start €
76	Scotnet	Scotnet mobile double press netting machine, model: DS 1200 PxP, clearance: (2x) \varnothing 130 mm, total dimensions: 2900 mm x 600 mm x 1200 mm. Incomplete.	950
77	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 250 mm, total dimensions: 2060 mm x 340 mm x 960 mm.	150
78	Metal Masters	Metal Masters mobile elevating belt, s/s frame, model/type: VOLTA BELT CONVEYOR, serial number: 200314, year of construction: February 2019, 37 kW, belt width: 850 mm, total dimensions: 1600 mm x 1350 mm x 1460 mm. Without belt.	250
79	Biro	Biro bandsaw, model: 3336, serial number: 36834, dimensions table: 960 mm x 850 mm, total dimensions: 1100 mm x 900 mm x 1770 mm.	850
80	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 490 mm, total dimensions: 2470 mm x 580 mm x 820 mm.	250
81	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 490 mm, total dimensions: 2530 mm x 580 mm x 820 mm.	250
82	Henkelman	Henkelman mobile double chamber vacuum machine, model: POLAR 2-95, Busch vacuum pump, type: RC 0250 C 401 QMBB, year of construction: 1997, capacity: 250 m ³ per hour, seal width: (2x) 1100 mm, dimensions chamber: (2x) 1100 mm x 730 mm, total dimensions: 2410 mm x 960 mm x 1160 mm.	1750
83	InterVac Vakuumentchnik GmbH	InterVac Vakuumentchnik GmbH mobile double chamber vacuum machine, Busch vacuum pump, type: RA 0040 E 5Z1, capacity: 40 m ³ per hour, seal length: (2x) 600 mm, chamber: (2x) 600 mm x 660 mm, total dimensions: 1580 mm x 960 mm x 1160 mm.	950
84	Vixen	Vixen degreaser, type: MW 480, serial number: 1738, year of construction: 2004, inside dimensions: \varnothing 470 mm x 300 mm, total dimensions: 770 mm x 620 mm x 900 mm.	250
85	Butcher Boy	Butcher Boy grinder, model: TM 22, serial number: S396, year of construction: 1994, 415 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, diameter plate: 80 mm, total dimensions: 870 mm x 510 mm x 1090 mm.	500
86	Robopac S.p.A.	Robopac S.p.A. mobile box taping machine with top and bottom taper, model: ROBOTAPE 50 ME, serial number: 30199312, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 0.4 kg, weight: 160 kg, s/s rollers, roller width: 720 mm and 500 mm, total dimensions: 1950 mm x 960 mm x 1040 mm.	650
87	Vito AG	Vito AG mobile oil filter, model; VITO XL, serial number: 1693, 220-240 V, 50/60 Hz, 1200 W, dimensions: 520 mm x 470 mm x 1170 mm.	250
88	Schröder Maschinenbau GmbH	Schröder Maschinenbau GmbH brine mixer, type: DM 500, number: DM 185 98, year of construction: 1998, 230/400 V, 50 Hz, 5.3 A, 2.2 kW, pressure: 6 bar, volume: 500 liter, dimensions: 1350 mm x 1350 mm x 1720 mm.	750
89			550



Nr	Title	Description	Start €
	NN washing machine	Washing machine, clearance: 700 mm x 430 mm x 340 mm, total dimensions: 860 mm x 1380 mm x 1880 mm.	
90	Hobart	Hobart combi steamer, model: CSDUC1012LAE-KK, serial number: 81.847.085, 400 V, 3 Ph, 50 Hz, 27 A, 18 kW, 10 floors, dimensions floors: (10x) 530 mm x 340 mm, total dimensions: 900 mm x 810 mm x 1700 mm.	600
91	Herma GmbH	Herma GmbH labeller, model: HERMA basic L, serial number: 60000014, 100-240 V, 50-60 Hz, 120 W, label width: 205 mm, total dimensions: 750 mm x 750 mm x 1860 mm.	450
93	MHS Schneidetechnik	MHS Schneidetechnik slicer, type: PCE 70 E, serial number: 080300, year of construction: 2000, 400 V, 6 A, 2.2 kW, dimensions chamber: 220 mm x 210 mm, total dimensions: 1850 mm x 820 mm x 1330 mm.	950
94	MHS Schneidetechnik	MHS Schneidetechnik slicer, type: ICC 25, serial number: 111105, year of construction: 2005, 400 V, 18.1 A, 7.2 kW, plastic belts, belt width: (2x) 100 mm, dimensions chamber: 260 mm x 200 mm, total dimensions: 2500 mm x 980 mm x 1590 mm.	1200
95	AMB srl	AMB srl tenderizer on s/s trolley, working width: 210 mm, total dimensions: 670 mm x 670 mm x 1800 mm.	150
96	UNI-FOOD TECHNIC A/S	UNI-FOOD TECHNIC A/S bone scraper, type: UFT F42, order number: 99032, dimensions: 1280 mm x 610 mm x 1670 mm.	250
97	Scharfen	Scharfen tenderizer, type/model: TH, number: 2054017, 230 V, 1 Ph, 50 Hz, 8.8 A, 1100 W, dimensions: 700 mm x 700 mm x 1740 mm.	300
99	Henkelman	Henkelman mobile double chamber vacuum machine, Busch vacuum pump, type: RA 0302 D 523 DIXX, year of construction: 2014, capacity: 300 m ³ per hour, seal width: (2x) 840 mm, dimensions chamber: (2x) 840 mm x 830 mm, total dimensions: 1900 mm x 1200 mm x 1120 mm.	1000
100	Sté Papiers PAVIOT	Sté Papiers PAVIOT benchtop heat sealer, model: Venus, serial: 3/007, year of construction: 2004, 230 V - 50/60 Hz, 2A.	10
101	Reepack	Reepack traysealer, model: Ree-Eco 18, serial number: 2719027, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 11 A, chain infeed belt with dividers, width: 450 mm, distance between dividers: 450 mm, dimensions dye's: (2x) 165 mm x 120 mm, total dimensions: 3020 mm x 900 mm x 1690 mm.	5000
102	Multivac	Multivac mobile double chamber vacuum machine, Busch vacuum pump, type: RA 0160 D 5Z1 VRXZ, year of construction: 2011, capacity: 160 m ³ per hour, seal length: (2x) 670 mm, dimensions chamber: (2x) 670 mm x 740 mm, total dimensions: 1590 mm x 1010 mm x 1070 mm.	1200
103	Meissner & Co	Meissner & Co cutter with ejector, type: RSM 130, machine number: 148 404, 415 V, 76 A, 37.7 kW, s/s bowl, volume	850



Nr	Title	Description	Start €
		bowl: 130 liter, s/s knives, total dimensions: 1800 mm x 1550 mm x 1670 mm.	
104	KJ Maskinenfabrik	KJ Maskinenfabrik sealing machine, plastic belts, belt width: (2x) 520 mm, seal width: 560 mm, total dimensions: 1700 mm x 1000 mm x 2360 mm.	1200
105	Veserkal	Veserkal bottom labeller, model: PE106S, serial number: 1428, year of construction: 2016, 230 V, 1.5 kW, plastic wire belt, belt width: 170 mm, plastic belt with dividers, belt width: 225 mm, dividers height: 70 mm, distance between dividers: 190 mm, total dimensions: 2240 mm x 860 mm x 1280 mm.	700
106	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 290 mm, total dimensions: 1900 mm x 1020 mm x 1060 mm.	200
108	Summer	Summer mobile lifter, model: 2100 Contractor lifts 2112, serial number: 32005, year of construction: 2018, lifting height: 3900 mm, capacity: 300 kg, dimensions platform: 650 mm x 540 mm, total dimensions: 1570 mm x 750 mm x 2130 mm.	400
109	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: TWISTER, machine number: 412006.158091.108710, year of construction: 2010, 380/480 V, 3 Ph, 50/60 Hz, 10/8/16 A, chamber: 120 mm x 120 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 1900 mm x 1580 mm x 1260 mm. Including 2 extra grids.	5000
110	Temic	Temic vertical clipper, inside dimensions: 320 mm x 150 mm x 400 mm, total dimensions: 1900 mm x 1580 mm x 1260 mm.	800
111	Proseal	Proseal mobile elevating belt, serial number: 2808, year of construction: 2013, 230 V, 50 Hz, belt width: 240 mm, total dimensions: 1500 mm x 660 mm x 1140 mm. Missing belt.	300
112	Thompson Meat Machinery	Thompson Meat Machinery grinder, type: 900-MM, serial number: 900-455, year of construction: 6/03, 240 V, 50 Hz, 20.2 A, 3.7 kW, 1430 rpm, diameter plate: 100 mm, total dimensions: 1000 mm x 900 mm x 1400 mm. Without plates and knives.	3000
113	Yang srl	Yang srl mobile traysealer, model: OCEANIA VAC, serial number: 080C035, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3.8 kW, machine weight: 220 kg, dye: (2x) 225 mm x 155 mm, total dimensions: 1050 mm x 700 mm x 1370 mm.	400
114	NN portion cutter	Portion cutter, approximate belt width: 250 mm, total dimensions: 3500 mm x 1200 mm x 1900 mm. Incomplete, technical condition unknown.	500
115	ATM Machinery	ATM Machinery vacuum machine, type: CULINARY, machine number: MM510005, year of construction: 2010, 240 V, 1 Ph, 50 Hz, 5.7 A, 0.95 kW, seal length: 420 mm, chamber: 420 mm x 390 mm, Busch pump, pump type: 0021-336,	300



Nr	Title	Description	Start €
		pump number: 007397, total dimensions: 550 mm x 500 mm x 480 mm.	
117	Ilpra	Ilpra traysealer, model: FP400V/G, serial number: FP7925, year of construction: 2008, 380 V, film width: 250 mm, dyes: (2x) 175 mm x 125 mm, Busch vacuum pump, type: RA 0063 F 5K3, number: 070057743, capacity: 63 m ³ per hour, total dimensions: 980 mm x 900 mm x 1430 mm.	500
118	Atlas Copco	Atlas Copco air compressor, type: LF10-10UV FF 500 CE, serial number: ITR1424450, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 6.58 kW, machine weight: 280 kg, maximum bar: 10 bar, Air dryer type: FX 4 (A3), serial number: ITJ248183, year of construction: 2019, 230 V, 1 Ph, 50 Hz, 0.475 kW, weight: 25 kg, refrigerant type: R 134 A, maximum: 17 bar, total dimensions: 1800 mm x 660 mm x 1300 mm.	600
119	NN vacuum machine	Mobile double chamber vacuum machine, model: J-V016, number: 07108785, 380 V, 3 Ph, 50 Hz, 17 A, seal length: (6x) 860 mm, chamber: (2x) 860 mm x 710 mm, Busch vacuum pump, pump type: RA 0202 D 563 XXXX, number: C1015000183, capacity: 202 m ³ /per hour, total dimensions: 2050 mm x 1050 mm x 970 mm. Technical condition unknown, incomplete.	500
120	InterVac Vakuumtechnik GmbH	InterVac Vakuumtechnik GmbH mobile double chamber vacuum machine, type: INV 11/11, number: 2287, year of construction: 2007, 230/400 V, 50 Hz, 2.5 kW, weight: 385 kg, Busch vacuum pump, type: RA 0100 F 5R3, number: 070062440, capacity: 100 m ³ per hour, seal length: (2x) 630 mm, chamber: (2x) 630 mm x 670 mm, total dimensions: 1550 mm x 980 mm x 1130 mm.	1250
121	Tecnotrip	Tecnotrip dip tank, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 300 mm, total dimensions: 1140 mm x 970 mm x 1600 mm.	500
122	NN table	S/s table, dimensions: 1500 mm x 560 mm x 840 mm.	100
123	NN roller conveyer	Roller conveyer, s/s frame, plastic rollers, roller width: 490 mm, total dimensions: 2450 mm x 580 mm x 820 mm.	100
124	NN roller conveyer	Roller conveyer, s/s frame, s/s rollers, roller width: 490 mm, total dimensions: 2450 mm x 580 mm x 820 mm.	100
125	Crusader Industrial Washing Machines LTD	Crusader Industrial Washing Machines LTD dishwasher, model: EDI13, serial number: 779-EDI13 A/1303/01P, year of construction: 30/03/2007, inside dimensions: 1330 mm x 720 mm x 700 mm, total dimensions: 1500 mm x 870 mm x 1870 mm.	1250
126	Cryovac	Cryovac shrink tunnel, model: ST77 RHE, serial number: A51600303, year of construction: 1999, 380/415 V, 50 Hz, 66 A, 45 kW, plastic and s/s roller, roller width: 730 mm, clearance: 860 mm x 200 mm, total dimensions: 1500 mm x 1500 mm x 1900 mm.	500
127	Cryovac		500



Nr	Title	Description	Start €
		Cryovac shrink tunnel, model: ST12 ELH, serial number: CST1207023, year of construction: 1996, 380/415 V, 50 Hz, 66 A, 36.5 kW, plastic and s/s roller, roller width: 730 mm, clearance: 860 mm x 200 mm, total dimensions: 1500 mm x 1500 mm x 1900 mm. Including feet control.	
128	Varlet	Varlet slicer, type: V2901L, number: 139, year of construction: 1998, 2.4 kW, clearance: 265 mm x 205 mm, total dimensions: 2450 mm x 910 mm x 1500 mm. Missing cover.	400
129	Kilia	Kilia bowl cutter with ejector, number: 39412488, s/s bowl: Ø 1020 mm x 150 mm, s/s knives, total dimensions: 2000 mm x 1650 mm x 1700 mm.	2500
130	Bridge	Bridge tenderizer, s/s mesh belt, belt width: 710 mm, working width: 735 mm, total dimensions: 1700 mm x 1250 mm x 1250 mm.	400
131	Günther	Günther injector with mobile filter unit, type: PIF 450, machine number: 23934, 380 V, 32 A, plastic mesh belt, belt width: 275 mm, clearance: 275 mm x 275 mm, total dimensions: 3350 mm x 1500 mm x 2100 mm.	3500
132	Waldys S.A.	Waldys S.A. stretch wrapping machine, model: B-188, serial number: 467, year of construction: 10-2001, 400 V, 3 Ph, 50 Hz, 2.6 kW, 310 kg, plastic wire infeed belt, belt width: 270 mm, film width: 350 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 1400 mm x 1370 mm x 1400 mm. Cover damaged.	100
133	Lutetia	Lutetia injector, type: IMPB, model: 225.CMS, serial number: 11465, year of construction: 2001, 400 V, 50 Hz, 9 A, 74 needles, s/s mesh belt, belt width: 370 mm, clearance: 400 mm x 260 mm, total dimensions: 2200 mm x 1200 mm x 1940 mm.	1500
134	REX	REX bowl cutter with ejector, model: B100, machine number: BU 7015, year of construction: JAN 2006, 415 V, machine weight: 1600 kg, capacity: 1006, s/s bowl: Ø 940 mm x 140 mm, s/s knives, total dimensions: 1700 mm x 1120 mm x 1740 mm.	2500
135	Crusader Industrial Washing Machines LTD	Crusader Industrial Washing Machines LTD crate washer, type: T200SP, serial number: 1353, year of construction: 30/11/2014, s/s mesh belt, belt width: 500 mm, clearance: 540 mm x 640 mm, total dimensions: 3900 mm x 1350 mm x 2030 mm.	1950
136	Nock	Nock mobile skinning and derinding machine, type: CB435, machine number: 246780, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, plastic belt, belt width: 370 mm, working width: 355 mm and 420 mm, total dimensions: 1230 mm x 780 mm x 1180 mm.	600
137	NN table	Mobile s/s table, dimensions: 1000 mm x 750 mm x 700 mm.	50
138	NN cabinet		150



Nr	Title	Description	Start €
		S/s cabinet, 2 floors, dimensions: 1180 mm x 700 mm x 2150 mm.	
139	Elpress	Elpress washing machine for 200 liter meat bins, total dimensions: 1940 mm x 1880 mm x 2400 mm.	5000
140	Advance Baling Compaction	Advance Baling Compaction baler, model: Compact 75, inside dimensions: 700 mm x 500 mm x 1380 mm, total dimensions: 1030 mm x 640 mm x 2300 mm.	800
141	NN mixer	S/s trolley with mixing arm, length mixing arm: 900 mm, total dimensions: 1250 mm x 1300 mm x 1800 mm.	500
142	NN meat bin washer	S/s meat bin, volume: 200 liter.	1500
143	Fomaco	Fomaco tenderizer, model: FGM 26/456 T, machine number: 8421-2001, 400 V, 3 Ph, 50 Hz, 3.6/1.6 A, 228 needles, s/s belt, belt width: 335 mm, clearance: 340 mm x 150 mm, total dimensions: 2150 mm x 700 mm x 1900 mm.	1000
144	Preferred Packaging	Preferred Packaging traysealer, model: FIRE 500, serial number: 001/12, year of construction: 2012, 400 V, 50 Hz, dye: 320 mm x 240 mm, DVP vacuum pump, type: LC.105, serial number: 1013489, year of construction: 2010, capacity: 105/125 m ³ per hour, total dimensions: 3000 mm x 1200 mm x 1950 mm. Missing cover.	500
145	Avery Berkel	Avery Berkel mobile traysealer, model: TPS-Compact, dye: (2x) 220 mm x 150 mm, Busch vacuum pump, total dimensions: 730 mm x 460 mm x 1300 mm.	500
146	Wright Field LTD	Wright Field LTD turning table, serial number: 17807B, year of construction: 3.2005, 23 lp, s/s frame, diameter table: 990 mm, total dimensions: 1020 mm x 1020 mm x 870 mm.	300
147	Bramidan	Bramidan baler, type: 4-K, number: PEL 01 02 989, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 25/16 A, 4.0 kW, inside dimensions: 1100 mm x 710 mm x 1500 mm, total dimensions: 1300 mm x 1100 mm x 2700 mm.	3000
148	AEW Thurne	AEW Thurne slicer, plastic mesh belt, belt width: 300 mm, s/s rollers, roller width: 340 mm, clearance: 340 mm x 140 mm, total dimensions: 2670 mm x 1320 mm x 2200 mm. Incomplete.	1200
149	NN outfeed conveyor	Outfeed conveyor for slicer, plastic belt, belt width: 280 mm and 400 mm, plastic wire belt, belt width: 460 mm, total dimensions: 4300 mm x 1350 mm x 1520 mm.	600
150	Nissan	Nissan forklift, type: M01, serial number: M01-002753, 48 V, machine weight: 3015 kg, mast type: 2H300, lifting height: 3000 mm, load centre 500 mm: 1500 kg, load centre 700 mm: 1215 kg, load centre 900 mm: 1025 kg, fork length: 920 mm, total dimensions: 2900 mm x 1120 mm x 2820 mm. Including charger, dimensions charger: 500 mm x 400 mm x 1000 mm. Technical condition unknown.	2000
151	AEW engineering CO.LTD	AEW engineering CO.LTD bandsaw, machine: 400, serial number: LHS 396899, 380 V, 3 Ph, 50 Hz, 6 A, machine	400



Nr	Title	Description	Start €
		weight: 250 kg, table: 1050 mm x 880 mm, total dimensions: 1040 mm x 1230 mm x 1920 mm.	

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

