



**Industrial
Auctions**

2097: Online auction commercial kitchen and catering equipment in Milsbeek (NL)

END DATE
08 April 2026 14:00



General terms and conditions of the online auction

End date	08 April 2026 from 14:00 hrs.
Viewing days	02 April 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	15 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Sprokkelveld 5 6596 DH Milsbeek Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Frima	Frima VarioCooking Center, model: VCC 211+, serial number: E21PH13128015001, 400 V, 3 Ph, 50/60 Hz, 28 kW, dimensions: 1160 mm x 860 mm x 1120 mm.	950
2	Rational	Rational combi steamer, type: 61 E, serial number: E61SH14062408011, year of construction: 2014, electric heated, 6 floors, dimensions floors: (6x) 540 mm x 320 mm, total dimensions: 850 mm x 835 mm x 800 mm.	650
3	Rational	Rational combi steamer, model: SCC 201, serial number: E21SE05092041858, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 37.0 kW, electric heated, dimensions: 790 mm x 880 mm x 1810 mm. Including s/s mobile oven rack, 20 floors, dimensions floors: (20x) 540 mm x 330 mm, dimensions rack: 710 mm x 570 mm x 1710 mm.	750
4	Rational	Rational combi steamer, type: SCC_101 E, serial number: E11SE06082072753, year of construction: 2006, 19.0 kW, electric heated, 10 floors, dimensions floors: (10x) 540 mm x 330 mm, total dimensions: 820 mm x 845 mm x 1035 mm.	500
5	Merrychef Ltd	Merrychef Ltd high-speed oven, serial number: e2SDBMV5BDU1BKEU, dimensions: 360 mm x 660 mm x 650 mm.	300
6	Convotherm	Convotherm combi steamer on s/s frame, type: C4eD 6.10 EB, serial number: XB116107273, 400 V, 3 Ph, 50/60 Hz, 11 kW, 15.9 A, electric heated, 7 floors, dimensions floors: (7x) 540 mm x 330 mm, total dimensions: 860 mm x 790 mm x 1500 mm.	500
7	Normann	Normann blast chiller, 19 floors, dimensions floors: (19x) 330 mm x 540 mm, total dimensions: 760 mm x 780 mm x 2210 mm. Door is crooked.	650
8	Weisser	Weisser mobile depositor, dimensions: 800 mm x 580 mm x 1250 mm.	400
9	Viessmann	Viessmann cooling cell, type: TE M 1500 x 2250 x WL 100, year of construction: 2016, Walter Roller GmbH & Co. Evaporator, 2 fans, type: FHVT 602 EC, inside dimensions: 2200 mm x 3310 mm x 2260 mm, total dimensions: 2400 mm x 3650 mm x 2600 mm.	950
10	Viessmann	Viessmann cooling cell, type: TE M 1500 x 2250 x WL 80, year of construction: 2016, inside dimensions: 1350 mm x 2250 mm x 2250 mm, total dimensions: 1900 mm x 2400 mm x 2600 mm.	950
11	Hobart	Hobart high-speed cooker, model: 304G, serial number: 97-0175-991, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 39.2 A, 4 floors, dimensions floors: (4x) 520 mm x 330 mm, total dimensions: 600 mm x 750 mm x 1705 mm.	600
12	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-4E, number: 93543, 380 V, 3 Ph, 50 Hz, 7.5 kW, 16 A, dimensions: 600 mm x 590 mm x 880 mm.	250
13	Silver King		250



Nr	Title	Description	Start €
		Silver King refrigeration counter, model: SKP4812A/CUK2, serial number: BNDP240193A, 230 V, 50/60 Hz, 2.2 A, dimensions: 1220 mm x 840 mm x 1140 mm.	
14	Metos	Metos refrigeration counter, model: KST02TN H71 TAV, serial number: BN020204562, year of construction: 2016, 230 V, 50 Hz, 280 W, 2.1 A, dimensions: 1250 mm x 700 mm x 860 mm.	200
15	ALI Group Srl	ALI Group Srl drop-in pasta cooker, model: DPCPE60, serial number: MA020379799, year of construction: 2018, 380-415 V, 3 Ph, 50-60 Hz, 9.000 kW, dimensions: 610 mm x 780 mm x 655 mm.	200
16	Metos	Metos refrigeration counter, model: KST02TN H71 TAV, serial number: BN020202617, year of construction: 2016, 230 V, 50 Hz, 280 W, 2.1 A, dimensions: 1250 mm x 700 mm x 860 mm.	200
17	Metro	Metro refrigerator, type: GSC4280, serial number: GSC4280ZV0007V1, 220-240 V, 50 Hz, 1.5 A, refrigerant: R600a/45 g, 16 floors, dimensions floors: (16x) 330 mm x 510 mm, total dimensions: 595 mm x 540 mm x 1575 mm.	75
18	Metos	Metos dishwasher, model: METOS PREMIUM50 PS DDE BT PAP 380/3N/50, serial number: DWD1027756, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 12 A, 6650 W, dimensions: 600 mm x 635 mm x 1340 mm.	250
19	Metro	Metro refrigerator, type: GSC4280B, serial number: GSC4280BZXII0006V1, 220-240 V, 50 Hz, 1.5 A, refrigerant: R600a/45 g, 16 floors, dimensions floors: (16x) 330 mm x 510 mm, total dimensions: 595 mm x 540 mm x 1575 mm.	150
20	NN cabinet	Cabinet, dimensions: 1500 mm x 360 mm x 610 mm.	30
21	Rational	Rational combi steamer, model: SCC 61, serial number: E61SG09122202911, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 10.0 kW, electric heated, 6 floors, dimensions floors: (6x) 505 mm x 330 mm, total dimensions: 845 mm x 820 mm x 800 mm.	500
22	ALI Group Srl	ALI Group Srl drop-in fryer, model: DPFTEC40, serial number: MA020379801, year of construction: 2018, 380-415 V, 3 Ph, 50-60 Hz, 5.4 kW, dimensions: 760 mm x 380 mm x 290 mm.	350
23	Culion	Culion saladette, dimensions: 1200 mm x 400 mm x 250 mm.	100
24	Combisteel B.V.	Combisteel B.V. s/s heating cabinet, serial number: 20203829268, 220-240 V, 1 Ph, 50-60 Hz, 2000 W, dimensions: 1200 mm x 680 mm x 885 mm.	350
25	Alphatech	Alphatech electric oven, type: A05RES, number: LA020035778, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6 floors, dimensions floors: (6x) 330 mm x 490 mm, total dimensions: 805 mm x 575 mm x 600 mm.	150
26	Saro		100



Nr	Title	Description	Start €
		Saro minibar refrigerator, model: MB40, serial number: 3012302070036, year of construction: 2007, 220-240 V, 50 Hz, dimensions: 400 mm x 450 mm x 570 mm.	
27	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-6, number: 1022357, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW, dimensions: 740 mm x 690 mm x 1420 mm.	500
28	Saro	Saro refrigerator, model: GTK 600 PRO, year of construction: 2024, 220-240 V, 50 Hz, net volume: 459 litres, 5 floors, dimensions floors: (5x) 610 mm x 490 mm, total dimensions: 745 mm x 710 mm x 2010 mm.	500
29	Saro	Saro electric oven, model: FEMG04NEGNDX, serial number: 202553095R, year of construction: 2025, 220-240 V, 1 Ph, 50/60 Hz, 3350 W, 4 floors, dimensions floors: (4x) 610 mm x 490 mm, total dimensions: 745 mm x 710 mm x 2010 mm.	250
30	Zanussi	Zanussi s/s cabinet, dimensions: 800 mm x 885 mm x 260 mm.	75
31	Saro	Saro induction plate, model: 301-1001/AT-25C, serial number: 170622005, 230 V, 50 Hz, 2500 W, dimensions: 420 mm x 330 mm x 105 mm.	50
32	Metro	Metro coffee dispenser, model: GWB1010, serial number: GWB1010ZIV01186V1, 220-240 V, 50-60 Hz, 1300 W, volume: 10 litres, dimensions: 300 mm x 300 mm x 480 mm.	20
33	Rational	Rational combi steamer, model: CMP61, serial number: E61MI18032652208, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 11.0 kW, electric heated, 6 floors, dimensions floors: (6x) 530 mm x 325 mm, total dimensions: 775 mm x 840 mm x 815 mm.	650
34	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: ALVAC II SN, machine number: 8107e20611, 220-380 V, 3 Ph, 6.3-3.7 A, 1.5 kW, seal length: (2x) 500 mm, dimensions chamber: 610 mm x 510 mm, Rietschle vacuum pump, total dimensions: 750 mm x 600 mm x 1120 mm.	350
35	Ascobloc	Ascobloc grill, model: MEB 440, serial number: 0004, year of construction: 2016, 400/230 V, 50/60 Hz, 3 Ph, 9.3 kW, electric heated, dimensions grill surface: 600 mm x 505 mm, total dimensions: 860 mm x 600 mm x 1000 mm.	650
36	Angelo Po	Angelo Po kitchen counter consisting of grill en 2 stoves, gas heated, dimensions: 960 mm x 2010 mm x 1250 mm.	750
37	Klimasan Klima SAN.	Klimasan Klima SAN. refrigerator, type: VERTICAL COOLER, model: S 880 SC TD SLIM, 220-240 V, 50 Hz, 2.5 A, 464 W, R600a/ 85 g, net volume: 684 litres, 4 floors, dimensions floors: (4x) 450 mm x 800 mm, total dimensions: 745 mm x 880 mm x 1985 mm.	300
38	Esta	Esta freezer, model: TKL 600 N, serial number: 07HA87150, 230 V, 50 Hz, refrigerant: R404a/0.280 g, volume: 605 litres, dimensions: 870 mm x 665 mm x 1960 mm.	100
39	Gamko B.V.		200



Nr	Title	Description	Start €
		Gamko B.V. cooled showcase cabinet, type: AV/MS131, serial number: 201511 491597, year of construction: 2015, 220-240 V, 50 Hz, 1.6 A, 245 W, refrigerant: R134a, inside dimensions: 945 mm x 410 mm, total dimensions: 510 mm x 1310 mm x 535 mm. Missing door rail.	
40	Novameta	Novameta drop-in heated plate, model: UWP1, serial number: 001W6021402250203, year of construction: 2016, 230 V, 50 Hz, 3.7 A, 840 W, temperature range: 30-90°C, dimensions: 535 mm x 1310 mm x 215 mm.	150
41	Coldline	Coldline refrigeration counter, model: TS21/6M-760, serial number: 022202504, 220-240 V, 50 Hz, 1.15 A, refrigerant: R290/110 g, temperature range: -2-8 °C, dimensions: 700 mm x 2325 mm x 945 mm.	500
42	Coldline	Coldline refrigeration counter, model: TS13/4M-760, serial number: 022203330, 220-240 V, 50 Hz, 1.15 A, refrigerant: R290/110 g, temperature range: -2-8 °C, dimensions: 700 mm x 1305 mm x 885 mm.	275
43	Diversey	Diversey soap mixing station, dimensions: 600 mm x 470 mm x 180 mm.	50
44	Metos	Metos dishwasher, model: LUX 60 EL D, serial number: DWD1020535, year of construction: 2010, 220-240 V, 50 Hz, 15.5 A, dimensions: 640 mm x 600 mm x 830 mm.	250
45	Gram Commercial A/S	Gram Commercial A/S refrigerator, type: K 610 RG L2 4 N, serial number: 10117487, year of construction: 2013, 230 V, 50 Hz, 1.5 A, 291 W, refrigerant: R600a/102 g, 4 racks, dimensions racks: 650 mm x 525 mm, total dimensions: 870 mm x 700 mm x 2010 mm.	250
46	Saro	Saro bakery refrigerator, model: B 800 TN, serial number: 25039033, 220-240 V, 1 Ph, 50 Hz, refrigerant: R290/0.095 g, 10 floors, dimensions floors: (10x) 790 mm x 600 mm, total dimensions: 990 mm x 740 mm x 1875 mm.	400
47	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-4S, serial number: WD161049, year of construction: 2016, 230/400 V, 1/3 Ph, 50 Hz, 16/10 A, 3.55/4.95 kW, dimensions: 670 mm x 600 mm x 845 mm.	250
48	Gram Commercial A/S	Gram Commercial A/S refrigerator, type: K 210 RG 3N, serial number: 10261516, year of construction: 2018, 230 V, 50 Hz, 0.95 A, 99 W, refrigerant: R600a/33 g, 7 floors, dimensions floors: (7x) 430 mm x 475 mm, total dimensions: 640 mm x 595 mm x 840 mm.	75
49	Metos	Metos saladette, inside dimensions: 1060 mm x 555 mm, total dimensions: 660 mm x 1175 mm x 1175 mm.	150
50	Suzhou Seitek Co., Ltd	Suzhou Seitek Co., Ltd ice machine, model: ZBP30, serial number: ZBP30E22B2307V00001, 220-240 V, 50 Hz, 2 A, refrigerant: R290/65 g, ice making capacity: 30 kg/24 h, ice storage volume: 11 kg, dimensions: 580 mm x 370 mm x 850 mm.	150
51	Saro		75



Nr	Title	Description	Start €
		Saro warming bridge, model: BRUCE, serial number: XD 1433124, year of construction: 2023, 230 V, 50/60 Hz, 1000 W, 4.3 A, dimensions: 530 mm x 330 mm x 470 mm.	
52	Saro	Saro tabletop refrigerated showcase, model: LISETTE 100, serial number: 25039138, 220-240 V, 1 Ph, 50 Hz, refrigerant: R600a/0.045 g, dimensions: 430 mm x 700 mm x 685 mm.	200
53	Tecnodom Spa	Tecnodom Spa combi steamer, model: FECLDL05NEVH20, year of construction: 2023, 220-240 V/380-415 V, 3 Ph, 50/60 Hz, 6450 W, 5 floors, dimensions floors: (5x) 385 mm x 540 mm, total dimensions: 840 mm x 930 mm x 760 mm.	500
54	Zanussi	Zanussi drip tub for deep fryer, dimensions: 720 mm x 400 mm x 1150 mm.	100
55	NN freezer	Freezer, model: F600, serial number: 442230913001, year of construction: 2023, 220-240 V, 50 Hz, 2.0 A, net capacity: 411 litres, 7 floors, dimensions floors: (7x) 470 mm x 620 mm, total dimensions: 695 mm x 770 mm x 1895 mm.	300
56	Metro	Metro refrigerator, model: GSC4240B, serial number: GSC4240BZXI0100V1, 220-240 V, 50 Hz, 1.5 A, volume: 237 litres, 6 floors, dimensions floors: (6x) 370 mm x 450 mm, total dimensions: 560 mm x 540 mm x 1400 mm.	100
57	NN salt tub	Plastic salt tub for water softener with Alldos metering pump, dimensions: ø 410 mm x 750 mm.	50
58	Gamko Holding B.V.	Gamko Holding B.V. beverage refrigerator, type: FK20/2I, year of construction: 2009, 220-240 V, 50-60 Hz, 1.6 A, refrigerant: R134a/200 g, dimensions: 590 mm x 560 mm x 850 mm.	200
59	NN cabinet	Cabinet, dimensions: 355 mm x 1500 mm x 610 mm.	50
60	Tenoeka Srl	Tenoeka Srl oven with stove, model: KCV 96 P, serial number: 2814009792, 230 V, 50-60 Hz, 2900 W, gas heated, 5-pits, 4 floors, dimensions floors: (4x) 330 mm x 540 mm, total dimensions: 630 mm x 900 mm x 950 mm.	250
61	Gram Commercial A/S	Gram Commercial A/S refrigerator, type: K 200 RE H 3N, serial number: 10020127, year of construction: 2009, 230 V, 50 Hz, 109 W, 0.72 A, 7 floors, 3 racks, dimensions racks: (3x) 430 mm x 530 mm, total dimensions: 670 mm x 590 mm x 840 mm.	75
62	Metos	Metos stove, model: 74/10 CTE, serial number: MA020254230, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 10 kW, electric heated, dimensions: 780 mm x 800 mm x 920 mm.	250
63	Metro	Metro coffee dispenser, model: GCM4015, serial number: GCM4015ZI02553V1, 220-240 V, 50-60 Hz, 1650 W, volume: 15 litres, dimensions: 350 mm x 350 mm x 540 mm.	20
64	NN frame for oven	S/s frame for oven, 5 floors, dimensions floors: (5x) 600 mm x 320 mm, total dimensions: 650 mm x 860 mm x 750 mm.	20
65	NN refrigeration counter	Frozen counter, model: TF1SC710, serial number: BN020289401, year of construction: 2019, 230 V, 50 Hz, 3	200



Nr	Title	Description	Start €
		A, 480 W, dimensions: 690 mm x 910 mm x 870 mm. Without top.	
66	Electrolux	Electrolux combi steamer on s/s frame, 10 floors, dimensions floors: (10x) 510 mm x 330 mm, total dimensions: 920 mm x 900 mm x 1700 mm.	500
67	Saro	Saro refrigerator, model: DK 134 PRO / 325-2250, serial number: DK134PRO24060010, year of construction: 2024, 220-240 V, 50 Hz, 0.78 A, 115 W, refrigerant: R600a/75 g, 6 racks, dimensions racks: (6x) 305 mm x 290 mm, total dimensions: 420 mm x 310 mm x 1900 mm.	200
68	Saro	Saro smoke pole, dimensions: ø 300 mm x 1000 mm.	20
69	NN frame for oven	S/s frame for oven, (2x) 7 floors, dimensions floors: (7x) 560 mm x 320 mm, total dimensions: 560 mm x 820 mm x 810 mm.	50
70	NN roller conveyor	Mobile roller conveyor for washing machine, plastic rollers, roller width: 500 mm, total dimensions: 2130 mm x 580 mm x 900 mm.	100
71	Juno	Juno stove, 2 pits, electric heated, dimensions: 620 mm x 1180 mm x 950 mm/	150
72	Gamko	Gamko beverage refrigeration counter, dimensions: 570 mm x 1860 mm x 850 mm.	300
73	NN shelve	S/s shelve, dimensions: 300 mm x 1200 mm x 200 mm.	20
74	Bosch	Bosch freezer, type: KG GSDD26A, 220-240 V, 50 Hz, 0.70 A, 90 W, refrigerant: R600a/0068 g, dimensions: 580 mm x 600 mm x 1550 mm.	25
75	Wiha	Wiha heating cabinet for cups, type: Tassewärmeschrank, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 1300 W, 4 drawer, dimensions: 670 mm x 590 mm x 805 mm.	200
76	NN kitchen counter	S/s kitchen counter with stove, 4-pits and 2 sinks with faucets, dimensions;700 mm x 3600 mm x 1180 mm.	600
77	Gram Commercial A/S	Gram Commercial A/S refrigeration counter, dimensions: 730 mm x 2250 mm x 890 mm.	500
78	Convotherm	Convotherm combi steamer, C4eD 10 10 EB, serial number: XB316107081, 400 V, 3 Ph, 50/60 Hz, 28.1 A, 19.5 kW, 11 floors, dimensions floors: (11x) 540 mm x 325 mm, total dimensions: 870 mm x 880 mm x 1150 mm.	400
79	ORVED S.P.A.	ORVED S.P.A. vacuum machine, model: C308, serial number: ITLAC308001567, 220-240 V, 600 W, seal length: 320 mm, dimensions chamber: 335 mm x 350 mm, total dimensions: 460 mm x 420 mm x 380 mm.	250
80	NN table	S/s table, dimensions: 700 mm x 1000 mm x 850 mm.	100
81	NN dishwasher	Dishwasher, model: HWG-GT-400 B DD SA, serial number: 8102468724, year of construction: 01/22, 220-240 V, 1 Ph, 50/60 Hz, 13.3 A, 2.8 kW, dimensions: 525 mm x 470 mm x 725 mm.	150
82	NN waste bin	S/s waste bin, foot control, dimensions: 430 mm x 475 mm x 950 mm.	75



Nr	Title	Description	Start €
83	Hendi	Hendi grill, model: Grill-Master Quattro, gas heated, dimensions: 590 mm x 1320 mm x 930 mm.	50
84	Gamko B.V.	Gamko B.V. beverage showcase refrigerator, type: MG2/275G, year of construction: 2013, 220-240 V, 50 Hz, 1.5 A, 235 W, refrigerant: R600a, dimensions: 540 mm x 1200 mm x 900 mm.	200
85	Giorik	Giorik kitchen counter consisting of 2 deep fryers, 3 stoves with 2 pits and frying plate, dimensions: 550 mm x 1500 mm x 1000 mm.	450
86	Zorro	Zorro refrigerator, model: ZK 280, year of construction: 2024, 220-240 V, 50 Hz, 180 W, refrigerant: R600a/62 g, net volume: 260 litres, 4 racks, dimensions racks: (4x) 370 mm x 420 mm, total dimensions: 560 mm x 540 mm x 1850 mm.	250
87	Metro	Metro counter cooling display, type: GCV1100, 220-240 V, 50 Hz, 1.5 A, 195 W, refrigerant: R600a/40 g, dimensions: 470 mm x 700 mm x 690 mm.	150
88	NN cabinet	S/s cabinet, dimensions: 705 mm x 600 mm x 290 mm.	50
89	Metro	Metro refrigeration counter, type: GCC3100, serial number: GCC3100ZCII0038V1, 220-240 V, 50 Hz, 400 W, refrigerant: R290/130 g, dimensions: 700 mm x 1800 mm x 835 mm. New.	300
90	NN frame	S/s frame, dimensions: 230 mm x 1615 mm x 170 mm.	10
91	NN faucet	Faucet with splash frame, dimensions: 150 mm x 1000 mm x 360 mm.	5
92	Novameta	Novameta warming bridge, dimensions: 400 mm x 1170 mm x 400 mm.	100
93	Saro	Saro s/s working counter, dimensions: 700 mm x 1800 mm x 850 mm.	500
94	NN washing table	S/s counter with sink, dimensions: 700 mm x 1600 mm x 910 mm. Without faucet.	100
95	Moduline srl	Moduline srl heating cabinet, model: HSW013E, number: 1700073002C, year of construction: 2017, 230 V, 50 Hz, 3 drawers, dimensions: 600 mm x 660 mm x 715 mm.	200
96	Frima	Frima VarioCooking Center, model: VCC 211, serial number: E11PJ15118021620, year of construction: 2015, dimensions: 780 mm x 1220 mm x 1100 mm.	950
97	NN cabinet	S/s cabinet, dimensions: 790 mm x 220 mm x 1040 mm.	20
98	Küppersbusch	Küppersbusch stove, model: EGH 410/00510*, year of construction: 2003, 4-pits, gas heated, dimensions: 700 mm x 700 mm x 840 mm.	150
99	Küppersbusch	Küppersbusch deep fryer, 2 baskets, electric heated, dimensions: 750 mm x 600 mm x 970 mm.	150
100	NN outfeed table	S/s outfeed table for washing machine, dimensions: 700 mm x 1025 mm x 940 mm.	100
101	Saro	Saro box freezer, model: BD401S, serial number: 25012380, 220-240 V, 50 Hz, 170 W, refrigerant: R600a/0.115 g, inside dimensions: 1250 mm x 500 mm x 665 mm, total	250



Nr	Title	Description	Start €
		dimensions: 760 mm x 435 mm x 950 mm. One wheel broken.	
102	Coreco	Coreco showcase refrigerator, dimensions: 410 mm x 1040 mm x 250 mm.	100
103	NN refrigerator	Refrigerator, model: ZHT 400 R, serial number: 21188546, 230 V, 50 Hz, 185 W, refrigerant: R600a/0.075 g, 5 racks, dimensions racks: (5x) 420 mm x 500 mm, total dimensions: 610 mm x 600 mm x 1855 mm.	150
104	Rhima	Rhima dishwasher, model: NDR 145 E, serial number: DWA1026870, 400 V, 3 Ph, 50 Hz, 14.8 kW, dimensions: 780 mm x 600 mm x 1395 mm.	250
105	NN waste bin	S/s waste bin, dimensions: 600 mm x 570 mm x 955 mm.	100
106	Luvata	Luvata evaporator, model: EVS180, serial number: AE201206508, year of construction: 2012, 230 V, 1 Ph, 50/60 Hz, dimensions: 430 mm x 1110 mm x 140 mm.	50
107	NN washing table	S/s counter with sink, dimensions: 700 mm x 2060 mm x 945 mm. Without faucet.	150
108	Inoxfera	Inoxfera heating plate, model: PV6-3, serial number: 19043199200519019, 220-240 V, 1 Ph, 50-60 Hz, 1355 W, temperature range: 30-120 °C, dimensions: 610 mm x 1115 mm x 100 mm.	150
109	Küppersbusch	Küppersbusch stove with cabinet, model: EGH 610, year of construction: 2003, 6-pits, gas heated, dimensions: 705 mm x 1000 mm x 860 mm.	250
110	Zorro	Zorro coffee maker, model: ZKM 26, serial number: SRV28625040075, year of construction: 2025, 230 V, 50/60 Hz, 8 A, 1.9 kW, capacity: 2.0 litres/13 cups, dimensions: 420 mm x 200 mm x 550 mm.	50
111	Rational	Rational combi steamer, type: SCC WE 61 G, number: G61SH13102373733, year of construction: 2013, 230 V, 13 kW, gas heated, 6 floors, dimensions floors: (6x) 530 mm x 325 mm, total dimensions: 770 mm x 850 mm x 840 mm.	450
112	Rhima	Rhima water softener, model: RHIMA10, serial number: 118400 2817 456, nominal flow rate: 1440 l/h, dimensions: 400 mm x 260 mm x 540 mm.	100
113	Brita/Unox	2 Brita and 1 Unox water filter, dimensions: (2x) ø 140 mm x 560 mm, ø 340 mm x 410 mm.	75
114	NN cabinet	Cabinet with s/s top, dimensions: 670 mm x 1000 mm x 940 mm.	100
115	Saro	Saro saladette, model: VRX 1600 S/S, serial number: 23026598, 220-240 V, 50 Hz, 110 W, refrigerant: R600a/0.045g, dimensions: 395 mm x 1600 mm x 230 mm.	150
116	Rhima	Rhima dishwasher, model: NDR 50 I, serial number: DWH1019011, year of construction: 2014, 380-415 V, 3 Ph, 50 Hz, 15.1 A, dimensions: 610 mm x 590 mm x 830 mm.	250
117	NN tub	S/s tub with drain, dimensions: 700 mm x 1080 mm x 250 mm.	50



Nr	Title	Description	Start €
118	NN heating cabinet	Heating cabinet, dimensions: 700 mm x 1500 mm x 905 mm.	200
119	Saro	Saro heating cabinet, model: Warmhalteschrank 1800X600X850, voll isoliert, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 3000 W, 13.6 A, dimensions: 600 mm x 1800 mm x 825 mm.	250
120	NN saladette	Saladette, dimensions: 780 mm x 905 mm x 1295 mm.	350
121	Rhima	Rhima supply pump, dimensions: 530 mm x 550 mm x 810 mm.	100
122	NN freezer	Freezer, model: QN 12, year of construction: 2025, 220/240 V, 50 Hz, 3.7 A, 733 W, refrigerant: R290, net capacity: 842 litres, (2x) 14 floors, dimensions: (14x) 650 mm x 530 mm, total dimensions: 810 mm x 1400 mm x 2090 mm.	500
123	NN kitchen counter	Kitchen counter with stove, 4-pits, dimensions: 630 mm x 1700 mm x 1100 mm.	175
124	Saro	Saro saladette, model: VRX 1800, serial number: 170601491, 220-240 V, 50-60 Hz, refrigerant: R600a/0.045 g, dimensions: 430 mm x 1800 mm x 240 mm.	150
125	Gelkit S.A./Frima Concept	Pallet with 7 cooling units of which among others Gelkit S.A. and Frima Concept.	350
126	Kuba	Kuba evaporator, type: DSAE 17, serial number: 585704/1000 0/9, year of construction: 1987, 2 fans, dimensions: 990 mm x 400 mm x 430 mm.	50
127	Van West Koeltechniek	Van West Koeltechniek cooling machine, model: WWKGD40de, serial number: B20062074, year of construction: 2006, 230 V, 50 Hz, 1.1 A, 170 W, refrigerant: R134a/0.165 kg, dimensions: 290 mm x 290 mm x 380 mm.	100
128	SandenIntercool	SandenIntercool refrigerator, model: SRC-550SAX, serial number: SRC550117-0909-00071, 220-240 V, 50 Hz, 4 racks, dimensions racks: (4x) 540 mm x 540 mm, total dimensions: 740 mm x 640 mm x 2100 mm.	200
129	NRG	NRG dishwasher, model: TT820R, serial number: 4216781, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 10.6 kW, dimensions: 800 mm x 700 mm x 2145 mm.	400
130	Angelo Po	Angelo Po dishwasher, dimensions: 650 mm x 580 mm x 820 mm.	200
131	Zanussi	Zanussi oven, type: CMCB10NH, serial number: 64112776, 220-240 V, 50/60 Hz 1.85 kW, 6 floors, dimensions floors: (6x) 360 mm x 420 mm, total dimensions: 590 mm x 595 mm x 590 mm.	20
132	Veba Meditemp	Veba Meditemp cooling unit, model: 2600, serial number: 0441-01421, 220-240 V, 50 Hz, 150 W, dimensions: 280 mm x 440 mm x 260 mm.	50
133	NN ceramic hob	Ceramic hob, model: PCVE60DB, 8 kW, dimensions: 600 mm x 600 mm x 50 mm.	150
134	NN sauce cups	13 boxes with approximately 1000 plastic sauce cups each box, dimensions cups: 65 mm x 30 mm.	50



Nr	Title	Description	Start €
135	Metos	Metos kitchen counter with stove, 4-pits and frying plate, dimensions: 980 mm x 3030 mm x 1170 mm.	350
136	NN oven rack	Mobile s/s oven rack, 20 floors, dimensions floors: (20x) 650 mm x 530 mm, total dimensions: 850 mm x 700 mm x 1715 mm.	250
137	Rhima	Rhima dishwasher, model: WD7, dimensions: 710 mm x 710 mm x 1490 mm.	400
138	NN kitchen counter	S/s kitchen counter with cabinet and sink, dimensions: 700 mm x 4005 mm x 950 mm.	200
139	Rational	S/s Rational frame for oven, type: UG1, dimensions: 585 mm x 840 mm x 200 mm.	20
140	Gamko B.V.	Gamko B.V. refrigerator, type: LG1/150RG84, serial number: 201535 505213, year of construction: 2015, 220-240 V, 50/60 Hz, 175 W, 1.1 A, dimensions: 540 mm x 600 mm x 850 mm.	50
141	Metos	Metos dishwasher, model: MM3 EL D XP DDE DVGW, serial number: DWA1021647, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6560 W, dimensions: 640 mm x 600 mm x 850 mm.	200
142	Polar	Polar mobile blast chiller, model: DN494-E-02, 230 V, 50 Hz, 1300 W, 9.0 A, 10 floors, dimensions floors: (10x) 320 mm x 530 mm, total dimensions: 825 mm x 800 mm x 1660 mm. Defect.	75
143	Metro	Metro cooling vitrine, type: GGC3270, serial number: GGC3270ZI00196V1, 220-240 V, 50 Hz, 2.3 A, refrigerant: R290/90g, 4 racks, dimensions racks: (4x) 380 mm x 420 mm, total dimensions: 460 mm x 530 mm x 1900 mm.	250
144	NN crates	Plastic rollie with 27 plastic crates, dimensions crates: (27x) 600 mm x 400 mm x 200 mm.	30
145	Convotherm	Convotherm combi steamer, type: OD 6, 10 C, number: P1C99112192, 380-415 V, 3 Ph, 50-60 Hz, 9-11 kW, 14-16 A, 6 floors, dimensions floors: (6x) 350 mm x 530 mm, total dimensions: 780 mm x 1100 mm x 700 mm.	200
146	Rubbens	Rubbens refrigeration counter, model: L2-2725, serial number: 216638, year of construction: 2021, 220-240 V, 1 Ph, 50 Hz, 3.2 A, refrigerant: R290/0.145kg, dimensions: 710 mm x 2720 mm x 880 mm.	400
147	NN glass buffet riser	Glass buffet riser, dimensions: 295 mm x 1285 mm x 470 mm.	30
148	Novameta	Novameta drop-in heated plate, model: UWP1, serial number: 001f8100311150101, year of construction: 2018, 230 V, 50 Hz, 13.0 A, 3000 W, temperature range: 30-95°C, dimensions: 700 mm x 1360 mm x 550 mm.	250
149	Alliance CE s.r.o.	Alliance CE s.r.o. tumble dryer, model: DAMV7, serial number: 20230015, 220-240 V, 60 Hz, 16 A, 3300 W, dimensions: 730 mm x 640 mm x 940 mm.	500
150	Polar		400



Nr	Title	Description	Start €
		Polar mobile freezer, model: G595-E-02, 230 V, 50 Hz, 5.0 A, 710 W, 6 racks, dimensions racks: (6x) 640 mm x 530 mm, total dimensions: 810 mm x 1340 mm x 1990 mm.	
151	NN frame for oven	S/s frame for oven, (2x) 7 floors, dimensions floors: (7x) 650 mm x 340 mm, total dimensions: 700 mm x 900 mm x 880 mm.	150
152	Zorro	Zorro refrigerator, model: ZK 310, year of construction: 2023, 220-240 V, 50 Hz, refrigerant: R600a/60g, 10 floors, dimensions floors: (10x) 370 mm x 530 mm, total dimensions: 630 mm x 620 mm x 1580 mm.	150
153	NN lifting platform	Lifting platform, capacity: 500 kg, dimensions: 1000 mm x 1340 mm x 170 mm.	350
154	NN crates	Plastic rollie with 32 plastic perforated crates, dimensions crates: (32x) 600 mm x 400 mm x 200 mm.	35
155	NN floor scrubbing machine	Floor scrubbing machine, model: I45B, serial number: 2310, year of construction: 1999, dimensions: 900 mm x 400 mm x 1000 mm.	200
156	Saro	Saro frying plate, model: 172-3200, serial number: 453291, 230 V, 1 Ph, 50/60 Hz, 3500 W, dimensions: 470 mm x 580 mm x 240 mm.	100
157	NN deep fryer	Drop-in deep fryer, volume: 24 litres, dimensions: 730 mm x 600 mm x 520 mm.	350
158	Catertech	Catertech dishwasher, model: DS111ERCCRC, serial number: DIA054100613, 380-400 V, 3 Ph, 50 Hz, 16.5 A, 10.0 kW, dimensions: 850 mm x 750 mm x 2290 mm.	400
159	Fri-Jado B.V.	Fri-Jado B.V. mobile rotisserie grill, model: STG5-P, number: 100061969, 400/230 V, 50/60 Hz, 9 A, 6100 W, dimensions: 650 mm x 850 mm x 1750 mm.	400
160	Infricool	Infricool refrigeration counter, 200-240 V, 1 Ph, 50 Hz, 460 W, 2.9 A, refrigerant: R290/90g, dimensions: 700 mm x 1955 mm x 810 mm. Without top.	350
161	NN frame for oven	S/s frame for oven, dimensions: 600 mm x 550 mm x 620 mm.	100
162	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 500 mm x 700 mm x 570 mm.	150
163	NN bins	8 plastic bins, dimensions: (8x) 250 mm x 250 mm x 520 mm.	40
164	NN table	Mobile s/s table, dimensions: 500 mm x 960 mm x 910 mm.	50
165	CASSIDA	2 barrels of CASSIDA heat transfer fluid, type: FM HEAT TRANSFER FLUID 32, (2x) 205 litres, dimensions: (2x) ø 580 mm x 885 mm. 1 barrel barely empty.	50
166	NN fire protection cabinet	Fire protection cabinet, dimensions: 615 mm x 1200 mm x 1970 mm.	100
167	NN magnetic transport belt	Magnetic transport belt, plastic belt with dividers, belt width: 275 mm, distance between dividers: 440 mm, divider height: 30 mm, total dimensions: 2370 mm x 435 mm x 390 mm.	150



Nr	Title	Description	Start €
168	Metos B.V.	Metos B.V. refrigeration counter, type: KST04TN H71 TAV, serial number: BN0201634496, year of construction: 2015, 230 V, 50 Hz, 2.8 A, refrigerant: R134a/325 g, dimensions: 700 mm x 2185 mm x 860 mm.	350
169	NN platform	S/s stairs, dimensions: 440 mm x 400 mm x 630 mm	30
170	Foster	Foster mobile freezer, model: EPROG600L, serial number: E5289872, 230 V, 1 Ph, 50 Hz, 3.4 A, 709 W, refrigerant: R404a/360, 4 racks, dimensions racks: (4x) 650 mm x 530 mm, total dimensions: 800 mm x 720 mm x 2060 mm.	500
171	Van Dijk	Van Dijk bakery oven for mobile oven racks, 3 mobile oven racks, 8 floors, dimensions plates: 790 mm x 580 mm, dimensions racks: (3x) 1000 mm x 660 mm x 1470 mm, dimensions oven: 1400 mm x 1200 mm x 1870 mm.	750
172	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 580 mm x 530 mm x 370 mm.	150
173	Gram Commercial A/S	Gram Commercial A/S blast chiller, 5 floors, dimensions floors: (5x) 380 mm x 530 mm, total dimensions: 740 mm x 750 mm x 900 mm.	300
174	NN bins	11 plastic bins, dimensions: (11x) 250 mm x 250 mm x 520 mm.	65
175	NN plate dispensers	4 plate dispensers, dimensions: (4x) 330 mm x 330 mm x 750 mm.	100
176	NN transport belt	Transport belt, plastic wire belt, belt width: 275 mm, total dimensions: 450 mm x 1610 mm x 380 mm.	100
177	NN frame	S/s frame, dimensions: 350 mm x 380 mm x 910 mm.	30
178	NN frame	S/s frame, dimensions: 410 mm x 500 mm x 705 mm.	30
179	NN waste bin	2 waste bins, dimensions: (2x) 480 mm x 480 mm x 720 mm.	20
180	NN tubs	2 plastic tubs, dimensions: (2x) 620 mm x 530 mm x 755 mm.	20
181	Rubbermaid	2 plastic Rubbermaid tubs, dimensions: (2x) 620 mm x 550 mm x 700 mm.	20
182	NN kitchen counter	Kitchen counter with 2 induction stoves, (2x) 4-pits, 2 Etna ovens and 2 sinks, dimensions: 1200 mm x 2200 mm x 905 mm.	400
183	Smeva	Smeva roof condenser with compressor, 400 V, 3 Ph, 50 Hz, 3.14 kW, dimensions: 500 mm x 1155 mm x 860 mm.	125
184	ECO Refrigerazione	ECO Refrigerazione evaporator with cooling compressor unit, 1 fan, dimensions: 635 mm x 760 mm x 585 mm, 650 mm x 660 mm x 420 mm.	175
185	Saro	Saro salad bar, model: SB-H-130-INF HOT, serial number: 23005004, year of construction: 2023, 220-240 V, 1 Ph, 50 Hz, (2x) 1000 W, 0.3 A, dimensions: 880 mm x 1300 mm x 1350 mm.	400
186	Inoxfera	Inoxfera drop-in static refrigerated top, model: PR6-3, serial number: 19043172200601003, dimensions: 1120 mm x 610 mm x 480 mm.	250



Nr	Title	Description	Start €
187	Helpman	Helpman evaporator, 2 fans, dimensions: 520 mm x 1140 mm x 300 mm. Incomplete.	20
188	Bartscher GmbH	Bartscher GmbH deep fryer, type: GF-4SE, 230 V, 50 Hz, 2000 W, dimensions: 560 mm x 260 mm x 310 mm.	30
189	HotAir	HotAir electric oven, 12 floors, dimensions floors: (12x) 480 mm x 590 mm, total dimensions: 750 mm x 1060 mm x 1035 mm.	150
190	Rieber	Rieber mobile plate dispenser, type: RRV-H2 220-300, 230 V, 1 Ph, 50/60 Hz, 1.5 kW, 2 dispensers, (2x) ø 300 mm, total dimensions: 950 mm x 450 mm x 930 mm.	150
191	NN cooling compressor	Cooling compressor in steel cabinet, dimensions: 1010 mm x 650 mm x 710 mm.	150
192	TP	TP stove, model: PPC8FG7, machine number: 53710004, year of construction: 2015, gas heated, dimensions: 720 mm x 800 mm x 1050 mm.	200
193	ECO Refrigerazione	ECO Refrigerazione evaporator, model: MTE23L7ED, serial number: BG201000615, year of construction: 2010, 230 V, 1 Ph, 50-60 Hz, 1350 W, 2 fans, dimensions: 600 mm x 1250 mm x 300 mm.	50
194	Smeva	Smeva roof condenser, type: ICU CM 08 Z CD-4, serial number: 1506170-A, dimensions: 440 mm x 1200 mm x 880 mm.	250
195	NN cooling compressor	Cooling compressor in steel cabinet, dimensions: 800 mm x 480 mm x 550 mm.	150
196	NN cooling compressor	Cooling compressor in s/s cabinet, dimensions: 610 mm x 480 mm x 520 mm.	150
197	NN cooking vessels	Counter with 2 cooking vessels, type: BPE/60, BPE/80, number: 412116, 412117, 400 V, 3 Ph, 50 Hz, 18.2 A/22.5 A, 12.0 Kw/15.00 kW, inside dimensions: ø 600 mm x 330 mm, ø 440 mm x 430 mm, total dimensions: 950 mm x 1400 mm x 900 mm.	750
198	Saro	Saro freezer model: GN650BTG, year of construction: 2021, 220-240 V, 50 Hz, 3.3 A, 495 W, refrigerant: R290/130g, 3 racks, dimensions racks: (3x) 640 mm x 510 mm, total dimensions: 830 mm x 740 mm x 1870 mm.	500
199	NN suction hood	S/s suction hood, dimensions: (2x) 2250 mm x 1300 mm x 500 mm.	450
200	NN suction hood	S/s suction hood, dimensions: (2x) 1705 mm x 1190 mm x 650 mm.	200
201	Jordao cooling systems	Jordao cooling systems refrigerated showcase, model: Mural Fundador Lacticinos MFL- 87 C/GP, serial number: 00.10680, 230 V, 50 Hz, 1543 W, refrigerant: R 404A / 1100 g, dimensions: 1000 mm x 1000 mm x 2060 mm.	75
202	NN suction hood	S/s suction hood, dimensions: 3065 mm x 805 mm x 600 mm.	500
203	Emerson climate technologies	Emerson climate technologies condensing unit, model: ZXDE-040E-TFD-454, serial number: 17CZ13719 M, year of	175



Nr	Title	Description	Start €
		construction: 2017-03-15, 380/420 V, 3 Ph, 50 Hz, 48.0 A, weight: 104 kg, dimensions: 380 mm x 950 mm x 1240 mm.	
204	Brute	3 Brute plastic tubs, dimensions: (3x) Ø 490 mm x 580 mm.	15
205	NN trolley	S/s oven trolley with 20 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 850 mm x 690 mm x 1720 mm.	100
206	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH pizza oven, serial number: FOBD0140007, year of construction: 2024, 380/400 V, 3 Ph, 50/60 Hz, 20 A, 9.2 kW, electric heated, weight: 102 kg, inside dimensions: 720 mm x 1080 mm x 130 mm, total dimensions: 980 mm x 320 mm x 400 mm.	500
207	NN switch cabinet	S/s switch cabinet, without backside, dimensions: 400 mm x 1500 mm x 2220 mm.	100
208	NN osmose system	Reverse osmose system, dimensions: 350 mm x 800 mm x 580 mm. Without rollie.	125
209	Electrolux	Electrolux combi steamer, model: ECFE101-0, serial number: 43600003, year of construction: 2004, 380-400 V, 3 Ph, 50 Hz, 0.19 kW, 11 floors, floor dimensions: 280 mm x 530 mm, total dimensions: 940 mm x 890 mm x 1700 mm.	500
210	NN blowers	2 pallets with 5 blowers, Ziehl-Abegg, model: RD25S-6DW.4F.2L, 230-400 V, 3 Ph, 50 Hz, 0.31 kW, dimensions: 500 mm x 400 mm x 410 mm, among others.	100
211	NN electrical parts	Pallet with electrical parts.	100
212	NN electrical parts	Pallet with electrical parts.	100
213	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: SK 301, serial number: 25039179, 220-240 V, 1 Ph, 50 Hz, 1.0 A, 165 W, weight: 71 kg, refrigerant: R600a/0.060 kg, 4 floors, floor dimensions: 450 mm x 350 mm, total dimensions: 680 mm x 450 mm x 1890 mm.	200
214	Tecfrigo S.p.A	Tecfrigo S.p.A mobile refrigerated showcase, model: ISOLA 4M VT INOX, number: B41115, year of construction: 2013, 230 V, 50 Hz, refrigerant: R404 / 0.380 kg, dimensions: 750 mm x 1555 mm x 1500 mm.	100
215	NN saladette	S/s saladette, 230 V, 50 Hz, dimensions: 480 mm x 2000 mm x 480 mm.	40
216	Contact Systems	Contact Systems mobile au bain-marie, dimensions: 670 mm x 1200 mm x 900 mm.	150
217	Metos	Metos slide thru dishwasher, model: Metos HD 130 Premium HR 380-400/3N/50, type: 3115.ECNBD.NS.AYAQBH, serial number: DWH1013543, year of construction: 2014, 380-415 V, 3 Ph, 50 Hz, 10500 W, dimensions: 750 mm x 1050 mm x 2200 mm.	450
218	NN roller conveyer	Mobile s/s roller conveyer with plastic rollers, roller width: 520 mm, total dimensions: 2600 mm x 720 mm x 890 mm.	100
219	Meiko	Meiko s/s switch cabinet, dimensions: 280 mm x 490 mm x 1730 mm.	100
220	NN plates		150



Nr	Title	Description	Start €
		2 trolleys with approximately: 300 plastic plates, plate dimensions: 530 mm x 320 mm, trolley dimensions: 720 mm x 510 mm x 840 mm.	
221	Veld Koeltechnieci	Veld Koeltechnieci table model freezer, model: ICE 2, serial number: 2021261936, 220-240 V, 50 Hz, 184 kW, refrigerant: R600A / 0.022 kg, inside dimensions: 400 mm x 370mm x 220 mm, total dimensions: 710 mm x 460 mm x 360 mm.	50
222	Kovu BV	Kovu BV freezer, model: HF400 S/S, serial number: 336331, 230 V, 50 Hz, 2.0 A, refrigerant: R134a / 185 gram, weight: 71 kg, 6 floors, floor dimensions: 400 mm x 450 mm, total dimensions: 580 mm x 600 mm x 1850 mm.	150
223	Liebherr	Liebherr refrigerator, model: 2 6165 4, serial number: 79.345.141.6, 220-240 V, 50 Hz, 1.5 A, 150 W, refrigerant: R 600 a / 58 gram, volume: 544 liter, 5 floors, floor dimensions: 550 mm x 610 mm, total dimensions: 760 mm x 750 mm x 1640 mm.	150
224	Remeha	Remeha boiler, model: CWH120/300, serial number: 1434006739, year of construction: 2014, 230 V, 50 Hz, 170 W, rated power: 26.0-122.1 kW, volume: 300 liter, dimensions: 910 mm x 600 mm x 1955 mm.	1000
225	Oem Ali Group Srl	Oem Ali Group Srl mobile double deck pizza oven, type: Vario 640L DG, serial number: OM0D1013830, year of construction: 2019, 400 V, 3 Ph, 50/60 Hz, 26 A, 18 kW, inside dimensions: (2x) 1230 mm x 820 mm x 170 mm, total dimensions: 1270 mm x 1600 mm x 1685 mm.	3000
226	Metos	Metos mobile refrigerator, model: GNC740LL1, serial number: MT22-42, year of construction: 2014, 220-240 V, 50 Hz, 3.5 A, 6.0 kW, weight: 120 kg, refrigerant: R134a/340 gram, volume: 550 liter, 3 floors, floor dimensions: 620 mm x 530 mm, total dimensions: 880 mm x 750 mm x 2050 mm.	250
227	Seewer A.G.	Seewer A.G. mobile dough sheeter, type: SYN. 503, model: T, serial number: 70062, machine number: 3258, cloth belt, belt width: 470 mm, working width: 520 mm, total dimensions: 930 mm x 950 mm x 2080 mm.	750
228	Bradán	Bradán mobile au bain-marie, inside dimensions: 950 mm x 500 mm x 230 mm, total dimensions: 1130 mm x 620 mm x 900 mm.	150
229	NN frame	S/s frame, dimensions: 820 mm x 765 mm x 345 mm.	50
230	NN table	Water waste and use table for coffee machines, dimensions: 1400 mm x 760 mm x 1040 mm.	250
231	Jordao cooling systems	Jordao cooling systems refrigerator, model: PL MF2 700 POS PORTA FV 937-TODO INOX SG C)2, serial number: 21.58218, year of construction: 2021, 230 V, 50 Hz, refrigerant: CO2, 5 floors, floor dimensions: 500 mm x 900 mm, total dimensions: 1015 mm x 750 mm x 2080 mm. Including cooling compressor, dimensions: 860 mm x 700 mm x 700 mm, trolley not included.	250



Nr	Title	Description	Start €
232	Metos	Metos mobile s/s double door refrigerator, model: AD140BT, serial number: HPO20079425, year of construction: 07/2023, 220-240 V, 50 Hz, 3.35 A, 260 W, refrigerant: R290 / 0.110 kg, dimensions: 780 mm x 1400 mm x 2050 mm.	250
233	Ali Group Srl	Ali Group Srl braising pan, model: DPKBEF60, serial number: MA020379809, year of construction: 12/2018, 380-415 V, 3 Ph, 50-60 Hz, 8100 kW, inside dimensions: 600 mm x 620 mm, total dimensions: 780 mm x 600 mm x 310 mm.	350
234	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH freezer, model: HT600B, serial number: 242322330, 220-240 V, 50-60 Hz, 1.4 A, 300 W, refrigerant: R600a / 0.130 kg, weight: 94 kg, 6 floors, floor dimensions: 500 mm x 620 mm, total dimensions: 690 mm x 780 mm x 1900 mm.	200
235	Metro	Metro double door refrigerator, model: GSC2100B-NC, 3.7 kW, refrigerant: R290 / 120 gram, volume: 949 liter, weight: 161.5 kg, 5 floors, floor dimensions: 480 mm x 530 mm, total dimensions: 700 mm x 1180 mm x 1950 mm.	300
236	Hobart	Hobart combi steamer on s/s trolley, model: CSMUC1012LAE-KK, serial number: 81.846.201, 400 V, 50 Hz, 3 Ph, 27 A, 18 kW, 10 floors, floor dimensions: 370 mm x 530 mm, total dimensions: 950 mm x 1000 mm x 1830 mm. Technical condition unknown.	150
237	Oscartielle	Oscartielle ice-cream showcase, model: Banco Dorado Gelato, serial number: 1N62663301, year of construction: 2014, 230 V, 50 Hz, refrigerant: R404A / 2.0 kg, dimensions: 1230 mm x 1260 mm x 1380 mm.	500
238	NN frame	S/s frame for oven, dimensions: 1050 mm x 1130 mm x 930 mm.	100
239	NN frame	S/s frame for oven, 4 floors, floor dimensions: 1000 mm x 520 mm, dimensions: 1000 mm x 1250 mm x 870 mm.	100
240	NN frame	S/s frame for oven, dimensions: 510 mm x 765 mm x 610 mm.	100
241	NN frame	S/s frame for oven, (2x) 7 floors, floor dimensions: 570 mm x 340 mm, dimensions: 600 mm x 940 mm x 740 mm.	100
242	NN roller conveyer	Mobile roller conveyor with plastic rollers, roller width: 530 mm, total dimensions: 1100 mm x 650 mm x 900 mm.	100
243	NN waste bag holder	S/s waste bag trolley for 2 bags, dimensions: 800 mm x 430 mm x 980 mm.	50
244	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GTK 360(437-1012), year of construction: 2023.06, 220-240 V, 50 Hz, 1.30 A, 180 W, refrigerant: R600a/84 gram, weight: 72 kg, volume: 347 liter, dimensions: 620 mm x 630 mm x 1730 mm.	250
245	NN trolley	S/s trolley for plates, (2x) 12 floors, floor dimensions: 510 mm x 380 mm, total dimensions: 560 mm x 855 mm x 1780 mm.	50
246	NN trolleys		250



Nr	Title	Description	Start €
		5 s/s trolleys for plates,11 floors, floor dimensions: 555 mm x 330 mm, total dimensions: (5x) 580 mm x 390 mm x 1670 mm.	
247	NN trolleys	10 s/s trolleys for plates,11 floors, floor dimensions: 555 mm x 330 mm, total dimensions: (10x) 580 mm x 390 mm x 1670 mm.	500
248	NN outfeed table	S/s outfeed table for slide thru dishwashers, dimensions: 1400 mm x 570 mm x 900 mm.	100
249	NN suction hood	S/s suction hood, dimensions: 1200 mm x 1600 mm x 650 mm.	100
250	Keyfrost S.r.l.	Keyfrost S.r.l. cooling compressor, model: KS 11 TNEM, serial number: 00081488, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 6.8 A, 1.2 kW, refrigerant: R404A, weight: 41+10 kg, dimensions: 450 mm x 760 mm x 410 mm.	150
251	Rubbens	Rubbens built-in vapogrill, dimensions: 500 mm x 280 mm x 100 mm.	150
252	Novameta	Novameta au bain-marie, model: UWM2, serial number: 002W7018103090101, year of construction: 2017, 230 V, 50 Hz, 8.7 A, 2.0 kW, volume: 73 liter, weight: 55 kg, dimensions: 680 mm x 1210 mm x 290 mm.	200
253	Gastro-Inox	Gastro-Inox mobile blast chiller, model: BF-P910C-DO/GXR, serial number: 200202009, 230 V, 1 Ph, 50 Hz, 6.3 A, 1.172 kW, refrigerant: R452A / 900 gram, 10 floors, floor dimensions: 380 mm x 510 mm, total dimensions: 800 mm x 790 mm x 1420 mm.	400
254	NN trolley	Aluminium trolley for plates, 10 floors, floor dimensions: 460 mm x 420 mm, total dimensions: 560 mm x 480 mm x 1660 mm.	50
255	Eurom	Eurom terrace heater, model: THG 14000 DE, dimensions: Ø 800 mm x 2120 mm.	100
256	NN rack	S/s wall rack, dimensions: 400 mm x 1300 mm x 60 mm.	30
257	Hupfer	S/s trolley with 3 floors, dimensions: 630 mm x 420 mm x 870 mm.	150
258	Saro Gastro-Products GmbH	S/s trolley for plates, 32 floors, floor dimensions: 540 mm x 330 mm, total dimensions: 580 mm x 390 mm x 1730 mm.	75
259	NN trolley	S/s trolley for plates, (2x) 12 floors, floor dimensions: 510 mm x 380 mm, total dimensions: 560 mm x 855 mm x 1780 mm.	75
260	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH trolley with 3 floors, dimensions: 860 mm x 550 mm x 940 mm.	75
261	NN cabinet	Mobile aluminium cabinet, dimensions: 600 mm x 810 mm x 1265 mm.	50
262	NN crates	S/s trolley with 17 plastic crates, crate dimensions: 600 mm x 400 mm x 200 mm, trolley dimensions: 560 mm x 360 mm x 580 mm.	20
263	NN retarder	Steel retarder, dimensions: 1200 mm x 1100 mm x 1440 mm and 600 mm x 390 mm x 1350 mm.	150



Nr	Title	Description	Start €
264	Mile High Equipment	Mile High Equipment condenser, model: VRC2061B1, serial number: 12051280010674, 208/230 V, 1 Ph, 60 Hz, 15.0 A, refrigerant: R404A/453 gram, dimensions: 750 mm x 720 mm x 650 mm.	200
265	Rieber	Rieber mobile transport belt, 400 V, 3 Ph, 50 Hz, belt width: 295 mm, total dimensions: 450 mm x 600 mm x 910 mm.	400
266	Rubbens	Rubbens tiltable roasting pan, inside dimensions: 550 mm x 720 mm x 210 mm, total dimensions: 850 mm x 1310 mm x 900 mm.	400
267	Metos	Metos rack-type dishwasher, model: METOS K3100 SX-K14 XP DWI K28 XP, serial number: DWE1001966, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 75,6 A, W max: 51350 W, clearance: 520 mm x 570 mm, total dimensions: 2400 mm x 750 mm x 1930 mm.	350
268	Bribus	Bribus adjustable kitchen equipment, with Grundig induction hob, type: GIE623471MN, 7.2 kW, Exquisit dishwasher, type: EGSP-6E, dimensions kitchen top: 2220 mm x 610 mm, dimensions cabinet: 360 mm x 1370 mm x 730 mm and 650 mm x 640 mm x 1375 mm, total dimensions kitchen: 2870 mm x 640 mm x 2150 mm.	400
269	NN wall shelf	Wall shelf, dimensions: 100 mm x 300 mm x 310 mm.	20
270	K.E.W.	K.E.W. hydraulic pump, model: 1702KSA, number: 4902230, 220-240 V, 12.5 A, 50 Hz, capacity: 100 bar, 11L / MIN, press max: 140 bar, dimensions: 300 mm x 700 mm x 350 mm.	50
271	Elsto	Elsto electric motor, number: 433048VL, 230-400 V, 50/60 Hz, 0.86/0.83 A, dimensions: 460 mm x 160 mm x 150 mm.	20
272	NN heater lamp	Heater lamp, 220-240 V, 60 Hz, 230 W, Ø 180 mm, total dimensions: 180 mm x 180 mm x 430 mm.	40
273	NN plates	10 s/s plates, dimensions: (10x) 400 mm x 600 mm.	10
274	NN plates	40 s/s plates, dimensions: (40x) 400 mm x 600 mm.	50
275	NN induction plate	S/s induction plate, dimensions: 600 mm x 400 mm.	75
276	Scholl Apparatebau	Scholl Apparatebau induction plate, model: C4230, serial number: 544860-003, 230 V, 50 Hz, 0.4 kW, dimensions: 530 mm x 330 mm x 100mm.	75
277	NN lids	12 s/s GN 1/4 Lids, dimensions: (12x) 265 mm x 162 mm.	25
278	Selbach	Selbach cool unit, type: 09R7109E0000, serial number: BL 31582, 230 V, 50 Hz, 1,4 A, 250 W, 35 bar, dimensions: 390 mm x 300 mm x 330 mm.	50
279	Himmel	Himmel electro motor, type: CF10-M1B4 V3-00-A, 220-240 V/380-420 V, 50 Hz, 0,12 kW, 0,78/0,45 A, dimensions: (2x) 200 mm x 300 mm x 400 mm.	20
280	ATB	2 ATB electro motors, type: 90S/2F-12, serial number: 0501018, 220-240 V, 50 Hz, 1.7 kW, 3.8/6.6 A, dimensions: (2x) 250 mm x 350 mm x 250 mm.	40
281	Elsto		20



Nr	Title	Description	Start €
		Elsto electric motor, type: VF49U P71, code: 164371, year of construction: 2011, andelectric motor, dimensions: (2x) 400 mm x 300 mm 220 mm.	
282	Saro	Saro retro soup kettle, number: 175-2200, 220-240 V, 1Ph, 50-60 Hz, 6,3 A,1,28-1,53 kW, capacity of approximately: 11 to 10.4 liters, inside dimensions: 250 mm x 220 mm, total dimensions: 360 mm x 400 mm x 370 mm.	30
283	NN gas burner	Gas burner, dimensions: 560 mm x 410 mm x 180 mm.	20
284	NN lids	Crate with lids, various sizes, crate dimensions: 600 mm x 400 mm.	20
285	NN anti slip mats	Pallet with anti slip mats, dimensions: 520 mm x 520 mm.	50
286	Meiko	3 Meiko electro pumps, type: B242C2700, 200-240 V, 50 Hz, 2.5/1.4 A, 0.55 kW, dimensions: (3x) 530 mm x 200 mm x 240 mm.	60
287	Bauer/Meiko	2 Bauer electric motors and 2 Meiko electro pumps, electric motors: type: BS04-71V/D04LA4/UL-SP, number: 25100779-4, 230-400 V, 50 Hz, 0,12 kW, electric pumps type: B242C2700, number: 9621799, 200-240 V, 50 Hz, 0,55 kW.	80
288	NN motors	2 motors and 1 stand, dimensions motor: (2x) 260 mm x 260 mm x 350 mm.	60
289	NN heat exchangers	2 heat exchangers, dimensions: (2x) 110 mm x 300 mm 130 mm.	40
290	Swep	2 heat exchangers, type: 25T, serial number: 112047182004697, year of construction: 2012, dimensions: (2x) 120 mm x 530 mm 200 mm.	40
291	Ecolab	2 Ecolab soap dispensers, dimensions: (2x) 310 mm x 115 mm x 110 mm.	20
292	Ecolab	Ecolab soap dispenser, dimensions: 310 mm x 115 mm x 110 mm.	10
293	Ecolab	6 soap dispensers, dimensions: (6x) 250 mm x 100 mm x 180 mm.	60
294	Euro products	Euro products paper dispenser, dimensions: 350 mm x 220 mm x 220 mm.	10
295	Tork	Tork s/s paper dispenser, dimensions: 430 mm x 220 mm x 220 mm.	30
296	Danfoss	Danfoss compressor, model: SZ100S4VC, serial number: JJ2504072702, 308-400V/460 V, 50/60 Hz, 18 A, 25/31.9 bar, dimensions: 290 mm, 290 mm, 500 mm.	50
297	NN electro motor	Electro motor, dimensions: 330 mm x 200 mm x 680 mm.	20
298	HOMAG	2 HOMAG generators, dimensions: (2x) 450 mm x 350 mm 150 mm.	40
299	NN electro motor	Electro motor, dimensions: 500 mm x 500 mm x 140 mm.	20
300	NN ventilator	Ventilator, Ø 170 mm, total dimensions: 300 mm x 300 mm x 270 mm.	30
301	NN grill plates	2 grill plates, dimensions: (2x) 280 mm x 470 mm.	20
302		Gastronorm trays, various sizes gastronorm bins, 26 pieces.	50



Nr	Title	Description	Start €
	NN gastronom trays		
303	Elsto	Elsto electric motor, Type: VF49U P71, number: 1133914, year of construction: 2018, dimensions: 400 mx 370 mm 220 mm.	20
304	NN electro motor	Electro motor, dimensions: 320 mm x 420 mm x 270 mm.	20
305	Elsto	Elsto electric motor, type: VF49A P63, number: 166653, year of construction: 2011, dimensions: 200 mm x 220 mm x 350 mm.	20
306	Elsto	Elsto electric motor, type: G313P P63, number: 166653, year of construction: 2011, dimensions: 550 mm x 190 mm x 195 mm.	20
307	NN electric parts	Crate with electric parts, crate dimensions: 600 mm x 400 mm.	50
308	NN electric parts	Crate with electric parts, crate dimensions: 600 mm x 400 mm.	50
309	NN electric parts	Crate with electric parts, crate dimensions: 600 mm x 400 mm.	50
310	NN plastic bins	Box with plastic bins, bins dimensions: 370 mm x 265 mm, box dimensions: 390 mm x 540 mm x 350 mm.	20
311	NN gastronom	Gastronom 11x GN 1/3 200 and 6x GN 1/4 200, GN 1/3 200 dimensions: 176 mm x 200 mm, GN 1/4 200 dimensions: 265 mm x 162 mm.	50
312	Copeland Scroll	Copeland Scroll compressor, model: ZR61KCE-TFD-522, serial number: 12H214300 C, dimensions: 240 mm x 240 mm x 460 mm.	50
313	Metro	Metro mini bar, type: GMB1025B, serial number: GMB1025BZV100225, 220-240 V, 50 Hz, 25 L, 26 A, 1 floor, floor dimensions: 130 m x 300 mm, total dimensions: 370 mm x 390 mm x 470 mm.	25
314	Roller grill	Roller grill, dimensions: 360 mm x 600 mm x 285 mm. Missing the back cover.	150
315	Robot Coupe	Various knives for Robot Coupe.	100
316	Saro Gastro-Products GmbH	19 Saro Gastro-Products GmbH gastronom plates, size: GN 1/3-20	50
317	NN switch cabinet	Plastic switch cabinet, dimensions: 540 mm x 540 mm x 200 mm.	50
318	NN switch cabinet	Plastic switch cabinet, dimensions: 540 mm x 540 mm x 200 mm.	50
319	Robot Coupe	Various knives for Robot Coupe.	100
320	NN glass	Various glassware.	20
321	Lefte	2 boxes with Lefte beer glasses.	20
322	NN glass	4 boxes with 6 wine glasses.	20
323	NN electrical parts	Plastic crate with electrical parts.	50
324	NN electrical parts	Plastic crate with electrical parts.	50
325	NN oven plates	9 s/s plates, dimensions: (9x) 530 mm x 325 mm.	10
326	NN plates	12 s/s and aluminium plates in various dimensions.	10



Nr	Title	Description	Start €
327	Select Cuisine	Select Cuisine s/s pan, inside dimensions: Ø 400 mm x 400 mm, total dimensions: 550 mm x 420 mm x 410 mm.	30
328	Acco UK Limited	Acco UK Limited paper shredder, 220-240 V, 50 Hz, 0.8 A, dimensions: 400 mm x 360 mm x 460 mm.	50
329	NN gas valve	Gas valve, model: GS-5001-4140, serial number: SA434, dimensions: 390 mm x 360 mm x 400 mm.	50
330	NN drawer	Drawer for coffee waste, dimensions: 430 mm x 340 mm x 140 mm.	50
331	Womax BV	Womax BV grill, model: Euromax Model 1370RRTXD, serial number: 55BJB0069, year of construction: 2020/02, 220/240 V, 50/60 Hz, 3000 W, weight: 13 kg, dimensions: 530 mm x 420 mm x 140 mm.	40
332	Choco Fairy	Choco Fairy hot chocolate dispenser, model: Chocofairy-5L, serial number: KL232742307F5015, 220 V, 50 Hz, 1006 W, weight: 7.3 kg, dimensions: 450 mm x 270 mm x 500 mm.	175
333	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH conveyor toaster, model: TS-2002(175-4000), year of construction: 2404290006, 230 V, 50 Hz, 2800 W, s/s mesh belt, belt width: 245 mm, total dimensions: 600 mm x 370 mm x 390 mm.	100
334	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH wok induction plate, model: 301-1020/CW-25A, serial number: 190814038, 230 V, 50 Hz, 2500 W, dimensions: 560 mm x 390 mm x 160 mm. Including s/s pan.	100
335	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee boiler, model: CAPPONO 100, serial number: 100-202408015, year of construction: 202408, 230 V, 1 Ph, 50 Hz, 7.0 A, 1.6 kW, dimensions: 350 mm x 300 mm x 550 mm.	30
336	Karma Global Ltd	Karma Global Ltd grill, model: 688400, serial number: C010023, year of construction: 19/08/2007, 230 V, 1 Ph, 50 Hz, 1800 W, dimensions: 370 mm x 300 mm x 210 mm.	50
337	NN plates	Approximately 64 ceramic plates, dimensions: 380 mm x 180 mm.	30
338	Saro Gastro-Products GmbH	5 Saro Gastro-Products GmbH s/s gastronorm bins, GN 1/2-200.	25
339	NN plates	Approximately 46 ceramic plates, dimensions: 300 mm x 300 mm.	20
340	Interroll trommelmotoren GmbH	Interroll trommelmotoren GmbH drum motor, model: 113S, year of construction: 2028, 230 V, 3 Ph, 50 Hz, 180 W, dimensions: Ø 120 mm x 410 mm.	50
341	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction cooking plate, model: Denise, serial number: 2025040422, year of construction: 04-2025, 220-240 V, 1 Ph, 50-60 Hz, 16 A, 3500 W, weight: 5.7 kg, dimensions: 580 mm x 300 mm x 60 mm.	75
342	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated showcase, model: Isabell, serial number: 1224907110106, year of construction: 2022.07.11, 220-240 V, 50 Hz, 1.3 A, 230 W,	200



Nr	Title	Description	Start €
		refrigerant: R600a/53 gram, gross volume: 108 liter, dimensions: 490 mm x 490 mm x 850 mm.	
343	NN protection poles	6 plastic protection poles, dimensions: (6x) Ø 250 mm x 870 mm.	60
344	NN plates	137 plastic plates, dimensions: 530 mm x 325 mm.	50
345	NN cutlery	Large amount of cutlery.	10
346	Uniwell	Uniwell cash register with receipt printer, dimensions: 450 mm x 420 mm x 340 mm. Technical condition unknown.	10
347	Plate mate	Plate mate plate stacking system for 12 plates.	20
348	Saro Gastro-Products GmbH	4 s/s Saro Gastro-Products GmbH tubs with plastic lid, dimensions: (4x) 250 mm x 160 mm x 160 mm.	20
349	Saro Gastro-Products GmbH	15 s/s Saro Gastro-Products GmbH gastronorm plates, GN 2/3-20.	75
350	Albron	4 Albron label dispensers, dimensions: (4x) 200 mm x 330 mm x 150 mm.	40
351	Saro Gastro-Products GmbH	22 Saro Gastro-Products GmbH gastronorm plates, GN 1/3-20.	120
352	NN colanders	9 s/s colanders, dimensions: (9x) 290 mm x 210 mm x 130 mm.	20
353	NN oven trays	4 s/s oven trays, dimensions: (2x) 410 mm x 310 mm x 60 mm, 410 mm x 310 mm x 50 mm, 540 mm x 320 mm x 60 mm.	20
354	Nord Drivesystem AB	5 Nord Drivesystem AB electro motors and 1 SEW-Eurodrive electro motor, dimensions: 420 mm x 170 mm x 180 mm.	120
355	Hendi	2 Hendi infrared cookers, dimensions: 470 mm x 340 mm x 120 mm.	40
356	NN supply pump	Supply pump, dimensions: 560 mm x 240 mm x 360 mm.	35
357	Bauer	Bauer electro motor, type: BS04-31V/DV05LA4/UL, serial number: 26261445-19, year of construction: 49/2012, 200-280/380-480 V, 3 Ph, 50/60 Hz, dimensions: 300 mm x 140 mm x 250 mm.	20
358	NN supply pump	2 supply pumps, dimensions: (2x) 560 mm x 240 mm x 360 mm. Incomplete.	75
359	NN wall shelve	S/s wall shelf, dimensions: 300 mm x 1020 mm.	20
360	Metro	Metro s/s charcoal grill, dimensions: 400 mm x 800 mm x 830 mm.	75
361	NN switch cabinet	S/s switch cabinet, dimensions: 420 mm x 1830 mm x 2200 mm.	250

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

