



**Industrial
Auctions**

2100: Online auction machinery and tanks for the food processing industry in Barcelona (ES)

END DATE
09 April 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	09 April 2026 from 14:00 hrs.
Viewing days	07 April 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	16 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Carrer Serrat de la Creu, 17 08554 Seva, Barcelona Spain
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Glass GmbH & CO.KG	Glass GmbH & CO.KG allround high speed mixer with lifter for 200 liter meat bins, type: VAS 300, machine number: 3597, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 85.34 A, 43.19 kW, capacity: 300 liter, dimensions: 3550 mm x 2600 mm x 2500 mm. Including 2 s/s meat bins, volume: (2x) 200 liter.	35000
2	Flottweg Separation Technology	Flottweg Separation Technology decanter, type: DECANTER Z4E-4/454, number: 012.333.09, year of construction: 2004, maximum speed: 4200 rpm, maximum density: 1.4 kg/dm ³ , maximum product temperature: 0/100°C, weight: 2920 kg, dimensions: 3400 mm x 1000 mm x 1900 mm. Without switch cabinet.	25000
3	Flottweg Separation Technology	Flottweg Separation Technology decanter, type: DECANTER Z53-4/454, number: 007.303.07, year of construction: 2003, 15/63 kW, maximum speed: 3250 rpm, maximum density: 1.3 kg/dm ³ , maximum product temperature: 0/100°C, weight: 5300 kg, dimensions: 3400 mm x 1000 mm x 1900 mm. Without switch cabinet.	35000
6	Lleal S.A.	Lleal S.A. ultrafine grinding mill, model: K-160 P, fabrication number: 17682, year of construction: 2015, 380 V, 3 Ph, 50 Hz, 15.5 A, 6.39 kW, diameter grinding head: 160 mm, total dimensions: 1750 mm x 700 mm x 3900 mm.	25000
7	Riera Nadeu S.A.	Riera Nadeu S.A. top discharge vertical axis basket centrifuge, model: 100F-500, maximum load: 21 kg, useful load: 17 liter, 4 kW, diameter basket: 485 mm, basket height: 220 mm, total dimensions: 1200 mm x 1200 mm x 1300 mm.	27500
8	Lödige	Lödige double jacketed mixer, model: FKM2000D, number: 1226, year of construction: 1973, volume: 2000 liter, jacket volume: 135 liter, dimensions mixer: 2850 mm x 1250 mm x 1800 mm, Schorsch motor, 55 kW, dimensions: 1800 mm x 950 mm x 1200 mm.	17500
9	Lödige	Lödige double jacketed mixer, model: FKM2000D, machine number: 5553, year of construction: 1970, volume: 2000 liter, dimensions mixer: 3000 mm x 1400 mm x 1800 mm, 22 kW motor, dimensions: 1800 mm x 1200 mm x 1400 mm.	17500
10	Italdibipack S.p.a.	Italdibipack S.p.a. packaging machine, model: ECOFARD 700 SA, serial number: 419, year of construction: 2017, 400 V, 17 kW, weight: 375 kg, seal length: 800 mm, clearance: 700 mm x 400 mm, total dimensions: 3100 mm x 1000 mm x 1800 mm.	1750
11	CALDEFARMA SC	CALDEFARMA SC s/s tank with agitator, model: Tsc-1500, number: C130035, year of construction: 2015, working temperature: 65°C, volume: 1700 liter, inside diameter: 1115 mm, shell height: 1550 mm, total dimensions: 1150 mm x 1150 mm x 2700 mm.	4000



Nr	Title	Description	Start €
12	INOXGUER S.L.	INOXGUER S.L. s/s double jacketed tank with agitator, fabrication number: G-941-1, year of construction: 1996, design temperature: 140°C, dimensions: Ø 1100 mm x 2700 mm.	8500
13	NN mixing tank	S/s tank with agitator, dimensions: Ø 1200 mm x 2100 mm.	4000
14	APV	APV homogeniser, type: G5-4.3B, serial number: J2-10.448, year of construction: 2010, maximum pressure: 300 bar, dimensions: 2150 mm x 1200 mm x 1800 mm.	10000
15	Morton Machines	Morton Machines double jacketed paddle mixer, type: FM-130-D, machine number: M23548, year of construction: 1987, volume: 130 liter, dimensions: 2100 mm x 1150 mm x 1600 mm.	12500
16	Hayward	Hayward bag filter, model: VMBF-0602-AC10-50, fabrication number: V1037, year of construction: 2001, volume: 440 liter, maximum working pressure: 10 bar, maximum working temperature: 120°C, dimensions: 1900 mm x 1100 mm x 1400 mm.	5000
17	Lock Inspection Systems LTD	Lock Inspection Systems LTD metal detector, model: MET30+, serial number: 24600/1, year of construction: 04-08-2005, 380 V, 3 Ph, 50 Hz, 1.4 A, plastic mesh belt, belt width: 440 mm, clearance: 440 mm x 60 mm, total dimensions: 3000 mm x 1000 mm x 1000 mm.	1500
18	Lleal S.A.	Lleal S.A. vacuum dryer, model: SBC-1400, year of construction: 2014, volume: 1400 liter, dimensions: 3900 mm x 1150 mm x 3000 mm, vacuum installation with Robuschi liquid ring pump, Pedro Gil rotary piston vacuum pump, Alfa laval heat exchanger, condenser collection tank, dimensions: 2000 mm x 1400 mm x 2000 mm.	25000
19	Ika Werke GmbH	Ika Werke GmbH inline homogeniser, type: DRS 2000/05, year of construction: 2024, 400/690 V, 50 Hz, weight: 140 kg, maximum flow rate: approximately 2500l/h (water at 20°C), peripheral speed: 40 m/s, dimensions: 650 mm x 350 mm x 1150 mm.	10000
20	Alfa Laval	Alfa Laval centrifuge separator, model: BRPX 417SFV-31CGL-50, maximum speed: 4180 rpm, dimensions: 2200 mm x 1100 mm x 1800 mm.	7500
21	Tinsmacal S.L.	Tinsmacal S.L. s/s double jacketed tank with agitator, fabrication number: 06.003, year of construction: 2006, capacity: 1780 liter, maximum temperature: 50/90°C, inside dimensions: Ø 1190 mm x 1400 mm, total dimensions: Ø 1800 mm x 2750 mm.	9000
22	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 1380 mm, total dimensions: 3100 mm x 1500 mm x 1000 mm.	1500
23	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: (7x) 80 mm, total dimensions: 2900 mm x 800 mm x 1150 mm.	750
24	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: (7x) 80 mm, total dimensions: 2900 mm x 800 mm x 1150 mm.	750



Nr	Title	Description	Start €
25	Perrier	Perrier bottle rinser, 24 stations, capacity: 10.000 bottles per hour, dimensions: 2700 mm x 1800 mm x 1750 mm.	7500
26	E. Bachiller B. S.A.	E. Bachiller B. S.A. mobile micronizing mill, model: JET-MILL MSB 305, year of construction: 2004, weight: 500 kg, dimensions: 1700 mm x 900 mm x 1600 mm.	17500
27	Pieralisi	Pieralisi decanter, model: ESTRATTORE CENTRIFUGUE, serial number: B03128, year of construction: 2016, maximum speed: 5200 rpm, maximum product density: 1.4 kg/dm ³ , dimensions: 1700 mm x 1000 mm x 1400 mm.	5000
28	Perrier	Perrier bottle rinser, 24 stations, dimensions: 2700 mm x 1800 mm x 1750 mm.	7500
30	NN mixing tank	S/s double jacketed tank with agitator, capacity: 550 liter, weight: 740 kg, inside dimensions: Ø 1200 mm x 700 mm, total dimensions: Ø 1400 mm x 2000 mm.	4000
31	Jongia	Jongia s/s double jacketed tank with agitator, type: LM 70, serial number: 04J00033, year of construction: 2004, capacity: 550 liter, weight: 740 kg, inside dimensions: Ø 1200 mm x 700 mm, total dimensions: Ø 1400 mm x 2000 mm.	4000
32	Palsis	Palsis vibratory sieve, model: PBZ 85, type: 85, number: 1439, 220/380 V, diameter inside: 850 mm, total dimensions: 1200 mm x 1000 mm x 1200 mm. Incomplete, without screens.	3500
33	NN centrifugal sieve	Centrifugal sieve, drum length: 750 mm, diameter perforations: 5 mm, total dimensions: 2000 mm x 550 mm x 1500 mm.	5000
34	Alfa Laval	Alfa Laval centrifuge separator, model: BRPX 417SFV-31CGL-50, maximum speed: 4180 rpm, dimensions: 2200 mm x 1100 mm x 1800 mm.	7500
35	Lleal S.A.	Lleal S.A. horizontal mill, model: ROTOMILL 45, dimensions: 2000 mm x 1700 mm x 2100 mm.	10000
36	Celester	Celester steam boiler, model: CPS 200, number: 300530, year of construction: 2005, 220/380 V, 3 Ph, 50 Hz, 1 kW, maximum temperature: 183-165°C, volume: 15-35 liter, dimensions: 1700 mm x 1100 mm x 2100 mm.	7500
37	NN grinder mill	Vertical grinder mill, 220 V, 50 Hz, 18.5 kW, s/s bowl, capacity: 50 liter, inside dimensions: Ø 400 mm x 395 mm, total dimensions: 1100 mm x 1100 mm x 1600 mm.	3000
38	Inoxpa	Inoxpa positive displacement rotary lobe pump, type: TLS 3-50, number: 993888 A, year of construction: 2020, 220/380 V, 50 Hz, dimensions: 1100 mm x 500 mm x 1050 mm.	1500
39	E. Bachiller B. S.A.	E. Bachiller B. S.A. s/s double jacketed tank with agitator, serial number: 2646, year of construction: 1986, working pressure: 3 kg/cm, working temperature: 130°C, capacity: 180 liter, dimensions: Ø 800 mm x 1700 mm.	4000
40	VYC Industrial S.A.	VYC Industrial S.A. steam boiler, model: HCI-850/8, fabrication number: 3000, year of construction: 1999,	1500



Nr	Title	Description	Start €
		steam production: 850 kg per hour, calorific power: 476000 Kcal per hour, total volume: 1.085 m ³ , Cremax burner, type: GSP70/2(TL),m capacity: 35-70 kg per hour, 415-830 kW, dimensions: 3200 mm x 1850 mm x 2300 mm.	
41	Elton S.A.	Elton S.A. thermoformer, model: 6000320, machine number: 2712681, year of construction: 1995, dimensions dye: (4x) 120 mm x 50 mm, total dimensions: 7400 mm x 900 mm x 1900 mm. Lot has already been professionally dismantled.	8500
42	Serap	Serap s/s milk tank with cooling compressor, type: SM3330, number: 33332K, year of construction: 1981, capacity: 3300 liter, weight: 700 kg, dimensions tank: 2160 mm x 1770 mm, total dimensions: 3300 mm x 1850 mm x 1850 mm.	1750
43	Sabroe	Sabroe cooling installation, type: SAB 163 HF, serial number: 219658/489541, year of construction: 2004, 311 kW, capacity: 70 m ³ , evaporation temperature: -25°C, condensation temperature: 38°C, weight: 5000 kg, dimensions: 5000 mm x 1600 mm x 2450 mm. Lot has already been professionally dismantled.	12500
44	York Refrigeration	York Refrigeration cooling installation, type: US 163, year of construction: 2003, 311 kW, capacity: 70 m ³ , evaporation temperature: -25°C, condensation temperature: 38°C, weight: 5000 kg, dimensions: 5000 mm x 1100 mm x 2400 mm. Lot has already been professionally dismantled.	12500
45	Mafelca	Mafelca tubular heat exchanger, fabrication number: M-22337-2, year of construction: 2023, tube volume: 520 liter, shell volume: 875 liter, tube working temperature: -10/50°C, shell working temperature: -10/100°C, heat exchange surface: 43 m ² , diameter perforations: 17 mm, length tube: 4400 mm, total dimensions: 5400 mm x 920 mm x 1250 mm.	8500
46	Seitz Enzinger Noll Maschinenebau AG	Seitz Enzinger Noll Maschinenebau AG mobile filter press, type: 40/30, number: 59119, year of construction: 1984, dimensions each filter basket: 380 mm x 380 mm, diameter perforations: 3 mm, total dimensions: 2350 mm x 550 mm x 780 mm.	1750
47	KHS Processtechnik GmbH	KHS Processtechnik GmbH mobile filter press, type: ORION C 40/56 KG, serial number: 36034, year of construction: 1996, dimensions each filter basket: 380 mm x 380 mm, diameter perforations: 3 mm, total dimensions: 2350 mm x 550 mm x 780 mm.	1750
48	Westfalia/Netzsch	Westfalia centrifuge separator, model: SC 35-36-177, number: 1713 098, 1.1/1.4 kg/dm ³ , year of construction: 1995, dimensions: 1550 mm x 1200 mm x 1400 mm, Netzsch progressing cavity pump, dimensions: 1800 mm x 700 mm x 1600 mm.	9000
49	PROCHROM LC		15000



Nr	Title	Description	Start €
		PROCHROM LC high-performance preparative liquid chromatography column module, model: 450.VE.2020.70, dimensions: 1650 mm x 1650 mm x 4500 mm.	
50	Ambaflex	Ambaflex spiral belt conveyor, type: SVE-400-1300, number: 5392-01, year of construction: 2006, plastic belt, belt width: 400 mm, total dimensions: 2000 mm x 2000 mm x 3800 mm.	3000
51	Serac	Serac filling and capping machine, model: R16E8/720, weight: 3600 kg, dimensions: 6500 mm x 2100 mm x 2800 mm, with ADV lid feeder, model: DI10, dimensions: 2100 mm x 1100 mm x 1900 mm.	25000
52	Enbomag	Enbomag filling machine, 40 stations, capacity: 15.000 bottles per hour, dimensions: 3350 mm x 2150 mm x 2700 mm.	5000
53	Arol Closure Systems	Arol Closure Systems rotary capper with cap feeder, 6 heads, diameter feeder: 690 mm, height feeder: 150 mm, total dimensions: 2900 mm x 1400 mm x 2400 mm.	7500
54	Erlo	Erlo column drill, type: TCA-50, dimensions: 1100 mm x 600 mm x 2400 mm.	1250
55	Westfalia/Netzsch	Westfalia centrifuge separator, model: SC 35-36-177, number: 1709 237, year of construction: 1994, 1.1/1.4 kg/dm ³ , dimensions: 1550 mm x 1200 mm x 1400 mm, progressing cavity pump, dimensions: 1900 mm x 450 mm x 1500 mm.	9000
56	Westfalia/Netzsch	Westfalia centrifuge separator, model: SC 35-36-177, number: 1696 369, year of construction: 1989, 1.1/1.4 kg/dm ³ , dimensions: 1550 mm x 1200 mm x 1400 mm, Netzsch progressing cavity pump, type: NEP 50A, 225231, number: 214984, year of construction: 1990, dimensions: 1900 mm x 450 mm x 1500 mm.	9000
58	F.M.C. Oissel	F.M.C. Oissel vacuum blade dryer, type: ACM, number: 1181 A, year of construction: 1972, volume: 6000 liter, jacket volume: 1200 liter, working temperature: 130°C, dimensions: 1900 mm x 6000 mm x 1900 mm.	15000
59	Landaluce S.A.	Landaluce S.A. s/s insulated tank with agitator, number: 6258, year of construction: 1999, weight: 2200 kg, volume: 14300 liter, jacket volume: 100 liter, working temperature: -5/+30°C, dimensions: Ø 2800 mm x 5000 mm.	10000
60	NN air dryer	Air dryer, type: Refrigerated, model: BL 0030, serial number: NL2308310903SX, year of construction: 2023, 220 V, 1 Ph, 50 Hz, 2660 W, refrigerant: R410A, capacity: 3.8 m ³ /min, dimensions: 800 mm x 400 mm x 800 mm.	750
61	Tolpec GmbH	Tolpec GmbH air compressor, type: BASE 7 VSD, serial number: 202312510, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 160 kg, volume flow: 0.92 m ³ /min, dimensions: 660 mm x 880 mm x 900 mm.	1000
62	Iprocomsa	Iprocomsa V-shaped mixer, model: B-1000, year of construction: 1998, 5.5 kW, volume: diameter infeed: (2x)	12500



Nr	Title	Description	Start €
		580 mm, diameter outfeed: 250 mm, total dimensions: 4010 mm x 1300 mm x 2510 mm.	
63	Tuchenhagen	Tuchenhagen s/s double jacketed ribbon mixer, number: 30054, year of construction: 04/1992, volume: 1000 liter, tank dimensions: 1500 mm x 100 mm x 650 mm, total dimensions: 2800 mm x 1100 mm x 1800 mm.	7500
64	Velati	Velati s/s ribbon mixer, type: Miscelatore, serial number: 89 97, 380 V, 50 Hz, 5.5 HP, volume: 435 liter, weight: 1130 kg, total dimensions: 2250 mm x 1550 mm x 1650 mm.	8500
65	Filtra	Filtra vibratory sieve, model: FTI1200, serial number: 190119, year of construction: 2019, 400 V, 50 Hz, 3.6 A, 2.0 kW, dimensions: 1650 mm x 1200 mm x 1800 mm.	4000
66	FMC Foodtech	FMC Foodtech autoclave, type: A144, serial number: M4811-505, year of construction: 2005, 380 V, 3 Ph, 50 Hz, 10 kW, volume: 6820 liter, dimensions: 4700 mm x 1950 mm x 2200 mm.	9500
67	Reeves	Reeves double jacketed mixer for drying product using hot water or steam, model: 10, motor: 910 rpm, weight: 510 kg, dimensions: 1700 mm x 600 mm x 1600 mm.	4000
68	Nautamix	Nautamix dryer suitable for drying powders, granules, pastes and sludges, machine number: M.19791, year of construction: 1979, volume: 1905 liter, jacket volume: 111 liter, working temperature: 130°C, maximum diameter tank: 1500 mm, minimum diameter tank: 280 mm, total dimensions: 1700 mm x 1700 mm x 3000 mm.	20000
69	E. Bachiller B. S.A.	E. Bachiller B. S.A. s/s tank with agitator, serial number: 7394, year of construction: 2004, volume: 1150 liter, working temperature: 90°C, dimensions: 1700 mm x 600 mm x 1600 mm.	3000
70	Bono Exacta	Bono Exacta triple plunger pump, model: 3C80, number: 040357, 220 V, 50 Hz, 18.5 kW, capacity: 447.5 liter per hour, dimensions: 1950 mm x 1150 mm x 650 mm.	2500
71	Celester	Celester distilling unit, model: CS 3-600, number: 300531, year of construction: 2005, 220/380 V, 50 Hz, 2 kW, dimensions: 2400 mm x 1000 mm x 3600 mm.	9500
72	NN tank	Steel tank, capacity: 750 liter, diameter inside: 900 mm, tank height: 1000 mm, total dimensions: Ø 1000 mm x 2050 mm.	1500
73	Safem	Safem drum dryer, year of construction: 2003, steam heated, pressure: 12/24 bar, maximum temperature: 192°C, drying bowl dimensions: 1500 mm x 2990 mm, total dimensions: 4500 mm x 2000 mm x 2700 mm. Lot has already been professionally dismantled.	40000
74	Rousselet Robatel	Rousselet Robatel mobile centrifuge, type: RC20VX R, number: 35328, year of construction: 2017, 400 V, 3 Ph, 50 Hz, diameter basket: 200 mm, total dimensions: 2100 mm x 1200 mm x 2000 mm.	25000
75	NN screw conveyor		2000



Nr	Title	Description	Start €
		S/s mobile screw conveyor, 220 V, 50 Hz, 0.55 kW, 1390 rpm, diameter screw: 150 mm, tier: 120 mm, total dimensions: 1300 mm x 750 mm x 1200 mm.	
76	NN screw conveyor	S/s mobile screw conveyor, 220 V, 50 Hz, 0.55 kW, 1390 rpm, diameter screw: 150 mm, tier: 110 mm, total dimensions: 1300 mm x 750 mm x 1200 mm.	2000
78	Grundfos	Grundfos vertical multistage centrifugal pump, type: CR5-20 A-FGJ-A-E-HQQE, model: A96513389P31806, serial number: 0002, 50 Hz, 3 kW, capacity: 5.8 m ³ per hour, dimensions: 250 mm x 200 mm x 1100 mm.	350
79	NN sieve	Mobile sieve, 220 V, 50 Hz, 1.35 kW, 1410 rpm, diameter infeed: 525 mm, diameter outfeed: 150 mm, total dimensions: 750 mm x 600 mm x 1650 mm.	2000
80	Grundfos	Grundfos vertical multistage centrifugal pump, type: CRN10-16-A-P-A-E-HQQE, model: PN-SN A-96501284-10000142, 50 Hz, 5.5 kW, capacity: 10 m ³ per hour, dimensions: 300 mm x 250 mm x 1200 mm.	350
81	Primematik	Primematik weighing scale, dimensions: 600 mm x 450 mm x 950 mm.	150
82	Vak Kimsa	Vak Kimsa inline mixer, model: ALVAK-4-TC-DOSIVAK, number: 11635, year of construction: 2005, 380 V, 50 Hz, 22 kW 1455 rpm, dimensions: 1150 mm x 1100 mm x 800 mm.	4000
83	Busch	Busch vacuum pump, type: WV 2000 C DEC ZZTZ, number: C0937000I58, capacity: 1000 m ³ per hour, dimensions: 1400 mm x 600 mm x 800 mm.	7500
84	Innojet Technologies	Innojet Technologies fluid bed, model: IEV800-001-2004, serial number: P030318, year of construction: 2004, with air heating and bag filter installation. Lot has already been professionally dismantled.	90000
86	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: E 150, fabrication number: 1176460090, capacity: 170 m ³ per hour, dimensions: 1100 mm x 400 mm x 1150 mm.	400
87	Pedrollo	S/s tank with Pedrollo submersible electro pump, capacity: 100 liter, dimensions: Ø 600 mm x 950 mm.	400
88	Siemen & Hinsch GmbH	Siemen & Hinsch GmbH centrifugal pump, model: ZSKQ 2501, 3 kW, 50 Hz, 2735 rpm, maximum temperature: 30°C, capacity: 12 m ³ per hour, dimensions: 500 mm x 200 mm x 300 mm.	200
89	NN fan	Industrial fan, 230 V, 50 Hz, 0.18 kW, 2850 rpm, dimensions: 250 mm x 200 mm x 300 mm.	150
90	Xchanger	Xchanger low pressure gas heat exchanger, model: C-125, serial number: 1016-B15769, dimensions: 650 mm x 1000 mm x 600 mm.	2500
91	PCM	PCM mixer, model: 0M8000, 400 V, 50 Hz, 7.5 kW, 1460 rpm, dimensions: 1800 mm x 350 mm x 350 mm.	3500
92	PCM	PCM peristaltic pump, model: LZ50, 220 V, 50 Hz, 1.1 kW, 1390 rpm, dimensions: 900 mm x 400 mm x 500 mm.	750



Nr	Title	Description	Start €
93	PCM	PCM peristaltic pump, model: 15Z3, number: 296844, year of construction: 11/2017, 230 V, 50 Hz, 1.5 kW, 1452 rpm, dimensions: 900 mm x 400 mm x 500 mm.	750
94	McMillan LTD	McMillan LTD tubular heat exchanger, year of construction: 1998, shell working temperature: 160°C, tube working temperature: 100°C, tube length: 1000 mm, diameter perforations: 16 mm, heat exchange surface: 1.20 m ² , total dimensions: 1100 mm x 400 mm x 450 mm.	2000
95	Capillery	S/s trolley with Capillery centrifugal pump, type: C21-20, number: 1144, capacity: 2000 liter per hour, with filter, dimensions: 800 mm x 400 mm x 1000 mm.	2000
96	Dalmec S.L.	Dalmec S.L. industrial manipulator, type: PES, serial number: 2055312, year of construction: 2020, maximum capacity: 50 kg, dimensions: 1200 mm x 800 mm x 1200 mm, 2000 mm x 1400 mm x 650 mm and 1500 mm x 1000 mm x 500 mm.	2000
97	Tinsmacal S.L.	Tinsmacal S.L. s/s double jacketed tank with agitator, fabrication number: 053.05.4, year of construction: 2006, capacity: 1470 liter, maximum temperature: 0/50°C, inside dimensions: Ø 1080 mm x 1370 mm, total dimensions: Ø 1350 mm x 2300 mm.	4000
98	Lleal S.A.	Lleal S.A. ultrafine grinding mill, model: K-315, working diameter: 330 mm, total dimensions: 700 mm x 500 mm x 850 mm.	10000
99	NN grinding mill	S/s grinding mill, working diameter: 280 mm, total dimensions: 800 mm x 300 mm x 750 mm.	7500
100	E. Bachiller B. S.A.	E. Bachiller B. S.A. inline homogeniser, type: BACH-LINE 150, fabrication number: 1024506, year of construction: 2015, dimensions: 1400 mm x 450 mm x 600 mm.	10000
101	E. Bachiller B. S.A.	E. Bachiller B. S.A. centrifugal sieve with rotating valve, dimensions: 2200 mm x 900 mm x 1000 mm.	10000
102	Tinsmacal S.L.	Tinsmacal S.L. s/s tank with agitator, fabrication number: T058.05.1, year of construction: 2006, volume: 370 liter, maximum working temperature: 50°C, inside dimensions: Ø 740 mm x 750 mm, total dimensions: Ø 900 mm x 1500 mm.	4000
103	Becker	Becker vacuum pump, type: DTLF 360, number: 1512460, year of construction: 1998, 15 kW, capacity: 360 m ³ per hour, dimensions: 1200 mm x 600 mm x 950 mm.	2500
104	Becker	Becker vacuum pump, type: DTLF 360, number: 1515701, year of construction: 1998, 15 kW, capacity: 360 m ³ per hour, dimensions: 1200 mm x 600 mm x 950 mm.	3000
105	CEIN	CEIN weighing scale, model: VN1, maximum weight: 300 kg, minimum weight: 1 kg, dimensions: 800 mm x 800 mm x 1250 mm.	150
107	Atlas Copco	Atlas Copco air compressor, type: SF 8, serial number: AII685562, year of construction: 2015, 400 V, 3 Ph, 50 Hz,	750



Nr	Title	Description	Start €
		7.4 kW, capacity: 11.8 l/s, dimensions: 1600 mm x 600 mm x 1120 mm.	
108	Jabsco	Jabsco rotary lobe pump, model: HP520-0890, serial number: 45411, year of construction: 2019, dimensions: 1100 mm x 550 mm x 500 mm.	1250
110	Inoxpa	Inoxpa centrifugal pump with s/s tank, type: S-28 C, number: 234369 A, year of construction: 2003, 220/380 V, 2.2 kW, dimensions: 1000 mm x 400 mm x 850 mm.	750
111	Alfa Laval	Alfa Laval centrifugal pump, type: ALC-1/110 SSS 2.2 kW, serial number: 004265, year of construction: 1997, dimensions: 600 mm x 400 mm x 400 mm.	350
112	Alfa Laval	Alfa Laval centrifugal pump, type: ALC-1/110 SSS 2.2 kW, serial number: 004264, year of construction: 1997, dimensions: 600 mm x 400 mm x 400 mm.	350
113	GEA Hilge	GEA Hilge centrifugal pump, type: TP3050, serial number: 2212018202-030-001, year of construction: 04/2019, 7.5 kW, capacity: 30 m ³ per hour, dimensions: 700 mm x 300 mm x 400 mm.	800
114	Donaldson	Donaldson filter, model: VHP183, type: 049.183.3, year of construction: 2016, volume: 115 liter, dimensions: 700 mm x 500 mm x 1450 mm.	900
115	Donaldson	Donaldson filter, model: VHP183, type: 049.183.3, year of construction: 2016, volume: 115 liter, dimensions: 700 mm x 500 mm x 1450 mm.	900
116	Donaldson	Donaldson filter, model: VHP244, type: 049.244.3, year of construction: 2015, volume: 190 liter, dimensions: 600 mm x 800 mm x 1700 mm.	900
117	BT	BT electric pallet lifter, model: SPE160L EX, number: 6282152, year of construction: 2014, capacity: 1600/2000 kg, dimensions: 3200 mm x 850 mm x 2000 mm. Without charger. Technical condition unknown.	2000
118	Tinsmacal S.L.	Tinsmacal S.L. s/s double jacketed tank with agitator, fabrication number: 06.002, year of construction: 2006, volume: 1470 liter, maximum working temperature: 50°C, inside dimensions: Ø 1000 mm x 1150 mm, total dimensions: Ø 1700 mm x 2650 mm.	7500
119	Tinsmacal S.L.	Tinsmacal S.L. s/s double jacketed tank with agitator, fabrication number: 06.002, year of construction: 2006, volume: 1470 liter, maximum working temperature: 50°C, inside dimensions: Ø 1000 mm x 1150 mm, total dimensions: Ø 1700 mm x 2650 mm.	5000
120	Mettler Toledo	Mettler Toledo weighing scale with indicator, type: ID3sTx, serial number: 2393648, year of construction: 2001, 230 V, dimensions: 400 mm x 500 mm x 300 mm.	90
121	Envasquim S.L.	Envasquim S.L. filling machine, type: DF1/4 3B, serial number: 216, 380 V, plastic belt, belt width: 100 mm, 3 filling heads, total dimensions: 2000 mm x 1300 mm x 1700 mm.	5000



Nr	Title	Description	Start €
122	ITT Industries	ITT Industries s/s insulated tank with agitator, serial number: 231061-4, year of construction: 2003, capacity: 750 liter, dimensions: 1600 mm x 1200 mm x 2100 mm.	9500
123	Belca	Belca mobile traysealer, model: TSB TBR2, serial number: 00801, year of construction: 2021, 400 V, 4.8 kW, film width: 400 mm, total dimensions: 1000 mm x 600 mm x 1700 mm. Incomplete, missing vacuum pump.	1000
124	FCL	FCL mobile drying belt, model: TI/120, serial number: 131, year of construction: 2012, 380 V, 50 Hz, 20 kW, s/s belt, belt width: 80 mm, clearance: 120 mm x 200 mm, total dimensions: 2900 mm x 800 mm x 1450 mm.	3500
125	NN mill	Mill, 400 V, 75 Hz, 65.2 A, 37 kW, dimensions: 700 mm x 700 mm x 1800 mm.	7500
126	NN tank	S/s tank, capacity: 1250 liter, dimensions: 1120 mm x 1120 mm x 1900 mm.	2500
127	NN tank	S/s tank, capacity: 1250 liter, dimensions: 1120 mm x 1120 mm x 1900 mm.	2500
128	NN mill	Mobile s/s mill, working diameter: 250 mm, total dimensions: 1250 mm x 750 mm x 1800 mm.	2500
129	Vak Kimsa	Vak Kimsa inline mixer with Dosivak hopper, model: ALVAK 4, dimensions: 1950 mm x 1400 mm x 1800 mm.	6500
130	NN transport belt	Transport belt, plastic belt, belt width: 300 mm, total dimensions: 2000 mm x 600 mm x 200 mm. Without legs.	200
131	NN transport belt	Transport belt, plastic belt, belt width: 450 mm, total dimensions: 2800 mm x 800 mm x 250 mm. Without legs.	950
132	NN transport belt	Transport belt, plastic belt, belt width: 380 mm, total dimensions: 3000 mm x 600 mm x 900 mm.	950
133	NN transport belt	Transport belt, plastic belt, belt width: 600 mm, total dimensions: 2100 mm x 800 mm x 1000 mm.	950
134	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 1900 mm x 650 mm x 1000 mm.	950
135	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 250 mm, total dimensions: 1600 mm x 550 mm x 900 mm.	950
136	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 250 mm, total dimensions: 2000 mm x 600 mm x 1000 mm.	950
137	Prisma	Prisma metal detector, plastic belt, belt width: 120 mm, clearance: 150 mm x 70 mm, total dimensions: 1600 mm x 550 mm x 1100 mm.	2500
138	Prisma	Prisma checkweigher with rejector, serial number: 257701, year of construction: 2002, 220 V, 50 Hz, 0.7 kW, weight: 170 kg, plastic belt, belt width: 240 mm, total dimensions: 1300 mm x 800 mm x 1550 mm.	1500
139	Prisma	Prisma metal detector, serial number: 450603, year of construction: 2006, 230 V, 50 Hz, 0.2 kW, weight: 190 kg, plastic belt, belt width: 150 mm, clearance: 200 mm x 70 mm, total dimensions: 1250 mm x 900 mm x 1250 mm.	3500
140	Loma Systems		4000



Nr	Title	Description	Start €
		Loma Systems metal detector, model: IQ3, head serial number: MD304-09050D, year of construction: 08.10.2008, plastic belt, belt width: 390 mm, clearance: 450 mm x 170 mm, total dimensions: 1300 mm x 900 mm x 1300 mm.	
141	NN transport belt	8 lanes transport belt, plastic belt, belt width: (8x) 85 mm, total dimensions: 4400 mm x 1000 mm x 1300 mm. Missing one belt.	950
142	Seko	Seko three plunger reciprocating pump, model: 3C55, 380 V, 50 Hz, 15 kW, capacity: 8 m ³ per hour, dimensions: 1850 mm x 900 mm x 650 mm.	2500
143	Guerin Systems	Guerin Systems centrifugal sieve, type: TR102/TM400, year of construction: 1999, sieve length: 490 mm, sieve diameter: 190 mm, diameter perforations: 5 mm, total dimensions: 1400 mm x 800 mm x 2000 mm.	5000
144	Tonazzi	Tonazzi cartoning machine, model: POLYCARTRON, type: 900, serial number: 200008, year of construction: 2001, 380 V, 50 Hz, 3 Ph, 4 kW, weight: 1000 kg, current boxes: 190 mm x 115 mm x 70 mm, total dimensions: 2600 mm x 1700 mm x 1700 mm.	7500
145	Tramega S.A.	Tramega S.A. s/s double jacketed tank with agitator, serial number: 07130, year of construction: 2007, volume: 2350 liter, jacket volume: 115 liter, working temperature: -20/60°C, dimensions: Ø 1500 mm x 2600 mm.	9500
146	Certuss Dampfautomaten GmbH & Co. KG	Certuss Dampfautomaten GmbH & Co. KG steam generator, type: CERTUSS JUNIOR 200, fabrication number: 11464, year of construction: 2004, capacity: 200 kg per hour, dimensions: 1500 mm x 800 mm x 1800 mm.	950
147	Atlas Copco	Atlas Copco air compressor, model: ZT75, year of construction: 1993, working temperature: 100°C, working hours: 37875, weight: 1800 kg, dimensions: 2750 mm x 1450 mm x 2000 mm.	950
148	NN decanter	Decanter, model: NX418, 18 kW, maximum speed: 2920 rpm, weight: 1600 kg, dimensions: 2300 mm x 1300 mm x 1450 mm.	3500
151	NN hopper	S/s infeed hopper with mixing arm, capacity: 2000 liter, inside dimensions: Ø 1200 mm x 250 mm, total dimensions: 1800 mm x 1300 mm x 2850 mm.	5000
152	Arivent Italiana S.R.L.	Arivent Italiana S.R.L. industrial fan, type: SK80/B, year of construction: 2014, 75 kW, 2960 rpm, capacity: 22258 m ³ per hour, dimensions: 1450 mm x 1750 mm x 1900 mm.	2000
153	NN platform	Aluminum platform, working height: 1100 mm, total dimensions: 1600 mm x 600 mm x 2000 mm.	400
154	Cryovac	Cryovac shrink tunnel, model: CJ62 LH T, serial number: A95500202, year of construction: 2005, 400 V, 50 Hz, 19 A, 13 kW, shrinking temperature: up to 220°C, clearance: 370 mm x 150 mm, total dimensions: 1500 mm x 1000 mm x 1550 mm.	1250
155	Ginox S.L.		4000



Nr	Title	Description	Start €
		Ginox S.L. s/s double jacketed tank, serial number: 3369/13B, year of construction: 2013, maximum working temperature: 50°C. volume: 500 liter, dimensions: Ø 900 mm x 1450 mm.	
156	Flexicon	Flexicon big bag unloader, model: BFH-S, serial number: 10600, year of construction: 2005, dimensions: 1700 mm x 1700 mm x 2150 mm. Lot has already been professionally dismantled.	12500
157	NN roller conveyor	Roller conveyors, plastic rollers, roller width: 500 mm, total dimensions: 3400 mm x 600 mm x 950 mm and 2500 mm x 600 mm x 950 mm.	1500
159	Reisopack	Reisopack strapping machine, type: 2000, machine number: 2004109, 220/380 V, 3 Ph, 50 Hz, 1 KVA, strap width: 6/8/12/15.5 mm, strap thickness: 0.50-0.85 mm, total dimensions: 1425 mm x 750 mm x 1950 mm.	800
160	Plasticband	Plasticband strapping machine with infeed and outfeed rollers, model: ARES V, serial number: 1662, year of construction: 2005, 380 V, 50 Hz, 1.5 kW, dimensions: 1600 mm x 1150 mm x 1800 mm.	800
161	Chromalox	Chromalox tubular heat exchanger, model: TMXXB-03-00P85-E2XX, year of construction: 2016, dimensions: Ø 150 mm x 600 mm.	750
162	NN curve conveyor	Curve conveyor, plastic belt, belt width: 115 mm, total dimensions: 1700 mm x 1350 mm x 1250 mm.	450
163	NN transport belt	Transport belt, plastic belt, belt width: 240 mm, total dimensions: 1750 mm x 1000 mm x 300 mm.	450
164	NN sieve	Centrifugal sieve, year of construction: 2010, 7.5 kW, capacity: 400-1800 kg per hour, dimensions: 1900 mm x 850 mm x 1400 mm.	3500
165	NN transport belt	Transport belt, plastic mesh belt, belt width: 1400 mm, total dimensions: 3000 mm x 1450 mm x 1000 mm. Belt damaged.	950
166	Lock Inspection Systems LTD	Lock Inspection Systems LTD metal detector, model: MET30+, serial number: 29166/1, year of construction: 04-08-2005, 380 V, 3 Ph, 50 Hz, 1.4 A, plastic mesh belt, belt width: 450 mm, clearance: 500 mm x 90 mm, total dimensions: 2500 mm x 1000 mm x 1000 mm.	1250
167	NN hopper	S/s hopper, volume: 250 liter, infeed diameter: 750 mm, outfeed diameter: 125 mm, total dimensions: 1050 mm x 1050 mm x 1950 mm.	750
168	KSB	KSB horizontal multistage centrifugal pump, model: MTCA65/3C-5.1 10.81, year of construction: 2014, 400 V, 50 Hz, 30 kW, 2960 rpm, capacity: 65 m ³ per hour, dimensions: 1650 mm x 550 mm x 450 mm.	450
169	KSB	KSB horizontal multistage centrifugal pump, model: MTCA65/3C-5.1 10.81, year of construction: 2014, 400 V, 50 Hz, 30 kW, 2960 rpm, capacity: 65 m ³ per hour, dimensions: 1650 mm x 550 mm x 450 mm.	750



Nr	Title	Description	Start €
170	LEWA Herbert Ott GmbH + Co	S/s trolley with 3 LEWA Herbert Ott GmbH + Co diaphragm metering pumps, type: (3x) EH 3, year of construction: 1996, capacity: 167-333 liter per hour, dimensions: 1700 mm x 900 mm x 1050 mm.	1000
171	Lleal S.A.	Lleal S.A. colloid mill, type: MC-2, 220/380 V, 3 Ph, 2850 rpm, hopper dimensions: Ø 390 mm x 400 mm, capacity: 40 liter, total dimensions: 400 mm x 400 mm x 1150 mm.	1750
172	AVT	AVT filter, model: IW083.1, serial number: 08IWNC3T21F3, year of construction: 2015, dimensions: 300 mm x 300 mm x 1500 mm.	750
173	GAF	GAF filter, volume: 15 liter, dimensions: 370 mm x 320 mm x 640 mm.	800
174	ABB	2 ABB frequency converters, dimensions: (2x) 550 mm x 200 mm x 200 mm.	200
175	ABB	ABB frequency converter, dimensions: 7700 mm x 200 mm x 200 mm.	100
176	Danfoss	Danfoss frequency converter, dimensions: 470 mm x 220 mm x 250 mm.	100
177	Flowserve	Flowserve ball valve with actuator, dimensions: 600 mm x 200 mm x 250 mm.	50
178	Flowserve	Flowserve ball valve with actuator, dimensions: 600 mm x 200 mm x 250 mm.	50
179	Samson	S/s ball valve with Samson pneumatic actuator and positioner, model: 3271-03GI00, serial number: 6100457, dimensions: 500 mm x 350 mm x 250 mm.	50
180	Samson	S/s ball valve with Samson pneumatic actuator and positioner, model: 4765-01100310000.04, serial number: 6105268, dimensions: 600 mm x 400 mm x 350 mm.	200
181	NN valves and manometers	Pallet with various valves and manometers, dimensions: 1200 mm x 800 mm x 500 mm.	500
182	NN air filter regulators	2 air filter regulators.	50
183	TopLine/GEA	Pallet with 5 TopLine valves with actuators and 2 GEA retractors, dimensions: 1200 mm x 800 mm x 600 mm.	700
184	TopLine/GEA	Pallet with large amount of TopLine valves with actuators and GEA retractors, dimensions: 1200 mm x 800 mm x 700 mm.	1400
185	GEA	Pallet with various GEA valves with actuators, dimensions: 1200 mm x 800 mm x 500 mm.	1400
186	Inox MIM Gruo S.L.	Inox MIM Gruo S.L. centrifugal pump, type: FL502CS, number: 17471/13 B, 4 kW, 3000 rpm, dimensions: 600 mm x 350 mm x 450 mm.	550
187	NN centrifugal pump	Centrifugal pump, dimensions: 750 mm x 400 mm x 550 mm.	550
188	Fancisco Garvia	Fancisco Garvia centrifugal pump, 1.5 kW, infeed and outfeed diameter: 38 mm, dimensions: 550 mm x 450 mm x 750 mm.	550



Nr	Title	Description	Start €
189	NN centrifugal pump	Centrifugal pump, dimensions: 700 mm x 400 mm x 550 mm.	550
190	NN centrifugal pump	Centrifugal pump, dimensions: 600 mm x 400 mm x 500 mm.	550
191	Inox MIM Gruo S.L.	Inox MIM Gruo S.L. centrifugal pump, type: FL502CS, number: 17571/13 A, 4 kW, 3000 rpm, dimensions: 600 mm x 350 mm x 450 mm.	550
192	Inox MIM Gruo S.L.	Inox MIM Gruo S.L. centrifugal pump, type: FL501CS, number: 23985/15, 4 kW, 3000 rpm, dimensions: 500 mm x 250 mm x 350 mm.	550
193	Inoxpa	Inoxpa centrifugal pump, model: SE-20C, year of construction: 2007, 220 V, 50 Hz, 2.2 kW, 3000 rpm, capacity: 5 m ³ per hour, dimensions: 1000 mm x 450 mm x 530 mm.	550
194	Inoxpa	Inoxpa centrifugal pump, model: S-38G, 380 V, 50 Hz, 15 kW, 3000 rpm, capacity: 80 m ³ per hour, dimensions: 900 mm x 450 mm x 500 mm.	2000
195	Inoxpa	Inoxpa centrifugal pump with s/s tank, type: S-28 C, year of construction: 2003, 220/380 V, 2.2 kW, volume tank: 30 liter, dimensions: 1000 mm x 400 mm x 850 mm.	1000
196	NN centrifugal pump	Centrifugal pump, 380 V, 50 Hz, 7.5 kW, 2930 rpm, dimensions: 700 mm x 370 mm x 450 mm.	750
197	Inoxpa	Inoxpa centrifugal pump, model: S-35F, 380 V, 50 Hz, 7.5 kW, 3000 rpm, capacity: 30 m ³ per hour, dimensions: 650 mm x 400 mm x 400 mm.	750
198	NN centrifugal pump	Centrifugal pump, 220 V, 50 Hz, 5.5 kW, 2880 rpm, dimensions: 700 mm x 400 mm x 450 mm.	550
199	Inoxpa	Inoxpa centrifugal pump, model: S-38G, 380 V, 50 Hz, 15 kW, 3000 rpm, capacity: 80 m ³ per hour, dimensions: 900 mm x 450 mm x 500 mm.	2000
200	Flowserve	Flowserve centrifugal pump, type: CBEO050200/195C02AZ4B1E034, serial number: LU0246193201, year of construction: 2016, 9.38 kW, capacity: 57 m ³ per hour, dimensions: 900 mm x 350 mm x 500 mm.	2500
201	Bombas Felez	Bombas Felez mobile mono pump, type: K 180 SD, number: 15.693, 4 kW, 1450 rpm, capacity: 10 m ³ per hour, dimensions: 2250 mm x 550 mm x 1100 mm.	1500
202	PCM Pompes	PCM Pompes mobile mono pump, type: NW 65, 220 V, 50 Hz, 2.2 kW, 1400 rpm, dimensions: 2350 mm x 600 mm x 1050 mm.	1500
203	GEA	GEA centrifugal pump, 400 V, 50 Hz, 5.5 kW, 2915 rpm, dimensions: 700 mm x 300 mm x 400 mm.	550
204	GEA	GEA centrifugal pump, 220 V, 50 Hz, 3 kW, 1450 rpm, dimensions: 700 mm x 300 mm x 400 mm.	550
205	Alfa Laval		1250



Nr	Title	Description	Start €
		Pallet with 3 Alfa Laval centrifugal pumps, type: (2x) LKH-10/163 FSS 4 kW and (1x) LKH-50/180 SSS 11 kW, dimensions: 1200 mm x 800 mm x 650 mm.	
206	Grundfos	Grundfos single-stage inline double pumps, type: TPD50-430/2, capacity: (2x) 32.7 m ³ per hour, dimensions: 750 mm x 600 mm x 400 mm.	450
207	Inoxpa	Pallet with 4 Inoxpa centrifugal pumps and 4 Inoxpa mixers, dimensions: 1200 mm x 800 mm x 400 mm.	750
208	Busch/P.V.R.	Pallet with 2 Busch and 3 P.V.R. vacuum pumps, type: (2x) RA 0063, (3x) PVL35, dimensions: 1200 mm x 800 mm x 600 mm.	1000
209	NN centrifugal pump	Centrifugal pump, dimensions: 1400 mm x 550 mm x 500 mm.	1000
210	Fristam	Fristam centrifugal pump, type: FPE 352 B, dimensions: 1050 mm x 600 mm x 950 mm.	2000
211	NN rotary lobe pump	Rotary lobe pump, dimensions: 1500 mm x 650 mm x 700 mm.	2000
212	Hy-Line	Hy-Line rotary lobe pump, model: LH640-1290V, serial number: 30495, dimensions: 1200 mm x 400 mm x 500 mm.	2500
213	Sterling SIHI GmbH	Sterling SIHI GmbH self-priming centrifugal pump, type: CFHB3102TF2ATWC4M, serial number: LU021238701, year of construction: 2004, dimensions: 1100 mm x 500 mm x 500 mm.	2000
214	KSB	Pallet with 2 KSB high pressure centrifugal pumps, model: (2x) Movitec 15/7B, dimensions: 1200 mm x 800 mm x 500 mm.	450
216	AJA Industrias AJA	AJA Industrias AJA s/s mobile platform, working height: 1000 mm, total dimensions: 2000 mm x 1000 mm x 2000 mm. Steel barrels not included.	250
217	Azzini S.p.A.	Azzini S.p.A. s/s tank, type: PL 1000, serial number: 47828, capacity: 1023 liter, dimensions: 1150 mm x 1150 mm x 1500 mm.	750
218	NN tank	S/s tank, capacity: 900 liter, inside dimensions: Ø 1080 mm x 800 mm, total dimensions: 1400 mm x 1080 mm x 1800 mm.	750
219	NN tub	S/s mobile tub, capacity: 650 liter, inside dimensions: 1000 mm x 350 mm, total dimensions: 2150 mm x 1110 mm x 1020 mm.	450
220	NN tub	S/s mobile tub, capacity: 650 liter, inside dimensions: 1000 mm x 350 mm, total dimensions: 2150 mm x 1110 mm x 1020 mm.	450
221	NN tank	S/s tank with agitator and load cells, capacity: 2000 liter, dimensions: Ø 1300 mm x 2300 mm.	3000
222	Fischer Italia	Fischer Italia plate heat exchanger, type: P20MFL, fabrication number: 960120, capacity: 5 m ³ per hour, dimensions: 1200 mm x 500 mm x 1400 mm.	950



Nr	Title	Description	Start €
223	NN tank	S/s tank, capacity: 1350 liter, dimensions: Ø 1100 mm x 2300 mm.	2000
224	NN tank	S/s conical tank, capacity: 675 liter, dimensions: 1200 mm x 1200 mm x 1200 mm.	1000
225	Vahterus	Vahterus heat exchanger, model: PSHE 3HH-60/1/1, year of construction: 2020, shell volume: 7.3 liter, plate volume: 4.7 liter, working temperature: 0/200°C, plate working pressure: -1/+16 bar, dimensions: 500 mm x 350 mm x 970 mm.	5000
226	Vahterus	Vahterus heat exchanger, model: PSHE 3HH-60/1/1, year of construction: 2011, shell volume: 7.7 liter, plate volume: 4.8 liter, working temperature: 0/200°C, plate working pressure: -1/+16 bar, dimensions: 500 mm x 350 mm x 970 mm.	5000
227	Vahterus	Vahterus heat exchanger, model: PSHE 3HH 242/1/1, year of construction: 2020, shell volume: 29.5 liter, plate volume: 19 liter, working temperature: 0/200°C, plate working pressure: -1/+16 bar, dimensions: 1300 mm x 450 mm x 950 mm.	7500
228	NN hopper	S/s hopper, dimensions: 1100 mm x 1200 mm x 1600 mm.	200
229	NN hot water tank	Hot water tank, capacity: 800 liter, dimensions: Ø 1120 mm x 2200 mm.	300
230	Decalinox S.A.	Decalinox S.A. s/s mobile tank, fabrication number: 926, year of construction: 20/3/03, capacity: 500 liter, inside dimensions: Ø 795 mm x 1000 mm, total dimensions: 1200 mm x 1200 mm x 1850 mm.	1000
231	NN heat insulated tank	Heat insulated tank, dimensions: 3600 mm x 1900 mm x 2300 mm.	2000
232	Donaldson	Donaldson dust collector, type: DFPRO 8-R, serial number: 54150444U1MA, year of construction: 2004, minimum temperature: -30°C, maximum temperature: 150°C, dimensions: 1900 mm x 1100 mm x 3900 mm.	7500
233	NN tank	S/s tank, year of construction: 1992, capacity: 10.000 liter, inside dimensions: Ø 2300 mm x 2450 mm, total dimensions: Ø 2550 mm x 4450 mm.	5000
234	NN tank	S/s insulated tank, capacity: 500 liter, dimensions: Ø 1100 mm x 2000 mm.	750
235	NN tank	S/s insulated tank with agitator, capacity: 550 liter, inside dimensions: Ø 920 mm x 820 mm, total dimensions: Ø 1000 mm x 1750 mm.	3000
236	NN tank	S/s tank with load cells, capacity: 11.000 liter, inside dimensions: Ø 2100 mm x 3000 mm, total dimensions: 2500 mm x 2500 mm x 6500 mm.	3500
237	NN tank	S/s double jacketed tank with agitator, capacity: 500 liter, dimensions: 1200 mm x 1200 mm x 2750 mm.	3500
238	E. Bachiller B. S.A.	E. Bachiller B. S.A. double jacketed tank with agitator, year of construction: 2001, capacity: 1200 liter, maximum	7500



Nr	Title	Description	Start €
		working temperature: 175°C, dimensions: Ø 1200 mm x 2900 mm.	
239	NN tank	S/s tank, dimensions: Ø 1400 mm x 2100 mm.	6000
240	Sofast	Sofast tubular heat exchanger, type: E0222, fabrication number: 1727, year of construction: 2005, shell volume: 33-25 liter, tubes volume: 2.83 liter, working temperature: 20/150°C, dimensions: 1950 mm x 300 mm x 500 mm.	1500
241	Sofast	Sofast tubular heat exchanger, type: E0211, fabrication number: 1724, year of construction: 2005, working temperature: 20/150°C, dimensions: 1700 mm x 250 mm x 250 mm.	1500
243	Greenheiss	Greenheiss hot water tank, model: GH DPI/ABR 2000L 8bar, serial number: 4720210027, year of construction: 2021, dimensions: Ø 1300 mm x 1900 mm.	300
244	NN big bag unloader	Big bag unloader, dimensions: 1700 mm x 1600 mm x 2900 mm.	2000
245	Talleres Inox Valles S.L.	Talleres Inox Valles S.L. tubular heat exchanger, serial number: 545, year of construction: 2005, shell volume: 148 liter, tubes volume: 113 liter, working temperature: 175°C, working pressure: 10 bar, dimensions: Ø 450 mm x 36000 mm.	8500
246	NN heat exchanger	Tubular heat exchanger, dimensions: 350 mm x 530 mm x 2400 mm.	3500
247	E. Bachiller B. S.A.	E. Bachiller B. S.A. tubular heat exchanger, year of construction: 2010, shell volume: 140 liter, tubes volume: 37 liter, working temperature: 200/275°C. 62 bar, heat exchange surface: 4.6 m ² , dimensions: 4350 mm x 650 mm x 650 mm.	6000
251	GEA	GEA s/s double jacketed tank with agitator, capacity: 30.000 liter, inside dimensions: Ø 3100 mm x 4000 mm, total dimensions: Ø 3300 mm x 5300 mm.	12500
252	Pierre Guerin	Pierre Guerin s/s double jacketed tank with agitator, type: PROCESO, capacity: 30.000 liter, inside dimensions: Ø 3200 mm x 3400 mm, total dimensions: Ø 3400 mm x 6500 mm.	12500
253	GEA	GEA s/s double jacketed tank with agitator, year of construction: 1998, capacity: 30.000 liter, inside dimensions: Ø 3200 mm x 3400 mm, total dimensions: Ø 3400 mm x 6500 mm.	12500
254	GEA	GEA s/s double jacketed tank with agitator, year of construction: 1998, capacity: 30.000 liter, inside dimensions: Ø 3200 mm x 3400 mm, total dimensions: Ø 3400 mm x 6500 mm.	12500
255	E. Bachiller B. S.A.	E. Bachiller B. S.A. mobile disintegrator mill, model: MDCB 300, fabrication number: 977701, year of construction: 2011, dimensions: 1100 mm x 1050 mm x 1400 mm.	7500
256	Glatt	Glatt mobile sieve, model: TR200, number: 96965/1, dimensions: 1300 mm x 1000 mm x 1700 mm.	12500
257			9500



Nr	Title	Description	Start €
	Urschel Laboratories Inc	Urschel Laboratories Inc comitrol processor, model: 1700, serial number: 2445, diameter drum: 150 mm, total dimensions: 1200 mm x 530 mm x 2000 mm.	
258	Alfa Laval	Alfa Laval centrifuge separator, model: MAB206S, 220/380 V, 1430 rpm, capacity: 10.000 liter per hour, dimensions: 1000 mm x 500 mm x 1000 mm.	2500
259	NN hopper	S/s mobile hopper with mobile lifter, dimensions hopper: 1250 mm x 900 mm x 1800 mm, dimensions lifter: 1950 mm x 1150 mm x 1400 mm.	450
260	E. Bachiller B. S.A.	E. Bachiller B. S.A. beater mill, fabrication number: 6882, year of construction: 2007, working diameter: 300 mm, total dimensions: 1600 mm x 700 mm x 1200 mm.	9500
261	J. Esquerda S.A.	J. Esquerda S.A. mobile filling and packaging machine, model: CLN-12, fabrication number: 5042, year of construction: 2017, 400 V, 50 Hz, 8.4 A, 4.65 kW, 10 stations, dimensions buckets: 120 mm x 90 mm x 120 mm, plastic belt, belt width: 85 mm, total dimensions: 37010 mm x 1700 mm x 1980 mm.	3500
262	J. Esquerda S.A.	J. Esquerda S.A. capping machine, model: MCA/RP, fabrication number: 4909, year of construction: 2017, 400 V, 50 Hz, 1.9 A, 1.05 kW, diameter caps: 50 mm, plastic belt, belt width: 80 mm, total dimensions: 1700 mm x 1250 mm x 1800 mm.	9500
263	Markem-Imaje	Markem-Imaje mobile controller, model: 5600 & 5800, serial number: US18480349, dimensions: 600 mm x 550 mm x 1500 mm.	100
264	Tecdaki S.L.	Tecdaki S.L. sleever, serial number: 1969/17, year of construction: 2017, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 150 mm, seal length: 220 mm, total dimensions: 3500 mm x 600 mm x 1850 mm.\	2000
265	Siat S.p.A	Siat S.p.A mobile box closing machine with top and bottom taper, model: SM26.P A, serial number: 38382, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 260 W. 0.8 A, steel rollers, roller width: 640 mm, total dimensions: 2200 mm x 800 mm x 1600 mm.	950
266	Varpe	Varpe checkweigher, type: V-2000, serial number: 2654, year of construction: 11/08, 380 V, 3 Ph, 50 Hz, 750 W, maximum weight: 3000 g, plastic belt, belt width: 200 mm, total dimensions: 200 mm, total dimensions: 1000 mm x 570 mm x 1600 mm.	1500
267	Belca	Belca mobile shrinking tunnel, serial number: L218G, year of construction: 1999, 380 V, 9 kW, steel rollers, roller width: 440 mm, clearance: 480 mm x 250 mm, total dimensions: 1500 mm x 900 mm x 1600 mm.	8000
268	Stephan	Stephan micro cutter, type: MCH 20K, year of construction: 1998, 400 V, 50 Hz, 15 kW 2925 rpm, diameter plate: 130 mm, total dimensions: 1350 mm x 600 mm x 1500 mm.	8000
269	Markem-Imaje		100



Nr	Title	Description	Start €
		Markem-Imaje mobile inkjet printer, model: 9040, serial number: FR15460287, year of construction: 2015, 100-120-200-240 V, 50-60 Hz, 1.5/0.85 A. 200 VA, dimensions: 450 mm x 300 mm x 1000 mm.	
270	NN meat bin	S/s meat bin, volume: 200 liter.	300
271	NN meat bin	S/s meat bin, volume: 200 liter.	300
272	NN roller conveyor	Roller conveyors, s/s and plastic rollers, roller width: 500 mm, total dimensions: 1200 mm x 700 mm x 900 mm, 1000 mm x 600 mm x 900 mm, 800 mm x 600 mm x 900 mm, 1270 mm x 530 mm x 500 mm.	1500
273	Euromate	Euromate mobile industrial extractor, model: FLEX 3, serial number: A0510940023, year of construction: 2008, dimensions: 1500 mm x 700 mm x 2100 mm.	1000
274	Mettler Toledo	Mettler Toledo pallet weighing scale, model: IND570, serial number: B739745017, dimensions: 1300 mm x 850 mm x 1550 mm.	450
275	Mettler Toledo	Mettler Toledo pallet weighing scale, model: ID3sTx/24VDC, serial number: 2857322, year of construction: 2006, dimensions: 1300 mm x 850 mm x 1550 mm.	450
276	Varpe	Varpe checkweigher, type: CP 60, serial number: 1228, 380 V, 50 Hz, 3 Ph, 750 W. maximum weight: 3000 g, plastic belt, belt width: 150/130 mm, total dimensions: 1400 mm x 750 mm x 1400 mm.	2500
277	Rodant S.A.	Rodant S.A. weighing scale, model: B-05, serial number: 10462, year of construction: 2005, 0.18 kW, plastic belt, belt width: 480 mm, total dimensions: 800 mm x 700 mm x 1500 mm.	750
278	Glatt	Glatt mobile sieve, serial number: 51550, year of construction: 1997, dimensions: 800 mm x 900 mm x 1400 mm. Incomplete.	2500
280	Eurocont	Eurocont s/s tank, year of construction: 2008, -0.15/+1.5 bar, working temperature: -10/+130°C, capacity: 800 liter, dimensions: Ø 900 mm x 1650 mm.	950
281	NN tank	S/s tank, capacity: 700 liter, dimensions: 1100 mm x 1100 mm x 1500 mm.	950
282	NN tank	S/s mobile tank, capacity: 410 liter, dimensions: 950 mm x 1200 mm x 950 mm.	950
284	NN vacuum machine	Mobile double chamber vacuum machine, chamber dimensions: (2x) 450 mm x 450 mm, seal length: (4x) 400 mm, total dimensions: 1000 mm x 500 mm x 900 mm.	1500
285	Atlas Copco	Atlas Copco air compressor, type: SF 8, serial number: AH686149, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 7.4 kW, capacity: 13.2 l/s, dimensions: 1700 mm x 600 mm x 1250 mm.	950

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

