



**Industrial
Auctions**

2102: Online auction machinery for the bakery industry in Eindhoven (NL)

END DATE
13 April 2026 14:00



General terms and conditions of the online auction

End date	13 April 2026 from 14:00 hrs.
Viewing days	09 April 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	20 April 2026 from 09:00 till 16:00 hrs. 21 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Diosna	Diosna mobile mixer, type: SP120D, number: 00097-7084, year of construction: 2021, 400 V, 50 Hz, 18 A, 8 kW, volume: 120 liter, total dimensions: 1300 mm x 800 mm x 1300 mm.	8000
2	Leventi	Leventi mobile combi steamer, type: BM MM MK3.1 5PL, serial number: 039110065, year of construction: 2011, 380/415 V, 3 Ph, 9.5 kW, 5 floors, dimensions floors: (5x) 550 mm x 400 mm, total dimensions: 1000 mm x 850 mm x 2140 mm.	400
3	Leventi	Leventi combi steamer, type: BM MM Q2, serial number: 06120027, year of construction: 2006, 380/415 V, 3 Ph, 50/60 Hz, 9.5 kW, 6 floors, dimensions floors: (6x) 600 mm x 405 mm, total dimensions: 980 mm x 900 mm x 1880 mm.	300
4	GMG	GMG bread slicer, model: BSC-16, serial number: 1456, year of construction: 02/2022, 220 V, 50/60 Hz, 3.2 A, 0.37 kW, weight: 130 kg, working width: 450 mm, total dimensions: 780 mm x 750 mm x 1040 mm.	500
5	Bakon B.V.	Bakon B.V. mobile whipped cream mixer, model: TOP CREAM, serial number: 7.210.035, year of construction: 1997, 220 V, 50 Hz, 1.5 kW, dimensions inside: ø 345 mm x 430 mm, total dimensions: 780 mm x 500 mm x 1150 mm.	400
6	Bongard	Bongard mobile deck oven, type: four MODULABLE M4 SOLEO, serial number: 930000000009103, year of construction: 10/2013, 400 V, 50/60 Hz, 41.1 A, 45 kW, 3 decks, dimensions decks: (3x) 1370 mm x 950 mm, total dimensions: 1730 mm x 1450 mm x 1850 mm. 1 glass broken.	500
7	Diosna Dierks & Söhne Maschinenfabrik	Diosna Dierks & Söhne Maschinenfabrik mixer, type: M 200/2G, machine number: 3200-3009, 380 V, 3 Ph, 50 Hz, 8 A, inside dimensions: ø 900 mm x 500 mm, total dimensions: 1150 mm x 950 mm x 1350 mm.	780
8	Hobart	Hobart mixer, model: N50CE, serial number: 31-1285-147, 230 V, 1 Ph, 50 Hz, 1.7 A, dimensions: 350 mm x 250 mm x 430 mm. Incomplete.	100
9	Hobart	Hobart mixer, dimensions: 350 mm x 250 mm x 430 mm. Incomplete.	100
10	NN spraying pistol	Spraying pistol, dimensions: 300 mm x 250 mm x 400 mm.	50
11	Mech-Masz	Mech-Masz fryer, type: SP-80, fabric number: 689/19, year of construction: 2019, 9 kW, weight: 71 kg, dimensions inside: 1020 mm x 615 mm, total dimensions: 1200 mm x 670 mm x 950 mm.	500
12	Mech-Masz	Mech-Masz fryer, type: SP-80, fabric number: 566/18, year of construction: 2018, 9 kW, weight: 71 kg,	500



Nr	Title	Description	Start €
		dimensions inside: 1020 mm x 615 mm, total dimensions: 1200 mm x 670 mm x 950 mm.	
13	GGM Gastro	GGM Gastro proofing cabinet, model: BGSF, serial number: 5011643BL8, year of construction: 2025, 220-240 V, 50 Hz, 9.7 A, refrigerant: R290-0.10, dimensions floors: 650 mm x 410 mm, total dimensions: 1000 mm x 820 mm x 2100 mm.	500
14	Leventi	Leventi combi steamer, type: BM MM Q2, serial number: 07040089, year of construction: 2007, 380/415 V, 3 Ph, 50/60 Hz, 9.5 kW, 6 floors, dimensions floors: (6x) 600 mm x 405 mm, total dimensions: 980 mm x 850 mm x 1880 mm.	300
15	Pietro Berto S.p.A.	Pietro Berto S.p.A. mixer, model: NV/150, serial number: 1996001126, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 15 A, 6 kW, weight: 1385 kg, volume: 150 liter, dimensions: 1500 mm x 1400 mm x 1850 mm.	1000
16	Diosna Dierks & Söhne Maschinenfabrik	Diosna Dierks & Söhne Maschinenfabrik mobile mixer, type: M 120/2G, machine number: 6-8606, 380 V, 3 Ph, 50 Hz, 6 A, inside dimensions: ø 750 mm x 400 mm, total dimensions: 950 mm x 800 mm x 1350 mm.	500
17	Bosgraaf	Bosgraaf paper dispenser, dimensions: 400 mm x 280 mm x 250 mm.	20
18	Levens Cooking & Baking Systems BV	Levens Cooking & Baking Systems BV combi steamer, model: CM 1.06 MM BDI ME, serial number: 17 04 69176, 400 V, 3 Ph, 50/60 Hz, 9 kW, 6 floors, dimensions floors: (6x) 600 mm x 400 mm, total dimensions: 1000 mm x 900 mm x 2070 mm.	600
19	Hobart	Hobart mixer, model: A 200 S, serial number: 94.105869, 220 V, 3 Ph, 50 Hz, 1.61 A, 0.37 kW, dimensions: 520 mm x 450 mm x 1150 mm. Including flat beater.	300
20	Rational	Rational combi steamer, model: 101G, 10 floors, dimensions floors: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 830 mm x 1070 mm. Defect.	300
21	Eloma	Eloma combi steamer, 11 floors, dimensions floors: (11x) 520 mm x 320 mm, total dimensions: 920 mm x 850 mm x 1150 mm.	300
22	Rational	Rational SelfCookingCenter combi steamer, model: WE 101G, dimensions: 850 mm x 830 mm x 1100 mm. Incomplete.	1750
23	Rational	Rational SelfCookingCenter combi steamer, model: 101G, 10 floors, dimensions floors: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 830 mm x 1050 mm. Defect.	300
24	Rational	Rational combi steamer, type: CPC 101, serial number: E11CB99111016038, 400 V, 3 Ph, 50 Hz, 19 kW, water pressure: 150-600 kPa, 10 floors, dimensions floors: (10x) 535 mm x 325 mm, total dimensions: 900 mm x 820 mm x 1100 mm. Defect.	200
25	Rational		780



Nr	Title	Description	Start €
		Rational combi steamer, model: CMP 101, serial number: E11MI18112713345, 400 V, 3 Ph, 50/60 Hz, 18.6 kW, water pressure: 150-600 kPa, 10 floors, dimensions floors: (10x) 530 mm x 330 mm, total dimensions: 850 mm x 830 mm x 1770 mm.	
26	Lainox	Lainox combi steamer, type: ME/ 110 S, 415 V, 50 Hz, 1/16 kW, 10 floors, dimensions floors: (10x) 535 mm x 360 mm, total dimensions: 940 mm x 900 mm x 1050 mm.	400
27	NN trolley	S/s trolley, 20 floors, dimensions floors: (20x) 535 mm x 330 mm, total dimensions: 780 mm x 575 mm x 1700 mm.	50
28	Rational	Rational extraction hood, model: UltraVent, dimensions: 1190 mm x 860 mm x 420 mm.	150
29	Rational	Rational SelfCookingCenter combi steamer, model: WE 101G, 10 floors, dimensions floors: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 810 mm x 1100 mm.	2000
30	Convotherm	Convotherm combi steamer, 7 floors, dimensions floors: (7x) 450 mm x 330 mm, total dimensions: 1000 mm x 870 mm x 900 mm.	150
31	NN scale	Scale, maximum capacity: 60 kg, scale dimensions: 500 mm x 500 mm, total dimensions: 500 mm x 600 mm x 1120 mm.	50
32	Werner & Pfleiderer-Haton	Werner & Pfleiderer-Haton bread slicer, type: BSM 67, machine number: H 670082, 380 V, 50 Hz, 4 A, 34 knives, distance between knives: 14 mm, working width: 420 mm, total dimensions: 570 mm x 820 mm x 1160 mm.	200
33	NN jelly machine	Mobile jelly machine, dimensions: 360 mm x 660 mm x 940 mm.	50
34	Werner & Pfleiderer	Werner & Pfleiderer dough divider and rounder, model: Rotomat, dimensions: 630 mm x 560 mm x 1400 mm.	250
35	VLB	VLB mobile bread slicer, type: A 40/12.5, number: 3824, year of construction: 2001, 220/380 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 12.5 mm, working width: 435 mm, total dimensions: 620 mm x 650 mm x 1280 mm.	75
36	Dito-Sama	Dito-Sama mixer, model: BM305, number: S804, year of construction: 1993, 230/400 V, 3 Ph, 50 Hz, 3.1/1.8 A, 750 W, volume: 30 liter, total dimensions: 530 mm x 650 mm x 1220 mm. Including flat beater.	100
37	Gostol-Gopan d.o.o.	Gostol-Gopan d.o.o. mobile conical rounding machine, model: Sabotin 2 AB 00, number: 06395, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.14 A, 0.78 kW, weight: 565 kg, dimensions: 1060 mm x 1140 mm x 1470 mm.	1000
38	NN conical rounding machine	Mobile conical rounding machine, dimensions: 960 mm x 960 mm x 1420 mm.	250
39	W&E		250



Nr	Title	Description	Start €
		W&E mobile jelly machine, type: GelTopZB, factory number: 98076885, 220 V, 50 Hz, 10 A, 2100 W, 4 bar, dimensions: 460 mm x 480 mm x 1130 mm.	
40	NN mixer	Mobile spiral mixer, model: QJH-A30, number: 2019011006-LF, year of construction: 01/2019, 380 V, 50 Hz, 1.1 kW, volume: 30 liter, dimensions: 430 mm x 760 mm x 750 mm.	250
41	Diosna	Diosna mobile mixer, type: S70 2G, number: 5 250, steel bowl, inside dimensions: Ø 715 mm x 350 mm, total dimensions: 840 mm x 900 mm x 1200 mm.	250
42	VLB	VLB bread slicer, type: VLB 40/125, number: 80167, 110/220 V, 1 Ph, 50 Hz, 30 knives, distance between knives: 12.5 mm, working width: 570 mm x 650 mm x 1300 mm.	75
43	W&E	W&E mobile jelly machine, type: Gel-Top, factory number: 95065606, 220 V, 50 Hz, 10 A, 2100 W, 4 bar, dimensions: 460 mm x 520 mm x 880 mm.	250
44	Electrolux Bertrand	Electrolux Bertrand long moulder for baguettes, working width: 465 mm, total dimensions: 1950 mm x 750 mm x 1570 mm.	250
45	NN bread slicer	Bread slicer, 30 knives, distance between knives: 12.5 mm, working width: 400 mm, total dimensions: 570 mm x 680 mm x 1160 mm.	75
46	Eberhardt	Eberhardt mobile dough divider and rounder, model: Optimat, dimensions: 650 mm x 700 mm x 1460 mm. Including 5 plates.	250
47	Kalmeijer	Kalmeijer mobile moulder, model: KOO 11-3-19, working width: 400 mm, total dimensions: 710 mm x 620 mm x 980 mm. Incomplete.	75
48	NN bread slicer	Mobile bread slicer, type: B4125, machine number: 926074, 220 V, 1 Ph, 50 Hz, 0.37 kW, 30 knives, distance between knives: 12.5 mm, working width: 385 mm, total dimensions: 600 mm x 630 mm x 1240 mm. Incomplete.	75
49	NN bread slicer	Bread slicer, 34 knives, distance between knives: 12.5 mm, working width: 395 mm, total dimensions: 620 mm x 650 mm x 1300 mm.	75
50	Hobart	Hobart mixer, model: PF 601, number: 736444, 380 V, 3 Ph, 50 Hz, 3 A, inside dimensions: Ø 400 mm x 350 mm, total dimensions: 900 mm x 500 mm x 1270 mm. Including extra whisk.	450
51	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV mobile conical rounding machine, type: CR 59, machine number: H. 590562, year of construction: 1995, 230/400 V, 3 Ph, 50 Hz, 3/10 A, dimensions: 1100 mm x 1100 mm x 1500 mm.	750
52	Beko	Beko mobile bread slicer, type: 3B5M3JAC003, 230 V, 2 knives, distance between knives: 100 mm, dimensions chamber: 450 mm x 120 mm x 100 mm, total dimensions: 730 mm x 600 mm x 1330 mm.	100



Nr	Title	Description	Start €
53	Küppersbusch AG	Küppersbusch AG combi steamer, type: KEG 0066, 400 V, 50 Hz, 18.9 kW, 10 floors, dimensions floors: (10x) 330 mm x 550 mm, total dimensions: 1020 mm x 850 mm x 950 mm.	200
54	Wiesheu GmbH	Wiesheu GmbH mobile oven, model: B04-EM, serial number: 10311135, year of construction: 07-2015, 400 V, 3 Ph, 50 Hz, 12.2 A, 8.4 kW, 5 floors, dimensions each floor: 610 mm x 400 mm, total dimensions: 1200 mm x 950 mm x 1800 mm.	450
55	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10363334, year of construction: 2017-10, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm. 1 side of the rack is missing.	550
56	Rational	Rational combi steamer, model: CPC, 5 floors, dimensions each floor: 600 mm x 430 mm, dimensions: 900 mm x 800 mm x 850 mm. Incomplete.	700
57	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-Va, serial number: 10191059, year of construction: 2012-12, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm.	650
58	Wiesheu GmbH	Wiesheu GmbH mobile oven, model: B08-B04-EM-VA, serial number: 10130773, year of construction: 05-2009, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 610 mm x 400 mm, total dimensions: 1000 mm x 1100 mm x 2070 mm. Glass broken.	550
59	FB-broodsnijmachines Benelux	FB-broodsnijmachines Benelux bread slicer, type: A 11, machine number: 05320, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 0.4 kW, working width: 385 mm, distance between knives: 10 mm, total dimensions: 550 mm x 660 mm x 1300 mm.	100
60	J. Slomp B.V.	J. Slomp B.V. mobile oven, type: Ideaal de luxe, number: 613, year of construction: 2005, 220/280 V, 1.5 kW, 10 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1350 mm x 1030 mm x 2060 mm.	400
61	Porlanmaz	Porlanmaz bread slicer, 26 knives, distance between knives: 19 mm, total dimensions: 880 mm x 750 mm x 1250 mm.	400
62	Porlanmaz	Porlanmaz mobile bread slicer, working width: 450 mm, distance between knives: 15 mm, total dimensions: 700 mm x 900 mm x 1150 mm.	250
63	NN refrigerated pie display	Mobile refrigerated pie display, model: PVK400R, 220/240 V, 50 Hz, 2.8 A, 480 W, weight: 125 kg, 4 floors, floor dimensions: Ø 530 mm, total dimensions: Ø 690 mm x 1750 mm.	300



Nr	Title	Description	Start €
64	Turbochef Technologies	Turbochef Technologies turbo oven, model: I5EW, serial number: I5EW-D02070, year of construction: June 2010, 400 V, 3 Ph, 50 Hz, 19 A, 10000 W, inside dimensions: 610 mm x 400 mm x 250 mm, total dimensions: 750 mm x 690 mm x 610 mm.	250
65	Zela	Zela mobile spraying machine, dimensions: 1100 mm x 800 mm x 900 mm.	450
66	Leventi	Leventi oven, type: CM MM Q2 B+DI, serial number: 06110136, 380/415 V, 3 Ph, 50/60 Hz, 9.5 kW, 6 floors, dimensions floors: (6x) 600 mm x 410 mm, total dimensions: 900 mm x 970 mm x 1000 mm.	250
67	Rational	Rational combi steamer, model: SCC 101, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 10 floors, dimensions floors: (10x) 530 mm x 330 mm, total dimensions: 900 mm x 850 mm x 1800 mm.	880
68	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 640 mm x 660 mm x 1230 mm.	150
69	Leventi	Leventi oven, type: NM.TUT.CP, number: 94200045, year of construction: 24-5-94, 380 V, 3 Ph, 50 Hz, 9,5 kW, 5 floors, floor dimensions: 360 mm x 615 mm, total dimensions: 720 mm x 980 mm x 885 mm.	100
70	Metos / Rational	Metos / Rational combi steamer, 10 floors, dimensions floors: (10x) 530 mm x 330 mm, gas heated, dimensions: 850 mm x 800 mm x 1050 mm.	600
71	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	100
72	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	100
73	Kalmeijer	Kalmeijer mobile moulder, clearance: 480 mm x 190 mm, total dimensions: 1000 mm x 630 mm x 1050 mm.	350
74	Kemper	Kemper mobile mixer, fabrication number: 92203, 220/380 V, 50 Hz, 11 A, 2.2 kW, inside dimensions: Ø 740 mm x 430 mm, total dimensions: 1040 mm x 960 mm x 1120 mm.	800
75	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	100
76	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm. Without lights.	100
77	VLB	VLB mobile bread slicer, type: VL-40/12.5, number: 94NA043, 220 V, 1 Ph, 50 Hz, 30 knives, distance between knives: 12 mm, total dimensions: 650 mm x 600 mm x 1320 mm.	150
78	Herman	Herman mobile bread slicer, type: De luxe, machine number: 108, year of construction: 2001, 230 V, 0.37 kW, weight: 125 kg, 30 knives, distance between knives: 12 mm, total dimensions: 700 mm x 660 mm x 1240 mm.	300
79	Kalmeijer		100



Nr	Title	Description	Start €
		Kalmeijer bread slicer, 30 knives, distance between knives: 13 mm, total dimensions: 800 mm x 600 mm x 1170 mm.	
80	Werner&Pfleiderer	Werner&Pfleiderer dough divider and rounder, type: ROTAMAT EN, diameter plate: 400 mm, total dimensions: 700 mm x 700 mm x 1500 mm.	500
81	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 550 mm x 660 mm x 1390 mm.	100
82	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model: Jelly 2000, serial number: 1.55.014, year of construction: 1998, 220 V, 50 Hz, 3000 W, dimensions: 550 mm x 630 mm x 1080 mm.	400
83	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 640 mm x 660 mm x 1230 mm.	200
84	Tromp	Tromp mobile depositor, 5 heads, diameter heads: 30 mm, total dimensions: 1350 mm x 1200 mm x 1500 mm.	900
85	Framec	Framec freezer, model: 0000019500000, serial number: 200033787, year of construction: 00/29, 220-240 V, 50 Hz, 860 W, refrigerant: R507, 0.300 kg, volume: 363 dm ³ , dimensions: 670 mm x 700 mm x 1980 mm.	100
86	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 650 mm x 550 mm x 1330 mm.	350
87	Fortuna	Fortuna mobile dough divider and rounder, model: Automat, dimensions: 800 mm x 700 mm x 1530 mm. Missing plate.	600
88	Imperator	Imperator mixer, type: PLB 30, number: 78082, 380 V, 50 Hz, 1.8 A, inside dimensions: ø 360 mm x 360 mm, total dimensions: 710 mm x 690 mm x 1430 mm. Including flat beater and hook.	500
89	Wiesheu GmbH	Wiesheu GmbH oven, type: 5L 04, number: 1772, 380 V, 50 Hz, 0.12/8 kW, 2 floors, floor dimensions: 640 mm x 400 mm, total dimensions: 1020 mm x 700 mm x 1350 mm.	100
90	NN mixer	Mobile mixer, steel bowl, dimensions bowl: ø 830 mm x 620 mm, total dimensions: 1200 mm x 870 mm x 1400 mm. Missing cover.	300
91	Gamko Holding BV	Gamko Holding BV refrigerator, type: MAXI25/500SC, year of construction: 2002, 220/240 V, 50 Hz, 560 W, dimensions: 920 mm x 550 mm x 1820 mm.	350
92	Sanomat	Sanomat whipped cream machine, model: SANOMAT-EURO-PLUS Auto, number: 644, 230 V, 50 Hz, refrigerant: R134a/105 g, dimensions: 600 mm x 300 mm x 600 mm.	350
93	Hans Kratt	Hans Kratt whipped cream machine, number: 7271011 G, 230 V, 50 Hz, 500 W, refrigerant: R 134 a, dimensions: 500 mm x 400 mm x 520 mm.	350
94	Ehecor B.V. Bakery Equipment	Ehecor B.V. Bakery Equipment bread rolls machine, type: TPB 2, number: 15598, year of construction: 2012, 230 V,	200



Nr	Title	Description	Start €
		1/4 Ps, infeed: Ø 60 mm, cloth belt, belt width: 180 mm, total dimensions: 480 mm x 280 mm x 270 mm.	
95	NN filling frame	S/s filling frame with cooling plate, diameter dyes: (21x) 70 mm, total dimensions: 560 mm x 300 mm x 60 mm. Cooling plate dimensions: 560 mm x 245 mm x 90 mm.	50
96	NN table	S/s table with wooden top, dimensions: 2000 mm x 800 mm x 940 mm.	250
97	Hacos	Hacos mobile filling machine, type: JD12, serial number: 7655, year of construction: 1989, 3x 220 V, 10 A, inside dimensions funnel: (2x) 450 mm x 430 mm x 450 mm, total dimensions: 2000 mm x 1000 mm x 1600 mm. Funnel slightly damaged but still working. two filling heads; one 6 and one 7 pistons	1000
98	Seewer Rondo	Seewer Rondo mobile dough sheeter, model: S50 63, machine number: B2068008, cloth belt, belt width: 600 mm, total dimensions: 3500 mm x 1200 mm x 1300 mm.	1000
99	WP Haton	WP Haton mobile conical rounder, type: CR59, dimensions: 1150 mm x 1100 mm x 1550 mm.	850
100	VLB	VLB bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 520 mm x 650 mm x 950 mm.	250
101	Küpperbusch	Küpperbusch combi steamer, model: CBE 106, 400 V, 3 Ph, 50 Hz, 9.3 A, 6 floors, floor dimensions: (6x) 330 mm x 520 mm, total dimensions: 980 mm x 820 mm x 1550 mm.	250
102	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10220341, year of construction: 2012-10, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions each floor: 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm.	550
103	Rubbermaid	Rubbermaid plastic tub, dimensions: 750 mm x 320 mm x 730 mm.	10
104	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 650 mm x 550 mm x 1330 mm.	350
105	NN trolley	S/s trolley, 23 floors, dimensions floors: 650 mm x 420 mm total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	50
106	NN trolley	S/s trolley, 23 floors, dimensions floors: 650 mm x 420 mm, total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	50
107	NN trolley	S/s trolley, 6 floors, dimensions floors: 600 mm x 410 mm, total dimensions: 650 mm x 420 mm x 570 mm.	10
108	NN trolley	S/s trolley, 23 floors, dimensions floors: 650 mm x 420 mm, total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	50
109	NN trolley	S/s trolley, 23 floors, dimensions floors: 650 mm x 420 mm, total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	50



Nr	Title	Description	Start €
110	Daub-Verhoeven B.V.	Daub-Verhoeven B.V. small bread moulder, type: 97B, machine number: DV6769, 380 V, 3 Ph, 50 Hz, 0.25 kW, dimensions: 670 mm x 300 mm x 340 mm.	150
111	NN table	S/s table with wooden top, dimensions: 2520 mm x 800 mm x 950 mm.	500
112	GGM Gastro	GGM Gastro dishwasher, model: TSS77, serial number: 20909, year of construction: 12-17, 400 V, 3 Ph, 50 Hz, 11450 W, inside dimensions: 570 mm x 570 mm, total dimensions: 750 mm x 680 mm x 1690 mm.	300
113	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model: Jelly satellite 1, serial number: 1-57-01-08-155, year of construction: 2008, 230 V, 50 Hz, 2600 W, dimensions: 610 mm x 440 mm x 1380 mm.	500
114	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model; Jelly 2000, serial number: 1.66.390, year of construction: 2000, 220 V, 50 Hz, 2.5 kW, hose length: 1900 mm, total dimensions: 610 mm x 520 mm x 1080 mm.	400
115	W&VE	W&VE mobile jelly spraying machine, dimensions: 770 mm x 380 mm x 1000 mm.	150
116	VLB	VLB bread slicer, type: VLB 40/11, number: 77073, 110/220 V, 50 Hz, 34 knives, distance between knives: 11 mm, total dimensions: 670 mm x 600 mm x 1300 mm.	150
117	NN trolley	S/s trolley, 18 floors, dimensions floors: 730 mm x 600 mm, total dimensions: 740 mm x 660 mm x 1760 mm.	50
118	Sea Productique	Sea Productique packaging line, type: Dépose film, serial number: SEA-36142, year of construction: 2017/04, 230 V, 1 Ph, dimensions: 1140 mm x 720 mm x 1530 mm.	500
119	NN trolley	S/s trolley, 18 floors, dimensions floors: 600 mm x 410 mm, total dimensions: 610 mm x 420 mm x 1470 mm.	50
120	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model: Micro Jelly 2000 TT, serial number: 1.79.032, year of construction: 2000, dimensions: 610 mm x 420 mm x 950 mm.	200
121	Sanomat B.V.	Sanomat B.V. whipped cream machine, model: EuroCream-Auto TBA, number: 55, 230 V, 50 Hz, 850 W, refrigerant: R134a, 75 gram, dimensions: 600 mm x 300 mm x 550 mm.	250
122	ABO	ABO mobile bread slicer, 28 knives, distance between knives: 11 mm, total dimensions: 1180 mm x 1020 mm x 1830 mm.	300
123	W&E	W&E mobile jelly spraying machine, dimensions: 460 mm x 430 mm x 920 mm.	400
124	W&E	W&E mobile jelly spraying machine, dimensions: 470 mm x 420 mm x 1000 mm.	400
125	Boku	Boku cooled mixer, inside dimensions: Ø 360 mm x 460 mm, DWM Copeland cooling compressor, total dimensions: 900 mm x 600 mm x 1250 mm.	250



Nr	Title	Description	Start €
126	NN press	S/s almond press on mobile frame, diameter form: (10x) 20 mm, total dimensions: 1420 mm x 430 mm x 1000 mm.	20
127	FB	FB mobile bread slicer, 30 knives, distance between knives: 12.5 mm, total dimensions: 700 mm x 580 mm x 1460 mm.	350
128	Tubantia	Tubantia mixer, serie: 1175189, number: 1304736, 220/380 V, 3 Ph, 50 Hz, 4.2/5.6 A, inside dimensions: \emptyset 800 mm x 400 mm, total dimensions: 950 mm x 980 mm x 1305 mm.	500
129	AW	AW mixer, inside dimensions: \emptyset 550 mm x 350 mm, total dimensions: 700 mm x 650 mm x 1200 mm.	300
130	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10204883, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 9.2 kW, 13 A, type bottom oven: B8-E2, serial number: 10204917, year of construction: 2012, 400 V, 50 Hz, 26.6 A, 18.4 kW, dimensions: 1100 mm x 950 mm x 2110 mm. Including WIESHEU GmbH tray loading trolley, dimensions: 500 mm x 750 mm x 1920 mm. Incomplete.	690
131	De Ridder	De Ridder conical rounding machine, dimensions: 980 mm x 980 mm x 1420 mm.	250
132	Hobart	Hobart mixer on steel trolley, model: A200, number: 934682, 380 V, 3 Ph, 50 Hz, 0.98 A, 368 W, inside dimensions: \emptyset 320 mm x 280 mm, total dimensions: 480 mm x 520 mm x 1430 mm. Including whisk, hook and flat beater.	75
133	Kalmeijer	Kalmeijer mobile forming machine for spiced biscuit, number: AM2318, belt width: 125 mm, total dimensions: 970 mm x 500 mm x 1360 mm.	250
134	Kalmeijer	Kalmeijer pre-shaping and dough degassing machine, type: KUVA, number: 141, 380 V, 3 Ph, 50 Hz, 0.63 A, 120 W, dimensions: 1020 mm x 600 mm x 1620 mm.	250
135	VLB	VLB mobile bread slicer, type: WA-45 9, number: 4724, year of construction: 2003, 220/380 V, 50 Hz, 0.56 kW, 48 knives, distance between knives: 9 mm, working width: 450 mm, total dimensions: 600 mm x 690 mm x 1330 mm.	250
136	Machiefabriek Holtkamp B.V.	Machiefabriek Holtkamp B.V. bread slicer, type: 412, machine number: 800512, 220 V, 30 knives, distance between knives: 12 mm, working width: 405 mm, total dimensions: 630 mm x 700 mm x 1150 mm.	75
137	Bakon B.V.	Bakon B.V. mobile whipped cream machine, model: Top Cream, serial number: 7.210.044, year of construction: 1998, 220 V, 50 Hz, 1.5 kW, inside dimensions: \emptyset 350 mm x 430 mm, total dimensions: 780 mm x 510 mm x 1160 mm.	250
138	Esmach S.p.A.		500



Nr	Title	Description	Start €
		Esmach S.p.A. mobile mixer, type: ISE 30 F2V, number: 877762, year of construction: 1987, 380 V, 3 Ph, 50 Hz, volume: 30 liter, dimensions: 500 mm x 800 mm x 1330 mm.	
139	Kalmeijer	Kalmeijer mobile long moulder, type: KPS, number: 492661, 400 V, 3 Ph, 50 Hz, 1.6 A, 0.55 kW, weight: 147 kg, fabric belt, belt width: 495 mm, total dimensions: 1670 mm x 1360 mm x 1300 mm.	200
140	Eberhardt	Eberhardt mobile dough divider and rounder, model: Optimat, dimensions: 650 mm x 700 mm x 1460 mm. Including 1 plate.	250
141	NN mixer	Mixer, inside dimensions: \varnothing 760 mm x 430 mm, total dimensions: 950 mm x 960 mm x 1170 mm.	250
142	Hobart	Hobart mixer, model: E200, number: 1522808, 380 V, 3 Ph, 50 Hz, 0.41 A, inside dimensions: \varnothing 320 mm x 310 mm, total dimensions: 390 mm x 460 mm x 750 mm. Including whisk, flat beater and hook.	75
143	Hobart	Hobart mixer, model: A200, serial number: 94.110954, 380 V, 3 Ph, 50 Hz, 0.93 A, 0.37 kW, inside dimensions: \varnothing 320 mm x 310 mm, total dimensions: 390 mm x 460 mm x 750 mm. Including whisk, flat beater and spiral.	75
144	Sanomat B.V.	Sanomat B.V. whipped cream machine, model: Euro Plus S Euro, number: 4541, 230 V, 1 Ph, 50 Hz, 850/600 W, refrigerant: R134a, 75 g, dimensions: 300 mm x 580 mm x 560 mm.	100
145	Hobart	Hobart mixer, model: N-50G, serial number: 1403792T, 220 V, 1 Ph, 50 Hz, 1.67 A, inside dimensions: \varnothing 200 mm x 180 mm, total dimensions: 260 mm x 350 mm x 430 mm. Including spiral, flat beater and hook.	50
146	NN bowl	S/s bowl for mixer, dimensions: \varnothing 400 mm x 430 mm.	10
147	Hobart	Hobart mixer, model: A200, serial number: 720433, 380 V, 3 Ph, 50 Hz, 0.98 A, inside dimensions: \varnothing 320 mm x 300 mm, total dimensions: 450 mm x 480 mm x 750 mm. Including 3 whisks, 2 flat beaters and 1 hook.	75
148	Seewer Rondo	Seewer rondo mobile dough sheeter, cloth belt, belt width: 590 mm, total dimensions: 2450 mm x 1100 mm x 1270 mm.	750
149	Emil Kemper GmbH	Emil Kemper GmbH mobile mixer, type: SPL, number: 6710559, volume 75 liter, dimensions: 1250 mm x 800 mm x 1370 mm.	750
150	Talsa	Talsa mobile mixer, type: MIX 90 ST, 380 V, 50 Hz, volume: 90 liter, dimensions: 880 mm x 610 mm x 1120 mm.	400
151	ABO	ABO mobile bread slicer, type: ABO-Matic II, machine number: 060715226, year of construction: 2006, 230 V, 0.75 kW, weight: 180 kg, 34 knives, distance between knives: 10 mm, working width: 340 mm, total dimensions: 800 mm x 550 mm x 1280 mm.	250
152	VLB		200



Nr	Title	Description	Start €
		VLB mobile bread slicer, type: A Granit 45 11, number: 5860, year of construction: 2006, 230/400 V, 50 Hz, 0.56 kW, 38 knives, distance between knives: 11 mm, working width: 420 mm, total dimensions: 750 mm x 660 mm x 1270 mm.	
153	ABO	ABO mobile bread slicer, 34 knives, distance between knives: 10 mm, working width: 350 mm, total dimensions: 690 mm x 1040 mm x 1820 mm.	200
154	Emil Kemper GmbH	Emil Kemper GmbH mobile long moulder, type: LANGWIRKER-PRINCESS, number: 921107-675133, year of construction: 09/2000, 400 V, 3 Ph, 50 Hz, 5 A, plastic belt, belt width: 350 mm, working width: 300 mm, total dimensions: 1850 mm x 640 mm x 1550 mm.	400
155	Kalmeijer	Kalmeijer mobile cookie forming machine, type: KGM, 380 V, working width: 265 mm, total dimensions: 1640 mm x 560 mm x 1350 mm. Without belt.	750
156	Bertrand	Bertrand mobile long moulder, model: PZ 1200, number: 4679005, 220/380 V, plastic belt, belt width: 300 mm, total dimensions: 620 mm x 580 mm x 1560 mm.	400
157	Maxima	Maxima mixer, model: MPM20, serial number: MPM20-2490, 230 V, 1 Ph, 50 Hz, 0.75 kW, volume: 20 liter, dimensions: 530 mm x 470 mm x 800 mm. Including whisk and flat beater.	300
158	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 11 mm, working width: 380 mm, total dimensions: 660 mm x 630 mm x 1320 mm.	150
159	G.Spronk	G.Spronk bread slicer, 29 knives, distance between knives: 13 mm, working width: 380 mm, total dimensions: 1100 mm x 580 mm x 1760 mm.	200
160	Op 't root	Op 't root mobile long moulder, type: MK-2, machine number: I-130101, plastic belt, belt width: 400 mm, working width: 340 mm, total dimensions: 1540 mm x 670 mm x 1380 mm.	250
161	Rational	Rational mobile combi steamer, serial number: E11MH12012287703, 8 floors, floor dimensions: (8x) 600 mm x 400 mm, total dimensions: 850 mm x 850 mm x 1700 mm.	500
162	MIWE	MIWE mobile oven, type: EC 10.0604, serial number: 9602684, year of construction: 2006, 400/230 V, 3 Ph, 50 Hz, 15.8 kW, 10 floors, floor dimensions: (10x) 590 mm x 300 mm, total dimensions: 1020 mm x 900 mm x 1970 mm.	500
163	NN bread trays	14 plastic bread trays, dimensions: (14x) 695 mm x 575 mm x 170 mm.	70
164	Matas	Matas mobile bread slicer, model: EKMEK DILILEME MAKINASI-EFE09-HERCULES E00, serial number: 211174, year of construction: 20/03/2021, 380 V, 1.2 kW, weight: 332 kg, 37 knives, distance between knives: 12 mm,	1500



Nr	Title	Description	Start €
		working width: 450 mm, total dimensions: 2620 mm x 670 mm x 1360 mm.	
165	Seewer Rondo	Seewer Rondo mobile dough sheeter, type: AUT 604, model: S, serie: 70184, machine number: 2782, cloth belt, belt width: 550 mm, total dimensions: 3000 mm x 1150 mm x 1290 mm.	600
166	Bäckereitechnik Pregesbauer	Bäckereitechnik Pregesbauer pressure belt for small bread, number: APRM100.1, 380 V, 3 Ph, 10 A, cloth belt, belt width: (3x) 795 mm, total dimensions: 1900 mm x 1250 mm x 1930 mm.	250
167	NN bag blower	S/s bag blower, dimensions: 960 mm x 630 mm x 240 mm.	20
168	Mono Equipment	Mono Equipment rotation oven for 1 trolley, model: FG-164-B01C, serial number: 010775564 FA027613, year of construction: 08/02/2007, 415 V, 3 Ph, 50 Hz, 70 A, 50 kW, s/s trolley, 15 floors, floor dimensions: 700 mm x 470 mm, trolley dimensions: 750 mm x 530 mm x 1900 mm, total dimensions 1500 mm x 1350 mm x 2750 mm.	1000
169	Wiesheu GmbH	Wiesheu GmbH mobile oven, model: B8-E2, serial number: 10143070, year of construction: 03/2010, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, 10 floors, floor dimensions: (10x) 340 mm x 600 mm, total dimensions: 950 mm x 1100 mm x 2170 mm.	450
170	Rational	Rational combi steamer on s/s trolley, 6 floors, floor dimensions: (6x) 530 mm x 320 mm, total dimensions: 1470 mm x 600 mm x 1500 mm.	600
171	Dila	Dila double stacked oven on steel frame, 5 floors in each oven, floor dimensions: (10x) 620 mm x 400 mm, total dimensions: 1150 mm x 1050 mm x 1620 mm.	300
172	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, type: B4-E2, serial number: 10223471 / 10223468, year of construction: 2012-11, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, inside dimensions: (2x) 690 mm x 400 mm x 440 mm, total dimensions: 1000 mm x 950 mm x 1950 mm.	400
173	Debag	Debag double stacked oven, type: DiLa 5, serial number: D 318569, year of construction: 04/2013, 400 V, 50 Hz, 14.5 A, 9.5 kW, inside dimensions: (2x) 690 mm x 430 mm x 440 mm, total dimensions: 1050 mm x 920 mm x 2100 mm.	400
174	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type: Euromat 64-S / Euromat 64-L, serial number: 10302701 / 10302693, year of construction: 2015-03, 380-415 V, 3 Ph, 50 Hz, 8.5-10.1 / 16.9-20.1 kW, inside dimensions: 690 mm x 410 mm x 420 mm / 650 mm x 400 mm x 750 mm, total dimensions: 1280 mm x 950 mm x 2140 mm.	500
175	Leventi	Leventi oven, type: CM MM Q2 B+DI, serial number: 09040010, year of construction: 2009, 380-415 V, 3 Ph,	300



Nr	Title	Description	Start €
		50/60 Hz, 6 floors, floor dimensions: (6x) 600 mm x 400 mm, total dimensions: 1000 mm x 850 mm x 1680 mm.	
176	Fuerpla	Fuerpla mixer, model: A-85, serial number: 2659, year of construction: 2003, 380 V, 3 Ph, 50 Hz, 0.75 kW, capacity: 85 liter, inside dimensions: Ø 650 mm x 340 mm, total dimensions: 1000 mm x 850 mm x 1680 mm.	500
177	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, type: B4-E2, serial number: 10172682 / 10172630, year of construction: 2011-06, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, inside dimensions: (2x) 690 mm x 400 mm x 440 mm, total dimensions: 1000 mm x 950 mm x 1950 mm.	600
178	NN refrigerated showcase	Refrigerated showcase, model: RTW-160L, year of construction: 2010-08-16, 230 V, 50 Hz, 1.2 A, 160 W, volume: 160 liter, weight: 71 kg, total dimensions: 900 mm x 560 mm x 700 mm.	100

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

