



**Industrial
Auctions**

2103: Online auction food processing machinery,
cooling- and catering equipment in Eindhoven (NL)

END DATE
14 April 2026 12:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	14 April 2026 from 12:00 hrs.
Viewing days	13 April 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	21 April 2026 from 09:00 till 16:00 hrs. 22 April 2026 from 09:00 till 16:00 hrs. 23 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Kolbe	Kolbe mobile paddle mixer-grinder, type: MW 100, serial number: 124 0700, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 11.4/2.4 A, 5.5/0.75 kW, weight: 365/380 kg, plate diameter: 100 mm, total dimensions: 1250 mm x 700 mm x 1570 mm.	1250
2	Koppens	Koppens mobile battering machine, type: EPR 400, machine number: PR 400/438, 380 V, 3 Ph, 50 Hz, 4 A, 0.9 kW, weight: 185 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2100 mm x 700 mm x 1900 mm.	1500
3	Lambert Engineering Ltd.	Lambert Engineering Ltd. teat packaging machine, model: TEAT PACK 2 PACKAGING, serial number: 075983, year of construction: 2017, dimensions: 3100 mm x 3200 mm x 2500 mm, 2400 mm x 650 mm x 2200 mm.	7500
4	Lambert Engineering Ltd.	Lambert Engineering Ltd. tray/teat handling robot, model: POSTCURE CELL 3, serial number: 069637, year of construction: 2012, dimensions: 6600 mm x 3000 mm x 2500 mm, (2x) \varnothing 1550 mm x 900 mm, 2300 mm x 1600 mm, 1250 mm x 1600 mm x 500 mm, 2550 mm x 3400 mm x 2000 mm. Including 6 s/s bins, dimensions: (6x) 700 mm x 600 mm x 1400 mm.	7500
5	Turbo Systems LTD	Turbo Systems LTD mobile depositor, type: D150R, machine number: D150P5610974, year of construction: 2006 inside dimensions: \varnothing 540 mm x 400 mm, outfeed diameter: 25 mm, total dimensions: 1250 mm x 600 mm x 1700 mm.	400
6	Audion Elektro	Audion Elektro vertical bag form, fill and sealing machine, type: AVMS 190-2, serial number: 179/002-02, year of construction: 2004, 230 V, 1 Ph, 50/60 Hz, 2300 W, 6 bar, film width: 310 mm, vertical seal length: 315 mm, horizontal seal length: 260 mm, total dimensions: 1450 mm x 850 mm x 1300 mm.	750
7	Fri-Jado BV	Fri-Jado BV rotisserie grill, model: STG5-P, number: 100057084, 400/230 V, 50/60 Hz, 9 A, 6100 W, dimensions: 840 mm x 700 mm x 900 mm.	400
8	Irinox	Irinox blast chiller, model: EF 20.1, serial number: 011200073, 230 V, 1 Ph, 50 Hz, 6.3 A, 1.2 kW, refrigerant: R 404 A, 1800 g, 5 floors, floor dimensions: (5x) 600 mm x 400 mm, total dimensions: 900 mm x 800 mm x 900 mm.	400
9	Koppens	Koppens mobile frying belt, type: BR1200/400, number: 609, 415 V, 3 Ph, 50 Hz, 28 A, 18 kW, weight: 750 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2600 mm x 1200 mm x 1270 mm.	2500
10	IMA Corazza	IMA Corazza double-head forming, filling and packaging machine for round butter packages, model: FB 220, dye: (2x) \varnothing 33 mm, 10 g, capacity: 280 pieces per minute / 16.800 pieces per hour, plastic outfeed belt with	32500



Nr	Title	Description	Start €
		automatic packing station 5x5 configuration, belt width: 95 mm, total dimensions: 2030 mm x 1980 mm x 1930 mm.	
11	Norfo A/S	Norfo A/S mobile portion cutter, type: B 34/35, serial number: 1088.80.366, year of construction: 03.06.05, 400 V, 3 Ph, 50/60 Hz, 14/32 A, 6 kW, plastic belt, belt width: 300 mm, total dimensions: 3050 mm x 1320 mm x 1930 mm.	2300
12	Inauen Maschinen AG	Inauen Maschinen AG thermoformer, type: VC 999/RS compact, machine number: 4405013, 400 V, 3 Ph, 50 Hz, 7 kW, 6/8 bar, film width: 320 mm, dye: (2x) 135 mm x 235 mm, plastic outfeed belt, belt width: 260 mm, total dimensions: 3280 mm x 740 mm x 1830 mm. Including box with parts. Without vacuum pump.	5900
13	Risco S.p.a.	Risco S.p.a. vacuum filling machine with lifter for 200 liter meat bins, model: RS 5001, serial number: C100005, year of construction: 2000, 575 V, 3 Ph, 60 Hz, 12.5 kW, weight: 1210 kg, dimensions: 2100 mm x 1200 mm x 2070 mm. Without vacuum pump.	2400
14	Meca Plastic	Meca Plastic mobile traysealer, type: S 1000, number: 7019, year of construction: 10.09, dye: 255 mm x 315 mm, vacuum pump, total dimensions: 1180 mm x 880 mm x 1790 mm. Including pallet with extra dye, dye: (2x) 120 mm x 230 mm, dye incomplete.	1700
15	K+G Wetter	K+G Wetter cutter, model: S 45, machine number: 258 1114 , 380 V, 3 Ph, 50 Hz, 33/35 A, 16 kW, s/s bowl, volume: 45 liter, dimensions: 1460 mm x 1020 mm x 1230 mm.	6800
16	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile automatic clipper, model: TCV 1590 EN, number: 4304.1164.267, 230 V, 50 Hz, 5/7 bar, dimensions: 1100 mm x 760 mm x 1950 mm.	420
17	Mainca	Mainca piston filler, model: El-20, number: 6808, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.5 A, 0.9 kW, volume: 20 liter, dimensions: 460 mm x 420 mm x 1100 mm.	790
18	NN rollies	Pallet with 20 s/s rollies, dimensions: (2x) 660 mm x 410 mm x 160 mm.	490
19	NN rollies	Pallet with 20 s/s rollies, dimensions: (2x) 660 mm x 410 mm x 160 mm.	490
20	NN rollies	Pallet with 20 s/s rollies, dimensions: (2x) 660 mm x 410 mm x 160 mm.	490
21	Senking	Senking tiltable cooking vessel, inside dimensions: Ø 710 mm x 400 mm, total dimensions: 1600 mm x 1130 mm x 1300 mm.	500
22	Bizerba	Bizerba mobile grinder, model: FW-N98S/5, number: 1840038, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 98 mm, total dimensions: 530 mm x 900 mm x 1130 mm.	900



Nr	Title	Description	Start €
23	Maja Maschinenfabrik	Maja Maschinenfabrik flake ice machine, type: RVE 1500 S, serial number: I-39204, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.32 A, 0.74 kW, refrigerant: R 404A, working width: 690 mm, total dimensions: 1750 mm x 520 mm x 530 mm.	1300
24	Supertape Systems bv	Supertape Systems bv mobile box closing machine, type: supertaper H7-2, serial number: 92-700107, 230 V, 1 Ph, 50 Hz, 2 A, plastic rollers, roller width: 500 mm, total dimensions: 1760 mm x 1000 mm x 1620 mm.	400
25	Laska Maschinenfabrik	Laska Maschinenfabrik double shaft mixer-grinder with lifter for 200 liter meat bins, type: WMW 1330 ZUAE, number: 13178, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 39 A, 18 kW, plate diameter: 130 mm, lifter type: BA 24, number: 12709, year of construction: 2009, total dimensions: 2200 mm x 2000 mm x 2850 mm. Without knives and plates.	6000
26	NN smoke sticks	S/s trolley with large amount of s/s Y-shaped smoke sticks, smoke stick length: 1000 mm, total dimensions: 650 mm x 410 mm x 1100 mm.	270
27	Bosgraaf	Bosgraaf electric pallet lifter, type: Erogline PL, serial number: 0001PL2002, year of construction: 2002, 400 V, maximum capacity: 600 kg, dimensions: 1700 mm x 820 mm x 1600 mm.	750
28	Grasselli S.p.a.	Grasselli S.p.a. mobile skinning machine, model: RST520-M-7, serial number: S21017/M352, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, 6 bar, working width: 480 mm, total dimensions: 720 mm x 680 mm x 920 mm.	600
29	Stephan	Stephan can opener, working diameter: 160 mm, total dimensions: 800 mm x 600 mm x 2250 mm. Including 3 extra openers, diameter: 155 mm, 148 mm and 69 mm.	300
30	Pökomat	Pökomat mobile injector, plastic belt, belt width: 260 mm, 9 needles, total dimensions: 1250 mm x 450 mm x 1550 mm.	300
31	Talsa	Talsa mobile piston filler, inside dimensions: Ø 230 mm x 230 mm, total dimensions: 600 mm x 500 mm x 1050 mm.	200
32	Dito Sama	Dito Sama mobile vegetable slicer, model: TR250, number: GC1616, year of construction: 07/96, 400/230 V, 3 Ph, 50 Hz, dimensions: 750 mm x 600 mm x 1400 mm.	250
33	Siebeck	Siebeck mobile binding machine, type: FRT-M-G, machine number: 10/05017722, year of construction: 2010, 170/260 V, 1 Ph, 50/60 Hz, 1.3 kW, weight: 160 kg, clearance: 320 mm, total dimensions: 800 mm x 620 mm x 1400 mm.	1250
34	Henkelman BV	Henkelman BV mobile double chamber vacuum machine, type: 800, number: 80612005, year of construction:	1000



Nr	Title	Description	Start €
		1996, 400 V, 3 Ph, 50 Hz, seal length: (4x) 840 mm, chamber dimensions: (2x) 990 mm x 960 mm, Busch vacuum pump, type: RA 0250 C 4Z1 XXZZ, capacity: 250 m ³ per hour, total dimensions: 2000 mm x 1200 mm x 1250 mm.	
35	Monetti S.p.A.	Monetti S.p.A. 3 mobile thermoboxes, model: Thermax 550, year of construction: 07/98, inside dimensions: (3x) 710 mm x 565 mm x 1300 mm, total dimensions: (3x) 850 mm x 750 mm x 1750 mm.	180
36	Monetti S.p.A.	Monetti S.p.A. 3 mobile thermoboxes, model: Thermax 550, year of construction: 06/98, inside dimensions: (3x) 710 mm x 565 mm x 1300 mm, total dimensions: (3x) 850 mm x 750 mm x 1750 mm.	180
37	NN coffee grinder	S/s coffee grinder, grinding level: 48 adjustable settings, capacity: up to 90 grams.	50
38	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slice and portion cutter, model: FALCON CONTI, machine number: 461007.162571.113261, year of construction: 11/2013, 380/480 V, 3 Ph, 50/60 Hz, 22/18/32 A, 8.6/11.7 kW, weight: 750 kg, plastic belts, belt width: 220 mm, clearance: 200 mm x 220 mm, total dimensions: 4600 mm x 1350 mm x 1840 mm. Switch cabinet incomplete.	7500
39	UpRight Inc.	UpRight Inc. mobile scissor lift, type: SL20, model: 101000-011, serial number: 8899, maximum capacity: 351 kg, maximum platform height: 6110 mm, dimensions: 2700 mm x 850 mm x 2000 mm.	1000
40	Genie Industries	Genie Industries mobile and tiltable working platform, model: DPL-30, serial number: 1589-2981-S, 220 V, 50 Hz, dimensions: 2400 mm x 800 mm x 2050 mm.	500
41	NN high pressure cleaner	Mobile high pressure cleaner, dimensions: 1100 mm x 500 mm x 600 mm. Without pistol.	75
42	Stiga S.p.A.	Stiga S.p.A. lawn mower, type: 85M, dimensions: 1830 mm x 930 mm x 1050 mm.	250
43	Economy Engineering Company	Economy Engineering Company mobile scissor lift, model: SP-2156, serial number: AL78708, year of construction: 1989, maximum capacity: 340 kg, dimensions: 2100 mm x 1400 mm x 2150 mm.	500
44	Kawasaki	Kawasaki lawn mower, model: OHV, type: FC150V, dimensions: 550 mm x 1700 mm x 920 mm.	150
45	Itec Food Technology	Itec Food Technology hygiene station with sole cleaner, hand disinfection unit and tourniquet, type: 23882, serial number: 0367, year of construction: 03/07, 400 V, 3 Ph, 50 Hz, 0.8 kW, brush length: (2x) 1000 mm, total dimensions: 2150 mm x 1000 mm x 1900 mm.	2000
46	Itec Food Technology	Itec Food Technology hygiene station with sole cleaner, hand disinfection unit and tourniquet, type: 23882, serial number: 0368, year of construction: 03/07, 400 V, 3 Ph,	2000



Nr	Title	Description	Start €
		50 Hz, 0.8 kW, brush length: (2x) 1000 mm, total dimensions: 2150 mm x 1000 mm x 1900 mm.	
47	Nieros	Nieros hygiene station with sole cleaner, hand disinfection unit and tourniquet, brush length: (2x) 1000 mm, total dimensions: 1900 mm x 950 mm x 1630 mm.	2000
48	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH screw compressor, model: ASD 32, serial number: 1087, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 35 A, 18.5 kW, 8 bar, dimensions: 1300 mm x 870 mm x 1530 mm.	1000
49	Cryovac	Cryovac mobile bag blower, model: BL 19, number: 02140, 220 V, 50 Hz, dimensions: 1300 mm x 470 mm x 970 mm.	300
50	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile automatic double clipper, model: SV 4603, number: 4603.299.170, 380 V, 3 Ph, 50/60 Hz, 5/6 bar, plastic outfeed belt, belt width: 250 mm, total dimensions: 1900 mm x 900 mm x 2050 mm.	4000
51	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile automatic double clipper, model: SV 4603, number: 4603.213.274, 380 V, 3 Ph, 50/60 Hz, 5/6 bar, plastic outfeed belt, belt width: 250 mm, total dimensions: 1900 mm x 900 mm x 2050 mm.	4000
52	Baader	Baader V-cut deheader, type: 417, knife diameter: (2x) 200 mm, plastic belt, belt width: 280 mm, divider height: 70 mm, distance between dividers: 900 mm, elevating height: 1200 mm, total dimensions: 1700 mm x 1100 mm x 1900 mm.	2000
53	Busch	Busch vacuum pump, type: 400-212, number: 24684, capacity: 400 m ³ per hour, dimensions: 1350 mm x 900 mm x 1250 mm.	750
55	G.S. Blodgett Corp.	G.S. Blodgett Corp. grill belt for pizza, type: MT1820E/AA, serial number: 040496GCO35S, 400/230 V, 1/3 Ph, 50/60 Hz, 1.2 A, 8 kW, s/s mesh belt, belt width: 460 mm, clearance: 460 mm x 70 mm, total dimensions: 1100 mm x 850 mm x 520 mm.	500
56	Nieros	Nieros hand disinfection unit with tourniquet, type: HDK/SP, serial number: N3A27-01, year of construction: 7/2010, 230 V, 50 Hz, 0.2 kW, dimensions: 900 mm x 900 mm x 1000 mm.	200
57	NN breeding machine	S/s mobile breeding machine, s/s mesh belt, belt width: 420 mm, clearance: 420 mm x 50 mm, total dimensions: 2200 mm x 950 mm x 1700 mm.	1500
58	Risco S.p.a.	Risco S.p.a. vacuum filling machine with lifter for 200 liter meat bins, model: RS 205/260, serial number: B208031, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 4.75 kW, weight: 715 kg, Busch vacuum pump, type: KB 0010 E 300, capacity: 12 m ³ per hour, dimensions: 2000 mm x 1300 mm x 2050 mm.	3500



Nr	Title	Description	Start €
59	Norfo A/S	Norfo A/S automatic slicer for fish, type: 885.45.207, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 25/32 A, 6.5 kW, plastic belts, belt width: 250 mm, total dimensions: 3600 mm x 2500 mm x 1600 mm. Including mobile infeed belt, number: 885.43.605, plastic belts, belt width: 380 mm, total dimensions: 2100 mm x 800 mm x 1400 mm. Slicer is missing belts. Including cabinet with parts.	5000
60	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: Mustang 100-CE, model: 2731, machine number: 273103.69071.0170, year of construction: 1999, 400/230 V, 50 Hz, 4.2/10 A, 1.75 kW, weight: 395 kg, chamber dimensions: 95 mm x 95 mm, total dimensions: 1900 mm x 920 mm x 1100 mm.	2000
61	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH mobile minced meat portioner, type: C-Linie, machine number: CLB 107686, year of construction: 2016, 230 V, 50/60 Hz, 0.5 kW, clearance: Ø 70 mm, plastic belts, belt width: 290 mm, total dimensions: 1900 mm x 800 mm x 1300 mm.	6000
62	Herman Waldner / Hilge	Herman Waldner s/s tank on trolley with 2 Hilge centrifugal pumps, inside dimensions tank: Ø 685 mm x 550 mm, type Hilge centrifugal pumps: (1x) EURO-AYGIA-SUPER 1/25A, (1x) SIPLA-SUPER 18, total dimensions: 1500 mm x 800 mm x 1300 mm.	1500
63	Hobart	Hobart mobile mixer, type: PVM 302, dimensions: 1430 mm x 450 mm x 1480 mm.	1000
64	Muvero	Muvero mobile cooking vessel, electric heated, inside dimensions: Ø 600 mm x 530 mm, total dimensions: 700 mm x 830 mm x 1000 mm.	500
65	NN flattening belt	Mobile flattening belt, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 550 mm x 1100 mm.	250
66	Handtmann	Handtmann vacuum filling machine with linking attachment and case holding device, type: VF 50, number: 1259519, year of construction: 1989, linking attachment type: 34-4, number: 6005, type case holding device: 60-6, number: 1421, vacuum pump, dimensions: 1200 mm x 800 mm x 1700 mm. 1 leg is broken.	3700
67	Bizerba	Bizerba bandsaw, type: FK 32, number: 10397512, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3.6 A, table dimensions: 750 mm x 780 mm, total dimensions: 800 mm x 780 mm x 1600 mm.	860
68	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 881, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 510 mm, total dimensions: 820 mm x 660 mm x 1000 mm.	300
69	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, model: EVM 3002, serial number: UM-48626, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.15 A, 0.75 kW,	300



Nr	Title	Description	Start €
		weight: 160 kg, working width: 420 mm, total dimensions: 770 mm x 560 mm x 1050 mm.	
70	Grasselli S.p.a.	Grasselli S.p.a. mobile skinning machine, model: RST520-m, serial number: R03009/M163, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 2.1 A, 6 bar, working width: 480 mm, total dimensions: 700 mm x 700 mm x 980 mm.	500
71	Grasselli S.p.a.	Grasselli S.p.a. mobile skinning machine, model: RST520-m, serial number: R22Q011/237, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 2.1 A, 6 bar, working width: 480 mm, total dimensions: 700 mm x 700 mm x 980 mm.	500
72	Pakseal	Pakseal mobile strapping machine, model: SX 500, number: 4131, 230 V, 1 Ph, 50 Hz, 0.8 kW, weight: 165 kg, clearance: 830 mm x 720 mm, strap width: 9 mm, total dimensions: 1500 mm x 600 mm x 1550 mm.	400
73	Rühle	Rühle injector with lifter for crates, model: IR 28/56, serial number: 0430, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 56 needles, s/s walking beam, beam width: 350 mm, total dimensions: 1800 mm x 900 mm x 2050 mm.	2000
74	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 1051, number: 105101.66861.0440, year of construction: 1987, 220/380 V, 3 Ph, 50 Hz, 5.6/16 A, dimensions chamber: 83 mm x 83 mm, total dimensions: 1250 mm x 730 mm x 1000 mm. Including extra grids.	1250
75	Zanussi	Zanussi mobile refrigerator, dimensions: 1450 mm x 850 mm x 2020 mm.	400
76	NN knife baskets	21 knife baskets.	100
77	Risco S.p.a.	Risco S.p.a. vacuum filling machine with linking attachment and case holding device, model: RS 110, serial number: A818024, year of construction: 2018, 330 kg, type linking attachment: RS230, number: AA625, type case holding device: RS130.0, serial number: BB20, Busch vacuum pump, type: KC 0010 E 3Z0, capacity: 12 m ³ per hour, total dimensions: 1350 mm x 700 mm x 1750 mm.	5800
78	Rietschle	Rietschle vacuum pump, type: VC 100 (75), number: 2592918, year of construction: 06, capacity: 100 m ³ per hour, dimensions: 750 mm x 400 mm x 450 mm.	100
79	National Lab GmbH	National Lab GmbH cooling unit, model: PCGE 21.02-NEA, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 9.3 A, 1370 W, refrigerant: R134a, 0.58 kg, weight: 55 kg, dimensions: 650 mm x 450 mm x 560 mm.	100
80	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH x-ray scanner with rejector, model: ADV 3, serial number: 2881ADB, year of construction: 11/2012, 230 V, 50 Hz, 10 A, 2.3 kW, 6 bar, plastic belt, belt width: 330 mm, clearance: 360 mm x 190 mm, total dimensions: 1800 mm x 1200 mm x 2100 mm.	1500



Nr	Title	Description	Start €
81	Grundfos	Grundfos circulation pump, dimensions: 1050 mm x 300 mm x 300 mm.	100
82	Arca	Arca labelling machine, model: Evolution, serial number: 05-4126-EVO, year of construction: 2005, dimensions: 1000 mm x 950 mm x 1800 mm.	300
83	Negative	Negative refrigerated counter, model: GTF147ND-EF, 309766BGL2, year of construction: 2023, 220/240 V, 50 Hz, 2.0 A, 440 W, volume: 281 liter, dimensions: 1400 mm x 700 mm x 870 mm.	350
84	BAC Machinebouw B.V.	BAC Machinebouw B.V. s/s mixing tank, number: 2019PO095/1, year of construction: 2019, weight: 270 kg, volume: 1450 liter, dimensions: Ø 1150 mm x 2650 mm.	4000
85	BAC Machinebouw B.V.	BAC Machinebouw B.V. s/s mixing tank, number: 2019PO095/2, year of construction: 2019, weight: 270 kg, volume: 1450 liter, dimensions: Ø 1150 mm x 2650 mm.	4000
86	Pomac Pumps	Pomac Pumps centrifugal pump, type: CPC26033 / 0200X11, serial number: 29.849, year of construction: 07-2019, 7.5 kW, 3000 rpm, capacity: 37 m ³ per hour, dimensions: 750 mm x 320 mm x 450 mm.	1000
87	Krohne	Krohne electromagnetic flowmeter, model: OPTIFLUX 6300, serial number: A19550003, year of construction: 2019, 100/230 V, 50/60 Hz, dimensions: 250 mm x 250 mm x 300 mm.	750
88	Pentair	9 Pentair Südmo Intellitop 2.0 valves with s/s pipes.	450
89	Oostec	Oostec s/s switch cabinet, dimensions: 520 mm x 210 mm x 700 mm.	200
90	SIAT S.p.A.	SIAT S.p.A. box closing machine, model: XL33, serial number: 4337, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, dimensions: 1950 mm x 1000 mm x 1700 mm.	350
91	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump, model: L30, serial number: 190845-96, dimensions: 1500 mm x 450 mm x 1100 mm.	750
92	Eller	Eller mobile vacuum tumbler, model: Vacomat, inside dimensions tub: Ø 800 mm x 750 mm, Busch vacuum pump, type: 016-118, number: 407436, capacity: 16 m ³ per hour, total dimensions: 1450 mm x 800 mm x 1200 mm.	1000
93	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: Alvac IIA, number: 1060-5310, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 6.6/3.9 A, 1.5 kW, seal length: (2x) 500 mm, chamber dimensions: 500 mm x 500 mm, Busch vacuum pump, type: 0063-122, capacity: 63 m ³ per hour, total dimensions: 600 mm x 700 mm x 900 mm.	500
94	Ecomax	Ecomax dishwasher, model: ECOMAX652-10, serial number: 86481524, year of construction: 2007, 400 V, 3	250



Nr	Title	Description	Start €
		Ph, 50 Hz, 14.6 A, 8.4 kW, dimensions: 750 mm x 750 mm x 1450 mm.	
95	Hidros	Hidros cooling unit, model: ReLoad S.10, serial number: AA080271, year of construction: 01/09/2008, 230 V, 1 Ph, 50 Hz, 24/105 A, refrigerant: R407C, dimensions: 800 mm x 500 mm x 2000 mm.	200
96	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejector, type: XS 3, number: 35000195, year of construction: 2007, 100/240 V, 50/60 Hz, maximum capacity: 600 g, minimum capacity: 200 g, e=d= 0.5 g, T= 540 g, plastic belts, belt width: 150 mm, total dimensions: 900 mm x 700 mm x 1500 mm.	700
97	HB-Therm	HB-Therm Temperature Control unit, series 3, type: HB-LW 140-6A, number: 9240647, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 10.5 A, 6.55 kW, 8 bar, dimensions: 850 mm x 250 mm x 550 mm.	100
98	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump, model: 034, serial number: 436830, dimensions: 400 mm x 230 mm x 300 mm.	100
99	Comas	Comas s/s switch cabinet, dimensions: 670 mm x 850 mm x 300 mm.	150
100	NN tub	S/s mobile tub, inside dimensions: 1100 mm x 800 mm x 650 mm, total dimensions: 1160 mm x 880 mm x 900 mm.	100
101	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump, model: 134 U1, serial number: 1000002952971, year of construction: 09/12/14, dimensions: 1500 mm x 450 mm x 1100 mm.	750
102	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 2 cooling compressors, type: (2x) 4JE-15Y-40P, serial number: 1689002402, 380/420/440/480 V, 3 Ph, 50/60 Hz, 30.8/97.0 A, capacity: 63.5/76.6 m ³ per hour, dimensions: 2000 mm x 700 mm x 1600 mm.	1500
103	Videojet	Videojet inkjet printer, model: 1210, serial number: 1028241C10ZH, 100/120/200/240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 2100 mm x 400 mm x 400 mm.	250
104	Hobart	Hobart dishwasher, model: UX-10, serial number: 86503672, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 18.4 A, 12.1 kW, dimensions: 800 mm x 950 mm x 1800 mm.	250
105	DMW Copeland	DMW Copeland compressor rack with 5 cooling compressors, type: (2x) D3SC1-75X-AWM/D, capacity: 37.90 m ³ per hour, total dimensions: 2200 mm x 900 mm x 1800 mm.	1000
106	Linde Kältetechnik GmbH & Co. KG / Bitzer Kühlmaschinenbau GmbH	Linde Kältetechnik GmbH & Co. KG compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type compressor rack: VZP 330-4010, number: 1247231, year of construction: 2004, refrigerant: R507, Bitzer Kühlmaschinenbau GmbH compressor type: (2x)	2000



Nr	Title	Description	Start €
		4H-15.2Y-40P, capacity: 73.7/88.9 m ³ per hour, (1x) 4HE-18Y-40P, capacity: 73.6/88.8 m ³ per hour, (2x) 4PCS-10.2Y-40P, capacity: 48.5/58.5 m ³ per hour, dimensions: 2600 mm x 900 mm x 2000 mm.	
107	Bakon Food Equipment	Bakon Food Equipment mobile depositor, model: Multi Depositor, serial number: 29003, year of construction: 2019, inside dimensions: 1200 mm x 800 mm x 650 mm, total dimensions: 1600 mm x 850 mm x 1200 mm.	800
108	Rühle	Rühle mobile injector, 21 needles, s/s belt, belt width: 290 mm, total dimensions: 1500 mm x 500 mm x 1600 mm.	750
109	Fri-Jado BV / Bitzer Kühlmaschinenbau GmbH	Fri-Jado BV compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors in noiseless cabinet, type compressor rack: 2x1EX-4.2Y+4J-22.2YFRQ+2x4PCS-10.2Y, serial number: 100059471, Bitzer Kühlmaschinenbau GmbH compressor type: (2x) 4EX-4.2Y-40 S, capacity: 22.7/27.4, (1x) 4J-22.2Y-40P, capacity: 63.5/76.7 m ³ per hour, (2x) 4PCS-10.2Y-40P, capacity: 48.5/58.5, dimensions: 2850 mm x 1250 mm x 2150 mm.	1500
110	Hocker	Hocker s/s pallet lifter, model: Palletmaster Pro 2.1, maximum capacity: 2000 kg, fork length: 1160 mm, total dimensions: 1500 mm x 550 mm x 1220 mm.	400
111	Digi	Digi mobile weigh-, wrap-, and label machine, number: 02164288, 380 V, 50/60 Hz, clearance: 350 mm x 170 mm, total dimensions: 860 mm x 900 mm x 1450 mm.	550
112	Poly-clip system GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 133, year of construction: 1998, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	500
113	KSB	Steel frame with 2 KSB centrifugal pumps, several valves, Reflex expansion vessel and SWEP Wärmtauscher Deutschland AG heat exchanger, dimensions: 1100 mm x 2600 mm x 1750 mm, 2150 mm x 1350 mm x 1750 mm.	750
114	NN mesh belts	Pallet with various plastic mesh belts, belt width: 360 mm / 450 mm / 460 mm / 1200 mm, total dimensions: 1200 mm x 800 mm x 1200 mm.	400
115	Repak	Repak thermoformer, type: RE3, machine number: 20001, year of construction: 2001, 2200/380 V, 3 Ph, 50 Hz, 39 A, 16 kW, dye: (16x) 132 mm x 85 mm, plastic outfeed belt, belt width: 365 mm, Busch vacuum pump: type: RC 0100 E 501, capacity: 100 m ³ per hour, total dimensions: 8700 mm x 1050 mm x 2200 mm. Including suction device, dimensions: Ø 500 mm x 1200 mm, Busch vacuum pump, type: RA 0400 B 461 DUBI, capacity: 400 m ³ per hour, dimensions: 1300 mm x 900 mm x 900 mm.	4000
116			500



Nr	Title	Description	Start €
	Stäubli / AP Artaplast AB	Stäubli / AP Artaplast AB robot, type: TX90 L, number: F04/502EA1/A/01, weight: 113 kg, capacity: 5 kg, dimensions robot arm: 1100 mm x 450 mm x 500 mm, dimensions switch cabinet: 700 mm x 500 mm x 1500 mm.	
117	Planned Packaging Films Ltd	4 pallets with Planned Packaging Films Ltd film, consisting of soft and hard film, film width: 463 mm, 455 mm and 465 mm.	200
118	NN roof condenser	Roof condenser, dimensions: 840 mm x 780 mm x 700 mm.	50
119	Rudolf Evers GmbH	Rudolf Evers GmbH box closing machine, plastic belts, belt width: (2x) 45 mm, plastic rollers, roller width: 260 mm, total dimensions: 1000 mm x 800 mm x 1650 mm.	300
120	Solia Palmer	Solia Palmer salad spinner, type: SWA 100, machine number: 80/06 0729-01, 230 V, 50 Hz, 5.0 A, 1.0 kW, plastic basket dimensions: Ø 470 mm x 250 mm, total dimensions: 1500 mm x 750 mm x 1100 mm.	1000
121	Lacont Umwelttechnik GmbH	Lacont Umwelttechnik GmbH fire safety storage cabinet, model: SiS 1200-G, serial number: 1302013084094-0020, dimensions: 1200 mm x 600 mm x 1950 mm.	250
122	Vahterus	Vahterus plate & shell heat exchanger, type: PSHE 3HH-240/4/1, number: 30042, year of construction: 2011, volume: 19.5 liter, dimensions: 1000 mm x 900 mm x 860 mm.	100
123	Nilma	Nilma vegetable washing machine, type: Atir II, number: 000405, year of construction: 2000, 230/400 V, 3 Ph, 50 Hz, 10 A, 1.45 kW, weight: 122 kg, volume 328 liter, dimensions: 1100 mm x 1050 mm x 1130 mm.	500
124	NN tank	S/s insulated tank, tank dimensions: Ø 1150 mm x 2300 mm, total dimensions: 1500 mm x 1100 mm x 3250 mm.	500
125	Delta Technics Engineering B.V.	Delta Technics Engineering B.V. evaporator, model: FMT-3814, serial number: 00626, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 0.48 A, 110 W, dimensions: 850 mm x 650 mm x 500 mm.	150
126	Still	Still electric forklift, model: R 50-16, fork length: 1100 mm, total dimensions: 3100 mm x 1000 mm x 2200 mm. Including battery charger, dimensions: 560 mm x 440 mm x 700 mm.	1000
127	Proseal	Proseal converger, type: SSC-009A, serial number: 3460, year of construction: 2015, 415 V, 3 Ph, 50 Hz, 6 bar, plastic belts, belt width: (4x) 25 mm, (1x) 685 mm, total dimensions: 1550 mm x 860 mm x 1740 mm.	750
128	Grundfos	Grundfos circulation pump, type: TP 200-360/4 A-F-A-BAQE, model: A96306019P314430002, capacity: 391 m ³ per hour, dimensions: 1000 mm x 850 mm x 1400 mm.	400
129	Tehama BV	Tehama BV transport belt, type: LTB-1EV, year of construction: 2009, 400 V, 3 Ph, 50 Hz, plastic belt, belt	100



Nr	Title	Description	Start €
		width: 200 mm, total dimensions: 2600 mm x 800 mm x 1650 mm. Incomplete.	
130	Tehama BV	Tahema BV transport belt with rejector, plastic belt, belt width: 200 mm, total dimensions: 3500 mm x 850 mm x 1370 mm. Incomplete.	100
131	Townsend	Townsend tenderizer, model: PMT-41, serial number: E76-467, 400 V, 3 Ph, working width: 400 mm, total dimensions: 1300 mm x 950 mm x 1500 mm.	750
132	NN meat bins	2 s/s meat bins, volume: (2x) 300 liter.	200
133	NN platform	S/s platform, working height: 350 mm, total dimensions: 700 mm x 700 mm x 1150 mm.	25
134	Güntner GmbH & Co KG	Güntner GmbH & Co KG evaporator, model: GHF 031 2F/27-ENW50.E, serial number: 401360287/36.00218, year of construction: 2017, dimensions: 1200 mm x 400 mm x 500 mm.	250
135	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
136	Newsome	Newsome extraction unit, serial number: C3004, year of construction: 06/2021, dimensions: 1400 mm x 1250 mm x 2400 mm.	250
137	NN case forming and closing machine	Box forming and closing machine, infeed clearance: 500 mm, plastic belts, belt width: (4x) 50 mm, total dimensions: 2700 mm x 2200 mm x 2350 mm.	1000
138	Packtech BV	Packtech BV case packer, type: case packer, number: 2002155, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 5 kW, plastic wire belt, belt width: 200 mm, clearance: 310 mm x 400 mm, total dimensions: 2600 mm x 2100 mm x 2500 mm. Incomplete.	750
139	NN depositor	Mobile depositor, number: MR300193, inside dimensions: \varnothing 350 mm x 650 mm, total dimensions: 1300 mm x 550 mm x 200 mm. Incomplete.	250
140	Tevopharm	Tevopharm flowpacker, type: PackV, number: 1578, serial number: 898/13, 380 V, 3 Ph, plastic infeed belts, belt width: (50 mm, infeed conveyor with dividers, distance between dividers: 200 mm, seal width: 185 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 3900 mm x 1100 mm x 2070 mm.	750
141	Hack Lange GmbH	Hach Lange GmbH spettrofotometro, model: DR 3900, serial number: 1614182, year of construction: 2015, dimensions: 360 mm x 260 mm x 150 mm.	500
142	Carrier / Copeland Scroll	Carrier compressor rack with 4 Copeland scroll cooling compressors, compressor rack type: INNO BASIC VPP460-2340 4039659, serial number: 154104/135/13922, year of construction: 2012, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, Copeland scroll compressor type: (4x) ZB38KCE-TFD-551, capacity:	500



Nr	Title	Description	Start €
		14.41/17.34 m ³ per hour, dimensions: 1700 mm x 800 mm x 1000 mm.	
143	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. refrigerated counter, serial number: 180801011, 220/230 V, 50 Hz, 2.6 A, 600 W, refrigerant: R744, dimensions: 1500 mm x 700 mm x 900 mm.	350
144	DMW Copeland	DMW Copeland compressor rack with 6 cooling compressors, compressor type: (1x) D3DC5-1000X-AWM/D, capacity: 38 m ³ per hour, (1x) D3DC4-100X-AWM/D, capacity: 38 m ³ per hour, (1x) D3DA5-75XH-AWM/D, capacity: 32.20 m ³ per hour, (3x) DLSGP-40X-EWL, capacity: 22.50 m ³ per hour, dimensions: 2400 mm x 1150 mm x 2000 mm.	1000
145	Smeva / Bitzer Kühlmaschinenbau GmbH	Smeva compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, compressor rack type: MXE33H (4CC6.2Y) BTB, number: 1117, year of construction: 02/2008, compressor type: (2x) 4CC-6.2Y-40S, capacity: 32.5/39.2 m ³ per hour, (1x) 4CES-6Y-40S, capacity: 32.5/39.2 m ³ per hour, dimensions: 2250 mm x 740 mm x 860 mm.	1500
146	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. refrigerator, serial number: 180801012, 220/230 V, 50 Hz, 2.0 A, 380 W, refrigerant: R744, 3 floors, floor dimensions: (3x) 650 mm x 520 mm, total dimensions: 710 mm x 850 mm x 2150 mm.	350
147	Carrier / Copeland Scroll	Carrier compressor rack with 4 Copeland scroll cooling compressors, compressor rack type: INNO BASIC VPP460-2340 4039659, serial number: 159637/135/15214, year of construction: 2012, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, Copeland scroll compressor type: (4x) ZB38KCE-TFD-551, capacity: 14.41/17.34 m ³ per hour, dimensions: 1700 mm x 800 mm x 1000 mm.	500
148	Silensys	Silensys condensing unit, dimensions: 1100 mm x 950 mm x 900 mm.	75
149	Carrier	Carrier condensing unit, dimensions: 1200 mm x 1500 mm x 800 mm.	75
150	Carrier / Copeland Scroll	Carrier compressor rack with 4 Copeland scroll cooling compressors, compressor rack type: VPP 445-2350, serial number: 10718971, year of construction: 07/2013, 400 V, 3 Ph, 50 Hz, refrigerant: R449a, Copeland scroll compressor type: (4x) ZB38KCE-TFD-551, capacity: 17.06/20.59 m ³ per hour, dimensions: 1700 mm x 800 mm x 1000 mm.	500
151	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, compressor rack type: 3x4CC-6.2Y+RHK35, year of construction: 28/04/2009, refrigerant: R448, compressor	1500



Nr	Title	Description	Start €
		type: (3x) 4CC-6.2Y-40S, capacity: 32.5/39.2 m ³ per hour, dimensions: 2300 mm x 750 mm x 950 mm.	
152	Carrier / Copeland Scroll	Carrier compressor rack with 4 Copeland scroll cooling compressors, compressor rack type: INNO BASIC VPP460-2340 4039659, serial number: 159672/135/15229, year of construction: 2012, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, Copeland scroll compressor type: (4x) ZB38KCE-TFD-551, capacity: 14.41/17.34 m ³ per hour, dimensions: 1700 mm x 800 mm x 1000 mm.	500
153	Smeva / Tecumseh	Smeva condensing unit with Tecumseh cooling compressor, type: condensing unit: ICF-HL01-T0020Z6, serial number: 7010106, year of construction: 05/12/2017, type Tecumseh cooling compressor: Tag 2516 Z, 400 V, 3 Ph, 50 Hz, 4.75 W, refrigerant: R4490, dimensions: 1150 mm x 550 mm x 850 mm.	300
154	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 3 cooling compressors, type: (2x) 6HE-25Y-40P, capacity: 110.5/156.2 m ³ per hour, (1x) 4EES-6Y-40S, capacity: 22.7/27.4 m ³ per hour, dimensions: 2000 mm x 1300 mm x 1850 mm.	1500
155	Bizerba	Bizerba mobile bandsaw, type: FK 31, machine number: 1219673, 220/380 V, 3 Ph, 50 Hz, 7.0/4.2 A, 2.0 kW, table dimensions: 750 mm x 770 mm, total dimensions: 750 mm x 770 mm x 1630 mm. Without saw.	400
156	Bizerba	Bizerba bandsaw, type: FK 23, number: 1664751, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.5 A, table dimensions: 530 mm x 530 mm, total dimensions: 530 mm x 530 mm x 900 mm. Without cover.	200
157	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EVM 437, number: 36305, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 420 mm, total dimensions: 780 mm x 720 mm x 1000 mm.	200
158	AMB	AMB mobile slicer, type: 750L/5.50, machine number: 9212738, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 3.5/10 A, chamber: 180 mm x 200 mm, total dimensions: 1470 mm x 600 mm x 1500 mm.	500
159	LMIA	LMIA vacuum tumbler, type: mélangeur sous vide, model: AM 802, machine number: K 012012, year of construction: 2013, 400 V, 50 Hz, 25 A, dimensions: 2150 mm x 2000 mm x 1760 mm.	4000
160	Handtmann	Handtmann vacuum filling machine with linking attachment, type linking attachment: 34-4, number: 1747, dimensions: 650 mm x 840 mm x 1620 mm.	1500
161	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 1304, machine number: 130402.67621.1737-1, year of construction: 1990, 380/220 V, 3 Ph, 50 Hz, 3.5/10 A,	1500



Nr	Title	Description	Start €
		chamber: 80 mm x 80 mm, total dimensions: 1040 mm x 660 mm x 1000 mm.	
162	Gustav Scholl	Gustav Scholl mobile heated cabinet, type: 2012/E, number: 12333, 230 V, 1.2 kW, dimensions: 800 mm x 600 mm x 900 mm.	200
163	Meiko Maschinenbau GmbH & Co. KG	Meiko Maschinenbau GmbH & Co. KG washing machine, model: FV 130 2, serial number: 10315304, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 21.0 A, 11.7/9.0 kW, dimensions: 1030 mm x 900 mm x 1790 mm.	500
164	Magurit	Magurit frozen block cutter, clearance: 500 mm x 330 mm, working width: 520 mm, total dimensions: 2400 mm x 1050 mm x 1860 mm.	3500
165	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 1304, machine number: 130402.67621.2085, year of construction: 1990, 380/220 V, 3 Ph, 50 Hz, 3.5/10 A, chamber: 80 mm x 80 mm, total dimensions: 1040 mm x 660 mm x 1000 mm.	1500
166	Viessmann / Weishaupt	Viessmann steam generator with Weishaupt oil burner, type steam generator: Vitoplex 100, type: oil generator: WL30Z-C, factory number: 5186273, year of construction: 2002, 230 V, 1 Ph, 50 Hz, capacity: 27.9 kg per hour, total dimensions: 2120 mm x 1100 mm x 2000 mm.	1000
167	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: SKINNY, number: 42331, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 435 mm, total dimensions: 740 mm x 860 mm x 1230 mm. Incomplete.	500
168	Biro / Medoc S.A	Biro / Medoc S.A bandsaw, model: BF 3030 MAS CE, number: 868.970, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 9.9/5.8 A, 2250 W, table dimensions: 740 mm x 780 mm, total dimensions: 740 mm x 780 mm x 1660 mm.	750
169	Kaeser	Kaeser screw compressor, type: BS 60, number: 504301, year of construction: 1992, 37 kW, 7.5 bar, dimensions: 1540 mm x 1010 mm x 1340 mm.	500
170	Raypa	Raypa autoclave, model: CFS.110.V, serial number: 42242, year of construction: 2021, 400 V, 3 Ph, 50/60 Hz, 16 A, 6000 W, volume: 115 liter, test pressure: 4.3 bar, maximum temperature: 137° celcius, dimensions: 610 mm x 670 mm x 1430 mm.	1250
171	Hitachi	Hitachi inkjet printer, model: RX-SD160W, serial number: RX803976210, 100/120/200/240 V, 1 Ph, 50/60 Hz, 1.5/0.75 A, weight: 25 kg, dimensions: 400 mm x 460 mm x 490 mm.	400
172	NN evaporator	S/s evaporator, dimensions: 700 mm x 460 mm x 370 mm.	200
173			1500



Nr	Title	Description	Start €
	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: XE3, serial number: 35000969, year of construction: 2008, 100/240 V, 1 Ph, 50/60 Hz, maximum capacity: 2000 g, minimum capacity: 150 g, e= 0.5/1 g, d= 0.5/1 g, T=- 1350 g, plastic belts, belt width: 200 mm, total dimensions: 2200 mm x 800 mm x 1450 mm.	
174	Dixie Union	Dixie Union slicer, type: SL 495, factory number: 495.1383, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 12 A, plastic belt, belt width: 270 mm, plastic wire belt, bel width: 280 mm, total dimensions: 2500 mm x 1200 mm x 2050 mm. Including mobile plastic outfeed belt, type: ATB 778, fabrication number: 990.5211/0253, year of construction: 1994, belt width: 330 mm, dimensions: 3200 mm x 800 mm x 1190 mm.	1500
175	CFS	CFS double jacked brine mixer, type: SBR 500 / BS1, machine number: 30, year of construction: 2005, capacity: 500 liter, dimensions: 1600 mm x 1300 mm x 1850 mm.	2500
176	CFS	CFS double jacked brine mixer with infeed hopper, type: SBR 500 / BM, machine number: 30, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 23.06 A, 10.2 kW, weight: 1125 kg, capacity: 500 liter, dimensions: 1600 mm x 1300 mm x 1850 mm.	3000
177	CFS	CFS double jacked brine mixer, type: SBR 500 / BS1, machine number: 30, year of construction: 2005, capacity: 500 liter, dimensions: 1600 mm x 1300 mm x 1850 mm.	2500
178	Markem-Imaje Industries	Markem-Imaje Industries inkjet printer, model: 9232, serial number: FR14290101, year of construction: 07/2014, 100/240 V, 1 Ph, 50/60 Hz, 0.5/0.3 A, dimensions: 360 mm x 330 mm x 550 mm.	400
179	Elektro termo	Elektro termo 4 pits stove, type: ETH 8060-2, serial number: 1-804019, year of construction: 1990, 380 V, 3 Ph, 50/60 Hz, 80 kW, dimensions: 800 mm x 630 mm x 900 mm.	100
180	Joni Foodline A/S	Joni Foodline A/S electric stove, type: MK 17, number: 11778-166, year of construction: 2000, 230 V, 3 Ph, 50 Hz, 27.1/26.4 A, 10.7 kW, dimensions: 860 mm x 860 mm x 830 mm.	100
181	Grote	Grote pepperoni slicer, model: FG101-2001, serial number: 1087319, s/s mesh belt, belt width: 460 mm, knife width: 470 mm, diameter pipes: (10x) 50 mm, total dimensions: 1570 mm x 1230 mm x 1840 mm. Including pallet with parts.	3000
182	BT	BT electric pallet lifter, type: LPE200I, number: 961580, year of construction: 2006, capacity: 2000 kg, dimensions: 2300 mm x 800 mm x 1450 mm. Including	750



Nr	Title	Description	Start €
		Energic Plus battery charger, type: RX-M, serial number: 368732, dimensions: 345 mm x 255 mm x 205 mm.	
183	Systec GmbH	Systec GmbH floor weighing scale with indicator, type: IT1000, serial number: 1507163, 110/240 V, 50/60 Hz, maximum capacity: 3000 kg, minimum capacity: 20 kg, e=d= 1 kg, dimensions: 930 mm x 730 mm x 85 mm.	200
184	NN bin	S/s bin, dimensions: 370 mm x 350 mm x 700 mm.	5
185	Newsome	Newsome extraction unit, serial number: C3004, year of construction: 06/2021, dimensions: 1400 mm x 1250 mm x 2400 mm.	250
186	Newsome	Newsome extraction unit, serial number: C3004, year of construction: 06/2021, dimensions: 1400 mm x 1250 mm x 2400 mm.	250
187	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
188	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
189	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
190	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
191	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
192	Sammic	Sammic mobile vacuum machine, model: V641, seal length: (1x) 400 mm, (1x) 650 mm, chamber: 670 mm x 480 mm, Busch vacuum pump, type: RA 0063 E, capacity: 63 m ³ per hour, total dimensions: 760 mm x 570 mm x 1000 mm.	500
193	HFE vacuum systems bv	HFE vacuum systems bv mobile vacuum machine, model: 520-ST, serial number: 20121072, year of construction: 2012, 380/400 V, 3 Ph, 50 Hz, 7.2 A, seal length: (2x) 500 mm, chamber dimensions: 610 mm x 510 mm, Busch vacuum pump, type: RA 0063 F 5K3, type: 63 m ³ per hour, total dimensions: 720 mm x 720 mm x 1000 mm.	500
194	NN rollies	4 s/s rollies, dimensions: (4x) 660 mm x 410 mm x 140 mm.	40
195	Baader	Baader skinning machine, model: 51, plastic belt, belt width: 380 mm, s/s mesh belt, belt width: 365 mm,	1500



Nr	Title	Description	Start €
		working width: 405 mm, total dimensions: 2200 mm x 750 mm x 1100 mm.	
196	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
197	Multivac	Multivac thermoformer, type: M855E PC, machine number: 1873/100, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 31 A, 13 kW, dye: (2x) 245 mm x 140 mm, plastic belt, belt width: 250 mm, total dimensions: 4800 mm x 900 mm x 1700 mm. Including crate with extra parts and pallet with plastic film, film width: 323 mm.	1000
198	Kolbe	Kolbe mobile paddle mixer-grinder, type: MW114-120, serial number: 127 0077, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 11.4/2.8 A, 5.5/1.1 kW, weight: 475/485 kg, plate diameter: 114 mm, total dimensions: 1400 mm x 900 mm x 1450 mm. Including crate with extra plates and knives.	4500
199	Treif	Treif mobile slicer, model: Puma-s, number: 19020261246144, 380 V, 3 Ph, 50 Hz, 7 A, chamber: 250 mm x 225 mm, total dimensions: 1820 mm x 850 mm x 1300 mm.	1500
200	Atlanta S.p.a	Atlanta S.p.a pallet wrapper, model: LYBRA EASY, type: AVVOLGITORE WRAPPING MACHINE, serial number: S203415, year of construction: 2021, 230 V, 1 Ph, 50/60 Hz, 10 A, weight: 270 kg, maximum film width: 520, wrapping arm length: 1100 mm, total dimensions: 1940 mm x 720 mm x 3000 mm.	1500
201	Multivac	Multivac mobile traysealer, type: T250, serial number: 115818, year of construction: 2007, 415 V, 3 Ph, 50 Hz, 20 A, 6.2 kW, Busch vacuum pump, type: RA 0100 E 5Z1, number: 070020406, year of construction: 2007, capacity: 100 m ³ per hour, dimensions dye: 350 mm x 245 mm, total dimensions: 1330 mm x 800 mm x 1650 mm. Including additional dye, dimensions dye: (2x) 275 mm x 170 mm.	1500
203	Marel	Marel portion cutter, type: IPM3 X400, model: Laser Eye, serial number: A030275, year of construction: 2005, 380-480 V, 3 Ph, 32 A, 10 kW, approximate belt width: 400 mm, total dimensions: 3200 mm x 1050 mm x 1900 mm.	2500
204	Profroid	Profroid condensing unit, with DMW Copeland 6 cylinder compressor, model: D4DH4-350X-EWM/D, serial number: 01A 11856, year of construction: 01 05, 380/420 V, / 440/480 V, 50/60 Hz, 1450 rpm, 106.3 m3/h, refrigerant: R404a, 4 fans, dimensions: 3100 mm x 1800 mm x 1250 mm.	1500
205	SysTec GmbH		400



Nr	Title	Description	Start €
		SysTec GmbH floor weighing scale, type: IT8000, serial number: 053956, 110-240 V, 50/60 Hz, 0.3 A, maximum weight: 1200 kg, minimum weight: 10 kg, e= 0.5 kg, last calibrated: 06.02.2023, dimensions: 1500 mm x 1250 mm.	
206	Scanvaegt	Scanvaegt portion cutter, type: B-35, serial number: 9103.80.0464, year of construction: 2006, 400 V, 3 Ph, 50-60 Hz, 14 A, 6 kW, belt width: 320 mm, knife length: 400 mm, clearance: 330 mm x 110 mm, total dimensions: 3000 mm x 1350 mm x 1900 mm. Without belt.	1500
207	Tipper Tie Technopack GmbH	Mobile s/s table with Tipper Tie Technopack GmbH clipper and chamber retractor, type: PTVN 500 , number: 5391.6993.053, year of construction: 2013, dimensions: 2000 mm x 900 mm x 800 mm.	1000
208	Marel	Marel portion cutter, type: IPM3 X400, model: Laser Eye, serial number: A029534, year of construction: 2004, 380-480 V, 3 Ph, 32 A, 10 kW, approximate belt width: 400 mm, total dimensions: 3200 mm x 1050 mm x 1900 mm. Missing belt.	2500
209	NN smoke trolleys	8 s/s smoke trolleys, 5 floors each, dimensions floors: 1000 mm x 1000 mm, total dimensions: (8x) 1000 mm x 1000 mm x 2000 mm.	800
210	Thurne Engineering Company Ltd	Thurne Engineering Company Ltd outfeed belt for slicer, type: Conveyor, model: MC2A, serial number: 23537/97, 415 V, 3 Ph, 50 Hz, belt width: 375 mm, 400 mm, total dimensions: 2300 mm x 1100 mm x 1320 mm.	150
211	Spectrum	2 Spectrum water filters, model: SFH-SPC-5-40-2-GP-MT, serial number: 163528-5, pressure rating: 10 bar, temperature rating: 120° Celsius, dimensions: (2x) 1600 mm x 800 mm x 500 mm.	150
212	Cupola	Wooden pallet box with 18 Cupola foam fire extinguishers, 9 liter, dimensions: 1200 mm x 800 mm x 800 mm.	180
213	Cupola	Wooden pallet box with 21 Cupola carbon dioxide fire extinguishers, 5 kg, dimensions: 1200 mm x 800 mm x 800 mm.	210
214	Norfo	Norfo mobile pin bone remover, type: 846.31.137, number: 31.168, year of construction: 2002, 200-240 V, 50/60 Hz, 4 A, 1 kW, plastic belt, belt width: 650 mm, total dimensions: 2150 mm x 1060 mm x 1400 mm.	500
215	NN tub	Mobile s/s tub with power plus steam generator, type: POWX340, serial number: 10-01-2020/191076/0057, 220/240 V, 50 Hz, 1850/2200 W, total dimensions: 720 mm x 500 mm x 960 mm.	50
216	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 275 mm, total dimensions: 4200 mm x 400 mm x 300 mm.	150
217			950



Nr	Title	Description	Start €
	Tetra Laval Food / Koppens	Tetra Laval Food / Koppens breeding machine, type: PR 600, machine number: 1087, year of construction: 1995, 380 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 600 mm, total dimensions: 2600 mm x 900 mm x 2100 mm.	
218	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D 0H0 UN XX, number: BN 10100686 002 /0511, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	250
219	Busch	Busch vacuum pump, type: RA 0302 D 503, serial number: C15020000019, year of construction: 2015, capacity: 300 m ³ per hour, weight: 250 kg, dimensions: 1080 mm x 550 mm x 420 mm.	1500
220	NN ham forms	8 ham forms, dimensions each form: 600 mm x 200 mm x 180 mm.	50
221	Alfa Laval	Alfa Laval plate heat exchanger, type: M10-BWREF, serial number: 30108-06402, year of construction: 2012, volume: 56.4 / 55.8 liter, dimensions: 800 mm x 470 mm x 1050 mm.	400
222	Goedhart	3 Goedhart s/s evaporators, type: PACi 402/4/230, year of construction: 2006, refrigerant: R22, 2 fans, dimensions: (3x) 2100 mm x 1150 mm x 780 mm.	1500
223	NN pallet lifter	S/s pallet lifter, capacity: 1000 kg, fork width: 540 mm, fork length: 1160 mm, total dimensions: 1500 mm x 550 mm x 1220 mm.	250
224	Meyn	Meyn mobile breeding machine, machine number: 2001080104, year of construction: 2001, belt width: 600 mm, total dimensions: 3000 mm x 1200 mm x 1900 mm. Incomplete, technical condition unknown.	750
225	NN ham forms	2 pallet boxes with 25 ham forms and parts, dimensions each form: Ø 240 mm x 700 mm.	250
226	Stritzel	Stritzel steam generator for peelers, model: PS300, number: 20121331, year of construction: 2020, 400 V, 50 Hz, 30 kW, capacity: 56 kg per hour, dimensions: 1200 mm x 410 mm x 800 mm.	500
227	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D 0H0 UN XX, number: BN 10106334 006 /0611, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	250
228	Ridgid	Ridgid hydraulic press, type: 300 compact, 230 V, 25-60 Hz, 8.0 A, dimensions: 1100 mm x 750 mm x 1200 mm.	150
229	NN beams for smoke generator	Pallet with approximately 240 wooden beams for friction smoke generator, dimensions beams: 70 mm x 70 mm x 750 mm, total dimensions: 1200 mm x 800 mm x 1250 mm.	50
230	NN blower	S/s blower, dimensions: 900 mm x 540 mm x 550 mm.	75
231	Poly-clip System GmbH & Co. KG	Pallet with Poly-clip System GmbH & Co. KG clips, dimensions: 1200 mm x 800 mm x 1230 mm.	400
232	Kongskilde		150



Nr	Title	Description	Start €
		Kongskilde blower, model: TRL.100, serial number: 17480001, year of construction: 2002, 400 V, 3 Ph, 50 Hz, dimensions: 1200 mm x 800 mm x 840 mm.	
233	NN lids for meat bins	Pallet with various s/s lids for 200 liter meat bins.	250
234	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST40/12/1e, serial number: 11919, year of construction: 02/2014, working pressure: 200 bar, dimensions: 520 mm x 320 mm x 450 mm.	250
235	LTEC	LTEC tramp oil separator, model: TOS 2.0, serial number: 232, year of construction: 30-2018, 230 V, 50 Hz, tank capacity: 105 Liter, 70 Kg, dimensions: 500 mm x 700 mm x 1000 mm.	50
236	Jures Techniek	Jures Techniek mobile foam mixing station, dimensions: 900 mm x 400 mm x 1030 mm.	400
237	Samson	2 Samson pneumatic actuators, type: 3277, dimensions: (2x) 300 mm x 200 mm x 600 mm.	50
238	NN drawer	S/s drawer with large amount of bakery tools, dimensions: 510 mm x 595 mm x 770 mm.	50
239	Bizerba	2 knives for Bizerba slicer, type: A500, dimensions: 600 mm x 600 mm x 500 mm	250
240	Gloria	2 Gloria pressure vessels with sprayers, dimensions: (2x) Ø 200 mm x 500 mm.	100
241	Toyota	Toyota battery charger, type: powertron E, serial number: 636000027396, 230 V, 1 Ph, 50 Hz, dimensions: 520 mm x 270 mm x 560 mm.	150
242	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386886, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	100
243	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386880, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	100
244	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386884, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	100
245	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386887, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	100
246	NN tub	Mobile s/s tub with drain, dimensions: 1120 mm x 560 mm x 770 mm.	100



Nr	Title	Description	Start €
247	NN cabinet	Cabinet, dimensions: 920 mm x 400 mm x 2000 mm. New.	100
248	NN waste bag holder	S/s waste bag holder with foot control, dimensions: 460 mm x 475 mm x 950 mm.	25
249	Interroll	5 Interroll drum motors, model: DM 0080, drum length: 540 mm, drum diameter: 90 mm, dimensions pallet: 800 m x 600 mm x 200 mm.	100
250	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: C 3330 DMS, fabrication number: 35004922, year of construction: 2013, 1x100-240 V, 50-60 Hz, maximum belt speed: 70 m/min, throughput: 102 pcs/min, min: 200 gram, max: 1000/4800 gram, e= 1/2 gram, belt width: 300 mm, total dimensions: 1900 mm x 1100 mm x 1440 mm.	1500
251	Viskase	Pallet with Viskase casings, type: Walsroder Vislon LS, dimensions: 1200 mm x 800 mm x 1900 mm.	100
252	Kongsilde	Kongsilde mobile blower, type: TRL 75, serial number: 15020007, 400 V, 3 Ph, 50 Hz, dimensions: 800 mm x 550 mm x 870 mm.	150
253	Europlast	Pallet with Europlast casings, dimensions: 1200 mm x 800 mm x 1100 mm.	200
254	Friedrich Schwingtechnik GmbH	Friedrich Schwingtechnik GmbH vibrating motor, type: FEHE 150-6-2.2, fabrication number: 18071530, 0.30 kW, dimensions: 500 mm x 250 mm x 250 mm.	25
255	Festo	Pallet with Festo pneumatic cylinders and parts, dimensions: 1700 mm x 800 mm x 400 mm.	150
256	WEG	8 WEG motors, type: FX40135, dimensions: 1200 mm x 800 mm x 500 mm.	150
257	Viscofan	Pallet with Viscofan casings, dimensions: 1200 mm x 800 mm x 1000 mm.	150
258	Demag	Demag overhead crane system, type: DC-PRO 1/1 H4, fabrication number: 93772411, year of construction: 01/2009, 380-415 V, 3 Ph, 50 Hz, capacity: 2000 kg, dimensions: 1200 mm x 1000 mm x 550 mm.	200
259	NN electrical parts	Pallet with SPG speed control motors, type: S7115GX-V12, and vibration motors, type: HV 0.4/2.	200
260	NN blower	Blower, dimensions: 900 mm x 650 mm x 830 mm.	100
261	Adelmann	Pallet with various Adelmann ham moulds, dimensions moulds: 310 mm x 150 mm x 100 mm, 330 mm x 220 mm x 150 mm and 330 mm x 180 mm x 170 mm, total dimensions pallet: 1200 mm x 800 mm x 300 mm.	25
262	SEW-Eurodrive / Vector	Pallet with 17 SEW-Eurodrive / Vector motors, dimensions: 1200 mm x 1000 mm x 300 mm.	400
263	SEW-Eurodrive / Vector	Pallet with 11 SEW-Eurodrive / Vector motors, dimensions: 1200 mm x 1000 mm x 300 mm.	250
264	Viskase / Poly-clip System		150



Nr	Title	Description	Start €
		Pallet with Viskase cellulose casings, type: Visrex, Nojax and Poly-clip System loops, dimensions: 1200 mm x 800 mm x 700 mm.	
265	NN hose reel	S/s hose reel with hose and soap dispenser, dimensions: 350 mm x 800 mm x 1600 mm.	250
266	NN hose reel	S/s hose reel with hose and soap dispenser, dimensions: 350 mm x 800 mm x 1600 mm.	250
267	Pall	Pall filter, model: ECS7006G30 H4, maximum temperature: 140°C, maximum pressure: 5 bar.	25
268	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-10, serial number: 225976, year of construction: 2018, dimensions: 600 mm x 350 mm x 350 mm.	150
269	Blagdon	Blagdon membrane pump, model: B1501PTBBOTP, serial number: 310258, year of construction: 2019, dimensions: 250 mm x 200 mm x 300 mm.	50
270	Samson	Samson pneumatic actuator, dimensions: 260 mm x 250 mm x 500 mm.	25
271	Siemens	Siemens flow meter, model tube: SITRANS F M MAG 1100 F, model indicator: SITRANS F M MAGFLO MAG6000, DN80, dimensions: 200 mm x 200 mm x 450 mm.	100
272	Siemens	2 Siemens flow meters, type: SITRANS F M MAG 1100 F.	100
273	Bettcher	Bettcher trimmer, type: UN-84, 230 V, 1 Ph, 50 Hz, 2.1 A, 250 Watt, dimensions: 300 mm x 150 mm x 600 mm.	500
274	Elektro-Automatik GmbH & Co. KG	Elektro-Automatik GmbH & Co. KG power supply, model: EA 3051 B, 230 V, 50 Hz, dimensions: 260 mm x 285 mm x 150 mm.	25
275	NN sink	S/s sink with faucet, dimensions: 410 mm x 425 mm x 410 mm.	25
276	Nita Hygiene	Nita Hygiene s/s hose reel with hose, type: 2113, serial number: 125522, year of construction: 11/2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	75
277	Nita Hygiene	Nita Hygiene s/s hose reel with hose, type: 2129, serial number: 118311, year of construction: 2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	75
278	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2129, year of construction: 2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	75
279	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, type: 2129, serial number: 110648, year of construction: 2013, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	75
280	Nita Hygiene	Nita Hygiene s/s hose reel with hose, type: 2129, serial number: 121664, year of construction: 2015, working	75



Nr	Title	Description	Start €
		pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	
281	Nita Hygiene	Nita Hygiene s/s hose reel with hose and pistol, dimensions: 550 mm x 220 mm x 460 mm.	75
282	Handtmann	2 filling pipes for Handtmann vacuum filling machine.	25
283	NN hygiene equipment	Hygiene equipment consisting of Kimberly-Clark paper dispenser, s/s waste bin, mirror and soap dispenser.	75
284	NN transport belt	Transport belt, s/s frame, s/s belt, belt width: 80 mm, total dimensions: 1950 mm x 450 mm x 1000 mm.	75
285	Ecolab	Ecolab soap mixing station, type: SE11 ECO-SATELLITE, serial number: 126069, year of construction: 22.11.2017.	75
286	Ramex	Ramex s/s hose reel with hose and spray pistol, model: AV1100, serial number: 12 2015, dimensions: 430 mm x 320 mm x 430 mm.	75
287	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel, model: ST30/10e, serial number: 150535, year of construction: 07/2018, dimensions: 500 mm x 250 mm x 500 mm.	75
288	OMPI	OMPI s/s hose reel with hose and spray pistol, dimensions: 460 mm x 230 mm x 480 mm.	75
289	Ramex	Ramex s/s hose reel with hose and spray pistol, model: AV1100, serial number: 26 2014, dimensions: 430 mm x 320 mm x 430 mm.	75
290	Scharfen	Scharfen cutter on s/s trolley, type: TC11, number: 2143033, year of construction: 2014, 400 V, 3.6/5.1 A, 1400/1800 W, s/s bowl, volume: 11 liter, dimensions cutter: 850 mm x 500 mm x 580 mm, dimensions trolley: 770 mm x 580 mm x 800 mm.	1250
291	Silverson Ltd	Silverson Ltd mobile meat bin mixer, model: E, number: S6, safe working load: 95 kg, dimensions: dimensions: 1100 mm x 900 mm x 2100 mm.	950
292	NN spatula	Spatula, dimensions: 1500 mm x 570 mm x 70 mm.	5
293	HBM Machines	HBM Machines milling machine, type: HBM BF 30 Vario, serial number: ST 30-210B5, year of construction: 03 2023, 230 V, 50 Hz, 5.2 A, dimensions: 920 mm x 710 mm x 1000 mm.	950
294	Lanico	Lanico mobile can seamer, type: V110 PD, serial number: 110441, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 1.8 A, air pressure: 6 bar, can diameter: 118 mm, total dimensions: 900 mm x 700 mm x 660 mm.	1500
295	NN freeze dry system	Freeze dry system, 11 floors, dimensions floors: (11x) 495 mm x 1500 mm, distance between floors: 30 mm, total dimensions: 1800 mm x 2060 mm x 1930 mm. Lot has already been professionally dismantled. Extra technical information: The system essentially consists of the following components: Drying chamber Vapour line with shut-off valve Ice condenser Vacuum system Refrigeration system The system is controlled via Siemens PLC. Visualisation takes place via Simatic Panel.	5000



Nr	Title	Description	Start €
		Freeze dryer design: Shelf temperature: - 30°C / + 60°C Condensation temperature: - 50°C, re-sublimation temperature Vacuum at the end of drying < 0.1 mbar absolute Usable floor space: 7.4 m ² Number of shelves: 10 (product trays) + 1 cover plate Ice condenser design: Condenser type: Evaporator tubes in two coils Condenser capacity: approx. 50 kg Condenser temperature: <= -50 °C (unloaded) Vacuum system design: Type: Dry compressing screw pump Suction capacity: 65 m ³ /h Final pressure at end of drying: < 0.1 mbar absolute Refrigeration system design: Type: two-stage compressor Technical data: Compressor type: Bitzer S4N8.2Y Refrigerant: R449A	
296	Vemag	Vemag mobile hanging line, model: AH 212, number: 2120051, year of construction: 2012, 220/240/400/460/575 V, 3 Ph, 50/60 Hz, 0.5 kW, weight: 298 kg, dimensions: 4250 mm x 800 mm x 1460 mm.	1000
297	Voran Maschinen GmbH	Voran Maschinen GmbH mobile organic shredder, type: BIO-UZKBG2, serial number: M00039271/09/00008, 400 V, 50 Hz, 5.5 kW, clearance: Ø 275 mm, total dimensions: 850 mm x 700 mm x 1600 mm.	1500
298	Teltek AB	Teltek AB checkweigher, type: C60, serial number: 109230, year of construction: 2009, 230 V, 50/60 Hz, maximum capacity: 1200 g, minimum capacity: 100 g, e= 1 g, plastic belts, belt width: (3x) 250 mm, total dimensions: 1900 mm x 800 mm x 1520 mm.	1500
299	NN shuttle conveyor	S/s shuttle conveyor, belt width: 610 mm, total dimensions: 4000 mm x 1400 mm x 1840 mm.	1000
300	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: RCA 3430, number: 372, year of construction: 2003, 400 V, 3 Ph, 4 A, 3.8 kW, dimensions: 1300 mm x 1400 mm x 1860 mm.	4300
301	Maxima	Maxima mobile vacuum machine, model: MVAC500, serial number: 500-055, seal length: 400 mm, dimensions chamber: 440 mm x 420 mm, total dimensions: 560 mm x 500 mm x 1100 mm.	400
302	ABB Robotics	2 ABB Robotics packaging robots on s/s frame, type: IRB 2000-4435, dimensions: 1800 mm x 700 mm x 2050 mm.	500
303	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4FTC-20KC-40S, capacity: 17.8/21.5 m ³ per hour, and (2x) type: 2HSL-3KB-40S, capacity: 4.34/5.21 m ³ per hour, dimensions: 3800 mm x 1700 mm x 2400 mm.	2000
304	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4FTC-20KC-40S, capacity: 17.8/21.5 m ³ per hour and type: (2x) 4KHC-05KB-40S,	2500



Nr	Title	Description	Start €
		capacity: 2.71/3.25 m ³ per hour dimensions: 3200 mm x 1200 mm x 2400 mm.	
305	Industrilyften	Industrilyften lifter for 200 liter meat bins, type: IL 300 PK, maximum capacity: 300 kg, lifting height: 1000 mm, total dimensions: 1000 mm x 840 mm x 2620 mm.	500
306	Loma Systems	Loma Systems metal detector on mobile elevating belt, type: Blue IQ3 ST, serial number: Q3B55-10-28060D, year of construction: 17.3.2015, 110-240 V, 1 Ph, 50/60 Hz, 0.3-0.6 A, plastic belt, belt width: 410, clearance: 550 mm x 30 mm, elevating height: 1750 mm, total dimensions: 4600 mm x 1030 mm x 1760 mm.	2000
307	Endoline	Endoline mobile box closing machine, model: PS6, serial number: 080753309-1, aluminium rollers, roller width: 670 mm, total dimensions: 1000 mm x 900 mm x 1720 mm, 900 mm x 750 mm x 850 mm.	500
308	Deltapack	Deltapack vertical bag form-, fill-, and seal machine, type: DE420FU, machine number: 269, year of construction: 2003, film width: 740 mm, vertical seal length: 540 mm, horizontal seal length: 430 mm, total dimensions: 2300 mm x 1550 mm x 2000 mm.	3000
309	Hobart	Hobart dishwasher, model: UW105, serial number: 86135330, 380 V, 50 Hz, dimensions: 710 mm x 640 mm x 1895 mm.	150
310	C-TRAC Conveyor LTD	C-TRAC Conveyor LTD bottle conveyor, type: MCC33, model: Webe, year of construction: 2024, motor: 6 kW, capacity: 5000 bottles per hour, dimensions: 1400 mm x 650 mm x 1600 mm. Serviced in 2025.	1000
311	NN ham press	Mobile ham press, diameter pipe: 90 mm, total dimensions: 1350 mm x 350 mm x 1100 mm.	300
312	True Manufacturing Co., Inc.	True Manufacturing Co., Inc. mobile refrigerator, model: T-23-2-HC, serial number: 7045657, 230 V, 50 Hz, 2.4 A, refrigerant: R290, dimensions: 760 mm x 680 mm x 2070 mm.	150
313	Safeline	Safeline mobile metal detector, plastic belt, clearance: 500 mm x 370 mm, total dimensions: 2220 mm x 930 mm x 1270 mm.	2000
314	NN rack	Mobile s/s rack, 18 floors, dimensions floors: (18x) 650 mm x 330 mm, total dimensions: 750 mm x 450 mm x 1635 mm.	50
315	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 280 mm, distance between dividers: 180 mm, divider height: 30 mm, elevating height: 1900 mm, total dimensions: 1900 mm x 500 mm x 2000 mm.	350
316	Dorit	Dorit mobile meat press, type: Combi-press, clearance: \emptyset 100 mm x 495 mm, total dimensions: 1800 mm x 700 mm x 1420 mm. Including 2 extra outfeed pipes, dimensions outfeed pipes: (1x) 90 mm and (1x) 120 mm.	300
317	Stephan		4000



Nr	Title	Description	Start €
		Stephan micro cutter, type: MC12, machine number: 721.409.01/1, year of construction: 1994, 400 V, 50 Hz, 17.8 A, 9.0 kW, dimensions: 750 mm x 650 mm x 1000 mm.	
318	Risco S.p.a.	Risco S.p.a. double shaft paddle mixer, model Risco: RS 450, serial number: 0672, year of construction: 1992, volume: 450 liter, dimensions: 1600 mm x 1200 mm x 1600 mm.	3500
319	NN box packaging line	Box packaging line consisting of 2 roller conveyors, plastic rollers, roll width: 430 mm, dimensions: 2000 mm x 1050 mm x 940 mm and 1500 mm x 570 mm x 890 mm and box lifter, dimensions platform: 620 mm x 580 mm, total dimensions: 870 mm x 730 mm x 1100 mm.	500
320	True Manufacturing Co., Inc.	True Manufacturing Co., Inc. mobile refrigerator, model: T-23F-2-HC-MC, serial number: 9222772, 230 V, 50 Hz, 1.9 A, refrigerant: R290, dimensions: 750 mm x 680 mm x 2120 mm.	150
321	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. vacuum filling machine with lifter for 200 litre meat bins, type: 595, machine number: 21632, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 18.2 A, dimensions: 1750 mm x 1950 mm x 2070 mm. Including plastic crate with extra parts.	2200
322	Baader	Baader piston filler, type: 702, machine number: 15 702 289, year of construction: 1986, 380 V, 50 Hz, 1.5 kW, dimensions: 600 mm x 350 mm x 1200 mm.	1000
323	T. Giusti & Son Ltd	T. Giusti & Son Ltd s/s double jacketed mixing tank with steam boiler and switch cabinet, serial number: J10717, year of construction: 1989, capacity: 500 liter, test pressure: 10.5 bar, working pressure: 6.5 bar, dimensions tank: Ø 1100 mm x 2600 mm, dimensions steam boiler: 800 mm x 620 mm x 1800 mm, dimensions switch cabinet, dimensions: 1750 mm x 500 mm x 500 mm.	4000
324	Magurit	Magurit frozen block cutter, type: 053, machine number: 4973, year of construction: 2003, 230 V, 5.5 kW, maximum block size: 500 mm x 600 mm x 240 mm, total dimensions: 1850 mm x 1100 mm x 1750 mm.	5000
325	Boge	Boge piston air compressor, type: SD 15, machine number: 37330, year of construction: 2000, capacity: 1.65 m ³ per minute, maximum pressure: 10 bar, dimensions: 970 mm x 700 mm x 1280 mm.	400
326	SCHARFEN	SCHARFEN tenderizer, type: Tender-Hit, number: 944010, 230/400 V, 4.2/2.4 A, 1100 W, dimensions: 750 mm x 700 mm x 1630 mm.	350
327	Rietschle	S/s table with Rietschle vacuum pump, dimensions: 550 mm x 1300 mm x 1260 mm.	350
328	Glass	Glass tiltable mixer, type: VSM 600 K, machine number: 2164, year of construction: 1997, 400 V, 50 Hz, 12.6 A,	1000



Nr	Title	Description	Start €
		4.05 kW, volume: 600 litres, dimensions: 1650 mm x 650 mm x 2400 mm. Incomplete, without lid.	
329	NN tenderizer	Mobile tenderizer, dimensions: 860 mm x 500 mm x 1620 mm. Incomplete.	350
330	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 6 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4HTE-20K-40P, capacity: 12/14.4 m ³ per hour, (3x) 4JTC-15K-40P capacity: 9.2/11 m ³ per hour and (2x) 2HSL-3K-40S, capacity: 4.34/5.21 m ³ per hour, year of construction: 06-2014, dimensions: 3400 mm x 1200 mm x 2300 mm.	4000
331	Digi Europe LTD	Digi Europe LTD mobile double heads labelling machine, model: HC-700, serial number: 100654003, 230 V, 50 Hz, 1.15 / 0.4 A, maximum speed: 285 packages per minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1800 mm x 800 mm x 1800 mm.	300
332	Multivac	Multivac mobile traysealer, type: T200, serial number: 144917, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 20 A, 3.5 kW, Busch vacuum pump, type: RA 0063 F 503, capacity: 63 m ³ per hour, film width: 400 mm, total dimensions: 1300 mm x 250 mm x 1650 mm.	1700
333	Tipper Tie Technopack	Tipper Tie Technopack mobile automatic double clipper, model: DCA-E 6.1, number: 20010332, dimensions: 1400 mm x 850 mm x 1800 mm.	500
334	Mado	Mado mobile portioning machine, type: POG 421, number: 30153, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 0.6 A, 0.2 kW, plastic belt, belt width: 195 mm, diameter clearance: 160 mm, total dimensions: 1480 mm x 760 mm x 1330 mm. Incomplete.	400
335	Mettler Toledo	Mettler Toledo X ray scanner with rejector, model: ADV3, serial number: 2927ADV3, year of construction: 12-2012, 230 V, 50 Hz, 10 A, 2.3 kW, plastic belt, belt width: 330 mm, clearance: 360 mm x 195 mm, total dimensions: 1800 mm x 1150 mm x 1600 mm.	1000
336	F-Tools	F-Tools tool trolley with large amount of tools, model: 2025, dimensions: 850 mm x 410 mm x 1000 mm.	400
337	F-Tools	F-Tools tool trolley with large amount of tools, model: 2025, dimensions: 850 mm x 410 mm x 1000 mm.	400
338	Asarums Industri AB	Asarums Industri AB evaporator, 3 fans, year of construction: 2007, TS°C: -80/175°C, PS, bar: 30, PT, bar: 43, Fluidgroup: 2, dimensions: 2600 mm x 700 mm x 1400 mm.	400
339	Berkel GmbH	Berkel GmbH mobile grinder, type: BW 32, number: 30499, 380 V, 50 Hz, 5.2 A, 2200 W, 1420 rates per minute, plate diameter: 98 mm, total dimensions: 900 mm x 600 mm x 1300 mm.	400
340	Jøni Foodline A/S	Jøni Foodline A/S double cooking vessel, model: Easy, serial number: 016292-822 and 016292-823, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 kW volume: 50	1000



Nr	Title	Description	Start €
		liter and 30 liter, dimensions: 2100 mm x 850 mm x 1050 mm.	
341	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 220 mm, total dimensions: 2600 mm x 600 mm x 1010 mm.	400
342	Lock	Lock Inspection metal detector with rejector, model: MET30+, plastic belt, belt width: 300 mm, clearance: 450 mm x 100 mm, total dimensions: 1300 mm x 1000 mm x 1300 mm.	500
343	ANKO	ANKO spring roll filling and folding machine, model: SR-2404 & SR-2405, serial number: PO201200627-4, year of construction: 2012.08, 380 V, 3 Ph, 50 Hz, 2.5 kW, plastic belts, belt width: (2x) 110 mm / 30mm / (2x) 20 mm / 150 mm, total dimensions: 3700 mm x 750 mm x 1930 mm. Incomplete.	1000
344	Bilwinco	Bilwinco 14-heads multihead weigher, type: BW114-W, order number: 5276, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 10 A, weighing range: 30 gram - 2000 gram, air pressure: 5 - 10 bar, dimensions: 1500 mm x 1300 mm x 1400 mm. Including control panel.	1700
345	Strapex	Strapex mobile strapping machine, type: Canaria V, serial number: 01071, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 4.0 A, clearance: 650 mm x 650 mm, total dimensions: 1320 mm x 850 mm x 1870 mm.	250
346	ISA S.p.A.	ISA S.p.A. refrigeration showcase, type: GEL PRO, model: MILLENNIUM, serial number: 1050419060, year of construction: 2005, 230 V, 50 Hz, 2650 W, volume: 1300 litres, holds 24 containers, refrigerant: R404A/4.000kg, dimensions: 2150 mm x 1050 mm x 1400 mm.	400
347	Carnitech	Carnitech pin bone remover, type: CT 2615.20, number: 05-0058, year of construction: 2005, plastic belts, belt width: (2x) 270 mm, total dimensions: 1300 mm x 900 mm x 1270 mm.	1500
348	NN smoke trolleys	3 s/s smoke trolleys, Z-profile, 4 floors, dimensions each floor: 900 mm x 900 mm, total dimensions: (3x) 900 mm x 900 mm x 1800 mm.	250
349	Nimo KG	Nimo KG tilting device, type: SK 800 HA, number: 10222, year of construction: 2005, capacity: 1000 kg, tilting height: 1200 mm, total dimensions: 1600 mm x 1600 mm x 1850 mm.	2500
350	Durfo s.r.l.	Durfo s.r.l. monoblock filler for liquids with 10 filling heads, model: RMC 10, serial number: 11182, year of construction: 2011, 380 V, 50 Hz, weight: 600 kg, dimensions: 2100 mm x 1200 mm x 2150 mm. Including pallet with parts.	8000
351	Multivac	Multivac thermoformer, type: R7000 PC, machine number: 10192/33, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 48 A, 18 kW, film width: 455 mm, dye: (12x) 85	750



Nr	Title	Description	Start €
		mm x 150 mm, total dimensions: 7350 mm x 1100 mm x 1950 mm. Including suction device for rest film, dimensions: 530 mm x 530 mm x 1060 mm.	
352	HK Refrigeration	HK Refrigeration roof condenser, model: H7 18 M1 16PS, serial number: EV 032, 400 V, 50 Hz, dimensions: 1250 mm x 1350 mm x 1300 mm.	200
353	Mettler Toledo	Mettler Toledo X ray scanner, model: ADV3, serial number: 2925ADV3, year of construction: 12-2012, 230 V, 50 Hz, 10 A, 2.3 kW, 6 bar, clearance: 360 mm x 200 mm, total dimensions: 2500 mm x 800 mm x 1700 mm. Missing belt.	800
354	Nesbad Industries Ltd	Nesbad Industries Ltd filling line consisting of: 2 denesters, model: MORAN II, number: 00171.12.02, 380 V, 50 Hz, 7400 W, Ø cups: (2x) 110 mm, total dimensions: 3690 mm x 710 mm x 1870 mm. Including pallet with parts, dimensions pallet: 1200 mm x 800 mm x 1180 mm.	480
355	Getecha	Getecha plastic shredder, type: GRS252-A10.1, number: 10505, year of construction: 1998, dimensions: 950 mm x 1000 mm x 1200 mm.	400
356	Kawashima	Kawashima vertical bag form-, fill-, and seal machine, model: KBF-6122, serial number: 824, year of construction: August 2001, film width: 370 mm, vertical seal length: 340 mm, horizontal seal length: 280 mm, total dimensions: 1700 mm x 1450 mm x 1810 mm.	800
357	NN air cone	Aluminium air cone, dimensions: ø 1000 mm x 1200 mm.	50
358	Scanvaegt	Scanvaegt weighing and sorting line, type: 4717.275.10, serial number: BOE00095, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 16.0 A, s/s frame, plastic belts, belt width: 260 mm, 12 rejecters, total dimensions: 1000 mm x 800 mm x 1750 mm and 7200 mm x 1100 mm x 1600 mm.	5000
359	Boldt Systems	Boldt Systems infeed bunker with outfeed belt, model: BFCS 24.12H, serial number: BFO 09-010.03, year of construction: 2009, inside dimensions: 3500 mm x 1100 mm x 800 mm, plastic belt, belt width: 490 mm, total dimensions: 4300 mm x 1700 mm x 2830 mm.	4000
360	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, serial number: 20195, plastic belt, belt width: 170 mm, clearance: 305 mm x 135 mm, total dimensions: 1250 mm x 1250 mm x 1200 mm.	500
361	Kolbe	Kolbe bandsaw, type: K 800H - 650, machine number: 81 070, year of construction: 2009, 400 V, 50 Hz, 9 A, 4 kW, dimensions saw table: 1480 mm x 1100 mm, total dimensions: 2000 mm x 1100 mm x 1930 mm. With extra saw.	3500
362	Ets. André Zalkin	Ets. André Zalkin cap closing machine, type: CA/3/360/NG, serial number: 24576, year of construction: 2011,	8000



Nr	Title	Description	Start €
		plastic belt, belt width: 80 mm, diameter cups: 80 mm, total belt length: 7700 mm, total dimensions cap closing machine: 3550 mm x 1450 mm x 3300 mm. With elevating infeed belt, plastic belt with dividers, divider height: 50 mm, total dimensions: 2100 mm x 1030 mm x 3650 mm. Including plastic pallet and meat bin with extra parts.	
363	SNB Systems / Mettler Toledo	SNB Systems / Mettler Toledo Safeline metal detector, serial number: 57231, plastic belt, belt width: 200 mm, clearance: 255 mm x 170 mm, total dimensions: 2500 mm x 800 mm x 1700 mm. Missing cover.	750
364	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, serial number: 39402, plastic belt, belt width: 240 mm, clearance: 310 mm x 100 mm, total dimensions: 1420 mm x 1250 mm x 1150 mm.	750
365	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, plastic belt, belt width: 245 mm x clearance: 305 mm x 140 mm, total dimensions: 1420 mm x 1050 mm x 1100 mm.	750
366	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 01-90-01, year of construction: 1997, 400/230 V, 50-60 Hz, 1.5 kW, weight: 450 kg, dye: (2x) 215 mm x 130 mm, total dimensions: 4250 mm x 900 mm x 1800 mm. Technical condition unknown.	400
367	MKM techniek b.v.	MKM techniek b.v. mobile transport belt, serial number: 23342, year of construction: 2022, 400 V, 3 Ph, 50 Hz, s/s frame, plastic mesh belt, belt width: 150 mm, total dimensions: 3600 mm x 600 mm x 1120 mm.	300
368	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 1051, machine number: 105103.67131.0515-1, year of construction: 1989, 380-220 V, 3 Ph, 50 Hz, 5.5 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1300 mm x 700 mm x 1500 mm.	750
369	Vakona GmbH	Vakona GmbH cooled vacuum tumbler, type: 125ESKSTL, number: 8065, year of construction: 1999, 230/400 V, 50 Hz, 1.6 A, 1.9 kW, volume: 125 liter, Busch vacuum pump, type: RB 0010 D OZO, year of construction: 1998, capacity: 10 m ³ per hour, total dimensions: 1330 mm x 600 mm x 1330 mm.	2500
370	Hoyer	Hoyer continuous ice-cream machine, type: KF400, serial number: 1139/65, dimensions: 1850 mm x 650 mm x 1650 mm.	500
371	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector, clearance: Ø 95 mm, total dimensions: 860 mm x 420 mm x 1380 mm.	800
372	Weber	Weber mobile skinning and derinding machine, type: ASC 560, number: 215, 400 V, 50 Hz, 1.1 kW, plastic belt,	1600



Nr	Title	Description	Start €
		belt width: 500 mm, working width: 560 mm, total dimensions: 2000 mm x 1050 mm x 1850 mm.	
373	Henkovac	Henkovac mobile double chamber vacuum machine, type: FC 8160, serial number: 20030612, year of construction: 2003, 230 V, 3 Ph, 50 Hz, 31.0 A, 522 kg, seal length: (4x) 620 mm, Busch vacuum pump, type: RA 0150, capacity: 150 m ³ per hour, dimensions chamber: 830 mm x 620 mm, total dimensions: 1650 mm x 1060 mm x 1150 mm.	3500
374	NN meat press	Mobile meat press, diameter press: 100 mm, total dimensions: 1800 mm x 580 mm x 1460 mm.	400
375	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: Easy, number: 43080, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 330 mm, total dimensions: 700 mm x 570 mm x 1000 mm.	300
376	Busch	S/s rack with 2 Busch vacuum pumps, type: (2x) RD 0360 A 503, serial number: CHM120330107 / CHM120330110, year of construction: 2020, capacity: (2x) 300 m ³ per hour, total dimensions: 1150 mm x 800 mm x 1850 mm.	3000
377	Poly-clip System GmbH	Poly-clip System GmbH mobile double clipper, type: FCA 3461, plastic outfeed belt, belt width: 300 mm, total dimensions: 1350 mm x 1300 mm x 1950 mm. Including 2 crates with clips.	1500
379	Sanyo	Sanyo Ultra-low temperature freezer, model: MDF-794, serial number: 14020004, 230/240 V, 50 Hz, 4.9/5.0 A, 1100/1130 W, refrigerant: R-407D:R508, 460:295 gram, volume: 701 liter, dimensions: 2570 mm x 870 mm x 1080 mm.	1000
380	Frey	Frey piston filler, inside dimensions: Ø 320 mm x 360 mm, total dimensions: 800 mm x 750 mm x 1200 mm.	1000
381	PHCBI	PHCBI ultra-low temperature freezer, model: MDF-DC700VX-PE, serial number: 19100039, year of construction: 2019, 230/240 V, 50 Hz, 4.8/5.0 A, 1070/1130 W, refrigerant: HFC-245fa/R-600/HFC-23/PFC-14, 0.550 kg, volume: 715 liter, dimensions: 2300 mm x 960 mm x 1070 mm.	1000
382	UNI-FOOD TECHNIC	UNI-FOOD TECHNIC mobile depositor, s/s frame, s/s mesh belt, belt width: 710 mm, total dimensions: 1900 mm x 1300 mm x 2040 mm.	3000
383	Industrilyften	Industrilyften lifter for 200 liter meat bins, type: IL 300 PK, serial number: 191, year of construction: 2000, maximum capacity: 300 kg, lifting height: 1000 mm, total dimensions: 1000 mm x 840 mm x 2620 mm.	750
384	Ilapak	Ilapak 10 heads multihead weigher, serial number: 0950112003, 230 V, 1 Ph, 50 Hz, 5.5 A, baskets: 155 mm x 160 mm x 250 mm, total dimensions: 1530 mm x 1560 mm x 1560 mm. With s/s rack for washing baskets, dimensions: 2250 mm x 290 mm x 1620 mm.	6000



Nr	Title	Description	Start €
385	UNI-FOOD TECHNIC A/S	UNI-FOOD TECHNIC mobile depositor, s/s frame, type: DS 2000, serial number: 4025, year of construction: 2018, s/s mesh belt, belt width: 710 mm, total dimensions: 1900 mm x 1530 mm x 2040 mm.	3000
386	Bilwinco	Bilwinco 14-heads multihead weigher, type: BW114-W, number: 5322, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 10 A, dimensions: 1500 mm x 1300 mm x 1400 mm.	2500
387	Espera	Espera mobile labelling machine, model: ESC 901, 230 V, 50-60 Hz, 2 A, dimensions: 1100 mm x 800 mm x 1670 mm.	750
388	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 134.0261, year of construction: 1993, 220-240/380-460 V, 3 Ph, 50/60 Hz, 25/20 A, dimensions: 950 mm x 900 mm x 1700 mm.	3000
389	Minipack Torre	Minipack Torre mobile vertical bag form-, fill-, and seal machine, model: XBAG, serial number: 0115, year of construction: 2011, 230 V, 50 Hz, 2.2 A, 500 W, seal width: 250 mm, total dimensions: 850 mm x 800 mm x 1600 mm. With box with additional parts.	2000
390	HPSL	HPSL weighing scale on s/s frame, serial number: H5108515, year of construction: 2011, 230 V, 50 Hz, scale dimensions: 275 mm x 225 mm, total dimensions: 820 mm x 520 mm x 1610 mm.	40
391	Bizerba	Bizerba mobile grinder, model: FW-N 32T/2, number: 11190681, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 100 mm, total dimensions: 1050 mm x 600 mm x 1330 mm.	1000
392	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 708, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, 1 HP, foot control, working width: 510 mm, total dimensions: 900 mm x 670 mm x 900 mm.	400
393	WYDALE	WYDALE plastic oil container, dimensions: 1250 mm x 580 mm x 1200 mm.	75
394	Uni Food Technik	Uni Food Technik mobile elevating belt, serial number: 2016-2017, plastic belt, belt width: 700 mm, elevating height: 1300 mm, total dimensions: 1600 mm x 980 mm x 1300 mm.	500
395	Garos	Garos tumbler for 200 liter meat bins, type: GAT 300, machine number: 41015048, year of construction: 2000, 380/220 V, 50 Hz, 2.3 A, weight: 685 kg, capacity: 400 kg, dimensions: 1750 mm x 1600 mm x 1300 mm. Without rollies.	2000
396	Frey	Frey vacuum filling machine, type: KONTI-C50, machine number: KC 50 18 09 98, 400 V, 50 Hz, dimensions: 900 mm x 650 mm x 1610 mm.	3000
397	NN packaging belt		1000



Nr	Title	Description	Start €
		Mobile packaging belt, s/s frame, 3 stations, plastic belt, belt width: 660 mm, total dimensions: 4350 mm x 1300 mm x 1290 mm.	
398	Jegerings	Jegerings dicer, type: PVP-300, serial number: 6.322.19036.002, 8 bar, clearance: 200 mm x 200 mm, dye's: (36x) 30 mm x 30 mm, total dimensions: 510 mm x 340 mm x 1120 mm.	300
399	Cyklop	Cyklop mobile semi automatic strapping machine, model: M-PAC IV 12 mm, machine number: 1700 0794 207, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 0.25 kVA, dimensions: 780 mm x 540 mm x 900 mm.	50
400	Stork	Stork flow pump, type: 100 C4, number: A 02 46, 380/660 V, 50 Hz, 2.2 kW, N: 1390, dimensions: 1650 mm x 750 mm x 500 mm.	50
401	Senking	Senking mobile tiltable braising pan, inside dimensions: 870 mm x 760 mm x 180 mm, total dimensions: 1070 mm x 1300 mm x 970 mm.	50
402	Crimex	Crimex air compressor, type: CRS 185, number: 2981, year of construction: 2002, 18.5 kW, maximum pressure: 10 bar, capacity: 2620 liter per minute, dimensions: 1220 mm x 750 mm x 1230 mm.	400
403	Bos Machinebouw	Bos Machinebouw 2-lane transport belt, type: Transportband cat-01, serial number: 21875-S-Transportband, year of construction: 26-01-2022, plastic mesh belts, belt width: (2x) 300 mm, total dimensions: 2050 mm x 1100 mm x 1900 mm.	400
404	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double clipper, type: FCA 3 441, number: 513, year of construction: 1998, 400 V, 50 Hz, 4 A, dimensions: 1200 mm x 650 mm x 1880 mm.	1000
405	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill-, and seal machine, type: 350 Vezet, machine number: 11249, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 A, 4.5 kW, seal width: 370 mm, total dimensions: 1700 mm x 2000 mm x 2300 mm. With 2 pallets with parts.	750
406	Lets BV	Lets BV hygiene pump, type: VP103HF, serial number: 832208021, year of construction: 07/2019, dimensions: 1450 mm x 640 mm x 1800 mm.	500
407	Nieros	Nieros mobile elevating belt, plastic belt, belt width: 255 mm, elevating height: 1780 mm, total dimensions: 2150 mm x 700 mm x 2050 mm.	400
408	Proseal	Proseal mobile traysealer, model: Fastpak F40, serial number: 1871, year of construction: 2009, 230 V, 50 Hz, plastic string belt, belt width: 175 mm, dimensions dye: (2x) 180 mm x 170 mm, total dimensions: 2350 mm x 860 mm x 1970 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 600 mm. Overhauled in 2023.	1000



Nr	Title	Description	Start €
409	Ishida	Ishida 16-heads multihead weigher, model: CCW-NZ-216B-4M/20WP, number: 27588, year of construction: June 1998, 220 V, 50 Hz, 12.5 A, dimensions: 1500 mm x 1500 mm x 2000 mm.	2500
410	Krämer+Grebe	Krämer+Grebe grinder, type: EW130, number: 66/101, year of construction: 1987, diameter plate: 130 mm, total dimensions: 1130 mm x 650 mm x 1120 mm.	300
411	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 741, year of construction: 2009, 420 V, 3 Ph, 50/60 Hz, 3.4 A, 2.5 kW, dimensions: 1700 mm x 700 mm x 1300 mm.	690
412	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	800
413	BT	BT electric pallet lifter, type: SWE080L, number: 6277094, year of construction: 2013, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1800 mm x 750 mm x 1840 mm.	500
414	Talsa	Talsa mobile mixer, type: MIX 60P, 230/400 V, 3 Ph, 50 Hz, 1.55 A, 0.43 kW, s/s bowl, volume: 60 liter, dimensions: 800 mm x 600 mm x 1000 mm.	800
415	Delta Technics Engineering	Delta Technics Engineering evaporator, model: FMX268EO, serial number: CEN240200-23, 220 V, 50 Hz, 120 W, 1 fan, dimensions: 1200 mm x 900 mm x 700 mm. Technical condition unknown.	20
416	Hoegger AG	Hoegger AG meat press, type: SP-280 890, machine number: 7105, year of construction: 1997, 240 V, 50 Hz, 0.5 kW, dimensions: 2500 mm x 830 mm x 1700 mm.	1900
417	Schorch	Schorch electro motor, 160 kW, dimensions: 1240 mm x 880 mm x 750 mm.	400
418	Hoegger	Hoegger meat press, type: SP280, machine number: 114421, year of construction: 2014, dimensions: 2680 mm x 820 mm x 1700 mm.	2000
419	METOS N.V.	METOS N.V. drive-in refrigerator, model: ROLL-IN 1P, serial number: 5044272, year of construction: 2004, 230 V, 50 Hz, refrigerant: R134a/305 g, dimensions: 1050 mm x 870 mm x 1250 mm.	250
420	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector with filter tub and pump, type: PI 81-184 MC2R, machine number: 32 775, year of construction: 2011, 400 V, 63 A, 17.5 kW, plastic mesh belt, belt width: 450 mm, total dimensions: 2320 mm x 1300 mm x 2500 mm, dimensions filter tub: 1900 mm x 600 mm x 900 mm, dimensions pump: 1850 mm x 780 mm x 500 mm, dimensions filter system: 1100 mm x 740 mm x 760 mm.	4000
421	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 142, year of	500



Nr	Title	Description	Start €
		construction: 1999, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	
422	NN degreasing tank	S/s degreasing tank, inside dimensions: 940 mm x 1700 mm x 500 mm, total dimensions: 2170 mm x 1150 mm x 1190 mm.	500
423	Schutten Machines BV	Schutten Machines BV water cup filling and closing machine, model: TML-250-1 number: 01005, year of construction: 2002, diameter cups: 75 mm, total dimensions: 4160 mm x 1690 mm x 2210 mm.	250
424	Fri-Jado BV/Bitzer Kühlmaschinenbau GmbH	Fri-Jado compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 2JHC-07K-40S, (3x) 4JTC-15K-40P, capacity: (2x) 3.48/4.18, (3x) 9.2/11 m ³ per hour, dimensions: 2700 mm x 920 mm x 2350 mm.	1500
425	NN shredder	Steel shredder, clearance: 1100 mm x 620 mm, total dimensions: 3550 mm x 920 mm x 1100 mm.	1000
426	Grasselli SpA	Grasselli SpA slicer, model: NSL 600, serial number: Y13003/839, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 4 kW, working width: 610 mm, distance between knives: 20 mm, plastic belt, belt width: 540 mm, total dimensions: 1500 mm x 1200 mm x 1500 mm. Some knives are broken.	5000
427	Easiweigh	Easiweigh linear weigher, 3 lanes, type: Maxi, serial number: 080105/080106/080107, year of construction: 2008, 3 s/s vibrating gutters, total dimensions: 1500 mm x 1500 mm x 2100 mm.	3000
428	Handtmann	Handtmann vacuum filling machine, type: VF300, number: 15015, year of construction: 2001, 440 V, 3 Ph, 60 Hz, 21.8 A, 9 kW, dimensions: 950 mm x 920 mm x 2020 mm.	1900
429	NN sorting belt	Sorting belt, s/s frame, plastic belts, belt width: 345 mm and 570 mm, total dimensions: 7800 mm x 1100 mm x 1820 mm.	1000
430	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double automatic clipper, type: DFC 8161, number: 12879, 380 V, 1 Ph, 50 Hz, 5/7 bar, plastic belt, belt width: 185 mm, total dimensions: 2200 mm x 1100 mm x 1950 mm.	200
431	Bizerba	Bizerba labeller, 5 cassettes with labels, type: LDI 20, number: 16/3018, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including 2 extra cassettes. Technical condition unknown.	1000
432	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00020, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	100
433	Robopac	Robopac mobile automatic shrink wrapping machine, model: Ariane 5040 2TA, serial number: KN/054420, year	800



Nr	Title	Description	Start €
		of construction: 02/2003, 400 V, 3 Ph, 50 Hz, 9.5 A, 5.7 kW, seal length: 470 mm and 370 mm, plastic outfeed rollers, roller width: 450 mm, total dimensions: 2200 mm x 2250 mm x 1200 mm.	
434	Van Rijn	Van Rijn s/s gutter, dimensions: 3100 mm x 1140 mm x 1530 mm.	400
435	Elpress	Elpress hygiene station, consisting of: soap dispenser, sink with faucet, hand disinfection unit, hand dryer, sole cleaner and tourniquet, type: 18703921-83204900, serial number: 29502, year of construction: 2018, 400 V, 50 Hz, 16 A, 2.6 kW, pressure: 3 bar, weight: 300 kg, brush length: (2x) 1450 mm, total dimensions: 2650 mm x 1050 mm x 1680 mm.	3000
436	NN vacuum machine	Belt vacuum machine, plastic belts, belt width: 400 mm, seal length: 1070 mm, dimensions chamber: 1070 mm x 500 mm, total dimensions vacuum machine: 1600 mm x 700 mm x 1050 mm, dimensions transport belt: 1450 mm x 900 mm x 1250 mm. Technical condition unknown, incomplete, electrical cabinet inside missing.	300
437	Handtmann	Handtmann vacuum filling machine, type: VF610, number: 20455S, year of construction: 2005, 420 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, dimensions: 800 mm x 850 mm x 1750 mm. Missing vacuum pump.	4500
438	Bizerba	Bizerba automatic camera inspection machine, model: BVS-1 evo, serial number: 10998653, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, 10 A, plastic belt, belt width: 300 mm, total dimensions: 760 mm x 930 mm x 1670 mm, dimensions control panel: 400 mm x 400 mm x 1280 mm.	1000
439	Seval	Seval vertical bag form-, fill- and seal machine, diameter filling pipe: 75 mm, vertical seal length: 320 mm, horizontal seal length: 250 mm, total dimensions: 1600 mm x 1150 mm x 1670 mm. Including extra filling pipes, diameter filling pipes: (1x) 55 mm, (1x) 70 mm.	2000
440	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: CLS 200, number: 60000011, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: 300 mm, clearance: 300 mm x 35 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm.	750
441	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, model: VC10, number: AS 116 RH, s/s rollers, roller width: 300 mm, chamber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	150
442	Lutetia	Lutetia injector, model: IMPB, number: 11353, year of construction: 2000, 400 V, 50 Hz, 6.5 A, 670 kg, s/s mesh belt, belt width: 370 mm, total dimensions: 2400 mm x 700 mm x 1900 mm. Incomplete.	300



Nr	Title	Description	Start €
443	Wilux	Wilux mobile labelling machine, type: LP-40/S, serial number: ZP/1501508, 230 V, 50/60 Hz, 125 W, plastic infeed belt, belt width: 40 mm, s/s rollers, roller width: 125 mm, total dimensions: 2270 mm x 1200 mm x 1900 mm.	850
444	Holac	Holac dicer, type: AUT 30, number: 202-30-35, year of construction: 2001, 400 V, 50 Hz, chamber: 175 mm x 160 mm, total dimensions: 2450 mm x 1600 mm x 2150 mm.	1500
445	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03 P, machine number: 0392 717, 380 V, 3 Ph, 50 Hz, 15 A, 10 kW, seal width: (1x) 1000 mm and (2x) 450 mm, Rietschle vacuum pump, type: CLFH 220 V (01), fabrication number: 1414623, year of construction: 1991, capacity: 220 m ³ per hour, total dimensions: 1130 mm x 750 mm x 1030 mm.	500
446	Bastra	Bastra smoke generator for wood chips, type: BRN200, fabrication number: 1754, year of construction: 03-1991, 380-230 V, 3 Ph, 50 Hz, 2.8 kW, dimensions: 1000 mm x 750 mm x 1670 mm.	250
447	Kronen	Kronen centrifuge, type: K 50-4, serial number: 589, year of construction: 1999, 230 V, 1 Ph, 50/60 Hz, 12 kW, clearance: \varnothing 420 mm x 360 mm, total dimensions: 900 mm x 600 mm x 1000 mm.	700
448	Vaahto	Vaahto s/s tank, manufacturing number: 10109700, year of construction: 1999, dimensions tank: \varnothing 900 mm x 930 mm, total dimensions: 1000 mm x 900 mm x 1800 mm.	300
449	MKN	MKN tiltable braising pan, type: 2121401/00, machine number: 64293, 380 V, 3 Ph, 50 Hz, 10.0 kW, inside dimensions: 725 mm x 535 mm x 150 mm, total dimensions: 800 mm x 750 mm x 930 mm.	300
450	Herco	Herco mobile pressure vessel for adding oxygen, type: MD 005-2, serial number: 521-149, year of construction: 2007, minimum/maximum working pressure: -1/+15 bar, minimum/maximum working temperature: 0/20 °C, volume: 109 liter, dimensions: 900 mm x 600 mm x 1100 mm.	100
451	Omori	Omori flowpacker, model: S-5115A-BX-3S, serial number: WX100, year of construction: 04/2004, film width: 350 mm, seal width: 400 mm, plastic belt, belt width: 280 mm, total dimensions: 3850 mm x 1200 mm x 1740 mm.	4000
452	Marvu	Marvu transport belt, type: 250/324, serial number: 10075625, year of construction: 09-2019, 230-400 V, 50 Hz, 3.16-1.82 A, 0.62 kW, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 4000 mm x 650 mm x 1000 mm.	200
453	S.A. Balpe		3000



Nr	Title	Description	Start €
		S.A. Balpe blintz machine, s/s mesh belt, belt width: 300 mm, diameter roller: 800 mm, total dimensions: 3500 mm x 1800 mm x 2300 mm. With additional parts.	
454	Simo	Simo micro cutter, type: 175/115PFD175, serial number: 97-041132, year of construction: 1997, diameter plate: 210 mm, total dimensions: 1400 mm x 700 mm x 1450 mm.	1500
455	NN meat press	Mobile meat press, dimensions: 1800 mm x 600 mm x 950 mm.	300
456	PSS Svidnik a.s.	PSS Svidnik a.s. grinder, type: SG 200, serial number: 04, year of construction: 2013, 30.5 kW, weight: 1600 kg, plate diameter: 200 mm, total dimensions: 2700 mm x 1300 mm x 2350 mm. Including s/s trolley with parts, dimensions: 1250 mm x 1000 mm x 1050 mm.	15000
457	Proseal	Proseal dye for Proseal GT1V, model: Weizoplast 1-6 GM-50H, dimensions: 800 mm x 350 mm x 470 mm.	20
458	Formcook	Formcook AB infrared conveyor grill, model: IR 6180401, year of construction: 2004, s/s mesh belt, belt width: 600 mm, total dimensions: 4150 mm x 1330 mm x 2400 mm.	15000
459	Marel	Marel part for batch weigher, s/s frame, plastic belt, belt width: 530 mm, total dimensions: 2120 mm x 950 mm x 2230 mm.	400
460	Gram	Gram blast-chiller, type: KPS 90 SF, serial number: 333, 230 V, 50 Hz, 2 A, 430 W, refrigerant: R404A, inside dimensions: 700 mm x 410 mm x 1485 mm, total dimensions: 900 mm x 1100 mm x 2050 mm. Damaged, without cooling compressor.	250
461	Nijal	Nijal vacuum filling machine with lifter for 200 liter meat bins, type: PSV 330 N, serial number: 0790304, year of construction: March 2004, dimensions: 2050 mm x 1600 mm x 1950 mm.	500
462	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 4517, year of construction: 1999, 400 V, 50 Hz, 17 A, 6.5 kW, Becker vacuum pump, type: U 1.16 SA-31, capacity: 16/19 m ³ per hour, dimensions: 1900 mm x 1320 mm x 2300 mm.	4000
463	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile automatic clipper, type: FCA 3411, number: 84768, 380 V, 50 Hz, 4 A, 5/7 bar, dimensions: 1450 mm x 1400 mm x 2050 mm.	150
464	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, model: VC999/ TS 300 N, serial number: 0431133, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 185 mm x 135 mm, operating air pressure: 6–8 bar, Rietschle vacuum pump, type: VCA 40 (00), number: 602608440003, year of construction: 2004, capacity: 10 m ³ per hour, total dimensions: 1120 mm x 600 mm x 1610 mm.	1500
465	Marel	Marel portion cutter, type: IPM3 X300, serial number: A016062, year of construction: 2002, 380-480 V, 3 Ph, 10	5000



Nr	Title	Description	Start €
		A, 4 kW, plastic belts, belt width: 270 mm, total dimensions: 3350 mm x 1050 mm x 1700 mm. Including crate with parts.	
466	CSL SRL	CSL SRL pressure tank, type: 0060, number: 10467, year of construction: 2010, volume: 500 liter, max pressure: 11 bar, max temperature: 120 C°, dimensions: Ø 600 mm x 2170 mm.	300
467	Reflex	Reflex steel pressure vessel, type: Refix DE 100, serial number: 1820955 00322, year of construction: 02.2023, volume: 100 litre, dimensions: Ø 500 mm x 800 mm.	10
468	NN dust extractor	Dust extractor, dimensions: 530 mm x 520 mm x 1190 mm, 300 mm x 550 mm x 600 mm, (2x) 800 mm x 210 mm x 800 mm.	200
469	Treif	Treif mobile dicer, type: 0803, machine number: 08032.66511.0880-1, year of construction: 1987, 380/220 V, 3 Ph, 50 Hz, 2.7/16 A, chamber: 85 mm x 85 mm, total dimensions: 1100 mm x 600 mm x 980 mm.	1250
470	Herbert Industrial Ltd	Herbert Industrial Ltd outfeed belt for labelling machine, serial number: HS 85459, plastic belts, belt width: (1x) 300 mm, (2x) 45 mm, total dimensions: 1250 mm x 800 mm x 1500 mm.	250
471	Loma Systems	Loma Systems pipeline metal detector with rejecter, model: IQ³+ Pipeline, serial number: JPL161003-35553D, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.2 A, pipe diameter: 100 mm, total dimensions: 900 mm x 600 mm x 1400 mm. Technical condition unknown.	500
472	Multivac	Multivac mobile labelling machine with bottom and top labeller and rejecter, model: MR335 TQ3019BA40000RG, type: MR335, machine number: 242158, year of construction: 2017, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: (2x) 190 mm, total dimensions: 2700 mm x 1200 mm x 2300 mm.	4000
473	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4P, fabrication number: 203 008, capacity: 22.7-47.1 m³ per hour, dimensions: 1200 mm x 1000 mm x 900 mm.	200
474	Groba BV	Groba BV horizontal cheese divider, type: HHDM 520-S, year of construction: 1999, belt width: 340 mm and 235 mm, roll width: 2 x 250 mm, consisting of 2 parts, dimensions: 3250 mm x 1100 mm x 2100 mm and 2800 mm x 1100 mm x 2080 mm.	250
475	NN stacker	S/s stacker, s/s rollers, roller width: from 250 mm to 150 mm, plastic string belt, belt width: (2x) 110 mm, total dimensions: 2500 mm x 1740 mm x 1770 mm. Incomplete.	750
476	Marvu	Marvu slicer, type: 322, year of construction: 02-2001, 4 knives ,diameter knives: 170 mm, plastic mesh belt, belt	750



Nr	Title	Description	Start €
		width: (3x) 90 mm and (2x) 60 mm, total dimensions: 4500 mm x 1000 mm x 1700 mm.	
477	Espera	Espera weighing and labelling machine, model: ES 5000, plastic belt, belt width: 145 mm, total dimensions: 1550 mm x 800 mm x 1560 mm.	3000
478	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EMA 500, machine number: 328227933, working width: 430 mm, total dimensions: 760 mm x 570 mm x 980 mm.	350
479	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EMA 350, machine number: 318126746, working width: 430 mm, total dimensions: 710 mm x 650 mm x 980 mm.	250
480	Sartorius	Sartorius checkweigher, type: SYNUS 10, number: SYNUS2_0-24936597, year of construction: 2010, 230 V, 50 Hz, 400 VA, maximum weight: 2000 gram, minimum weight: 10 gram, e= 0.5 gram, d= 0.5 gram, T= -2000 gram, Sartorius weighting cell, type weighing cell: WZGP-2-S, plastic belts, belt width: (3x) 300 mm, total dimensions: 1450 mm x 740 mm x 1850 mm.	400
481	NN shrink packaging machine	Mobile shrink packaging machine, model: EKH-455, serial number: 0709022B, 220 V, 1 Ph, 50 Hz, film width: 455 mm, seal length: 570 mm x 510 mm, total dimensions: 1320 mm x 1050 mm x 1200 mm.	2000
482	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 30 mm, distance between dividers: 656 mm, elevating height: 2550 mm, total dimensions: 2850 mm x 900 mm x 2600 mm.	1000
483	Altotek	Altotek case erecting and filling machine with FlexPicker, machine number: 754867, year of construction: 31/01-2003, 400 V, 3 Ph, 50 Hz, 35 A, Nordson glue unit, minimum box sizes: 175 mm x 115 mm x 100 mm, maximum box sizes: 350 mm x 250 mm x 250 mm, s/s chain conveyor with dividers, belt width: 200 mm, distance between dividers: 350 mm, divider height: 50 mm, plastic belts, belt width: 130 mm, total dimensions: 4500 mm x 2000 mm x 2600 mm. With ABB control panel and cabinet for robot, type: IRB340 M2000, serial number: 34-20212, year of construction: 19-08-2002, dimensions: 900 mm x 550 mm x 1100 mm.	2000
484	Ilapak	Ilapak vertical bag form-, fill- and seal machine, type: VT 2000 GF S, serial number: 0740712021, year of construction: 11-2012, 400 V, 50 Hz, 500 W, diameter pipe: 180 mm, vertical seal length: 640 mm, horizontal seal length: 450 mm, total dimensions: 2300 mm x 1900 mm x 2500 mm.	7500
485	AFO Heat	AFO Heat grill, type: AFOGRILL, serial number: F 022, year of construction: 2006, 400 V, 3 Ph, (2x) 72 kW, weight: 950 kg, s/s mesh belt, belt width: 630 mm,	5000



Nr	Title	Description	Start €
		clearance: 700 mm x 220 mm, total dimensions: 2350 mm x 1800 mm x 2210 mm.	
486	Ishida	Ishida 10-heads multihead weigher on Abracat s/s platform, platform height: 1320 mm, total dimensions: 3170 mm x 2370 mm x 2500 mm. With rack for weighing heads, dimensions: 2400 mm x 1750 mm x 650 mm.	2000
487	Pujolàs	Pujolàs automatic filling and clipping machine, consisting of: Pujolàs automatic filling and clipping machine, model filling machine: LAPEG 700/15N, serial number: 051257, year of construction: 2012, 400 V, diameter filling pipe: 100 mm, plastic belt, belt width: 160 mm, including Poly-Clip Systems double clipper, type: PDC M 700, number: 011/12, 4-6 bar, total dimensions: 7500 mm x 3100 mm x 2320 mm and 2 s/s trolleys with parts, dimensions: 1430 mm x 750 mm x 900 mm and 900 mm x 800 mm x 1400 mm and Pujolàs automatic netting machine, model: PMT 360, serial number: 051222, year of construction: 2012, 220 V, weight: 270 kg, dimensions: 1160 mm x 1210 mm x 2380 mm.	15000
488	NN sorting belt	Sorting belt, s/s frame, plastic belt, belt width: 420 mm, 4 rejecters, total dimensions: 9500 mm x 1000 mm x 1150 mm.	400
490	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: AU 200 B, machine number: S9-20200-1257-17, year of construction: 2017, 400 V, 50 Hz, 107 A, 57 kW, weight: 1900 kg, diameter plate: 200 mm, total dimensions: 2700 mm x 2130 mm x 1790 mm.	30000
491	Charmilles Technologies	Charmilles Technologies die-sinking machine, type: FORM 20, number: 100464, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 4.6 A, dimensions: 1000 mm x 1200 mm x 2100 mm, 400 mm x 340 mm x 1350 mm.	2000
492	Marco	Marco weighing scale, model: Touchscreen DataMaster, serial number: 08131092, 100-240 V, dimensions scale: 600 mm x 500 mm, 300 mm x 300 mm, total dimensions: 1100 mm x 900 mm x 1600 mm. Including Intermec label printer and Datalogic hand scanner.	200
493	Domino	Domino rotating laser printer, model: D-Series plus, 380/400 VAC, 3 Ph, 50 Hz, 16 A, dimensions: 1300 mm x 500 mm x 2000 mm.	2500
494	Zomerdam Produktidentificatie B.V.	Zomerdam Produktidentificatie B.V. checkweigher and metal detector with rejector, type checkweigher: DCW-1, fabrication number: 3480201, year of construction: 2016, 230 V, 50 Hz, weighing range: 40g-3kg, temperature range: 5°C-40°C, plastic belt, belt width: 200 mm, type metal detector: MN 7.0 CI 250/150, serial number: 1092-CI, year of construction: 2016, clearance: 250 mm x 105 mm, total dimensions: 3000 mm x 1030 mm x 1500 mm.	2000



Nr	Title	Description	Start €
495	NN transport belt	Transport belt, plastic belt, belt width: 170 mm, total dimensions: 3500 mm x 700 mm x 1100 mm.	500
496	Vemag	Vemag mobile linking machine, model: LPG208 Servo, number: 2080626, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 7 A, 4.5 kW, 517 kg, dimensions: 1500 mm x 850 mm x 1270 mm. Incomplete, without pipes and belts.	7500
497	MB Engineering	MB Engineering flue gas suction device, type: R300, dimensions: 1500 mm x 900 mm x 2500 mm.	750
498	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD weigh-, wrap and label system, model: AW-5600FX, serial number: 17052429, year of construction: 2017, 220-240 V, 1 Ph, 50/60 Hz, 1.8 kW, film width: 400 mm, maximum weight: 3/6 kg, minimum weight: 20 gram, e= 1/2 gram, T= -2999 gram, weight: 250 kg, total dimensions: 800 mm x 1000 mm x 1450 mm.	4800
499	Henkovac	Henkovac mobile vacuum machine, type: E-202, number: 209068963, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 9.4 A, 3.3 kW, seal length: (2x) 560 mm, dimensions chamber: 510 mm x 530 mm, Busch vacuum pump, total dimensions: 740 mm x 700 mm x 1100 mm.	950
500	Fri-Jado	Fri-Jado mobile rotisserie grill, type: TG 330 E, serial number: 100001777, year of construction: 1998, dimensions: 960 mm x 800 mm x 2060 mm. Including extra baskets.	350
501	Jungheinrich	Jungheinrich electrical pallet lifter, type: EJE 116, serial number: 98189902, year of construction: 2017, capacity: 1600 kg, fork length: 1150 mm, total dimensions: 1800 mm x 740 mm x 1300 mm. Including Energic Plus battery charger.	750
502	Kilia	Kilia bowl cutter, type: 61 1 Ex 3000R, machine number: 29312712, s/s bowl, volume: 65 liter, dimensions: 1300 mm x 1100 mm x 1100 mm.	3000
503	Euro-Grill / Fri-Jado	Euro-Grill / Fri-Jado mobile rotisserie grill, model: TG 330-E, number: 100001777, year of construction: 1998, 400/230 V, 50 Hz, 14.5 A, 9500 W, dimensions: 1000 mm x 800 mm x 2000 mm.	350
504	BT	BT electrical pallet lifter, model: LWE130, number: 6005786, year of construction: 2007, capacity: 1300 kg, fork length: 1150 mm, total dimensions: 1600 mm x 700 mm x 1350 mm.	950
505	NN table	S/s table, dimensions: 1200 mm x 600 mm x 900 mm.	50
506	PR Industrial S.r.l.	PR Industrial S.r.l. pallet lifter, type: HAND PALLET TRUCK, model: GS EVO QL 25S4 RA 1150x525, serial number: HLI0770252, year of construction: 2500 kg, weight: 63, maximum capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1600 mm x 500 mm x 1200 mm. Technical condition unknown.	50



Nr	Title	Description	Start €
507	Kolbe	Kolbe bandsaw, model: K44, serial number: 96 0180, year of construction: 1998, 400/230 V, 50 Hz, table dimensions: 900 mm x 840 mm, total dimensions: 1000 mm x 950 mm x 1850 mm. Without saw.	1000
508	Kolbe	Kolbe bandsaw, type: K 440 RS, serial number: 99 0405, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6.8 A, 2.9 kW, weight: 315/325 kg, table dimensions: 900 mm x 840 mm, total dimensions: 1000 mm x 950 mm x 1850 mm.	3000
509	Stork	Stork belt fryer, type: TBM 630/5000, serial number: 4T210506, s/s mesh belt, belt width: 630 mm, thermal oil, volume: 1200 liter, total dimensions: 8600 mm x 1700 mm x 2400 mm.	10000
510	Busch	Busch vacuum pump, type: RA 0302 D 5Z3 DIXX, number: C1142000080, year of construction: 2011, capacity: 300 m ³ per hour, dimensions: 1000 mm x 500 mm x 420 mm.	750
511	Gardner Denver	Gardner Denver side channel vacuum pump, number: BN 10315780, dimensions: 700 mm x 500 mm x 600 mm.	200
512	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2JES-07Y-40S, serial number: 1691206382, capacity: 5.2/6.3 m ³ per hour, dimensions: 650 mm x 550 mm x 500 mm.	400
513	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, capacity: 94.1/183 m ³ per hour, dimensions: 800 mm x 500 mm x 500 mm.	100
514	L'unite Hermetique	L'unite Hermetique cooling compressor, type: TAJ451, dimensions: 500 mm x 500 mm x 400 mm.	30
515	Copeland Scroll	Copeland Scroll cooling compressor and condensing unit, model: ZB58KCE-TFD-651, dimensions: 1100 mm x 900 mm x 1000 mm.	250
516	Boge	Boge air compressor, type: SK 46, number: 5022427, year of construction: 2008, 11.0 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	250
517	APV	Filtration installation consisting of APV pre-filter, pump and bacteriophages filter, dimensions: 700 mm x 1400 mm x 1500 mm.	200
518	Busch	Busch vacuum pump, type: RA 0255 D 561 CUXX, number: C0536000151, year of construction: 2005, capacity: 250 m ³ per hour, dimensions: 1200 mm x 750 mm x 850 mm.	250
519	SEW / VEM	Pallet with 2 SEW motors and 1 VEM motor, dimensions pallet: 1200 mm x 800 mm x 400 mm.	300
520	Busch	Busch vacuum pump, type: SV 1016 C 000 IHXX, number: C0730000049, year of construction: 2007, nominal pump speed: 16 m ³ per hour, dimensions: 440 mm x 220 mm x 410 mm.	100
521	Hawe Hydraulik		100



Nr	Title	Description	Start €
		HaWe Hydraulik hydraulic power pack, type: KA 44 L / H 7.2 / 400 / 460 V, 3 Ph, 50 / 60 Hz, dimensions: 540 mm x 230 mm x 240 mm.	
522	Adelmann	2 pallets with large amount of Adelmann ham moulds, inside dimensions each mould: 695 mm x 105 mm x 95 mm, total dimensions: (2x) 1200 mm x 800 mm x 1000 mm.	500
523	Markem-Imaje Industries	Markem-Imaje Industries inkjet printer, model: 9232, serial number: FR14290100, year of construction: 07/2014, 100/240 V, 1 Ph, 50/60 Hz, 0.5/0.3 A, dimensions: 360 mm x 330 mm x 550 mm.	200
524	Busch	Busch vacuum pump, type: MM 1322 AV, number: 04030319, capacity: 320 m ³ per hour, dimensions: 400 mm x 570 mm x 680 mm.	500
525	Busch	Busch vacuum pump, type: MM 1252, AV number: 04058436, capacity: 3250/300 m ³ per hour, dimensions: 400 mm x 570 mm x 680 mm.	500
526	NN bunker	S/s mobile infeed bunker, inside dimensions: 940 mm x 680 mm x 710 mm, total dimensions: 1150 mm x 1060 mm x 1130 mm.	200
527	NN bunker	S/s mobile infeed bunker, inside dimensions: 940 mm x 680 mm x 710 mm, total dimensions: 1150 mm x 1060 mm x 1130 mm.	200
528	NN mesh belt	S/s mesh belt, belt width: 600 mm, total dimensions: 1150 mm x 1060 mm x 1130 mm.	300
529	Üçsan	Üçsan cooling tower, type: Üç- 19+250, serial number: 00.03.15.25, 380 V, 50 Hz, 2.1 A, 0.75 kW, capacity: 71.500 Kcal per hour, water flow rate: 14.3 m ³ per hour, dimensions: 1480 mm x 670 mm x 1750 mm.	500
530	Coeman Packaging	Coeman Packaging mobile box closing machine, model: SM2, serial number: 7617, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, plastic belts, belt width: 75 mm, total dimensions: 1150 mm x 700 mm x 1800 mm.	350
531	VWS Nederland B.V.	VWS Nederland B.V. checkweigher, model: Octopus Ace, serial number: ACE-151029, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, 5 bar, plastic belts, belt width: (2x) 290 mm, total dimensions: 1260 mm x 800 mm x 1700 mm.	750
532	Cintex	Cintex metal detector with rejector, plastic mesh belt, belt width: 100 mm, clearance: 220 mm x 120 mm, total dimensions: 1350 mm x 750 mm x 1650 mm.	500
533	Turbo Systems LTD	Turbo Systems LTD mobile depositor, model: UPG110512, machine number: D100P4602022, year of construction: 2011, dimensions: 1200 mm x 600 mm x 1760 mm.	500
534	Mondomix Howden B.V.	Mondomix Howden B.V. mobile aeration mixer, type: A-05, number: 14443, year of construction: 1995, 220 V,	300



Nr	Title	Description	Start €
		50 Hz, 16 A, 16 bar, weight: 200 kg, dimensions: 1600 mm x 800 mm x 1300 mm.	
535	Ziegra Eismaschinen	Ziegra Eismaschinen ice machine with bunker, serial number bunker: 106029, model ice machine: ZBE 550 EV 20°C, serial number: 190373, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 1.5 A, refrigerant: R449A, dimensions bunker: 830 mm x 1000 mm x 2150 mm, dimensions ice machine: 800 mm x 660 mm x 1520 mm.	1200
536	Ziegra Eismaschinen	Ziegra Eismaschinen ice machine with bunker, serial number bunker: 174551, model ice machine: ZBE 550 EV 20°C, serial number: 190314, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 1.5 A, refrigerant: R404A, dimensions bunker: 850 mm x 1200 mm x 1900 mm, dimensions ice machine: 950 mm x 500 mm x 850 mm. Incomplete.	750
537	Ziegra Eismaschinen	Ziegra Eismaschinen ice machine with bunker, serial number bunker: 175051/186087, model ice machine: ZBE 550 EV, serial number: 072447, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions bunker: 850 mm x 1250 mm x 2500, dimensions ice machine: 950 mm x 500 mm x 850 mm.	1000
538	Ziegra Eismaschinen	Ziegra Eismaschinen ice machine with bunker, serial number bunker: 223975/223976, model ice machine: ZBE 550 EV, serial number: 151286, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R404A, dimensions bunker: 850 mm x 1250 mm x 2500, dimensions ice machine: 950 mm x 500 mm x 850 mm.	1300
539	Tippertie Technopack GmbH	Tippertie Technopack GmbH mobile clipper, model: KDCT, number: 1306.097, dimensions: 1300 mm x 660 mm x 1800 mm.	500
540	Townsend	Townsend mobile skinning and derinding machine, model: 900, serial number: 600, 380 V, 3 Ph, 50 Hz, 2.5 A, plastic belt, belt width: 400 mm, working width: 400 mm, total dimensions: 2150 mm x 850 mm 1300 mm.	500
541	NN sink	S/s sink, dimensions: 400 mm x 340 mm x 560 mm.	40
542	Slijp Machinefabriek	Slijp Machinefabriek grinder, model: Tip-Top 49/63, number: 126, dimensions: 700 mm x 300 mm x 530 mm.	80
543	Hobart	Hobart dishwasher, model UX30CH-9J, serial number: 86300435, year of construction: 2004, clearance: 710 mm x 550 mm, total dimensions: 870 mm x 900 mm x 1700 mm.	300
544	Diamond	Diamond refrigerated display with Rivacold cooling compressor, model: MN12B-B5/R2, serial number: 55777, year of construction: 04/09/20, 230 V, 50 Hz, 901 W, refrigerant: R290, 0.13 kg, dimensions: 1200 mm x 760 mm x 1350 mm.	250
545	Fri-Jado	Fri-Jado heated display, model: Classic Deck low, number: 100045031, 400/230 V, 3 Ph, 50 Hz, 9.6 A, dimensions: 1200 mm x 800 mm x 1550 mm.	200



Nr	Title	Description	Start €
546	Diamond	Diamond refrigerated display with Rivacold cooling compressor, model: MN12B-B5/R2, serial number: 55778, year of construction: 04/09/20, 230 V, 50 Hz, 901 W, refrigerant: R290, 0.13 kg, dimensions: 1200 mm x 760 mm x 1350 mm.	250
547	Siat	Siat mobile box closing machine, model: SK2, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 1.4 A, 260 W, plastic belts, belt width: (2x) 75 mm, total dimensions: 1300 mm x 750 mm x 1700 mm.	300
548	Baader	Baader mobile piston filler, type: 702, machine number: 16 702 315, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 3.7 A, 1.5 kW, dimensions: 950 mm x 600 mm x 1230 mm.	1000
570	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, dimensions flowmeter: 350 mm x 250 mm x 200 mm, dimensions: 250 mm x 220 mm x 200 mm.	80
571	Bizerba	Bizerba slicer, dimensions: 540 mm x 570 mm x 440 mm.	160
572	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2FC-3.2Y-40S, serial number: 1270802615, capacity: 3.5/11.5 m ³ per hour, dimensions: 650 mm x 550 mm x 500 mm.	95
573	Schröter	Schröter s/s switch cabinet, dimensions: 1000 mm x 600 mm x 400 mm.	290
574	NN outfeed gutter	Outfeed gutter with control panel, dimensions: 510 mm x 400 mm x 160 mm.	10
575	HN	HN foot control unit, dimensions: 200 mm x 260 mm x 350 mm.	10
576	Interroll	Pallet with 6 Interroll drum motors, roller width: 600 mm, 500 mm and 450 mm, total dimensions: 1200 mm x 800 mm x 270 mm.	300
577	NN tubs	2 s/s tubs, dimensions: 300 mm x 860 mm x 400 mm, 300 mm x 600 mm x 400 mm.	50
578	DWM Copeland	DWM Copeland cooling compressor, model: DKLP-15X-FWL, number: 2138938, year of construction: 2004, 220/240 V, 3 Ph, 50 Hz, 05.9 A, dimensions: 700 mm x 650 mm x 440 mm.	75
579	NN Cooling compressor	Cooling compressor, dimensions: 700 mm x 700 mm x 750 mm.	40
580	Samson / Endress Hauser	Samson valve with Endress + Hauser flowmeter, total dimensions: 670 mm x 400 mm x 630 mm.	150
581	ProMinent	ProMinent dosing pump, total dimensions: 700 mm x 570 mm x 110 mm.	30
582	ProMinent	ProMinent dosing pump, total dimensions: 700 mm x 570 mm x 110 mm.	30
583	Eaton	Eaton uninterruptible power supply, model: 5P850i, serial number: G111G04044, 200-240 V, 50/60 Hz, dimensions: 350 mm x 150 mm x 230 mm.	20



Nr	Title	Description	Start €
584	GEA Tuchenhagen	GEA Tuchenhagen valve, type: 7880-0102-0100-0000+TM15P2BAM/52, serial number: 1341617/0020, dimensions: 800 mm x 220 mm x 500 mm.	40
585	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG H, serial number: JB20BA19000, DN100, dimensions: 250 mm x 150 mm x 170 mm.	80
586	Endress+Hauser	Endress + Hauser flowmeter, type: Promag, dimensions: 650 mm x 400 mm x 300 mm.	80
587	Endress+Hauser	Endress + Hauser flowmeter, type: Promag P, dimensions: 650 mm x 400 mm x 300 mm.	80
588	Rietschle	Rietschle vacuum pump, type: DTA 100/1(01), year of construction: 2007, serial number: 2553547, capacity: 100 m ³ per hour, dimensions: 950 mm x 450 mm x 600 mm.	300
589	Endress+Hauser	Endress+Hauser flowmeter, type: PROMAG P, serial number: C916DF19000, 40 bar, DN40 DIN / EN PN40, dimensions: 450 mm x 350 mm x 220 mm.	80
590	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, compressor type: 2EC-3.2Y-40S, serial number: 1680402324, capacity: 11.4/13.7 m ³ per hour, dimensions: 700 mm x 980 mm x 920 mm.	350
591	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KES-05Y-40S, capacity: 4.1/4.9 m ³ per hour, dimensions: 850 mm x 850 mm x 600 mm.	350
592	SPX	SPX liquid filter, type: S2-EL-200F-V, serial number: 100000 3318502, year of construction: 2018, dimensions: 300 mm x 400 mm x 1000 mm.	150
593	Alfa Laval	Alfa Laval heat exchanger, type: M6-MDFG, serial number: 30107-27024, year of construction: 2010, volume: 6.4 / 6.0 liter, dimensions: 970 mm x 860 mm x 370 mm.	300
594	Pfeiffer Vacuum	3 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, serial number: 21577376, year of construction: 2010, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	90
595	Pfeiffer Vacuum	2 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, year of construction: 2005/2006, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	60
596	Pfeiffer Vacuum	Pfeiffer Vacuum pump, model: DUO 2.5, serial number: 22061178, year of construction: 2018, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	30
597	Kromer	Crate with 4 Kromer balancers.	50
598	Pfeiffer Vacuum	5 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, year of construction: 2018/2013/2006, capacity: 2.9 m ³	100



Nr	Title	Description	Start €
		per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	
599	NN locker	Steel locker, dimensions: 360 mm x 480 mm x 1820 mm.	5
600	Alexanderwerk	Alexanderwerk piston filler, type: ACN 30, 220/380 V, 50 Hz, 2.2 kW, volume: 30 liter, dimensions: 650 mm x 750 mm x 1530 mm.	1000
601	NN boxes for parts	Pallet with approximately 520 plastic boxes for parts, dimensions each box: 400 mm x 90 mm x 80 mm.	75
602	Wichelmann Metallbau	Wichelmann Metallbau elevating belt, plastic belt, belt width: 400 mm, elevating height: 1450 mm, total dimensions: 1750 mm x 620 mm x 1600 mm.	500
603	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6F.2, fabrication number: 449 513, capacity: 94.1/183 m ³ per hour, dimensions: 850 mm x 800 mm x 1200 mm.	500
604	Formax	Formax shuttle conveyor, model: STS, serial number: 2, year of construction: 2001, 220 V, 50 Hz, 2.6 kVA, s/s belt, belt width: 740 mm, clearance: 740 mm x 50 mm, total dimensions: 3150 mm x 1100 mm x 1520 mm.	1500
605	CFS	CFS mobile mesh belt, type: TRC 1000/400, machine number: 1872, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 0.72 A, 0.18 kW, 85 kg, s/s frame, s/s mesh belt, belt width: 400 mm, total dimensions: 1100 mm x 600 mm x 1050 mm.	200
606	Cyklop	Cyklop mobile semi automatic strapping machine, model: M-PAC IV, machine number: 5007931 / 705, 230 V, 1 Ph, 50/60 Hz, 0.25 kVa, dimensions: 780 mm x 540 mm x 900 mm.	100
607	Bock	Bock cooling compressor, type: SAM6/153/4L, dimensions: 900 mm x 800 mm x 700 mm.	50
608	Bock	Bock cooling compressor, type: SAM6/153/4L, dimensions: 900 mm x 800 mm x 700 mm.	50
609	M.A.M	M.A.M centrifugal pump, type: AK-WF 100-160 VA, 400 V, 3 Ph, 50 Hz, 4 kW, capacity: 54-154 m ³ per hour, dimensions: 2200 mm x 700 mm x 1400 mm.	400
610	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH weighing and labelling machine with top labeller, type: PAS 3012, serial number: 170403, year of construction: 2005, 115 V, 50/60 Hz, maximum weight: 7500 gram, plastic belt, belt width: 280 mm, 290 mm and 300 mm, total dimensions: 1560 mm x 850 mm x 1660 mm.	1000
611	Wichelmann Metallbau	Wichelmann Metallbau strip cutter, type: Säge A1, machine number: 3132, year of construction: 2008, plastic belt, belt width: 250 mm, total dimensions: 2800 mm x 1200 mm x 1700 mm.	1500
612	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, plastic belt, belt width: 160 mm, clearance: 250 mm x 85 mm, total dimensions: 2100 mm x 1000 mm x 1450 mm.	500



Nr	Title	Description	Start €
613	Busch	Busch vacuum pump, type: RA 0400 B 461 DUBI, number: C0049000307, year of construction: 2000, capacity: 400 m ³ per hour, dimensions: 1300 mm x 800 mm x 980 mm.	400
614	Frascold	Frascold cooling compressor, type: Z40 154 Y, number: 3A000039, capacity: 154.38/185.26 m ³ per hour, dimensions: 700 mm x 2100 mm x 1000 mm.	500
615	Brown Boveri	Brown Boveri electro motor, dimensions: 1250 mm x 850 mm x 650 mm.	300
616	Slingerland Techniek	Slingerland Techniek blower, model: Seat35/PP/LG/IEC112, 400 V, 3 Ph, 50 Hz, 2.2 kW, dimensions: 1840 mm x 740 mm x 1000 mm.	50
617	VentApp	VentApp blower, type: E 200/31-50, serial number: 51046/6-99, year of construction: 1999, capacity: 2000 m ³ per hour, dimensions: 700 mm x 450 mm x 580 mm.	10
618	MIC S.A.	MIC S.A. electric pallet lifter, type: EMC 10G-117-156E, serial number: 97001430, year of construction: 2000, capacity: 1000 kg, fork length: 1170 mm, total dimensions: 1950 mm x 800 mm x 1850 mm. Including ENERGIC Plus battery charger.	600
619	Mettler Toledo	Mettler Toledo X-ray scanner with rejector, model: ADV, serial number: 4606ADV673, year of construction: 11-2006, 230 V, 50 Hz, 10 A, 2.2 kW, plastic belt, belt width: 330 mm, clearance: 360 mm x 195 mm, total dimensions: 2000 mm x 1150 mm x 1600 mm.	1500
620	Handtmann	Handtmann mobile vacuum filling machine, type: VF300, number: 2804, year of construction: 1997, 400 V, 50 Hz, 21.8 A, 9 kW, dimensions: 1150 mm x 950 mm x 2050 mm. Incomplete.	2500
621	Ascall Sensor S.L.	Ascell Sensor S.L. weighing scale, model: IP300, serial number: 0000035, year of construction: 2007, 230 V, 50/60 Hz, 10 W, maximum weight: 30 kg, minimum weight: 200 gram, e= 10 gram, dimensions scale: 400 mm x 300 mm, total dimensions: 510 mm x 300 mm x 550 mm.	10
622	NIKO	NIKO can washing machine, type: 00506026, number: 40035.99, 400 V, 50 Hz, s/s mesh belt, belt width: 120mm, clearance: 190 mm x 70 mm, total dimensions: 2700 mm x 1100 mm x 1160 mm.	3000
623	NN depositor	Mobile depositor, dimensions: 1500 mm x 650 mm x 1550 mm.	1000
624	Rittal	Rittal s/s switch cabinet, dimensions: 1250 mm x 400 mm x 1200 mm.	100
625	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: SAH 500 L, serial number: I-148633, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.78 A, 2.05 kW, refrigerant: R443 A, capacity: 500 kg per 24 hours, dimensions: 780 mm x 760 mm x 1000 mm.	2000



Nr	Title	Description	Start €
626	Lock	Lock Inspection metal detector with rejector, model: MET30+, serial number: 28413/1, plastic belt, belt width: 320 mm, clearance: 400 mm x 155 mm, total dimensions: 1200 mm x 1250 mm x 1350 mm.	750
627	Lock	Lock Inspection metal detector with rejector, model: MET30+, plastic belt, belt width: 300 mm, clearance: 450 mm x 120 mm, total dimensions: 1200 mm x 1250 mm x 1350 mm.	750
629	Tummers Machinebouw	Tummers Machinebouw sliver remover, number: 352970-011, year of construction: 2015, working width: 1950 mm, total dimensions: 3100 mm x 2050 mm x 1780 mm.	5000
631	Halyester	Halyester electrical switch board, dimensions: 1100 mm x 170 mm x 1000 mm.	400
632	SEW-Eurodrive	10 pcs. SEW-Eurodrive motor, model: K 67 / SA 47 / SA 57 / R 17 / KA 19 / SA 37, total dimensions: 1200 mm x 800 mm x 400 mm.	800
633	SEW-Eurodrive	8 pcs. SEW-Eurodrive motor, model: K 67 / SA 47 / SA 57 / R 17 / KA 19 / SA 37, total dimensions: 1200 mm x 800 mm x 400 mm.	500
634	Mainca	Mainca cutter, type: CR-40, number: 1192, 380 V, 50 Hz, s/s bowl, volume: 40 liter, dimensions: 1220 mm x 900 mm x 700 mm.	2500
635	Cyklop	Cyklop mobile semi automatic strapping machine, model: M-PAC IV 12 mm, machine number: 18000886, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 0.69 kVa, dimensions: 780 mm x 540 mm x 900 mm.	100
636	Wave Cyber	2 Wave Cyber water softening pressure vessels, dimensions: (2x) \varnothing 300 mm x 1440 mm, dimensions plastic tub: \varnothing 520 mm x 1020 mm.	5
637	Alcan	Alcan traysealer, type: DIB, number: 2972, year of construction: 12-91, dye: 205 mm x 145 mm, total dimensions: 380 mm x 350 mm x 230 mm.	30
638	Technotrans	Technotrans circulation pump, model: tt 4-60, year of construction: 2014, dimensions: 450 mm x 150 mm x 200 mm.	90
639	Videojet	Videojet inkjet printer, model: 43S, serial number: ZH061290001, 100/230 V, 1 Ph, 50/60 Hz, 0.8/0.4 A, dimensions: 600 mm x 240 mm x 620 mm.	220
640	NN control panels	4 control panels / electrical components.	45
641	Rivacold	2 Rivacold evaporator, 1 fan, model: RCP 1250607EDR/RM, dimensions: 570 mm x 460 mm x 360 mm.	90
642	NN roof ventilator	3 roof ventilators, diameter: (3x) 680 mm, height: (3x) 500 mm.	150
643	J.E. StorkAir	J.E. StorkAir roof ventilator, model: VDA 450/8 EC+WS, number: 410704032, 230 V, 1 Ph, 50 Hz, 2.10 A, 0.33 kW, diameter ventilator: 900 mm, height ventilator: 630 mm.	20



Nr	Title	Description	Start €
644	National Lab GmbH	National Lab GmbH cooling unit, model: PCGE 21.02-NEA, serial number: 10M-010268, year of construction: 2010, weight: 55 Kg, 230 V, 1 Ph, 50 Hz, 9.6 A, 2100 W, refrigerant: R134a, 0.58 Kg, dimensions: 650 mm x 450 mm x 540 mm.	85
645	Hydrotec International B.V.	Hydrotec International B.V. pump, type: R50HWH1B.Y/7T36, number: 3457B, 3 kW, capacity: 12 m ³ per hour, dimensions: 1000 mm x 400 mm x 1270 mm.	60
646	Agilent Technologies	Agilent Technologies vacuum pump, model: EU 105, serial number: IT1410N004, year of construction: 2014, capacity: 105 m ³ per hour, dimensions: 740 mm x 440 mm x 500 mm.	60
647	NN fan	Fan, diameter fan: 470 mm, total dimensions: 600 mm x 520 mm x 1070 mm.	8
648	NN dye's	Dye's for traysealer, dimensions: (2x) 220 mm x 150 mm and (2x) Ø 230 mm.	110
649	Handtmann	Handtmann coextrusion machine on s/s trolley, type: 150-01, number: 11900653, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.9 A, 0.2 kW, dimensions: 950 mm x 700 mm x 1180 mm. With plastic tub, dimensions: Ø 570 mm x 630 mm.	2000
650	Kern	Kern weighing scale on s/s frame, type: SXS 6K-3M, serial number: WX18060105, 220/240 V, 1 Ph, 50 Hz, maximum capacity: 3/6 kg, minimum capacity: 0.02/0.04 kg, e = 0.001/0.002 kg, dimensions scale: 240 mm x 300 mm, total dimensions: 800 mm x 500 mm x 1750 mm.	75
651	Turbo Systems	Turbo Systems mobile depositor, type: Multi-4, machine number: Mul0605097, year of construction: 2005, diameter filling heads: (4x) 30 mm, total dimensions: 2000 mm x 1400 mm x 2000 mm. Serviced in 2025.	3000
652	ANKO	ANKO mobile depositor, model: FF-2, serial number: PO201200638-2, year of construction: 2012, 380 V, 3 Ph, 50 Hz, 500 W, 1 head, dimensions: 1300 mm x 660 mm x 1870 mm. Incomplete, missing funnel.	500
653	Viscon	Viscon lid applicator, type: Dekselmachine, serial number 67331-430, year of construction: 2007, weight: 270 kg, plastic belt, belt width: 195 mm, lid size: 120 mm x 140 mm / 190 mm x 150 mm, total dimensions: 3800 mm x 1000 mm x 2000 mm.	200
654	NN parts for transport belts	Pallet with various parts for transport belts, dimensions pallet: 1200 mm x 800 mm x 400 mm.	200
655	Soehnle	Weighing scale with Soehnle indicator, serial number: 50153, maximum weight: 150 kg, minimum weight: 2 kg, e = 100 gram, dimensions: 560 mm x 600 mm x 750 mm.	25
656	Cintex LTD	Cintex LTD metal detector with 2 metal detector heads and rejecting belt, type: KHRB30, serial number: 79959, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3 A, plastic	300



Nr	Title	Description	Start €
		mesh belt, belt width: 300 mm, total dimensions: 2720 mm x 880 mm x 1100 mm. Damaged.	
657	Casomatic	2 Casomatic vibrating level forks, length: 1100 mm / 1350 mm.	200
658	SPXFlow	SPXFlow cylinder for scraped surface heat exchanger, dimensions: 2540 mm x 370 mm x 280 mm. Including extra parts.	150
659	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EVM 1001, number: 40696, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.0 A, 0.75 kW, working width: 340 mm, total dimensions: 650 mm x 700 mm x 1000 mm.	500
660	Eillert	Eillert mobile vegetable slicer, type: G3300, serial number: 382-9037, 220 V, 4.2 A, plastic belt, belt width: 250 mm, total dimensions: 4170 mm x 1140 mm x 1900 mm.	500
661	Soehnle	Soehnle weighing scale with table, indicator type: 9142, maximum: 32 kg x 1 gram, dimensions scale: 520 mm x 400 mm, total dimensions: 1220 mm x 770 mm x 1220 mm.	100
662	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: IND 439 40, fabrication number: 14003144, year of construction: 2008, 230 V, 50 Hz, maximum: 20000 gram, minimum: 200 gram, e- 10 gram, plastic belts, belt width: 500 mm, total dimensions: 2300 mm x 1100 mm x 1900 mm.	600
663	NN transport belt	Mobile transport belt, plastic belt, belt width: 500 mm, total dimensions: 1300 mm x 650 mm x 1000 mm.	400
664	Zarges	Zarges mobile aluminium box, dimensions: 800 mm x 1200 mm x 620 mm.	150
665	Stork	Stork mobile 45° curve conveyor, s/s mesh belt, belt width: 600 mm, total dimensions: 1550 mm x 1050 mm x 1600 mm.	650
666	Tipper Tie	Tipper Tie mobile automatic double clipper, model: SAM3E, serial number: T0007097, year of construction: 04/10/1995, dimensions: 2050 mm x 1050 mm x 2050 mm. Including crate with parts.	2000
667	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, serial number: T622A219000, DN 80, Q-maximum: 180 m ³ per hour.	250
668	NN mesh belts	Pallet with various parts for plastic mesh belts, belt widths: 150 mm / 300 mm / 380 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	200
669	Alfa Laval	Alfa Laval heat exchanger, type: M6-FG, serial number: 30108-02428, year of construction: 2011, volume: 3.7 / 4.0 liter, dimensions: 1120 mm x 740 mm x 320 mm.	350
670	Palga	Palga skewering machine, type: NewCombi, serial number: 32001301, year of construction: 2014, 400 V, 50 Hz, 10 A, 10 knives, distance between knives: 15 mm,	2900



Nr	Title	Description	Start €
		number of sticks: 121, dimensions: 1200 mm x 1100 mm x 1650 mm. With frame for spare parts, dimensions: 700 mm x 500 mm x 1050 mm. Missing transport belt.	
671	Quiel	Quiel 2 heads depositor with transport belt, type: KDB 2, machine number: 08435, 230/400 V, 50 Hz, 6 bar, 0,7 kW, bunker dimensions: 560 mm x 360 mm x 550 mm, plastic belt, belt width: 80 mm, total dimensions: 1400 mm x 1000 mm x 2100 mm.	2000
672	Uni	Pallet with various boxes with UNI-plastic chains, dimensions pallet: 1200 mm x 800 mm x 800 mm.	200
673	Elpress / Nawi	Elpress / Nawi hygiene station, type: 05362920, brush length: (2x) 1500 kg, total dimensions: 2100 mm x 1600 mm x 1500 mm.	1250
674	NN washing table	S/s washing table, dimensions: 705 mm x 1500 mm x 910	100
675	Mitsubishi	Mitsubishi outside unit for airconditioning, model: SCM452D-S, serial number: 553402382, 220/230/240 V, 50 Hz, 4.5 kW, weight: 44 kg, refrigerant: R410A, dimensions: 900 mm x 320 mm x 650 mm.	100
676	Air Liquide	Air Liquide nitrogen freezing tunnel, type: ZIP-FREEZE, serial number: 712, 300 V, 111 kW, belt width: 650 mm, clearance: 670 mm x 360 mm, total dimensions: 6750 mm x 1200 mm x 1450 mm.	500
677	Foss	Foss mobile analyser, model: MeatMaster, type: 78010, serial number: 2309200501, 370-420 V, 3 Ph, 50-60 Hz, 2000 VA, plastic belt, belt width: 650 mm, total dimensions: 5350 mm x 1150 mm x 2700 mm. Screen damaged.	1500
678	Toshiba	Toshiba outside unit for air conditioning, model: RAV-182A-PE, serial number: 64580193, 220/240 V, 50 Hz, 2200 W, weight: 58 kg, dimensions: 930 mm x 320 mm x 750 mm.	100
679	Fords Duckworth	Fords Duckworth pocket filling and sealing machine, model: 1002, serial number: 574, 240 V, 3 Ph, 50 Hz, 1.1 kW, dimensions dye: 90 mm x 40 mm, total dimensions: 1150 mm x 900 mm x 1750 mm.	1000
680	NN switch cabinets	Pallet with 7 various switch cabinets, dimensions: 1200 mm x 800 mm x 1000 mm.	600
681	NN mesh belts	Pallet with various parts for plastic mesh belts, belt widths: 360 mm / 450 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	300
682	Grunwald GmbH	Grunwald GmbH cup filling and closing machine, type: HITPAC AKH-019SE/1, number: 23/11, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 22 A, 14 kW, diameter cups: 100 mm, total dimensions: 5000 mm x 2100 mm x 2800 mm. Including pallet with parts.	2000
683	Frascold S.P.A.	Frascold S.P.A. cooling compressor, type: Z 40 126 Y, number: 3E000261, 50/60 Hz, 3 Ph, capacity: 125.72 /	750



Nr	Title	Description	Start €
		150.86 m ³ per hour, total dimensions: 830 mm x 480 mm x 810 mm.	
684	Altech s.r.l.	Altech s.r.l. labelling machine with turning table, serial number: 2207040028071, 400 V, 3 Ph, 50/60 Hz, 5 A, 2000 W, plastic belts, belt width: (2x) 55 mm, (1x) 115 mm, total dimensions: 2850 mm x 1150 mm x 1900 mm. With s/s turning table, diameter: 800 mm, total dimensions: 1050 mm x 900 mm x 930 mm.	8000
685	Soehnle	Soehnle weighing scale, dimensions scale: 520 mm x 440 mm, total dimensions: 770 mm x 630 mm x 1220 mm.	100
686	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: RCA, number: 136, year of construction: 2002, 5-7 bar, diameter pipe: 60 mm, total dimensions: 860 mm x 1060 mm x 1930 mm.	1250
687	Reflex Winkelmann GmbH	Reflex Winkelmann GmbH control unit, type: GSM 150, number: 202 153 0000, year of construction: 2008, 400 V, 50 Hz, 3.1 A, 1.1 kW, dimensions: 410 mm x 390 mm x 610 mm.	100
688	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG double table model clipper, type: DCD 600, number: 333, year of construction: 2012, dimensions: 560 mm x 360 mm x 1030 mm.	1250
689	TipperTie Technopack	TipperTie Technopack clipper, type: TCV 607 VA, number: 2681.090.38, air pressure: 5 bar, dimensions: 450 mm x 370 mm x 920 mm. Including pallet with large amount of boxes with clips, type: 603 T, 1400 clips per box, dimensions pallet: 1200 mm x 800 mm x 710 mm.	750
690	Ariana Technology LTD	Ariana Technology LTD packaging machine, serial number: 3481-3481, year of construction: 2004, plastic belts, belt width: (2x) 250 mm, (1x) 570 mm, 16 heads, head diameter: \varnothing 120 mm, total dimensions: 3400 mm x 1040 mm x 1800 mm.	400
691	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: C 2351, fabrication number: 1456891930010, year of construction: 2023, 230 V, 1 Ph, 50-60 Hz, 4.3 A, temperature range: 0-40 °C, weighing range: 0-15 kg, plastic belt, belt width: 450 mm, total dimensions: 850 mm x 700 mm x 1700 mm. Screen broken, already dismantled.	750
692	Holvrieka	Holvrieka s/s tank, fabrication number: 041.014, year of construction: 2004, weight: 130 kg, volume: 500 liter, dimensions: 900 mm x 900 mm x 2100 mm.	750
693	Pisces	Pisces fish filleting machine, model: FR 200, working width: 45 mm, total dimensions: 1750 mm x 950 mm x 1650 mm.	3000
694	ROSOMA GmbH	ROSOMA GmbH washing machine, dimensions: 1500 mm x 700 mm x 2250 mm.	900
695	Reepack		1500



Nr	Title	Description	Start €
		Reepack traysealer, model: Reeflex, serial number: 0402025, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 21 A, s/s chain and pin conveyor, belt width: 360 mm, distance between dividers: 440 mm, divider height: 20 mm, 2 lanes, lane width: 140 mm, film width: 400 mm, dimensions dyes: (2x) 220 mm x 140 mm, plastic outfeed belt, belt width: 420 mm, total dimensions: 3550 mm x 900 mm x 1750 mm. With additional dye, dimensions dye: (2x) 220 mm x 140 mm, and Busch vacuum pump, type: RA 0100 E 503, number: 03018852, capacity: 100 m ³ per hour.	
699	Rademaker	Rademaker mobile depositor, type: DEPOSITOR, serial number: 7138-709, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2 A, weight: 395 kg, dimensions: 1050 mm x 1500 mm x 1970 mm.	400
700	Meiko	Meiko dishwasher, model: EcoStar 545 D, clearance: 500 mm x 500 mm, total dimensions: 850 mm x 700 mm x 1640 mm.	300
701	Wolfking Belam B.V.	Wolfking Belam B.V. mobile steaker with mobile infeed belt, infeed belt, 400 V, 50 Hz, plastic belt, belt width: 410 mm, steaker type: IT-4 S, machine number: 9801-953.0032, year of construction: 1998, 400 V, 50 Hz, 6 A, working width: 440 mm, total dimensions: 3650 mm x 1400 mm x 1370 mm.	1500
702	Capsulcn	Capsulcn fully automatic capsule filling machine, model: NJP-400C, serial number: 93695, year of construction: 06/2021, 380 V, 3 Ph, 50 Hz, 3.7 kW, dimensions: 850 mm x 750 mm x 1930 mm. Including extraction unit for dust, dimensions: 750 mm x 450 mm x 1150 mm.	6000
703	Marel	Marel mobile portioning machine, type: Portio 4003 S, serial number: 080S-0020, year of construction: 2004, 400/220 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, 0.5 kW, weight: 500 kg, pressure: 6 / 9 bar, dye: (2x) 90 mm x 90 mm, plastic mesh outfeed belt, belt width: 250 mm, total dimensions: 2600 mm x 740 mm x 2550 mm. Including pallet with parts.	500
704	Crimex Compressor	Crimex Compressor mobile air compressor, type: CMV 460, fabric number: 1368 85, year of construction: 1985, stroke volume in liter per minute: 460, max pressure: 10 bar, dimensions: 1300 mm x 500 mm x 1130 mm.	200
705	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 524, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1300 mm x 720 mm x 1280 mm.	490
706	Rademaker	Rademaker mobile 2 head depositor, type: DEPOSITOR, serial number: 6320-709, year of construction: 2003, weight: 260 kg, outfeed diameter: 25 mm, total dimensions: 920 mm x 1400 mm x 2100 mm.	300



Nr	Title	Description	Start €
707	Sepamatic	Sepamatic separator, type: SEPA 1200, machine number: 195559, 400 V, 50 Hz, 6 kW, diameter drum: 300 mm, diameter perforations: 2 mm, total dimensions: 1300 mm x 1170 mm x 1800 mm.	5000
708	Tramatic	Tramatic electric pallet lifter, fork length: 1200 mm, lifting height: 1400 mm, total dimensions: 1650 mm x 900 mm x 2000 mm. Including De Drie B.V. battery charger, 220 V, 12 DC and VARTA battery.	650
709	Adelphi Manufacturing Ltd	Adelphi Manufacturing Ltd mobile depositor, model: ADELPHI RESPONSE, serial number: R3-0181, year of construction: 2008, dimensions: 1050 mm x 940 mm x 2470 mm.	750
710	NN flattener	Mobile flattener, plastic belts, belt width: 250 mm, total dimensions: 1800 mm x 650 mm x 1910 mm.	400
711	Kolbe	Kolbe mobile bandsaw, dimensions table: 880 mm x 780 mm, total dimensions: 880 mm x 950 mm x 1880 mm. Incomplete.	750
712	Sealpac	Sealpac traysealer, type: Sealpac MINI, serial number: TVG0218001, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 160 kg, dye: (2x) 210 mm x 155 mm, film width: 305 mm, total dimensions: 1000 mm x 980 mm x 1550 mm. Without vacuum pump.	80
713	O.G. Hoyer A/S	O.G. Hoyer A/S tray filling line, consisting of: Tray denester, plastic belts, belt width: (6x) 30 mm, 3 lanes, lane width: (3x) 150 mm, clearance: (3x) 145 mm x 145 mm, total dimensions: 1940 mm x 770 mm x 1830 mm. O.G. Hoyer A/S tray filler, type: CC2, number: 2502-1903, year of construction: 07-1987, 380 V, 3 Ph, 50 Hz, 10 kW, dimensions dye: (3x) 145 mm x 145 mm, total dimensions: 5550 mm x 1360 mm x 2600 mm. Transport belt, s/s frame, belt width: 140 mm, total dimensions: 4000 mm x 500 mm x 1050 mm. Curve conveyor, s/s frame, belt width: 140 mm, total dimensions: 2250 mm x 1700 mm x 1300 mm. 3 s/s trolleys with parts and dye's, dimensions dye: (3x) 180 mm x 120 mm, total dimensions: 1930 mm x 1000 mm x 1200 mm, 1000 mm x 760 mm x 1120 mm and 1350 mm x 730 mm x 1960 mm. 2 pallets with plastic belts, belt width: 140 mm, total dimensions: 1200 mm x 800 mm x 520 mm and 1200 mm x 800 mm x 380 mm.	2500
714	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1268, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	400
715	Holvrieka	Holvrieka s/s tank, fabrication number: 041.013, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	750
716	Apple		400



Nr	Title	Description	Start €
		Apple mobile mixing and dosing machine, model: MR 900, serial number: 1270 11, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	
717	Memmert	Memmert heating and drying oven, type: ULE 400, fabrication number: g402.0684, 230 V, 50/60 Hz, 6.1 A, 1400 W, dimensions: 550 mm x 550 mm x 670 mm.	150
718	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	800
719	NN suction device for rest film	Suction device for rest film, dimensions: 930 mm x 850 mm x 1400 mm.	100
720	Rühle GmbH	Rühle GmbH mobile dicer, model: SR1, dimensions chamber: 100 mm x 100 mm, total dimensions: 1000 mm x 680 mm x 1100 mm.	1500
721	Marel TVM	Marel TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 08010-00305, year of construction: 2002, weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 2350 mm x 760 mm x 2150 mm.	100
722	HPSL	HPSL weighing scale with label printer on s/s frame, serial number scale: HS108814, year of construction: 2011, 230 V, 50 Hz, maximum capacity: 3 kg, minimum capacity: 0.02 kg, e= 0.001 kg, T= -1.000 kg, scale dimensions: 275 mm x 225 mm, total dimensions: 860 mm x 520 mm x 1575 mm.	150
723	Bizerba	Bizerba labeller with suction unit, 4 cassettes with labels, type: LDI 20, number: 16/3025, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including suction unit, dimensions suction unit: 1150 mm x 620 mm x 1100 mm. Including 4 extra cassettes.	1500
724	Helios / Xu-Yuan	Helios / Xu-Yuan packaging, labelling, shrinking and cooling line for pots, consisting of: Helios packaging and labelling machine, model: XYL-250S, serial number: HSA-250S-026, 380 V, 3 Ph, 0.75 kW, maximum belt width: 90 mm, clearance: 130 mm x 480 mm, dimensions: 3650 mm x 1050 mm x 2250 mm. Xu-Yuan steam shrinking tunnel, model: ST-2280, number: 1201167, 380 V, 3 Ph, clearance: 200 mm x 480 mm, total dimensions: 2800 mm x 500 mm x 1150 mm. Pneumatic cooling machine for pots, clearance: dimensions: 1500 mm x 1000 mm x 2000 mm. Including transport belts with uprights, pallet with blower and pallet extra parts.	500
725			150



Nr	Title	Description	Start €
	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, s/s rollers, roller width: 300 mm, camber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	
726	Transvac / Swissvac	Transvac / Swissvac belt vacuum machine, type: SYSTEMATIC, serial number: 2991, year of construction: 1987, 3x 400 V, 50 Hz, plastic belts, belt width: 535 mm / 410 mm, total dimensions: 3350 mm x 1180 mm x 1950 mm.	450
727	Laska Maschinenfabrik	Laska Maschinenfabrik grinder, type: WW 200 G, serial number: U4507, 220 V, 50 Hz, 45 kW, plate diameter: 200 mm, total dimensions: 1630 mm x 1550 mm x 1670 mm. Dimensions switch cabinet: 1000 mm x 800 mm x 320 mm.	2500
728	Cryovac	Cryovac belt vacuum machine, model: VS 90, serial number: A03301308, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 20 A, 7 kW, 6/4 bar, plastic belt, belt width: 660 mm, plastic rollers, roller width: 660 mm, total dimensions: 3200 mm x 1300 mm x 1940 mm. Without vacuum pump.	5000
729	Cryovac	Cryovac shrink tunnel, model: ST77SRH, serial number: A51600128, year of construction: 1997, 380/415 V, 50 Hz, 16 A, 4 kW, 6 bar, clearance: 800 mm x 240 mm, s/s rollers, roller width: 735 mm, total dimensions: 1450 mm x 1300 mm x 1900 mm.	1750
730	Colimatic	Colimatic thermoformer, model: THERA 250, type: F420/400, serial number: 3171, year of construction: 11/2011, 400 V, 3 Ph, 50 Hz, 16 A, 9 kW, weight: 1200 kg, dye: (3x) Ø 110 mm, plastic outfeed belt, belt width: 365 mm, Busch vacuum pump, type: RA 0063 F 5K3, capacity: 63 m ³ per hour, total dimensions: 3400 mm x 1050 mm x 1900 mm.	5000
731	Metaflex	Metaflex sliding door, type: MF-7, serial number: PPO-065284/001, year of construction: 2021, dimensions: 3750 mm x 300 mm x 2700 mm.	500
732	ABB	Steel frame with ABB robot, type: IRB 260 M2004, serial number: 26-63214, year of construction: 2011-10-31, weight: 1340 kg, Busch vacuum pump, type: SV 1040 D 000 INXX, capacity: 48 m ³ per hour, total dimensions: 3000 mm x 2200 mm x 2570 mm.	1000
733	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	1000
734	Mauting	Mauting cooking and roasting chamber for 1 trolley, type: VPKM 2001 G-LL, serial number: 1138/05, year of	2500



Nr	Title	Description	Start €
		construction: 2005, 400 V, 3 Ph, 9.5 A, 3.5 kW, weight: 1000 kg, Wieshaupt burner, type: WG10N/1A Z-LN, gas heated, dimensions: 1570 mm x 1200 mm x 3540 mm. Including s/s switch cabinet, dimensions: 500 mm x 400 mm x 1570 mm.	
735	Mauting	Mauting cooking and roasting chamber for 1 trolley, type: VPKM 2001 G-LL, serial number: 1139/05, year of construction: 2005, 400 V, 3 Ph, 9.5 A, 3.5 kW, weight: 1000 kg, Wieshaupt burner, type: WG10N/1A Z-LN, gas heated, dimensions: 1570 mm x 1200 mm x 3540 mm. Including s/s switch cabinet, dimensions: 500 mm x 400 mm x 1570 mm.	2500
736	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 720 mm.	150
737	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
738	Newsome	Newsome air handling unit, serial number: C3004, year of construction: 06/2021, 415 V, 3 Ph, 50 Hz, 3.80 A, 3.0/1.79 kW, 4018 rpm, dimensions: 1500 mm x 1200 mm x 2400 mm.	400
739	Newsome	Newsome extraction unit, serial number: C3004, year of construction: 06/2021, dimensions: 1400 mm x 1250 mm x 2400 mm.	250
740	NN transport belt	Transport belt, plastic mesh belt, belt width: 590 mm, clearance: 640 mm x 250 mm, total dimensions: 2400 mm x 850 mm x 1200 mm.	300
741	Newsome	Newsome extraction unit, serial number: C3004, year of construction: 06/2021, dimensions: 1400 mm x 1250 mm x 2400 mm.	250
742	DMN Westinghouse	DMN Westinghouse rotary valve, type: AL 175 2, serial number: RVNL154630, dimensions: 700 mm x 700 mm x 1400 mm.	100
743	NN transport belt	Transport belt, plastic belt, belt width: 450 mm, total dimensions: 2500 mm x 500 mm x 900 mm. Frame is incomplete.	200
744	Halifax Fan	Halifax Fan centrifugal fan, serial number: 69469/2, size: 26.25 OBB, dimensions: 1000 mm x 900 mm x 1000 mm.	100
745	Halifax Fan	Halifax Fan centrifugal fan, serial number: 69469/4, size: 26.25 OBB, dimensions: 1000 mm x 900 mm x 1000 mm.	100
746	Halifax Fan	2 Halifax Fan centrifugal fans, serial number: 69469, size: 26.25 OBB, dimensions: 1000 mm x 900 mm x 1000 mm.	200
747	Halifax Fan	4 Halifax Fan centrifugal fans, serial number: 69469, size: 26.25 OBB, dimensions: 1000 mm x 900 mm x 1000 mm.	400
748	Hi-Line Industries Ltd	Hi-Line Industries Ltd air dryer, model: Tundra 850, serial number: 19M-001000, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.81 kW, 16 bar, gas type: R-407c, 4.9 kg, dimensions: 1050 mm x 800 mm x 1550 mm.	400



Nr	Title	Description	Start €
749	Bizerba	Bizerba industrial weighing scale terminal with 2 scales, model: iS30, serial number: 11482620, 100/240 V, 50/60 Hz, 0.6/0.25 A, maximum capacity: (1x) 30 kg, (1x) 1.5/3 kg, dimensions: 780 mm x 650 mm x 1350 mm.	400
750	DMN Westinghouse	DMN Westinghouse rotary valve, type: AL 200 2 APS, serial number: RVNL172867, year of construction: 2021, dimensions: 700 mm x 700 mm x 1400 mm.	100
751	Hi-Line Industries Ltd	Hi-Line Industries Ltd air dryer, model: HPB 850TS-ZL, serial number: 8304, year of construction: 11/2016, 415 V, 3 Ph, 50 Hz, 11 bar, dimensions: 3000 mm x 1450 mm x 2500 mm.	400
752	Windjammer OY	Windjammer Oy pounding machine, model: Pound.O.Matic 800, 400 V, 3 Ph, 50 Hz, diameter pounder: 260 mm, total dimensions: 700 mm x 430 mm x 730 mm.	200
753	Halifax Fan	Halifax Fan centrifugal fan, serial number: 70571, size & type: 18.5 BLBC, dimensions: 840 mm x 900 mm x 800 mm. Incomplete.	100
754	Hobart	Hobart dishwasher, model: ECO-G404-20B, serial number: 867185097, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 8.90 A, 2.10 kW, dimensions: 550 mm x 450 mm x 700 mm.	200
755	Rhima	Rhima dishwasher, model: DR 49, serial number: 03002442, 230 V, 50 Hz, 15 A, 500 W, dimensions: 620 mm x 600 mm x 830 mm.	200
756	Mado	Mado bandsaw, type: MKB 649, number: 33454, year of construction: 2001, 230/400 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1.1 kW, 1400 rpm, table dimensions: 530 mm x 450 mm, total dimensions: 600 mm x 500 mm x 950 mm.	250
757	Hobart	Hobart dishwasher, dimensions: 900 mm x 800 mm x 1600 mm.	500
758	Hobart	Hobart dishwasher, model: FXS-10A, serial number: 866635057, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 15.9 A, 7.7 kW, dimensions: 600 mm x 600 mm x 860 mm.	300
759	Hobart	Hobart dishwasher, model: FX30E, dimensions: 600 mm x 600 mm x 830 mm.	200
760	NN kebab grill	Kebab grill, clearance: 540 mm, dimensions: 500 mm x 450 mm x 850 mm.	50
761	Rhima	Rhima dishwasher, model: NDR 49, serial number: DWH1006779, year of construction: 2013, 220/240 V, 50 Hz, 15.5 A, 650 W, dimensions: 600 mm x 600 mm x 850 mm.	200
762	ELX	ELX refrigerator, model: RS06N41F, serial number: 85000017, 230 V, 1 Ph, 50 Hz, 2.1 A, 0.33 kW, refrigerant: R134A, 0.13 kg, 3 floors, floor dimensions: 650 mm x 520 mm, total dimensions: 750 mm x 800 mm x 2000 mm.	190
763	ELX		190



Nr	Title	Description	Start €
		ELX refrigerator, model: RS06N41F, serial number: 85000025, 230 V, 1 Ph, 50 Hz, 2.1 A, 0.33 kW, refrigerant: R134A, 0.13 kg, 3 floors, floor dimensions: 650 mm x 520 mm, total dimensions: 750 mm x 800 mm x 2000 mm.	
764	Loma	Loma mobile metal detector, model: IQ ³ , serial number: Q3B25-25-41021D, year of construction: 2017, 110/240 V, 1 Ph, 50/60 Hz, 0.3/0.6 A, plastic belt, belt width: 200 mm, clearance: 250 mm x 230 mm, total dimensions: 1900 mm x 900 mm x 1400 mm.	1000
765	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type compressor rack, type: MAXI VPP330-4870+SPM235-4660, serial number: 159713/135/15254, year of construction: 01/2013, 400 V, 3 Ph, 50 Hz, refrigerant: R507, Bitzer Kühlmaschinenbau GmbH compressor type: (3x) 4NCS-12.2Y-40P, capacity: 56.2/67.9 m ³ per hour, (2x) 4EC-4.2Y-40S, capacity: 22.7/27.4 m ³ per hour, dimensions: 3700 mm x 1600 mm x 2300 mm.	1750
766	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type cooling compressors: (2x) 4J-13.2Y-40P, capacity: 63.5/76.7 m ³ per hour, (1x) 4J-22.2-40P, capacity: 63.5/76.7, (1x) 4TCS-8.2Y-40P, capacity: 41.3/49.9 m ³ per hour, (1x) 4TCS-12.2-40P, capacity: 41.3/49.9 m ³ per hour, dimensions: 3750 mm x 1600 mm x 2350 mm.	1750
767	Sulzer	Sulzer processing pump, number: 7956, year of construction: 2012, dimensions: 2450 mm x 830 mm x 1220 mm.	500
768	NN rack	Steel rack with wooden floors, dimensions: 2450 mm x 1080 mm x 1580 mm.	200
769	Sulzer	Sulzer centrifugal pump, model: A31-125, number: 100098125, year of construction: 2012, dimensions: 2100 mm x 850 mm x 800 mm.	200
770	Funke	2 Funke plate heat exchangers, type: (1x) fFP 206-37-1-EH-0 -10.0 bar, serial number: 940770, year of construction: 06.2020, volume: 10.7 liter, (1x) FP 4206-37-I-EH-0-10.0 bar, serial number: 989481, year of construction: 02/2022, volume: 10.1 liter, dimensions: (2x) 570 mm x 470 mm x 1110 mm.	400
771	Cantoni	Cantoni electro motor, model: S10-028-002, number: AP 001379, 400/690 V, 3 Ph, 50 Hz, 10.4/6.0, 5.5 kW, dimensions: 330 mm x 300 mm x 350 mm.	150
772	NN motor	Electro motor, dimensions: 380 mm x 200 mm x 280 mm.	100
773	Siemens	Siemens electro motor with gearbox, model: FDU1505/2249627 002, dimensions: 1450 mm x 350 mm x 550 mm.	200
774	KSB		200



Nr	Title	Description	Start €
		KSB centrifugal pump, type: ETA 250/33, number: 934800/3, year of construction: 1971, capacity: 1000 m ³ per hour, dimensions: 1550 mm x 730 mm x 910 mm.	
775	Rotor	Rotor electro motor, model: 5RN280M04A3, 400/690 V, 1/3 Ph, 50 Hz, 160/93 A, 90 kW, 1485 rpm, dimensions: 1050 mm x 600 mm x 720 mm.	200
776	Sterling Fluid Systems	S/s frame with 2 Sterling Fluid Systems centrifugal pumps, type: (2x) ZLKD 040160, year of construction: 2012, dimensions: 1160 mm x 820 mm x 600 mm.	250
777	Siemens	Siemens electro motor with gearbox, model: FDU1404/2197528001, dimensions: 1400 mm x 400 mm x 490 mm.	200
778	Kärcher	Kärcher floor scrubbing machine, model: BR 1000 bat pack, number: 010942, year of construction: 2002, 36 V, 5500 W, dimensions: 2000 mm x 1380 mm x 1450 mm. Including battery charger, type: E 230 G 36/75 B1-FM, 230 V, 1 Ph, 50/60 Hz, 15/75 A, dimensions: 500 mm x 380 mm x 360 mm.	400
779	Cyklop	Cyklop pallet wrapper, type: CTT 210-CTT2101031, number: 240259, year of construction: 2024, 230 V, 1 Ph, 50/60 Hz, 1.3 kW, film width: 500 mm, total dimensions: 2600 mm x 1600 mm x 3200 mm.	1500
780	Heinrich Stein	Heinrich Stein autoclave, type: Autoklav 250, number: 94109, year of construction: 1994, 400 V, 50 Hz, 15 kW, 0.7 bar, double jacked, volume: 250 liter, oil filled, dimensions: 1050 mm x 1050 mm x 1250 mm.	1500
781	Tiflex	Tiflex inkjet printer, serial number: 00969 and 01012, 220 V, 50 Hz, 1.6 A, plastic belt, belt width: 300 mm, total dimensions: 1250 mm x 1100 mm x 1620 mm.	500
782	Advanced Handling	Advanced Handling mobile automatic lifter, model: ST-FR-260-1600-E-ADJ, serial number: 13035-1-1, year of construction: 2013, capacity: 260 kg, weight: 100 kg, total dimensions: 1150 mm x 900 mm x 1970 mm.	500
783	Rocasa	Rocasa lifter for 200 liter meat bins, model: T-200, number: 2251, year of construction: 4-2015, 230/400 V, 8.5/4.9 A, 2.2 kW, dimensions: 1300 mm x 700 mm x 2750 mm.	750
784	Frey	Frey vacuum filling machine, type: F-LINE F40, machine number: F4023121193, year of construction: 2023, 400 V, 50/60 Hz, 3.6 kW, dimensions: 830 mm x 700 mm x 1620 mm.	10000
785	Endoline	Endoline box closing machine, dimensions: 1250 mm x 770 mm x 1650 mm.	250
786	Siat	Siat box closing machine, dimensions: 1220 mm x 730 mm x 1700 mm.	250
800	MACH	MACH dishwasher, dimensions crate: 500 mm x 500 mm, total dimensions: 620 mm x 600 mm x 800 mm.	125
801			100



Nr	Title	Description	Start €
	NN refrigerated showcase	S/s refrigerated showcase, 3 floors, dimensions: 800 mm x 800 mm x 1430 mm.	
802	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	440
803	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	440
804	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	440
805	Küpperbusch	Küpperbusch 4-pit stove, dimensions: 720 mm x 700 mm x 880 mm.	200
806	NN washing table	S/s washing table, 1 faucet, dimensions: 1400 mm x 700 mm x 900 mm.	100
807	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	440
808	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407HXBR, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	440
809	Beko	Beko No-Frost refrigerator/freezer, type: B5RCNA406LXBRW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
810	Beko	Beko No-Frost refrigerator/freezer, type: B5RCNA406LXBRW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	400
811	Hobart	Hobart dishwasher, model: ECOMAX 500, serial number: 485171, year of construction: 2005, 230 V, 50 Hz, 16 A, 3.65 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 650 mm x 580 mm x 830 mm.	250
812	Beko	Beko mobile jelly machine, type: BEKO-GEL, fabrication number: 01428399, 230 V, 50 Hz, 10 A, 2100 W, dimensions: 500 mm x 400 mm x 1000 mm.	200
813	Sitex	Sitex fryer with counter, s/s top, inside dimensions fryer: 410 mm x 210 mm x 200 mm, total dimensions: 955 mm x 750 mm x 955 mm.	100
814	Tecnodom S.P.A.	Tecnodom S.P.A. refrigerator, model: AF07EKOMTN, serial number: 201809884F, year of construction: 3/2018, 220-240 V, 1 Ph, 50 Hz, 1.7 A, refrigerant: R507/ R452 / 340 gram, dimensions: 710 mm x 790 mm x 2030 mm.	300
815	Gram	Gram freezer, type: F1400 OPRHB, serial number: 159/12, 230/240 V, 50 Hz, 5.19 A, 1188 W, refrigerant: R404A / 410 gram, dimensions: 1380 mm x 850 mm x 2170 mm.	400
816	Wescho		50



Nr	Title	Description	Start €
		Wescho mobile s/s counter with heating lamps, dimensions table: 1330 mm x 840 mm, total dimensions: 1500 mm x 840 mm x 1470 mm.	
817	NN candy dispenser	9 plastic candy dispenser, dimensions: (9x) 300 mm x 250 mm x 290 mm.	5
818	Zanussi	Zanussi dishwasher, model: LS14EA/INS, serial number: 34700005, inside dimensions: 500 mm x 500 mm, total dimensions: 800 mm x 750 mm x 1500 mm.	450
819	FPG World	FPG World heated showcase, dimensions: 800 mm x 790 mm x 1390 mm.	80
820	Elframo	Elframo dishwasher, type: C44, inside dimensions: 500 mm x 500 mm, total dimensions: 800 mm x 800 mm x 1600 mm.	400
821	NN paper dispenser	S/s paper dispenser, dimensions: 340 mm x 300 mm x 750 mm.	25
822	NN working table	S/s working table with 4 drawers, dimensions: 1200 mm x 1550 mm x 950 mm.	75
823	NN transport belt	Plastic transport belt, dimensions: 880 mm x 850 mm x 560 mm.	10
824	NN refrigerated counter	S/s refrigerated counter, dimensions: 880 mm x 750 mm x 690 mm. Incomplete, missing glass covers.	75
825	Tippertie Technopack	Tippertie Technopack clipper, number: PT.400.5790.212, dimensions: 1000 mm x 400 mm x 790 mm.	80
826	Veba	Veba cooling container, model: 2700KKD, serial number: 1010-07805, 12/24 V, 200 W, inside dimensions: 1200 mm x 600 mm x 830 mm, total dimensions: 1630 mm x 820 mm x 1030 mm.	400
827	Sitex	Sitex fryer with counter, s/s top, inside dimensions fryer: 410 mm x 210 mm x 200 mm, total dimensions: 960 mm x 770 mm x 1130 mm.	75
828	Sitex	Sitex fryer with counter, s/s top, inside dimensions fryer: 410 mm x 210 mm x 200 mm, total dimensions: 1750 mm x 800 mm x 1500 mm.	75
829	NN roll container	Steel roll container, dimensions: 780 mm x 650 mm x 1930 mm.	5
830	Bonnet	Bonnet cooking vessel, model: B107MA6IBE.6IBE-40, year of construction: 01.14, 400 V, 3 Ph, 50/60 Hz, 10.9 A, 7.5 kW, inside dimensions: Ø 400 mm x 530 mm, total dimensions: 800 mm x 820 mm x 1020 mm.	300
831	Ideal	Ideal s/s refrigerated counter, type: UKW 2/1-E, serial number: Wehako 270749, year of construction: 08/04/2017, 230 V, 50 Hz, 338 W, refrigerant: R134A / 0.500 kg, inside dimensions: 660 mm x 540 mm, total dimensions: 1010 mm x 730 mm x 860 mm.	75
832	FPG World	FPG World heated showcase, type: INLINE 5000, model; IL-H-BPUK-CU-1200-01, serial number: 13240, 230-240 V,	75



Nr	Title	Description	Start €
		1 Ph, 50 Hz, 14.4 A, dimensions: 1200 mm x 800 mm x 1430 mm.	
833	Carrier	Carrier mobile refrigerated showcase, model: COC22, serial number: 34000103, year of construction: 2003, 230 V, 50 Hz, 10 A, 800 W, refrigerant: R134a / 0.5 kg, dimensions: 1300 mm x 900 mm x 1000 mm.	100
834	Liebherr	Liebherr refrigerator, type: 2 3097 4, serial number: 76.346.095.0, 220/230 V, 50 Hz, 180 W, refrigerant: R 600 a, 55 g, 5 floors, floor dimensions: 520 mm x 670 mm, total dimensions: 660 mm x 750 mm x 1630 mm.	150
835	Polar	Polar mobile refrigerator, model: CD616-E-02, serial number: CD616-E-02 20096329, 230 V, 50 Hz, 5.0 A, 710 W, refrigerant: R290 / 150 gr, dimensions: 1350 mm x 810 mm x 2000 mm.	450
836	Kamado Joe	Kamado Joe mobile bbq, model: KJ15040320, serial number: 102114, dimensions grill: Ø 530 mm, total dimensions: 600 mm x 700 mm x 1100 mm.	300
837	Ideal	Ideal s/s refrigerated counter, type: UKW 2/1-E, serial number: Wehako 268442, year of construction: 08/01/2009, 230 V, 50 Hz, 338 W, refrigerant: R134A / 0.500 kg, inside dimensions: 655 mm x 570 mm x 185 mm, total dimensions: 1000 mm x 710 mm x 850 mm.	75
839	Haka	Haka frying pan, type: EB7600, year of construction: 09/2014, 400 V, 3 Ph, 6 kW, dimensions: 650 mm x 600 mm x 1000 mm.	50
840	Liebherr	Liebherr freezer, model: GS 5203, number: 77.204.421.9, 220-230 V, 50 Hz, 220 W, refrigerant: R600a, 110 gram, volume: 520 liter, dimensions: 750 mm x 700 mm x 1700 mm.	150
841	WMF	WMF coffee dispenser on s/s trolley, type: 03.6620.0294, 230 V, 1 Ph, 50 Hz, 0.07 kW, dimensions dispenser: 650 mm x 390 mm x 700 mm, total dimensions: 700 mm x 660 mm x 1600 mm.	10
842	Rieberwerke	Rieberwerke mobile plate dispenser, type: RRR-2, number: 5603056, 220 V, 1340 Watt, plate diameter: 300 mm, total dimensions: 940 mm x 480 mm x 910 mm.	10
843	Door System A/S	Door System A/S plastic swing door, type: MP0052PD200, door number: 49714, year of construction: 2021, dimensions: (2x) 750 mm x 2300 mm.	100
844	FPG World	FPG World refrigerated showcase, type: INLINE 5000, model: IL-H-BPUK-CU-1200-01, serial number: 13240, 230-240 V, 1 Ph, 50 Hz, 14.4 A, dimensions: 1200 mm x 800 mm x 1430 mm. Incomplete, missing cooling compressor.	75
845	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407ZXRW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	450



Nr	Title	Description	Start €
846	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407ZXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	450
847	Imperial-Werke GmbH & Co.	Imperial-Werke GmbH & Co. 2 pits stove, type: VEHT2000, number: 26044, 400 V, 3 Ph, 50 Hz, 6.5 kW, stove dimensions: (2x) 300 mm x 300 mm, total dimensions: 900 mm x 560 mm x 900 mm.	20
848	Butcher Boy	Butcher Boy band saw, model: B14, serial number: 2-11642, 380 V, 3 Ph, 50 Hz, 2.8 A, 1.5 kW, dimensions: 860 mm x 670 mm x 1800 mm.	100
849	FPG World	FPG World refrigerated showcase, dimensions: 1200 mm x 760 mm x 1430 mm. Incomplete, missing cooling compressor.	75
850	NN refrigerated showcase	S/s refrigerated showcase, 3 floors, dimensions: 1130 mm x 700 mm x 1210 mm. Incomplete, missing glass cover.	75
851	NN plates for heat exchangers	Pallet with plates for heat exchanger, dimensions 1 plate: 1150 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	50
852	NN light fixtures	2 s/s light fixtures used for refrigerated showcases, dimensions: 1200 mm x 410 mm x 450 mm and 1100 mm x 460 mm x 720 mm.	10
853	Burlodge	Burlodge cooled and heated food tray trolley, model: Novaflex, 2-sides 10 floors, dimensions floors: (2x) 290 mm x 320 mm, total dimensions: 800 mm x 1100 mm x 1400 mm.	50
854	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407ZXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	450
855	Beko	Beko No-Frost refrigerator/freezer, type: B7RCNA407ZXBW, 220-240 V, dimensions: 600 mm x 750 mm x 2100 mm.	450
856	Küpperbusch	Küpperbusch 6 pits stove, type: KCN 007, 50 Hz, dimensions: 1200 mm x 860 mm x 870 mm.	150
857	Wiesheu	Wiesheu combi steam oven, year of construction: 1998, 10 floors, floor dimensions: (10x) 535 mm x 320 mm, total dimensions: 920 mm x 710 mm x 930 mm.	200
858	Nuair	Nuair containment ventilated enclosure, model: NU-813-400, serial number: 163035043014, year of construction: 2014, 115 VAC, 1 Ph, 60 Hz, 5 A, dimensions: 1200 mm x 700 mm x 1360 mm.	150
859	Boppas	Boppas tiltable braising pan, inside dimensions: 720 mm x 700 mm x 170 mm, total dimensions: 1270 mm x 950 mm x 900 mm.	70
860	Beko	Beko dryer, model: WMB 51221, serial number: 12-601318-12, 230 V, 50 Hz, 16 A, 2200 Watt, capacity: 5 kg, dimensions: 600 mm x 450 mm x 840 mm.	30
861	Nuair		120



Nr	Title	Description	Start €
		Nuaire containment ventilated enclosure, model: NU-813-400, serial number: 163034043014, year of construction: 2014, 115 VAC, 1 Ph, 60 Hz, 5 A, dimensions: 1200 mm x 700 mm x 1360 mm.	
862	Mareno	Mareno 6-pits furnace, dimensions: 1200 mm x 740 mm x 880 mm.	350
863	Smeva	Smeva refrigerator, model: G-HF400, serial number: 8102516, 230 V, 50 Hz, 0.9 A, refrigerant: R600a / 90 g, weight: 74 kg, dimensions: 600 mm x 600 mm x 1850 mm.	150
864	NN heated display cabinet	Heated display cabinet, model: HC15KD-J, serial number: OGM2773205, 220 V, 50 Hz, 4.2 kW, dimensions inside: 1400 mm x 200 mm, total dimensions: 1520 mm x 800 mm x 830 mm.	200
865	Royal Vendors	Royal Vendors vending machine, model: 8000X, serial number: 1501DK-01502, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, 0.17 kg, dimensions: 950 mm x 880 mm x 2130 mm.	100
866	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 390w, serial number: 40451/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 2.22 kg, dimensions: 720 mm x 600 mm x 1470 mm. Incomplete.	50
867	Merco Savory	Merco Savory rotisserie grill on s/s trolley, model: SP-5, type: Panorama 5, 6 kW, 1 grill basket, dimensions basket: 450 mm x 160 mm, total dimensions: 860 mm x 625 mm x 1100 mm.	150
868	Liebherr	Liebherr freezer, dimensions: 660 mm x 600 mm x 1850 mm.	180
869	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 815w, serial number: 321381, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 0.950 kg, dimensions: 640 mm x 500 mm x 1470 mm. Incomplete.	50
870	IFO	IFO heated showcase on mobile wooden counter, model: KVS-14, serial number: 108905119, year of construction: 1997, 3 floors, dimensions floors: (3x) 970 mm x 400 mm, total dimensions IFO: 1400 mm x 720 mm x 710 mm, dimensions wooden counter: 1360 mm x 940 mm x 890 mm.	50
871	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	700
872	NN oven	Mobile oven, inside dimensions: 550 mm x 500 mm x 800 mm, total dimensions: 1550 mm x 600 mm x 1300 mm.	200
873	Caravell	Caravell refrigerator, model: 404-020-30, serial number: 02216432, 220-240 V, 50/60 Hz, 2.97 A, refrigerant:	200



Nr	Title	Description	Start €
		R134a, 0.170 kg, dimensions: 700 mm x 620 mm x 1860 mm.	
874	Liebherr	Liebherr laboratory refrigerator, model: LKUv 1610, serial number: 83.042.962.0, 220-240 V, 50 Hz, 1.0 A, refrigerant: R600a, 24 gram, volume: 130 liter, dimensions: 620 mm x 600 mm x 840 mm.	75
875	larp	larp freezer, model: NUCAB 150 CC/M/E, serial number: 9100615.18, 230 V, 50 Hz, 1.7 A, 200 W, gross volume: 138 liter, net volume: 88 liter, refrigerant: R290 / 0.043 kg, dimensions: 700 mm x 650 mm x 900 mm.	50
876	Proftech & de Bruyn	Proftech & de Bruyn mobile salad bar, type: R290, serial number: 465427 S0112194 039, dimensions: 1330 mm x 1050 mm x 1870 mm.	100
877	Gram	Gram mobile laboratory refrigerator, type: ER 930 LG E 11213041, serial number: 101887221, year of construction: 2015, 230 V, 50 Hz, 2.75 A, 464 W, refrigerant: R290, 126 gram, dimensions: 1070 mm x 780 mm x 2150 mm.	450
878	Bizerba	Bizerba weighing scale, number: 994205, weighing range: 2.5-30 kg, e=d= 50g, dimensions: 1250 mm x 600 mm x 250 mm.	40
879	Funke	Funke plate heat exchanger, type: FP 22-23-1-NH-0 10.0 bar, serial number: 761177, year of construction: 06.2014, PS min/max: 0/10.0 bar, TS min 0.0 °C, TS max 110.0 °C, volume: 4.8 liter, dimensions: 330 mm x 350 mm x 1150 mm.	200
880	Lido-Bertuch GmbH	Lido-Bertuch GmbH grill, number: 1043, year of construction: 7/1982, 380/220V, 2.8/3.2/6.0 kW, grill dimensions: 450 mm x 450 mm, total dimensions: 660 mm x 600 mm x 880 mm.	20
881	NN tub	Plastic tub, dimensions: Ø 500 mm x 830 mm.	1
882	Diamond	Diamond cooling tub, model: IN/BX08-PSC, serial number: 19058482210908006, 220/240 V, 1 Ph, 50/60 Hz, 1550 W, inside dimensions: 625 mm x 510 mm x 215 mm, total dimensions: 790 mm x 610 mm x 435 mm.	30
883	Robejo	Robejo metal saw, dimensions: 1000 mm x 700 mm x 1630 mm.	75
884	Alto Shaam	Alto Shaam oven, model: VMC-H4H, serial number: 3016241-1, year of construction: 2021, 380-415 V, 3 Ph, 50/60 Hz, 10800-12700 W, 4 floors, dimensions each floor: 500 mm x 370 mm x 120 mm, total dimensions: 900 mm x 500 mm x 1100 mm.	2500
885	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	700
886	Friulinox	Friulinox saladette, model: Alzatina R, serial number: F200405260000034, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 1.0 A, 155 W, refrigerant: R134a, 70 gram, dimensions: 1600 mm x 300 mm x 300 mm.	20



Nr	Title	Description	Start €
887	Handtmann	Rotor for Handtmann vacuum filling machine, model: VF 612.	200
888	Aequator	Aequator milk frother, model: Lattiz V1.2, machine number: 1021804910, 230 V, 13 A, dimensions: 510 mm x 200 mm x 590 mm.	25
889	NN table	2 tables, steel frame, wooden top, dimensions: (2x) Ø 1190 mm x 740 mm.	1
890	Emga International	Emga International pie warmer, model: 680070, serial number: C012111014, year of construction: 11.2021, 230 V, 1 Ph, 50 Hz, 1840 W, dimensions: 660 mm x 400 mm x 640 mm.	80
891	CombiSteel	CombiSteel refrigerated showcase, model: 7472.0140, serial number: 111190100, 220/240 V, 50 Hz, 0.93 A, refrigerant: R290, 0.095 kg, 8 compartments, dimensions compartments: (8x) 335 mm x 140 mm, total dimensions: 1210 mm x 850 mm x 1280 mm.	100
892	larp	larp freezer, model: AB 500N JUMBO, serial number: 04LA09838, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	75
893	larp	larp refrigerator, model: AB 500 N, serial number: 06NA16440, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	75
894	NN pasta machine	Pasta machine on rollie, dimensions: 1000 mm x 450 mm x 880 mm.	250
895	Kassel	Kassel refrigerated cabinet, inside dimensions: 560 mm x 550 mm x 950 mm, total dimensions: 1000 mm x 740 mm x 1100 mm.	75
896	Liebherr	Liebherr freezer, model: GSP 3126, type: 3 6130 4, serial number: 19 149 405 3, 220-230 V, 50 Hz, 100 W, volume: 307 liter, refrigerant: R600a / 85 gram, dimensions: 680 mm x 660 mm x 1640 mm.	75
897	larp	larp freezer, model: AB 500N JUMBO, serial number: 01BA19641, 230 V, 50 Hz, 1.9 A, 250 W, volume: 525 liter, refrigerant: R134a / 0.260 kg, dimensions: 780 mm x 730 mm x 1710 mm.	75
898	Bauknecht	Bauknecht refrigerator, model: KR 325 A++WS, 220-240 V, 50 Hz, 0.8 A, volume: 325 liter, refrigerant: R600a / 0.060 kg, dimensions: 640 mm x 600 mm x 1600 mm.	75
899	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 385w, serial number: 41558/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 0.88 kg, dimensions: 560 mm x 500 mm x 1340 mm. Incomplete.	50
900	Gram	Gram refrigerator, type: K 181 US, serial number: 461/4, 230 V, 50 Hz, 100 W, refrigerant: R134a, 60 g, dimensions: 600 mm x 600 mm x 800 mm.	40



Nr	Title	Description	Start €
901	Samsung	Samsung refrigerator with freezer, model: RL34ECSW, serial number: Y1JN4ADZ100436F, 220-240 V, 50 Hz, dimensions: 600 mm x 685 mm x 1775 mm. Display and frost free are not working, drawers are broken.	20
902	Gamko	Gamko mobile refrigerated showcase, refrigerant: R12 / 0.29 kg, inside dimensions: 1280 mm x 500 mm x 180 mm, total dimensions: 1750 mm x 780 mm x 1400 mm.	150
903	NN mixing head	Mixing head for immersion bender, dimensions: \varnothing 125 mm x 500 mm.	1
904	Kolbe	Kolbe grinder, type: LW 82, serial number: 78 1172, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.25 kW, diameter plate: 85 mm, total dimensions: 450 mm x 400 mm x 460 mm.	600
906	ReflexSystems	ReflexSystems registration terminal, model: flex 3000 CT, 220-240 VAC, 50/60 Hz, 80 W, dimensions: 300 mm x 450 mm x 420 mm.	15
907	NN slicer	Slicer, dimensions: 850 mm x 650 mm x 600 mm.	75
908	A/S Wodschow & Co	A/S Wodschow & Co mixer, model: AR005, machine number: 5723313, year of construction: 06-17, 230 V, 1 Ph, 50/60 Hz, 1.7 A, 500 W, dimensions: 370 mm x 270 mm x 450 mm. Without bowl.	5
909	Tippertie Technopack	Tippertie Technopack clipper, number: TC-200T-1319-362, dimensions: 360 mm x 200 mm x 810 mm.	160
910	NN soap dosing machine	S/s soap dosing system, dimensions: 450 mm x 100 mm x 310 mm.	5
911	Multivac	Multivac vacuum machine, model: C100, machine number: 119310, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 4 A, 1.2 kW, seal length: 315 mm, dimensions chamber: 335 mm x 320 mm x 30 mm, total dimensions: 500 mm x 400 mm x 330 mm.	250
912	Zanussi	Zanussi vacuum machine, model: MV35AI41, serial number: 351895, 220-230 V, 50/60 Hz, 700 W, seal length: 310 mm, dimensions chamber: 325 mm x 245 mm x 40 mm, total dimensions: 620 mm x 390 mm x 250 mm.	250
913	Cretel	Cretel vacuum machine, type: 280, serial number: 00207335, year of construction: 05-07-2002, 230 V, 1 Ph, 50 Hz, 3 A, 0.6 kW, seal length: 275 mm, dimensions chamber: 280 mm x 345 mm x 45 mm, total dimensions: 320 mm x 460 mm x 280 mm.	200
914	Duniform	Duniform traysealer, type: DF 20, machine number: 202884, year of construction: 2006, 230 V, 50 Hz, 0.75 kW, dimensions dye: 245 mm x 145 mm, total dimensions: 620 mm x 220 mm x 220 mm.	100
915	Scharfen	Scharfen slicer, type: VA4000, model: VA2000, number: 2086008, year of construction: 01/2008, 240 V, 1 Ph, 50	300



Nr	Title	Description	Start €
		Hz, 4 A, 900 W, dimensions: 830 mm x 680 mm x 500 mm.	
916	Jarvis	Jarvis pneumatic leg cutter, type: 3HD SPEC, serial number: 102537, dimensions: 1100 mm x 400 mm x 200 mm.	75
917	Conpax	Conpax packaging machine, type: Rapidpack+, serial number: AKK 9089, year of construction: 2007, 230 V, 0.5 kW, film width: 230 mm, seal length: 170 mm x 220 mm, total dimensions: 700 mm x 490 mm x 520 mm.	40
918	Sun Heat	Sun Heat electric heater, model: 50300-324-10020/IFJ04-150C, serial number: 179, 400 V, 3 Ph, 50 Hz, 15000 W, dimensions: 400 mm x 350 mm x 540 mm.	110
919	Bizerba	Bizerba slicer, type: A 302, 220/380 V, 3 Ph, 50 Hz, 1.65/0.95 A, 0.520 kW, dimensions: 700 mm x 540 mm x 550 mm.	240
920	Dibal S.A.	3 Dibal S.A. weighing scales, model: K-250, serial number: 209473 / 209468 / 209467, 230 V, 50 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, dt= 5 gram, T= - 14995 gram, dimensions scale: 320 mm x 250 mm, total dimensions: (3x) 330 mm x 450 mm x 550 mm.	150
921	Sunnex	Sunnex double liquid dispenser, dimensions: 540 mm x 360 mm x 560 mm.	20
922	Alex Meijer	Alex Meijer coffee machine, 220-240 V, 1 Ph, 50-60 Hz, 2250 W, dimensions: 440 mm x 240 mm x 580 mm.	10
923	Riba B.V.	Riba B.V. weighing scale, model: RCL-30, weighing range: 1g-30kg, dimensions: 300 mm x 310 mm x 130 mm.	50
924	Sayl	Sayl glass display, dimensions: 920 mm x 315 mm x 210 mm.	50
925	NN thermometer	Thermometer.	10
926	Berkel	Berkel slicer, type: BSPGL04011A00, number: 1010S558, year of construction: 2010, 230 V, 1 Ph, 242 W, dimensions: 800 mm x 710 mm x 480 mm.	250
927	De Jager	De Jager packaging machine, type: JADOPACK Master I, machine number: 20150326, year of construction: 2015, 220 V, 560 W, film width: 230 mm, seal: 220 mm x 170 mm, total dimensions: 730 mm x 520 mm x 450 mm.	40
928	Ling Xia Yi Qi	Ling Xia Yi Qi traysealer, diameter dye: 90 mm, total dimensions: 450 mm x 250 mm x 700 mm. With 2 boxes with cups and seals.	100
929	NN waste bag trolley	S/s waste bag trolley, dimensions: 1200 mm x 580 mm x 99 mm.	50
930	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31948519, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	600



Nr	Title	Description	Start €
931	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31920956, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	600
932	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31918313, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	600
933	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31922556, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	600
934	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31920960, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	600
935	NN refrigerator	Mobile refrigerator, model: NAP-800, 230 V, 50 Hz, 3.8 kW, refrigerant: R134a, 290 g, volume: 800 liter, weight: 118 kg, total dimensions: 1100 mm x 700 mm x 2150 mm.	100
936	TMP-Technic Marketing Products GmbH	TMP-Technic Marketing Products GmbH mobile juicer, model: 8000SB, serial number: 130.641, year of construction: 11.2015, 230 V, 50/60 Hz, 280 W, weight: 78.5 kg, dimensions: 680 mm x 580 mm x 1830 mm.	350
937	TMP-Technic Marketing Products GmbH	TMP-Technic Marketing Products GmbH mobile juicer, model: 8000SB, serial number: 131.646, year of construction: 09.2018, 230 V, 50/60 Hz, 280 W, weight: 78.5 kg, dimensions: 680 mm x 580 mm x 1830 mm.	400
938	TMP-Technic Marketing Products GmbH	TMP-Technic Marketing Products GmbH mobile juicer, model: 8000SB, serial number: 20.839, year of construction: 03.2012, 230 V, 50/60 Hz, 280 W, weight: 78.5 kg, dimensions: 680 mm x 580 mm x 1830 mm.	300
939	Winterhalter	Winterhalter dishwasher, type: GR 62/2, dimensions: 810 mm x 720 mm x 1580 mm.	40
940	Mareno	Mareno 4 pits stove with oven, dimensions: 800 mm x 800 mm x 900 mm.	150
941	Weber	Weber flake ice machine, type: WES 300 L, number: 612, year of construction: 09/2000, 230 V, 1 Ph, 50 Hz, 26 bar, refrigerant: 404 A, 1.6 kg, working width: 375 mm, total dimensions: 800 mm x 800 mm x 880 mm.	500



Nr	Title	Description	Start €
942	Liebherr	Liebherr refrigerator, model: WTS 3202, type: 2 0012 1serial number: 0989567, 220-230 V, 50 Hz, volume: 320 liter, refrigerant: R12 / 0.160 kg, dimensions: 600 mm x 600 mm x 1600 mm.	75
943	NN hamburger forming attachment	Hamburger forming attachment, dye: (4x) 88 mm, total dimensions: 440 mm x 320 mm x 150 mm.	250
944	Oliver	Oliver traysealer, model: 1508, serial number: 159198, year of construction: 2001, 240 V, 1 Ph, 60 Hz, 3.5 A, dye: 175 mm x 125 mm, total dimensions: 700 mm x 400 mm x 400 mm.	50
945	Blupura	Blupura beer tap, model: BLUBAR BEER TAP 80 FIZZ, serial number: 1901020423, 230 V, 50 Hz, 2.3 A, 530 W, refrigerant: R290, dimensions: 500 mm x 350 mm x 510 mm.	200
946	NN stools	7 stools.	20
947	JBT Tipper Tie	2 boxes with JBT Tipper Tie clips, dimensions: (2x) 250 mm x 180 mm x 100 mm.	100
948	NN parts for piston filler	Box with parts for piston filler, filling pipe diameter: (1x) 10 mm, (1x) 13 mm, (2x) 8 mm, total dimensions: 400 mm x 300 mm x 220 mm.	100
949	ADE Germany GmbH	ADE Germany GmbH slicer, model: Victor 300-V, serial number: 50928-1033652-00003, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 0.23/0.6 kW, dimensions: 600 mm x 550 mm x 440 mm.	100
950	Bizerba	Bizerba slicer, type: VS 8, number: 498693, 220 V, 1 Ph, 50 Hz, 1.7 A, 0.300 kW, dimensions: 600 mm x 550 mm x 450 mm. Including knife sharpener.	100
951	Bizerba	Bizerba slicer, dimensions: 600 mm x 500 mm x 430 mm.	100
952	Bizerba	Bizerba slicer, dimensions: 600 mm x 500 mm x 430 mm. Including knife sharpener.	100
953	Bizerba	Bizerba slicer, type: VS 8, 220/380 V, 3 Ph, 50 Hz, 1.25/0.72 A, 0.300 kW, dimensions: 620 mm x 550 mm x 450 mm. Including knife sharpener.	100
954	Bizerba	Bizerba automatic slicer, type: VS 12 D, number: 10664341, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 1.9/1.38 A, 0.552 kW, dimensions: 850 mm x 630 mm x 500 mm.	600
955	Vemag	Housing and worm for Vemag vacuum machine, housing number: FO 645, worm number: 55752.	300
956	Vemag	Housing and worm for Vemag vacuum machine, housing number: FO 634, worm number: 52649.	300
957	Mainca	5 Mainca filling pipes, filling pipe diameters: (2x) 27 mm, (1x) 13 mm, (1x) 17 mm, (1x) 12 mm.	50
958	NN dye	Dye's, (1x) 265 mm x 315 mm, (2x) 285 mm x 110 mm. Including other parts.	50
959	K+G Wetter	K+G Wetter cutter knives, type: 45I Tai-N, total dimensions: 600 mm x 400 mm x 200 mm.	50



Nr	Title	Description	Start €
960	Handtmann	Handtmann case spooling device, type: 78-6, number: 13902618, year of construction: 2014, 230 V, 50 Hz, 0.67 A, 0.18 kW, dimensions: 520 mm x 190 mm x 250 mm.	220
961	Graef GmbH & Co. KG	Graef GmbH & Co. KG automatic slicer, type: VA-806DE1, serial number: 6577997, year of construction: 2009, 400 V, 50 Hz, 2.4 A, 500 W, dimensions: 1320 mm x 670 mm x 500 mm. Including knife sharpener.	400
962	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC 999/K3, number: 1201 0868, 230/220 V, 50/60 Hz, 1.3 kW, seal length: 470 mm, total dimensions: 550 mm x 570 mm x 380 mm.	200
963	Bizerba	Bizerba bandsaw, type: FK 23, number: 2194472, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.3 A, table dimensions: 520 mm x 520 mm, total dimensions: 520 mm x 520 mm x 850 mm.	350
964	Berkel	Berkel slicer, model: 834, number: 600780, 220 V, 1 Ph, 50 Hz, 220 W, dimensions: 630 mm x 550 mm x 450 mm.	50
965	Bizerba	Bizerba slicer, dimensions: 700 mm x 600 mm x 470 mm.	50
966	Bizerba	Bizerba slicer, type: VS 8, number: 123478, 220 V, 1 Ph, 50 Hz, 1.7 A, 0.300 kW, dimensions: 600 mm x 550 mm x 460 mm.	100
967	Animo	Animo coffee dispenser, model: WKI 20n 3KW, serial number: 1GG04516, year of construction: 02/2023, 220/240 V, 1 Ph, 50/60 Hz, 3200 W, volume: 20 liter, dimensions: 400 mm x 320 mm x 600 mm.	50
968	Conpax	Conpax cheese slicer, type: Ergoslicer III, serial number: 0001, year of construction: 2007, 230 V, 500 W, working width: 290 mm, total dimensions: 450 mm x 400 mm x 530 mm.	150
969	Rotek	Rotek vacuum machine, model: PM-VC-400-T070-2S-T, number: X1105, year of construction: 2011, 230 V, 50 Hz, 13 A, 1.1 kW, weight: 75 kg, seal length: (2x) 400 mm, chamber dimensions: 310 mm x 415 mm, vacuum pump, capacity: 20 m ³ per hour, total dimensions: 550 mm x 500 mm x 600 mm.	250
970	NN bag sealers	2 bag sealers, length seal: 400 mm,	10
971	Bizerba	Bizerba weighing scale with indicator and label printer, type: GLP-W, number: 10906613, 230 V, 50 Hz, 0.65/3.5 A, maximum capacity: 3/6/15 kg, minimum capacity: 20 g, e= 1/2/5 g, dimensions scale: 335 mm x 260 mm, dimensions label printer: 430 mm x 350 mm x 470 mm.	350
972	Digi Benelux	Digi Benelux weighing scale with label printer, model: SM-500EP, serial number: 09902812, 230 V, 50/60 Hz, 0.4 A, 45 W, maximum capacity: 6/15 kg, minimum capacity: 40 g, e=d= 2/5 g, T= -5.998 kg, scale dimensions: 380 mm x 280 mm, total dimensions: 400 mm x 480 mm x 560 mm.	75
973	Digi Benelux		100



Nr	Title	Description	Start €
		Digi Benelux weighing scale with label printer and extra scale, model: SM-500EP, serial number: 10903695, 230 V, 50/60 Hz, 0.4 A, 45 W, maximum capacity: 30 kg, minimum capacity: 200 g, e= 10 g, T= -9.990 kg, scale dimensions: 380 mm x 280 mm, total dimensions: 400 mm x 480 mm x 560 mm. Dimensions extra scale: 500 mm x 350 mm.	
974	Digi Benelux	Digi Benelux weighing scale with label printer and extra scale, model: SM-500EP, serial number: 10903679, 230 V, 50/60 Hz, 0.4 A, 45 W, maximum capacity: 30 kg, minimum capacity: 200 g, e= 10 g, T= -9.990 kg, scale dimensions: 380 mm x 280 mm, total dimensions: 400 mm x 480 mm x 560 mm. Dimensions extra scale: 500 mm x 350 mm.	100
975	Dini Argeo srl	Dini Argeo srl weighing scale, model: DFWKXT, serial number: 147036, 110/220 V, 1 Ph, 50/60 Hz, 15 W, maximum capacity: 15 kg, minimum capacity: 0.1, e= 5 g, dimensions: 350 mm x 300 mm x 500 mm.	30
976	Marel	Marel weighing scale, type: C2, serial number: A051152, maximum capacity: 3/6 kg, minimum capacity: 20/40 g, 300 mm x 300 mm x 450 mm. Technical conditions unknown.	20
977	Marel	Marel weighing scale, type: C2, serial number: A051152, maximum capacity: 3/6 kg, minimum capacity: 20/40 g, dimensions: 300 mm x 300 mm x 450 mm. Technical condition unknown.	20
978	Bizerba	Bizerba weighing scale with indicator and label printer, type: SC II 800, number: 11232447, 120/240 V, 50/60 Hz, 0.35/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= 2/5 g, T= -6/15 kg, scale dimensions: 340 mm x 270 mm, total dimensions: 520 mm x 370 mm x 550 mm.	75
979	Bizerba	Bizerba weighing scale with indicator and label printer, type: SC II 800, number: 11232448, 120/240 V, 50/60 Hz, 0.35/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= 2/5 g, T= -6/15 kg, scale dimensions: 340 mm x 270 mm, total dimensions: 520 mm x 370 mm x 550 mm.	75
980	Bizerba	Bizerba slicer, type: VS 8, machine number: 1333863, 220/380 V, 3 Ph, 50 Hz, 1.25/0.72 A, 0.300 kW, dimensions: 650 mm x 500 mm x 400 mm.	100
981	Elcold	Elcold mobile freezer, type: NOVA 45, number: 48070484, 220/240 V, 50 Hz, 4 A, refrigerant: R600A, 80 g, dimensions: 1350 mm x 700 mm x 850 mm.	50
982	Bibia	2 boxes with large amount of Bibia rubber straps, strap length: 620 mm.	25
983	NN cabinet	Cabinet, dimensions: 610 mm x 450 mm x 450 mm.	20
984			60



Nr	Title	Description	Start €
	Brother Industries, LTD.	Brother Industries, LTD. printer, model: MFC-L9550CDW, serial number: E73490J5J253164, 220/240 V, 3 Ph, 50/60 Hz, 5.0 A, dimensions: 550 mm x 500 mm x 600 mm. Including box with parts.	
985	Stephan Alvac	Stephan Alvac vacuum machine, type: Alvac-ID/G, number: 9058-4759, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 4.9 A, 0.75 kW, seal length: 410 mm, chamber: 420 mm x 370 mm, Busch vacuum pump, type: 0021-336, capacity: 21 m ³ per hour, total dimensions: 600 mm x 510 mm x 480 mm. Including vacuum bags, bag dimensions: 300 mm x 400 mm.	125
986	Macap	Macap coffee bean grinder, type: MXA 900, serial number: 130100275, 230 V, 1 Ph, 50 Hz, 300 W, dimensions: 360 mm x 230 mm x 600 mm.	65
987	Schaerer	Schaerer coffee machine, type: SCP, model: JDE Barista ONE, serial number: 1722218961, 220/240 V, 1 Ph, 50/60 Hz, 10/16 A, 2000/2400 W, dimensions: 550 mm x 350 mm x 800 mm.	200
988	Anova	Anova sous vide stick, model: ASVPIPE1.2, 220/240 V, 60 Hz, 1.3 kW, dimensions: 450 mm x 250 mm x 110 mm.	25
989	Anova	Anova sous vide stick, model: ASVPIPE1.2, 220/240 V, 60 Hz, 1.3 kW, dimensions: 450 mm x 250 mm x 110 mm.	25
990	Anova	Anova sous vide stick, model: ASVPIPE1.2, 220/240 V, 60 Hz, 1.3 kW, dimensions: 450 mm x 250 mm x 110 mm.	25
991	Anova	Anova sous vide stick, model: ASVPIPE1.2, 220/240 V, 60 Hz, 1.3 kW, dimensions: 450 mm x 250 mm x 110 mm.	25
992	Anova	Anova sous vide stick, model: ASVPIPE1.2, 220/240 V, 60 Hz, 1.3 kW, dimensions: 450 mm x 250 mm x 110 mm.	25
993	Anova	Pallet with 30 Anova sous vide sticks, model: ASVPIPE1.2, 220/240 V, 60 Hz, 1.3 kW, dimensions each box: 450 mm x 250 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 700 mm.	500
994	NN gastronorm bins	Pallet with large amount of plastic gastronorm bins, gastronorm bin sizes, (6x) 1/9 65 mm, (72x) 1/9 100 mm, (32x) 1/6 100 mm, (55x) 1/6 150 mm, (6x) 1/4 150 mm, total dimensions: 1200 mm x 800 mm x 450 mm.	150
995	NN gastronorm bins	Pallet with large amount of plastic gastronorm bins, gastronorm bin sizes, (3x) 1/9 65 mm with lids, (1x) 1/9 100 mm with lids, (3x) 1/3 65 mm, (10x) 1/3 100 mm, (10x) 1/3 150 mm with lids, (5x) 1/3 150 mm, (2x) 1/2 100 mm, (7x) 1/2 150 mm with lids, (16x) 1/4 100 mm, (15x) 1/4 150 mm with lids, (26x) 1/6 100 mm with lids, (12x) 1/6 mm with lids, total dimensions: 1200 mm x 800 mm x 700 mm.	150
996	Fri-jado	Fri-jado heated showcase, model: MD 60, number: 100031881, 230 V, 50 Hz, 13 A, dimensions: 1000 mm x 630 mm x 1920 mm.	200
997	DGD		200



Nr	Title	Description	Start €
		DGD refrigerated showcase, model: EUROPA, serial number: 07239404, year of construction: 20.04.00, 220 V, 50 Hz, dimensions: 2050 mm x 1150 mm x 1400 mm.	
998	Zummo	Zummo mobile juicer, type: Z40A-N-AH, serial number: 02175009, 220/240 V, 50 Hz, 2.1 A, 410 Watt, dimensions: 950 mm x 750 mm x 1760 mm.	750
999	S.A.M.	S.A.M. automatic slicer, model: S.A.M. 310i T21, serial number: 19813, year of construction: 2005, 3.3 A, dimensions: 800 mm x 700 mm x 700 mm.	300
1000	Gastro-A	Gastro-A coffee machine, fabrication number: 67488, 220 V, dimensions: 600 mm x 500 mm x 480 mm.	200
1001	Azkoyen	Azkoyen coffee machine, model: MCAL, serial number: 10020952, year of construction: 06.09.2006, 230 V, 50 Hz, 17 A, 3800 Watt, dimensions: 600 mm x 480 mm x 460 mm.	100
1002	S.A.M.	S.A.M. slicer, type: 308aXI A, number: 11311, 220 V, 180 Watt, dimensions: 710 mm x 600 mm x 500 mm. Incomplete.	150
1003	S.A.M.	S.A.M. automatic slicer, model: S.A.M. 329 f, serial number: 17064, year of construction: 1998, 400 V, 50 Hz, 1.36 A, dimensions: 950 mm x 620 mm x 550 mm.	400
1004	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 215 mm, total dimensions: 620 mm x 320 mm x 130 mm.	50
1005	Stephan	Stephan universal machine, type: UM12 V, machine number: 33838, year of construction: 1983, 380 V, 50 Hz, 3 Ph, 3.7/4.5 A, 1.5/1.9 kW, volume: 12 liter, dimensions: 530 mm x 350 mm x 550 mm. Including vacuum pump.	750
1006	NN knives	Large amount of knives, length knife: 360 mm.	50
1007	Henkelman	Henkelman vacuum machine, type: JUMBO PLUS, machine number: J101204155, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.5 kW, seal length: 270 mm, chamber dimensions: 310 mm x 280 mm, dimensions: 450 mm x 340 mm x 310 mm.	650
1008	Henkelman	Henkelman vacuum machine, model: T2, serial number: 20150260, year of construction: 2015, 220/240 V, 1 Ph, 50 Hz, 4 A, seal length: 270 mm, chamber dimensions: 310 mm x 290 mm, total dimensions: 500 mm x 370 mm x 320 mm.	750
1009	Turbovac	Turbovac vacuum machine, type: SB 415 H, 220 V, 1 Ph, 50 Hz, seal length: 410 mm, chamber dimensions: 415 mm x 380 mm, total dimensions: 530 mm x 480 mm x 470 mm.	500
1010	Electrolux	Electrolux washing machine, model: W365H, serial number: 00520/0035251, year of construction: 0304, dimensions: 700 mm x 720 mm x 1120 mm.	300
1011	Electrolux	Electrolux washing machine, model: W365H, serial number: 005200065139, year of construction: 0505, dimensions: 700 mm x 720 mm x 1120 mm.	300



Nr	Title	Description	Start €
1012	Winterhalter	Winterhalter part for dishwasher, type: MTR, serial number: 1207042, 400 V, 3 Ph, 50 Hz, 57.5 A, 35.8 kW, dimensions: 1600 mm x 850 mm x 1800 mm.	300
1013	Winterhalter	Winterhalter part for dishwasher, type: 766V9999, serial number: 67741, dimensions: 1500 mm x 850 mm x 1850 mm.	300
1014	NN dish washer	Dish washer, dimensions: 1400 mm x 900 mm x 1800 mm.	700
1015	IPSO	IPSO double stacked dryer, dimensions: 1010 mm x 760 mm x 2000 mm.	300
1016	IPSO	IPSO double stacked dryer, model: ADG 330, serial number: 4719 51, dimensions: 1010 mm x 760 mm x 2000 mm.	300
1017	Miele	Miele washing machine, type: PW 6201 G, fabrication number: 40/96054512, 380/415 V, 3 Ph, 50 Hz, 3.5 A, 4.7 kW, volume: 200 liter, dimensions: 1500 mm x 900 mm x 1400 mm.	600
1018	Miele	Miele dryer, type: T 6251 EL, fabrication number: 46611995, 380/415 V, 3 Ph, 50 Hz, 24 A, 13.2/15.5 kW, volume: 250 liter, dimensions: 900 mm x 820 mm x 1440 mm.	500
1019	Miele	Miele washing machine, type: PW 6207 EL MF, fabrication number: 00/99959125, 380/415 V, 3 Ph, 50/60 Hz, 14 A, 11 kW, volume: 100 liter, dimensions: 940 mm x 800 mm x 1240 mm.	700
1020	IPSO	IPSO double stacked dryer, model: ADG 330 D, serial number: 4719 52, dimensions: 1010 mm x 760 mm x 2000 mm.	300
1021	Muvero	Muvero cooking vessel, inside dimensions: 1650 mm x 700 mm x 380 mm, total dimensions: 1950 mm x 1200 mm x 1000 mm.	500
1050	Air-Wolf	2 Air-Wolf paper dispenser, dimensions: (2x) 580 mm x 400 mm x 320 mm.	20
1051	Air-Wolf	Air-Wolf s/s toilet, dimensions: 710 mm x 400 mm x 430 mm.	50
1052	Air-Wolf	96 Air-Wolf soap dispensers, dimensions: (96x) 205 mm x 125 mm x 105 mm.	100
1053	Air-Wolf	24 Air-Wolf soap dispensers, dimensions: (24x) 205 mm x 125 mm x 105 mm.	25
1054	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50
1055	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50
1056	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50
1057	Air-Wolf	Air-Wolf paper dispenser, dimensions: 580 mm x 400 mm x 320 mm.	10



Nr	Title	Description	Start €
1058	Air-Wolf	24 Air-Wolf soap dispensers, dimensions: (24x) 205 mm x 125 mm x 105 mm.	25
1059	Air-Wolf	24 Air-Wolf soap dispensers, dimensions: (24x) 290 mm x 120 mm x 100 mm.	50
1060	Air-Wolf	Air-Wolf paper dispenser, dimensions: 580 mm x 400 mm x 320 mm.	10
1061	Air-Wolf	Air-Wolf paper dispenser, dimensions: 580 mm x 400 mm x 320 mm.	10
1062	Air-Wolf	9 Air-Wolf soap dispensers, dimensions: (9x) 290 mm x 120 mm x 100 mm.	20
1063	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854190, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	200
1064	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854189, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	200
1065	Reflex Winkelmann GmbH	Reflex Winkelmann GmbH control unit, type: GSM 150, number: 202 153 0000, year of construction: 2008, 400 V, 50 Hz, 3.1 A, 1.1 kW, dimensions: 410 mm x 390 mm x 610 mm.	100
1066	Lotus	3 Lotus soap dispensers, dimensions: (3x) 110 mm x 110 mm x 300 mm.	5
1067	Leister	Leister blower, type: G63A21D, number: 725205388, 60 Hz, 1.38/0.8 A, 0.3 kW,	50
1068	NN switch cabinet	S/s switch cabinet, dimensions: 760 mm x 320 mm x 760 mm.	100
1069	Initial Hokatex	2 steel 4-door Initial Hokatex lockers, dimensions: (2x) 500 mm x 420 mm x 1900 mm. Without keys.	20
1070	Busch	Busch vacuum pump, type: CB 0250 B, serial number: V16440074, year of construction: 2016, capacity: 250 m ³ per hour, dimensions: 1100 mm x 450 mm x 500 mm.	350
1071	Busch	Busch vacuum pump, type: CB 0250 B, serial number: 060092408, year of construction: 2006, capacity: 300 m ³ per hour, dimensions: 1100 mm x 450 mm x 550 mm	250
1072	Delaval	Delaval cooling compressor with condenser, type: ASR500 SD, 360/420 V, 3 Ph, 50 Hz, dimensions: 900 mm x 940 mm x 820 mm.	150
1073	NN hoist	Chain hoist, dimensions: 400 mm x 300 mm x 300 mm.	30
1074	GEA / L'unite Hermetique	GEA evaporator, type: DEB 071D Decken-Luftkühler, number: P117430576, year of construction: 2002, 230 V, 1 Ph, 50/60 Hz, dimensions: 670 mm x 1050 mm x 240	350



Nr	Title	Description	Start €
		mm with L'unite Hermetique cooling compressor, dimensions: 700 mm x 600 mm x 500 mm.	
1075	Frascold	Frascold cooling compressor, type: Z 40 126 Y, number: 3G000043, dimensions: 1300 mm x 600 mm x 1200 mm.	300
1076	Michelin	4 Michelin tyres, 195/60 R 15.	10
1077	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	30
1078	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	30
1079	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	30
1080	Busch	Busch vacuum pump, type: CB 0250, serial number: 15062301, year of construction: 2015, capacity: 300 m ³ per hour, dimensions: 1100 mm x 500 mm x 700 mm.	350
1081	Rietschle	Rietschle vacuum pump, type: VCEH 250(01), number: 1575009, year of construction: 1994, capacity: 250 m ³ per hour, dimensions: 900 mm x 650 mm x 460 mm.	250
1082	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	150
1083	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	150
1084	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	150
1085	Busch	Busch vacuum pump, type: KB 0040 D IZ0, number: 130043249, year of construction: 2013, capacity: 40 m ³ per hour, dimensions: 450 mm x 280 mm x 450 mm.	150
1086	Elpress	Elpress soap mixing unit, dimensions: 500 mm x 200 mm x 550 mm.	100
1087	Rietschle	Rietschle vacuum pump, type: VWP 1000 (05), number: 2060848, year of construction: 1999, capacity: 1072 m ³ per hour, dimensions: 1000 mm x 350 mm x 600 mm.	350
1088	NN heater	Heater, electrically heated, dimensions: 800 mm x 400 mm x 800 mm.	5
1089	Aux	Aux air conditioning, consisting of: outside unit and inside unit, type outside unit: AS-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, 2.0/2.2 kW, refrigerant: R407c / 1.96 kg, dimensions outside unit: 800 mm x 300 mm x 720 mm, type indoor unit: ASW-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, refrigerant: R407c / 1.95 kg, dimensions indoor unit: 980 mm x 230 mm x 300 mm.	150
1090	NN sink	S/s sink, knee control, dimensions: 600 mm x 450 mm x 800 mm.	25
1091	Grundfos	Grundfos circulation pump, type: LP 50-125/142 A-F-A-BUBE, model: C4 8060022-PI-0021, capacity: 12.0 m ³ per hours, dimensions: 630 mm x 420 mm x 220 mm.	100
1092	L'Unite Hermetique	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CAET4440Y HR, serial number: 06F01 195956 3B66230202, 220/240 V, 1 Ph, 50 Hz, 3.8	150



Nr	Title	Description	Start €
		A, refrigerant: R134A, dimensions: 650 mm x 630 mm x 460 mm.	
1093	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4P.2Y, serial number: 1679015160, dimensions: 1200 mm x 900 mm x 800 mm.	200
1094	NN vacuum pump	Vacuum pump, dimensions: 1180 mm x 600 mm x 460 mm.	200
1095	Flamco	Flamco expansion vessel, type: Flexcon Premium 80, dimensions: ø 450 mm x 500 mm.	20
1096	Kohlhoff	Kohlhoff sole cleaner, type: SORM/H, number: 1024, 400 V, 3 Ph, 50 Hz, 0.09 kW, brush length: 150 mm, total dimensions: 650 mm x 550 mm x 1120 mm.	150
1097	Nederman	Nederman hose reel, model: 806458, serial number: 858, dimensions: 700 mm x 450 mm x 200 mm.	75
1098	Demag	Demag hoist, type: PK2L, fabrication number: 5118873, year of construction: 1990, 220/380 V, 50 Hz, 3.1/1.8 A, capacity: 500 kg, dimensions: 600 mm x 400 mm x 260 mm.	75
1099	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 550 mm x 600 mm x 500 mm.	100
1100	Güntner / L'unite Hermetique	Güntner evaporator, type: GDF 30B/17-E, year of construction: 1998, dimensions: 500 mm x 800 mm x 240 mm.	100
1101	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	150
1102	SEW-Eurodrive	SEW-Eurodrive motor, type: KV77 DY112LB/HR/TH/SM41, dimensions: 470 mm x 190 mm x 290 mm and 290 mm x 200 mm x 340 mm.	100
1103	SEW-Eurodrive	SEW-Eurodrive motor, type: KV77 DY112LB/HR/TH/SM41, dimensions: 470 mm x 190 mm x 290 mm and 290 mm x 200 mm x 340 mm.	100
1104	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH64/FS 75, serial number: 66023205, type cooling compressor: 2DC-3.2Y-40S, serial number: 1683007071, capacity: 13.4/16.2 m ³ per hour, dimensions: 750 mm x 700 mm x 560 mm.	400
1105	Fenner Fluid Power	Fenner Fluid Power hydraulic power unit, serial number: 9410068.	100
1106	APV	APV valve system with switch cabinet, dimensions: 1450 mm x 880 mm x 900 mm	150
1107	ZTE V. Tirnovo	ZTE V. Tirnovo chain hoist, type: KR11606-4, number: 914029, year of construction: 1989, 220/380 V, 50 Hz, 2.5/3.3 A, 0.75 kW, dimensions: 850 mm x 300 mm x 490 mm.	100
1108	Silistra	Silistra metal saw, type: OH 163 01, serial number: 5112, year of construction: 1978, saw length: 355 mm, total dimensions: 1100 mm x 550 mm x 1250 mm.	150



Nr	Title	Description	Start €
1109	NN machine parts	Various machine parts, among others: 2 motors.	5
1110	NN sink	S/s double sink, dimensions: 1800 mm x 600 mm x 940 mm.	100
1111	Alpak	Alpak motor, number: BE712248, 5.5/6.3 kW, dimensions: 450 mm x 330 mm x 370 mm.	75
1112	Leroy Somer	Leroy Somer motor, number: 002737EL025, 5.5 kW, dimensions: 420 mm x 300 mm x 300 mm.	75
1113	NN motor	Electro motor, 2850 rpm, dimensions: 450 mm x 250 mm x 500 mm.	75
1114	Frascold	Frascold cooling compressor, type: S15-52Y, number: 3M001325, capacity: 51.50/61.80 m ³ per hour, dimensions: 550 mm x 400 mm x 400 mm.	75
1115	SEW	Pallet with 5 SEW motors, dimensions: 1200 mm x 800 mm x 450 mm.	50
1116	NN frequency converters	Plastic pallet box with large amount of various frequency converters, dimensions: 1200 mm x 800 mm x 800 mm.	250
1117	NN cables	2 boxes with large amount of electric cables.	10
1118	Rudolf	Rudolf mobile compressor, type: Strocomp 865, 230 V, 2 Ph, 50 Hz, 2.2 kW, dimensions: 920 mm x 550 mm x 640 mm.	100
1119	AMT Datasouth	3 AMT Datasouth barcode printers, type: 7200, 100-120/230-240 VAC, 50/60 Hz, 2.9/1.5 A, dimensions: (3x) 550 mm x 210 mm x 380 mm.	10
1120	Intermec	5 Intermec label printers, model: 3400, 220-240 V, 1 A, 50-60 Hz, dimensions: (5x) 440 mm x 250 mm x 250 mm.	10
1121	Zebra Technologies Corporation	Zebra Technologies Corporation label printer, model: Z4000, serial number: 3010139, 90-264 VAC, 47-63 Hz, 4 A, 300 W, dimensions: 470 mm x 260 mm x 270 mm.	5
1122	Citizen Systems	Citizen Systems label printer, model: JM43-M01, serial number: JMGB010066, 220-240 V, 50/60 Hz, 1.5 A, dimensions: 270 mm x 230 mm x 260 mm.	5
1123	NordCap	NordCap refrigerated cabinet, type: KT9 4Z, serial number: 435-509001, 230 V, 50 Hz, 1.2 A, inside dimensions: (4x) 530 mm x 305 mm x 140 mm, total dimensions: 700 mm x 900 mm x 1000 mm.	150
1124	Taski	Taski cleaning trolley with content, dimensions: 1000 mm x 750 mm x 1100 mm.	25
1125	Arnec	Arnec mobile refrigerated showcase, type: Rosso 800 TN, serial number: 4WDA041101, year of construction: 2023, 230 V, 50 Hz, 580 W, inside dimensions: 700 mm x 570 mm x 240 mm, total dimensions: 800 mm x 800 mm x 1050 mm.	50
1126	Animo	Animo coffee machine, dimensions: 500 mm x 400 mm x 750 mm. Including parts	75
1127	Etna	Etna dishwasher on steel trolley, dishwasher dimensions: 600 mm x 585 mm x 850 mm, total dimensions: 800 mm x 600 mm x 1900 mm.	50



Nr	Title	Description	Start €
1128	Animo	Animo coffee machine, dimensions: 500 mm x 400 mm x 750 mm. Including parts and Brita filter, without key.	75
1129	Boma	Boma trolley, roller width: 170 mm, total dimensions: 630 mm x 400 mm x 880 mm.	10
1130	Boma	Boma trolley, roller width: 170 mm, total dimensions: 630 mm x 400 mm x 880 mm.	10
1131	Vileda	Vileda trolley, floor dimensions: 240 mm x 490 mm, 14 floors, total dimensions: 950 mm x 600 mm x 1100 mm.	20
1132	NN storage bins	2 pallets with plastic storage bins, bin dimensions: 395 mm x 90 mm x 75 mm and 400 mm x 185 mm x 75 mm, total dimensions: 1150 mm x 800 mm x 1220 and 1080 mm x 800 mm x 1220 mm.	60
1133	Vileda	2 Vileda trolleys, floor dimensions: 240 mm x 490 mm, 14 floors, total dimensions: 950 mm x 600 mm x 1100 mm.	20
1134	NN trolley	Plastic trolley with buckets, dimensions: 600 mm x 530 mm x 950 mm	20
1135	NN trolley	2 plastic trolleys , dimensions: (2x) 600 mm x 530 mm x 950 mm	20
1200	Dibo	2 Dibo high pressure cleaners, type: H 1900, serial number: 090600092, year of construction: 2009, 230V, 50 Hz, 2.1 kW, 130 bar, 6.8 l/min, dimensions: (2x) 420 mm x 310 mm x 850 mm. Including 1 high pressure lance and 4 spare lance attachments, 1 wheel is broken.	75
1201	Eurom	Eurom high pressure cleaner, model: Force 2000 Plus, number: 135381, 220/240 V, 1 Ph, 50 Hz, 2000 W, weight: 10 kg, dimensions: 870 mm x 340 mm x 330 mm.	150
1202	Metabo	Metabo mitre saw, model: KGS 216 M, year of construction: 2015, 220/240 V, 1 Ph, 50/60 Hz, 5.5 A, 1.2 kW, saw diameter: 216 mm.	60
1203	Aspera	Aspera cooling compressor, model: UJ2192G, 220/240 V, 1 Ph, 50 Hz, refrigerant: R404, dimensions: 530 mm x 760 mm x 360 mm.	50
1204	Lapp	Lapp control cabel, type: ÖLFLEX CLASSIC 110 CY 4G2.5, dimensions: ø 900 mm x 480 mm.	500
1205	SEW-Eurodrive	Pallet with large amount of SEW-Eurodrive electromotors.	400
1206	Nilfisk	Nilfisk floor scrubbing machine, model: CA 340, serial number: 045217049, dimensions: 480 mm x 950 mm x 1060 mm.	450
1207	Centurius	Centurius tool trolley with large amount of tools, dimensions: 780 mm x 470 mm x 970 mm.	100
1208	NN electro motor	Electro motor, 380 V, 3 Ph, 50 Hz, 9.6 A, 0.85 kW, dimensions: 750 mm x 280 mm x 390 mm.	15
1209	Alup-Kompressoren GmbH	Alup-Kompressoren GmbH air-dryer, model: DTE 300, serial number: 023/15814/26, 220-230 V, 1 Ph, 50 Hz, 16	30



Nr	Title	Description	Start €
		A, 0.82 kW, refrigerant: R134a 0.95 kg, dimensions: 600 mm x 600 mm x 910 mm.	
1210	NN electric parts and fuses	Pallet with large amount of electric parts and fuses, dimensions: 1200 mm x 800 mm x 650 mm.	25
1211	NN frequency converters	Wooden pallet box with large amount of various frequency converters, dimensions: 1100 mm x 800 mm x 800 mm.	100
1212	Busch	Busch vacuum pump, type: RA 0305 D 5Z1 QMXX, number: C0741000490, year of construction: 2007, capacity: 300 m ³ /h, dimensions: 1200 mm x 500 mm x 420 mm.	1000
1213	Daikin Europe NV	Daikin Europe NV condensing unit for air conditioning, model: RY22DA7V19, number: 3611374, year of construction: 1996, 220/240 V, 1 Ph, 50 Hz, 5.5/6.1 A, 1.1/1.2 kW, refrigerant: R22, 0.85 kg, dimensions: 750 mm x 300 mm x 550 mm.	10
1214	Fetch	Fetch compressor, type: D21828, serial number: 00476, year of construction: 08-2008, 220 V, 1 Ph, 50 Hz, 1.1 kW, 8 bar, volume: 25 liter, dimensions: 600 mm x 250 mm x 370 mm. Technical condition unknown.	25
1215	Grundfos	Grundfos circulation pump, dimensions: 700 mm x 520 mm x 200 mm.	100
1216	Grundfos	Grundfos circulation pump, dimensions: 700 mm x 520 mm x 200 mm.	100
1217	Grundfos	Grundfos circulation pump, dimensions: 860 mm x 550 mm x 200 mm.	100
1218	Wörstahl	Wörstahl wet-dry vacuum cleaner, model: WT007, dimensions: 545 mm x 505 mm x 1055 mm.	75
1219	NN valves	Pallet with valves.	100
1220	NN hygiene equipment	Pallet with hygiene equipment, among others: shoe covers, plastic bags and paper dispenser.	50
1221	Swedic	Swedic welding, air compressor and generating tool, model: PWC7.0-200A, aggregate 230 V, welding machine 200 A, air compressor 7 Bar, dimensions: 850 mm x 600 mm x 950 mm. Never used.	750
1222	Centurius	Centurius tool trolley, dimensions: 760 mm x 460 mm x 870 mm.	150
1223	DMW Copeland	DMW Copeland cooling compressor, model: D3DA4-50X-AWM/D, serial number: 1324398, dimensions: 1000 mm x 1000 mm x 940 mm.	400
1224	NN workbench	Wooden workbench, steel frame, 2 steel vises, dimensions: 1500 mm x 800 mm x 800 mm.	75
1225	Röwac	Röwac welding machine, type: KGL 300, number: 3001232, dimensions: 410 mm x 780 mm x 740 mm, 410 mm x 1050 mm x 760 mm.	250
1226	HELI	HELI electric pallet lifter, model: GBD15J, serial number: 08015JFJ217, year of construction: 2024, capacity: 1500	350



Nr	Title	Description	Start €
		kg, fork length: 1150 mm, total dimensions: 1550 mm x 560 mm x 1220 mm.	
1227	Boge	Boge air compressor, type: SK 46, number: 5019460, year of construction: 2007, 11 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	100
1228	Stiga S.p.A.	Stiga S.p.A. leaf blower, type: BL 260H, serial number: 306HU301198- 255026002, year of construction: 2013, dimensions: 1100 mm x 310 mm x 360 mm.	25
1229	Champion	Champion flap disc, type: CP-124, grit 80, dimensions: diameter: 125 mm x 90 mm.	5
1230	Kratos	Kratos balancer, serial number: AJ 1600057, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	10
1231	Kratos	Kratos balancer, serial number: AJ 1600058, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	10
1232	Kawasaki	Kawasaki cordless drill, model: K-AK 20-2 XR PRO, dimensions: 410 mm x 280 mm x 100 mm.	80
1233	Parrot	Parrot Bluetooth hands-free car system, model: CK3100, dimensions: 220 mm x 200 mm x 80 mm.	2
1234	NN inspection light	Inspection light.	30
1235	Aertec	Aertec sealant gun, model: DP310-PRO, 6.3 bar, weight: 1 kg, dimensions: 370 mm x 140 mm x 60 mm.	8
1236	Euromax	Euromax coffee machine, type: President espresso, dimensions: 270 mm x 340 mm x 310 mm.	2
1237	Stanley	Stanley electric fan heater, model: ST-23-240-E, serial number: SEFH-22-06-00013, 220-240 V, 50 Hz, 3000 W, dimensions: 220 mm x 290 mm x 320 mm.	60
1238	Champion	Champion electric angle grinder, type: CP-119.	40
1239	Champion	Champion electric angle grinder, type: CP-119.	40
1240	Labomess	Case with Labomess PH-Meter, model: P 600, range: 0 - 14 pH, range: 0.01 pH, dimensions: 270 mm x 230 mm x 90 mm.	40
1241	Zincline	Zincline sander polishing brush, dimensions: 260 mm x 200 mm x 170 mm.	40
1242	Stahl Kaiser	Stahl Kaiser tool set, 26 pieces.	25
1243	Matrix	Matrix hammer drill, model: EHD 1200-2, serial number: 19-0567/00136, year of construction: 08-2019, 230 V, 50 Hz, 1200 W, dimensions: 400 mm x 330 mm x 120 mm.	60
1244	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 60 mm.	2
1245	Schwartzmann	Schwartzmann retractable air hose, dimensions: 540 mm x 290 mm x 505 mm.	40
1246	Zincline	Zincline waxing and polishing brush, dimensions: 260 mm x 200 mm x 170 mm.	75
1247	Kawasaki	Kawasaki rotary hammer, model: K-EHD 900, serial number: 18-0857/00448, year of construction: 2018,	60



Nr	Title	Description	Start €
		220-240 V, 50 Hz, 900 W, dimensions: 350 mm x 250 mm x 110 mm.	
1248	Atal	Atal carbon dioxide measurement device.	50
1249	NN bench vice	Steel bench vice.	20
1250	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 30 mm.	20
1251	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 30 mm.	20
1252	BAIER	BAIER diamond drill, type: BDB 825.	75
1253	Black&Decker	Black&Decker combi drill, type: EPC188, 18V, dimensions: 340 mm x 310 mm x 100 mm.	75
1254	NN clamping kit	58 pieces clamping kit, dimensions: 330 mm x 210 mm x 80 mm.	20
1255	Stahl Kaiser	Stahl Kaiser tool set, 17 pieces.	20
1256	ZECA	ZECA plastic hose reel with 8 meters hose.	50
1257	BULL TECH	BULL TECH automatic dimming welding helmet.	25
1258	BULL TECH	BULL TECH automatic dimming welding helmet.	25
1259	MAXX	MAXX pneumatic angle grinder.	50
1260	NOVUS	NOVUS stapler.	30
1261	Metabo	Metabo eccentric sander.	50
1262	Komatsu Zenoah Co.	Komatsu Zenoah Co. bush trimmer, type: BC250, serial number: 6030679, year of construction: 2006, engine type: GT25N, 2 stroke, gasoline powered, dimensions: 1800 mm x 340 mm x 250 mm.	30
1263	Rioned	Rioned sewer inspection camera, type: Sanicam +, serial number: 0160, year of construction: 2017.	50
1264	NN chafing dish	Chafing dish, model: G-BS300, 220/240 V, 1 Ph, 50/60 Hz, 300 W, dimensions: 650 mm x 360 mm x 150 mm.	50
1265	Sanomat B.V.	Sanomat B.V. whipped cream machine, type: Euro Plus S Auto, number: 4537, 230 V, 50 Hz, 850 W, refrigerant: R134a/75 g, dimensions: 580 mm x 300 mm x 560 mm.	350
1266	VITA-MIX	VITA-MIX XL blender, model: VM0146, 1hp blender, dimensions: 460 mm x 210 mm x 500 mm.	600
1267	Gemini	Gemini Nespresso coffee machine, type: CS 100 PRO, dimensions: 430 mm x 210 mm x 360 mm.	25
1268	Buffalo	Buffalo double grill, model: L537-B-E-03, serial number: 201807001772, 230 V, 50 Hz, 2900 W, dimensions: 480 mm x 400 mm x 240 mm.	75
1269	TECHFOOD	TECHFOOD commercial crepe maker 30cm, model: 8804000049, serial number: 5193, year of construction: 2018, 230 Vac, 50/60 Hz, 1.8 kW, dimensions: 350 mm x 510 mm x 320 mm.	300
1270	Metro	Metro refrigerator, type: GPC1046, dimensions: 480 mm x 430 mm x 500 mm.	50
1271	NN soap dispensers	Plastic soap dispensers.	15
1272	Makita	Makita centrifugal pump, type: EW2051H, capacity: 700 litres/min.	250



Nr	Title	Description	Start €
1273	UltraToolz	UltraToolz tool trolley, 399 pieces, dimensions: 380 mm x 210 mm x 530 mm.	100
1274	Midori	Midori cut-off machine, type: MJ-1091, 220 V, 50 Hz, 3850 W.	75
1275	ABAC	ABAC air compressor, model: POLE POSITION 015, volume: 24 litres, capacity: 8 bar.	100
1276	ABAC	ABAC air compressor, model: POLE POSITION 015, volume: 24 litres, capacity: 8 bar.	100
1277	Schwartzmann	Schwartzmann tool trolley, dimensions: 1050 mm x 460 mm x 950 mm.	200
1278	Metal Products	Metal Products mobile pressure vessel, type: 0150106H, serial number: EF 15646, year of construction: 2001, 10 bar, volume: 150 liter, dimensions: 1250 mm x 400 mm x 940 mm.	100
1279	Kijana	Kijana off road kart, type: Go kart, model: GK008, 98CC gasoline engine, dimensions: 1450 mm x 850 mm x 1150 mm.	100
1280	NN cooling compressor	Cooling compressor, dimensions: 1270 mm x 830 mm x 700 mm.	150
1281	ABAC	ABAC mobile air compressor, dimensions: 1450 mm x 450 mm x 1000 mm.	100
1282	NN tool cabinet	Tool cabinet, dimensions: 800 mm x 530 mm x 2100 mm. Never used.	80
1283	Hendi Engineering BV	Hendi Engineering BV grill, type: Grillsystem 1000, 8.4 kW, dimensions:	50
1284	CCTV	CCTV security recording system, model: SX-7004H-4, dimensions: 290 mm x 180 mm x 170 mm.	40
1285	Olympus	Olympus industrial videoscope, model: IV8620U, dimensions: 450 mm x 170 mm x 350 mm.	50
1286	Baby Royal	Baby Royal coffee machine, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1550 W, capacity: 1.5 liter, dimensions: 370 mm x 210 mm x 450 mm.	25
1287	Toolcraft	Toolcraft tool box, model: Z-782, dimensions: 430 mm x 270 mm x 70 mm.	60
1288	Ragnor	Ragnor trolley, dimensions: 1060 mm x 450 mm x 130 mm.	50
1289	Deutsche Stahl	2 Deutsche Stahl screw machines, type: CB1280T, dimensions: 370 mm x 320 mm x 110 mm.	60
1290	Rioned	Rioned sewer inspection camera, type: Sanicam +, serial number: 0138, year of construction: 2017, dimensions: 500 mm x 400 mm x 170 mm.	50
1291	Baby Royal	2 Baby Royal coffee machines, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1550 W, capacity: 1.5 liter, dimensions: (2x) 370 mm x 210 mm x 450 mm.	50
1292	Ragnor	Ragnor tool box, dimensions: 600 mm x 260 mm x 400 mm.	40
1293	Centurius		40



Nr	Title	Description	Start €
		Centurius tool trolley, dimensions: 700 mm x 380 mm x 200 mm.	
1294	Toolcraft	Toolcraft 61 pieces tool box, model: X-561S, dimensions: 300 mm x 220 mm x 70 mm.	30
1295	BKW	BKW box with drills, dimensions: 360 mm x 270 mm x 40 mm.	20
1296	Stanley	Stanley belt/disc grinder, serial number: 10W202200230091, 230 V, 1 Ph, 50 Hz, 16.5 kg, grinding belt width: 100 mm, grinding disc diameter: 150 mm, total dimensions: 560 mm x 280 mm x 320 mm.	50
1297	Royalty Line	Royalty Line wet and dry vacuum cleaner, model: WDVC-30, 220/240 V, 1 Ph, 50/60 Hz, 1400 W, capacity: 30 liter, dimensions: 370 mm x 350 mm x 570 mm.	40
1300	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	500
1301	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	500
1302	NN smoke trolleys	5 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (5x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	250
1303	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000
1304	NN smoke trolleys	15 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (15x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	750
1305	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	500
1306	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	500



Nr	Title	Description	Start €
1307	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	500
1308	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	500
1309	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000
1310	NN smoke trolleys	19 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (19x) 960 mm x 910 mm x 1800 mm. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	950
1311	NN smoke trolleys	6 s/s smoke trolleys, 6 floors, dimensions: (6x) 1000 mm x 1010 mm x 1940 mm.	650
1312	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, dimensions: (4x) 1000 mm x 1010 mm x 1940 mm.	450
1313	Delta Technics Engineering	Delta Technics Engineering evaporator, model: DS262, serial number: SIA160200-05, 220 V, 50 Hz, 2 fans, dimensions: 1450 mm x 850 mm x 400 mm.	200
1314	Tecumseh	Cabinet with Tecumseh cooling compressor, model: TFHT2480Z, refrigerant: R452a_R404a, dimensions: 750 mm x 750 mm x 800 mm.	100
1315	Copeland GmbH	Copeland GmbH condensing and cooling unit, model: MC-M9-ZB45KE-TFD OHNE H/N, serial number: 42883, refrigerant: R 404a, 8 kg, dimensions: 1000 mm x 850 mm x 1770 mm.	100
1316	Groba BV	Groba BV cheese divider for hard cheese, type: ACSC 550, order number: 89811, plastic rollers, roller width: 400 mm, total dimensions: 1700 mm x 1150 mm x 2130 mm.	1000
1318	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1319	Helpman	Helpman evaporator, type: LEX-6-E CB, 220/240 V, 1 Ph, 50 Hz, dimensions: 670 mm x 660 mm x 450 mm.	75
1320	Alfa Laval	Alfa Laval evaporator, type: LEX 16-7 230-E2, serial number: 1012-0500001735-8814-21702, year of construction: 2010, machine weight: (empty) 61 kg, 230 V, 1 Ph, 50 Hz, 1 fan, volume: 4 liter, dimensions: 1100 mm x 780 mm x 700 mm.	150



Nr	Title	Description	Start €
1321	Altrex	Altrex working platform, product number: 820000459/T09023/OVERSTAP, year of construction: 04/2009, max capacity: 150 kg, working height: 820 mm, total dimensions: 1230 mm x 540 mm x 820 mm.	50
1322	Packo	Packo, cooled tub with agitator, dimensions: 1850 mm x 950 mm x 1260 mm.	350
1323	Copeland GmbH	Copeland GmbH condensing and cooling unit, model: B8 KJ 7X CAG, serial number: 09H315756 M, dimensions: 600 mm x 600 mm x 500 mm.	100
1324	NN double tank	Double s/s tank, volume: (2x) 500 litres, dimensions: 2100 mm x 1200 mm x 2000 mm.	1000
1325	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS76, serial number: 1676702501, type cooling compressor: 2CES-3Y-40S, serial number: 1696313488, capacity: 16.2/19.4 m ³ per hour, dimensions: 900 mm x 1070 mm x 930 mm.	300
1326	MKM	MKM elevating belt, serial number: 01, year of construction: 2015, 400 V, plastic belt with dividers, belt width: 400 mm, divider height: 50 mm, distance between dividers: 150 mm, elevating height: 1650 mm, total dimensions: 1600 mm x 700 mm x 1800 mm.	250
1327	NN tub	S/s tub, dimensions: 1300 mm x 1300 mm x 1180 mm.	100
1328	MKM	MKM elevating belt, year of construction: 2013, 400 V, plastic belt with dividers, belt width: 600 mm, divider height: 50 mm, distance between dividers: 210 mm, elevating height: 1450 mm, total dimensions: 1700 mm x 900 mm x 1600 mm.	500
1329	Alfa Laval	Alfa Laval s/s milk cooling tank with mixing arm, type: HCA-C 3000, volume: 3175 litres, dimensions: 3350 mm x 1500 mm x 1750 mm. With integrated cooling system.	1500
1330	NN apron washer	S/s apron washer, dimensions: 750 mm x 800 mm x 1700 mm.	200
1331	Faber	Faber s/s trolley, 14 floors, floor dimensions: 820 mm x 610 mm, total dimensions: 780 mm x 670 mm x 1940 mm.	40
1332	NN table	Mobile table, s/s frame with plastic top, dimensions: 730 mm x 440 mm x 940 mm.	50
1333	NN roll container	Roll container, dimensions: 800 mm x 725 mm x 1685 mm.	10
1334	Kovu	S/s cabinet with Kovu cooling compressor, refrigerant: R507, dimensions: 770 mm x 570 mm x 600 mm.	100
1335	NN apron washer	S/s apron washer, dimensions: 580 mm x 580 mm x 1620 mm.	200
1336	Tecumseh	Cabinet with 3 Tecumseh cooling compressors, model: TFHP4540X, refrigerant: R507, dimensions: 2400 mm x 750 mm x 800 mm.	250



Nr	Title	Description	Start €
1337	Searle	Searle evaporator, model: DSR62-4 AL, serial number: 270055, 220-240 V, 1 Ph, 50 Hz, 0.78-0.84 A, dimensions: 1820 mm x 930 mm x 400 mm.	100
1338	NN roller conveyor	Electric driven roller conveyor, s/s rollers, roller width: 600 mm, total dimensions: 2100 mm x 1120 mm x 980 mm.	500
1339	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1340	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: PACi 42457, manufacturing number: PJV142786.VK1402148, 2 fans, dimensions: 2500 mm x 1200 mm x 600 mm.	250
1341	NN gutter	S/s infeed gutter, dimensions: 3700 mm x 1600 mm x 1480 mm.	200
1342	VEB	VEB dust extraction device, type: Sto 16, machine number: 179, year of construction: 1989, 80 kg, dimensions: 600 mm x 600 mm x 1600 mm.	50
1343	Koppens	Koppens elevating belt with dividers, s/s frame, plastic belt, type: AVK 3200/450, machine number: AVK 3200/450-94, 380 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 185 kg, belt width: 450 mm, distance between dividers: 330 mm, divider height: 50 mm, elevating height: 2100 mm, total dimensions: 3000 mm x 1100 mm x 2200 mm.	500
1344	NN belt grill	Belt grill, maximum belt width: 700 mm, total dimensions: 3300 mm x 1150 mm x 1900 mm. Incomplete.	1250
1345	NN frame	S/s frame, dimensions: 580 mm x 300 mm x 880 mm.	20
1346	NN trolley	S/s mobile trolley, dimensions: 1000 mm x 900 mm x 1250 mm.	100
1347	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	150
1348	NN rack	S/s mobile rack, 7 floors, dimensions: 830 mm x 570 mm x 1670 mm.	150
1349	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	150
1350	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	150
1351	Alfa-Laval	Alfa-Laval s/s milk cooling tank with mixing arm, type: HCA-C 7500, serial number: 10751, volume: 7800 litres, dimensions: 3350 mm x 1500 mm x 1750 mm. With integrated cooling system.	1750
1352	Frigotronic	Frigotronic chiller, type: HZB-WU-CSH 8561 ECO, number: 0024900, year of construction: 08/2007, 230/400 V, 3 Ph, 50 Hz, 93.75 kW, weight: 2.742 kg, refrigerant: R507/247.65 kg, dimensions: 2500 mm x 1500 mm x 1550 mm.	950
1353	GEA Goedhart BV	GEA Goedhart BV roof condenser, 6 fans, model: KOAL-S MEC232-N606D, serial number: 1106979, dimensions: 3950 mm x 2070 mm x 1000 mm.	500



Nr	Title	Description	Start €
1354	Alfa-Laval	Alfa-Laval s/s milk cooling tank with mixing arm, type: HCA-C 6000, serial number: 10284, volume: 6350 litres, dimensions: 3350 mm x 1500 mm x 1750 mm. With integrated cooling system.	1750
1355	NN transport belt	Mobile transport belt, plastic belt, belt width: 215 mm, total dimensions: 2800 mm x 750 mm x 1100 mm.	250
1356	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 440 mm, divider height: 25 mm, distance between dividers: 320 mm, elevating height: 1050 mm, total dimensions: 2300 mm x 730 mm x 1050 mm.	200
1357	Western Mechanical Handling UK LTD	Western Mechanical Handling UK LTD transport belt, model: INT-1500, serial number: 7809-03, 09-09, plastic mesh belt, belt length: 4000 mm, belt width: 590 mm, total dimensions: 1600 mm x 950 mm x 1000 mm.	250
1358	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1359	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1360	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 550 mm, divider height: 25 mm, total dimensions: 260 mm, total dimensions: 6500 mm x 900 mm x 1000 mm.	400
1361	NN tub	S/s mobile tub, dimensions: 800 mm x 600 mm x 870 mm.	50
1362	NN frame	S/s frame for crates, dimensions: 590 mm x 480 mm x 600 mm.	20
1363	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 1100 mm, total dimensions: 1850 mm x 1350 mm x 1000 mm.	250
1364	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 1100 mm, total dimensions: 1850 mm x 1350 mm x 1000 mm.	250
1365	NN roller conveyor	Roller conveyor, steel rollers, roller width: 400 mm, total dimensions: 3050 mm x 500 mm x 820 mm.	300
1366	NN roller conveyor	Roller conveyor, steel rollers, roller width: 400 mm, total dimensions: 3050 mm x 500 mm x 820 mm.	300
1367	NN roller conveyor	Roller conveyor, steel rollers, roller width: 400 mm, total dimensions: 3050 mm x 500 mm x 820 mm.	300
1368	Goedhardt	Goedhardt heat exchanger, type: KB.H 750 M2, machine number: PJV050888, year of construction: 2005, fluid: NH3, volume: 339 dm ³ , dimensions: 2450 mm x 800 mm x 2500 mm.	1500
1369	NN roller conveyor	Driven roller conveyor, plastic rollers, roller width: 970 mm, total dimensions: 1150 mm x 1100 mm x 1150 mm.	200
1370	NN roller conveyor	Driven roller conveyor, plastic rollers, roller width: 970 mm, total dimensions: 1280 mm x 1100 mm x 1250 mm.	200
1371	NN platform		150



Nr	Title	Description	Start €
		S/s platform, dimensions: 2950 mm x 920 mm x 1350 mm.	
1372	NN packaging table	Packaging table, plastic belt, belt width: 300 mm, 2 plastic mesh belts, belt width: (2x) 380 mm, total dimensions: 2900 mm x 1700 mm x 2300 mm.	250
1373	NN platform	S/s platform, dimensions: 2950 mm x 920 mm x 1350 mm.	150
1374	NN hood	S/s extraction hood, dimensions: 3500 mm x 900 mm x 1020 mm.	100
1375	NN plastic pallets	13 plastic pallets, dimensions: (5x) 1200 mm x 800 mm x 150 mm, (8x) 1200 mm x 1000 mm x 150 mm.	50
1376	NN plastic pallets	14 plastic pallets, dimensions: (14x) 1200 mm x 800 mm x 150 mm.	50
1377	Güntner AG & Co. KG	Güntner AG & Co. KG condenser, 1 fan, type: S-GVV 050.1A/1-SW.E, serial number: 400/3371981.0001, year of construction: 2010, air pressure: 35.2 bar, volume: 11.3 liter, dimensions: 1040 mm x 600 mm x 1140 mm.	250
1378	MKM	MKM mobile transport belt, serial number: 001, year of construction: 2015-03, 400 V, plastic belt, belt width: 260 mm, total dimensions: 1500 mm x 550 mm x 950 mm.	250
1379	NN roller conveyor	Driven roller conveyor, plastic rollers, roller width: 970 mm, total dimensions: 2250 mm x 1050 mm x 1250 mm.	200
1380	NN trolleys	2 s/s trolleys, 14 floors each, floor dimensions: 810 mm x 630 mm, total dimensions: (2x) 870 mm x 650 mm x 1940 mm.	100
1381	NN trolley	S/s trolley, 13 floors, dimensions: 570 mm x 380 mm x 1750 mm.	100
1382	Apple International	Apple International mobile depositor, model: MR 900, serial number: 1269 11, year of construction: 2008, pressure: 55 bar, diameter head: 70 mm, total dimensions: 1450 mm x 950 mm x 1040 mm. Incomplete.	750
1383	Verkest	Verkest steel vessel, number: 3179, capacity: 500 liter, dimensions: 800 mm x 700 mm x 2100 mm.	100
1384	Kemco	Kemco elevating belt with infeed hopper, plastic belt with dividers, belt width: 600 mm, distance between dividers: 305 mm, divider height: 50 mm, elevating height: 2200 mm, total dimensions: 4150 mm x 950 mm x 2560 mm.	1000
1385	Stork	Stork pump installation, type: (2x) 2.MVR 403, capacity: 8 m ³ per hour, dimensions: 1150 mm x 700 mm x 1270 mm.	250
1386	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. 1 trolley damaged. Including 20 aluminium y-shaped smoke sticks per trolley, length each smoke stick: 880 mm.	1000



Nr	Title	Description	Start €
1387	NN cooling compressor	Cooling compressor for cooling cell, dimensions: 720 mm x 480 mm x 450 mm.	50
1388	Helpman	Helpman evaporator, type: LEX-6-E, 1 fan, 220/240 V, 1 Ph, 50 Hz, dimensions: 690 mm x 670 mm x 450 mm.	100
1389	Helpman	Helpman evaporator, type: PX 1-7, serial number: 624-005, year of construction: 2000, 220 V, 1 Ph, 50 Hz, refrigerant: R22 / R134a, dimensions: 750 mm x 670 mm x 270 mm.	100
1390	Keyfrost	Steel cabinet with Keyfrost cooling compressor, model: KS 27 BTET, serial number: 00083729, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.7 kW, refrigerant: R404a, dimensions: 1000 mm x 570 mm x 400 mm.	100
1391	NN elevating belt	Double lane elevating belt, 2 plastic belts with dividers, belt width: 230 mm, divider height: 20 mm, distance between dividers: 210 mm, elevating height: 1250 mm, total dimensions: 3000 mm x 1050 mm x 1400 mm.	500
1392	NN windows	Pallet with 12 windows, dimensions: (12x) 1185 mm x 660 mm x 110 mm.	150
1393	Electrolux	Electrolux condenser, dimensions: 1650 mm x 650 mm x 650 mm.	150
1394	Güntner	Güntner evaporator, 2 fans, type: GVH 0820, serial number: 100/11107.1/2, year of construction: 2000, 23 Bar, 100°C, 63 L, total dimensions: 4100 mm x 900 mm x 1400 mm.	550
1395	NN evaporator	Evaporator, 2 fans, dimensions: 3600 mm x 1150 mm x 780 mm.	200
1396	NN table	S/s table with plastic cutting board, dimensions: 3550 mm x 1850 mm x 850 mm.	450
1398	NN crates	Pallet with 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 2400 mm x 1200 mm x 2400 mm.	480
1399	NN crates	Pallet with 100 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	200
1400	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1401	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1402	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1403	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160



Nr	Title	Description	Start €
1404	APV Baker AS	APV Baker AS plate heat exchanger, type: M92 MGS, serial number: 37166, year of construction: 1994, dimensions: 1500 mm x 900 mm x 1950 mm.	750
1405	APV Baker AS	APV Baker AS plate heat exchanger, type: M92 MGS, serial number: 37134, year of construction: 1994, dimensions: 1500 mm x 900 mm x 1950 mm.	750
1406	APV Baker AS	APV Baker AS plate heat exchanger, type: M92 MGS, serial number: 37165, year of construction: 1994, dimensions: 1500 mm x 900 mm x 1950 mm.	750
1407	Endoline	Endoline mobile box closing machine, model: 702, serial number: 98017337, 415 V, 3 Ph, 50 Hz, plastic belts, belt width: (2x) 85 mm, steel rollers, roller width: 500 mm, total dimensions: 2500 mm x 1100 mm x 2050 mm. Incomplete.	250
1408	Van Wylick Metaaltechniek B.V.	Van Wylick Metaaltechniek B.V. mobile transport belt, type: T250K8-EV, number: 150439-01, year of construction: 11/2001, weight: 280 kg, plastic belt, belt width: 250 mm, total dimensions: 5500 mm x 750 mm x 400 mm.	300
1409	NN deboning table	S/s deboning table with plastic worktops dimensions: 3150 mm x 1350 mm x 900 mm.	400
1410	Schmidt & Wezel EFA	Schmidt & Wezel EFA breaking saw, type: EFA 86, number: 1473, year of construction: 2006, diameter saw: 200 mm, total dimensions: 600 mm x 230 mm x 230 mm. Including Carl Sthal balancer, capacity: 16.0 - 21.0 KG.	250
1411	Schmidt & Wezel EFA	Schmidt & Wezel EFA breaking saw, diameter saw: 200 mm, total dimensions: 600 mm x 230 mm x 230 mm. Including Carl Stahl balancer, capacity: 13.0 - 17.0 KG.	250
1412	NN saw blades	Various s/s saw blades, diameter: 200 and 270 mm.	25
1413	NN organ hooks	2 plastic crates with s/s organ hooks, dimensions: (2x) 600 mm x 400 mm x 280 mm.	50
1414	Handtmann	Handtmann case holding device, type: 60-6, number: 12806348, dimensions: 600 mm x 400 mm x 250 mm.	500
1415	NN meat hooks	Plastic crate with s/s meat hooks, dimensions: 600 mm x 400 mm x 300 mm.	100
1416	Jarvis	Jarvis reciprocating saw, model: SER-04, serial number: 130923, year of construction: 9/17/18, 230 V, 6.5 A, dimensions: 900 mm x 200 mm x 200 mm.	400
1417	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH cooking vessel, type: 8110-7, year of construction: 2008, 230 V, 50 Hz, 0.15 kW, capacity: 700 liter, gas heated, inside dimensions: 1800 mm x 800 mm x 500 mm, total dimensions: 2000 mm x 1400 mm x 2000 mm.	1250
1418	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH cooking vessel, type: 8110-7, year of construction: 2008, 230 V, 50 Hz, 0.15 kW, capacity: 700 liter, gas heated, inside dimensions: 1800 mm x 800 mm x 500 mm, total dimensions: 2000 mm x 1400 mm x 2000 mm.	1250



Nr	Title	Description	Start €
1419	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 3000, number: 42677, year of construction: 2000, 400 V, 50 Hz, 2.2 A, 7.5 kW, working width: 420 mm, total dimensions: 700 mm x 550 mm x 1000 mm. Including some additional knife blades.	400
1420	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: AS 450, number: 4129, 380 V, 50 Hz, 0.4 kW, working width: 400 mm, total dimensions: 620 mm x 530 mm x 1000 mm.	400
1421	NN sole cleaner	S/s sole cleaner, brush length: (2x) 1000 mm, total dimensions: 1700 mmx 800 mm x 1100 mm.	250
1422	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length each smoke stick: 1000 mm, total dimensions: 1000 mm x 420 mm x 900 mm.	50
1423	Turbo Systems Limited	Turbo Systems Limited mobile depositor, machine number: D90014509880, dimensions: 1100 mm x 400 mm x 1680 mm.	1500
1424	Turbo Systems Limited	Turbo Systems Limited transport belt with denester, machine number: CONO32501, plastic belt, diameter cups: 115 mm, belt width: 240 mm, total dimensions: 3200 mm x 500 mm x 1800 mm.	750
1425	NN deboning table	S/s deboning table with plastic worktops dimensions: 2000 mm x 1060 mm x 1900 mm.	300
1426	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: BXM 434 Loin, serial number: UM-48494, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 4.45 A, 1.1 kW, weight: 460 kg, plastic mesh infeed belt, belt width: 380 mm ,working width: 250 / 450 mm, plastic outfeed belt, belt width: 390 mm, total dimensions: 2100 mm x 1000 mm x 1300 mm.	11000
1427	Weber	Weber mobile skinning machine, type: ASP 560, number: ASP05601-10161, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 220 kg, working width: 540 mm, total dimensions: 1000 mm x 600 mm x 1150 mm.	10000
1428	Bizerba	Bizerba bandsaw, model: FK 32, machine number: 2169862, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.6 A, table dimensions: 750 mm x 750 mm, total dimensions: 750 mm x 750 mm x 1600 mm.	1750
1429	Signode	Signode strapping machine, model: BA 24-15-40, serial number: 26840772 SNAK200147, year of construction: 2020, 24 V, clearance: 320 mm x 160 mm, total dimensions: 800 mm x 800 mm x 2050 mm.	9500
1430	Webomatic	Webomatic mobile bag blower, type: FKT 800, machine number: 95KJ97, 400 V, 3 Ph, 50 Hz, 0.77 A, 0.9 kW, dimensions: 1150 mm x 600 mm x 900 mm.	1500
1431	Weber	Weber mobile skinning machine, type: AS 450, number: 3247, 380 V, 50 Hz, 0.4 kW, working width: 380 mm, total dimensions: 670 mm x 550 mm x 1000 mm.	2500



Nr	Title	Description	Start €
1432	Pulso Tronic	Pulso Tronic mobile pipe line metal detector with rejector, type: M-Pulse 2 INFlex65 compact, serial number: 90006015, year of construction: 2016, 115/230 V, 1 Ph, 50/60 Hz, 16 A, 4/6 bar, clearance: Ø 55 mm, total dimensions: 850 mm x 600 mm x 1500 mm.	2500
1433	Tipper Tie technopack GmbH	Tipper Tie technopack GmbH mobile automatic clipper, model: TC 1590 E-N, dimensions: 1150 mm x 700 mm x 500 mm.	1400
1434	NN slicer	Mobile slicer, clearance: 520 mm x 230 mm, working width: 350 mm, plastic belt, belt width: 350 mm, total dimensions: 2300 mm x 750 mm x 1650 mm.	1000
1435	Rudolf Schad	Rudolf Schad mobile binding machine, type: E 85-2, number: 64, year of construction: 10/2021, 230/400 V, 50 Hz, 0.37 kW, weight: 135 kg, dimensions: 750 mm x 800 mm x 1250 mm.	4500
1436	Freund	Freund mobile circular carcass saw with roller conveyors and transport belts, model: ZKM75-08-T, year of construction: 2021, 400 V, 50 Hz, 4.3 A, 2300 W, 195 rpm, saw diameter: 750 mm, s/s rollers, roller width: 450/280 mm, plastic belts, belt width: (2x) 430 mm, total dimensions: 1550 mm x 1600 mm x 1700 mm.	15000
1437	Freund	Freund leg cutter, year of construction hydraulic unit: 2021, dimensions: 300 mm x 300 mm x 500 mm, dimensions leg cutter: 450 mm x 150 mm x 150 mm.	1500
1438	Freund	Freund trimmer, model: TM-E6000, year of construction: 2019, 230 V, 1 Ph, 50/60 Hz, 1.4 A, 400 W, 2500/6000 rpm, dimensions trimmer: 400 mm x 200 mm x 250 mm, dimensions motor: 300 mm x 150 mm x 150 mm.	750
1439	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik circular saw, type: EFA 17, number: 598, year of construction: 2009, 880 W, 6/8 bar, saw diameter: 200 mm, total dimensions: 500 mm x 300 mm x 300 mm.	500
1450	Kolbe	Kolbe mobile grinder, type: MW 100, serial number: 124 0753, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 11.4 + 2.4 A, 5.5 + 0.75 kW, weight: 365-380 kg, plate diameter: Ø 100 mm, total dimensions: 1300 mm x 685 mm x 1320 mm.	1500
1451	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH mobile cooking vessel, type: KDN 200 F, serial number: 22.514, year of construction: 11/2008, 400 V, 50 Hz, 11 kW, capacity: 200 liter, inside dimensions: Ø 700 mm x 550 mm, total dimensions: 1180 mm x 850 mm x 1080 mm.	750
1452	Westfalia / Stork & Herrmann GmbH	Westfalia / Stork & Herrmann GmbH mixer, type: M2A, serial number: 0202, year of construction: 1995, inside dimensions bowl: Ø 840 mm x 500 mm, total dimensions: 1400 mm x 900 mm x 1330 mm.	1500
1453	K+G Wetter	K+G Wetter paddle-mixer grinder, serial number: 409/1082, year of construction: 1997, 400 V, 3 Ph, 50 Hz,	2000



Nr	Title	Description	Start €
		20 A, 9 kW, plate diameter: Ø 100 mm, total dimensions: 1430 mm x 800 mm x 1200 mm.	
1454	Franz Anlagenbau GmbH	Franz Anlagenbau GmbH strip cutter, type: MS 191 / 400-15, serial number: 19019, 380 V, 5.5 A, 2.25 kW, approximately 50 knives, total dimensions: 1170 mm x 520 mm x 1670 mm. Including knife trolley.	1000
1455	Bizerba	Bizerba grinder, model: FW-N321/2, number: 1639632, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 100 mm, total dimensions: 770 mm x 520 mm x 1500 mm.	500
1456	Deighton manufacturing UK Ltd	Deighton manufacturing UK Ltd hamburger forming machine, type: R4000, inside dimensions: Ø 355 mm x 325 mm, plastic belt, belt width: 140 mm, total dimensions: 850 mm x 620 mm x 800 mm.	750
1457	Vakona GmbH	Vakona GmbH vacuum tumbler, type: 125 IPMB1, serial number: 7016, year of construction: 1997, 220/380 V, 50 Hz, 20/115A, 0.37 kW, 17.5 RPM, capacity: 125 liter, inside dimensions: Ø 590 mm x 500 mm, with Busch vacuum pump, type: RB 0010 D OZO, total dimensions: 1100 mm x 700 mm x 1250 mm.	750
1458	Henkelman	Henkelman mobile diptank, type: DT100, inside dimensions: 600 mm x 800 mm x 220 mm, total dimensions: 880 mm x 1000 mm x 1320 mm.	500
1459	Variovac	Variovac thermoformer, type: PRIMUS, serial number: PW0277, year of construction: 2015, 400 V, 50 Hz, 27 A, dye dimensions: (10x) 150 mm x 85 mm, index: 510 mm, including Busch vacuum pump, type: RA 0302 D 503, capacity: 300 m ³ per hour, total dimensions: 8000 mm x 1300 mm x 1880 mm.	18000
1460	Talsa	Talsa mobile mixer, model: MIX-p, type: MIX 275P, serial number: 119012, 220/400 V, 3 Ph, 50 Hz, 5.6/9.8 A, 2.75 HP (approximately 2 kW), capacity: 275 liter, inside dimensions: Ø 900 mm x 500 mm, total dimensions: 1420 mm x 1000 mm x 1370 mm.	1500
1461	NN cooling tub	Cooling tub, dimensions: 1180 mm x 1000 mm x 1020 mm.	100
1462	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, serial number: 2500100241, plastic belts, belt width: (2x) 140 mm, total dimensions: 2350 mm x 700 mm x 1750 mm.	1000
1463	Desa	Desa mobile mixer, type: D 60, serial number: 2511, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 1 A, capacity: 60 liter, inside dimensions: Ø 450 mm x 400 mm, total dimensions: 900 mm x 600 mm x 1020 mm.	750
1464	Interbake	Interbake planetary mixer, type: V-mix 100, serial number: 93, year of construction: 11-2022, total dimensions: 1000 mm x 750 mm x 1820 mm. Including whisk, flat beater and hook.	1000



Nr	Title	Description	Start €
1465	Multivac	Multivac thermoformer, type: R105, machine number: 128554, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 24 A, 8 kW, film width: 360 mm, dye: (4x) 145 mm x 100 mm, plastic mesh outfeed belt, belt width: 315 mm, Busch vacuum pump, type: RA 0100 E 5Z1, capacity: 100 m ³ per hour, total dimensions: 3320 mm x 1000 mm x 1850 mm. Including crate with extra parts.	9000
1466	Afoheat NV	Afoheat NV infrared grill, type: AFOGRILL, serial number: J 008, year of construction: 2010, 400 V, 3 Ph, 4.2 kW, weight: 1200 kg, s/s mesh belt, belt width: 630 mm, total dimensions: 3180 mm x 1650 mm x 1900 mm.	15000
1467	Tender Star	Tender Star mobile tenderizer, model: T.S.E, serial number: 960213, year of construction: 1996, 220/380 V, 3 Ph, 50 Hz, 6.4/3.7 A, 0.9 kW, dimensions: 1000 mm x 800 mm x 1800 mm.	750
1468	NN lifter for meat bins	S/s lifter for 200 liter meat bins, dimensions: 2880 mm x 820 mm x 1000 mm.	500
1469	Leventi	Leventi combi steamer, type: CM 1.06 DGT BDI NG, serial number: 13 01 57554, 400 V, 3 Ph, 50/60 Hz, 9 kW, 7 floors, floor dimensions: (7x) 610 mm x 400 mm, total dimensions: 880 mm x 930 mm x 2190 mm.	500
1470	Grasselli	Grasselli slicer, type: SL400, 400 V, 50 Hz, weight: +/- 250 kg, knife distance: 5 mm, total dimensions: 1000 mm x 1000 mm x 1790 mm.	1000
1471	Bizerba	Bizerba band saw, type: FK 31, machine number: 1226223, 220/380 V, 3 Ph, 50 Hz, 7.0/4.2 A, 2.0 kW, table dimensions: 750 mm x 750 mm, total dimensions: 770 mm x 770 mm x 1600 mm.	600
1472	Spako	Spako cooking chamber, 7 floors, floor dimensions: (7x) 670 mm x 800 mm, total dimensions: 850 mm x 1050 mm x 2210 mm.	500
1473	Hobart	Hobart mobile grinder, model: 4632, serial number: 11-067-668, 380 V, 3 Ph, 50 Hz, 3.65 A, plate diameter: 100 mm, total dimensions: 1100 mm x 600 mm x 1260 mm.	500
1474	Röschermatic	Röschermatic mobile double chamber vacuum machine, type: VM-45/2, number: 6600051, 380/220 V, 50 Hz, 2.2 kW, Busch vacuum pump, type: 100-132, capacity: 100 m ³ per hour, dimensions: 750 mm x 1450 mm x 1200 mm.	1000
1475	Tecfrigo S.p.A.	Tecfrigo S.p.A. refrigerated display, model: Meat 550 Led, number: B62768, 230 V, 50 Hz, 0.97 kW, refrigerant: R134, 0.700 kg, 2 floors, floor dimensions: (2x) 550 mm x 650 mm, total dimensions: 740 mm x 800 mm x 2010 mm.	150
1476	Tecfrigo S.p.A.	Tecfrigo S.p.A. refrigerated display, model: Meat 550 Led, number: B62773, 230 V, 50 Hz, 0.97 kW, refrigerant: R134, 0.700 kg, 2 floors, floor dimensions: (2x) 550 mm x	150



Nr	Title	Description	Start €
		650 mm, total dimensions: 740 mm x 800 mm x 2010 mm.	
1478	Master	Master mobile bandsaw, number: 2578, 220/380 V, 3 Ph, 50 Hz, table dimensions: 370 mm x 350 mm, total dimensions: 850 mm x 470 mm x 1300 mm.	200
1479	Berdob	Berdob grinder, plate diameter: 50 mm, total dimensions: 850 mm x 510 mm x 470 mm.	150
1480	Packo	Packo lobe pump, type: LPHR/22L-176-084, serial number: S1638, capacity: 2 m ³ per hour, dimensions: 730 mm x 250 mm x 220 mm.	100
1481	Lumar Ideal	Lumar Ideal mobile vacuum tumbler, model: LU40, serial number: 99L40014, 220 V, 1 Ph, 50 Hz, 1.9/38 A, volume: 40 liter, total dimensions: 430 mm x 530 mm x 1250 mm.	350
1482	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH mobile rotisserie grill, type: CR 40, serial number: 40 974-0534, year of construction: 1997, 230 V, 1 Ph, 50 Hz, 3.6 kW, dimensions: 550 mm x 780 mm x 1565 mm.	250
1485	Eloma GmbH	Eloma GmbH combi steamer on s/s trolley, type: Joker T 6-23, serial number: EL0502123 EL105019, year of construction: 2011, 230 V, 1 Ph, 50/60 Hz, 3.60 kW, 3 floors, floor dimensions: (3x) 320 mm x 350 mm, total dimensions: 730 mm x 520 mm x 1340 mm.	400
1486	Eminent	Eminent cooling unit, serial number: CAI466731, 230 V, 1 Ph, 50 Hz, 0.475 kW, dimensions: 490 mm x 350 mm x 450 mm.	300
1487	NN slicer	Slicer, dimensions: 650 mm x 680 mm x 700 mm.	200
1488	NN ice machine	Mobile ice machine with bunker, dimensions: 800 mm x 1230 mm x 2000 mm.	500
1489	Bizerba	Bizerba mobile automatic slicer, model: A 404 FB, number: 10832880, year of construction: 2012, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 980 mm x 930 mm x 1350 mm.	1000
1490	Bizerba	Bizerba mobile automatic slicer, model: A 404 FB, number: 10978772, year of construction: 2013, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 720 mm x 1200 mm x 1350 mm.	1000
1491	GGM	GGM ice bunker, type: SS 80 AIR EW175, serial number: 18422443, 220/240 V, 3 Ph, 50 Hz, 2.8 A, 720 W, inside dimensions: 430 mm x 580 mm x 250 mm, total dimensions: 650 mm x 450 mm x 980 mm.	500
1492	Melior-Ganda	Melior-Ganda mobile mixer, model: MG100, machine number: 08 454, year of construction: 2003, 400 V, 50 Hz, 5.6 A, 2.6 kW, bowl dimensions: Ø 660 mm x 300 mm, total dimensions: 1000 mm x 700 mm x 1070 mm.	500
1493	Talsa	Talsa mobile mixer, model: MIX 100P, serial number: 285978, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 2.35 A, volume: 100 liter, dimensions: 950 mm x 700 mm x 1100 mm.	1000



Nr	Title	Description	Start €
1494	Jegerings	Jegerings salad spinner, type: LS-ES, serial number: 11101.906.70060.05, 230 V, 1 Ph, 50 Hz, 3.6 A, 0.55 kW, 550 rpm, dimensions: 750 mm x 580 mm x 850 mm.	800
1495	Talsa	Talsa mobile mixer, model: MIX955P, version: SP-SUPREM, serial number: 2502734, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 2.3/4.1 A, 0.8 kW, volume: 95 liter, dimensions: 1100 mm x 770 mm x 1170 mm.	1000
1500	Kuiper Wagenbouw/Evers	Kuiper Wagenbouw/Evers vending trailer with refrigeration counter, model: Kupa 35 Markavan 9 m, serial number: XL9KD350220090420, first registration: 2020 (no license plate available), MOT expiry date: unknown, weight: 3500 kg, twin-axle, expandable width on left and right sides, transport dimensions: approximately 9000 mm x 1500 mm x 2950 mm, total dimensions when fully extended: approximately 12500 mm x 5000 mm x 2950 mm. Please notice: trailer is not registered and has no license plate, paperwork is not available.	25000
1501	Vinko/Vink Koeltechniek B.V.	Vinko/Vink Koeltechniek B.V. vending trailer with refrigeration counter, model: VK25SZ, first registration: 12-04-2002, license plate: WF-DV-08, MOT expiry date: unknown, weight: 2700 kg max, twin-axle, expandable width on left and right sides, transport dimensions: approximately 6500 mm x 1500 mm x 2350 mm, total dimensions when fully extended: approximately 6500 mm x 4400 mm x 2350 mm.	750
1502	Renault	Renault delivery van, model: Kangoo Express 1.5 dCi 75 Comfort, first registration: 09-05-2014, license plate: VH-650-G, MOT expiry date: 09-05-2026, Mileage: 162850 km, fuel: Diesel, 55 kW/75 HP, manual transmission, insulated refrigeration box (no refrigeration unit).	1500
1503	Smipack S.p.A.	Smipack S.p.A. automatic in-line shrink wrapper, model: BP800AS, serial number: 68761, year of construction: 2018, 380/415 V, 3 Ph, 50/60 Hz, 31 A, 17180 W, 6 bar, capacity: 12 products per minute, maximum film width: 750 mm, seal length: 760 mm, advised film type: LDPE 20-100 u, total dimensions: 2840 mm x 1410 mm x 2265 mm.	11000
1504	Krones	Krones ergomatic labelling machine, estimated weight: 10.000 kg, dimensions: 5500 mm x 3700 mm x 2350 mm.	15000
1505	Kieselmann	Pre-processor module on s/s skid, consisting of: manifold with 14 Kieselmann valves, Endress+Hauser flow meter, type: Promag H, serial number: N318E019000, Rieger s/s tank, type: B02, year of construction: 2018, volume: 300 liter and s/s flow board, dimensions: 1600 mm x 1300 mm x 2800 mm. Including: Fristam centrifugal pump,	1000



Nr	Title	Description	Start €
		type: FP 742 A, number: 0444480213, dimensions: 600 mm x 260 mm x 400 mm.	
1506	HST	HST homogenizer, type: HL3-600K, serial number: 18DA476, year of construction: 2018, 45 kW, maximal pressure: 600 bar, capacity: 5000-12000 liter per hour, weight: 2950 kg, dimensions: 2050 mm x 1100 mm x 1350 mm. Including trolley for parts, dimensions: 1050 mm x 550 mm x 1050 mm. Including: Rittal switch cabinet, dimensions: 3000 mm x 510 mm x 2300 mm.	15000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law


16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

