



**Industrial
Auctions**

2105: Online auction machinery for the food industry on behalf of Florin GmbH in Willich (DE)

END DATE
15 April 2026 14:00



General terms and conditions of the online auction

End date	15 April 2026 from 14:00 hrs.
Viewing days	14 April 2026 from 09:00 till 12:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	22 April 2026 from 09:00 till 16:00 hrs.
Pick up address	Daimlerstraße 4 47877 Willich Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Ishida / Kopas	Multihead weighing and packaging line consisting of: Ishida 14 heads multihead weigher, model: OOW-EM-214W-S/30-SS, serial number: 553622, year of construction: 2003, 240 V, 1 Ph, 50 Hz, 6.2 A, weight: 520 kg, dimensions: 1200 mm x 1000 mm x 2000 mm. Kopas vertical form- fill- and seal machine, type: JK 200 FM Servo, machine number: 452, 400 V, 3 Ph, 50 Hz, 25 A, 17.5 kW, pipe diameter: 100 mm, vertical seal length: 370 mm, horizontal seal length: 230 mm, total dimensions: 1700 mm x 2150 mm x 2100 mm. Elevating belt, plastic belt with dividers, belt width: 260 mm, divider height: 60 mm, distance between dividers: 220 mm, total dimensions: 4600 mm x 500 mm x 2350 mm. Elevating belt, plastic belt with dividers, belt width: 380 mm, divider height: 60 mm, distance between dividers: 220 mm, total dimensions: 4000 mm x 600 mm x 1750 mm. Vibrating gutter, gutter width: 300 mm, total dimensions: 1600 mm x 840 mm x 1000 mm.	7500
2	Oxipack	Oxipack leak detector, model: 21-OX0105-022, inside dimensions: 500 mm x 350 mm, total dimensions: 700 mm x 700 mm x 300 mm.	5000
3	SIAT	SIAT mobile box closing machine with top taper, model: SB/4-S, serial number: 51957, year of construction: 2007, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, steel rollers, roller width: 640 mm, total dimensions: 1000 mm x 1000 mm x 1800 mm.	150
4	Küppersbusch verpackungssysteme GmbH	Küppersbusch verpackungssysteme GmbH tray folding and filling machine, type: FLP-12, serial number: 0.7060, year of construction: 1999, 400/230 V, 50 Hz, Becker vacuum pump, type: VT. 4.40, capacity: 40/48 m ³ /h, 2 Nordson glue units, unit number: 3400-2EA43/R, plastic belt with 6 lanes, belt width: 80 mm, lane width: 37 mm, tray width: 220 mm x 155 mm, total dimensions: 7000 mm x 1350 mm x 2180 mm. Including pallet with labelling machine, dimensions: 1500 mm x 1000 mm x 800 mm.	1500
5	Wolf Verpackungsmaschinen GmbH	Wolf Verpackungsmaschinen GmbH depositor, type: SD50 D, serial number: 99030, year of construction: 1999, plastic belt, belt width: 150 mm, total dimensions: 1650 mm x 750 mm x 2200 mm.	1250
6	Blitzer	Blitzer can opener, number: K003026P, year of construction: 04/09, working diameter: 153 mm (3 and 5 kg tin cans), total dimensions: 2000 mm x 1500 mm x 2100 mm. Including pallet with Netzch suction pump and parts.	2500
7	Seitz Compacta	Seitz Compacta bottle filling machine with 15 heads, bottle diameter: 85 mm, total dimensions: 2300 mm x	2000



Nr	Title	Description	Start €
		1900 mm x 2250 mm. With vacuum pump, dimensions: 1200 mm x 800 mm x 900 mm and protection fence, dimensions: 2200 mm x 1500 mm x 500 mm. Belt not included.	
8	Kahl+Schlichterle	Kahl+Schlichterle bottle capping machine, bottle diameter: 80 mm, cap diameter: 31 mm, total dimensions: 1550 mm x 950 mm x 1800 mm. Including pallet with cap feeder, dimensions: 1200 mm x 800 mm x 1000 mm. Belt not included.	2000
9	Kosme	Kosme double bottle labelling machine, model: Adhesive Compact 440 4T S3E3 DX, serial number: L04678.001, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3 kW, bottle diameter: 75 mm, total dimensions: 2300 mm x 1600 mm x 2000 mm. Belt not included.	2500
10	NN transport belt	Transport belt with s/s frame, plastic mesh belt, belt width: (3x) 80 mm, total dimensions: 2900 mm x 750 mm x 1360 mm and 2500 mm x 600 mm x 1400 mm.	300
11	NN elevating belt	Mobile s/s elevating belt, with infeed funnel, plastic belt with dividers, belt width: 100 mm, distance between dividers: 140 mm, divider height: 30 mm, elevating height: 2850 mm, total dimensions: 3150 mm x 760 mm x 1850 mm.	500
12	NN transport belt	Transport belt with s/s frame, dimensions: 1300 mm x 900 mm x 1600 mm. Incomplete.	200
13	elotec	elotec buffer belt with s/s frame and plastic mesh belt with 8 zig zag lanes, belt width: 80 mm, total dimensions: 3100 mm x 1300 mm x 1600 mm.	300
14	NN transport belt	Transport belt with s/s frame and plastic mesh belt, belt width: (9x) 80 mm, total dimensions: 1200 mm x 2300 mm x 1550 mm.	200
15	NN turning table	S/s turning table with steel frame, table diameter: 990 mm, total dimensions: Ø 1050 mm x 1050 mm.	150
16	NN turning table	S/s turning table with steel frame, table diameter: 800 mm, total dimensions: Ø 860 mm x 1000 mm.	150
17	Gassner GmbH	Gassner GmbH cap feeder, type: Basement BM2 Compact, serial number: 05.14.08.1981, year of construction: 2008, width: 200 mm, total dimensions: 1150 mm x 580 mm x 1580 mm.	300
18	NN switch cabinet	S/s switch cabinet, type: Elektr. Steuerung EST7-300, serial number: E08.1615, year of construction: 2008, dimensions: 1000 mm x 310 mm x 1350 mm.	200
19	Stiels Spezialmaschinenbau	Stiels Spezialmaschinenbau filling machine for brine, s/s belt, belt width: 85 mm, s/s mesh belt, belt width: 200 mm, total dimensions: 2900 mm x 1000 mm x 2000 mm.	500
20	Pano Verschluß GmbH	Pano Verschluß GmbH cap feeder, type: MFH 3000, machine number: 08-300-69, year of construction:	500



Nr	Title	Description	Start €
		2008, 0.55 kW, plastic magnetic belt, belt width: 145 mm, elevating height: 2100 mm, total dimensions: 1050 mm x 1100 mm x 2330 mm.	
21	PND s.r.l.	PND s.r.l. dipping belt for fruits and vegetables, type: universal dipping system, year of construction: 2017, plastic mesh belt with dividers, belt width: 1100 mm, divider height: 80 mm, distance between dividers: 150 mm, elevating height: 1400 mm, total dimensions: 4400 mm x 1700 mm x 2300 mm.	2500
22	NN switch cabinet	Steel switch cabinet, dimensions: 2100 mm x 1600 mm x 530 mm.	500
23	Mesutronic	Mesutronic metal detector with rejector, type: MN 7.0 CI 350/125 (NF), serial number: 1428-CI, year of construction: 2012, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 300 mm, clearance (without belt): 350 mm x 125 mm, total dimensions: 1650 mm x 800 mm x 950 mm.	2500
24	Costamat	Costamat 10-heads bottle filler, bottle diameter: 35 mm, total dimensions: 1550 mm x 1250 mm x 2500 mm. Belt not included.	1500
25	EME	EME 4-heads depositor for brine, number: 20002191, year of construction: 05.2000, 3x 400 V, 50 Hz, diameter heads: (4x) 20 mm, belt width: 80 mm, total dimensions: 2350 mm x 1250 mm x 2200 mm. Incomplete, belt missing.	1500
26	Niko Spezialmaschinenbau GmbH & Co. KG	Niko Spezialmaschinenbau GmbH & Co. KG mobile salt dosing unit, type: 56, serial number: 94.78, inside dimensions: 500 mm x 400 mm x 400 mm, diameter output: 55 mm, total dimensions: 1500 mm x 800 mm x 2300 mm.	500
27	Mesutronic	Mesutronic metal detector with rejector, type: FC 01 BA 3.1.1, serial number: 1013 FC, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: 80 mm, clearance: 130 mm x 205 mm, total dimensions: 2050 mm x 990 mm x 1500 mm.	500
28	Cabinplant	Cabinplant dosing machine, dimensions: 1050 mm x 900 mm x 1700 mm.	500
29	Mesutronic	Mesutronic metal detector with rejector, type: MN 7.0 CI 350/125 (NF), serial number: 1401-CI, year of construction: 2012, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 300 mm, clearance (without belt): 350 mm x 125 mm, total dimensions: 1650 mm x 800 mm x 950 mm.	2500
30	SES	SES labelling machine, type: SES-160-II, machine number: 12 999/12 2194 08, year of construction: 2012, 230 V, 50 Hz, maximum label width: 170 mm, total dimensions: 1100 mm x 900 mm x 1000 mm.	250
31	Zilli & Bellini S.r.l.		9500



Nr	Title	Description	Start €
		Zilli & Bellini S.r.l. pocket filler, model: MB12, type: pocket filler, serial number: MB12.72.11, year of construction: 2011, 400 V, 50 Hz, 9 A, 4 kW, diameter form: 65 mm, belt width: 80 mm, total dimensions: 3800 mm x 2200 mm x 2100 mm. Including switch cabinet, dimensions: 850 mm x 400 mm x 1850 mm.	
32	Clever Machines	Clever Machines shrink tunnel, type: STJ 2, serial number: 0147 – 2009, year of construction: 2009, 400 V, 50 Hz, 3 kW, weight: 1200 kg, belt width: 85 mm, film width: 105 mm, steam heated, V.I.M.E.C. blowers, total dimensions: 4200 mm x 1100 mm x 2310 mm.	500
33	SES	SES labelling machine, type: SES-160-II, machine number: 12 998/12 2193 08, year of construction: 2012, 230 V, 50 Hz, maximum label width: 170 mm, total dimensions: 1100 mm x 900 mm x 1000 mm.	250
34	Safeline	Safeline metal detector with rejector, clearance: 200 mm x 350 mm, plastic belt, belt width: 120 mm, total dimensions: 1600 mm x 900 mm x 1650 mm.	400
35	Bosch	Bosch vertical bag form-, fill-, seal machine, type: 175N, number: 5003, year of construction: 1982, film width: 380 mm, vertical seal length: 420 mm, horizontal seal length: 265 mm, total dimensions: 1250 mm x 1300 mm x 2250 mm. Control systems were upgraded in-house in 2015.	500
36	Bosch	Bosch vertical bag form-, fill-, seal machine, type: 175N, number: 6504, year of construction: 1986, film width: 380 mm, vertical seal length: 420 mm, horizontal seal length: 265 mm, total dimensions: 1250 mm x 1300 mm x 2250 mm. Control systems were upgraded in-house in 2015.	500
37	CBV	CBV jar filling machine, type: CBV-Tiegelfüller, serial number: 063052015, year of construction: 2014, 230 V, 50 Hz, 2.5 A, 1 kW, plastic belt, belt width: 135 mm, total dimensions: 1500 mm x 900 mm x 2140 mm.	1250
38	Trans-Tech Weisser GmbH	Trans-Tech Weisser GmbH BMH Invertor, empty glass turner, clearance: \varnothing 67 mm x 173 mm.	100
39	Xuchang Chike Machinery Manufacturing Co., Ltd	Xuchang Chike Machinery Manufacturing Co., Ltd mobile roasting machine, type: DCCZ 5-4, 220 V, 50 h, 1-5 kW, capacity: 8-20 kg/h, dimensions: 940 mm x 660 mm x 1270 mm.	450
40	SES	SES double labeller, type: I-pack/SES-80/SES-120-HD, serial number: 07 308, 400 V, 50 Hz, 1200 VA, plastic belt, belt width: 60 mm, label width: (2x) 40 mm, total dimensions: 2100 mm x 1000 mm x 1850 mm.	2000
41	CBV	CBV sleeve machine for jars, type: CBV-Sleeve, serial number: 040052014, year of construction: 2014, 230 V, 50 Hz, 2.5 A, 1.0 kW, jar diameter: 80 mm, total dimensions: 2100 mm x 1150 mm x 1950 mm.	1250



Nr	Title	Description	Start €
43	NN tanks	2 s/s tanks, inside dimensions: \varnothing (2x) 500 mm x 630 mm, total dimensions: 1300 mm x 800 mm x 1400 mm.	250
44	NN turning table	Aluminium turning table, table diameter: 800 mm, total dimensions: 900 mm x 900 mm x 1300 mm.	200
45	Vama	Vama mobile vacuum machine, model: VP 530S, serial number: 3921-199, chamber dimensions: 435 mm x 500 mm, seal length: 430 mm, total dimensions: 570 mm x 750 mm x 1000 mm.	250
46	Clever Machines	Clever Machines sleever for jars, type: GS 301, serial number: 0087 – 2009, year of construction: 2009, film width: 110 mm, belt width: 85 mm, total dimensions: 2400 mm x 1600 mm x 2450 mm.	500
47	NN hammer mill	Hammer mill, working width: 225 mm, perforations: 9 mm and 12 mm, total dimensions: 945 mm x 840 mm x 1700 mm.	900
48	Dürr-Kompressoren	Dürr-Kompressoren compressor, type: 4521/7786, year of construction: 1979, volume: 100 liter, pressure: 10 bar, dimensions: 1200 mm x 800 mm x 900 mm.	100
49	P.I.V.	P.I.V. s/s tub with pump, type: FRBP, number: 259 970 G2, inside dimensions: \varnothing 480 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 1000 mm.	100
50	Jost	2 Jost vibrating gutters, type: EZ3, number: 2325, 220 V, 50 Hz, 0.9 A, gutter width: 400 mm, total dimensions: (2x) 850 mm x 640 mm x 1180 mm.	150
51	Kacperek	Kacperek motor with s/s agitator, dimensions: 520 mm x 150 mm x 200 mm.	150
52	Fral	Fral mobile chiller, indoor unit: model: FACSW22.0002, serial number: FACSW22.0002-1069 I.U., year of construction: 28/10/11, 240 V, 50 Hz, 13 A, 2.4 kW, refrigerant: R407C / 840 gram, outdoor unit: model: FACSW22, serial number: AS.FACSW010,-1186, year of construction: 19/04/12, 240 V, 50 Hz, 1 A, 200 W, dimensions: 1200 mm x 800 mm x 1320 mm.	100
53	Clever Machines	Clever machines film unwinding device, film width: 105 mm, total dimensions: 1500 mm x 800 mm x 2250 mm.	300
54	NN product screw	S/s product screw in plastic housing, \varnothing 75 mm x tier: 60 mm, total dimensions: 2650 mm x 700 mm x 600 mm.	100
55	NN turning table	S/s turning table, type: Round bottle unscrambler, model: TGM-LP10, year of construction: 10-2020, 220 V, 50 Hz, 120 W, table diameter: 800 mm, total dimensions: 1200 mm x 870 mm x 1100 mm.	200
56	NN mixer	Mobile s/s mixing tub, inside dimensions: \varnothing 500 mm x 600 mm, total dimensions: 1400 mm x 1000 mm x 700 mm.	100



Nr	Title	Description	Start €
57	NN transport belt	Transport belt with s/s frame and plastic V-shape belt, belt width: 450 mm, total dimensions: 1700 mm x 730 mm x 1030 mm.	250
58	NN filter unit	S/s filter unit, filter diameter: 500 mm, total dimensions: 1550 mm x 800 mm x 700 mm.	200
59	NN filling machine	S/s filling machine, filling range: 100-1000 ml/g, dimensions: 1100 mm x 400 mm x 500 mm. Incomplete.	100
60	Waukesha Cherry-Burrel	Waukesha Cherry-Burrel lobe pump, model: 015, serial number: 317518 02, dimensions: 850 mm x 400 mm x 250 mm.	150
61	Waukesha Cherry-Burrel	Waukesha Cherry-Burrel lobe pump, model: 006, serial number: 329577 03, dimensions: 850 mm x 400 mm x 250 mm.	150
62	Bock Maschinenbau GmbH	Bock Maschinenbau GmbH transport belt, s/s frame, plastic belt, belt width: 100 mm, total dimensions: 2450 mm x 640 mm x 2120 mm.	190
63	Kern	Kern weighing scale with depositor, type: BBF 1, number: 1091, year of construction: 2014, 230 V, 50 Hz, 0.1 kW, scale dimensions: 580 mm x 400 mm, total dimensions: 700 mm x 550 mm x 1260 mm.	90
64	Gassner GmbH	Gassner GmbH transport belt, s/s frame, plastic belt, belt width: 120 mm, total dimensions: 6000 mm x 300 mm x 360 mm.	250
65	Vaci Cobra / Becker	Vacu Cobra vacuum lifting device with Becker vacuum pump, capacity: 35 kg, dimensions: 1200 mm x 800 mm x 600 mm.	200
66	NN tumbler	Mobile s/s tumbler, inside dimensions: Ø 650 mm x 1200 mm, total dimensions: 1250 mm x 1100 mm x 1500 mm.	200
67	NN jars	Pallet with 75 boxes with 12 jars each box, volume jar: 380 ml, dimensions pallet: 800 mm x 1200 mm x 1000 mm. Without lids.	100
68	Wilhelm Flad	Wilhelm Flad press, model: Formica 1493, perforations: 7 mm x 7 mm, press diameter: 200 mm, total dimensions: 400 mm x 330 mm x 750 mm.	25
69	Thermo Electron Corporation	Thermo Electron Corporation metal detector, serial number: 06132547, plastic belt, belt width: 260 mm, clearance: 300 mm x 100 mm, total dimensions: 1200 mm x 900 mm x 1500 mm.	250
70	Roco Rosenberg GmbH & Co.	Roco Rosenberg GmbH & Co. Mobile box closing machine, type: 730, number: 7301902, clearance: 150 mm x 200 mm, total dimensions: 1300 mm x 900 mm x 1580 mm. Including mobile feeder, dimensions: 1010 mm x 750 mm x 980 mm. Technical condition unknown.	200
71	Treif	Treif dicer, type: 96/1, machine number: 161S/2048, year of construction: 1980, 220/380 V, 3 Ph, 50 Hz,	250



Nr	Title	Description	Start €
		12.5/20 A, chamber dimensions: 150 mm x 150 mm, total dimensions: 1600 mm x 900 mm x 1300 mm.	
72	NN transport belts	Pallet with 2 transport belts, belt width: 80 mm, total dimensions: 1500 mm x 900 mm x 1800 mm. Incomplete.	200
73	Alcoa	Pallet cage with parts for cap sorting machine for Rink elevator and Alcoa 4-head sealer, dimensions: 1200 mm x 800 mm x 1470 mm.	200
74	NN blower	Steel blower, dimensions: 650 mm x 500 mm x 700 mm.	25
75	Thermo Electron Corporation	Thermo Electron Corporation metal detector, model: SPECCKDSP3NAS, serial number: 6277, year of construction: 2005, plastic belt, belt width: 250 mm, clearance: 300 mm x 100 mm, total dimensions: 1400 mm x 1100 mm x 1500 mm.	200
76	Cabinplant	Cabinplant 24-heads multihead weigher, type: 7815, year of construction: 1999, weight: 1325 kg, dimensions: 1500 mm x 1250 mm x 1850 mm. Including switch cabinet, 2 pallets with parts and weighing baskets, dimensions weighing basket: 95 mm x 130 mm.	1600
77	Soco System	Soco System mobile box closing machine, model: T-10, number: 779-93, year of construction: 1993, 380 V, 3 Ph, plastic rollers, roller width: 260 mm, total dimensions: 1900 mm x 1000 mm x 1600 mm. Incomplete, missing top taper.	300
78	FAM	FAM 10-heads jar filling machine, model: RP610RH, serial number: 150/52/1, diameter heads: 10 mm, plastic transport belt, belt width: 85 mm, total dimensions: 2750 mm x 1500 mm x 2400 mm. Including pallet with s/s tank and switch cabinet, inside dimensions tank: Ø 580 mm x 690 mm, dimensions tank: 770 mm x 600 mm x 1570 mm, dimensions switch cabinet: 800 mm x 600 mm x 2100 mm, including 2 trolleys with parts, dimensions trolley: 1150 mm x 600 mm x 950 mm and Ø 700 mm x 1500 mm.	4500
79	NN transport belts	Pallet with various transport belts, belt width: 80 mm, total dimensions: 2450 mm x 1100 mm x 1000 mm. Incomplete.	200
80	NN processing tank	S/s processing tank, dimensions tank: 550 mm x 550 mm, total dimensions: 1200 mm x 800 mm x 1400 mm.	400
81	Meypack	Meypack packaging machine for trays and trays with lid, maximum capacity: up to 30 trays per minute, used for glass and plastic bottles (100 ml - 1.000 ml), with Nordson hot melt glue unit, type: ProBlue P/ N213 544C, total dimensions machine: 2940 mm x	4500



Nr	Title	Description	Start €
		1150 mm x 2300 mm/ 3500 mm x 1600 mm x 2200 mm/ 2750 mm x 1850 mm x 2050 mm/ 5050 mm x 1150 mm x 2000. Including switch cabinet, dimensions: 1800 mm x 430 mm x 2160 mm and transport belt, plastic rollers, roller width: 410 mm, total dimensions: 1620 mm x 580 mm x 1100 and s/s tool trolley, dimensions: 1400 mm x 1150 mm x 1850 mm and 2 pallets with parts.	
82	Bertolaso	Bertolaso crown bender with cap feeder, type: Alfa, serial number: 230 417, year of construction: 1975, bottle diameter: 40 mm, cap diameter: 25 mm, total dimensions: 1400 mm x 800 mm x 1750 mm.	1500
83	NN roller conveyer	Roller conveyer with plastic rollers, roller width: 390 mm, total dimensions: 2050 mm x 500 mm x 1100 mm.	50
84	Franz Kahl	Franz Kahl electric pallet lifter, type: EGH 1600, serial number: 20/70462, year of construction: 1999, capacity: 1000 kg, fork length: 1150 mm, total dimensions: 1650 mm x 700 mm x 2060 mm.	200
85	Enotecnica Pillan srl	Enotecnica Pillan srl filling machine with 2 filling heads, model: BACCO 2GS, serial number: 9079, year of construction: 2019, weight: 14 kg, capacity: 200-300 bottles per hour, bottle dimensions: min: 100 mm, max: 390 mm, Ø 140 mm, inside dimensions: 380 mm x 280 mm x 235 mm, total dimensions: 400 mm x 400 mm x 850 mm.	200
86	Enotecnica Pillan srl	Enotecnica Pillan srl filling machine with 6 filling heads, model: BACCO 6GS, serial number: 10233, year of construction: 2020, weight: 26 kg, capacity: 750-900 bottles per hour, bottle dimensions: min: 100 mm, max: 390 mm, Ø 140 mm, inside dimensions: 820 mm x 340 mm x 300 mm, total dimensions: 840 mm x 500 mm x 920 mm.	420
87	Printwolf	Printwolf labelling machine for jars, jars dimensions approximately: 60 - 250 ml, approximately 80 jars per minute, plastic belt, belt width: 150 mm, label width: 70 mm, clearance: 70 mm, 400 V, 50 Hz, total dimensions: 4000 mm x 1370 mm x 2200 mm. Including mobile table, plastic belt, belt width: 190 mm, total dimensions table: 3150 mm x 1220 mm x 950 mm. Including Printwolf switch cabinet, type: 8099, year of construction: 2013, 400 V, 50 Hz, 8 A, dimensions switch cabinet: 2100 mm x 820 mm x 410 mm.	7500
88	Herbert Grunwald GmbH	Herbert Grunwald GmbH cup filling and sealing machine, type: Hittpac AKH-019R/1, number: 31/02, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 9.5 A	950



Nr	Title	Description	Start €
		3.5 kW, 8 stations, dimensions cups: 110 mm x 80 mm, total dimensions: 1580 mm x 1510 mm x 2470 mm.	
89	Strapex	Strapex mobile box closing machine, type: Locktape 50 A, serial number: KN/033340, year of construction: 04/99, 380 V, 3 Ph, 50 Hz, 1.5 A, 0.6 kW, weight: 197 kg, clearance: 500 mm x 100 mm, total dimensions: 1100 mm x 1120 mm x 1820 mm.	350
90	NN dosing units	3 s/s dosing units with vibrating motor, dimensions: (3x) 800 mm x 680 mm.	300
91	NN transport belt	Transport belt, s/s frame, plastic belts, belt width: (3x) 45 mm, total dimensions: 2700 mm x 730 mm x 1570 mm.	1500
92	Kessen	Kessen mobile denester, dimensions tray: 200 mm x 150 mm, total dimensions: 700 mm x 540 mm x 1500 mm.	1250
93	Pago	Pago labelling machine, type: Pago AG CH9470 buchs SG, machine number: 30 488, label width: 100 mm, total dimensions: 1150 mm x 670 mm x 1300 mm.	50
94	TL getränkemaschinen	TL getränkemaschinen capper, type: KA6000, number: 219, year of construction: 10/93, dimensions: 1800 mm x 800 mm x 2000 mm. Incomplete.	750
95	NN cans	Pallet with cans, dimensions each can: Ø 75 mm x 110 mm, total dimensions: 1200 mm x 1250 mm x 1160 mm.	75
96	Ceselsan	Ceselsan roasting machine, type: Kavourma Firini, model: CS 2500 KF Plus, serial number: 1378 1102 010, year of construction: 2024, 380-400 V, 50 Hz, 5.0 kW, s/s mesh belt, belt width: 960 mm, clearance: 870 mm x 180 mm, total dimensions: 3800 mm x 2000 mm x 2200 mm. Including Ceselsan coating drum used for salt, model: TZM 150, serial number: 1378 0603 001, year of construction: 2023, 380-400 V, 50 Hz, 0.55 kW, dimensions: 1400 mm x 1200 mm x 900 mm.	12500
97	Clemens	Clemens capping machine, model: Capsulatrice 1 T., serial number: 2184, year of construction: 2015, lane width: 40 mm, total dimensions: 1000 mm x 800 mm x 1970 mm.	2000
98	Jungheinrich	Jungheinrich electrical pallet lifter, type battery: 3 PzS 300, year of construction: 03/1995, 24 V, 300 Ah, weight: 290 kg, fork dimensions: 1150 mm x 180 mm, distance between forks: 200 mm, total dimensions: 2050 mm x 870 mm x 1710 mm.	200
99	NN pump	Mobile pump, dimensions: 900 mm x 550 mm x 1000 mm. Incomplete.	150
100	Barsso-Spiralim	Barsso-Spiralim mobile automatic linear 2 head piston filling machine, type: SM80974, dimensions: 1000 mm x 1000 mm x 1500 mm. Including pallet with parts.	1500
101	Konstrukta		200



Nr	Title	Description	Start €
		Konstrakta clamp conveyor, type: 15-75070, number: 975.00-9000, year of construction: 08/2015, 400 V, 2 A, 0.75 kW, clearance: 50 mm x 250 mm, total dimensions: 1400 mm x 750 mm x 1800 mm.	
102	Koenig & Bauer	Pallet with Koenig & Bauer parts for hot foil, labelling and packaging machines.	50
103	KG Lyften AB / Toledo	KG Lyften AB weighing device for 200 liter meat bins, type: SKV 200 ESV, number: 7877 with Toledo weighing device, model: 8140, serial number: 4333101-4YU, 120 V, 50/60 Hz, 0.15 A, dimensions: 1150 mm x 840 mm x 1500 mm.	250
104	Reepack	Reepack mobile traysealer, model: REETRAY, serial number: 2400026, year of construction: 2000, 400 V, 3 Ph, 50/60 Hz, 25 A, film width: 300 mm, with vacuum pump, total dimensions: 910 mm x 740 mm x 1820 mm.	350
105	Jungheinrich	Jungheinrich electrical pallet lifter, model: EJC 12-G 115-280T, type: 024-4489, serial number: 799181109, year of construction: 1968, capacity: 1200 kg, weight without batter: 684 kg, battery weight: 110 kg, 24 V, 160 Ah, fork dimensions: 1150 mm x 180 mm, distance between forks: 195 mm, total dimensions: 1900 mm x 850 mm x 1900 mm. Not in working condition.	100
106	Polyketting Conveyor Technology	Polyketting Conveyor Technology elevating belt, type: SPEC, number: 061392, year of construction: 2006, 0.12 kW, elevating from 630 mm to 1200 mm, total dimensions: 1000 mm x 500 mm x 1480 mm.	200
107	Goring Kerr Limited	Goring Kerr Limited mobile pipeline metal detector, type: D.S.P2, serial number: 57423, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 0.4 A, diameter clearance: 70 mm, total dimensions: 1200 mm x 500 mm x 1500 mm. Incomplete.	200
108	NN transport belt	Transport belt with s/s tables, s/s frame, plastic belt, belt width: (4x) 83 mm, working width: 550 mm, total dimensions: 5700 mm x 1020 mm x 1070 mm.	600
109	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 150 mm, total dimensions: 3760 mm x 520 mm x 990 mm.	300
110	Goring Kerr Limited	Goring Kerr Limited mobile pipeline metal detector, diameter clearance: 70 mm, total dimensions: 1200 mm x 500 mm x 1500 mm. Incomplete.	100
111	Goring Kerr Limited	Goring Kerr Limited mobile pipeline metal detector, diameter clearance: 70 mm, total dimensions: 1200 mm x 500 mm x 1500 mm. Incomplete.	100
112	Nieros	Nieros hygiene station with sole cleaner, tourniquet and hand disinfection, type: URK, serial number: N3D19-07, year of construction: 05/2013, brush	2800



Nr	Title	Description	Start €
		length: (2x) 450 mm, total dimensions: 1350 mm x 950 mm x 1600 mm.	
113	Siemen & Hinsch m.b.H.	Siemen & Hinsch m.b.H. mobile pump, model: AOV 3110T1, number: 1.621089, dimensions: 750 mm x 300 mm x 660 mm.	50
114	Wipotec-OCS GmbH	Wipotec-OCS GmbH X-ray scanner, type: SC, model: 81100612, serial number: 8100612, year of construction: 2018, plastic belt, belt width: 415 mm, clearance: 445 mm x 210 mm, total dimensions: 1770 mm x 940 mm x 1750 mm. Showroom model, never been in production.	20000
115	ESV Spennes	ESV Spennes blancher, type: 310.1.0089 - Pos.3, serial number: AB 03.22.44721/2022, year of construction: 2022, plastic belt, belt width: 905 mm, clearance: 900 mm x 180 mm, input temperature: 10-15 °C, output temperature: 80-85°C, capacity: 1000 kg/hour, total dimensions: 5000 mm x 1500 mm x 2500 mm.	25000
116	Clean Air Europe	Clean Air Europe air treatment unit, type: DT 500, year of construction: 2020, dimensions: 150 mm x 80 mm x 300 mm. Never used.	190
117	Hilge	Hilge mobile pump, type: Universa W, number: 32643503, dimensions: 1550 mm x 350 mm x 960 mm.	50
118	NN pump	Mobile pump, dimensions: 1350 mm x 400 mm x 700 mm.	50
119	NN pump	Mobile pump, dimensions: 1450 mm x 450 mm x 700 mm.	50
120	Hilge	Hilge mobile pump, type: Universa W, number: 32623252, dimensions: 1600 mm x 350 mm x 800 mm.	50
121	W&VE	W&VE mobile gas heated heating device, type: MN 2.0, serial number: 89060750, inside dimensions: Ø 245 mm x 600 mm, total dimensions: 700 mm x 450 mm x 1120 mm.	100
122	Alco/Vogelsang	Alco frozen block shredding line consisting of: Vogelsang pre-reducer, serial number: TXT0000113, year of construction: 2023, dimensions: 3800 mm x 1800 mm x 3500 mm. Vogelsang shredder, model: RedUnit XRL, type: XRL260-1600, number: VA 1.3133.1004, year of construction: 2022, 400 V, 50 Hz, 60.0 kW, weight: 5100 kg, dimensions: 3600 mm x 1900 mm x 3100 mm. Alco elevating belt, type: AST 700/5000, serial number: 04462234, year of construction: 2023, 400 V, 50 Hz, 80 A, 22 kW, weight: 3100 kg, with Loma Systems metal detector, model: IQ4 Metal Detector, serial number: Q4W90-35-55848D, year of construction: 03/2021, 100-240 V, 1 Ph, 50/60 Hz, 1.3 A, dimensions: 6600	95000



Nr	Title	Description	Start €
		mm x 1200 mm x 3000 mm. Alco elevating belt, type: ATK-H 800/8000-Z, serial number: 03867232, year of construction: 2021, 400 V, 50 Hz, 16 A, 0.75 kW, weight: 1050 kg, dimensions: 10500 mm x 1200 mm x 4400 mm.	
130	Mettler Toledo / Safeline	Mettler Toledo / Safeline metal detector, plastic belt, belt width: 370 mm, clearance: 500 mm x 210 mm, total dimensions: 1500 mm x 1100 mm x 1200 mm.	350
131	FAM	FAM mobile slicer, type: TS-1D, serial number: 5836, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 3.5 kW, weight: 350 kg, plastic belt, belt width: 85 mm, clearance: 100 mm x 150 mm, total dimensions: 3300 mm x 750 mm x 1750 mm.	4500
132	Scanio	Scanio fat analyser, type: Scanalyser, machine number: 23, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 3 A, 1.2 kW, dimensions: 750 mm x 1000 mm x 1900 mm.	200
133	Kramer+Grebe	Kramer+Grebe grinder, type: WW-200, machine number: 198/430/1, year of construction: 1987, plate diameter: 200 mm, total dimensions: 1550 mm x 1350 mm x 1750 mm.	3500
134	Magurit	Magurit frozen block cutter, type: 315, machine number: 4627, year of construction: 2000, 400 V, 10 kW, working width: 850 mm, clearance: 540 mm x 300 mm, total dimensions: 1100 mm x 2250 mm x 1300 mm.	4000
135	NN grinder	Grinder with lifter for 200 liter meat bins, plate diameter: 160 mm, total dimensions: 2500 mm x 1600 mm x 1700 mm.	2500
136	Fomaco	Fomaco injector, model: FGM 48 SC, machine number: 10351, 400 V, 3 Ph, 50 Hz, 21 A, 96 needles, belt width: 420 mm, total dimensions: 2450 mm x 1000 mm x 2300 mm. Incomplete.	1250
137	Pugnale s.r.l.	Pugnale s.r.l. shock freezing tunnel, type: LINDE L11 136, serial number: 81050801, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 23 A, 9 kW, s/s mesh belt, belt width: 1380 mm, total dimensions: 12000 mm x 2100 mm x 1800 mm.	5000
138	Frigoscandia	Frigoscandia freezing tunnel, model: AGA Freeze L 1250-6-N, number: 1240034, s/s mesh belt, belt width: 1250 mm, total dimensions: 11000 mm x 2500 mm x 2050 mm	5000
139	NN cooking belt	Cooking belt, s/s mesh belt, belt width: 1100 mm, total dimensions: 9000 mm x 2200 mm x 2750 mm.	5000
140	NN mixer	Mixer dimensions bowl: Ø 900 mm x 450 mm, total dimensions: 1100 mm x 1200 mm x 1250 mm.	750
141	Seydelmann	Seydelmann grinder, model: ME 130, serial number: 87178-1, diameter plate: 130 mm, total dimensions:	2000



Nr	Title	Description	Start €
		850 mm x 1300 mm x 1500 mm. Including extra plates.	
142	NN paddle mixer	Double shaft paddle mixer, inside dimensions: 1000 mm x 1000 mm x 700 mm, total dimensions: 1400 mm x 2000 mm x 2000 mm.	750
143	water wheel	Double water wheel with diaphragm, s/s mesh belt, belt width: 600 mm, 4 head, Ø diaphragms: (4x) 75 mm, total dimensions: 2700 mm x 1500 mm x 1720 mm.	1750
144	Nothum	Nothum mobile breading machine, model: FD40, s/s mesh belt, belt width: (1x) 1020 mm and (2x) 200 mm, total dimensions: 1400 mm x 2000 mm x 2100 mm.	500
145	PFM	PFM flowpacker, plastic belt, belt width: 170 mm, distance between dividers: 350 mm, seal length: 220 mm, total dimensions: 4100 mm x 800 mm x 1650 mm.	1250

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2 The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

